



PROPOSED COMMERCIAL/INDUSTRIAL EQUIPMENT MAINTAINANCE: ISSUED FOR DEVELOPMENT PERMIT

DRAWING LIST

ARCHITECTURAL

- A0.00 - COVER SHEET
- A0.01 - EXISTING SITE PHOTOS
- A0.02 - EXISTING SITE PHOTOS
- A0.03 - RENDERING FOR NOTICE POSTING
- A0.04 - RENDERINGS
- A1.00 - EXISTING SITE PLAN
- A1.01 - PROPOSED SITE PLAN
- A1.02 - PROPOSED FIRE TRUCK ROUTE
- A1.03 - PROPOSED W&R TRUCK ROUTE
- A1.04 - PROPOSED SEMITRAILER ROUTE
- A1.05 - PROPOSED PASSENGER PARKING ROUTE
- A1.06 - PROPOSED LOADING TRUCK ROUTE
- A1.07 - PROPOSED LANDSCAPE PLAN
- A1.08 & A1.09 - YARD DETAILS
- A2.01 - PROPOSED FLOOR PLAN
- A3.01 - WEST & EAST ELEVATION
- A3.02 - SOUTH & NORTH ELEVATION

ELECTRICAL

- E1.0 - SITE LIGHTING PLAN ISO LINES
- E2.0 - LIGHTING CALCULATION AND RENDERING
- E3.0 - LUMINAIRE SPECIFICATIONS



b2d
architecture Inc.
214 - 3016 5 Ave NE | Calgary, AB | T2A 6K4
(405) 389-8332
addis@b2darchitecture.ca
b2darchitecture.ca

SIGN / SEAL



WIEBE'S
STEEL
STRUCTURES

The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date

**NASSA
EXCAVATING
LTD.**

5076 26 AVE SE
CALGARY, AB

COVER PAGE

JOB NUMBER

SCALE	DATE 2025-09-08
DRAWN ED	CHECKED AG
APPD	REV. NO

DWG NUMBER

A0.00



A - SOUTH CORNER LOT VIEW



B - SOUTHWEST CORNER LOT VIEW



LOCATION PLAN SCALE: N.T.S.



C - SOUTHEAST VIEW

SIGN / SEAL



The design and drawings prepared by b2d architecture | building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date

**NASSA
EXCAVATING
LTD.**

5076 26 AVE SE
CALGARY, AB

**EXISTING SITE
PHOTOS**

JOB NUMBER			
SCALE		DATE 2025-09-08	
DRAWN ED		CHECKED AG	
APP'D		REV. NO	
DWG NUMBER			

A0.01



D - SOUTHEAST CORNER LOT VIEW



E - EAST CORNER LOT VIEW



LOCATION PLAN SCALE: N.T.S.



F - EAST VIEW

b2d

architecture Inc.

214 - 3016 5 Ave NE | Calgary, AB | T2A 6K4

(403) 389-8332

addis@b2darchitecture.ca

b2darchitecture.ca

SIGN / SEAL

WIEBE'S

STEEL

STRUCTURES

The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule

Rev. No.	Revision	By	Date

NASSA

EXCAVATING

LTD.

5076 26 AVE SE

CALGARY, AB

EXISTING SITE

PHOTOS

JOB NUMBER

SCALEDATE2025-09-08

DRAWNED

CHECKEDAG

APPD

REV. NO

DWG NUMBER

A0.02



b2d

architecture Inc.

214 - 3016 5 Ave NE | Calgary, AB | T2A 6K4

(403) 389-8332

addis@b2darchitecture.ca

b2darchitecture.ca

SIGN / SEAL

WIEBE'S

STEEL

STRUCTURES

The design and drawings prepared by b2d architecture | building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date

NASSA

EXCAVATING

LTD.

5076 26 AVE SE

CALGARY, AB

RENDERING FOR
NOTICE POSTING

JOB NUMBER

SCALE

DATE

DRAWN

CHECKED

APPD

REV. NO

DWG NUMBER

ED

AG

2025-09-08

A0.03



b2d

architecture Inc.

214 - 3016 5 Ave NE | Calgary, AB | T2A 6K4

(403) 389-8332

addis@b2darchitecture.ca

b2darchitecture.ca

SIGN / SEAL

WIEBE'S

STEEL

STRUCTURES

The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date

NASSA

EXCAVATING

LTD.

5076 26 AVE SE

CALGARY, AB

RENDERINGS

JOB NUMBER

SCALEDATE2025-09-08

DRAWNEDCHECKEDAG

APPDREV. NO

DWG NUMBER

A0.04


SITE PLAN

MUNICIPAL ADDRESS:
5048 & 5076 26th Avenue S.E.
Calgary, Alberta

LEGAL DESCRIPTION:
Unit 2 & 4
Condominium Plan 201 2087

PREPARED FOR: Wiebe's Steel Structures Ltd.

DATE OF SURVEY: August 8th, 2025



- LEGEND:
- Property Line
 - Right of Way Line
 - Fence Line
 - Water Valve
 - Fire Hydrant
 - Manhole
 - Catch Basin
 - Check Valve
 - Tree
 - Calculation points
 - Sanitary Line
 - Storm Line
 - Water Line
 - Gas Line
 - Overhead Wire
 - A.G.T Line

1.00m Major Contour Line
0.20m Minor Contour Line

'L'--Length of Arc
'BC'--Back of Curb
'BOW'--Bottom of Wall
'BW'--Back of Walkway
'Cont.'--Cantilever

'Conc.'--Concrete
'Elev.'--Elevation
'Enc.'--Encroach(es)
'LOC'--Lip of Gutter
'R.'--Radius

'R/W'--Right of Way
'Ret.'--Retaining
'TOW'--Top of Wall

NOTE:

1. The basis of this plan is as follows:
Datum: North American Datum 1983 (original)
Projection: 3° Transverse Mercator
Reference Meridian: 114° west longitude
Combined Scale Factor: 0.999738

2. Distances are in ground and are shown in metres and decimals thereof.

3. Distances along curves are arc distances.

4. Elevations are derived from ASCM 28167.







5. Existing spot elevations are shown thus: 1000.00


6.a The Certificate of Title 241 048 217 was searched on the 10th day of July, 2025, and includes the following instruments:
Caveat No. 201 151 930
Utility Right of Way No. 201 193 404
Agreement No. 201 227 204
Easement No. 201 227 206
Caveat No. 211 053 094
Agreement No. 211 115 494
Mortgage No. 241 048 218
Caveat No. 241 048 219

6.b The Certificate of Title 251 028 449 was searched on the 10th day of July, 2025, and includes the following instruments:
Caveat No. 201 151 930
Utility Right of Way No. 201 193 404
Agreement No. 201 227 204
Easement No. 201 227 206
Caveat No. 211 053 094
Agreement No. 211 115 494

TREE SCHEDULE:



Tree No.	Variety	Caliper (±)	Canopy (±)	Height (±)	Location
T1	Deciduous Tree	0.10	1.00	4.00	In City Property
T2	Deciduous Tree	0.10	1.00	4.00	In City Property





GENERAL NOTES

1. ALL DIMENSIONS ARE IN MILLIMETERS EXCEPT CONG. CURB RADIUS WHICH ARE NOTED IN METERS.
2. ALL CONSTRUCTION WITHIN THE PROPERTY LINES IS NEW UN.O.
3. DRAWING IS NOT TO BE SCALED.
4. THIS SITE PLAN WAS CREATED FROM SURVEY DRAWING FILE NO. 2025-001 BY CIVIL AND LAND SURVEYORS INC. THE SURVEY CONDUCTED ON JULY 15, 2025. CONTRACTOR TO CONFIRM ALL EXISTING SITE INFORMATION PRIOR TO START OF CONSTRUCTION. SHOULD SUBSTANTIATION DISCREPANCIES BECOME APPARENT, CONTACT THE CONSULTANT.
5. ALL DIMENSIONS TO BE CHECKED & VERIFIED ON THE SITE, BY SURVEY, PRIOR TO ANY CONSTRUCTION. ANY DISCREPANCIES ARE TO BE REPORTED TO THE CONSULTANT BEFORE PROCEEDING.
6. CONTRACTOR TO ENSURE THAT ALL CONSTRUCTION ON MUNICIPAL PROPERTY IS TO THE LATEST NATIONAL STANDARDS.
7. THE TRAVEL PATH OF THE WASTE AND RECYCLING VEHICLE TO BE PAVED WITH ASPHALT ON THE DESIGN TO STRUCTURALLY SUPPORT A MINIMUM OF 25,000K LOAD.
8. ELECTRICAL, SUPPLY AND SITE SIGN TO BE LOCATED UNDERGROUND.
9. WHEEL STOPS TO BE CONSTRUCTED FROM RECYCLED RUBBER & BE A MAXIMUM 100mm HIGH. WHEEL STOPS TO BE PLACED WITHIN 100mm FROM THE FRONT OF THE PARKING STALL AS PER CITY OF CALGARY STANDARDS. WHEEL STOPS TO BE PLACED TO BE ASPIRANT TO THE MINIMUM CRASH RATING AS PER THE MANUFACTURER'S RECOMMENDATIONS.



Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representaions of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date



**NASSA
EXCAVATING
LTD.**

5076 26 AVE SE
CALGARY, AB

PROPOSED SITE PLAN

JOB NUMBER	
SCALE 1:250	DATE 2025-09-08
DRAWN ED	CHECKED AG
APP'D	REV. NO
DWG NUMBER	

A1.01



E-ONE Emergency One Ocala FL	
Overall Length	14.122m
Overall Width	2.540m
Overall Body Height	3.607m
Min Body Ground Clearance	0.425m
Track Width	2.540m
Lock-to-lock time	6.00s
Max Wheel Angle	45.00°

2 FIRE TRUCK PROFILE
A1.02

FIRE ACCESS ROUTE NOTE:
1. THE HATCHED AREA INDICATES THE MINIMUM 6.0m ACCESS ROUTE
2. THE FIRE ACCESS ROUTE WILL BE DESIGNED TO SUPPORT A 38,556KG/85,000 LBS LOAD AND DESIGNED TO SUPPORT THE NFPA 1901 POINT LOAD OF 517 KPA (75 PSI) OVER A 2.0'X2.0' (4 SQ. FT.) AREA. OWNER/CONTRACTOR TO ENSURE THE ACCESS ROUTE DESIGN TO MEET THIS REQUIREMENT OF THE DETAIL DESIGN THAT WILL BE PROVIDED FOR THE CONSTRUCTION.

WATER SUPPLY FOR FIRE FIGHTING NOTE:
THE PROPOSED BUILDING WILL BE CLASSIFIED AS GROUP F2 MAJOR OCCUPANCY (LOW HAZARD INDUSTRIAL OCCUPANCY), WHICH FALLS UNDER 3.2.2.85 CLASSIFICATION OF THE NATIONAL BUILDING CODE OF CANADA - 2023 (AE). BASED ON THIS CLASSIFICATION, THE BUILDING SIZE, AND THE NUMBER OF STOREYS, A SPRINKLER SYSTEM AND A FIRE DEPARTMENT CONNECTION ARE NOT REQUIRED. THE EXISTING FIRE HYDRANT, LOCATED WITHIN 90 METERS OF THE PRINCIPAL ENTRANCE, WILL BE USED AS THE PRIMARY WATER SUPPLY FOR FIREFIGHTING PURPOSES. A FIRE FLOW LETTER, PREPARED BY A QUALIFIED PROFESSIONAL ENGINEER, WILL BE PROVIDED.

1 PROPOSED FIRE TRUCK ACCESS ROUTE
A1.02 1 : 250



b2d
architecture Inc.
214 - 3016 5 Ave NE | Calgary, AB | T2A 6K4
(403) 389-8332
addis@b2darchitecture.ca
b2darchitecture.ca

SIGN / SEAL



WIEBE'S
STEEL
STRUCTURES

The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date

NASSA
EXCAVATING
LTD.

5076 26 AVE SE
CALGARY, AB



PROPOSED FIRE TRUCK ACCESS ROUTE

JOB NUMBER

SCALE 1:250	DATE 2025-09-08
DRAWN ED	CHECKED AG
APP'D	REV. NO

DWG NUMBER

A1.02



Mack TerraPro Low Entry 6x4 LEU 613 + Wayne Phoenix III 25Yd
Overall Length 8.760m
Overall Width 2.438m
Overall Body Height 3.195m
Min Body Ground Clearance 0.400m
Track Width 2.438m
Lock-to-lock time 6.00s
Curb to Curb Turning Radius 10.363m

2 W&R TRUCK PROFILE
A1.03

1 PROPOSED W&R TRUCK ROUTE
A1.03 1 : 250

b2d

architecture Inc.

214 - 3016 5 Ave NE | Calgary, AB | T2A 6K4
(403) 389-8332
addis@b2darchitecture.ca
b2darchitecture.ca

SIGN / SEAL



The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date

NASSA
EXCAVATING
LTD.

5076 26 AVE SE
CALGARY, AB

PROPOSED
W&R ROUTE

JOB NUMBER

SCALE
1:250

DATE
2025-09-08

DRAWN
ED



CHECKED
AG

APP'D

REV. NO

DWG NUMBER

A1.03



WB-12 - Semitrailer Combination	15.200m
Overall Length	2.600m
Overall Width	4.150m
Overall Body Height	0.435m
Min Body Ground Clearance	2.600m
Track Width	4.00s
Lock-to-lock time	12.200m
Curb to Curb Turning Radius	

2 SEMITRAILER TRUCK PROFILE
A1.04

1 PROPOSED SEMITRAILER ROUTE
A1.04 1 : 250

b2d
architecture Inc.
214 - 3016 5 Ave NE | Calgary, AB | T2A 6K4
(403) 389-8332
addis@b2darchitecture.ca
b2darchitecture.ca

SIGN / SEAL

WIEBE'S
STEEL
STRUCTURES

The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date



**NASSA
EXCAVATING
LTD.**

5076 26 AVE SE
CALGARY, AB

**PROPOSED
SEMITRAILER
ROUTE**

JOB NUMBER	
SCALE 1:250	DATE 2025-09-08
DRAWN ED	CHECKED AG
APP'D	REV. NO
DWG NUMBER	

A1.04



P – Passenger Car	
Overall Length	5.600m
Overall Width	2.000m
Overall Body Height	1.555m
Min Body Ground Clearance	0.340m
Track Width	2.000m
Lock-to-lock time	4.00s
Curb to Curb Turning Radius	6.300m

2 PASSENGER VEHICLE PROFILE
A1.05

1 PROPOSED PASSENGER PARKING ROUTE
A1.05 1 : 250

b2d

architecture Inc.

214 - 3016 5 Ave NE | Calgary, AB | T2A 6K4
(403) 389-8332
addis@b2darchitecture.ca
b2darchitecture.ca

SIGN / SEAL



The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date



NASSA
EXCAVATING
LTD.

5076 26 AVE SE
CALGARY, AB

PROPOSED
PASSENGER
PARKING ROUTE

JOB NUMBER			
SCALE 1:250		DATE 2025-09-08	
DRAWN ED		CHECKED AG	
APP'D		REV. NO	
DWG NUMBER			

A1.05



SU9 – Single Unit or Bus
Overall Length
Overall Width
Overall Body Height
Min Body Ground Clearance
Track Width
Lock-to-lock time
Curb to Curb Turning Radius

9.100m
2.600m
4.150m
0.445m
2.600m
4.00s
12.800m

2 LOADING TRUCK PROFILE
A1.06

1 PROPOSED LOADING TRUCK ROUTE
A1.06 1 : 250

b2d

architecture Inc.

214 - 3016 5 Ave NE | Calgary, AB | T2A 6K4

(403) 389-8332

addis@b2darchitecture.ca

b2darchitecture.ca

SIGN / SEAL

WIEBE'S

STEEL

STRUCTURES

The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representaions of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule

Rev. No.	Revision	By	Date

NASSA

EXCAVATING

LTD.

5076 26 AVE SE

CALGARY, AB

PROPOSED

LOADING TRUCK

ROUTE

JOB NUMBER

SCALE 1:250

DATE 2025-09-08

DRAWN ED

CHECKED AG

APP'D

REV. NO


DWG NUMBER

A1.06



- GENERAL NOTES:**
- ALL LANDSCAPE CONSTRUCTION, INCLUDING ALL HARD AND SOFT LANDSCAPING, TO BE CONSTRUCTED IN ACCORDANCE WITH THE CURRENT CITY OF CALGARY SPECIFICATIONS OR AS NOTED ON THE DRAWINGS
 - ALL PLANT MATERIAL SHALL MEET THE STANDARDS OF THE CANADIAN NURSERY TRADES ASSOCIATION AND BE TRUE TO TYPE AND SPECIES.
 - ALL PLANT MATERIAL SHALL BE LOCALLY GROWN ALBERTA NURSERY STOCK.
 - THE CONTRACTOR IS TO PROTECT ALL EXISTING UTILITIES, HARD SURFACES, STRUCTURES AND WALLS FOR DURATION OF CONSTRUCTION.
 - ALL OFF-SITE WORKS TO CONFORM TO CALGARY CONSTRUCTION STANDARDS.
 - ALL SOFT LANDSCAPING AREAS TO BE IRRIGATED WITH LOW WATER IRRIGATION SYSTEM. THE GENERAL CONTRACTOR TO PROVIDE ALL THE NECESSARY IRRIGATION DETAIL PLANS OR SHOP DRAWINGS THAT COMPLY WITH THE REQUIREMENTS OF THE CITY OF CALGARY LAND USE BYLAW, AND TO BE REVIEWED BY THE CONSULTANTS PRIOR TO THE INSTALLATIONS.
 - IRRIGATION TO CONFORM TO ALL LOCAL PLUMBING AND ELECTRICAL CODE REQUIREMENTS. CONTRACTOR IS RESPONSIBLE FOR COORDINATION WITH MECHANICAL AND ELECTRICAL CONSULTANTS AND TRADES.
 - ALL TREE PITS & SHRUB BEDS TO BE PREPARED TO 450mm DEPTH (MIN.) OR TO DESIRED PLANTING DEPTH USING COMPOST MIX:
 - 1/3 SCREENED TOPSOIL
 - 1/3 PEAT MOSS
 - 1/3 WELL ROTTED MANURE
 - FINISHED GRADE TO BE COMPLETE w/ 75mm THICK DOUGLAS FIR BARK MULCH.
 - PROVIDE BLACK DIAMOND EDGING BETWEEN SOFT AREA(S) AND ADJOINING TREE PITS AND SHRUB BEDS.
 - STAKE ALL TREES USING GUYWIRES OR 50x50x2400mm LONG, OR LONGER, CEDAR STAKES AND FLEXIBLE STRAPS.
 - CONTRACTOR TO CONTACT 'ALBERTA ONE' TO LOCATE ALL UTILITIES IN FIELD PRIOR TO CONSTRUCTION.
 - ALL PLANT MATERIAL TO HAVE A ONE YEAR MAINTENANCE & WARRANTY PERIOD STARTING FROM THE APPROVAL OF THE CONSTRUCTION COMPLETION DATE
 - ONLY TREES AND SHRUBS MUST BE IRRIGATED AND THE EXTENT OF WATER DELIVERY MUST BE CONFINED TO THE TREE AND SHRUB AREA.
 - TREES AND SHRUBS THAT HAVE SIMILAR WATER CONSUMPTION REQUIREMENTS ARE TO BE GROUPED TOGETHER.
 - MINIMUM SIZE OF DECIDUOUS TREES CALLIPER IS 50mm. AT LEAST 50.0% OF THE TREES MUST HAVE MINIMUM CALLIPER OF 75mm AT THE TIME OF PLANTING.
 - CONIFEROUS TREES MUST HAVE A MINIMUM HEIGHT OF 2.0 METRES AND AT LEAST 50.0 PER CENT OF THE PROVIDED CONIFEROUS TREES MUST BE A MINIMUM OF 3.0 METRES IN HEIGHT AT THE TIME OF PLANTING.

PLANT LEGEND:					
DECIDUOUS TREES				MATURE	
KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPREAD
	8	POPULUS TREMULOIDES	TREMBLING ASPEN	12m HEIGHT	2.0M
	5	MALUS JEFFSPIRE	PURPLE SPIRE COLUMNAR CRABAPPLE	8m HEIGHT	2.4m
ALL 13 OF DECIDUOUS TREES MUST BE MIN. OF 50mm CALLIPER. 4 OF TREMBLING ASPEN & 3 OF PURPLE SPIRE COLUMNAR MUST BE A MIN. 75mm CALLIPER AT THE TIME OF PLANTING.					
CONIFEROUS TREES				MATURE	
KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPREAD
	2	PINUS CONTORTA	LODGE POLE PINE	20.0M	6.0M
	3	PICEA PUNGENS	COLORADO SPRUCE	18.0M	5.0M
DECIDUOUS SHRUBS				MATURE	
KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPREAD
	12	HELICTOTRICHON SEMPERVIRENS	BLUE OAT GRASS	0.9M HEIGHT	0.9M
	8	POTENTILLA FRUTICOSA 'PINK BEAUTY'	PINK BEAUTY POTENTILLA	0.9M HEIGHT	0.9M
	8	CORNUS SERICIA 'FARROW'	ARCTIC FIRE DOGWOOD	0.90M	0.9M
	8	CALAMAGROSTIS ACUTIFLORA 'KARL FOERSTER'	KARL FOERSTER FEATHER REED GRASS	1.5M HEIGHT	0.9M
ALL 36 SHRUBS MUST BE MIN. HEIGHT OR SPREAD OF 0.6 METERS AT THE TIME OF PLANTING.					



SITE INFORMATION

PLAN: 2012087.BLOCK: LOT: UNIT 2 I-C INDUSTRIAL - COMMERCIAL
CALGARY, ALBERTA

5076 - 26 AVENUE S.E. LOT AREA: ±5,738m²
CALGARY, ALBERTA

LANDSCAPE REQUIREMENTS

964 (11&4)
WHERE A SETBACK AREA SHARES A P/L WITH A STREET OR A PARCEL DESIGNATED AS AN INDUSTRIAL ZONE:
- MUST BE PROVIDED WITH SOFT SURFACED LANDSCAPED AREA
- A MIN. OF 1.0 TREES & 2.0 SHRUBS FOR EVERY 35.0 SQ.M.
25% OF THE TREES REQUIRED SHOULD BE CONIFEROUS

LANDSCAPE AREA REQUIRED:

FRONT SETBACK (SE) - SETBACK AREA SHARES A PROPERTY LINE WITH A STREET - 26 AVE NE. TOTAL LANDSCAPE AREA=312.72m²

TOTAL NUMBER OF TREES REQUIRED = 1 TREE / 35m²
312.7m² ÷ 8.93 = 8.93
35m²
TOTAL NUMBER OF SHRUBS REQUIRED = 2 SHRUBS / 35m²
312.7m² ÷ 8.93 x 2 = 17.86
35m²

SIDE SETBACK (NE) - SETBACK AREA SHARES A PROPERTY LINE WITH INDUSTRIAL PARCEL (2012087,U-1). TOTAL LANDSCAPE AREA= 107.82m²

TOTAL NUMBER OF TREES REQUIRED = 1 TREE / 35m²
107.8m² ÷ 3.08 = 3.08
35m²
TOTAL NUMBER OF SHRUBS REQUIRED = 2 SHRUBS / 35m²
107.8m² ÷ 3.08 x 2 = 6.16
35m²

SIDE SETBACK (SW) - SETBACK AREA SHARES A PROPERTY LINE WITH INDUSTRIAL PARCEL (2012087,U-3). TOTAL LANDSCAPE AREA= 97.91m²

TOTAL NUMBER OF TREES REQUIRED = 1 TREE / 35m²
97.9m² ÷ 2.79 = 2.79
35m²
TOTAL NUMBER OF SHRUBS REQUIRED = 2 SHRUBS / 35m²
97.9m² ÷ 2.79 x 2 = 5.58
35m²

REAR SETBACK (NW) - SETBACK AREA SHARES A PROPERTY LINE WITH A PARCEL (2955GU). TOTAL LANDSCAPE AREA= 92.78m²

TOTAL NUMBER OF TREES REQUIRED = 1 TREE / 35m²
92.78m² ÷ 2.65 = 2.65
35m²
TOTAL NUMBER OF SHRUBS REQUIRED = 2 SHRUBS / 35m²
92.78m² ÷ 2.65 x 2 = 5.3
35m²

LANDSCAPE AREA PROVIDED:

TOTAL SOFT LANDSCAPING = ±554m²

REQUIRED
TREES: 18 DECIDUOUS - 13 CONIFEROUS - 5

PROVIDED
TREES: 18 DECIDUOUS - 13 CONIFEROUS - 5

REQUIRED
SHRUBS/GRASSES: 36 MIXED VARIETY

REQUIRED
SHRUBS/GRASSES: 36 MIXED VARIETY


1. ALL DECIDUOUS TREE CALLIPER MUST BE 50mm.
2. AT LEAST 50% DECIDUOUS TREE CALLIPER MUST BE MINIMUM 75mm AT THE TIME OF PLANTING.
3. ALL CONIFEROUS TREES MUST BE A MIN. OF 2.0M HIGH.
4. AT LEAST 50% OF CONIFEROUS TREES MUST BE 3.0m HIGH.
5. SHRUBS MINIMUM HEIGHT OR SPREAD OF 0.6m AT THE TIME OF PLANTING.

NOTES:

1. ALL TREE AND SHRUB BEDS TO BE MULCHED WITH 75mm BARK MULCH.
2. TREES NOT PLANTED IN BEDS SHALL BE SURROUNDED BY A TREE WELL TO A DEPTH OF 100mm AFTER PLANTING AND WATERING. ALL TREES TO BE MULCHED STARTING FROM 50mm FROM THE ROOT FLARE (TRUNK) AND EXTENDING THE LENGTH OF HOLE.
3. ALL SOFT LANDSCAPE AREA TO BE IRRIGATED WITH AN UNDERGROUND AUTOMATIC IRRIGATION SYSTEM.

SURFACING LEGEND:

PRODUCT	AREA	PRODUCT
SOD		
	±536m²	



b2d architecture Inc.
214 - 3016 5 Ave NE | Calgary, AB | T2A 6K4
(403) 389-8332
addis@b2darchitecture.ca
b2darchitecture.ca

SIGN / SEAL

WIEBE'S STEEL STRUCTURES

The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representaions of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date

NASSA EXCAVATING LTD.


5076 26 AVE SE
CALGARY, AB

PROPOSED LANDSCAPE PLAN


JOB NUMBER			
SCALE	1:250	DATE	2025-09-08
DRAWN	ED	CHECKED	AG
APP'D	REV. NO		

DWG NUMBER

A1.07



1 WEST ELEVATION
1/4" = 1'-0"



2 EAST ELEVATION
1/4" = 1'-0"

SIGN / SEAL



The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date

**NASSA
EXCAVATING
LTD.**


5076 26 AVE SE
CALGARY, AB

**WEST & EAST
ELEVATION**


JOB NUMBER			
SCALE	1/4" = 1'-0"	DATE	2025-09-08
DRAWN	ED	CHECKED	AG
APPD	REV. NO		

DWG NUMBER

A3.01



1 SOUTH ELEVATION
1/4" = 1'-0"



2 NORTH ELEVATION
1/4" = 1'-0"

SIGN / SEAL

The design and drawings prepared by b2d architecture l building science are instruments of service for execution of the work shown and are the property of the b2d whether the work be executed or not and b2d reserves the copyright therein and in the work executed therefrom, and they are not to be reproduced or used in any way without the written consent of the b2d.

Drawings shall not be scaled. The Contractor shall verify and be responsible for all dimensions, datum, and elevations pertinent to executing the work. Discrepancies and variations shall be reported to the Architect prior to commencing construction.

These Design documents are prepared Solely for the use by the Party with whom the b2d has entered into a Contract and there no Representations of any kind made by the b2d to any Party with whom the b2d has not entered into contract.

Revision Schedule			
Rev. No.	Revision	By	Date

NASSA
EXCAVATING
LTD.

5076 26 AVE SE
CALGARY, AB

SOUTH & NORTH
ELEVATION

JOB NUMBER	
SCALE 1/4" = 1'-0"	DATE 2025-09-08
DRAWN ED	CHECKED AG
APP'D	REV. NO
DWG NUMBER	

A3.02



Luminaire Schedule										
Symbol	Qty	Label	Arrangement	Description	LLF	Luminaire Lumens	Luminaire Watts	Total Watts	Arrangement Watts	
	5	W1	Single	NYLD2-6S075130BZB	1.000	683	12.42	62.1	12.42	
	4	W2	Single	DSXW1 LED 10C 1000 30K T2M MVOLT	1.000	3511	38.8	155.2	38.8	
	4	P1	Single	DSX1 LED P3 30K BLC MVOLT G1	1.000	9569	102	408	102	

NOTES

- ELECTRICAL CONTRACTOR TO REVIEW AND FOLLOW THE ARCHITECTURAL, STRUCTURAL AND MECHANICAL DRAWINGS FOR DETAILS OF THIS WORK AND INSTALL ELECTRICAL CONDUITS, WIRES, BOXES AND FITTINGS IN COORDINATION WITH ARCHITECTURAL, STRUCTURAL AND MECHANICAL TRADES. FOR ANY INFORMATION INVOLVING ACCURATE SITE DIMENSION, REFERENCE SHALL BE MADE TO ARCHITECTURAL, STRUCTURAL DRAWINGS
- ALL MATERIAL AND EQUIPMENT TO BE CSA CERTIFIED
- ALL MATERIALS TO BE NEW AND BEAR EVIDENCE OF APPROVAL BY UNDERWRITER'S LABORATORY OF CANADA (ULC) OR UL
- ALL CONDUCTORS TO BE COPPER
- ALL WORK TO BE DONE AS PER CEC



Tel: +1 587 400 7594
Email: info@jiteconsulting.com
10060 Jasper Ave Tower 1 Suite 2020
Edmonton AB T5J 3R8

PROJECT NAME AND ADDRESS:

NASSA EXCAVATING LTD.
5076 26 AVE SE CALGARY, ALBERTA



REVISION SCHEDULE

REV#	DATE	DESCRIPTION
0	2025-09-10	ISSUED FOR DP

All drawings, specifications and other work products supplied for this project are instruments of service for this project only, and remain at all times the exclusive property of jitec consulting inc whether this project is completed or not.
Reuse of these documents by either the client or a third party shall be at that party's risk, and that party shall agree to defend, indemnify and hold harmless JITEC Consulting Inc.from all claims, damages and expenses (including attorney's fees) arising out of the unauthorized reuse of these instruments of service by any party without direct, written permission from JITEC Consulting Inc.

DRAWING TITLE:
**SITE LIGHTING PLAN
ISO LINES**


DATE: SEP 10, 2025

DRAWN BY: FI

REVIEWED BY: JT

DRAWING NO:

E1.0



NASSA EXCAVATING LTD.

5076 26 AVE SE CALGARY, ALBERTA



REVISION SCHEDULE

REV#	DATE	DESCRIPTION
0	2025-09-10	ISSUED FOR DP

All drawings, specifications and other work products supplied for this project are instruments of service for this project only, and remain at all times the exclusive property of JITEC consulting Inc whether this project is completed or not.

Reuse of these documents by either the client or a third party shall be at that party's risk, and that party shall agree to defend, indemnify and hold harmless JITEC Consulting Inc. from all claims, damages and expenses (including attorney's fees) arising out of the unauthorized reuse of these instruments of service by any party without direct, written permission from JITEC Consulting Inc.

DRAWING TITLE:

**LIGHTING CALCULATION
AND RENDERING**


DATE: SEP 10, 2025

DRAWN BY: FI


REVIEWED BY: JT

DRAWING NO:


E2.0



Calculation Summary							
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
CalcPts_1	Illuminance	Fc	0.63	4.8	0.0	N.A.	N.A.



2	RENDERING -VIEW 1
E2.0	NTS



3	RENDERING -VIEW 2
E2.0	NTS

Calculation Summary							
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
CalcPts_1	Illuminance	Fc	0.63	4.8	0.0	N.A.	N.A.