

GENERAL NOTES AND CONDITIONS

GENERAL CONDITIONS AND NOTES

1. THE CONTRACTOR SHALL COMPLY WITH ALL RULES AND REGULATIONS SET FORTH BY THE OWNER.
- 1 PROTECT YOUR WORK, THE WORK OF OTHER SUB TRADERS, EXISTING PROPERTY, ADJACENT PUBLIC AND PRIVATE PROPERTY FROM ANY DAMAGE WHILE DOING WORK.
- 2 MAKE GOOD REPAIR TO THE OWNER'S APPROVAL TO ALL SURFACES AND ANY ITEMS DISTURBED BY CONSTRUCTION OPERATIONS.
2. ALL CONSTRUCTION SHALL MEET OR EXCEED THE 2023 NATIONAL BUILDING CODE - ALBERTA EDITION STANDARDS AND THE NECB 2020. IN CASES WHERE SPECIFICATIONS DO NOT CORRELATE WITH APPROVED CODES OR REQUIREMENTS, THE BUILDING CODE SHALL PREVAIL. THE CONTRACTOR SHALL PROVIDE WARRANTIES FOR ALL WORK PERFORMED FOR A MINIMUM OF 1 YEAR OR AS OTHERWISE SPECIFIED OR REQUIRED BY THE OWNER, WHICHEVER IS GREATER.
3. THE CONTRACTOR SHALL ENSURE THAT ALL WORK PERFORMED IS AS PER THE 2023 NATIONAL BUILDING CODE - ALBERTA EDITION AND THE NECB 2020, AND IS TO THE SATISFACTION OF THE AUTHORITY HAVING JURISDICTION. CONSTRUCTION SHALL NOT COMMENCE UNTIL A BUILDING PERMIT HAS BEEN OBTAINED. THE CONTRACTOR SHALL ARRANGE FOR AND COORDINATE ALL INCOMING AND OUTGOING MECHANICAL AND ELECTRICAL SERVICES FOR THIS PROJECT.
4. CONSTRUCTION AND DEMOLITION WASTE IS TO BE MANAGED THROUGH BEST PRACTICES.
5. THE LOW EMITTING MATERIALS REQUIREMENTS OF LEED V4.1 ARE ENCOURAGED. SELECTED MATERIALS WILL KEEP LOW VOC IN MIND.
6. CONTRACTORS FINDING DISCREPANCIES AND/OR OMISSIONS FROM DRAWINGS OR SPECIFICATIONS OR HAVING DOUBT AS TO THE MEANING OR INTENT OF ANY PART THEREOF SHOULD AT ONCE INFORM THE ARCHITECT WHO WILL SEND WRITTEN INSTRUCTIONS OR EXPLANATIONS TO THE CONTRACTOR. NEITHER THE OWNER NOR THE ARCHITECT SHALL BE HELD RESPONSIBLE FOR ORAL INSTRUCTIONS.
- 1 FAILURE OF THE CONTRACTOR TO BRING TO THE ATTENTION OF THE ARCHITECT ANY SUCH ITEMS AS APPEAR OBVIOUS SHALL BE ASSUMED TO INDICATE WILLINGNESS TO ACCEPT THE ORIGINAL INTENT AND MEANING AS MAY BE INTERPRETED BY THE ARCHITECT.
- 2 ALL WORK THE ARCHITECT DEEMS TO BE DEFECTIVE SHALL BE REMOVED AND REPLACED WITH FIRST CLASS MATERIAL AND WORKMANSHIP AT THE RESPECTIVE CONTRACTORS EXPENSE.
7. THE GENERAL CONTRACTOR SHALL COORDINATE ALL ACTIVITIES AS REQUIRED TO ENSURE EFFICIENT, CORRECT AND ORDERLY INSTALLATION OF EACH PART OF THE WORK TO AVOID CONFLICT IN THE TRADE WORK AND SCHEDULE.
8. THE GENERAL CONTRACTOR SHALL VERIFY ALL MEASUREMENTS AND DIMENSIONS ON SITE AND COORDINATE THE WORK OF ALL SUBCONTRACTORS PRIOR TO COMMENCEMENT OF WORK.
- 1 DISCREPANCIES IN DIMENSIONS SHALL BE COMMUNICATED TO THE ARCHITECT SO THAT ANY ADJUSTMENTS MAY BE MADE PRIOR TO INSTALLATION.
- 2 ENSURE THAT ALL BLOCKING, NAILERS, ANCHORS, SLEEVES, INSERTS, AND ACCESSORIES SUPPLIED OR REQUIRED BY SUBSEQUENT WORK AND SUBCONTRACTORS ARE COORDINATED AND INSTALLED WITHIN THE WORK.
9. ALL MATERIALS CALLED UP ON DRAWINGS SHALL BE INSTALLED IN A WORKMANLIKE MANNER AND APPLIED ACCORDING TO THE MANUFACTURER'S RECOMMENDATIONS AND SPECIFICATIONS. ALL WORKMANSHIP SHALL BE TO THE APPROVAL OF THE OWNER AND ARCHITECT.
10. MANUFACTURED ARTICLES SHALL BE USED OR APPLIED IN ACCORDANCE WITH MANUFACTURER'S DIRECTIONS AND SHALL BE HANDLED AS DIRECTED. LABELS SHALL NOT BE REMOVED FROM CANS, BOXES, AND CARTONS ETC, WHEN ITEMS ARE DELIVERED TO SITE. ALL MATERIALS SHALL BE NEW AND OF GOOD QUALITY. REFER TO ADDITIONAL NOTES OR REQUEST CLARIFICATION FROM THE ARCHITECT FOR MORE SPECIFIC DIRECTIONS.
11. THE DRAWINGS ARE NOT TO BE SCALED FOR SIZES OR DIMENSIONS.
12. SHOP DRAWINGS: PROVIDE FOUR (4) HARD COPIES OR A DIGITAL COPY OF SHOP DRAWINGS OF ANY SHOP FABRICATED ITEMS FOR THE ARCHITECT'S APPROVAL PRIOR TO FABRICATION OR INSTALLATION.
- 1 SHOP DRAWINGS WHOSE COMPONENTS REQUIRE ENGINEERED DESIGN MUST CONTAIN THE SEAL AND SIGNATURE OF A ENGINEER REGISTERED IN THE PROVINCE OF ALBERTA.
- 2 SHOP DRAWINGS SHALL INDICATE THE FOLLOWING MINIMUM INFORMATION:
- 1 DIMENSIONS AND WEIGHT IF APPLICABLE
- 2 MATERIALS USED (STRESS DESIGNATION, GRADE, ETC.)
- 3 SHOP APPLIED FINISHES
- 4 FABRICATION DETAILS
- 5 CONNECTION DETAILS, MATERIALS
- 6 SIZES AND FINISHES
13. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING PLUMBING, ELECTRICAL, MECHANICAL, AND BUILDING PERMITS AS NECESSARY.
14. THE ARCHITECTURAL DRAWINGS ARE INTENDED TO PROVIDE ENOUGH INFORMATION TO OBTAIN A BUILDING PERMIT AS REQUIRED BY THE AUTHORITY HAVING JURISDICTION ONLY. ALL INSTALLATION METHODS, TECHNIQUES, AND MATERIALS ARE THE RESPONSIBILITY OF THE CONTRACTOR AND SUBCONTRACTORS. IN THE CASE THAT A CERTAIN ITEM IS NOT SPECIFIED THE CONTRACTOR OR SUBCONTRACTOR SHALL SUBMIT SHOP DRAWINGS OR CUT SHEETS OF SPECIFIC ITEMS OR MATERIALS FOR APPROVAL BY THE OWNER AND ARCHITECT. ALL FLOOR JOISTS, BEAMS, AND ROOF TRUSSES SHALL BE PROVIDED BY A SUPPLIER WHO WILL SUBMIT LAYOUT DRAWINGS FOR REVIEW. SUCH LAYOUT DRAWINGS SHALL BE STAMPED BY A STRUCTURAL ENGINEER. ALL TALL WALLS AND ANY SITE RETAINING WALLS SHALL ALSO BE DESIGNED BY A STRUCTURAL ENGINEER. APPROVAL BY THE OWNER AND ARCHITECT. ALL CONSTRUCTION TO COMPLY WITH INDUSTRY STANDARDS, AS WELL AS MANUFACTURERS RECOMMENDATIONS TO THE EXTENT THAT THOSE INSTRUCTIONS AND RECOMMENDATIONS ARE MORE EXPLICIT OR STRINGENT THAN THE REQUIREMENTS CONTAINED IN THESE DOCUMENTS.
15. ONE SET OF THE CITY'S APPROVED DRAWINGS AND DOCUMENTS ARE TO BE KEPT ON SITE AND AVAILABLE FOR CHECKING AT ALL TIMES DURING CONSTRUCTION. THE BUILDING DEPARTMENT SHALL BE POSTED ON SITE AT ALL TIMES AND BEFORE CONSTRUCTION COMMENCES.
16. FURNISH ALL LABOUR, MATERIALS, TOOLS AND SERVICES REQUIRED OR INCIDENTIAL TO THE COMPLETION OF THE FULL INTENT OF THESE DOCUMENTS.
17. THE FINAL CLEANING SHALL BE TO THE SATISFACTION OF THE OWNER AND ARCHITECT.
- 1 DURING THE PROCESS OF CONSTRUCTION, THE CONTRACTOR SHALL DIRECT THEIR FORCES AND SUB-CONTRACTORS TO REMOVE DEBRIS DAILY OR FROM TIME TO TIME FROM THE SITE AS DEEMED NECESSARY BY THE ARCHITECT AND OWNER.
- 2 THE CONTRACTOR SHALL PROVIDE FOR THEIR OWN CONTAINERS AND WASTE COLLECTION, REMOVAL, AND DISPOSAL.
- 3 WHERE APPLICABLE, IF ANY ASBESTOS CONTENT OR HAZARDOUS MATERIALS OR CONTAMINANTS ARE DISCOVERED DURING CONSTRUCTION, CEASE WORK IMMEDIATELY AND NOTIFY THE OWNER AND ARCHITECT. AWAIT INSTRUCTIONS AND DIRECTIVES FROM THE OWNER AND ARCHITECT REGARDING HOW TO HANDLE ASBESTOS AND HAZARDOUS MATERIALS. ALL REMOVAL AND DISPOSAL PROCEDURES SHALL BE IN ACCORDANCE WITH CODE, BY LAW AND CITY/PROVINCIAL REQUIREMENTS FOR HAZARDOUS MATERIALS.
18. THE CONTRACTOR AND SUB-CONTRACTORS SHALL LOCATE ANY AND ALL UNDERGROUND OR HIDDEN SERVICES WITHIN THIS CHURCH AREA PRIOR TO ANY EXCAVATION OR CUTTING AND SHALL PROTECT SUCH SERVICES FROM DAMAGE.
- 1 THE OWNER OR CONSULTANTS SHALL NOT BE HELD LIABLE FOR ANY LOSS OR DAMAGE CAUSED BY CONTRACTORS.
19. ALL CONTRACTORS SHALL VISIT THE SITE AND CAREFULLY EXAMINE ALL SITE CONDITIONS AND ANY FEATURES THAT MAY AFFECT THEIR WORK PRIOR TO SUBMITTING BIDS SO AS TO PROVIDE A TOTAL AND COMPLETE COST FOR THE WORK INVOLVED.
20. THE GENERAL CONTRACTOR SHALL NOTIFY ALL CITY DEPARTMENTS REGARDING SITE INSPECTIONS AND ENSURE THAT ALL NECESSARY INSPECTIONS ARE DONE AND SUBMITTED BY THE CITY PRIOR TO PROCEEDING WITH SUBSEQUENT WORK.
21. ADEQUATELY PROTECT ALL FINISHED FLOOR AND OTHER FINISHED SURFACES FROM DAMAGE.
- 1 TAKE SPECIAL MEASURES FOR PROTECTION WHEN HEAVY LOADS OR EQUIPMENT IS MOVED OR PLACED ON THEM.
- 2 KEEP SURFACES FREE OF OIL, GREASE OR OTHER MATERIALS LIKELY TO DAMAGE OR DISCOLOUR THEM OR AFFECT THE BOND OF APPLIED FINISHES.
22. ALL MATERIALS SHALL HAVE A FLAMES SPREAD RATING OF LESS THAN 150 OR MEET THE FLAME SPREAD RATING REQUIREMENTS OF THE 2023 NATIONAL BUILDING CODE - ALBERTA EDITION AND THE AUTHORITY HAVING JURISDICTION.
23. ALL ALTERNATIVES WILL BE CONSIDERED. PROVIDE WRITTEN PROPOSAL FOR ALL ALTERNATIVES FOR APPROVAL BY THE OWNER AND ARCHITECT.
24. THE MECHANICAL ENGINEER WILL PROVIDE THE ARCHITECT WITH BUILDING ENVELOPE ENERGY CALCULATIONS SO THAT THE ARCHITECT CAN APPROPRIATELY DETAIL CONTINUITY OF INSULATION DETAILS AND DEVELOP FINALLY REQUIRED ENERGY REQUIREMENTS FOR CONSTRUCTION.
25. PROVIDE AND MAINTAIN CONTINUOUS AIR/VAPOUR BARRIER SYSTEMS. CALC. AROUND OPENINGS, GAPS, AND STAPLES WITH SEALANT TO ACHIEVE A CONTINUOUS BARRIER. AIR VAPOUR BARRIER SHALL BE CONTINUOUS AT ALL CEILING AND WALL PENETRATIONS INCLUDING ALL WALL TOP PLATES AND THE INTERSECTION OF INTERIOR WALLS AT EXTERIOR WALLS. FORE-SIGHT DURING FRAMING OF THESE ELEMENTS SHOULD BE USED TO PROPERLY INSTALL THESE SYSTEMS SO THAT THEY ARE CONTINUOUS WHEN THE REMAINDER OF THE AIR/VAPOUR BARRIER IS INSTALLED. SPECIAL CARE SHOULD BE TAKEN TO SEAL AROUND ALL WALL/CEILING OUTLETS, FIXTURES, AND PENETRATIONS.
26. MECHANICAL LINES ARE NOT TO BE IN CONTACT WITH THE STUD WALLS OR CONCRETE WALL OR FLOOR ASSEMBLIES. ISOLATE ALL PIPES TO AVOID SOUND TRANSMISSION. INSTALL NEOPRENE RUBBER PADS ON TOP OF SUBSTRATE SURFACE (BOTTOM PLATE, CONCRETE ECT.) BEFORE ALL MECHANICAL CLAMPS ARE TIGHTENED INTO PLACE.
27. DIMENSIONS ARE TO THE FACE OF FINISH, TO THE FACE OF FINISH UNLESS OTHERWISE NOTED.
28. ALL DOORS AND WINDOWS REFERENCED ON THE PLANS AND SCHEDULES ARE SHOWN AS NOMINAL SIZES. CONFIRM AND VERIFY ALL ROUGH OPENING SIZE REQUIREMENTS WITH THE SELECTED PRODUCT MANUFACTURER AND SITE CONDITIONS PRIOR TO FABRICATION. REFER TO MANUFACTURERS INSTALLATION MANUAL. PROVIDE THE ARCHITECT WITH ALL WINDOW AND DOOR SELECTIONS FOR REVIEW AND APPROVAL BEFORE FABRICATION AND DELIVERY.
29. ALL INTERIOR DOOR OPENINGS IN STUD FRAMED WALLS TO BE SPACED A MINIMUM OF 4" FROM THE ADJACENT WALL UNLESS NOTED OR DIRECTED OTHERWISE.
30. PROVIDE AND INSTALL SOLID BLOCKING AND BACKING WITHIN WALLS FOR ALL WASHROOM AND BATHROOM ACCESSORIES, HANDRAILS, GUARDS, LADDERS, MECHANICAL AND ELECTRICAL EQUIPMENT/FIXTURES, ETC. AS REQUIRED FOR PROPER ANCHORING.
31. CONFIRM ALL ROUGH OPENING SIZES AND CONNECTIONS FOR MECHANICAL, ELECTRICAL AND OWNER SUPPLIED EQUIPMENT. ADJUST ROUGH OPENING SIZES TO SUIT. VERIFY ALL ALLOWABLE PENETRATIONS THROUGH STRUCTURAL ELEMENTS WITH STRUCTURAL ENGINEER/JOIST SUPPLIER.
32. INSTALL AND CONNECT OWNER SUPPLIED EQUIPMENT OR APPLIANCES AS DIRECTED, CENTERED, LEVEL AND TRUE.
33. PROVIDE ALL WARRANTIES, BONDS AND MANUFACTURER OPERATING INSTRUCTIONS AND SERVICE MANUALS AS WELL AS PARTS LISTS AT THE COMPLETION OF THE PROJECT.
34. IN CASE OF CONFLICT, LARGER SCALE DRAWINGS ARE TO TAKE PRECEDENCE OVER SMALLER SCALE DRAWINGS. SPECIFICATIONS WHEN PRESENT WILL TAKE PRECEDENCE OVER GENERAL CONSTRUCTION NOTES.



1 VICINITY MAP
NTS

PROJECT INFORMATION AND
2023 NATIONAL BUILDING CODE -
ALBERTA EDITION REVIEW

ROCKY MOUNTAIN CALVARY CHAPEL - WEST CAMPUS
8242 30TH STREET SE - CALGARY, ALBERTA

PRELIMINARY LAND USE BY-LAW AND BUILDING CODE REVIEW

MUNICIPAL ADDRESS:
8242 30TH STREET SE - CALGARY, ALBERTA, IN THE COMMUNITY OF
FOOTHILLS

LAND USE BY-LAW:
CALGARY LAND USE BYLAW 1P2007

BUILDING CODE:
2023 NATIONAL BUILDING CODE - ALBERTA EDITION: PART 3
REQUIREMENTS

LEGAL DESCRIPTION:
PLAN 751 LK, BLOCK 2, LOT 13

LAND USE CLASS:
I-G INDUSTRIAL - GENERAL
I-G IS AN INDUSTRIAL DESIGNATION THAT IS PRIMARILY FOR A WIDE
RANGE OF GENERAL INDUSTRIAL USES WITH LAND USE IMPACTS THAT
ARE TYPICALLY ASSOCIATED WITH SUCH INDUSTRIAL USES. USES MAY
INCLUDE MANUFACTURING, STORAGE, WAREHOUSE, AUTOMOTIVE
USES AND INSTRUCTIONAL USES, AS WELL AS INDUSTRIAL ACTIVITIES
THAT MAY TAKE PLACE OUTDOORS.

ORIGINAL CONSTRUCTION:
1972

BUILDING AREA:
1115.325M (12,005.25 F.)

BUILDING HEIGHT:
2 STOREYS

CALGARY LAND USE BYLAW 1P2007

DISCRETIONARY USES IN I-G:
E) CHILD CARE SERVICE
K) INSTRUCTIONAL FACILITY
N) OFFICE
P.1) PLACE OF WORSHIP - LARGE

260
"PLACE OF WORSHIP - LARGE"
MEANS A USE:
• WHERE PEOPLE ASSEMBLE FOR RELIGIOUS OR SPIRITUAL PURPOSES;
• WHERE THE LARGEST ASSEMBLY OF PEOPLE IS EQUAL TO OR
GREATER THAN 500.0 SQUARE METRES;
• THAT MAY PROVIDE OCCASIONAL REFUGE FOR PEOPLE;
• THAT MAY HAVE ROOMS FOR THE ADMINISTRATIVE FUNCTIONS OF THE
USE;
• THAT MAY HAVE A CHILD CARE SERVICE WITHIN THE BUILDING;
• THAT MAY HAVE A FOOD PREPARATION AREA, KITCHEN AND SEATING
AREA AVAILABLE FOR THE USERS OF THE USE; AND

2023 NATIONAL BUILDING CODE - ALBERTA EDITION: PART 3 REQUIREMENTS

MAJOR BUILDING OCCUPANCY:
A-2 ASSEMBLY

MAJOR OCCUPANCY CLASSIFICATION:

3.2.2.25. GROUP A, DIVISION 2, UP TO 2 STOREYS
• 2 STOREYS IN BUILDING HEIGHT
• TABLE 3.2.2.25 - 2 STOREYS - FACING 3 STREETS UP TO 1200SM
• COMBUSTIBLE CONSTRUCTION OR NONCOMBUSTIBLE CONSTRUCTION
FLOORS TO BE FIRE SEPARATIONS - 45MIN RATED IF OF COMBUSTIBLE
CONSTRUCTION
• MEZZANINES IF OF COMBUSTIBLE CONSTRUCTION AS MIN FIRE RATING
• ROOF ASSEMBLIES IF OF COMBUSTIBLE CONSTRUCTION,
FIRE-RESISTANCE RATING NOT LESS THAN 45 MIN
• LOAD-BEARING WALLS, COLUMNS AND ARCHES THE SAME FIRE RATING
AS WHAT THEY SUPPORT OR NONCOMBUSTIBLE

3.2.4. FIRE ALARM AND DETECTION SYSTEMS
3.2.4.1. DETERMINATION OF REQUIREMENT FOR A FIRE ALARM SYSTEM
• A FIRE ALARM SYSTEM SHALL BE INSTALLED IN A BUILDING THAT IS NOT
SPRINKLERED THROUGHOUT THAT CONTAINS
• A TOTAL OCCUPANT LOAD MORE THAN 100
• AN OCCUPANT LOAD MORE THAN 150 ABOVE OR BELOW THE FIRST
STOREY;
• CHILD CARE FACILITY, INCLUDING A DAYCARE FACILITY, WITH AN
OCCUPANT LOAD MORE THAN 40
• A LICENSED BEVERAGE ESTABLISHMENT OR A LICENSED RESTAURANT,
WITH AN OCCUPANT LOAD MORE THAN 150

- 3.2.5. PROVISIONS FOR FIREFIGHTING
- 3.2.5.1. ACCESS TO ABOVE-GRADE STOREYS
- DIRECT ACCESS FOR FIREFIGHTING SHALL BE PROVIDED FROM THE OUTDOORS TO EVERY STOREY THAT IS NOT SPRINKLERED THROUGHOUT AND WHOSE FLOOR LEVEL IS LESS THAN 25 M ABOVE GRADE, BY AT LEAST ONE UNOBSTRUCTED WINDOW OR ACCESS PANEL FOR EACH 15 M OF WALL IN EACH WALL REQUIRED TO FACE A STREET.
 - ACCESS PANELS ABOVE THE FIRST STOREY SHALL BE READILY OPENABLE FROM BOTH INSIDE AND OUTSIDE, OR THE OPENING SHALL BE GLAZED WITH PLAIN GLASS
- 3.3.1.5. EGRESS DOORWAYS
- 2 EGRESS DOORWAYS SHALL BE PROVIDED FOR EVERY ROOM AND EVERY SUITE THAT
 - INTENDED FOR AN OCCUPANT LOAD MORE THAN 60
 - IN A FLOOR AREA THAT IS NOT SPRINKLERED THROUGHOUT USED FOR A-2 OCCUPANCY - 1500SM AND/OR 15M TRAVEL
- 3.3.1.6. TRAVEL DISTANCE
- IF MORE THAN ONE EGRESS DOORWAY IS REQUIRED FROM A ROOM OR SUITE THE TRAVEL DISTANCE WITHIN THE ROOM OR SUITE TO THE NEAREST EGRESS DOORWAY SHALL NOT EXCEED THE MAXIMUM TRAVEL DISTANCES SPECIFIED IN CLAUSES 3.4.2.5.(1)(A), (B), (C) AND (F) FOR EXITS
- 3.3.2. ASSEMBLY OCCUPANCY:
- 3.3.2.3. NON-FIXED SEATING
- NON-FIXED SEATING SHALL CONFORM TO THE NF(C)AE
- 3.4.2. NUMBER AND LOCATION OF EXITS FROM FLOOR AREAS
- 3.4.2.1. MINIMUM NUMBER OF EXITS
- 2 EGRESS DOORWAYS SHALL BE PROVIDED FROM EVERY FLOOR AREA
 - INTENDED FOR AN OCCUPANT LOAD MORE THAN 60
 - IN A FLOOR AREA THAT IS NOT SPRINKLERED THROUGHOUT USED FOR A-2 OCCUPANCY - 1500SM AND/OR 15M TRAVEL
- 3.4.2.5. LOCATION OF EXITS
- IF MORE THAN ONE EXIT IS REQUIRED THE EXITS SHALL BE LOCATED SO THAT THE TRAVEL DISTANCE TO AT LEAST ONE EXIT SHALL BE NOT MORE THAN 30 M FOR THIS OCCUPANCY
- 3.2.8.2. EXCEPTIONS TO SPECIAL PROTECTION
- 6) AN INTERCONNECTED FLOOR SPACE NEED NOT CONFORM TO THE REQUIREMENTS OF ARTICLES 3.2.8.3 TO 3.2.8.8, PROVIDED
- A) IT CONSISTS OF THE FIRST STOREY AND THE STOREY NEXT ABOVE OR BELOW IT, BUT NOT BOTH
- B) IT IS SPRINKLERED THROUGHOUT OR, WHERE THE BUILDING AREA IS NOT MORE THAN ONE HALF OF THE AREA PERMITTED BY SUBSECTION 3.2.2, THE OPENINGS THROUGH THE FLOOR ARE USED ONLY FOR STAIRWAYS, ESCALATORS OR MOVING WALKS (SEE NOTE A-3.2.8.2.(B)(8)), AND
- C) IT CONTAINS ONLY GROUP A, DIVISION 1, 2 OR 3, GROUP D, GROUP E, OR GROUP F, DIVISION 2 OR 3 MAJOR OCCUPANCIES (SEE NOTE A-3.2.8.2.(B)(C)).
- PER 3.8.2.3, COPIED BELOW, AN ELEVATOR IS REQUIRED TO THE SECOND FLOOR OF AN A-2 OCCUPANCY THAT IS 1000M (100,000 S.F.) OR MORE, OR TO A D OCCUPANCY THAT IS 600SM (6458 F.) OR MORE. IF THE UPPER LEVEL IS CLASSROOMS IT WILL REQUIRE AN ELEVATOR, IF IT IS AN OFFICE SPACE IT WILL NOT REQUIRE AN ELEVATOR.
- 3.8.2.3. AREAS REQUIRING A BARRIER-FREE PATH OF TRAVEL
- 2) A BARRIER-FREE PATH OF TRAVEL FOR PERSONS USING WHEELCHAIRS IS NOT REQUIRED.
- G) TO THE FLOOR LEVEL ABOVE OR BELOW THE ENTRANCE LEVEL IN BUILDINGS NO MORE THAN 2 STOREYS IN BUILDING HEIGHT OR IN 2-STOREY SUITES, UNLESS THE FLOOR LEVEL ABOVE OR BELOW
- II) IS 600 M2 OR MORE IN FLOOR AREA,
- III) CONTAINS AN ASSEMBLY OCCUPANCY MORE THAN 100 M2 IN FLOOR AREA



VIEW OF WEST ELEVATION



VIEW OF NORTH ELEVATION




VIEW OF SOUTH ELEVATION



VIEW OF EAST ELEVATION



2 SITE MAP
NTS



3 TRAVEL DISTANCE
NTS

PROJECT DIRECTORY

OWNER/TENANT:

ROCKY MOUNTAIN CALVARY CHAPEL
8241 - 31 STREET SE
CALGARY, AB T2C 1H9
ATTN: CRAIG MACCALLUM
(403) 888-6085
CRAIG@CALVARYCHAPEL.CA

CONTRACTING:

COPPER CREEK DEVELOPMENTS
#104 - 11979 40TH STREET SE
CALGARY, AB T2Z 4M3
ATTN: SCOTT CARROLL
CELL: 403.999.9967
SCOTT@COPPERCREEKDEVELOPMENTS.COM
WWW.COPPERCREEKDEVELOPMENTS.COM

ARCHITECTURE:

ROGER WHITE ARCHITECTURE INC.
PRINCIPAL: ROGER WHITE, ARCHITECT, AAA
204 - 5720 MACLEOD TRAIL SW
CALGARY, ALBERTA
T2H 0J6
(403)589-9048
roger@rwhitearchitecture.ca

INDEX OF DRAWINGS

ARCHITECTURAL DRAWINGS

A0.0 PROJECT INFORMATION
A0.1 EXISTING SITE PLAN
A0.2 PROPOSED SITE PLAN
A1.0 EXISTING KEY PLAN
A1.1 DEMOLITION GROUND FLOOR PLAN
A1.2 DEMOLITION UPPER FLOOR PLAN
A1.3 IMPROVEMENTS GROUND FLOOR PLAN
A1.4 IMPROVEMENTS UPPER FLOOR PLAN
A2.0 EXISTING ELEVATIONS
A2.1 DEMO/IMPROVEMENTS ELEVATIONS



MARCH 1, 2026

PROJECT
INFORMATION

A0.0

Do Not Scale The Drawings.
The drawings are not to be used for construction or for any other purpose without the written consent of the architect.
Copyright Reserved.
All rights reserved.
No part of this drawing may be reproduced without the written consent of the architect.

RWA
ARCHITECTURE
Principal: Roger Alan White, Architect, AAA, RPAAC
204 - 5720 Macleod Trail SW, Calgary, Alberta T2H 0J6
Ph: (403) 589-9048
roger@rwhitearchitecture.ca

ROGER WHITE ARCHITECTURE INC.
PERMIT TO PRACTICE NO. 10177

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROGER WHITE ARCHITECTURE INC.
PERMIT TO PRACTICE NO. 10177

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE



ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 30 STREET SE



1 EXISTING SITE PLAN
SCALE: 1:200

5m 10m 20m 30m 40m 50m 100m

A0.1

EXISTING
SITE PLAN

MARCH 1, 2026

1 - ISSUE FOR DEVELOPMENT PERMIT - MARCH 1, 2026



COPPER CREEK
DEVELOPMENTS

#104 - 11979 40TH STREET SE CALGARY, AB



ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 31 STREET SE

ROGER WHITE ARCHITECTURE INC.
PERMIT TO PRACTICE NO. 10177



Principal: Roger Allen White, Architect, AAA, MRAIC
204 - 5720 Macleod Trail South - Calgary, Alberta T2H 0J6
Ph: Roger White (403) 689-9041
roger@rwarchitecture.ca


Do Not Scale The Drawings.

Contractor shall check and verify all dimensions on the job. All errors and omissions shall be reported to RWA ARCHITECTURE INC.
Copyright Reserved.
All parts of this drawing are the exclusive property of and shall not be used without permission.
ROGER WHITE ARCHITECTURE INC.




5 PRIVACY SLATS

NTS




4 GARBAGE ENCLOSURE SIDE ELEVATION

SCALE 1:50




3 GARBAGE ENCLOSURE FRONT ELEVATION

SCALE 1:50



2 GARBAGE ENCLOSURE PLAN

SCALE 1:50



1 IMPROVEMENTS SITE PLAN

SCALE 1:200

0m 1m 2m 3m 4m 5m 10m



VIEW OF NORTH ELEVATION




VIEW OF EAST ELEVATION





VIEW OF SOUTH ELEVATION





VIEW OF WEST ELEVATION





4 EXISTING NORTH ELEVATION




3 EXISTING EAST ELEVATION



2 EXISTING SOUTH ELEVATION



1 EXISTING WEST ELEVATION



Do Not Scale The Drawings.
Contractor shall check and verify all dimensions on the job. All errors and omissions shall be reported to RWA ARCHITECTURE INC.
Copyright Reserved.
All parts of this drawing are the exclusive property of and shall not be used without permission.
ROGER WHITE ARCHITECTURE INC.

RWA
ARCHITECTURE
Roger White Architecture Inc.

Principal: Roger Allen White, Architect, AAA, MRAIC
204 - 5720 Macleod Trail South - Calgary, Alberta T2H 0J6
Ph: Roger White (403)689-90481
roger@rwarhitecture.ca

ROGER WHITE ARCHITECTURE INC.
PERMIT TO PRACTICE NO. 10177

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 31 STREET SE



COPPER CREEK
DEVELOPMENTS
#104 - 11979 40TH STREET SE CALGARY, AB



MARCH 1, 2026

EXISTING
ELEVATIONS

1 - ISSUE FOR DEVELOPMENT PERMIT - MARCH 1, 2026

A2.0

Do Not Scale The Drawings.

Contractor shall check and verify all dimensions on the job. All errors and omissions shall be reported to **ROGER WHITE ARCHITECTURE INC.**

Copyright Reserved.

All parts of this drawing are the exclusive property of and shall not be used without permission. **ROGER WHITE ARCHITECTURE INC.**



Principal: Roger Allen White, Architect, AAA, MRAIC
204 - 5720 Macleod Trail South - Calgary, Alberta T2H 0J6
Ph: Roger White (403)698-90481
roger@rwarchitecture.ca

ROGER WHITE ARCHITECTURE INC.
PERMIT TO PRACTICE NO. 10177

ROCKY MOUNTAIN
CALVARY CHAPEL
WEST CAMPUS
INTERIOR IMPROVEMENTS
8242 31 STREET SE



COPPER CREEK
DEVELOPMENTS

#104 - 11979 40TH STREET SE CALGARY, AB




MARCH 1, 2026


DEMO/
IMPROVEMENT
ELEVATIONS

3 DEMOLITION EAST ELEVATION

SCALE 1/8" = 1'-0"




REMOVE EXISTING OVERHEAD DOOR



3 IMPROVEMENT EAST ELEVATION

SCALE 1/8" = 1'-0"



NEW COUNTESSIA STOREFRONT
DOORS AND WINDOWS

