



30TH AVE NW TOWNHOUSES

437 & 439 30TH AVE NW



DRAWING LIST	
DP0.0	TITLE PAGE
DP1.0	KEY PLAN & PROJECT INFORMATION
DP1.1	SITE PLAN
DP1.2	LANDSCAPE
DP2.0	MAIN FLOOR PLAN
DP2.1	UPPER FLOOR PLAN
DP2.2	BASEMENT FLOOR PLAN
DP2.3	THIRD FLOOR PLAN
DP3.0	ELEVATIONS
DP3.1	ELEVATIONS
DP3.2	ELEVATIONS & SECTION
DP3.3	ELEVATIONS

AMENDED DRAWINGS
DP No Date Received
DP2026-01389 MAR 23 2026
THESE DRAWINGS REFER TO THE
ABOVE DEVELOPMENT PERMIT NO.

NOT FOR
CONSTRUCTION

SLVGD ARCHITECTURE INC.
201, 6323 BOWNESS RD. NW
CALGARY, AB T3B 0E4
587.351.1950
info@slvgdarchitecture.com

LEGAL DESCRIPTION:
PLAN: 3243FQ
BLOCK: 44
LOT: 66 & 67

ISSUE/REVISION:	
26-03-09	ISSUED FOR DP
26-03-23	ISSUED FOR DP REVISION
-	-
-	-
-	-
-	-
-	-
-	-
-	-

JOB TITLE:
DENSITY TOWNHOUSES

437 AND 439 30 AVE NW
CALGARY AB.

JOB #:	DATE:	YR.MO.DA
177	SCALE:	AS SHOWN
DESIGN BY: SLVGD	DRAWN BY:	ABC



DRAWING TITLE:

TITLE PAGE

PAGE:

DP0.0





LAND USE BYLAW ANALYSIS BASED ON 1P2007

526 (2) THIS PROPOSED ROWHOUSE BUILDING IS A PERMITTED
USE IN THE RESIDENTIAL- GRADE ORIENTED INFILL AND
COMPLIES WITH ALL RULES AS PER SECTION 347.3

DENSITY
529 THE MAXIMUM DENSITY FOR PARCELS DESIGNATED RCG
DISTRICT IS 75 UNITS PER HECTARE.
10195.58 SQ FT = 0.0947 HECTARES
0.0947 HECTARES * 75 UNITS = 7 UNITS

PARCEL COVERAGE
534 (d) 60.0 PER CENT OF THE AREA OF THE PARCELS SUBJECT TO A SINGLE DEVELOPMENT PERMIT FOR A DEVELOPMENT WITH A DENSITY OF 60 UNITS PER HECTARE OR GREATER.

BUILDING SETBACK FROM FRONT PROPERTY LINE
537 THE MINIMUM BUILDING SETBACK FROM A FRONT
PROPERTY LINE IS 3.0 M

BUILDING SETBACK FROM SIDE PROPERTY LINE
539 (1) SUBJECT TO SUBSECTIONS (3) THROUGH (9) THE MIN
BUILDING SETBACK FROM ANY SIDE PROPERTY LINE IS 1.2M.

BUILDING SETBACK FROM REAR PROPERTY LINE
540(1) ON A LANED OR CORNER PARCEL, THE MINIMUM BUILDING SETBACK FROM A REAR PROPERTY LINE IS 1.2 M

BUILDING HEIGHT
541(1) UNLESS OTHERWISE REFERENCED IN SUBSECTIONS (2), (3) AND (4) THE MAXIMUM BUILDING HEIGHT IS 11.0 m MEASURED FROM GRADE.

AMENITY
543 (1) FOR DEVELOPMENTS OF THREE UNITS OR MORE, EACH UNIT AND SUITE MUST HAVE AMENITY SPACE THAT IS LOCATED OUTDOORS AND IS LABELLED ON THE REQUIRED LANDSCAPE PLAN.

BALCONIES

544 (2) A BALCONY ATTACHED TO A CONTEXTUAL SINGLE DETACHED DWELLING, CONTEXTUAL SEMI-DETACHED DWELLING, OR ROWHOUSE BUILDING THAT IS A PERMITTED USE (a) MAY BE LOCATED ON A SIDE FACDE OF A BUILDING:

(i) WHERE IT FORMS PART OF THE FRONT FACADE AND IS NOT RECESSED BACK MORE THAN 4.5 M FROM THE FRONT FACADE

BUILDING CODE ANALYSIS

PROJECT DESCRIPTION: NEW
MAJOR OCCUPANCY(S): GROUP C - RESIDENTIAL OCCUPANCIES
BUILDING AREA:
MAIN BUILDING: 3933.78 SQ FT (365.46 SQM)
GARAGE: 1417.66 SQ FT (131.70 SQM)
NUMBER OF STOREYS: 3
BUILDING HEIGHT: 10.39 m
SPRINKLER SYSTEM PROVIDED: NOT REQUIRED
FIRE ALARM REQUIRED: NOT REQUIRED
PERMITTED CONSTRUCTION: COMBUSTIBLE
ACTUAL CONSTRUCTION: COMBUSTIBLE

Tree Table (m)			
	TrunkØ	DripØ	Height
*T1	0.20	2.0	6
T2	0.80	3.0	11
T3	0.15	2.0	5
T4	0.15	2.0	8
T5	0.30	2.0	6
T6	0.10	3.0	6
T7	0.60	3.0	8
T8	0.40	8.0	6
T9	0.15	3.0	5

LINE TYPE LEGEND	
	PROPERTY LINE
	ADJACENT PROPERTY LINES
	EXISTING BUILDING TO BE REMOVED

(ii) WHERE IT IS ON THE STREET SIDE OF A CORNER PARCEL

MOTOR VEHICLE PARKING STALL
546 THE MINIMUM NUMBER OF MOTOR VEHICLE PARKING STALLS IS CALCULATED BASED ON THE SUM OF ALL UNITS AND SUITED AT A RATE OF 0.5 STALLS PER UNIT OR SUITE

7 UNITS + 7 SUITES = 14 UNITS/SUITES
PARKING STALLS REQUIRED = 0.5 * 14 UNITS/SUITES = 7 STALLS
PARKING STALLS PROVIDED = 7 STALLS

BICYCLE PARKING STALLS
546.2 (1) THE MINIMUM NUMBER OF BICYCLE PARKING STALLS - CLASS 1 IS CALCULATED BASED ON THE SUM OF ALL UNITS AND SUITES AT A RATE OF 1.0 STALL PER UNIT OR SUITE WHERE A UNIT OR SUITE IS NOT PROVIDED A MOTOR VEHICLE PARKING STALL LOCATED IN A PRIVATE GARAGE.

REQUIRED BICYCLE STALLS:

7 UNITS X 1.0	= 7 GARAGE SPACES
7 SUITES X 1.0	= 7 STALLS - CLASS 1
TOTAL	= 7 STALLS - CLASS 1

WASTE, RECYCLING AND ORGANICS
546.3 FOR DEVELOPMENTS OF THREE OR MORE UNITS,
GARBAGE, RECYCLING AND ORGANICS MUST BE STORED IN A
SCREENED LOCATION APPROVED BY DEVELOPMENT
AUTHORITY.

1.2 MULTI-FAMILY DEVELOPMENTS

(4) THE ANTICIPATED TOTAL VOLUME OF WASTE PRODUCED PER WEEK IS CALCULATED USING 0.24M³ (0.3YD³) MULTIPLIED BY THE TOTAL NUMBER OF DWELLING UNITS.

(5) THE MAXIMUM GRADE WHERE CONTAINERS ARE STORED, MANEUVERED, OR COLLECTED IS 2% IN ALL DIRECTIONS.

NUMBER OF DWELLING UNITS:	14 UNITS
VOLUME OF WASTE PRODUCED:	0.24M ³
TOTAL VOLUME OF WASTE PRODUCED PER WEEK:	3.36M ³

541(4) -CONTEXTUAL BUILDING DEPTH
 BUILDING DEPTH OF 443 30 AVE NW = 22.75 M
 BUILDING DEPTH OF 433 30 AVE NW = 17.70 M
 AVERAGE DEPTH = 20.225 M
 CONTEXTUAL DEPTH = 20.225 + 4.6M = 24.825 M

SITE PLAN SYMBOLS & MARKERS	
	NORTH ARROW
—OH— —OH— —OH—	OVERHEAD POWER LINE
— P — — P — — P —	UNDERGROUND POWER LINE
— GAS — — GAS — — GAS —	UNDERGROUND GAS LINE
— ST — — ST — — ST —	STORM SEWER LINE
 PP	DENOTES UTILITY POST
 MW	DENOTES MAIN FLOOR WINDOW
 UW	DENOTES 2ND FLOOR WINDOW
 TW	DENOTES 3RD FLOOR WINDOW
 BW	DENOTES BASEMENT WINDOW
'CANT.'	DENOTES CANTILEVER
B.O.W.	DENOTES BACK OF SIDEWALK
B.O.C.	DENOTES BACK OF CURB
L.O.G.	DENOTES LIP OF GUTTER
'CONC.'	DENOTES CONCRETE
'RET.'	DENOTES RETAINING
'TOW'	DENOTES TOP OF WALL
'BW'	DENOTES BOTTOM OF WALL
	EXISTING GRADE DATUM
	PROPOSED GRADE DATUM

© SLVGD ARCHITECTURE INC. ALL RIGHTS RESERVED.
THIS DRAWING IS EXCLUSIVE PROPERTY OF THE
ARCHITECT. THE INFORMATION, PLANS, DESIGNS,
NOTES & ARRANGEMENTS SHOWN ON THIS DRAWING
ARE CONFIDENTIAL & MAY NOT BE REPRODUCED IN
WHOLE OR IN PART WITHOUT WRITTEN PERMISSION.

AMENDED DRAWINGS

DP No	Date Received
DP2026-01389	MAR 23 2026
THESE DRAWINGS REFER TO THE ABOVE DEVELOPMENT PERMIT NO	

NOT FOR
CONSTRUCTION

SLVGD ARCHITECTURE INC.
201, 6323 BOWNESS RD. NW
CALGARY, AB T3B 0E4
587.351.1950
info@slvgdarchitecture.com

LEGAL DESCRIPTION:

PLAN: 3243F0
BLOCK: 44
LOT: 66 & 67

[illegible]

JOB TITLE:

437 AND 439 30 AVE NW
CALGARY AB.

JOB #: 177	DATE: YR.MO.DA	
	SCALE: AS SHOWN	
	DESIGN BY: SLVGD	DRAWN BY: ABC


DRAWING TITLE:

KEYPLAN

PAGE:

DP1.0






SITE PLAN SYMBOLS & MARKERS	
	NORTH ARROW
—OH— —OH— —OH—	OVERHEAD POWER LINE
—P— —P— —P—	UNDERGROUND POWER LINE
—GAS— —GAS— —GAS—	UNDERGROUND GAS LINE
—ST— —ST— —ST—	STORM SEWER LINE
● PP	DENOTES UTILITY POST
— MW	DENOTES MAIN FLOOR WINDOW
— UW	DENOTES 2ND FLOOR WINDOW
— TW	DENOTES 3RD FLOOR WINDOW
— BW	DENOTES BASEMENT WINDOW
'CANT.'	DENOTES CANTILEVER
B.O.W.	DENOTES BACK OF SIDEWALK
B.O.C.	DENOTES BACK OF CURB
L.O.G.	DENOTES LIP OF GUTTER
'CONC.'	DENOTES CONCRETE
'RET.'	DENOTES RETAINING
'TOW'	DENOTES TOP OF WALL
'BW'	DENOTES BOTTOM OF WALL
—	EXISTING GRADE DATUM
—	PROPOSED GRADE DATUM
LINE TYPE LEGEND	
---	PROPERTY LINE
---	ADJACENT PROPERTY LINES
---	EXISTING BUILDING TO BE REMOVED
— X —	LINE OF PROPOSED 2M FENCE

KEYNOTES FOR DWG DP--.:	
SHOWN AS THUS: G.C. TO READ ALL KEYNOTES PRIOR TO CONSTRUCTION	
	WATER METERS, LOCATION AT BASEMENT
	PROPOSED UNDERGROUND ELECTRICAL CONNECTION, MAST AT GARAGE, UNDERGROUND TO HOUSE.
	WINDOW WELL LOCATION
	PROPOSED CONCRETE SIDEWALK
	PROPOSED CLASS 1 BICYCLE PARKING, 4 ULINE WAVE SINGLE LOOP OR APPROVED ALTERNATE, ENCLOSED VIA FENCES AROUND THE BUILDING/PROPERTY LINE.
	2M HIGH CEDAR FENCE C/W GATE
	PROPOSED WATER SERVICE CONNECTION
	AMENITY AREA
	PROPOSED SANITARY CONNECTION
	PROPOSED STORM WATER CONNECTION
	PROPOSED GAS METER LOCATION
	PROPOSED GAS CONNECTION
	PROPOSED WASTE AND RECYCLE LOCATION
	PROPOSE ELECTRICAL METER LOCATION
	HOUSE TO BE DEMOLISHED
	PROPOSED PATHWAY LIGHTING LOCATION

OUTLINE OF BUILDING	
	BUILDING FOOTPRINT
	CANTILEVERED AREAS
SITE FINISH LEGEND	
	CONCRETE
	BARK MULCH
	SOD
	ASPHALT



AMENDED DRAWINGS
DP No DP2026-01389 Date Received MAR 23 2026
THESE DRAWINGS REFER TO THE ABOVE DEVELOPMENT PERMIT NO.

NOT FOR CONSTRUCTION

SLVGD ARCHITECTURE INC.
201, 6323 BOWNESS RD. NW
CALGARY, AB T3B 0E4
587.351.1950
info@slvgdarchitecture.com

LEGAL DESCRIPTION:
PLAN: 3243FQ
BLOCK: 44
LOT: 66 & 67

ISSUE/REVISION:	
26-03-09	ISSUED FOR DP
26-03-23	ISSUED FOR DP REVISION
-	-
-	-
-	-
-	-
-	-
-	-
-	-

JOB TITLE:

437 AND 439 30 AVE NW
CALGARY AB.

JOB #:	DATE: YR.MO.DA
177	SCALE: AS SHOWN
DESIGN BY: SLVGD	DRAWN BY: ABC



DRAWING TITLE:

SITE PLAN



PAGE:

DP1.1





Technical drawing of a house with a gabled roof. The drawing includes dimensions: a roof slope of 2.78, a door height of 2032mm, and a door width of 914mm.



AREA 3


AREA 6

AREA 5			
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4			
	6.00	4.75	6.00
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %		
7.5	39	57.38	88
9.49	39.00	57.38	88.00
30	39	57.38	88
SUMMARY			
LIMITING DISTANCE (M)		4.75	
AREA OF EX. BUILDING FACE M 2		7.49	
MAX AREA OF UNPROTECTED OPENINGS %		57.38	
MAX AREA OF UNPROTECTED OPENINGS M 2		4.30	
PLANNED AREA OF UNPROTECTED OPENINGS %		11.35	
PLANNED AREA OF UNPROTECTED OPENINGS M 2		0.85	

AREA 6			
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4			
	6.00	4.75	6.00
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %		
3	39	57.38	88
9	39.00	57.38	88.00
30	39	57.38	88
SUMMARY			
LIMITING DISTANCE (M)		4.75	
AREA OF EX. BUILDING FACE M 2		3.90	
MAX AREA OF UNPROTECTED OPENINGS %		57.38	
MAX AREA OF UNPROTECTED OPENINGS M 2		2.24	
PLANNED AREA OF UNPROTECTED OPENINGS %		21.79	
PLANNED AREA OF UNPROTECTED OPENINGS M 2		0.85	

DP3.0





MATERIAL LEGEND	
01	VERTICAL COMPOSITE SIDING, WOOD LOOK
02	PRE-MANUFACTURED WINDOW
03	CEMENTIOUS LAP SIDING
04	ASPHALT SHINGLES
05	GUARD RAIL
06	PRE-MANUFACTURED METAL DOOR
07	PRE-MANUFACTURED GLAZED DOOR
08	CEMENTIOUS METAL PANEL
09	METAL RAILING
10	RAIN WATER LEADER
11	EXTERIOR WALL SCONCE

AMENDED DRAWINGS
DP No DP2026-01389 Date Received MAR 23 2026
THESE DRAWINGS REFER TO THE ABOVE DEVELOPMENT PERMIT NO.

NOT FOR
CONSTRUCTION

SLVGD ARCHITECTURE INC.
201, 6323 BOWNESS RD. NW
CALGARY, AB T3B 0E4
587.351.1950
info@slvgdarchitecture.com

LEGAL DESCRIPTION:
PLAN:
BLOCK:
LOT:

ISSUE/REVISION:

26-03-09 ISSUED FOR DP
26-03-23 ISSUED FOR DP REVISION

JOB TITLE:
DENSITY TOWNHOUSES

437 AND 439 30 AVE NW
CALGARY AB.

JOB #: 177
DATE: YR.MO.DA
SCALE: AS SHOWN
DESIGN BY: SLVGD DRAWN BY: ABC

DRAWING TITLE:

PAGE:

DP3.1






AREA 1			
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4			
	1.20	1.30	1.50
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %		
30	7	7.64	9
39.79	7.00	7.33	8.02
40	7	7.32	8
SUMMARY			
LIMITING DISTANCE (M)	1.30		
AREA OF EX. BUILDING FACE M 2	39.79		
MAX AREA OF UNPROTECTED OPENINGS %	7.33		
MAX AREA OF UNPROTECTED OPENINGS M 2	2.92		
PLANNED AREA OF UNPROTECTED OPENINGS %	3.69		
PLANNED AREA OF UNPROTECTED OPENINGS M 2	1.47		



AREA 2			
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4			
	6.00	15.47	8.00
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %		
40	69	215.77	100
43.64	66.81	223.93	100.00
40	57	260.58	100
SUMMARY			
LIMITING DISTANCE (M)	15.47		
AREA OF EX. BUILDING FACE M 2	43.64		
MAX AREA OF UNPROTECTED OPENINGS %	223.93		
MAX AREA OF UNPROTECTED OPENINGS M 2	97.73		
PLANNED AREA OF UNPROTECTED OPENINGS %	25.33		
PLANNED AREA OF UNPROTECTED OPENINGS M 2	11.06		

AREA 3			
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4			
	1.20	1.30	1.50
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %		
30	7	7.64	9
39.79	7.00	7.33	8.02
40	7	7.32	8
SUMMARY			
LIMITING DISTANCE (M)	1.30		
AREA OF EX. BUILDING FACE M 2	39.79		
MAX AREA OF UNPROTECTED OPENINGS %	7.33		
MAX AREA OF UNPROTECTED OPENINGS M 2	2.92		
PLANNED AREA OF UNPROTECTED OPENINGS %	3.69		
PLANNED AREA OF UNPROTECTED OPENINGS M 2	1.47		

AREA 4			
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4			
	1.20	1.30	1.50
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %		
10	7	7.64	9
17.79	7.00	7.64	9.00
30	7	7.64	9
SUMMARY			
LIMITING DISTANCE (M)	1.30		
AREA OF EX. BUILDING FACE M 2	17.79		
MAX AREA OF UNPROTECTED OPENINGS %	7.64		
MAX AREA OF UNPROTECTED OPENINGS M 2	1.36		
PLANNED AREA OF UNPROTECTED OPENINGS %	4.13		
PLANNED AREA OF UNPROTECTED OPENINGS M 2	0.74		

AREA 5			
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4			
	1.20	1.30	1.50
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %		
10	7	7.64	9
17.79	7.00	7.64	9.00
30	7	7.64	9
SUMMARY			
LIMITING DISTANCE (M)	1.30		
AREA OF EX. BUILDING FACE M 2	17.79		
MAX AREA OF UNPROTECTED OPENINGS %	7.64		
MAX AREA OF UNPROTECTED OPENINGS M 2	1.36		
PLANNED AREA OF UNPROTECTED OPENINGS %	4.13		
PLANNED AREA OF UNPROTECTED OPENINGS M 2	0.74		





SOUTH GARAGE
SCALE: 3/16" = 1'-0" SHEET: 175 03 DP3.2


AREA 1				
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4				
	2.00	3.28	4.00	
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %			
40	11	24.48	32	
45.52	10.45	22.87	29.79	
50	10	21.54	28	
SUMMARY				
LIMITING DISTANCE (M)	3.28			
AREA OF EX. BUILDING FACE M 2	45.52			
MAX AREA OF UNPROTECTED OPENINGS %	22.87			
MAX AREA OF UNPROTECTED OPENINGS M 2	10.41			
PLANNED AREA OF UNPROTECTED OPENINGS %	1.49			
PLANNED AREA OF UNPROTECTED OPENINGS M 2	0.68			

AREA 2				
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4				
	2.00	3.28	4.00	
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %			
30	12	29.33	39	
39.87	11.01	24.55	32.09	
40	11	24.48	32	
SUMMARY				
LIMITING DISTANCE (M)	3.28			
AREA OF EX. BUILDING FACE M 2	39.87			
MAX AREA OF UNPROTECTED OPENINGS %	24.55			
MAX AREA OF UNPROTECTED OPENINGS M 2	9.79			
PLANNED AREA OF UNPROTECTED OPENINGS %	3.42			
PLANNED AREA OF UNPROTECTED OPENINGS M 2	1.36			

AREA 3				
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4				
	2.00	3.28	4.00	
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %			
10	12	29.33	39	
11.05	12.00	29.33	39.00	
30	12	29.33	39	
SUMMARY				
LIMITING DISTANCE (M)	3.28			
AREA OF EX. BUILDING FACE M 2	11.05			
MAX AREA OF UNPROTECTED OPENINGS %	29.33			
MAX AREA OF UNPROTECTED OPENINGS M 2	3.24			
PLANNED AREA OF UNPROTECTED OPENINGS %	6.66			
PLANNED AREA OF UNPROTECTED OPENINGS M 2	0.74			

AREA 4				
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4				
	2.00	3.28	4.00	
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %			
10	12	29.33	39	
18.07	12.00	29.33	39.00	
30	12	29.33	39	
SUMMARY				
LIMITING DISTANCE (M)	3.28			
AREA OF EX. BUILDING FACE M 2	18.07			
MAX AREA OF UNPROTECTED OPENINGS %	29.33			
MAX AREA OF UNPROTECTED OPENINGS M 2	5.30			
PLANNED AREA OF UNPROTECTED OPENINGS %	26.01			
PLANNED AREA OF UNPROTECTED OPENINGS M 2	4.70			

MATERIAL LEGEND	
01	VERTICAL COMPOSITE SIDING, WOOD LOOK
02	PRE-MANUFACTURED WINDOW
03	CEMENTIOUS LAP SIDING
04	ASPHALT SHINGLES
05	GUARD RAIL
06	PRE-MANUFACTURED METAL DOOR
07	PRE-MANUFACTURED GLAZED DOOR
08	CEMENTIOUS METAL PANEL
09	METAL RAILING
10	RAIN WATER LEADER
11	EXTERIOR WALL SCOTCH




AREA 1				
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4				
	2.00	3.28	4.00	
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %			
30	12	29.33	39	
38.41	11.16	25.25	33.11	
40	11	24.48	32	
SUMMARY				
LIMITING DISTANCE (M)	3.28			
AREA OF EX. BUILDING FACE M 2	38.41			
MAX AREA OF UNPROTECTED OPENINGS %	25.25			
MAX AREA OF UNPROTECTED OPENINGS M 2	9.70			
PLANNED AREA OF UNPROTECTED OPENINGS %	3.55			
PLANNED AREA OF UNPROTECTED OPENINGS M 2	1.36			

AREA 2				
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4				
	2.00	3.28	4.00	
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %			
40	11	24.48	32	
42.34	10.77	23.80	31.06	
50	10	21.54	28	
SUMMARY				
LIMITING DISTANCE (M)	3.28			
AREA OF EX. BUILDING FACE M 2	42.34			
MAX AREA OF UNPROTECTED OPENINGS %	23.80			
MAX AREA OF UNPROTECTED OPENINGS M 2	10.08			
PLANNED AREA OF UNPROTECTED OPENINGS %	1.61			
PLANNED AREA OF UNPROTECTED OPENINGS M 2	0.68			

AREA 3				
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4				
	2.00	3.28	4.00	
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %			
10	12	29.33	39	
20.67	12.00	29.33	39.00	
30	12	29.33	39	
SUMMARY				
LIMITING DISTANCE (M)	3.28			
AREA OF EX. BUILDING FACE M 2	20.67			
MAX AREA OF UNPROTECTED OPENINGS %	29.33			
MAX AREA OF UNPROTECTED OPENINGS M 2	6.06			
PLANNED AREA OF UNPROTECTED OPENINGS %	22.74			
PLANNED AREA OF UNPROTECTED OPENINGS M 2	4.70			

AREA 4				
LIMITING DISTANCE (M) AS PER TABLE 9.10.15.4				
	2.00	3.28	4.00	
MAX AREA (m ²)	AREA OF UNPROTECTED OPENINGS %			
10	12	29.33	39	
12.50	12.00	29.33	39.00	
30	12	29.33	39	
SUMMARY				
LIMITING DISTANCE (M)	3.28			
AREA OF EX. BUILDING FACE M 2	12.50			
MAX AREA OF UNPROTECTED OPENINGS %	29.33			
MAX AREA OF UNPROTECTED OPENINGS M 2	3.67			
PLANNED AREA OF UNPROTECTED OPENINGS %	5.88			
PLANNED AREA OF UNPROTECTED OPENINGS M 2	0.74			



© SLVGD ARCHITECTURE INC. ALL RIGHTS RESERVED.
THIS DRAWING IS EXCLUSIVE PROPERTY OF THE ARCHITECT. THE INFORMATION, PLANS, DESIGNS, NOTES & ARRANGEMENTS SHOWN ON THIS DRAWING ARE CONFIDENTIAL & MAY NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION.

AMENDED DRAWINGS
DP No Date Received
DP2026-01389 MAR 23 2026
THESE DRAWINGS REFER TO THE ABOVE DEVELOPMENT PERMIT NO.

NOT FOR
CONSTRUCTION

SLVGD ARCHITECTURE INC.
201, 6323 BOWNESS RD. NW
CALGARY, AB T3B 0E4
587.351.1950
info@slvgdarchitecture.com

LEGAL DESCRIPTION:
PLAN: 3243FQ
BLOCK: 44
LOT: 66 & 67

ISSUE/REVISION:

26-03-09	ISSUED FOR DP
26-03-23	ISSUED FOR DP REVISION
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

JOB TITLE:
DENSITY TOWNHOUSES

437 AND 439 30 AVE NW
CALGARY AB.

JOB #:	DATE:	YR.MO.DA
177	SCALE:	AS SHOWN
DESIGN BY: SLVGD	DRAWN BY:	ABC

DRAWING TITLE:

ELEVATIONS & SECTION

PAGE:

DP3.2

