



LIVARA DESIGN

Collaborative Design with Expert Results

80 LAKE CRIMSON CLOSE S.E. CALGARY, AB

GENERAL NOTES

GENERAL

- DRAWINGS ARE DRAWN TO SCALE AS INDICATED AND SCALING MAY VARY SLIGHTLY DUE TO REPRODUCTION. CONTRACTORS TO VERIFY ALL DIMENSIONS ON SITE PRIOR TO COMMENCING WORK. ANY DISCREPANCIES SHOULD BE REPORTED IMMEDIATELY TO LIVARA DESIGN INC. AND PRIOR TO CONSTRUCTION.

- WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALED DIMENSIONS

FOUNDATIONS

- FOOTINGS TO REST ON NATIVE, UNDISTURBED SOIL
- FINAL EXTERIOR GRADES MAY VARY FROM THOSE SHOWN IN DRAWINGS. CONTRACTORS TO VERIFY PRIOR TO POURING ANY FOUNDATIONS.
- ALL CONCRETE PAD FOOTINGS AND PILES TO BE VERIFIED BY STRUCTURAL ENGINEER TO MEET SOIL CONDITIONS OF THE BUILDING SITE.

STRUCTURAL

- TRUSS MANUFACTURER TO PROVIDE TRUSS LAYOUT AND VERIFY ALL ROOF SLOPES. TRUSSES ARE TO BE DESIGNED TO THE CURRENT EDITION OF THE BUILDING CODE AND BEAR THE SEAL OF A PROFESSIONAL ENGINEER LICENSED TO PRACTICE WITHIN ALBERTA.
- ALL BEAMS AND LINTELS AS PER THE ALBERTA BUILDING CODE APPLICABLE TABLES.
- JOIST SUPPLIER TO PROVIDE FLOOR LAYOUTS AND ENGINEERING FOR FLOOR SYSTEM.

FRAMING

- ALL FRAMING TO BE S.P.F. #2 OR BETTER AS PER PLAN.
- DIMENSIONS ARE FROM OUTSIDE FACE OF EXTERIOR SHEATHING TO FACE OF PARTITION WALL STUDS UNLESS NOTED OTHERWISE.

DOORS AND WINDOWS

- DOOR AND WINDOW SIZES SHOWN ARE TO BE VERIFIED BY MANUFACTURER. EXACT ROUGH OPENINGS TO BE SUPPLIED BY MANUFACTURER PRIOR TO CONSTRUCTION.
- WINDOW MANUFACTURER TO ENSURE ALL WINDOWS SUPPLIED TO COMPLY WITH NAFS REQUIREMENTS.

MINIMUM PERFORMANCE GRADE 30
MIN. POSITIVE DESIGN PRESSURE 1440PA
MIN. NEGATIVE DESIGN PRESSURE 1440PA
MIN. WATER PENETRATION PRESSURE 330PA
MIN. CANADIAN AIR INFILTRATION A2

ALL REQUIREMENTS CALCULATED AS PER WWW.FENESTRATIONCANADA.CA ONLINE CALCULATOR FOR WINDOW WITHIN 10mm OF GRADE ON OPEN TERRAIN TYPE. MANUFACTURER CALCULATIONS TO SUPERCEDE ARCHITECTURAL DRAWINGS.


- MAXIMUM U VALUE FOR ALL WINDOWS TO BE 2.0

MECHANICAL


- MECHANICAL LAYOUT AND SPECS. SUPPLIED BY MECHANICAL CONTRACTOR.
- IT IS THE RESPONSIBILITY OF THE MECHANICAL CONTRACTOR TO ENSURE THAT ALL MECHANICAL SYSTEMS COMPLY WITH MANUFACTURERS INSTRUCTIONS AND CONFORM WITH ALL APPLICABLE NATIONAL, PROVINCIAL AND LOCAL BUILDING CODES.

ELECTRICAL

- ELECTRICAL LAYOUT SHOWN IS TO BE USED AS A GUIDELINE ONLY. IT IS THE RESPONSIBILITY OF THE ELECTRICAL CONTRACTOR TO ENSURE THAT DESIGN AND SYSTEMS COMPLY WITH MANUFACTURERS INSTRUCTIONS AND CONFORM WITH ALL APPLICABLE NATIONAL, PROVINCIAL AND LOCAL BUILDING CODES.



NOTE:
RENDERING FOR REPRESENTATION PURPOSES ONLY. ACTUAL CONSTRUCTION MAY CHANGE ON SITE



- EXTERIOR CLADDING NOTES**
- ASPHALT SHINGLES UNLESS NOTED (refer to exterior colour sheet)
 - VINYL SIDING (TYP)
 - OVERHANGS 18" UNLESS NOTED
 - ALUMINUM PRE-FINISHED SOFFIT, 5" EAVESTROUGH AND 6" FASCIA

ALL DIMENSIONS ARE MEASURED FROM FRAMING TO FRAMING

DISCLAIMER:
DRAWINGS ARE DRAWN TO SCALE AS INDICATED AND SCALING MAY VARY SLIGHTLY DO TO REPRODUCTION. CONTRACTORS TO VERIFY ALL DIMENSIONS ON SITE PRIOR TO COMMENCING WORK. ANY DISCREPANCIES ARE TO BE REPORTED IMMEDIATELY TO DESIGN CONSULTANT & BUILDER, AND PRIOR TO CONSTRUCTION. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALED DIMENSIONS.

NOTE:
FURNITURE AND FURNITURE PLACEMENT FOR PRESENTATION PURPOSE ONLY

NOTE:
3D DRAWINGS ARE FOR VISUAL AID ONLY; EXACT CONSTRUCTION & DESIGN WILL BE DETERMINED BY THE EXISTING CONDITIONS ON SITE


DO NOT SCALE OFF DRAWINGS

PROJECT NUMBER: ----


DESIGN FOR:
GARAGE SUITE
80 LAKE CRIMSON CLOSE SE

DRAWN BY: Z. RATIGEBER	SCALE: 3/16"=1'-0"
DATE: 04/15/2026	FILE NAME: V5
VIEW: FRONT ELEVATION	

THESE DRAWINGS ARE THE PROPRIETARY WORK PRODUCT AND PROPERTY OF LIVARA DESIGN INC., DEVELOPED FOR THE EXCLUSIVE USE OF LIVARA DESIGN INC. USE OF THESE DRAWINGS AND CONCEPTS CONTAINED THEREIN WITHOUT THE WRITTEN PERMISSION OF LIVARA DESIGN INC. IS STRICTLY PROHIBITED.



REAR ELEVATION
3/16" = 1'-0"



EXISTING HOME
3/16" = 1'-0"

EXTERIOR CLADDING NOTES

- * ASPHALT SHINGLES UNLESS NOTED (refer to exterior colour sheet)
- * VINYL SIDING (TYP)
- * OVERHANGS 18" UNLESS NOTED
- * ALUMINUM PRE-FINISHED SOFFIT, 5" EAVESTROUGH AND 6" FASCIA

ALL DIMENSIONS ARE MEASURED FROM FRAMING TO FRAMING

DO NOT SCALE OFF DRAWINGS

NOTE: FURNITURE AND FURNITURE PLACEMENT FOR PRESENTATION PURPOSE ONLY

NOTE: 3D DRAWINGS ARE FOR VISUAL AID ONLY; EXACT CONSTRUCTION & DESIGN WILL BE DETERMINED BY THE EXISTING CONDITIONS ON SITE

DISCLAIMER: DRAWINGS ARE DRAWN TO SCALE AS INDICATED AND SCALING MAY VARY SLIGHTLY DO TO REPRODUCTION. CONTRACTORS TO VERIFY ALL DIMENSIONS ON SITE PRIOR TO COMMENCING WORK. ANY DISCREPANCIES ARE TO BE REPORTED IMMEDIATELY TO DESIGN CONSULTANT & BUILDER, AND PRIOR TO CONSTRUCTION. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALED DIMENSIONS.

DRAWN BY: Z. RATHEBER	SCALE: 3/16"=1'-0"
DATE: 04/15/2026	FILE NAME: V5
VIEW: REAR ELEVATIONS	


DESIGN FOR: GARAGE SUITE
80 LAKE CRIMSON CLOSE SE

PROJECT NUMBER:

SHEET
8
14




THESE DRAWINGS ARE THE PROPRIETARY WORK PRODUCT AND PROPERTY OF LIVARA DESIGN INC., DEVELOPED FOR THE EXCLUSIVE USE OF LIVARA DESIGN INC. USE OF THESE DRAWINGS AND CONCEPTS CONTAINED THEREIN WITHOUT THE WRITTEN PERMISSION OF LIVARA DESIGN INC. IS STRICTLY PROHIBITED.



RIGHT ELEVATION
3/16" = 1'-0"

EXTERIOR CLADDING NOTES

- * ASPHALT SHINGLES UNLESS NOTED (refer to exterior colour sheet)
- * VINYL SIDING (TYP)
- * OVERHANGS 18" UNLESS NOTED
- * ALUMINUM PRE-FINISHED SOFFIT, 5" EAVESTROUGH AND 6" FASCIA



LEFT ELEVATION
3/16" = 1'-0"

ALL DIMENSIONS ARE MEASURED FROM FRAMING TO FRAMING

NOTE:
FURNITURE AND FURNITURE PLACEMENT FOR PRESENTATION PURPOSE ONLY

NOTE:
3D DRAWINGS ARE FOR VISUAL AID ONLY; EXACT CONSTRUCTION & DESIGN WILL BE DETERMINED BY THE EXISTING CONDITIONS ON SITE

DISCLAIMER:
DRAWINGS ARE DRAWN TO SCALE AS INDICATED AND SCALING MAY VARY SLIGHTLY DO TO REPRODUCTION. CONTRACTORS TO VERIFY ALL DIMENSIONS ON SITE PRIOR TO COMMENCING WORK. ANY DISCREPANCIES ARE TO BE REPORTED IMMEDIATELY TO DESIGN CONSULTANT & BUILDER, AND PRIOR TO CONSTRUCTION. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALED DIMENSIONS.

DO NOT SCALE OFF DRAWINGS

PROJECT NUMBER: ----	DESIGN FOR: GARAGE SUITE 80 LAKE CRIMSON CLOSE SE	DRAWN BY: Z. RATIGEBER	SCALE: 3/16"=1'-0"	FILE NAME: V5
		DATE: 04/15/2026		VIEW: RIGHT / LEFT ELEVATIONS

THESE DRAWINGS ARE THE PROPRIETARY WORK PRODUCT AND PROPERTY OF LIVARA DESIGN INC., DEVELOPED FOR THE EXCLUSIVE USE OF LIVARA DESIGN INC. USE OF THESE DRAWINGS AND CONCEPTS CONTAINED THEREIN WITHOUT THE WRITTEN PERMISSION OF LIVARA DESIGN INC. IS STRICTLY PROHIBITED.



SITE SURVEY

Legal Description:
Lot 71 Block 29 Plan 1230LK
 Municipality: **City of Calgary, AB**

Municipal Address:
80 Lake Crimson Close SE
Calgary, AB
T2J 3K7

NOTES:

1. All fences are within 0.20m of the property line unless otherwise noted.
2. All setback distances shown are from the exterior walls perpendicular to the property boundaries unless otherwise noted.
3. Eaves are dimensioned to the line of the fascia unless otherwise noted.
4. Distances are in metres and decimals thereof.
5. Elevations are Geodetic and are referred to ASCM 149211 Elev. = 1038.343
6. Bearings are Grid 3TM Zone 114°W and are derived from GNSS observations
7. Date of Survey was December 15, 2025

Legend

Iron Post Found	●	Fence	—X—
Iron Spike Found	▲	Overhead Utilities	—OH—
Elev	⊙	Traffic Signs	△
Non-monumented Position	×	Power Pole	Ⓟ
Property Boundary	—	Manhole	Ⓜ
Edge of Building/structure	—	Light Standard	Ⓛ
Eaves	—	Fire Hydrant	Ⓜ
Gravel	▨	Trees:	
Concrete	▩	Coniferous	🌲
Wood Deck	▧	Deciduous	🌳


Abbreviations

- | | |
|---------------------------------------|--------------------------|
| Δ - Curve Delta | I. - Statutory Iron Post |
| B.O.W. - Back of Walk | L - Length of Arc |
| C. of T. - Certificate of Title | L.O.G. - Lip of Gutter |
| conc. - concrete | m - metres |
| c.s. - countersunk calc. - calculated | Mk. - Mark |
| conc. - concrete | N - North |
| DH - Drill Hole | R - Radius |
| E - East | R/W - Right-of-Way |
| Fd. - Found | S - South |
| | W - West |


Note:

1. Improvements covered by snow at time of survey may not be shown.
2. Positions identified with 'x' are:
 Fd. No Mk.
 Re-est by Plan 1230LK
 Left No Mk.

TREE SCHEDULE				
Tree No.	Type	Trunk Dia (m)	Height (m)	Canopy Dia (m)
T1	Deciduous	0.15	1.50	1.00
T2	Deciduous	0.15	2.10	2.00
T3	Coniferous	0.25	2.90	2.30
T4	Bushes	--	--	2.00
T5	Bushes	--	--	1.30
T6	Deciduous	0.60	3.50	5.00
T7	Coniferous	0.05	2.00	1.30



LIGHTING DISTANCE SPATIAL SETBACKS see page 8 for glass calculations



EXTERIOR CLADDING NOTES

- ASPHALT SHINGLES UNLESS NOTED (refer to exterior colour sheet)
- VINYL SIDING (TYP)
- OVERHANGS 18" UNLESS NOTED
- ALUMINUM PRE-FINISHED SOFFIT, 5" EAVESTROUGH AND 6" FASCIA

LOT COVERAGE
 EXISTING HOME = 138.52m²
 NEW GARAGE SUITE = 84.54m²
 NEW UPPER BALCONY = 25.55m²
 LOT = 798.76m²
31.12% LOT COVERAGE

SHEET
 14
 14



(403) 863-3385 | www.canucksurveys.ca
 © Copyright Canuck Surveys, 2025.

Field Crew: PL Drafter: BD Checker: NMH Drawing No.: CLG-0571-25 SS