



**DILLON**  
CONSULTING

CITY OF OTTAWA

# Phase One Environmental Site Assessment

1010 Somerset Street West, Ottawa, Ontario

DRAFT

DRAFT



July 7, 2021

City of Ottawa  
Environmental Remediation Unit, Corporate Real Estate Office  
Planning, Infrastructure and Economic Development Department  
110 Laurier Avenue West, 5<sup>th</sup> Floor  
Ottawa, ON  
K1P 1J1

Attention: Vahid Arasteh, M.Eng., P.Eng. PMP  
Specialist, Environmental Remediation

**Phase One Environmental Site Assessment**  
**1010 Somerset Street West**  
**Ottawa, Ontario**

Dear Mr. Arasteh:

Dillon Consulting Limited is pleased to provide you with the Phase One Environmental Site Assessment (ESA) report for the property located at 1010 Somerset Street West, in Ottawa, Ontario.

Should you have any questions or comments, please contact the undersigned at (613) 745-2213.

Yours sincerely,  
**DILLON CONSULTING LIMITED**

Matthew McCurdy, P.Geo., QP<sub>ESA</sub>

Enclosures

Our file: 21-1685

177 Colonnade Road  
Suite 101  
Ottawa, Ontario  
Canada  
K2E 7J4  
Telephone  
613.745.2213  
Fax  
613.745.3491

# Table of Contents

## Executive Summary

<b>1.0</b>	<b>Introduction</b>	<b>1</b>
1.1	Phase One Property Information .....	1
1.2	Key Regulatory Definitions.....	2
<b>2.0</b>	<b>Scope of Work</b>	<b>3</b>
2.1	Impediments and Limiting Conditions .....	3
<b>3.0</b>	<b>Records Review</b>	<b>4</b>
3.1	Results of the Phase One ESA Records Review .....	4
3.1.1	Phase One Study Area Determination .....	5
3.1.2	First Developed Use Determination.....	5
3.1.3	Fire Insurance Plans .....	5
3.1.4	Chain-of-Title Search.....	7
3.1.5	Environmental Reports .....	8
3.2	Environmental Source Information.....	14
3.3	Physical Setting Sources.....	28
3.3.1	Aerial Photographs.....	29
3.3.2	Topography .....	33
3.3.3	Geology and Hydrogeology.....	33
3.3.4	Fill Materials.....	34
3.3.5	Water Bodies and Areas of Natural Significance .....	34
3.3.6	Well Records .....	34
3.4	Site Operating Records .....	34
<b>4.0</b>	<b>Interviews</b>	<b>35</b>
<b>5.0</b>	<b>Site Reconnaissance</b>	<b>37</b>
5.1	General Requirements .....	37
5.2	Specific Observations at the Phase One Property .....	38
5.2.1	Enhanced Investigation Property.....	42
5.3	Written Description of Investigation .....	42
<b>6.0</b>	<b>Review and Evaluation of Information</b>	<b>43</b>
6.1	Current and Past Uses.....	43

6.2	Potentially Contaminating Activities On-site .....	45
6.3	Potentially Contaminating Activities in the Phase One Study Area .....	48
6.4	Areas of Potential Environmental Concern.....	51
6.5	Phase One Conceptual Site Model (CSM) .....	53
6.5.1	CSM Uncertainty .....	55
<b>7.0</b>	<b>Conclusions</b> .....	<b>56</b>
7.1	Whether Phase Two ESA Required Before a RSC Submitted .....	56
7.2	RSC Based on Phase One ESA Alone .....	56
7.3	Signatures.....	56
<b>8.0</b>	<b>Limitations</b> .....	<b>57</b>
<b>9.0</b>	<b>Qualifications of Assessor(s)</b> .....	<b>58</b>
<b>10.0</b>	<b>References</b> .....	<b>60</b>

### Figures

- Figure 1: Site Location
- Figure 2: Aerial Overlay and Parcel Fabric
- Figure 3: Surrounding Land Use
- Figure 4: Natural Features and Water Wells
- Figure 5: Potentially Contaminating Activities
- Figure 6: Areas of Potential Environmental Concern

### Tables

Table 1: Summary of the Phase One Property .....	1
Table 2: Chain-of-Title Summary .....	7
Table 3: HLUI Summary .....	15
Table 4: – City Directory Listings Summary .....	26
Table 5: Summary of Information Sources for Determination of Physical Setting .....	28
Table 6: Summary of Details Observed in the Aerial Photographs – RSC Property .....	29
Table 7: Summary of Details Observed in the Aerial Photographs – Phase One Study Area.....	31
Table 8: Observations for Adjacent Surrounding Properties .....	38
Table 9: Current and Past Land Uses .....	43

Table 10: Potentially Contaminating Activities on the Phase One ESA Property ..... 47

Table 11: Potentially Contaminating Activities in the Phase One Study Area..... 48

Table 12: Areas of Potential Environmental Concern ..... 52

Table 13: Conceptual Site Model Source-Pathway-Receptor Linkages..... 53

**Appendices**

---

- A Regulatory Correspondence
- B Phase One ESA Supporting Documents
- C ERIS Report
- D Aerial Photographs
- E Site Photographs

DRAFT

# Executive Summary

---

Dillon Consulting Limited (Dillon) was retained by the City of Ottawa (the City) to conduct a Phase One Environmental Site Assessment (ESA) for the property located at 1010 Somerset Street West, in Ottawa, Ontario (hereafter referred to as the RSC Property). **Figure 1** depicts the general RSC Property location and **Figure 2** presents the site plan.

The Phase One ESA report was prepared pursuant to Ontario Regulation 153/04, as amended (herein referred to as the Regulation) under the *Environmental Protection Act*. Dillon understands that the Phase One ESA was initiated as part of a pending application for a Record of Site Condition (RSC) under the Regulation, which is being completed in support of the potential future redevelopment of the property to a parkland/residential setting.

Dillon notes that for the purposes of filing an RSC, the date the last work was done on the records review, interviews and site reconnaissance must be no later than 18 months before the submission of the RSC or the commencement of a Phase Two ESA.

This Phase One ESA was determined to be of an appropriate scope and scale to meet the objectives identified in **Section 2.0** of this report. This report is a record of the Phase One ESA process that demonstrates, in a manner that is clear and could be assessed, tested and reconstructed, how the Phase One ESA was completed.

Based on available information, the first developed use of the RSC Property was determined to be prior to 1895, when it was used as a school and for lumber storage.

The RSC Property was observed to consist of an office building (used by government staff prior to the Covid-19 pandemic), a few smaller sheds, storage lockers and sea cans, a paved parking area, landscaped areas and areas of overgrown vegetation. The RSC Property is surrounded by residential, parkland and commercial land use.

Based on the results of the Phase One ESA, Potentially Contaminating Activities (PCAs) and Areas of Potential Environmental Concern (APECs) were identified. PCAs were grouped in two categories; those that relate to the RSC Property, and those that relate to properties other than the RSC Property and fall within the Phase One Study Area (off-site PCAs). The Regulation stipulates that the Phase One Study Area should include properties located, wholly or partly, within 250 metres from the RSC Property boundary. Only those records interpreted to be relevant to the Phase One Study Area are discussed in this report.

Dillon identified six PCAs within the RSC Property boundaries and 31 off-site PCAs within the Phase One Study Area, as presented in the tables below.

## Potentially Contaminating Activities – On-Site

On-Site PCA #	Regulatory Description	Rationale	Potential Contaminants of Concern
1.	<ul style="list-style-type: none"> <li>#30 – Importation of fill material of unknown quality</li> </ul>	<ul style="list-style-type: none"> <li>Fill quality at the RSC Property was flagged as an issue in most of the previous environmental reports and is shown in borehole logs from the reports, and analytical testing has demonstrated this to be a PCA</li> <li>Fill material identified in ERIS borehole record</li> <li>Aerial photographs identified potential importation of fill material relative to development and redevelopment of the RSC Property</li> <li>The RSC Property was observed to be slightly elevated relative to neighbouring properties to the east and west during the site reconnaissance.</li> </ul>	<ul style="list-style-type: none"> <li>Sodium adsorption ratio</li> <li>Electrical conductivity</li> <li>Cyanide</li> <li>pH</li> <li>Metals</li> <li>BTEX</li> <li>PHCs</li> <li>PAHs</li> </ul>
2.	<ul style="list-style-type: none"> <li>#20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage</li> </ul>	<ul style="list-style-type: none"> <li>Historical storage of explosives ordnance in the Oak St. Complex building noted in the previous environmental reports.</li> <li>The FIPs from 1948 and 1965 identify the warehouse building as No. 26 Central Ordnance Depot.</li> <li>The site contact indicated that the former warehouse was historically used as an ammunition depot during the war.</li> </ul>	<ul style="list-style-type: none"> <li>RDX</li> <li>TNT</li> <li>Perchlorate</li> <li>Mercury</li> <li>Ammonia</li> <li>Nitrate</li> <li>Metals</li> </ul>
3.	<ul style="list-style-type: none"> <li>#46 – Railyards, tracks and spurs</li> </ul>	<ul style="list-style-type: none"> <li>The FIP from 1901 shows railway tracks that were present throughout the RSC Property, connecting to piles of lumber. FIPs from 1948 and 1965 show a spur that is present to the west of the former warehouse building.</li> <li>Aerial photographs from approximately 1945 to 1965 show what appears to be a spur to the west of the former warehouse building.</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>
4.	<ul style="list-style-type: none"> <li>#59 – Wood treating and preservative facility and bulk storage of treated and preserved wood products</li> </ul>	<ul style="list-style-type: none"> <li>The FIPs from 1895, 1901 and 1948 show lumber storage present on the RSC Property, which may be treated/preserved since associated with the railway.</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>
5.	<ul style="list-style-type: none"> <li>PCA Other - Fire</li> </ul>	<ul style="list-style-type: none"> <li>Fire reported in previous environmental investigations and journal articles (1951), which destroyed the northern portion of the warehouse at the RSC Property</li> </ul>	<ul style="list-style-type: none"> <li>PAHs</li> <li>Metals</li> </ul>
6.	<ul style="list-style-type: none"> <li>PCA Other – Storage of maintenance equipment, fuel, and chemicals</li> </ul>	<ul style="list-style-type: none"> <li>Aerial photographs from 1945 to 2019 show outdoor storage of equipment, materials and vehicles in the western portion of the RSC Property.</li> <li>Previous environmental reports note the storage of various construction equipment and drums in the maintenance support yard.</li> <li>The ERIS report identified wastes generated related to the PWGSC maintenance support service yard</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>PHCs</li> <li>VOCs</li> </ul>

## Potentially Contaminating Activities – Off-Site

Off-Site PCA #	Property Location	Regulatory Description	Rationale	Potential Contaminants of Concern
1.	<ul style="list-style-type: none"> <li>Adjacent property to the west of the RSC Property.</li> </ul>	<ul style="list-style-type: none"> <li>#46 – Rail Yards, Tracks and Spurs</li> </ul>	<ul style="list-style-type: none"> <li>FIPs and aerial photographs show that a railway was present from prior to 1895 to approximately 2019.</li> <li>This railway was flagged as a PCA in previous environmental reports for the RSC Property.</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>
2.	<ul style="list-style-type: none"> <li>933 Gladstone Avenue (formerly part of 1010 Somerset Street West, southern part of former warehouse), south of the RSC Property</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>The site contact indicated a diesel tank that used to fuel the boiler room for the warehouse.</li> <li>Previous environmental reports show this former AST to the south of the RSC Property.</li> <li>The ERIS report identified a furnace oil tank in 1992, which was confirmed by the site contact to be related to the former warehouse steam boilers</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
		<ul style="list-style-type: none"> <li>PCA Other – Coal Storage</li> </ul>	<ul style="list-style-type: none"> <li>Coal storage in boiler room of warehouse (off-site portion) identified in previous environmental reports</li> </ul>	<ul style="list-style-type: none"> <li>PAHs</li> </ul>
3.	<ul style="list-style-type: none"> <li>933 Gladstone Avenue (formerly part of 1010 Somerset Street West), south of the RSC Property</li> </ul>	<ul style="list-style-type: none"> <li>#20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage</li> </ul>	<ul style="list-style-type: none"> <li>Off-site portion of the former Central Ordnance Depot facility.</li> </ul>	<ul style="list-style-type: none"> <li>RDX</li> <li>TNT</li> <li>Perchlorate</li> <li>Mercury</li> <li>Ammonia</li> <li>Nitrate</li> <li>Metals</li> </ul>
4.	<ul style="list-style-type: none"> <li>35 Laurel Street</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>AST/USTs identified in HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
5.	<ul style="list-style-type: none"> <li>111 Breezehill Avenue</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>Service garage identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>VOCs</li> <li>Metals</li> </ul>
6.	<ul style="list-style-type: none"> <li>103 Breezehill Avenue</li> </ul>	<ul style="list-style-type: none"> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>Metal products manufacturing/coating of metal products identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>
7.	<ul style="list-style-type: none"> <li>73 Breezehill Avenue</li> </ul>	<ul style="list-style-type: none"> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>Metal products manufacturing/coating of metal products identified in the ERIS and HLUI reports</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>
		<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>Petroleum products wholesale identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>

Off-Site PCA #	Property Location	Regulatory Description	Rationale	Potential Contaminants of Concern
8.	• 53 Breezehill Avenue	• #49 – Salvage yard, including automobile wrecking	• Automobile wrecking facility identified in ERIS report	• PHCs • VOCs • Metals
		• #10 – Commercial Autobody Shops	• Service garage/autobody shops identified in the HLUI report	• VOCs • Metals • PHCs
		• #28 – Gasoline and associated products storage in fixed tanks	• ASTs/USTs and petroleum products wholesale identified in the HLUI report and auto repairs facility identified in the 1965 FIP.	• PHCs • VOCs • Metals
9.	• 250 City Centre Avenue	• #43 – Plastics (including fiberglass) manufacturing and processing	• Potential plastic manufacturing identified in the HLUI report	• VOCs
		• #29 – Glass manufacturing	• Potential glass manufacturing identified in the HLUI report	• Metals • VOCs • PFAS
		• #37 – Operation of dry cleaning equipment (where chemicals are used)	• Dry cleaning facility identified in the ERIS and HLUI reports	• VOCs
		• #10 – Commercial Autobody Shops	• Autobody shop identified in the HLUI report	• PHCs • VOCs • Metals
		• #28 – Gasoline and associated products storage in fixed tanks	• Service garage, ASTs/USTs and petroleum products wholesale identified in the HLUI report, hydraulic oil spill identified in the ERIS report	• PHCs • VOCs • Metals
10.	• 1040 Somerset Street West	• #10 – Commercial Autobody Shops	• Service garage/autobody shops identified in the HLUI report	• VOCs • Metals • PHCs
		• #32 – Metal treatment, coating, plating and finishing	• Metal products manufacturing/coating of metal products identified in the ERIS and HLUI reports	• Metals • VOCs • PFAS
11.	• 10 Bayswater Avenue	• #28 – Gasoline and associated products storage in fixed tanks	• ASTs/USTs identified in the ERIS report	• PHCs • BTEX
12.	• 930 Wellington Street West	• #28 – Gasoline and associated products storage in fixed tanks	• Service garage, ASTs/USTs and gasoline service stations identified in the HLUI report	• PHCs • VOCs • Metals
13.	• 1050 Somerset Street West	• #10 – Commercial Autobody Shops	• Service garage/autobody shops identified in the HLUI report	• VOCs • PHCs • Metals
		• #28 – Gasoline and associated products storage in fixed tanks	• ASTs/USTs identified in the HLUI report	• PHCs • BTEX
14.	• 161 Spruce	• #28 – Gasoline and	• Service garage, ASTs/USTs and	• PHCs

Off-Site PCA #	Property Location	Regulatory Description	Rationale	Potential Contaminants of Concern
	Street West	associated products storage in fixed tanks	petroleum product wholesale identified in the HLUI report	<ul style="list-style-type: none"> <li>• VOCs</li> <li>• Metals</li> </ul>
15.	<ul style="list-style-type: none"> <li>• 145 Spruce Street</li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and associated products storage in fixed tanks</li> <li>• #32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>• ASTs/USTs identified in the HLUI report</li> <li>• Stamped, pressed and coated metal product industries identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>• PHCs</li> <li>• BTEX</li> <li>• Metals</li> <li>• VOCs</li> <li>• PFAS</li> </ul>
16.	<ul style="list-style-type: none"> <li>• 886 Somerset Street West</li> </ul>	<ul style="list-style-type: none"> <li>• #37 – Operation of dry cleaning equipment (where chemicals are used)</li> <li>• #28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>• Potential dry cleaning facility identified in the HLUI report</li> <li>• Gasoline service station identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>• VOCs</li> <li>• PHCs</li> <li>• BTEX</li> </ul>
17.	<ul style="list-style-type: none"> <li>• 890 Somerset Street West</li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>• Service garage, ASTs/USTs and gasoline service station identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>• PHCs</li> <li>• VOCs</li> <li>• Metals</li> </ul>
18.	<ul style="list-style-type: none"> <li>• 100 Preston Street</li> </ul>	<ul style="list-style-type: none"> <li>• #37 – Operation of dry cleaning equipment (where chemicals are used)</li> </ul>	<ul style="list-style-type: none"> <li>• Potential dry cleaning facility identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>• VOCs</li> </ul>
19.	<ul style="list-style-type: none"> <li>• 193 Preston Street</li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>• Gasoline service station identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>• PHCs</li> <li>• BTEX</li> <li>• Metals</li> </ul>
20.	<ul style="list-style-type: none"> <li>• 215 Preston Street</li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>• ASTs/USTs and petroleum product wholesale identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>• PHCs</li> <li>• BTEX</li> </ul>
21.	<ul style="list-style-type: none"> <li>• 225 Preston Street</li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>• Service garage, ASTs/USTs and petroleum product wholesale identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>• PHCs</li> <li>• VOCs</li> <li>• Metals</li> </ul>
22.	<ul style="list-style-type: none"> <li>• 951 Gladstone Avenue</li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and associated products storage in fixed tanks</li> <li>• #32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>• Service garage and ASTs/USTs identified in the ERIS report and gas station identified in the HLUI report</li> <li>• Metal products manufacturing/coating of metal products identified in the ERIS report</li> </ul>	<ul style="list-style-type: none"> <li>• PHCs</li> <li>• VOCs</li> <li>• Metals</li> <li>• Metals</li> <li>• VOCs</li> <li>• PFAS</li> </ul>
23.	<ul style="list-style-type: none"> <li>• 241 Preston Street</li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>• ASTs/USTs identified in the ERIS report</li> </ul>	<ul style="list-style-type: none"> <li>• PHCs</li> <li>• BTEX</li> </ul>
24.	<ul style="list-style-type: none"> <li>• 15 Larch Street</li> </ul>	<ul style="list-style-type: none"> <li>• #32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>• Metal products manufacturing/coating of metal products identified in the ERIS and HLUI reports</li> </ul>	<ul style="list-style-type: none"> <li>• Metals</li> <li>• VOCs</li> <li>• PFAS</li> </ul>
25.	<ul style="list-style-type: none"> <li>• Baywater Avenue and Wellington</li> </ul>	<ul style="list-style-type: none"> <li>• #58 – Waste disposal and waste management,</li> </ul>	<ul style="list-style-type: none"> <li>• Former landfill site (Landfill Ur-41) identified within 500m of the RSC Property in the</li> </ul>	<ul style="list-style-type: none"> <li>• PHCs</li> <li>• PAHs</li> <li>• Metals</li> </ul>

Off-Site PCA #	Property Location	Regulatory Description	Rationale	Potential Contaminants of Concern
	Street	including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	HLUI report; reported operation prior to 1928	<ul style="list-style-type: none"> <li>Inorganics</li> </ul>
26.	<ul style="list-style-type: none"> <li>Located between Ottawa Parkway (N), CP Railway (W), Scott St. (S) and Lebreton Flats Aqueducts (E)</li> </ul>	<ul style="list-style-type: none"> <li>#58 – Waste disposal and waste management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners</li> </ul>	<ul style="list-style-type: none"> <li>Former landfill site (Landfill Ur-06) identified within 500m of the RSC Property in the HLUI report; reported operation in 1960s</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>VOCs</li> <li>PAHs</li> <li>Metals</li> <li>Inorganics</li> <li>PFAS</li> </ul>
27.	<ul style="list-style-type: none"> <li>930 Somerset Street West</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the HLUI report and in miscellaneous documents from the City of Ottawa</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
28.	<ul style="list-style-type: none"> <li>953 Somerset Street West</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
29.	<ul style="list-style-type: none"> <li>158 Spruce Street</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
30.	<ul style="list-style-type: none"> <li>152 Spruce Street</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
31.	<ul style="list-style-type: none"> <li>130 Anderson Street</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>

### Areas of Potential Environmental Concern

Dillon identified nine APECs at the RSC Property, as presented in the table below.

APEC #	Location of APEC on Phase One Property	PCA	Location of PCA (on-site or off-site)	Potential Contaminants of Concern	Media Potentially Impacted
1.	Entire RSC Property	On-Site PCA #1 <ul style="list-style-type: none"> <li>#30 – Importation of fill material of unknown quality</li> </ul>	On-Site	<ul style="list-style-type: none"> <li>Sodium adsorption ratio</li> <li>Electrical conductivity</li> <li>Sodium</li> <li>Chloride</li> <li>Cyanide</li> <li>pH</li> <li>Metals</li> <li>BTEX</li> <li>PHCs</li> <li>PAHs</li> </ul>	Soil / Groundwater

APEC #	Location of APEC on Phase One Property	PCA	Location of PCA (on-site or off-site)	Potential Contaminants of Concern	Media Potentially Impacted
2.	Eastern Portion of RSC Property	On-Site PCA #2 and Off-Site PCA #3 <ul style="list-style-type: none"> <li>#20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage</li> </ul>	On-Site and Off-Site	<ul style="list-style-type: none"> <li>RDX</li> <li>TNT</li> <li>Perchlorate</li> <li>Mercury</li> <li>Ammonia</li> <li>Nitrate</li> <li>Metals</li> </ul>	Soil / Groundwater
3.	Entire RSC Property	On-Site PCA #3 and Off-Site PCA #1 <ul style="list-style-type: none"> <li>#46 – Railyards, tracks and spurs</li> </ul>	On-Site and Off-Site	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>	Soil
4.	Entire RSC Property	On-Site PCA #4 <ul style="list-style-type: none"> <li>#59 – Wood treating and preservative facility and bulk storage of treated and preserved wood products</li> </ul>	On-Site	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>	Soil
5.	Northeastern portion of the RSC Property	On-Site PCA #5 <ul style="list-style-type: none"> <li>PCA Other – Fire</li> </ul>	On-Site	<ul style="list-style-type: none"> <li>PAHs</li> <li>Metals</li> </ul>	Soil
6.	Western portion of the RSC Property	On-Site PCA #6 <ul style="list-style-type: none"> <li>PCA Other – Storage of maintenance equipment, fuel and chemicals</li> </ul>	On-Site	<ul style="list-style-type: none"> <li>Metals</li> <li>PHCs</li> <li>VOCs</li> </ul>	Soil / Groundwater
7.	South boundary of the RSC Property	Off-Site PCA #2 and #22 <ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> <li>PCA Other – Coal Storage</li> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	Off-Site	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PHCs</li> <li>PAHs</li> <li>PFAS</li> </ul>	Groundwater
8.	Western portion of RSC Property	Off-Site PCA #4, #5, #6 and #7 <ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	Off-Site	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>	Groundwater (bedrock aquifer only)
9.	Northeastern portion of the RSC Property	Off-Site PCA #27 <ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	Off-Site	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>	Groundwater

Remaining off-site PCAs were determined not to represent APECs due to their distance and/or down/cross-gradient location from the RSC Property.

The objectives of the Phase One ESA were satisfied. Under the Regulation, a Phase Two ESA would be required to investigate the potential APECs identified in the Phase One ESA report.

This report was prepared by Dillon for the sole benefit of the City of Ottawa. The material in it reflects Dillon's best judgment in light of the information available to it at the time of preparation. Any use which a third party makes of this report, or any reliance on or decisions made based on it, are the responsibilities of such third parties. Dillon accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report.

## 1.0 Introduction

Dillon Consulting Limited (Dillon) was retained by the City of Ottawa (the City) to conduct a Phase One Environmental Site Assessment (ESA) for the property located at 1010 Somerset Street West, in Ottawa, Ontario (hereafter referred to as the RSC Property). **Figure 1** depicts the general RSC Property location and **Figure 2** presents the site plan.

The Phase One ESA report was prepared pursuant to Ontario Regulation 153/04, as amended (herein referred to as the Regulation) under the *Environmental Protection Act*. Dillon understands that the Phase One ESA was initiated as part of a pending application for a Record of Site Condition (RSC) under the Regulation, which is being completed in support of the potential future redevelopment of the property to a parkland/residential setting.

The objective of the Phase One ESA report was to document the presence or absence of Potentially Contaminating Activities (PCAs) and Areas of Potential Environmental Concern (APECs), and to provide a record of a Phase One ESA that demonstrates, in a manner that is clear and can be assessed, tested and reconstructed, how the Phase One ESA of the RSC Property was completed, and how the general and specific objectives of a Phase One ESA were achieved.

### 1.1 Phase One Property Information

Property information for the RSC Property is summarized in **Table 1**.

**Table 1: Summary of the Phase One Property**

Municipal Addresses	1010 Somerset Street West, Ottawa, Ontario
Property Identification Numbers (PINs)	<ul style="list-style-type: none"> <li>• 04107-0030 (LT)</li> <li>• 04107-0035 (LT) (partial)</li> <li>• 04107-0289 (LT)</li> </ul>
Roll Number	061406350116300
Legal Description	<ul style="list-style-type: none"> <li>• Plan 73, Lots 1-7 Blk B w/s Champagne Ave, Lots 1-5 Blk B e/s Loretta Ave, Pt Lot A Blk B n/s Oak St Pts 4-6 5R4993; Ottawa/Nepean</li> <li>• Plan 73, Pt Champagne Ave Lying S of Somerset St &amp; N of Pts 3&amp;6, 4R207; Ottawa/Nepean</li> <li>• Plan 73, Lots 2-5 Blk B s/s Somerset St; Lots 1-5 Blk B n/s Ash St; Lots 1-5 Blk B s/s Ash St; Lots 1-5 Blk B n/s Oak St; Pt Ash &amp; Oak St; City of Ottawa</li> </ul>
Approximate Area of Property	2.83 hectares
General Site Description	As shown on <b>Figure 2</b> , the RSC Property consists of a 2.83 hectare parcel (comprised of three different PINs) located at 1010 Somerset Street West, in Ottawa, Ontario. The RSC Property was observed to consist of an office building (used by government staff prior to the Covid-19 pandemic), a few smaller sheds, storage lockers and sea cans, a paved parking area, landscaped areas and areas of overgrown vegetation. The RSC Property is surrounded by residential, parkland and commercial land use.
Owner	The Government of Canada (PINs 04107-0030 (LT) and 04107-0289 (LT)), the City of Ottawa (PIN 04107-0035 (LT))
Owner Representative and person requesting Phase One ESA	Name: Mr. Vahid Arasteh, City of Ottawa Address: 110 Laurier Avenue West, 5 <sup>th</sup> Floor, Ottawa, ON K1P 1J1

Municipal Addresses

1010 Somerset Street West, Ottawa, Ontario

Contact Information: Phone: 613-580-2424, Email: vahid.arasteh@ottawa.ca

This report documents the methodology of the Phase One ESA investigation, and subsequent findings.

## 1.2 Key Regulatory Definitions

The following are key regulatory definitions used throughout this report.

### Defined by the *Environmental Protection Act (EPA)*

**Contaminant** – Any solid, liquid, gas, odour, heat, sound, vibration, radiation or combination of any of them resulting directly or indirectly from human activities that causes or may cause an adverse effect.

### Defined by *Ontario Regulation 153/04*, as amended

**Areas of Potential Environmental Concern (APECs)** – The area on, in or under a Phase One property where one or more contaminants are potentially present, as determined through the Phase One environmental site assessment, including through: (a) identification of past or present uses on, in or under the Phase One property, and (b) identification of potentially contaminating activity.

**Contaminants of Concern (COCs)** – Means: (a) one or more contaminants found on, in or under a property at a concentration that exceeds the applicable site condition standards for the property, or (b) one or more contaminants found on, in or under a property for which no applicable site condition standard is prescribed under Part IX of the *Environmental Protection Act* (Site Condition Standards and Risk Assessment) and which are associated with potentially contaminating activity.

**First Developed Use** – The earlier of: (a) the first use of a Phase One Property in or after 1875 that resulted in the development of a building or structure on the property, and (b) the first potentially contaminating use or activity on the Phase One Property.

**Phase One Property** – The property that is the subject of a phase one environmental site assessment (Dillon uses the term “RSC Property” herein).

**Phase One Study Area** – The area that includes a Phase One Property, any other property that is located, wholly or partly, within 250 m from the nearest point on a boundary of the Phase One Property and any property that the Qualified Person determines should be included as a part of the phase one study area under clause 3 (1) (a) of Schedule D of the Regulation.

**Potentially Contaminating Activity (PCA)** – A use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a phase one Study Area.

## 2.0 Scope of Work

The scope of work for the Phase One ESA included the following components, in accordance with Schedule D of the Regulation:

- Review of historical and current records that were reasonably attainable for the RSC Property and/or Phase One Study Area (properties located, wholly or partly, within 250 m from the RSC Property boundary);
- Interview of person(s) knowledgeable with respect to past and current uses of the RSC Property and/or adjacent properties, if available;
- Site reconnaissance, conducted after the preliminary records review, to observe the condition of the RSC Property and Phase One Study Area; and
- Review and evaluation of the findings and reporting.

This report identifies PCAs within the RSC Property and Phase One Study Area, and associated APECs resulting from those PCAs, as applicable. It should be noted that there may be subsurface utilities located within and in the vicinity of the RSC Property. It is recognized that bedding material, if present along utility corridors, can represent preferential flow pathways for groundwater and soil vapours. However, the utilities are not unto themselves considered to be sources of contamination (i.e. either PCAs or APECs per se), unless the type of utility or other information identified during the Phase One ESA supports their inclusion (e.g., known transmission of oil beneath the RSC Property via an oil pipeline). It is noted that some utilities may contain designated substances (e.g., asbestos). In the event of disturbance, utilities should be evaluated for the presence of designated substances and appropriate health and safety and environmental measures should be taken.

### 2.1 Impediments and Limiting Conditions

This Phase One ESA was initiated as part of the process to obtain a RSC under the Regulation and the administrative requirements for an RSC outlined in Schedule A of the Regulation.

Observations of surrounding properties were limited to visual observations from the RSC Property and from publicly-accessible vantage points. This report is subject to the limitations presented in **Section 8.0**. It is noted that as it is not required under the Regulation, this Phase One ESA did not include sample collection, analysis or measurements, and was not intended to be a definitive investigation of contamination or other environmental concerns at the RSC Property. A Phase One ESA does not constitute a Compliance Audit. No review of environmental regulatory compliance was carried out as part of this assessment.

Dillon notes that for the purposes of filing an RSC, the date the last work was done on the records review, interviews and site reconnaissance must be no later than 18 months before the submission of the RSC or the commencement of a Phase Two ESA.

## 3.0 Records Review

The objectives of the records review process, as defined by the Regulation, were:

- To obtain and review records that relate to the current and past uses of, and activities at or affecting the RSC Property in order to interpret if one or more APECs exist.
- To obtain and review records that relate to properties in the Phase One Study Area, other than the RSC Property, in order to interpret if one or more APECs exist.

In general, the records review process focused on records and data for properties located within 250 m of the RSC Property boundary, which represents the Phase One Study Area. Regulatory correspondence relevant to the Phase One ESA is included in **Appendix A**, and copies of other documentation used to support the Phase One ESA report are included in **Appendix B**.

Information was requested from the following sources, and included in the report if available at the time of reporting:

### **Agencies**

- Ontario Ministry of the Environment, Conservation and Parks (MECP);
- The City of Ottawa; and
- Technical Standards and Safety Authority (TSSA) – Fuel Safety Division.

### **Information Source Documents and Publications**

- ERIS:
  - Fire Insurance Plans (FIPs)
  - Property Underwriters' Reports/Plans
  - Environmental Databases
  - City Directory Listings
  - Aerial photographs
  - Chain-of-Title
- Aerial Photographs and zoning information were also provided by the GeoOttawa online GIS mapping tool;
- Ministry of Natural Resources and Forestry (MNRF) Land Information Ontario (LIO) database, including Areas of Natural Significance and information sourced from Ontario Base Maps (OBMs); and
- MECP – Water Well Record Database.

## 3.1 Results of the Phase One ESA Records Review

Consistent with the objectives of the Phase One ESA, the following Sections document the results of the records review process. It is noted that, when presented, discussions of the relative relevance of the records in this Section may draw on information from other Sections of the report (e.g., **Section 3.3** Physical Setting) for context.

### 3.1.1 Phase One Study Area Determination

The Phase One Study Area includes the RSC Property and properties that include lands located wholly or partially within 250 m of the RSC Property boundary. For the purposes of determining the Phase One Study Area, a 250 m buffer was extended from the RSC Property and all properties located wholly or partially within that area were included. The portions of right-of-ways within this area were also included. The area that this encompasses is presented on **Figure 2**.

The results of the search were correlated to local geology and anticipated groundwater flow direction to assess the potential presence of environmental concerns that could be relevant to the RSC Property.

### 3.1.2 First Developed Use Determination

The term “first developed use” is defined in **Section 1.2**. The first developed use of the RSC Property is discussed below:

- Aerial photographs of the RSC Property indicate that the site was first used for commercial/industrial purposes between 1938 and 1945 when the large warehouse building was constructed.
- Fire Insurance Plans from 1895 show Rochesterville School in the northern portion of the RSC Property, surrounded by lumber piles and rail lines connecting to the lumber piles throughout the RSC Property.

Based on this information, the first developed use at the RSC Property was determined to be prior to 1895.

### 3.1.3 Fire Insurance Plans

A search for FIPs for the Phase One Study Area was requested through Opta Information Intelligence (Opta) by ERIS. Five FIPs (including nine different pages) were purchased for the RSC Property and Phase One Study Area. Relevant observations from a review of the FIPs are provided below.

#### ***Plan 1422, ON (1895, 1901), Ottawa Volume 1, Volume Number 2 (Pages 84, 119 and 105A) – RSC Property and East***

- The plan indicates that a school (Rochesterville School) was present in the northern portion of the RSC Property, adjacent to Somerset Street West, and that a lumber yard where piled lumber was stored occupied the rest of the property. The Canadian Pacific Railway can be seen running parallel to the west RSC Property boundary, and railway sidings (tracks) can also be seen passing throughout the RSC Property and connecting to lumber piles.
- A lumber yard was present on the adjacent property to the east (930 Somerset Street West) with two large lumber sheds.
- The property to the south was also occupied by lumber storage piles.

#### ***Plan 1431, ON (1912), Ottawa Volume 2, Volume Number 4 (Pages 118 and 119) – RSC Property and Surrounding Properties***

- The plan indicates that the RSC Property and adjacent property to the south were vacant.
- Two buildings were noted to be present at 1000 and 1002 Somerset Street West, to the northeast of the RSC Property. Ottawa Stairworks Woodworking Factory was present to the north of the RSC Property at 989 Somerset Street West, in addition to residential land use further east along Somerset Street West.
- The Canadian Pacific Railway was present to the west of the RSC Property, and a public school and residential land use were present further west.
- Residential land use along Oak Street and Laurel Street was present to the southeast of the RSC Property.

**Plan 1435, ON (1922), Ottawa Volume 2, Volume Number 4 (Page 118) – RSC Property and West**

- The plan indicates that the RSC Property and adjacent property to the south remained vacant.
- Coal and wood storage yard was present to the west of the RSC Property, beyond the railway at 53 and 73 Breezhill Avenue.

**Plan 2993, ON (1948), Ottawa, Volume Number 5 (Page 319) – RSC Property and East, South and West**

- The warehouse building was present on the RSC Property, stretching off-site to the south. The warehouse is identified as “Central Ordnance Depot”. Two steam boilers were present within the southern (off-site) portion of the warehouse with coal storage. A rail line was present running parallel to the western side of the warehouse building, through the RSC Property. A lumber pile was present in the western portion of the RSC Property.
- The Plant Public Bath and playground were present to the east of the RSC Property.
- An auto repair facility was present at 63 Breezhill Avenue, to the west of the RSC Property (beyond the railway).

**Plan 1451, ON (1965), Ottawa Volume 3, Volume Number 3 (Pages 319-1 and 319-2) – RSC Property and East, South and West**

- Warehouse building and rail line were still noted to be present on RSC Property.
- A few additional structures were present on the Plant Bath property to the east of the RSC Property.

On-Site PCAs	Off-Site PCAs
<ul style="list-style-type: none"> <li>• #46 – Railyards, tracks and spurs               <ul style="list-style-type: none"> <li>– Rail tracks were formerly present throughout the RSC Property connecting to piles of lumber</li> </ul> </li> <li>• #59 – Wood treating and preservative facility and bulk storage of treated and preserved wood products               <ul style="list-style-type: none"> <li>– Lumber storage present on the RSC Property, assumed to be treated/preserved since associated with railway</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and Associated Products Storage in Fixed Tanks               <ul style="list-style-type: none"> <li>– Former auto repair facility west of the RSC Property at 63 Breezhill Avenue</li> </ul> </li> <li>• #46 – Railyards, tracks and spurs               <ul style="list-style-type: none"> <li>– Canadian Pacific Railway formerly located adjacent to the western RSC Property boundary</li> </ul> </li> </ul>

A copy of the available documents are presented in **Appendix B**.

## 3.1.4

## Chain-of-Title Search

A chain-of-title search for the RSC Property was completed by ERIS. The land ownership history is summarized in **Table 2**.

**Table 2: Chain-of-Title Summary**

Date	From	To
<b>1010 Somerset Street West PIN 04107-0030 (LT)</b>		
<February 1809	-	Crown
February 1809	Crown	Robert Randall
May 1817	Levius Sherwood exor for Robert Randall - Estate	Peter A. Vallaly
August 1837	Peter A. Vallaly	William Price & P. McGill
May 1844	William Price & P. McGill	Nicholas Sparks
December 1875	Nicholas Sparks	Esther Slater
November 1894	Esther Slater - Estate	John R. Booth
May 1921	John R. Booth	J. R. Booth Ltd.
August 1942	J. R. Booth Ltd.	His Majesty The King in Right of Canada
<b>933 Gladstone Avenue PIN 04107-0035 (LT)</b>		
<February 1809	-	Crown
February 1809	Crown	Robert Randall
May 1817	Levius Sherwood exor for Robert Randall - Estate	Peter A. Vallaly
August 1837	Peter A. Vallaly	William Price & P. McGill
May 1844	William Price & P. McGill	Nicholas Sparks
December 1875	Nicholas Sparks	City of Ottawa
<b>1010 Somerset Street West PIN 04107-0289 (LT)</b>		
<February 1809	-	Crown
February 1809	Crown	Robert Randall
May 1817	Levius Sherwood exor for Robert Randall - Estate	Peter A. Vallaly
August 1837	Peter A. Vallaly	William Price & P. McGill
May 1844	William Price & P. McGill	Nicholas Sparks
December 1875	Nicholas Sparks	Esther Slater
November 1894	Esther Slater - Estate	John R. Booth
May 1921	John R. Booth	J. R. Booth Ltd.
August 1942	J. R. Booth Ltd.	His Majesty The King in Right of Canada
April 1970 - Order	Closing Ash St & Part Oak St	
March 1972	The Corporation of the City of Ottawa	Her Majesty the Queen in Right of Canada
March 1999 - Easement	Her Majesty the Queen in Right of Canada	The Regional Municipality of Ottawa - Carleton

Copies of the chain-of-titles are included in **Appendix B**.

### 3.1.5 Environmental Reports

Environmental site investigations have taken place at the Site dating back to 2001. The following previous environmental reports were provided to Dillon for review, and pertinent information from each report is summarized below.

***Phase I Environmental Site Assessment, Plouffe Park (1010 Somerset St. W.), Ottawa, Ontario (Aqua Terre Solutions Inc., March 30, 2001)***

Aqua Terre Solutions Inc. (Aqua Terre) completed this Phase I ESA to CSA standards in 2001 for Public Works and Government Services Canada (PWGSC) in order to identify potential soil, surface water and/or groundwater contamination for the parcel of land located at 1010 Somerset Street West. There were no figures included in the report that was provided for review, but based on the description of the site included in the report, this assessment appears to have been completed for the area occupied by road allowances on the centre parcel of the RSC Property (PIN 04107-0035 (LT)), and did not include the buildings (Oak St. complex, municipal City of Ottawa building and PWGSC office building, all located to the east/northeast); however, they were still assessed as part of the Phase I ESA Study Area. The report also states that the portion of the property to the northwest is occupied by a paved parking lot and maintenance support area containing approximately 60 200L steel drums. During the Phase I ESA, Aqua Terre identified the following PCAs and associated Contaminants of Potential Concern (COPCs) at the buildings/properties surrounding the site:

- Former coal storage in boiler room area (PAHs)
- Diesel AST in boiler room area (TPH)
- Storage of equipment and drums in maintenance support yard (TPH, VOCs, metals)
- Possible former UST southeast of the site (TPH, BTEX)
- Indoor air quality and designated substances issues, Oak St. Complex building (lead, mercury, asbestos)
- Historical storage of explosives ordinance, Oak St. Complex building (organic contaminants)
- Historical land use on surrounding properties (impacted fill - heavy metals)

The report recommended establishing a handling area for steel drums within the maintenance storage yard (fenced and roofed area with spill containment), and completing a Phase II ESA to investigate potential for heavy metals impacted fill resulting from historical surrounding land uses.

***Phase I & II Environmental Site Assessment, Plouffe Park, 1010 Somerset Street W., Ottawa, Ontario (Trow Associates Inc., January 2005)***

Trow Associates Inc. (Trow) was retained by PWGSC to complete a Phase I/II ESA in 2005 for the property located at 1010 Somerset Street West, which includes the two-storey office building and the entire Oak St. Complex warehouse building that was on the property at the time (this property has since been severed and the southern portion is now 933 Gladstone Avenue and not part of the RSC property). The Phase I/II ESA was completed in order to identify liabilities associated with various future redevelopment scenarios for the property from a contaminated sites perspective.

Historical information reviewed during the Phase I ESA suggested that the site had been occupied by the warehouse building since the 1940s and by the two-storey office building since the mid-1950s. The site had been used to store military equipment, house masonry shops, printing facilities, as office space and a transfer depot for PWGSC. The report states that a previous Phase II ESA (which was not provided to Dillon for review) had identified a PAH exceedance in the soil near the southwest part of the property, opposite the fence and within the City of Ottawa Champagne Avenue road allowance that transects the property. The location of these soil impacts was reviewed and interpreted to be south of the RSC Property. During the Phase I ESA, Trow identified the following PCAs and associated contaminants of concern (COCs) for the property:

- Former coal storage area and associated impacts within the City of Ottawa road allowance to the southwest of the warehouse building (PAHs, specifically benzo(a)pyrene which had the previous CCME exceedance)
- Fire at northern portion of property in the 1950s, portion of the building destroyed (PAHs, VOCs)
- Former fuel station to the southeast of the warehouse had detectable (but less than the Federal criteria applied at the time) benzene, TPH not analyzed (PHCs)
- Potential designated substances in building (asbestos, lead, PCBs, etc.)
- AST near boiler room combined with historical ASTs in same area (PHCs)
- Various construction equipment/materials (concrete, metals, fill materials) stored in the maintenance supply yard (metals, PAHs, VOCs)
- Former rail line bordering west of building (creosote, PAHs, metals)
- Anecdotal information of a potential fuel station near Gladstone Avenue (PHCs)
- General unknown/poor quality of the fill at the site (PAHs, metals, PHCs)

Of these PCAs, the former fire, maintenance yard, and unknown/poor quality fill appear to be located on the RSC property, with the additional PCAs identified on the southern portion of the property (now 933 Gladstone Avenue).

Following the Phase I ESA, Trow completed a Phase II ESA to assess for potential soil and groundwater impacts associated with these APECs. Twelve boreholes were drilled as part of this investigation in the vicinity of the APECs, seven of which were completed as monitoring wells. The following conclusions were drawn by Trow during the Phase II ESA:

- The overburden on site was reported to consist mainly of fill overlying a sandy/silty clay over limestone bedrock. The fill was characterized as sand and gravel with minor construction debris (i.e. concrete), and depth to bedrock ranged from 2.5 to 6 metres below ground surface (mbgs).
- Groundwater was encountered within both the overburden and bedrock aquifers, ranging from 1.66 to 7.25 mbgs. The overburden groundwater was interpreted to be flowing in a northeastern direction, whereas flow direction in the bedrock aquifer could not be assessed as only two wells were installed.
- Based on the assessment of the eight APECs (excluding the designated substances which were not assessed), the general fill quality was considered to be an environmental concern. Analytical results indicated that COCs were above the Ontario Background Standards (Table 1), but did not exceed the Federal or Provincial criteria for residential, commercial or industrial land use. It was

- stated that these Table 1 exceedances would only be an issue if additional fill is generated during redevelopment of the property, which would require disposal at a licensed landfill facility.
- The previously identified benzo(a)pyrene exceedance was determined to remain an issue (however as previously mentioned these impacts do not coincide with the current RSC property).
  - Groundwater was not found to be impacted at the property.
  - The National Classification System (NCS) score for the property was determined to be 24.4, which is categorized as Class N (no significant environmental impact or human health threat).

***Environmental Review and Limited Investigation, Plouffe Park, 1010 Somerset Street West, Ottawa, Ontario (Levac Robichaud Leclerc Associates Ltd., October 21, 2008)***

This Environmental Review and Limited Investigation was completed by Levac Rochbaud Leclerc Associates Ltd. (LRL) in 2008 in order to identify liabilities associated with the property and buildings. This assessment included a review of previous documents for the site, including the previously described Trow 2005 Phase I & II ESA, as well as the following three Designated Substances/Hazardous Materials Surveys that had been completed for the office building:

- *Designated Substances and Hazardous Materials Survey, Plouffe Park Building, 1010 Somerset Street, Ottawa, Ontario, December 16, 1999, Jacques Whitford Environmental Ltd., Project No. 61163*
- *Asbestos Assessment to Meet Ontario Regulation 278/05, Plouffe Park, 1010 Somerset Street, Ottawa, Ontario, October 2007, Greenough Environmental Consulting Inc., Project No. 23696; and*
- *Annual Reassessment of Asbestos-Containing Materials, Plouffe Park Building and Warehouse, 1010 Somerset Street West, Ottawa, Ontario, September 2008, Greenough Environmental Consulting Inc., Project No. 241186*

The review by LRL of previous Designated Substances/Hazardous Materials Surveys revealed that the following substances had been identified within the office building:

- Asbestos containing insulation, aircell and magblock on the straight runs of the domestic hot water pipe fittings and parging cement on fittings
- Mercury in fluorescent lamps and thermostats
- Silica in the concrete and building material
- Ozone depleting substances (ODS) in the refrigerators and air conditioning units
- PCBs in the fluorescent light ballasts

The reassessment by Greenough in 2008 revealed damaged asbestos containing materials (ACM) that required immediate attention.

Following this review, LRL conducted a site visit (which included the collection and analysis of limited number of samples) to determine if designated substances were present in the warehouse building and whether previously identified designated substances within the office building were still present. Based on their investigation, ACMs were confirmed to be present within the office building and warehouse in the vinyl flooring (warehouse only) and insulation on the pipe and pipe fittings. Lead-based paint was identified within the warehouse and was potentially present on building materials such as solder on

pipes and drainpipe joint caulking, though this was not assessed. Mould was also identified within the warehouse. It is noted that the warehouse was subsequently demolished and is no longer present at the site.

***Subsurface Soil and Groundwater Investigation Sampling, Plouffe Park – 1010 Somerset Street West, Ottawa, Ontario (DST Consulting Engineers Inc., September 2013)***

DST Consulting Engineers (DST) was retained by PWGSC to conduct a Subsurface Soil and Groundwater Investigation at 1010 Somerset Street West in 2013. DST conducted a review of previous ESA reports for the property, including the previously described Trow 2005 Phase I & II ESA, as well as the following report:

- *Environmental Soil Management Screening Review, Plouffe Park – 1010 Somerset Street West, Ottawa, Ontario, DST Consulting Engineers Inc., March 2011.*

As part of their review, DST assessed the analytical soil and groundwater data collected during the previous investigations and compared them to the current Federal criteria and Provincial standards at the time. DST noted a number of exceedances of the updated applicable standards/guidelines that were not previously flagged as exceedances, including the following samples collected from the RSC property:

- A groundwater sample collected from BH7 in 2005 (investigating PAHs, VOCs, metals and TPH associated with former fire and general fill quality) had concentrations of aluminum and zinc exceeding the Federal Interim Ground Water Quality Guidelines (FIGWQGs).
- Soil samples collected from BH6-A1 and BH10-SS2 (investigating the maintenance supply yard and general fill quality) had concentrations of PAHs exceeding the Federal criteria (B[a]P TPE and IACR at BH6-A1 and IACR and BH10-SS2).
- A groundwater sample collected from BH11 (investigating the maintenance supply yard and general fill quality) had concentrations of aluminum and zinc exceeding the FIGWQGs.

Based on the findings of this review and the potential for fill quality issues at the property, DST prepared a soil and groundwater sampling program to assess these areas of concern. Twenty-three boreholes (including 10 within the warehouse) were advanced across the property, nine of which were instrumented with monitoring wells. Inferred groundwater flow direction was not provided in this report based on groundwater levels. A total of thirty-four soil samples and twelve groundwater samples (including samples from existing Trow wells) were collected and submitted for analyses of COPCs including PAHs and metals. Based on the results of this investigation and findings of the literature review and historical analytical data update, DST identified four Areas of Environmental Concern (AECs), all of which coincide with the current RSC Property:

- AEC 1 – Confirmed metals (cadmium) groundwater contamination within the northeastern portion of the warehouse and the site at DSTBHMW-7;
- AEC 2 – Confirmed metals (nickel and chromium) soil contamination within the northwestern portion of the site at BH3;
- AEC 3 – Confirmed PAH soil contamination within the northwestern corner of the site at BH11/BH6; and
- AEC 4 – Confirmed PAH soil contamination within the northwestern portion of the site at DSTBH-11.

Estimates of contaminated soil volume were completed for AECs 2 to 4 and were as follows: 1,553 m<sup>3</sup> (AEC 2), 346 m<sup>3</sup> (AEC 3) and 346 m<sup>3</sup> (AEC 4). The surface area extent of confirmed groundwater contamination for AEC 1 was estimated to be 774 m<sup>2</sup>. Based on the assessment of fill quality at the site, three areas of impacts above the MECPC Table 1 Standards were identified, including the following two areas on the current RSC Property:

- Northwestern corner of the site at BH11/BH6 for PAHs (approximately 432 m<sup>3</sup>); and
- Northwestern portion of the site at DSTBH-11, DSTBH-22, DSTBH-23 and BH3 for PAHs and metals (approximately 2,409 m<sup>3</sup>).

***Phase II Environmental Site Assessment, 1010 Somerset Street, Ottawa, Ontario (Golder Associates Ltd., January 2020)***

This Phase II ESA was completed by Golder Associates Ltd. (Golder) in 2020 for PSPC in order to assess for the absence or presence of COCs related to the APECs identified in their 2019 Phase I ESA (not provided to Dillon for review). Golder's previously identified APECs included the following:

- APEC #1 – Historical off-site USTs, ASTs, and various waste generators
- APEC #2 – Former lumber storage yard on the western portion of the site
- APEC #3 – On-site fill quality

Eleven boreholes were drilled within the vicinity of these APECs with soil sampling at regular depth intervals in order to investigate potential soil impacts. Four of these boreholes were completed as monitoring wells, which were then sampled in order to assess potential groundwater impacts. The following findings were reported with respect to each of the APECs:

- APEC #1: No soil COC impacts (PHCs, BTEX, VOCs, PAHs and metals) above the applicable Federal/Provincial criteria were identified for this APEC. Groundwater collected from 19-08 (western portion of the current RSC Property) had a selenium concentration exceeding the FIGQG, for which the exact source was reported to be unknown but possibly related to off-site impacts originating from the west of the site.
- APEC #2: No soil or groundwater impacts of COCs (PAHs and metals) related to APEC #2 were observed.
- APEC #3: PAH federal guideline exceedances were observed in shallow soil samples collected from four boreholes in the eastern portion of the RSC property (19-06, 19-07, 19-09 and 19-10) and one deeper sample (19-10). PHCs also exceeded federal and provincial criteria in 19-10.

Due to limited data and a lack in clear pattern in groundwater, groundwater contours were not generated. Inferred local groundwater flow direction was anticipated to have a westerly component, and that regional flow direction was expected to be northerly towards the Ottawa River. Based on the results of this investigation, Golder calculated and updated the NCSGS scoring for the property to 46.7, which falls under Class 3 – Low Priority for Action.

**Remedial Options Cost Estimates, 1010 Somerset Street West, Ottawa, ON (Golder Associates Ltd., March 31, 2020)**

Golder was retained by PSPC in 2020 to provide high-level cost estimates to remove and/or manage the metals, PAH and PHC impacts identified in the previously described 2020 Phase II ESA. Given the plans to transfer the property to the City of Ottawa for mixed property use, the soil and groundwater data obtained during Golder's 2020 Phase II ESA and Morrison Hershfield's 2019 Soil Sampling Memorandum was compared to MECP Table 3 Standards for Residential/Parkland/Institutional Land Use. Based on this screening, exceedances of Provincial guidelines were noted for the following parameters in soil: PAHs (benzo[a]pyrene, benzo[a]anthracene, fluoranthene, indeno[1,2,3-cd]pyrene, 1-&2-methylnaphthalene and dibenzo[a,h]anthracene), PHCs (fractions 3 and 4) and metals (mercury, chromium VI, arsenic and vanadium). These soil impacts were identified to be related to the fill material at the property, which was estimated to be between 0.55 m (western portion of the property) and 0.76 m (eastern portion of the property) thick. Remedial cost estimates were provided for the following three scenarios:

- Scenario A: Excavation and off-site disposal of all impacted soil – total costs of remediation
- Scenario B: Excavation and off-site disposal of all impacted soil – incremental costs of remediation (not including excavation planned as part of the property redevelopment by the buyer, irrespective of contamination)
- Scenario C: Excavation and off-site disposal of all impacted soil – incremental costs of remediation (not including excavation planned as part of the property redevelopment, combined with a Screening Level Risk Assessment)

Based on the review of the information provided in the previous environmental reports, the following PCAs were identified:

On-Site PCAs	Off-Site PCAs
<ul style="list-style-type: none"> <li>• #20 – Explosives and ammunition manufacturing, production and bulk storage               <ul style="list-style-type: none"> <li>– Historical storage of explosives ordinance, Oak St. Complex building</li> </ul> </li> <li>• #30 – Importation of fill of unknown quality               <ul style="list-style-type: none"> <li>– Fill quality at the RSC Property was flagged as an APEC in most of the reports and is shown in borehole logs from the reports, and analytical testing has demonstrated this to be a PCA</li> </ul> </li> <li>• PCA Other – Maintenance equipment and fuel storage               <ul style="list-style-type: none"> <li>– Storage of various construction equipment and drums in maintenance support yard</li> </ul> </li> <li>• PCA Other – Historical building fire               <ul style="list-style-type: none"> <li>– Fire in northern portion of former warehouse</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and Associated Products Storage in Fixed Tanks               <ul style="list-style-type: none"> <li>– Former diesel AST in boiler room of warehouse (off-site portion) identified within the Phase One Study Area</li> <li>– Potential fuelling stations along Gladstone Avenue</li> </ul> </li> <li>• #46 – Rail Yards, Tracks and Spurs               <ul style="list-style-type: none"> <li>– Railway that used to run parallel to the western RSC Property boundary</li> </ul> </li> <li>• PCA Other – Coal Storage               <ul style="list-style-type: none"> <li>– Coal storage in boiler room of warehouse (off-site portion) identified within the Phase One Study Area</li> </ul> </li> </ul>

## 3.2 Environmental Source Information

The following government, public and other agencies were contacted regarding available information relevant to the RSC Property, adjacent properties and/or Phase One Study Area.

- MECP
  - Freedom of Information (FOI) Request
  - MECP internet data sources
- City of Ottawa
  - City of Ottawa Historical Land Use Inventory Report
  - GeoOttawa online interactive mapping tool
- TSSA
  - Records pertaining to tanks and fuel storage
- ERIS Environmental Databases (see Appendix D Section i of the ERIS report for a complete listing of databases searched), FIPs, Property Underwriters' Reports/Plans, City Directory Listings, and Aerial Photographs

### **MECP**

#### FOI

The FOI Administrative Officer for the MECP was contacted by fax on May 27, 2021, to request historical information for the RSC Property regarding environmental infractions, including reported spills, orders issued, and/or investigations/prosecutions.

A response to the FOI request had not been received prior to the issuance of this report.

A copy of the FOI request is included in **Appendix A**.

#### Inventory of Large Landfill Sites

No large landfill sites were documented in the vicinity (approximately 500 m) of the RSC Property.

#### Inventory of Small Landfill Sites

No small landfill sites were documented in the vicinity (approximately 500 m) of the RSC Property.

#### Inventory of Waste Disposal Sites

The MECP Waste Disposal Sites Inventory (1991) was referenced to identify any active or closed waste disposal sites as of publication of the inventory. No waste disposal sites were identified within approximately 500 m of the RSC Property in the MECP Inventory.

#### Inventory of PCB Storage Sites

The MECP Ontario Inventory of PCB Storage Sites (1991) was referenced to identify any PCB storage sites as of publication of the inventory. No PCB storage sites were identified within approximately 250 m of the RSC Property.

#### Inventory of Coal Gasification Plant Waste Sites

The MECP Inventory of Coal Gasification Sites in Ontario – Volume II (1987) was referenced to identify any coal gasification sites as of publication of the inventory. No coal gasification sites were identified within 250 m of the RSC Property.

Based on the review of MECP records, the following PCAs were identified:

On-Site PCAs	Off-Site PCAs
• None.	• None.

### Local Municipality

#### Historical Land Use Inventory

The City of Ottawa maintains a Historical Land Use Inventory (HLUI) that serves to collect information on the type and location of all land uses within the city which had or have the potential to cause contamination in soil, groundwater or surface water. An HLUI summary report and reference map were provided to Dillon that shows HLUI area features (activity/facility type and location within the Phase One Study Area), HLUI point features (ASTs, USTs and drums), HLUI line features (railways and pipelines) and old landfills. The HLUI report is provided in **Appendix B**, and the following **Table 3** provides a summary of pertinent information obtained in the HLUI report:

**Table 3: HLUI Summary**

Address	Facility Name	Description
886 Somerset Street West	Capogreco Cleaners	Laundry and cleaners facility registered from 1950-1980
961 Somerset Street West	Valley Chemicals	Paint and varnish industry registered from 1900-1965
47 Breezehill Avenue North*	Canadian Oil Co Limited	Petroleum products wholesale registered from 1912-1956
	Takaki Automotive	Automobile repairing & service registered from 1960-2017
161 Spruce Street*	<ul style="list-style-type: none"> <li>• Foster's Garage</li> <li>• F W Argue Limited</li> </ul>	Motor vehicle repair shop registered from 1922-1963
	Spark's Estate North Yard – Jr Booth	Petroleum products wholesale registered from 1901-1912
886 Somerset Street West	Harry McKortle	Gasoline Service Station registered in 1940
896 Somerset Street West*	<ul style="list-style-type: none"> <li>• Bernie Lynch Esso</li> <li>• Don Wylie's Esso</li> <li>• Herb's Esso Service</li> </ul>	Motor vehicle repair shops under different facility ownership/names registered from 1956-1963
225 Preston Street*	<ul style="list-style-type: none"> <li>• Union Garage</li> <li>• Malmberg Auto Service Limited</li> </ul>	Motor vehicles wholesale registered under different facility ownership/names from 1949-1970
250 City Centre Avenue*	Booth Street Auto Body	Auto body shop registered in 1990
	Performance Motors Ottawa	Garage repair shop registered in 1990
	Eldon Drapery & Vertical Cleaners	Drapery and Curtain Cleaners registered from 2006-2017
	Browns Cleaners & Tailors	Laundry and cleaners facility registered from 1998-2017

Address	Facility Name	Description
	Limited	
	Jules Patry Limited	Chemical products industries registered from 1900-1998 and fireworks manufacturers registered in 2017
	Horticultural Plant Maintenance Division of OCAP	Recreational vehicle dealers (where servicing is present) registered in 2001
	F W Argue Limited	Petroleum products wholesale registered from 1901-1960
	Vision 2000 Glass	Manufacturing facility registered in 2012
	Micron Plastics	Manufacturing facility registered from 2006-2012
164 Preston Street	Ana Transportation Inc.	Truck Transport Industries registered from 2001-2005
989 Somerset Street West	Robert Tape Limited	Machine shop industry registered from 1960-2005
	International Paints (Canada Limited)	Paint and varnish industry registered from 1970-1980
890 Somerset Street West*	<ul style="list-style-type: none"> <li>• Frisbee Tire Co</li> <li>• Don Wylie's Esso</li> <li>• Herb's Esso Service</li> </ul>	Motor vehicle repair shops registered under different facility ownership/names from 1949-2017
	Imperial Oil Co Limited	Gasoline service station registered from 1930-1940
215 Preston Street*	Esso Home Comfort	Petroleum products wholesale registered from 1970-1980
100 Preston Street	<ul style="list-style-type: none"> <li>• Expert Cleaner and Dyer</li> <li>• Capogreco Jos</li> </ul>	Laundry and cleaners facility registered from 1930-1940
141 Bayview Road	D&E McEwen	Chemical products industries registered in 1920
1050 Somerset Street West*	<ul style="list-style-type: none"> <li>• Whelan Motors Limited</li> <li>• Acteck Automotive</li> <li>• National Brake and Clutch Service Limited</li> <li>• Acklands Auto Paint, Auto Body Supply</li> </ul>	Motor vehicle repair shops registered under different facility ownership/names from 1970-2017
1 Breezehill Avenue	<ul style="list-style-type: none"> <li>• Unnamed Auto Repairs</li> <li>• Gervais Motors</li> <li>• Hudson's Paint &amp; Body Shop</li> <li>• Slack's Garage</li> </ul>	Motor vehicle repair shop registered from 1901-1980
930 Wellington Street*	<ul style="list-style-type: none"> <li>• B&amp;R Imports Inc</li> <li>• Car Country Canada</li> </ul>	Motor vehicle wholesale registered from 2001-2005
	<ul style="list-style-type: none"> <li>• Moorhouse Service Station</li> <li>• Shell Oil Co Ltd</li> <li>• Francis J Gladwin</li> <li>• Don's Shell Service Station</li> <li>• Deacon's Service Station</li> <li>• Clifford Moffett</li> </ul>	Gasoline service station registered under different facility ownership/names from 1900-1998

Address	Facility Name	Description
	<ul style="list-style-type: none"> <li>Cecil's Service Station</li> <li>Speedy Auto Glass</li> <li>Service Station, Shell Gas</li> </ul>	
	<ul style="list-style-type: none"> <li>TK Automotive Service</li> <li>Auto Rebex SVC CTR</li> </ul>	Garage/automobile repairing & service registered from 2006-2012
55 Breezehill Avenue North	<ul style="list-style-type: none"> <li>Elmer's Auto Electric</li> <li>Kingsway Automotive</li> <li>Ponak Auto Repair</li> </ul>	Motor vehicle repair shops registered under different facility ownership/names from 1980-1998
1040 Somerset Street West	<ul style="list-style-type: none"> <li>NVN Auto Collision Ltd/AML Auto Repairs</li> <li>Paradise Auto Repair</li> <li>Al's Body Shop</li> </ul>	Motor vehicle repair shops registered under different facility ownership/names from 1980-2012
	Aero Mechtronics Limited	Stamped, pressed and coated metal products industries registered in 1994
1 Spadina Avenue (outside Phase One Study Area)	<ul style="list-style-type: none"> <li>Unnamed Gasoline Service Station and Garage</li> <li>Deacon's Service Station</li> <li>Shell Co Service Station</li> <li>Cecil's Service Station</li> <li>131680 Canada Inc</li> <li>Dirienzo &amp; Saikaley Automotive</li> <li>Gordie Pantalone Service Station</li> <li>Service Station, British American Oil Co</li> </ul>	Motor vehicle repair shops and gasoline service stations registered under different facility ownership/names from 1930-2017
927 Wellington Street West (outside Phase One Study Area)	<ul style="list-style-type: none"> <li>Roger's Fina Service Station</li> <li>Al's Fina Servicenter</li> <li>Bob's and Harry's Fina Service Station</li> <li>Micucci Anna</li> </ul>	Gasoline service station registered under different facility ownership/names from 1956-2005
	Pantuso Automotive Ctr Inc & Performance Shop	Motor vehicle repair shop registered from 1988-2005
53 Breezehill Avenue North*	<ul style="list-style-type: none"> <li>Japan Auto Service</li> <li>Ming Auto Service</li> <li>Breezehill Auto Body</li> </ul>	Garage/motor vehicle repair shops registered under different facility ownership/names from 1960-2017
35 Laurel Street*	Emeritus Engraving	Recreational vehicle dealers (where servicing is present) registered in 2001
111 Breezehill Avenue	<ul style="list-style-type: none"> <li>907462 Ontario Limited</li> </ul>	Motor vehicle wholesale and repair shops registered under different facility ownership/names from 2001-2017

Address	Facility Name	Description
	• Grandtech Auto	
131 Loretta Avenue North*	Hall Fuel Limited	Motor vehicles wholesale registered from 1956-1963
951 Gladstone Avenue	Dave's Gas Bar	Gas station registered in 1990
	Orville's Electric Service	Electrical and electronic machinery, equipment and supplies, wholesale, automobile repairing & service registered from 1998-2017
73 Breezehill Avenue North	Charcoal Supply Co	Petroleum products wholesale registered from 1900-1950
145 Spruce Street*	• Sun Tube Corp of Canada Ltd • American Can of Canada Limited	Stamped, pressed and coated metal products industries registered under different facility ownership/names from 1948-1971
193 Preston Street	Aircon Fuels	Gasoline service station registered in 1980
17 Larch Street	Venice Iron Works	Repair services/manufacturers registered from 1998-2017
109 Breezehill Avenue	Alaska Steel and Iron Works	Repair services registered in 1980
75 Breezehill Avenue	Breezehill Heating Limited	Heating equipment industry and sheet metal specialties registered from 1990-2005
Baywater Avenue and Wellington Street	Landfill Ur-41	Listed as a former landfill approximately 0.3 ha in size
Located between Ottawa Parkway (N), CP Railway (W), Scott St. (S) and Lebreton Flats Aqueducts (E)	Landfill Ur-06	Former landfill operational from 1963-1964

*Notes: Addresses with \* also had reported ASTs or USTs on their properties*

In addition to the fuel storage tanks identified in the table above, ASTs and/or USTs were also registered at the following addresses: 141 Spruce Street, 255 Preston Street, 145 Loretta Avenue, 991 Somerset Street West, 30 Breezehill Avenue, 1066 Somerset Street West, 158 Spruce Street, 130 Anderson Street, 10 Bayswater Avenue, 100 Breezehill Avenue, 975 Gladstone Avenue, 930 Somerset Street West, 953 Somerset Street West, 255 City Centre Avenue and 152A Spruce Street. The HLUI report also identified railways running adjacent to the western portion of the RSC Property and gas lines to the north along Somerset Street West.

The Landfills identified in the HLUI report were then searched in the Old Landfill Management Strategy Phase 1 – Identification of Sites, City of Ottawa, Ontario (Golder, 2004) to obtain additional information on dates active, type of landfill, etc. Landfill Ur-41 was a private landfill and had a reportedly operated prior to 1928. Ur-06 was Government-owned landfill that closed in 1964.

#### Zoning By-Law 2008-250

Zoning information for the Phase One Study Area was obtained through the GeoOttawa online GIS mapping tool. The City of Ottawa By-Law 2008-250 indicates that the RSC Property is zoned Mixed-Use Centre (MC F(1.5)). Properties to the north of the RSC Property, across Somerset Street West are zoned

Mixed-Use Centre (MC), Traditional Mainstreet (TM) and Residential (R). The adjoining properties to east are MC (1010 and 1002 Somerset Street West) and Community Leisure Facility (L1 – 930 Somerset Street West). Adjoining properties to the south of the RSC Property are zoned MC, and properties to the west (former railway, bike path and properties further west) are zoned General Industrial (IG).

#### Other Miscellaneous Records Pertaining to the Phase One Property

The City of Ottawa provided Dillon with a number of additional records/plans pertaining to the RSC Property and the neighbouring property to the east (collectively formerly referred to as Plouffe Park), which are each described below. Copies of these documents are provided in **Appendix B**.

- *Complaints About Park (The Ottawa Journal, June 26, 1913)*
  - This is a small article segment that states the following: “Complaints have been rife from frequenters of Plouffe Park, now a public playground, against the city dumping objectionable refuse thereon for the purpose of filling, and Alderman Rowe has been instrumental in the getting the City Engineer to issue instructions that only sand filling is to be used for this spot in the future.” This article provides evidence that fill placement was occurring at the RSC Property in 1913.
- *Amid The Smoke And Flame At Saturday Fire, Several Firemen Overcome Fighting Plouffe Park Ordnance Depot Blaze (The Evening Citizen, Ottawa, Canada, June 4, 1951)*
  - This is an article that describes the fire that took place at the RSC Property in 1951. The article indicates that stocks of army clothing, paints, oil, domestic alcohol and other materials were lost in the fire, which charred a 150-foot section of the Central Ordnance Depot at Plouffe Park. The fire was described as an oil-fed blaze that broke out in the northeast section of the building (the RSC Property), and that was temporarily under control until the fire reached stocks of oil and paint and caused a huge explosion.
- *Heating Layout, Draw #M1, Plouffe Park, Heating and Plumbing Plans (June 1967)*
  - This document is a hand-drawn plan of the proposed heating and plumbing layout for the Plouffe Park Heating Plant, which shows a 250 gallon underground fuel oil tank on the neighbouring property (930 Somerset Street West). Based on the drawing, it is difficult to tell where exactly this tank was proposed to be placed on the property, however it mentions that the tank was to be placed 0.6 metres below grade and anchored to a concrete pad, with a fill pipe connected to a splash shield and vent pipe connected to the roof. As such, it is assumed that the tank was located beneath a concrete pad to the south of the Plant Bath building (where new part of building currently is).
- *Diagrammatic Piping Layout, Plouffe Park Heating Plant (Department of Public Works, Ottawa, Ontario, July 25, 1967)*
  - This document is a plan of the proposed former heating system at the neighbouring property (930 Somerset Street West), which shows two Waterous boilers, one 8,000 imperial gallon heavy oil tank and two 250 imperial gallon light oil tanks. Once again, it is difficult to determine where the tanks were located on the property based on the drawing, however they were located in close proximity to the boilers, which were noted in the 1965 FIP to be in the southeastern portion of the Plant Bath Building.
- *Plouffe Park Site Plan (City of Ottawa Property Department, August 1967)*
  - This is a site plan showing the layout of the neighbouring property (930 Somerset Street West). The plan shows the Plant Bath building, a wading pool with water lines, a parking

area, the proposed field house and a 250 gallon oil UST to the next to the proposed field house.

- *List and Description of Heating Units, Department Buildings, Oil Furnaces (Corporation of the City of Ottawa, Department of Recreation and Parks, April 11, 1973)*
  - This document consists of a list of oil furnaces and tanks present within Ottawa parks in 1973. A 200 gallon tank was reported at the Plouffe Park Fieldhouses at Preston and Somerset.
- *Technical Specifications for Removal of Underground Tanks (The Corporation of the City of Ottawa, March 30, 1993)*
  - This document provides the technical specifications for the removal of underground storage tanks at a number of field houses in Ottawa to occur in 1993. Plouffe Park is described to have a 500 gallon tank that was installed in 1967, however they indicate that the capacity of the tank may not be accurate.
- *Underground Tank Removal Photos (City of Ottawa, 1993)*
  - This document is a scan of photographs taken during the removal of the various USTs from City of Ottawa parks in 1993. The document includes four photographs from the UST removal at Plouffe Park; one picture showing the general work area (next to the small building), two showing close-up images of the side of the tank (one of which shows a small hole after scraping) and one that shows the excavation with the pipes showing. Once again, it is difficult to determine the exact location of the former tank based on these photographs, however it appears to have been outside to the south of the Plant Bath building.
- *The Public Baths of Ottawa: A Heritage Reconsidered (Meredith Stewart, 2014)*
  - This is an article of the history of two Public Baths in Ottawa; Plant Bath (Phase One Property) and Champagne Bath. It describes the opening of these public baths to be related to transitioning Ottawa from an industrial lumber town to a thriving urban centre, in order to providing working class citizens a level of hygiene in a time where indoor plumbing was not commonly available in their homes. It was in 1919 that the decision to provide these public baths was initiated by the municipal government. The article describes plans of Plant Bath from 1922 showing separate swimmer and spectator entrances, separate change rooms for men and women, a public bathroom in the basement, a caretaker's apartment on the second floor and a pool occupying the majority of the interior space (approx. 23 m x 11 m).
- *Plouffe Park's Big Tops, Pitching a Circus in Plouffe Park (Midcentury Modernist. April 4, 2016)*
  - This is a journal article that describes Plouffe Park as the former grounds for circuses in the early 1920s. Included in the article are old photographs showing circus animals, tents and the general public in the open fields of Plouffe Park, which include the property at 1010 Somerset Street West (the RSC Property) and the neighbouring property at 930 Somerset Street West.

Based on the review of municipality records, the following PCAs were identified:

On-Site PCAs	Off-Site PCAs
<ul style="list-style-type: none"> <li>• #30 – Importation of fill material of unknown quality               <ul style="list-style-type: none"> <li>– Fill placement at the RSC Property identified in 1913 journal article</li> </ul> </li> <li>• PCA Other – Fire</li> </ul>	<ul style="list-style-type: none"> <li>• #10 – Commercial Autobody Shops               <ul style="list-style-type: none"> <li>– Autobody shops registered at 250 City Centre Avenue, 1050 Somerset Street West, 53 Breezehill Avenue, 1040 Somerset Street West and 1 Breezehill Avenue</li> </ul> </li> </ul>

On-Site PCAs	Off-Site PCAs
<ul style="list-style-type: none"> <li>– Fire identified in journal articles from 1951 in the northern portion of the warehouse building</li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and Associated Products Storage in Fixed Tanks               <ul style="list-style-type: none"> <li>– Numerous gasoline service stations, commercial vehicle garages and ASTs/USTs identified at the following addresses: 47 Breezehill Avenue, 161 Spruce Street, 886 Somerset Street West, 896 Somerset Street West, 225 Preston Street, 250 City Centre Avenue, 890 Somerset Street West, 215 Preston Street, 1050 Somerset Street West, 930 Wellington Street, 53 Breezehill Avenue, 55 Breezehill Avenue, 35 Laurel Street, 111 Breezehill Avenue, 951 Gladstone Avenue, 73 Breezehill Avenue, 145 Spruce Street, 193 Preston Street, 141 Spruce Street, 255 Preston Street, 145 Loretta Avenue, 991 Somerset Street West, 30 Breezehill Avenue, 1066 Somerset Street West, 158 Spruce Street, 130 Anderson Street, 10 Bayswater Avenue, 100 Breezehill Avenue, 975 Gladstone Avenue, 930 Somerset Street West, 953 Somerset Street West, 255 City Centre Avenue and 152A Spruce Street.</li> </ul> </li> <li>• #46 – Rail Yards, Tracks and Spurs               <ul style="list-style-type: none"> <li>– Railway that used to run parallel to the western RSC Property boundary</li> </ul> </li> <li>• #58 – Waste disposal and waste management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners               <ul style="list-style-type: none"> <li>– Two former landfills identified within 500 m of the RSC Property (to the northwest and west)</li> </ul> </li> <li>• #37 – Operation of dry cleaning equipment (where chemicals are use)               <ul style="list-style-type: none"> <li>– Laundry and cleaners (possibly dry cleaners) identified to the northeast and northwest of the RSC Property (250 City Centre Avenue, 100 Preston Street and 886 Somerset Street West)</li> </ul> </li> <li>• #29 – Glass manufacturing               <ul style="list-style-type: none"> <li>– Potential glass manufacturing identified at 250 City Centre Avenue</li> </ul> </li> <li>• #33 – Metal treatment, coating, plating and finishing               <ul style="list-style-type: none"> <li>– Metal products industries identified at 145 Spruce Street, 17 Larch Street, 109 Breezehill Avenue, 75 Breezehill Avenue and 1040 Somerset Street West</li> </ul> </li> <li>• #43 – Plastics (including fiberglass) manufacturing and processing               <ul style="list-style-type: none"> <li>– Potential plastic manufacturing at 250 City Centre Avenue</li> </ul> </li> </ul>

### ***Technical Standards and Safety Authority (TSSA, Ontario)***

The Public Information Services Department of the TSSA, Fuel Safety Branch was contacted by email on May 27, 2021 (and then again on the 28<sup>th</sup> and 31<sup>st</sup> since they only accept 10 address searches per day), regarding records in their database of fuel storage tanks at the RSC Property and select surrounding properties, as listed below:

- 930 Somerset Street West, Ottawa, Ontario

- 933 Gladstone Avenue, Ottawa, Ontario
- 1030 Somerset Street West, Ottawa, Ontario
- 250 City Centre Avenue, Ottawa, Ontario
- 1000 Somerset Street West, Ottawa, Ontario
- 1002 Somerset Street West, Ottawa, Ontario
- 989 Somerset Street West, Ottawa, Ontario
- 969 Somerset Street West, Ottawa, Ontario
- 961 Somerset Street West, Ottawa, Ontario
- 158 Spruce Street West, Ottawa, Ontario
- 953 Somerset Street West, Ottawa, Ontario
- 947 Somerset Street West, Ottawa, Ontario
- 939 Somerset Street West, Ottawa, Ontario
- 933 Somerset Street West, Ottawa, Ontario
- 927 Somerset Street West, Ottawa, Ontario
- 100 Preston Street, Ottawa, Ontario
- 105 Preston Street, Ottawa, Ontario
- 890 Somerset Street West, Ottawa, Ontario
- 121 Preston Street, Ottawa, Ontario
- 125 Preston Street, Ottawa, Ontario
- 135 Preston Street, Ottawa, Ontario
- 139 Preston Street, Ottawa, Ontario
- 141 Preston Street, Ottawa, Ontario
- 169 Preston Street, Ottawa, Ontario
- 130 Anderson Street, Ottawa, Ontario
- 2-26 Oak Street, Ottawa, Ontario
- 935 Gladstone Avenue, Ottawa, Ontario

The TSSA responded on May 27, 28 and 31, 2021 indicating that no records of fuel storage tanks licensed or registered to properties were found.

A copy of the TSSA correspondence is included in **Appendix A**.

It should be noted that the Fuels Safety Division (TSSA) does not register private fuel underground or aboveground storage tanks from prior to 1990 or furnace oil tanks from prior to May 1, 2002. Also, the TSSA does not register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gasoline and diesel tanks.

Based on the review of TSSA records, the following PCAs were identified:

On-Site PCAs	Off-Site PCAs
<ul style="list-style-type: none"> <li>• None.</li> </ul>	<ul style="list-style-type: none"> <li>• None.</li> </ul>

#### ***ERIS Databases***

ERIS is a commercial information service for searching federal, provincial and private databases for information that may be relevant to a Phase One ESA. ERIS was retained to conduct a search of databases for the Phase One Study Area, including properties located wholly or partially within 250 m of the RSC Property. The ERIS report was received on April 25, 2021, and is presented in **Appendix C**. It should be noted that extent of the historical information available varies with each database and the information in the databases reflects information available to ERIS at the time of the search.

The search findings are summarized below.

#### RSC Property

ERIS identified 36 records for the RSC Property. A summary of the records and their relevance to this Phase One ESA is provided below:

- ERIS identified two records for boreholes, which were reviewed for stratigraphy descriptions. One of the boreholes logs identified a layer of fill between 0.1 and 1.1 mbgs, which is considered to be a PCA for the RSC Property.
- ERIS identified four records for ERIS searches at the RSC Property (presumably associated with previous environmental reports), which were not considered to be PCAs.
- ERIS identified one RSC record for 933 Gladstone Avenue (middle parcel of the RSC Property), which was from 2019 and is not considered to be a PCA for the RSC Property.
- ERIS identified two spill records from the Ontario Spills database:
  - A hose leak from a tow truck resulting in 8L of hydraulic oil being spilled to the ground and storm sewer in 2002. The spill was cleaned but resulted in possible environmental impact; however, the exact location of the spill on the RSC Property was not specified. Due to the small quantity of spilled material and assumed receiving medium being the asphalt ground cover, this spill is not considered to be a PCA for the RSC Property.
  - A container overflow in 1992 in which 0.5L of furnace oil was spilled outside the wall of the Public Works building and beside the tank vent pipe. The spill was subsequently cleaned up with no anticipated environmental impact. The spill in itself is not considered to be a PCA due to the small quantity of oil spilled; however, the presence of this furnace oil tank is considered to be a PCA. As noted in **Section 4.0**, Mr. Slobodian, the site contact, was questioned with regards to this furnace oil tank and he confirmed that this was associated with the boilers for the warehouse building, which were determined to be off-site to the south.
- ERIS identified one Pipeline Incident record from 2015 in which a natural gas pipeline was struck due to insufficient excavation practices. This was not considered to be a PCA.
- ERIS identified 26 records related to Ontario Regulation 347 Waste Generators. The following wastes classes were identified at the RSC Property for one or more years between 1988 and 2021: aromatic solvents, heavy fuels, light fuels, halogenated solvents, PCBs, oil skimmings & sludges, waste oils & lubricants, emulsified oils, graphic art wastes, waste compressed gases, acid and alkaline wastes – metals, paint/pigmentation/coating residues, inorganic and organic laboratory chemicals, aliphatic solvents, petroleum distillates, emulsified oils, non-halogenated pesticides, other specified inorganics and organics and pharmaceuticals. Most of this waste generation appears to be linked to operations at the former on-site warehouse (ammunitions manufacturing and storage) and the PWGSC maintenance support services yard (road maintenance equipment storage). As such, this is considered to be a PCA.

#### Phase One Study Area

ERIS identified 489 records within the search area for properties wholly or partially within the Phase One Study Area (not including those already described on the RSC Property). A summary of the records and their relevance to this Phase One ESA is provided below:

- ERIS identified 17 records related to boreholes, which were not considered to be PCAs.
- ERIS identified 24 records related to Certificates of Approval, which were not considered to be PCAs.
- ERIS identified seven records related to Environmental Activity and Sector Registry, which were not considered to be PCAs.
- ERIS identified nine records related to Environmental Registry, which were not considered to be PCAs.
- ERIS identified 24 records related to Environmental Compliance Approvals, which were not considered to be PCAs.
- ERIS identified 52 records related to ERIS Historical Searches, which were not considered to be PCAs.
- ERIS identified one Permit to Take Water record, which was not considered to be a PCA.
- ERIS identified 46 records related to Water Well Information System, which were not considered to be PCAs.
- ERIS identified one record related to Automobile Wrecking and Supplies for A&T Auto Parts, located at 55 Breezehill Avenue North (approximately 80m southwest of the RSC Property), which is considered to be a PCA.
- ERIS identified one record related to Dry Cleaning Facilities for Brown's Cleaners located at 270 City Centre Avenue (approximately 90m northwest of the RSC Property). Records show quantities of PERC (tetrachloroethylene) per year from 2004 to 2014 associated with the facility, which is considered to be a PCA.
- ERIS identified one record related to Contaminated Sites on Federal Land for the Champagne Corridor, Breezehill Avenue at Somerset Street (approximately 180m northwest of the RSC Property). This property was identified as having localized soil metal and PHC contamination. The site ID provided in this record was then searched in the Federal Contaminated Sites Inventory (internet search), which indicated this property had approximately 150 cubic metres of PHC and metal impacted soil. Since no groundwater impacts were noted at this off-site property, this record is not considered to be a PCA.
- ERIS identified a total of 12 records within the Fuel Storage Tanks, Delisted Fuel Tanks, List of Expired Fuels Safety Facilities and Private Retail Tanks databases. These records were related to current or former fuel tanks at the following locations: Mr. Gas at 971 Gladstone Avenue (approximately 240m south of the RSC Property), Theile Dieter Electrical Contractors Ltd. at 10-14 Bayswater Avenue (approximately 250m west of the RSC Property), Preston Auto Centre Inc. located at 241 Preston Street (approximately 250m southeast of the RSC Property). These fuel tanks are considered to be a PCA.
- ERIS identified four records for TSSA Historic Incidents and five records for Pipeline Incidents, which were all related to natural gas pipeline strikes and were not considered to be PCAs.
- ERIS identified four records for Fuel Oil Spills and Leaks, which were all related to natural gas spills/leaks and therefore not considered to be PCAs.
- ERIS identified 10 records related to the National Pollutant Release Inventory for BA Banknote Inc located at 975 Gladstone Avenue (approximately 163m southwest of the RSC Property). These records were related to release of different substances, primarily VOC air emissions, and were not considered to be a PCA.

- ERIS identified 25 records related to Ontario Spills. All records were reviewed and most were not considered to be PCAs due to limited quantities of spilled materials and/or receiving mediums (e.g. spills to concrete/interior surfaces or sewer), with the exception of the following:
  - Spill of 218L of hydraulic oil to the road at 250 City Centre Avenue (approximately 70m northwest of the RSC Property) in 2012. The spill was reportedly cleaned up and no environmental impacts were anticipated, but it is still considered a PCA.
  - Spill of 550L of diesel to the ground at 1035 Somerset Street West (approximately 120m west of the RSC Property) in 2016, and is considered a PCA.
- ERIS identified 48 records related to Scott's Manufacturing Directory. All records were reviewed relative to type and size of facility, products manufactured and years active. Most records were not considered to be PCAs, with the exception of the following:
  - Breezehill Heating Ltd. located at 75 Breezehill Avenue North (approximately 80m southwest of the RSC Property) was established in 1982 and registered as a manufacturer of metal products.
  - V Steel Works Ltd. located at 17 Larch Street (approximately 140m southeast of the RSC Property) was established in 1975 and registered as a manufacturer of metal products.
  - Vesuvio Iron Works located at 949 Gladstone Avenue (approximately 250m southeast of the RSC Property) was established in 1972 and registered in the database for architectural and metal work.
- ERIS identified 180 records related to Ontario Regulation 347 Waste Generators. All records were reviewed relative to type and size of facility, wastes generated and years active. A lot of the registered waste generators were administrative, printing or healthcare-related operations, which were not considered to be PCAs. The following operations identified in this database were considered to represent PCAs:
  - Aero Mechtronics Limited located at 1040 Somerset Street West (approximately 80m west of the RSC Property) was registered for generating neutralized wastes (heavy metals) related to coating of metal products between 1986 and 2001.
  - Browns Cleaner's (previously identified in the Dry Cleaners database) located at 270 City Centre Avenue (approximately 90m northwest of the RSC Property) registered for generating halogenated solvents related to dry cleaning and laundry services from 2004 to present.

The remaining records identified by ERIS (unplottable report) were not considered relevant to the Phase One ESA.

Based on the review of the ERIS database report, the following PCAs were identified:

On-Site PCAs	Off-Site PCAs
<ul style="list-style-type: none"> <li>• #30 – Importation of fill of unknown quality               <ul style="list-style-type: none"> <li>– Fill materials identified in borehole record</li> </ul> </li> <li>• #20 – Explosives and ammunition manufacturing, production and bulk storage               <ul style="list-style-type: none"> <li>– Wastes generated related to the use of the former warehouse for ammunition manufacturing and storage</li> </ul> </li> <li>• PCA Other – Storage of maintenance equipment, fuel, and chemicals               <ul style="list-style-type: none"> <li>– Activities related to the PWGSC maintenance support services yard (as indicated by the waste generator records)</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• #49 – Salvage yard, including automobile wrecking               <ul style="list-style-type: none"> <li>– Automobile wrecking facility registered at 55 Breezehill Avenue North</li> </ul> </li> <li>• #37 – Operation of dry cleaning equipment (where chemicals are used)               <ul style="list-style-type: none"> <li>– Brown's Cleaners (dry cleaning) located at 270 City Centre Avenue</li> </ul> </li> <li>• #28 – Gasoline and associated products storage in fixed tanks               <ul style="list-style-type: none"> <li>– ASTs/USTs identified at 971 Gladstone Avenue, 241</li> </ul> </li> </ul>

On-Site PCAs	Off-Site PCAs
	Preston Street, 10-14 Bayswater Avenue – Furnace oil tank identified in 1992 related to the warehouse boilers <ul style="list-style-type: none"> <li>• #32 – Metal treatment, coating, plating and finishing                – Facilities located at 75 Breezehill Avenue, 17 Larch Street, 949 Gladstone Avenue, and 1040 Somerset Street West registered as a metal products manufacturers or for coating of metal products.</li> <li>• PCA Other – Spills of hydraulic oil and diesel at 250 City Centre Avenue and 1035 Somerset Street West, respectively</li> </ul>

### City Directories

ERIS was retained to conduct a search of available city directories for the RSC Property and 20 adjacent property addresses within the Phase One Study Area. These addresses were searched back to the first listing of site development and included a review of directories for the following years: 1900, 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1992, 2001-2002 and 2011. A summary of the city directory review is provided in **Table 4**, below. ERIS noted that due to unforeseen circumstances resulting from the Covid-19 pandemic of 2020, access to some information sources has been limited. While additional measures were undertaken in order to provide accurate information where possible, some project searches yielded no results.

**Table 4: – City Directory Listings Summary**

Address	Years	City Directory Listing
<b>The RSC Property</b>		
1010 Somerset Street West	1900-1960, 1992-2011	- Address not listed
	1970-1980	- Dept of Defense Production No 1 Sup Center
<b>Properties to the North</b>		
250 City Centre Avenue	1900-2001/2002	- Address not listed - Multi-Tenant Commercial/Industrial - Printing Center - Artex Electronic Publishing - Vha Health and Home Support - Marquardt Printing - Ottawa Print Finishing Inc - Parliament Cleaning Group
	2011	
989 Somerset Street West	1900, 2011	- Address not listed
	1910-1930	- Ottawa Stair Works Ltd
	1940	- Baker Bros Sash & Door Factory
	1950	- Dept of Veterans Affairs Printing & Stationery br
	1960	- Crain Warehouse
	1970-2001/2002	- Tape Robt Ltd
158 Spruce Street West	1900-2011	- Address not listed
969 Somerset Street West	1900-1950	- Address not listed
	1960-1970	- Swears & Wells Ltd fur storage vault
	1960	- Genesove Press Ltd

Address	Years	City Directory Listing
	1980-2011	- Musca-Wine Pressing & Supplies
	1980	- Larche Heating Supply
961 Somerset Street West	1900-2011	- Address not listed
953 Somerset Street West	1900-1950, 1970, 2011	- Address not listed
	1960	- Dept of Defense Production, Purchasing Office
	1980	- Montagnard Club
	1992	- Village Sports Club
	2001/2002	- Cooney's Sports Bar
947 Somerset Street West	1900-1980, 2001/2002-2011	- Address not listed
	1992	- G T Construction Inc
939 Somerset Street West	1900-2011	- Address not listed
933 Somerset Street West	1900-1980, 2011	- Address not listed
	1992	- John Howard Society of Ottawa
	2001/2002	- Millenium VN Consulting Inc
927 Somerset Street West	1900-2011	- Address not listed
1000 Somerset Street West	1900-1950	- Address not listed
	1960-1970	- White & Victor Co
	1980	- Amber Furniture
	1992	- Blue Chip Computer Technology Inc
		- Handi Can Consultants
		- Team Consultants
	2001/2002-2011	- Gold Nugget Directory
- The Wine Exchange - Wine Garden Ltd		
2001/2002	- Central	
1002 Somerset Street West	1900-1910, 2011	- Address not listed
	1920-1950	- Breadner MFG Co Ltd jwlrs
	1960	- McGregor Wholesale
	1970	- Stittsville Kennels pet shop
		- McCooeye Cecil & Son saddlery
	1980	- RETS Ottawa Ltd
	1992	- Cosenza Café
- JC's Mobile Sharpening Service - Sharpening Shoppe		
1992-2001/2002	- TETS Ottawa Ltd - GK Dental Lab Inc	
100 Preston Street	1900-2011	- Address not listed
152 Spruce Street	1900-2011	- Address not listed
<b>Properties to the East</b>		
930 Somerset Street West	1900-2001/2002	- Address not listed
	2011	- Community Centers - Pools

Address	Years	City Directory Listing
26 Oak Street	1900-2011	- Address not listed
<b>Properties to the West</b>		
1030 Somerset Street West	1900-2011	- Address not listed
1035 Somerset Street West	1900-2011	- Address not listed
935 Gladstone Avenue	1900-2011	- Address not listed
<b>Properties to the South</b>		
933 Gladstone Avenue	1900-1992, 2011	- Address not listed
	2001/2002	- St Joseph Print Group

Based on the review of the City Directories, the following PCAs were identified:

On-Site PCAs	Off-Site PCAs
<ul style="list-style-type: none"> <li>#20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage <ul style="list-style-type: none"> <li>– Department of National Defense (DND) production and supply centre for ammunition listed from 1970-1980 at the RSC Property</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>None.</li> </ul>

### 3.3 Physical Setting Sources

**Table 5** presents a summary of the information sources used to determine the physical setting for the Phase One Study Area. The references cited were reviewed in more detail and placed into context in the following Sub-Sections. In addition to these sources, lithology information provided in previous environmental reports (Section 3.1.5) was also used to better characterize physical setting at the RSC Property.

**Table 5: Summary of Information Sources for Determination of Physical Setting**

Topic	Source Date	Source
Aerial Photographs	1928, 1938, 1945 and 1985	National Air Photo Library (via ERIS)
	1958, 1965, 1976, 1991, 1999, 2002, 2005, 2007, 2008, 2011, 2014, 2015, 2017 and 2019	GeoOttawa
Surficial Geology	2010	Ontario Geological Survey 2010. Surficial geology of southern Ontario. Ontario Geological Survey, Miscellaneous Release, Data 128, Revised (Google Earth Layer)
Topography	2010	Ontario Base Mapping (OBM), 2010. Ontario Ministry of Natural Resources
Physiography	2007	Chapman, L.J. and Putnam, D.F. 2007. Physiography of southern Ontario; Ontario Geological Survey, Miscellaneous Release, Data 228 (Google Earth Layer)
Quaternary Geology	2000	Ontario Geological Survey 2000. Quaternary geology, seamless coverage of the Province of Ontario; Ontario Geological Survey, Data Set 14---Revised. (Google Earth Layer)
Bedrock Lithology	2011	Ontario Geological Survey 2011. 1:250,000 scale bedrock geology of Ontario; Ontario Geological Survey, Miscellaneous Release –

Topic	Source Date	Source
		Data 126, Revision 1 (Google Earth Layer)
Areas of Natural and Scientific Interest	2017	ANSI (ANSI) March 2017. Ontario Ministry of Natural Resources
Well Records	Current	ERIS Report MECP Water Well Database

### 3.3.1 Aerial Photographs

Aerial photographs for the years 1928, 1938, 1945 and 1985 were ordered from the NAPL by ERIS. Additionally, aerial photographs for the years 1958, 1965, 1976, 1991, 1999, 2002, 2005, 2007, 2008, 2011, 2014, 2015, 2017 and 2019 were obtained from the GeoOttawa online mapping tool. Dillon selected aerial photographs across each available decade with appropriate scale and resolution to provide full coverage and a general assessment of land use changes over time within the Phase One Study Area.

Copies of selected aerial photographs are presented in **Appendix D**. A summary of the observations of the available aerial photography is presented in Error! Reference source not found.6 and **Table 7** below.

Note that the scale and resolution of the photographs varied and did not always allow for a detailed evaluation of the surface conditions at the RSC Property or in the Phase One Study Area. Referenced distances are approximate, and represent the closest distance from the RSC Property to the noted feature. Precision of the distances provided rely on the accuracy of the scales in the air photos provided to Dillon. For the purpose of these summary tables, directions are provided relative to surrounding existing structures and roadways, where Somerset Street West is considered to be north from the RSC Property (when in reality it is northwest).

**Table 6: Summary of Details Observed in the Aerial Photographs – RSC Property**

Year	Original Scale	RSC Property
1928	1:10,000	<ul style="list-style-type: none"> <li>RSC Property is vacant/undeveloped. A few cleared paths appear to be present in the northern portion of the property.</li> </ul>
1938	1:10,000	<ul style="list-style-type: none"> <li>Similar to the 1928 photograph, a few more cleared paths are present, including one connecting to the north to Somerset Street West.</li> </ul>
1945	1:10,000	<ul style="list-style-type: none"> <li>A large warehouse building is present occupying the eastern portion of the RSC Property.</li> <li>A material storage area is apparent on the western portion of the RSC Property.</li> <li>A railway spur appears to be present adjacent to the west side of the warehouse building.</li> </ul>
1958	Unknown	<ul style="list-style-type: none"> <li>The northern portion of the warehouse building is no longer present (had been burned in fire) and a parking area is observed in its place.</li> <li>A portion of the western side of the RSC Property appears to have been paved and an unknown structure is observed in this area.</li> <li>An area of storage materials or vegetation (possibly stockpiles of fill/dumping materials) is present in the northwestern portion of the RSC Property.</li> </ul>
1965	Unknown	<ul style="list-style-type: none"> <li>The office building appears to be present in the northern portion of the RSC Property (where the fire had destroyed a portion of the warehouse).</li> <li>The unknown structure is no longer present in the western portion of the RSC Property, neither is the area of storage materials/vegetation.</li> <li>A parking lot is now present along the paved area in the western portion of the RSC Property. Storage of larger trailers appears to be present further west. Potential staining of the ground surface is observed in this area.</li> </ul>

Year	Original Scale	RSC Property
		<ul style="list-style-type: none"> <li>The railway spur to the west of the warehouse appears to have been removed at least partially.</li> </ul>
1976	Unknown	<ul style="list-style-type: none"> <li>Similar to the 1965 photograph (poor resolution photograph so difficult to notice any changes).</li> <li>Possible material storage observed in the southwestern corner of the RSC Property.</li> </ul>
1985	1:10,000	<ul style="list-style-type: none"> <li>Similar to the 1976 photograph.</li> </ul>
1991	Unknown	<ul style="list-style-type: none"> <li>Similar to the 1985 photograph.</li> <li>Material storage still apparent in the southwestern corner of the RSC Property.</li> <li>A more defined material storage area is also apparent in the northwestern portion of the RSC Property.</li> </ul>
1999	Unknown	<ul style="list-style-type: none"> <li>Similar to the 1991 photograph (poor resolution photograph so difficult to notice any changes).</li> <li>Increased amount of storage materials along the western RSC Property boundary.</li> </ul>
2002	Unknown	<ul style="list-style-type: none"> <li>Similar to the 1999 photograph.</li> </ul>
2005	Unknown	<ul style="list-style-type: none"> <li>A portion of the warehouse building appears to have been removed (northwestern portion of building in centre of RSC Property).</li> <li>Two large inflatable structures appear to be present in the western portion of the RSC Property.</li> </ul>
2007	Unknown	<ul style="list-style-type: none"> <li>The larger of the two inflatable structures appears to have been removed and a white concrete pad is observed in its place.</li> <li>A building appears to be present to the west of the remaining inflatable structure.</li> </ul>
2008	Unknown	<ul style="list-style-type: none"> <li>Similar to the 2007 photograph.</li> </ul>
2011	Unknown	<ul style="list-style-type: none"> <li>Similar to the 2008 photograph.</li> <li>Storage container/trailer is observed within the building footprint/concrete pad in the western portion of the RSC Property.</li> </ul>
2014	Unknown	<ul style="list-style-type: none"> <li>The silver shed in the northern portion of the RSC Property in the parking lot (adjacent to Somerset Street West) appears to be present.</li> <li>Material storage in the western portion of the RSC Property has been condensed to a large section in the northern portion and a small section in the southern portion.</li> <li>A second storage container/trailer is observed within the building footprint/concrete pad in the western portion of the RSC Property, and another container is apparent behind the building in the western portion of the RSC Property.</li> </ul>
2015	Unknown	<ul style="list-style-type: none"> <li>The large warehouse has been removed. Paved and grassed areas are observed in its place. Some vehicles appear to be parked along the southern side of the paved area (southern RSC Property boundary).</li> <li>A small shed is observed in the western portion of the RSC Property, in the northeastern corner of the former building footprint/concrete pad.</li> </ul>
2017	Unknown	<ul style="list-style-type: none"> <li>Similar to the 2015 photograph.</li> <li>Four storage containers/trailers along with some minor material storage appears to be present in the newly paved area in the eastern portion of the RSC Property.</li> <li>The area to the east of the newly paved area appears to be exposed soil rather than grass, which was observed in 2015.</li> </ul>
2019	Unknown	<ul style="list-style-type: none"> <li>Similar to the 2017 photograph.</li> <li>Three of the four storage containers/ trailers have been removed from the newly paved area in the eastern portion of the RSC Property.</li> </ul>

**Table 7: Summary of Details Observed in the Aerial Photographs – Phase One Study Area**

Year	Original Scale	Phase One Study Area			
		North	East	South	West
1928	1:10,000	Somerset Street West is present with what appears to be a mix of residential and commercial land use present across the street. The railroad that runs adjacent to the western side of the property also appears to pass under Somerset Street West and continue to the north.	Two buildings appear to be present to the northeast of the RSC Property along Somerset Street West. The Plant Bath facility is apparent to the east, with a rectangular structure/concrete pad in the southern portion of the property.	Vacant land.	Railroad track appears to be present adjacent to the RSC Property. A few buildings/structures may also be present to the west. Residential/commercial properties appear further west.
1938	1:10,000	Similar to the 1928 photograph, an additional commercial building appears to have been constructed on the north side of Somerset Street West.	Similar to the 1928 photograph, rectangular structure is no longer present.	Similar to the 1928 photograph.	Similar to the 1928 photograph, however potential buildings/structures have been removed.
1945	1:10,000	Similar to the 1938 photograph.	Similar to the 1938 photograph.	The off-site portion of the warehouse is now present to the south of the RSC Property.	Similar to the 1938 photograph.
1958	Unknown	Additional commercial development appears to have occurred to the north across Somerset Street West.	Additional structures have been added to the Plant Bath facility (possibly a few sheds, outdoor pool and boards for an outdoor rink).	Similar to the 1945 photograph.	Similar to the 1945 photograph.
1965	Unknown	Residences, commercial buildings and the section of railroad to the northwest of the RSC Property are no longer present and a large multi-tenant commercial building with a few smaller commercial buildings are now present.	Similar to the 1958 photograph (possible boards for outdoor rink have been removed).	An area of stored/dumped materials appears to be present to the south of the western portion of the RSC Property.	The railroad present to the west of the RSC Property no longer extends as far north.
1976	Unknown	Similar to the 1965 photograph.	Similar to the 1965 photograph.	The area of stored/dumped materials is no longer present to the south of the RSC Property.	Similar to the 1965 photograph.
1985	1:10,000	Similar to the 1976 photograph.	Similar to the 1976 photograph. Two circular areas of presumed sand piles are apparent on the Plant Bath property to the	Similar to the 1976 photograph, a storage container/trailer is present to the south of the western portion of the RSC	Similar to the 1976 photograph.

Year	Original Scale	Phase One Study Area			
			west.	Property.	
1991	Unknown	Similar to the 1985 photograph.	Similar to the 1985 photograph.	Similar to the 1985 photograph, a few more storage containers/trailers are present to the south of the western portion of the RSC Property.	Similar to the 1985 photograph.
1999	Unknown	Similar to the 1991 photograph.	Similar to the 1991 photograph, the sandy areas have been grown over with vegetation.	Similar to the 1991 photograph, storage containers/trailers are no longer present to the south of the western portion of the RSC Property.	Similar to the 1991 photograph.
2002	Unknown	Similar to the 1999 photograph.	Similar to the 1999 photograph.	Similar to the 1999 photograph, a few piles of aggregate materials appear to be present to the south of the western portion of the RSC Property.	Similar to the 1999 photograph.
2005	Unknown	Similar to the 2002 photograph, some additional commercial development has occurred on the northern side of Somerset Street West.	The Plant Bath facility has been expanded and the recreation centre is now present on the neighbouring property to the east.	Similar to the 2002 photograph. The aggregate piles have been removed from the neighbouring property to the south.	Similar to the 2002 photograph.
2007	Unknown	Similar to the 2005 photograph.	Similar to the 2005 photograph.	Similar to the 2005 photograph.	Similar to the 2005 photograph.
2008	Unknown	Similar to the 2007 photograph.	Similar to the 2007 photograph.	Similar to the 2007 photograph.	Similar to the 2007 photograph.
2011	Unknown	Similar to the 2008 photograph.	Similar to the 2008 photograph.	Similar to the 2008 photograph.	Similar to the 2008 photograph.
2014	Unknown	Similar to the 2011 photograph.	Similar to the 2011 photograph.	Similar to the 2011 photograph.	A bike path appears to be present adjacent to the RSC Property (where part of the railroad track used to be).

Year	Original Scale	Phase One Study Area			
2015	Unknown	Similar to the 2014 photograph.	Similar to the 2014 photograph.	The warehouse that occupied the RSC Property and adjacent land to the south has been removed. A large grassed area is now present to the south of the RSC Property. The paved area to the west of the grassed area appears to be used for material storage.	Similar to the 2014 photograph.
2017	Unknown	Similar to the 2015 photograph.	Similar to the 2015 photograph.	Stored materials have been removed from the paved portion of the property to the south.	Similar to the 2015 photograph.
2019	Unknown	Similar to the 2017 photograph.	Similar to the 2017 photograph.	Similar to the 2017 photograph.	Similar to the 2017 photograph.

Based on the review of the aerial photographs, the following PCAs were identified:

On-Site PCAs	Off-Site PCAs
<ul style="list-style-type: none"> <li>• #30 – Importation of fill material of unknown quality <ul style="list-style-type: none"> <li>– Potential importation of fill material was noted in aerial photographs relative to the development and redevelopment of the RSC Property</li> </ul> </li> <li>• #46 – Railyards, tracks and spurs <ul style="list-style-type: none"> <li>– A railway spur was noted to the west of the warehouse building between approximately 1945 and 1965</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• #46 – Railyards, tracks and spurs <ul style="list-style-type: none"> <li>– A railway was noted to the west of the RSC Property in the aerial photographs, which included a spur that was present directly adjacent to the RSC Property between 1928 and 1958</li> </ul> </li> </ul>

### 3.3.2 Topography

Based on topographic information obtained from ERIS mapping (see **Appendix B**), the Phase One Study Area lies at an elevation of approximately 60 to 62 m above sea level (masl). The topography across the Phase One Study Area is generally flat.

### 3.3.3 Geology and Hydrogeology

The Phase One Study Area is located in the Ottawa Valley Clay Plains physiographic region. The physiographic landform in the Phase One Study Area consists of Limestone Plains and Till Plains (Drumlinized).

#### **Surficial Geology**

The surficial geology in the vicinity of the Phase One Study Area is interpreted to be stone-poor, sandy silt to silty sand-textured till on Paleozoic terrain. Previous intrusive investigations at the RSC Property have described overburden as fill overlying a sandy/silty clay, overlying glacial till in some areas, over limestone bedrock.

#### **Bedrock**

The bedrock within the Phase One Study Area consists of Middle Ordovician aged limestone, dolostone, shale, arkose and sandstone of the Ottawa Group, Simcoe Group and Shadow Lake Formation. Previous

investigations at the RSC Property have indicated limestone bedrock was present at depths ranging from 2.5 to 6 mbgs.

#### **Soils**

The quaternary geology in the vicinity of the Phase One Study Area is interpreted to be till consisting of undifferentiated, predominantly sandy silt to silt matrix, commonly rich in clasts, often high in total matrix carbonate content.

#### **Groundwater**

Regional and local drainage is inferred to be towards the Ottawa River to the north. Local variations in groundwater flow directions are possible due to the permeability of soils at the RSC Property and potential influences from underground services. Additionally, the railway located to the west of the RSC property (running northwest) was observed to be at a lower elevation and to have been blasted into the bedrock, which likely diverts shallow groundwater flow in the vicinity of the RSC Property. Previous intrusive investigations at the RSC Property have indicated that groundwater within the overburden layer is interpreted to flow to the north/northeast, with a westerly component towards the railway.

#### **3.3.4 Fill Materials**

Based on a review of historical aerial photographs and other records, fill materials may have been imported to the RSC Property as part of historical development and redevelopment of the property. The quality and origin of the fill material is unknown and represents a PCA.

#### **3.3.5 Water Bodies and Areas of Natural Significance**

No water bodies or areas of natural significance were identified on the RSC Property or Phase One Study Area based on a review of aerial photography, ERIS ANSI mapping and MNRF LIO mapping.

Refer to **Figure 4** for woodlands and other natural features within the Phase One Study Area.

#### **3.3.6 Well Records**

A water well search was conducted as part of the ERIS records for the Phase One Study Area. As a quality control measure, water well records were independently reviewed from the MECP Well Records Database.

No wells were identified on the RSC Property.

While 46 water wells were identified within the Phase One Study Area, it is noted that the area is supplied with municipal water.

### **3.4 Site Operating Records**

No operating records were provided to Dillon for review.

## 4.0

## Interviews

Dillon conducted an interview at the RSC Property during the site reconnaissance with Mr. Peter Slobodian (site contact) on May 20, 2021. Mr. Slobodian is the building technician for Brookfield Global Integrated Solutions Canada LP (BGIS), who manage the office building on the RSC Property on behalf of PWGSC. Information that was obtained through the interview process is also presented in relevant sections in the report. The following is a summary of the interview:

- Mr. Slobodian has been familiar with the RSC Property since 2015.
- Prior to the Covid-19 pandemic, the office building was used by federal government employees, and would be occupied by approximately 125 employees at once. Currently, only 6 employees are allowed in the building at a time due to stay-at-home protocols of the Covid-19 pandemic.
- The office building was constructed in 1946, and has been occupied by PWGSC ever since.
- The property is serviced by aboveground electrical connection that feeds into a hydro vault, roof-mounted natural gas and electrical heating, ventilation and air conditioning (HVAC) units, municipal water and sewers. There were oil fired steam boilers present about 8 to 10 years ago, which were located in the back compound. These were converted to natural gas and all oil storage tanks were removed, with subsequent soil sampling completed on behalf of the City of Ottawa.
- Additional structures on the RSC Property include a shed (located adjacent to Somerset Street West), which stores filters for HVAC system, and a few storage sheds and sea cans (located in southwestern portion of RSC property) that store road maintenance equipment. No chemicals are stored on the property.
- A large warehouse used to be located on the RSC property, which was removed in 2015 before Mr. Slobodian became involved with the property. The warehouse building was used for a while as an ammunition factory/storage facility during the war. Mr. Slobodian was later questioned further on the operations of this former facility and he indicated that he wasn't positive about the factory aspect, and other information sources suggest that the warehouse was limited to a depot/storage facility. There used to be a diesel fuel tank that fuelled the boilers for the former warehouse building (before the boilers switched to natural gas).
- There also used to be two inflatable structures and a standing building located on the southwestern portion of the RSC property. These buildings were used for masonry and stone cutting/carving. One of the inflatable structures and the standing building were removed in 2020, the other inflatable structure was removed prior to 2015.
- No watercourses are present at the RSC Property.
- Wastewater generated at the RSC Property consists solely of domestic wastewater, which discharges to the municipal sewer.
- Wastes generated at the RSC Property consists of domestic garbage, which is picked up bi-weekly (used to be weekly prior to pandemic) by Waste Management (WM).
- Designated substance surveys (DSS) have been conducted in certain areas of the office building prior to construction work taking place in those areas, however there hasn't been a DSS for the entire building.
- Not aware of any wells present at the RSC Property.

- Not aware of fuel use or storage at the RSC Property, other than the former diesel tank for the warehouse boiler (unknown whether it was above or below ground tank).
- Not aware of bulk chemical use or storage at the RSC Property.
- Not aware of any PCB use or storage at the RSC Property.
- Not aware of any spills at the RSC Property.
- Not aware of any fill placement at the RSC Property.
- Not aware of any environmental issues associated with the RSC Property.

Based on the interviews conducted for the RSC Property, the following PCAs were identified:

On-Site PCAs	Off-Site PCAs
<ul style="list-style-type: none"> <li>• #20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage               <ul style="list-style-type: none"> <li>– Former on-site warehouse building was previously used for ammunition storage.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• #28 – Gasoline and Associated Storage in Fixed Tanks               <ul style="list-style-type: none"> <li>– Former diesel tank that fuelled boiler for warehouse building. Previous environmental reports confirm that this tank was located adjacent to the off-site portion of the warehouse building.</li> </ul> </li> </ul>

## 5.0 Site Reconnaissance

### 5.1 General Requirements

The site reconnaissance included:

- Observation of structures and buildings at the RSC Property;
- Observation of the properties adjacent to the RSC Property (to the extent practical) to assess the use, as could be viewed from the RSC Property and adjoining public lands;
- Observation of the RSC Property grounds for visible evidence of potential contamination, such as vegetative stress, pavement staining, disturbed soils, or fill placement; and
- Observation of PCAs (e. g., underground or aboveground storage tanks, drum or container storage areas, materials transfer areas).

A selection of photographs taken during the site reconnaissance is included in **Appendix E**.

The RSC Property is located within a residential/commercial area in Ottawa, with community/parkland use to the east and west, commercial and residential land use to the north and vacant property to the south of the RSC Property.

The RSC Property consists of the following:

- An office building that was used by Federal government employees prior to the Covid-19 pandemic. The office building is two-storeys, with the second storey being smaller than the first, and has no basement. A hydraulic elevator is present near the entrance in the northern portion of the building, which provides access between floors for persons with physical disabilities. The building is heated/cooled by natural gas and electrical roof-mounted HVAC units. A commercial air compressor was observed in the 2<sup>nd</sup> floor maintenance room.
- Asphalt-paved access roadways and parking areas surrounding the office building. A hydro vault was present to the southeast of the office building, which provides electricity to the office building. Catch basins were observed in this area.
- A Public Works and Government Services Canada fenced/gated area located at the back (southwest portion) of the RSC property. This area was used to store miscellaneous maintenance equipment, including empty totes, wood, pylons, metal grates, a barbeque, a small generator, building equipment and plastic barriers. Three shed structures, two storage lockers and a sea can were located within this fenced-in area. These all appeared to be in good condition and were used to store road maintenance equipment including chain saws, small generators, graffiti removal chemicals, pressure washers, paint, ladders, shovels, etc. Within this area, the building footprint of one of the former air structures was observed (the one removed in 2020).
- An asphalt-paved parking lot to the southwest of the office building. Catch basins were observed in this area. The northeastern portion of this parking lot slopes downward and becomes an underpass below Somerset Street West, connecting to City Centre Avenue to the northwest. A shed was observed in the northern portion of this parking area, which is used to store filters for the HVAC system. A monitoring well was observed adjacent to the shed, which was installed as part of Golder's 2020 Phase II ESA (confirmed by referencing the Site Plan from the 2020 report).

- The building footprints of the other former inflatable structure (removed prior to 2015) and the former standing building (removed in 2020) were observed in the southern portion of this area.
- A gravel area observed along the western property boundary. This area sloped slightly to the west, towards the neighbouring biking trail and former railway, which are at a lower elevation.
  - A large paved area to the southeast of the office building. Catch basins were observed in this area. A monitoring well was observed in the southern portion of this area, which was installed as part of Golder's 2020 Phase II ESA (confirmed by referencing the Site Plan from the report). A pile of concrete rubble and a pile of concrete curb blocks were observed in the southwestern portion of this area.
  - A grassed area located along the eastern property boundary. This area had some spots of gravel and was overgrown with low-lying vegetation. This portion of the property was observed to slope to the east towards the neighbouring recreation complex at 930 Somerset Street West. A monitoring well was observed adjacent to the shed, which was installed as part of Golder's 2020 Phase II ESA (confirmed by referencing the Site Plan from the report).

#### **Surrounding Properties:**

The municipal addresses and observed occupants for surrounding properties were documented during the site reconnaissance. A summary of property uses adjacent and neighbouring to the RSC Property is provided in Error! Reference source not found.8 and shown on **Figure 3**.

**Table 8: Observations for Adjacent Surrounding Properties**

<b>Direction</b>	<b>Description</b>	<b>Address</b>	<b>Occupant(s)</b>
<b>North</b>	<ul style="list-style-type: none"> <li>• Somerset Street West</li> <li>• Commercial land use</li> </ul>	<ul style="list-style-type: none"> <li>• 250 City Centre Avenue</li> <li>• 989 Somerset Street West</li> <li>• 158 Spruce Street</li> <li>• 969 Somerset Street West</li> <li>• 955 Somerset Street West</li> </ul>	<ul style="list-style-type: none"> <li>• Multi-tenant commercial</li> <li>• Former Antique Shop</li> <li>• Vacant</li> <li>• Musca Wines</li> <li>• Centretown Veterinary Hospital</li> </ul>
<b>East</b>	<ul style="list-style-type: none"> <li>• Commercial properties (restaurants)</li> <li>• Community/parkland use (recreation complex)</li> </ul>	<ul style="list-style-type: none"> <li>• 1000 Somerset Street West</li> <li>• 1002 Somerset Street West</li> <li>• 930 Somerset Street West</li> </ul>	<ul style="list-style-type: none"> <li>• Indian Express</li> <li>• Chua Pho Da (Vietnamese Food)</li> <li>• Plant Recreation Centre</li> </ul>
<b>South</b>	<ul style="list-style-type: none"> <li>• Vacant</li> </ul>	<ul style="list-style-type: none"> <li>• 933 Gladstone Avenue</li> </ul>	<ul style="list-style-type: none"> <li>• Vacant</li> </ul>
<b>West</b>	<ul style="list-style-type: none"> <li>• Community/parkland use (bike trail next to former railway)</li> </ul>	<ul style="list-style-type: none"> <li>• 1030 Somerset Street West</li> </ul>	<ul style="list-style-type: none"> <li>• Vacant</li> </ul>

## **5.2 Specific Observations at the Phase One Property**

#### **RSC Property Services and Utilities**

Services at the RSC Property include overhead electrical service connections (feeds into the hydro vault), natural gas service, municipal water service, storm sewer and sanitary sewer connections.

#### **Chemicals**

Chemicals stored at the RSC property include Elephant Snot (graffiti removal), Quick Plug, chainsaw oil, two jerry cans full of gasoline, two jerry cans that were reported to sometimes contain diesel and small quantities of paint, all of which were observed within the storage units in the Public Works Yard. No spills or staining were observed within the vicinity of the chemicals. A few empty plastic totes were

observed within the Public Works yard, which were reported to sometimes contain water. Mr. Slobodian also mentioned that small quantities of coil cleaner for the HVAC units used to be stored neatly in the office building maintenance room.

### ***Storage Tanks***

No evidence of ASTs or USTs was observed within the RSC Property boundaries during the site reconnaissance. Mr. Slobodian had however mentioned that there used to be a diesel tank located on the adjacent property that was used to fuel the boiler of the former warehouse. Details on this former storage tank (capacity, AST vs UST, construction, etc.) remain unknown.

The TSSA has indicated that no records have been found for the RSC Property.

### ***Mechanical Equipment***

Mechanical equipment observed within the RSC Property boundaries during the site reconnaissance included a large air compressor and two boilers in the second floor mechanical room, a hydraulic elevator near the north entrance of the office building, a small generator and some discarded, unidentified building equipment in the Public Works yard. Hydraulic oils are associated with the operation of the elevator in the office building, however the elevator was replaced in 2011 (as described in the PCB section, below). Discarded building equipment in the Public Works yard did not appear to contain oils. The small generator in the Public Works yard may contain a small quantity of fuel.

### ***Drains and Sumps***

Floor drains were observed within the bathrooms of the office building. A sump was observed within the elevator room near the northern entrance into the office building. The drains and sump are reported to discharge to the municipal sanitary sewer. No evidence of staining was observed in proximity to the floor drains or sump. Additional floor drains were observed within the concrete footprints of the former buildings in the southern portion of the RSC property. These drains appear to have been blocked off/filled in and no longer connected to subsurface draining systems.

### ***Special Attention Items***

Materials such as asbestos, PCBs, lead, ozone-depleting substances (ODS), mercury, urea formaldehyde foam insulation (UFFI), radon, excess noise, and electric/magnetic fields may be of special significance, if present, because of the heightened public concern about these substances.

- ***Polychlorinated Biphenyls (PCBs)***

PCBs are commonly associated with dielectric fluids within electrical equipment manufactured in Canada prior to approximately 1979. A hydraulic elevator was observed near the north building entrance that provides access between 1<sup>st</sup> and 2<sup>nd</sup> floors for persons with physical disabilities. The elevator was allegedly replaced in 2011, and is maintained and inspected twice per year by Capital Elevator. Fluorescent light fixtures were observed throughout the office building, however Mr. Slobodian indicated that these are relatively new and would not contain PCBs.

- ***Asbestos Containing Materials (ACM)***

Due to its good insulation and fire retardant properties, asbestos and ACM were frequently used in building materials from the 1920s to the late-1970s. These substances were commonly

incorporated into building materials that included, but were not limited to, insulation, flooring, fire rated doors, gaskets, siding and roofing materials, drainage piping, and wall board. The health risk associated with asbestos occurs when asbestos fibres are released from various materials into the ambient air.

Based on the age of the office building (constructed in 1946), ACMs have the potential to be present. Suspect building materials observed in the office building include linoleum and vinyl tile flooring, ceiling tiles and pipe wrapping.

- **Lead**

Paint manufacturers historically added heavy metals, including lead, to paint, because of their desirable properties such as rust prevention or as a bactericide. In 1976, Canadian regulators established the Hazardous Product Act – Liquid Coating that limited the amount of lead in interior paint to 0.5%; however, exterior paint could contain more lead. In 1990, members of the Canadian Paint and Coating Association agreed to eliminate all added lead from their products (NRC, 1992). Subsequent to this, the Surface Coating Materials Regulations were promulgated (in 2005), reducing the allowable lead content of paints to 0.06% (600 ppm). Other historical uses of lead in buildings include, but are not limited to, water pipes, pipe fitting solder, roof flashings, equipment and column base pads, and concrete anchors.

Based on the age of the office building (constructed in 1946), high-concentration lead-containing paints may be present in some painted surfaces.

- **Mercury**

Mercury is a metal with a tendency to bioaccumulate in the environment, and is listed in Schedule I of the Canadian Environmental Protection Act (1999), the list of toxic substances. Some species of mercury, prevalent in the vapour phase, pose a more significant potential concern to human health.

No potential sources of mercury were observed at the RSC Property.

- **Ozone-depleting Substance (ODS)**

ODSs, such as chlorofluorocarbons, are manufactured compounds used in a variety of applications, such as air-conditioning coolants, industrial solvents, foam products, fire suppressants etc. Each province in Canada has passed legislation requiring mandatory recovery and reclamation of refrigerants during the maintenance of air-conditioning equipment.

Potential ODS-containing equipment observed at the RSC Property includes HVAC equipment and residential type refrigerators. ODS equipment is not expected to result in impacts to soil or groundwater at the RSC Property.

- **Urea Formaldehyde Foam Insulation (UFFI)**

UFFI was developed in Europe in the 1950s as a building insulation material. It was used in Canada, primarily between 1977 and 1980, when it was banned from use. Older building materials were observed in the buildings located at 2406 Front Road.

Based on the age of the office building (constructed in 1946), UFFI has the potential to be present.

- **Radon**

Radon is produced due to the natural decay of radium from some soil and rock types. Radon gas may be a concern in buildings with poorly ventilated space for gas to accumulate, such as a basement. Based on information provided by ERIS, the RSC Property is located in an area of high radon ranking.

The presence/absence of significant levels of radon can only be determined through testing. Tests for radon were not conducted as part of this Phase One ESA. However, based on the construction of the building on the property (i.e. no basement), radon gas accumulation is not anticipated to be a concern for the RSC Property.

- **Noise**

Ambient background noise levels were observed to be consistent with the surrounding land use. The observed levels of noise on the RSC Property were not interpreted to represent an environmental concern.

- **Magnetic Fields**

The environmental effects of magnetic fields created by electrical power distribution have been the subject of extensive study and heightened public concern, particularly in residential areas. There are no generally-accepted guidelines at present to provide specific guidance on this issue.

No infrastructure that presents a potential concern for electric/magnetic fields (e.g., large electrical transmission lines/corridors) was present at the RSC Property.

No evidence of PFOS-related chemical use or storage was observed within the RSC Property boundaries during the site reconnaissance.

***Spills, Stained Areas and Stressed Vegetation***

There was no evidence of spills, stained areas or stressed vegetation during the site reconnaissance.

***Pits and Lagoons***

There were no pits or lagoons observed on the RSC Property.

***Watercourses, Ditches and Standing Water***

No watercourses, ditches or standing water were observed within the RSC Property boundaries during the site reconnaissance. A small ditch with standing water was observed to the south of the RSC property.

***Air Emissions and Odours***

No air emissions or odours were observed during the site reconnaissance.

**Solid Waste Management**

Solid waste generated at the RSC Property consists of domestic garbage from the office building. Wastes are placed in containers and picked-up bi-weekly (was weekly prior to the Covid-19 pandemic) by Waste Management. No evidence of waste dumping, burial or burning was observed at the RSC Property.

**Fill Materials**

No distinct fill piles were observed at the during the Site visit, however the RSC property appeared to be slightly elevated relative to neighbouring properties to the east and west, indicating that fill materials may have been previously brought onto the Site.

Based on the reconnaissance of the RSC Property and adjacent properties, the following PCAs were identified:

On-Site PCAs	Off-Site PCAs
<ul style="list-style-type: none"> <li>• #30 – Importation of fill material of unknown quality               <ul style="list-style-type: none"> <li>– RSC Property is slightly elevated relative to neighbouring properties to the east and west.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• #46 – Rail Yards, Tracks and Spurs               <ul style="list-style-type: none"> <li>- Former railway located to the west of the RSC Property</li> </ul> </li> <li>• #28 – Gasoline and associated products storage in fixed tanks               <ul style="list-style-type: none"> <li>– Furnace oil tank related to former warehouse boilers</li> </ul> </li> </ul>

**5.2.1 Enhanced Investigation Property**

An enhanced investigation property means a property that is used, or has ever been used, in whole or in part for an industrial use or for any of the following commercial uses:

- As a garage;
- As a bulk liquid dispensing facility, including a gasoline outlet; or
- For the operation of dry cleaning equipment.

Since the RSC Property has not been utilized for these purposes, for the purposes of this report and RSC, it was not considered to be an Enhanced Investigation Property.

**5.3 Written Description of Investigation**

The site reconnaissance was conducted on May 20, 2021 by Elsa Hergel, B.Sc. of Dillon. The site reconnaissance commenced at 10:00 AM and lasted for approximately two and a half hours. Elsa was accompanied by Mr. Peter Slobodian during the portion of the site reconnaissance that took place within the office building. The RSC Property was observed under warm and sunny conditions. There were no ground cover obstructions or otherwise which could represent a limitation to visibility. Mr. Slobodian did not have the keys to access the sheds, storage lockers and sea cans within the Public Works yard. As such, Dillon followed-up with Mr. Wally Leonard, the site Public Works contact, and returned to the RSC Property on May 31, 2021 to assess the structures within the Public Works yard.

## 6.0 Review and Evaluation of Information

### 6.1 Current and Past Uses

The first developed use of the RSC Property was determined to be prior to 1895, when it was used as a school and for lumber storage.

The development history for the RSC Property is summarized in Error! Reference source not found.9:

**Table 9: Current and Past Land Uses**

Year	Name of Owner	Description of Property Use	Property Use	Other Observations (Aerial Photographs, FIP, etc.)
<b>1010 Somerset Street West PIN 04107-0030 (LT)</b>				
<February 1809	Crown	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
February 1809	Robert Randall	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
May 1817	Peter A. Vallaly	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
August 1837	William Price & P. McGill	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
May 1844	Nicholas Sparks	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
December 1875	Esther Slater	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
November 1894	John R. Booth	Lumber Yard	Institutional / Industrial	<ul style="list-style-type: none"> <li>The 1895 and 1901 FIPs show piles of lumber, and railway sidings on the property.</li> </ul>
May 1921	J. R. Booth Ltd.	Vacant	Vacant	<ul style="list-style-type: none"> <li>The 1922 FIP and the 1928 and 1938 aerial photographs show the property as being vacant.</li> </ul>

Year	Name of Owner	Description of Property Use	Property Use	Other Observations (Aerial Photographs, FIP, etc.)
August 1942	His Majesty The King in Right of Canada	Material Storage Yard	Mixed Land Use	<ul style="list-style-type: none"> <li>The 1945 aerial photograph indicated that this property was occupied by material storage. Aerial photographs from 1958 to 2019 show varying amounts of material and trailer storage along the western and southern portions of this property. The 1948 FIP indicated a lumber pile on the western portion of the property.</li> <li>The 2005 aerial photograph indicated two inflatable domes/structures on the property. The 2007 aerial photograph showed the larger of the domes as removed and a smaller building present in its vicinity, which were present until 2019. These structures were not present during the site reconnaissance.</li> </ul>
<b>933 Gladstone Avenue PIN 04107-0035 (LT)</b>				
<February 1809	Crown	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
February 1809	Robert Randall	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
May 1817	Peter A. Vallaly	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
August 1837	William Price & P. McGill	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
May 1844	Nicholas Sparks	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
December 1875	City of Ottawa	ROW access to neighbouring properties	Mixed Land Use	<ul style="list-style-type: none"> <li>The 1895 and 1901 FIPs show piles of lumber, and railway sidings on the property.</li> <li>The 1922 FIP and the 1928 and 1938 aerial photographs show the property as being vacant.</li> <li>The 1948 and 1965 FIPs indicated that railway sidings are present on this property, running alongside the warehouse on PIN 04107-0289 (LT).</li> </ul>
<b>1010 Somerset Street West PIN 04107-0289 (LT)</b>				
<February 1809	Crown	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
February 1809	Robert Randall	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>

Year	Name of Owner	Description of Property Use	Property Use	Other Observations (Aerial Photographs, FIP, etc.)
May 1817	Peter A. Vallaly	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
August 1837	William Price & P. McGill	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
May 1844	Nicholas Sparks	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
December 1875	Esther Slater	Unknown	Unknown	<ul style="list-style-type: none"> <li>No information was available for this time period.</li> </ul>
November 1894	John R. Booth	School and Lumber Yard	Institutional / Industrial	<ul style="list-style-type: none"> <li>The 1895 and 1901 FIPs show Rochesterville School in the northern portion of the property surrounded by piles of lumber, and railway sidings.</li> </ul>
May 1921	J. R. Booth Ltd.	Vacant	Vacant	<ul style="list-style-type: none"> <li>The 1922 FIP and the 1928 and 1938 aerial photographs show the property as being vacant.</li> </ul>
August 1942	His Majesty The King in Right of Canada	Ammunition Storage	Industrial	<ul style="list-style-type: none"> <li>The 1945 aerial photograph indicated that a large warehouse occupies this property. The 1948 FIP identifies the warehouse as the No. 26 Central Ordnance Depot.</li> <li>The 1958 aerial photograph indicates that the northern portion of the warehouse has burnt down, and the 1965 aerial photograph shows the office building in the northern portion of the property. The 1965 FIP also identified the warehouse building as the No. 26 Central Ordnance Depot.</li> <li>The 2015 aerial photograph indicates that the warehouse building has been removed, and the office building and a parking area remain on the property.</li> </ul>

## 6.2 Potentially Contaminating Activities On-site

PCAs are defined in the Regulation as a use or activity listed in Column A of Table 2 in Schedule D that is occurring or has occurred in the Phase One Study Area. In addition to the regulatory PCAs, the Assessor may also identify other activities or uses that are considered to be PCAs within the Phase One Study Area. The on-site PCAs are summarized in

10 and on Figure 5.

DRAFT

**Table 10: Potentially Contaminating Activities on the Phase One ESA Property**

On-Site PCA #	Regulatory Description	Rationale	Potential Contaminants of Concern
1.	<ul style="list-style-type: none"> <li>#30 – Importation of fill material of unknown quality</li> </ul>	<ul style="list-style-type: none"> <li>Fill quality at the RSC Property was flagged as an issue in most of the previous environmental reports and is shown in borehole logs from the reports, and analytical testing has demonstrated this to be a PCA</li> <li>Fill material identified in ERIS borehole record</li> <li>Aerial photographs identified potential importation of fill material relative to development and redevelopment of the RSC Property</li> <li>The RSC Property was observed to be slightly elevated relative to neighbouring properties to the east and west during the site reconnaissance.</li> </ul>	<ul style="list-style-type: none"> <li>Sodium adsorption ratio</li> <li>Electrical conductivity</li> <li>Cyanide</li> <li>pH</li> <li>Metals</li> <li>BTEX</li> <li>PHCs</li> <li>PAHs</li> </ul>
2.	<ul style="list-style-type: none"> <li>#20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage</li> </ul>	<ul style="list-style-type: none"> <li>Historical storage of explosives ordnance in the Oak St. Complex building noted in the previous environmental reports.</li> <li>The FIPs from 1948 and 1965 identify the warehouse building as No. 26 Central Ordnance Depot.</li> <li>The site contact indicated that former warehouse was used as an ammunition depot during the war.</li> </ul>	<ul style="list-style-type: none"> <li>RDX</li> <li>TNT</li> <li>Perchlorate</li> <li>Mercury</li> <li>Ammonia</li> <li>Nitrate</li> <li>Metals</li> </ul>
3.	<ul style="list-style-type: none"> <li>#46 – Railyards, tracks and spurs</li> </ul>	<ul style="list-style-type: none"> <li>The FIP from 1901 shows railway tracks that were present throughout the RSC Property, connecting to piles of lumber. FIPs from 1948 and 1965 show a spur that is present to the west of the former warehouse building.</li> <li>Aerial photographs from approximately 1945 to 1965 show what appears to be a spur to the west of the former warehouse building.</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>
4.	<ul style="list-style-type: none"> <li>#59 – Wood treating and preservative facility and bulk storage of treated and preserved wood products</li> </ul>	<ul style="list-style-type: none"> <li>The FIPs from 1895, 1901 and 1948 show lumber storage present on the RSC Property, which is assumed to be treated/preserved since associated with the railway.</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>
5.	<ul style="list-style-type: none"> <li>PCA Other - Fire</li> </ul>	<ul style="list-style-type: none"> <li>Fire reported in previous environmental investigations and journal articles (1951), which destroyed the northern portion of the warehouse at the RSC Property</li> </ul>	<ul style="list-style-type: none"> <li>PAHs</li> <li>VOCs</li> </ul>
6.	<ul style="list-style-type: none"> <li>PCA Other – Storage of maintenance equipment, fuel, and chemicals</li> </ul>	<ul style="list-style-type: none"> <li>Aerial photographs from 1945 to 2019 show outdoor storage of equipment, materials and vehicles in the western portion of the RSC Property.</li> <li>Previous environmental reports note the storage of various construction equipment and drums in the maintenance support yard.</li> <li>The ERIS report identified wastes generated related to the PWGSC maintenance support service yard</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>PHCs</li> <li>VOCs</li> </ul>

### 6.3 Potentially Contaminating Activities in the Phase One Study Area

Off-site PCAs for the Phase One Study Area are summarized in **Table 11** and on **Figure 5**. It should be noted that property addresses in the Phase One Study Area have changed and amalgamated over the years. As such, addresses provided in this section match what is provided in current property parcel plans provided by the City of Ottawa, and not necessarily what is indicated in records described in **Section 3.2**.

**Table 11: Potentially Contaminating Activities in the Phase One Study Area**

Off-Site PCA #	Property Location	Regulatory Description	Rationale	Potential Contaminants of Concern
1.	<ul style="list-style-type: none"> <li>Adjacent property to the west of the RSC Property.</li> </ul>	<ul style="list-style-type: none"> <li>#46 – Rail Yards, Tracks and Spurs</li> </ul>	<ul style="list-style-type: none"> <li>FIPs and aerial photographs show that a railway was present from prior to 1895 to approximately 2019.</li> <li>This railway was flagged as a PCA in previous environmental reports for the RSC Property.</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>
2.	<ul style="list-style-type: none"> <li>933 Gladstone Avenue (formerly part of 1010 Somerset Street West, southern part of former warehouse), south of the RSC Property</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>The site contact indicated a diesel tank that used to fuel the boiler room for the warehouse.</li> <li>Previous environmental reports show this former AST to the south of the RSC Property.</li> <li>The ERIS report identified a furnace oil tank in 1992, which was confirmed by the site contact to be related to the former warehouse steam boilers</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
		<ul style="list-style-type: none"> <li>PCA Other – Coal Storage</li> </ul>	<ul style="list-style-type: none"> <li>Coal storage in boiler room of warehouse (off-site portion) identified in previous environmental reports</li> </ul>	<ul style="list-style-type: none"> <li>PAHs</li> </ul>
3.	<ul style="list-style-type: none"> <li>933 Gladstone Avenue (formerly part of 1010 Somerset Street West), south of the RSC Property</li> </ul>	<ul style="list-style-type: none"> <li>#20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage</li> </ul>	<ul style="list-style-type: none"> <li>Off-site portion of the former Central Ordnance Depot facility.</li> </ul>	<ul style="list-style-type: none"> <li>RDX</li> <li>TNT</li> <li>Perchlorate</li> <li>Mercury</li> <li>Ammonia</li> <li>Nitrate</li> <li>Metals</li> </ul>
4.	<ul style="list-style-type: none"> <li>35 Laurel Street</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>AST/USTs identified in HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
5.	<ul style="list-style-type: none"> <li>111 Breezehill Avenue</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>Service garage identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>VOCs</li> <li>Metals</li> </ul>

Off-Site PCA #	Property Location	Regulatory Description	Rationale	Potential Contaminants of Concern
6.	<ul style="list-style-type: none"> <li>103 Breezehill Avenue</li> </ul>	<ul style="list-style-type: none"> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>Metal products manufacturing/coating of metal products identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>
7.	<ul style="list-style-type: none"> <li>73 Breezehill Avenue</li> </ul>	<ul style="list-style-type: none"> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>Metal products manufacturing/coating of metal products identified in the ERIS and HLUI reports</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>
		<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>Petroleum products wholesale identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
8.	<ul style="list-style-type: none"> <li>53 Breezehill Avenue</li> </ul>	<ul style="list-style-type: none"> <li>#49 – Salvage yard, including automobile wrecking</li> </ul>	<ul style="list-style-type: none"> <li>Automobile wrecking facility identified in ERIS report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>VOCs</li> <li>Metals</li> </ul>
		<ul style="list-style-type: none"> <li>#10 – Commercial Autobody Shops</li> </ul>	<ul style="list-style-type: none"> <li>Service garage/autobody shops identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>VOCs</li> <li>Metals</li> <li>PHCs</li> </ul>
		<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs and petroleum products wholesale identified in the HLUI report and auto repairs facility identified in the 1965 FIP.</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>VOCs</li> <li>Metals</li> </ul>
9.	<ul style="list-style-type: none"> <li>250 City Centre Avenue</li> </ul>	<ul style="list-style-type: none"> <li>#43 – Plastics (including fiberglass) manufacturing and processing</li> </ul>	<ul style="list-style-type: none"> <li>Potential plastic manufacturing identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>VOCs</li> </ul>
		<ul style="list-style-type: none"> <li>#29 – Glass manufacturing</li> </ul>	<ul style="list-style-type: none"> <li>Potential glass manufacturing identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>
		<ul style="list-style-type: none"> <li>#37 – Operation of dry cleaning equipment (where chemicals are used)</li> </ul>	<ul style="list-style-type: none"> <li>Dry cleaning facility identified in the ERIS and HLUI reports</li> </ul>	<ul style="list-style-type: none"> <li>VOCs</li> </ul>
		<ul style="list-style-type: none"> <li>#10 – Commercial Autobody Shops</li> </ul>	<ul style="list-style-type: none"> <li>Autobody shop identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>VOCs</li> <li>Metals</li> </ul>
		<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>Service garage, ASTs/USTs and petroleum products wholesale identified in the HLUI report, hydraulic oil spill identified in the ERIS report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>VOCs</li> <li>Metals</li> </ul>
10.	<ul style="list-style-type: none"> <li>1040 Somerset Street West</li> </ul>	<ul style="list-style-type: none"> <li>#10 – Commercial Autobody Shops</li> </ul>	<ul style="list-style-type: none"> <li>Service garage/autobody shops identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>VOCs</li> <li>Metals</li> <li>PHCs</li> </ul>
		<ul style="list-style-type: none"> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>Metal products manufacturing/coating of metal products identified in the ERIS and HLUI reports</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>
11.	<ul style="list-style-type: none"> <li>10 Bayswater Avenue</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the ERIS report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>

Off-Site PCA #	Property Location	Regulatory Description	Rationale	Potential Contaminants of Concern
12.	• 930 Wellington Street West	• #28 – Gasoline and associated products storage in fixed tanks	• Service garage, ASTs/USTs and gasoline service stations identified in the HLUI report	• PHCs • VOCs • Metals
13.	• 1050 Somerset Street West	• #10 – Commercial Autobody Shops	• Service garage/autobody shops identified in the HLUI report	• VOCs • PHCs • Metals
		• #28 – Gasoline and associated products storage in fixed tanks	• ASTs/USTs identified in the HLUI report	• PHCs • BTEX
14.	• 161 Spruce Street West	• #28 – Gasoline and associated products storage in fixed tanks	• Service garage, ASTs/USTs and petroleum product wholesale identified in the HLUI report	• PHCs • VOCs • Metals
15.	• 145 Spruce Street	• #28 – Gasoline and associated products storage in fixed tanks	• ASTs/USTs identified in the HLUI report	• PHCs • BTEX
		• #32 – Metal treatment, coating, plating and finishing	• Stamped, pressed and coated metal product industries identified in the HLUI report	• Metals • VOCs • PFAS
16.	• 886 Somerset Street West	• #37 – Operation of dry cleaning equipment (where chemicals are used)	• Potential dry cleaning facility identified in the HLUI report	• VOCs
		• #28 – Gasoline and associated products storage in fixed tanks	• Gasoline service station identified in the HLUI report	• PHCs • BTEX
17.	• 890 Somerset Street West	• #28 – Gasoline and associated products storage in fixed tanks	• Service garage, ASTs/USTs and gasoline service station identified in the HLUI report	• PHCs • VOCs • Metals
18.	• 100 Preston Street	• #37 – Operation of dry cleaning equipment (where chemicals are used)	• Potential dry cleaning facility identified in the HLUI report	• VOCs
19.	• 193 Preston Street	• #28 – Gasoline and associated products storage in fixed tanks	• Gasoline service station identified in the HLUI report	• PHCs • BTEX • Metals
20.	• 215 Preston Street	• #28 – Gasoline and associated products storage in fixed tanks	• ASTs/USTs and petroleum product wholesale identified in the HLUI report	• PHCs • BTEX
21.	• 225 Preston Street	• #28 – Gasoline and associated products storage in fixed tanks	• Service garage, ASTs/USTs and petroleum product wholesale identified in the HLUI report	• PHCs • VOCs • Metals
22.	• 951 Gladstone Avenue	• #28 – Gasoline and associated products storage in fixed tanks	• Service garage and ASTs/USTs identified in the ERIS report and gas station identified in the HLUI report	• PHCs • VOCs • Metals

Off-Site PCA #	Property Location	Regulatory Description	Rationale	Potential Contaminants of Concern
		<ul style="list-style-type: none"> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>Metal products manufacturing/coating of metal products identified in the ERIS report</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>
23.	<ul style="list-style-type: none"> <li>241 Preston Street</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the ERIS report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
24.	<ul style="list-style-type: none"> <li>15 Larch Street</li> </ul>	<ul style="list-style-type: none"> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>Metal products manufacturing/coating of metal products identified in the ERIS and HLUI reports</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>
25.	<ul style="list-style-type: none"> <li>Baywater Avenue and Wellington Street</li> </ul>	<ul style="list-style-type: none"> <li>#58 – Waste disposal and waste management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners</li> </ul>	<ul style="list-style-type: none"> <li>Former landfill site (Landfill Ur-41) identified within 500m of the RSC Property in the HLUI report; reported operation prior to 1928</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>PAHs</li> <li>Metals</li> <li>Inorganics</li> </ul>
26.	<ul style="list-style-type: none"> <li>Located between Ottawa Parkway (N), CP Railway (W), Scott St. (S) and Lebreton Flats Aqueducts (E)</li> </ul>	<ul style="list-style-type: none"> <li>#58 – Waste disposal and waste management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners</li> </ul>	<ul style="list-style-type: none"> <li>Former landfill site (Landfill Ur-06) identified within 500m of the RSC Property in the HLUI report; reported operation in 1960s</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>VOCs</li> <li>PAHs</li> <li>Metals</li> <li>Inorganics</li> <li>PFAS</li> </ul>
27.	<ul style="list-style-type: none"> <li>930 Somerset Street West</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the HLUI report and in miscellaneous documents from the City of Ottawa</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
28.	<ul style="list-style-type: none"> <li>953 Somerset Street West</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
29.	<ul style="list-style-type: none"> <li>158 Spruce Street</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
30.	<ul style="list-style-type: none"> <li>152 Spruce Street</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>
31.	<ul style="list-style-type: none"> <li>130 Anderson Street</li> </ul>	<ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	<ul style="list-style-type: none"> <li>ASTs/USTs identified in the HLUI report</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>

#### 6.4 Areas of Potential Environmental Concern

All on-site PCAs and nine of the off-site PCAs were considered to be APECs. Remaining off-site PCAs were determined not to represent APECs due to their distance and/or down/cross-gradient location

from the RSC Property. Nine APECs were identified for the RSC Property, which are discussed in **Table 12** and on **Figure 6**.

**Table 12: Areas of Potential Environmental Concern**

APEC #	Location of APEC on Phase One Property	PCA	Location of PCA (on-site or off-site)	Potential Contaminants of Concern	Media Potentially Impacted
1.	Entire RSC Property	On-Site PCA #1 <ul style="list-style-type: none"> <li>#30 – Importation of fill material of unknown quality</li> </ul>	On-Site	<ul style="list-style-type: none"> <li>Sodium adsorption ratio</li> <li>Electrical conductivity</li> <li>Sodium</li> <li>Chloride</li> <li>Cyanide</li> <li>pH</li> <li>Metals</li> <li>BTEX</li> <li>PHCs</li> <li>PAHs</li> </ul>	Soil / Groundwater
2.	Eastern Portion of RSC Property	On-Site PCA #2 and Off-Site PCA #3 <ul style="list-style-type: none"> <li>#20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage</li> </ul>	On-Site and Off-Site	<ul style="list-style-type: none"> <li>RDX</li> <li>TNT</li> <li>Perchlorate</li> <li>Mercury</li> <li>Ammonia</li> <li>Nitrate</li> <li>Metals</li> </ul>	Soil / Groundwater
3.	Entire RSC Property	On-Site PCA #3 and Off-Site PCA #1 <ul style="list-style-type: none"> <li>#46 – Railyards, tracks and spurs</li> </ul>	On-Site and Off-Site	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>	Soil
4.	Entire RSC Property	On-Site PCA #4 <ul style="list-style-type: none"> <li>#59 – Wood treating and preservative facility and bulk storage of treated and preserved wood products</li> </ul>	On-Site	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>	Soil
5.	Northeastern portion of the RSC Property	On-Site PCA #5 <ul style="list-style-type: none"> <li>PCA Other – Fire</li> </ul>	On-Site	<ul style="list-style-type: none"> <li>PAHs</li> <li>Metals</li> </ul>	Soil
6.	Western portion of the RSC Property	On-Site PCA #6 <ul style="list-style-type: none"> <li>PCA Other – Storage of maintenance equipment, fuel and chemicals</li> </ul>	On-Site	<ul style="list-style-type: none"> <li>Metals</li> <li>PHCs</li> <li>VOCs</li> </ul>	Soil / Groundwater
7.	South boundary of the RSC Property	Off-Site PCA #2 and #22 <ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> <li>PCA Other – Coal Storage</li> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	Off-Site	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PHCs</li> <li>PAHs</li> <li>PFAS</li> </ul>	Groundwater
8.	Western portion of RSC Property	Off-Site PCA #4, #5, #6 and #7 <ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	Off-Site	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>	Groundwater (bedrock aquifer only)
9.	Northeastern portion of the RSC Property	Off-Site PCA #27 <ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> </ul>	Off-Site	<ul style="list-style-type: none"> <li>PHCs</li> <li>BTEX</li> </ul>	Groundwater

The PCAs and APECs are illustrated on **Figure 5** and **Figure 6**, respectively. In addition to these APECs, based on the age of the office building on-site there may be hazardous building materials present at the RSC Property. A Designated Substance Survey (DSS) should be completed prior to construction/demolition work on this building.

## 6.5 Phase One Conceptual Site Model (CSM)

The property consists of a 2.83 hectare parcel (comprised of three different PINs) located at 1010 Somerset Street West, in Ottawa, Ontario. The property was observed to consist of an office building (used by government staff prior to the Covid-19 pandemic), a few smaller sheds, storage lockers and sea cans, a paved parking area, landscaped areas and areas of overgrown vegetation. The RSC property is surrounded by residential, parkland and commercial land use. The Phase One Study Area boundaries, local roads, and structures currently present are shown on **Figure 2** (please note that the most recent available aerial photograph is from 2019, at which time the dome and building in the southwestern portion of the RSC Property are still visible). Surrounding land use is shown on **Figure 3**.

Geological, hydrological and hydrogeological information is provided in **Section 3.3.3**. Water well records mapped within the Phase One Study Area are identified in **Section 3.3.6** and **Figure 4**. In general, soils the vicinity of the Study Area consists of fill overlying a sandy/silty clay, overlying glacial till in some areas, over limestone bedrock.

There are no waterbodies or watercourses in the vicinity of the RSC Property. Regional and local drainage is inferred to be towards the Ottawa River to the north. Local variations in groundwater flow directions are possible due to the permeability of soils at the RSC Property and potential influences from underground services. Additionally, the railway located to the west of the RSC property (running northwest) was observed to be at a lower elevation and to have been blasted into the bedrock, which likely diverts shallow groundwater flow in the vicinity of the RSC Property. Previous intrusive investigations at the RSC Property have indicated that groundwater within the overburden layer is interpreted to flow to the north/northeast, with a westerly component towards the railway.

Underground utilities within the RSC Property include natural gas service, municipal water service and storm sewer and sanitary sewer connections. The presence of these utilities was indicated during the interview, and is not included on the attached figures. Other buried utilities may be present at the RSC Property. Bedding material, if present, along buried utilities can represent a preferential flow pathway for groundwater and soil vapours.

**Figures 5** and **6** show the interpreted locations of PCAs and APECs at the RSC Property, respectively. A detailed description of PCAs and potential contaminants of concern are provided in the previous sections of the report.

In summary, the source-pathway-receptor linkages that can be inferred from the information obtained in the Phase One ESA, and that forms the basis of the CSM, are provided in **Table Error! Reference source not found.13**:

**Table 13: Conceptual Site Model Source-Pathway-Receptor Linkages**

APEC Number and Description	PCA	Potential Contaminants of Concern	Contaminant Pathway
APEC #1 Entire RSC Property	On-Site PCA #1 <ul style="list-style-type: none"> <li>#30 – Importation of fill material of unknown quality</li> </ul>	<ul style="list-style-type: none"> <li>Sodium adsorption ratio</li> <li>Electrical conductivity</li> <li>Sodium</li> <li>Chloride</li> <li>Cyanide</li> <li>pH</li> <li>Metals</li> <li>BTEX</li> <li>PHCs</li> <li>PAHs</li> </ul>	Contact with surface soil and infiltration to the subsurface soil and groundwater.
APEC #2 Eastern Portion of RSC Property	On-Site PCA #2 and Off-Site PCA #3 <ul style="list-style-type: none"> <li>#20 – Explosives and Ammunition storage, Production and Bulk Storage</li> </ul>	<ul style="list-style-type: none"> <li>RDX</li> <li>TNT</li> <li>Perchlorate</li> <li>Mercury</li> <li>Ammonia</li> <li>Nitrate</li> <li>Metals</li> </ul>	Contact with surface soil and infiltration to the subsurface soil and groundwater.
APEC #3 Entire RSC Property	On-Site PCA #3 and Off-Site PCA #1 <ul style="list-style-type: none"> <li>#46 – Railyards, tracks and spurs</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>	Contact with surface soil and infiltration to the subsurface soil.
APEC #4 Entire RSC Property	On-Site PCA #4 <ul style="list-style-type: none"> <li>#59 – Wood treating and preservative facility and bulk storage of treated and preserved wood products</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>PAHs</li> </ul>	Contact with surface soil and infiltration to the subsurface soil.
APEC #5 Northeastern portion of the RSC Property	On-Site PCA #5 <ul style="list-style-type: none"> <li>PCA Other – Fire</li> </ul>	<ul style="list-style-type: none"> <li>PAHs</li> <li>Metals</li> </ul>	Contact with surface soil and infiltration to the subsurface soil.
APEC #6 Western portion of the RSC Property	On-Site PCA #6 <ul style="list-style-type: none"> <li>PCA Other – Storage of maintenance equipment, fuel and chemicals</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>PHCs</li> <li>VOCs</li> </ul>	Contact with surface soil and infiltration to the subsurface soil and groundwater.
APEC #7 South boundary of the RSC Property	Off-Site PCA #2 and #22 <ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> <li>PCA Other – Coal Storage</li> </ul> Off-Site PCA #22 <ul style="list-style-type: none"> <li>#32 – Metal treatment, coating, plating and finishing</li> </ul>	<ul style="list-style-type: none"> <li>Metals</li> <li>VOCs</li> <li>PHCs</li> <li>PAHs</li> <li>PFAS</li> </ul>	Off-site infiltration of leaks/spills to the groundwater and subsequent flow beneath the RSC Property.
APEC #8 Western portion of the RSC Property	Off-Site PCA #4, #5, #6 and #7 <ul style="list-style-type: none"> <li>#28 – Gasoline and associated products storage in fixed tanks</li> <li>#32 – Metal treatment, coating, plating and</li> </ul>	<ul style="list-style-type: none"> <li>PHCs</li> <li>Metals</li> <li>VOCs</li> <li>PFAS</li> </ul>	Off-site infiltration of leaks/spills to the

APEC Number and Description	PCA	Potential Contaminants of Concern	Contaminant Pathway
	finishing		groundwater and subsequent flow beneath the RSC Property in the bedrock aquifer.
APEC #9 Eastern portion of the RSC Property	Off-Site PCA #27 • #28 – Gasoline and associated products storage in fixed tanks	<ul style="list-style-type: none"> <li>• PHCs</li> <li>• BTEX</li> </ul>	Off-site infiltration of leaks/spills to the groundwater and subsequent flow beneath the RSC Property.

### 6.5.1 CSM Uncertainty

There is inherent uncertainty in the conceptual site model as it is based upon potential contaminants of concern, potentially contaminating activities and potential areas of environmental concern. Dillon has relied on the information searched as being complete and accurate. New or refined information may change the interpreted probability of certain transport pathways being available to off-site contaminants. At the time this report was prepared, there was no documentation of significant off-site releases of contaminants. In the future, should an upgradient or adjacent property holder document a significant release of chemicals, or identify off-site contamination emanating from their property, the conclusions of this Phase One ESA report should be revisited.

Dillon did not conduct a subsurface investigation at the RSC Property, and assumptions related to transport pathways may need to be revisited if the estimated groundwater flow direction is inaccurate or subsurface conditions interact with PCAs in a way that could not be reasonably accounted for based on the information within the Phase One ESA.

The CSM can be revised and updated, if required, in conjunction with Phase Two ESA activities. The Phase One CSM, as presented, is sufficient for the purposes of the present Phase One ESA.

## 7.0 Conclusions

---

This section presents the Phase One ESA conclusions. The Phase One ESA activities satisfied the objectives of the work.

### 7.1 Whether Phase Two ESA Required Before a RSC Submitted

---

This Phase One ESA identified nine APECs on the RSC Property. Under the Regulation, a Phase Two ESA is required to investigate the potential APECs identified in the Phase One ESA report.

### 7.2 RSC Based on Phase One ESA Alone

---

Refer to **Section 7.1**.

### 7.3 Signatures

---

**Section 8.0** presents the report limitations associated with the findings and conclusions presented in **Section 6.0** and **Section 7.0**. The signature of the Qualified Person for this Phase One ESA is presented in **Section 9.0**. By signing the report, the Qualified Person confirms that the relevant findings and conclusions of the Phase One ESA are included in the report.

## 8.0

## Limitations

This report was prepared exclusively for the purposes, project and site location(s) outlined in the report. The report is based on information provided to, or obtained by Dillon Consulting Limited ("Dillon") as indicated in the report, and applies solely to site conditions existing at the time of the site investigation(s). Although a reasonable investigation was conducted by Dillon, Dillon's investigation was by no means exhaustive and cannot be construed as a certification of the absence of any contaminants from the site(s). Rather, Dillon's report represents a reasonable review of available information within an agreed work scope, schedule and budget. It is therefore possible that currently unrecognized contamination or potentially hazardous materials may exist at the site(s), and that the levels of contamination or hazardous materials may vary across the site(s). Further review and updating of the report may be required as local and site conditions, and the regulatory and planning frameworks, change over time.

This report was prepared by Dillon for the sole benefit of the City of Ottawa. The material in it reflects Dillon's best judgment in light of the information available to it at the time of preparation. Any use which a third party makes of this report, or any reliance on or decisions made based on it, are the responsibilities of such third parties. Dillon accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report.

---

Elsa Hergel, B.Sc.  
Lead Assessor

---

Matthew McCurdy, P.Geo., QP<sub>ESA</sub>  
Senior Reviewer

---

Brent Loney, M.Sc., P.Geo., QP<sub>RA</sub>  
Senior Reviewer

## Qualifications of Assessor(s)

**Elsa Hergel, B.Sc.****Lead Assessor**

Elsa is an environmental scientist with over 5 years of experience in environmental consulting. Most of her work has been in the area of contaminated site assessment (Phase I, II, III Environmental Site Assessment), risk assessment and remediation, monitoring programs and other related work. She also has experience with hazardous materials, hydrogeological and biological assessments. She is proficient at planning and executing complex field programs, collecting and analyzing data and preparing technical reports in accordance with both Federal and Provincial applicable standards. Her field experience includes supervising contracted drilling, test pitting and remediation programs, groundwater, surface water, potable water, soil and soil vapour monitoring and sampling, noise and air quality monitoring, hydraulic conductivity testing and groundwater level monitoring. Elsa has worked on a wide variety of commercial, community, industrial and residential sites for various clients, including the Federal Government (PWGSC, NRC, DND and DCC), municipalities, and numerous industrial and commercial clients in Ontario.

**Matthew McCurdy, P.Geo., QP<sub>ESA</sub>****Senior Reviewer**

Matthew is an environmental geoscientist in Dillon's Ottawa office with 16 years of experience in environmental consulting and is registered as a Professional Geoscientist with the Association of Professional Geoscientists of Ontario (APGO). His education and training includes specializations in geoscience, hydrogeology, environmental chemistry, and regulatory reporting. He has managed and completed numerous projects including Phase I, II, and III environmental site assessments, soil and groundwater remediation/monitoring, and ecological assessments for a variety of clients in both the private and public sectors. Matthew has experience related to brownfields and other contaminated sites, including those impacted by hydrocarbons, chlorinated solvents, heavy metals, nutrients, surfactants, and bacteriological parameters. Other sites he has worked on include refueling stations, lighthouses, wharfs, harbours, airports, railways, residential properties, agricultural zones, quarries, military bases, and other landfills.

**Brent Loney, M.Sc., P.Geo., QP<sub>RA</sub>****Senior Reviewer**

Brent has practiced as an environmental consultant in Ontario for 28 years, chiefly in the fields of contaminated site assessment and management, risk assessment, landfill investigations and hydrogeology. He has conducted or been involved in investigations at hundreds of sites all across the Province of Ontario on behalf of numerous government sector and private clients. Brent has a strong understanding of the regulatory process in Ontario and has completed human health and/or ecological risk assessments at former and active industrial sites, commercial sites and residential properties, dealing with contaminants ranging from petroleum hydrocarbon constituents, metals, chlorinated solvents, polycyclic aromatic hydrocarbons and pesticides. Remediation experience has included excavation/ disposal, bioventing, product recovery, multi-phase extraction and groundwater pump-and-treat (GAC, air stripping). His experience also includes contaminant fate and transport modelling related

to vapour intrusion, atmospheric emissions and subsurface contaminant transport, as well as more general aquifer characterization and groundwater flow modelling.

Brent has participated on assignments directly for the MECP (brownfield risk assessment review as a vendor-of-record, testing and feedback process for new Tier II model, review and recommendations for updating of Reasonable Use Concept). He has also completed a number of projects involving EPA and OWRA approvals and has assisted a number of clients by authoring annual reports for their permitted facilities (landfills, wastewater treatment). He has acted as expert witness in matters of litigation involving contaminated site remediation activities as well as for property acquisitions for contaminant attenuation zones. Brent has completed a number of projects involving policy development/review related to various technical issues, including jurisdictional reviews and reviews of codes/best practices.

## 10.0 References

- Aqua Terre Solutions Inc. (2001), Phase I Environmental Site Assessment, Plouffe Park (1010 Somerset St. W.), Ottawa, Ontario. March 30, 2001.
- Canadian Standards Association (2001), Phase I Environmental Site Assessment, Standard Z768-01.
- Chapman, L.J. and Putnam, D.F. (1984), The Physiography of Southern Ontario, Third Edition, Ontario Geological Survey, Special Volume 2.
- Chapman, L.J. and Putnam, D.F. (2007), Physiography of southern Ontario; Ontario Geological Survey, Miscellaneous Release--Data 228.
- City of Ottawa GeoOttawa Interactive Mapping [maps.ottawa.ca/geottawa](https://maps.ottawa.ca/geottawa)
- DST Consulting Engineers Inc. (2013), Subsurface Soil and Groundwater Investigation Sampling, Plouffe Park – 1010 Somerset Street West, Ottawa, Ontario. September 2013.
- Golder Associates Ltd. (2004), Old Landfill Management Strategy Phase 1 – Identification of Sites, City of Ottawa, Ontario.
- Golder Associates Ltd. (2020), Phase II Environmental Site Assessment, 1010 Somerset Street, Ottawa, Ontario. January 2020.
- Golder Associates Ltd. (2020), Remedial Options Cost Estimates, 1010 Somerset Street West, Ottawa, ON. March 31, 2020.
- Government of Canada (1999), *Canadian Environmental Protection Act*, Schedule 1: List of Toxic Substances, September 1999.
- Government of Canada (1976), *Hazardous Products Act*, updated April 19, 2005.  
<http://urbsite.blogspot.com/2016/04/plouffe-parkss-big-tops.html?m=1>
- Levac Robichaud Leclerc Associates Ltd. (2008), Environmental Review and Limited Investigation, Plouffe Park, 1010 Somerset Street West, Ottawa, Ontario. October 21, 2008.
- Ministry of Environment and Energy (MOEE), (1997). Guideline for Use at Contaminated Sites in Ontario (Guideline), February 1997.
- Ministry of the Environment, Conservation and Parks, Ontario Regulation 153/04, Record of Site Condition - Part XV.1 of the *Environmental Protection Act*, as amended.
- Ministry of the Environment, Conservation and Parks, Hazardous Waste Information Network  
<https://www.hwin.ca/hwin/index.jsp>
- Ministry of the Environment, Waste Disposal Site Inventory, June 1991.
- Ministry of the Environment, Ontario Inventory of PCB Storage Sites, October 2001

- Ministry of the Environment, Inventory of Coal Gasification Plant Waste Sites in Ontario, Volume II, April 1987
- Ontario Geological Survey, 2000. Quaternary geology, seamless coverage of the Province of Ontario; Ontario Geological Survey, Data Set 14---Revised.
- Ontario Geological Survey (2010), Surficial geology of Southern Ontario; Ontario Geological Survey, Miscellaneous Release--Data 128-REV.
- Ontario Geological Survey (2011), 1:250 000 scale bedrock geology of Ontario; Ontario Geological Survey, Miscellaneous Release---Data 126-Revision 1.
- National Research Council Canada (NRC), (1992), Dealing with Lead-Based Paints During Renovations by D. Stevenson. <http://archive.nrc-cnrc.gc.ca/eng/ibp/irc/cp/coa1.html>. Accessed on April 11, 2014. Originally published in "RAIC Update" 15(3), Jan/Feb. 1992 (page 5).
- Trow Associates Inc. (2005), Phase I & II Environmental Site Assessment, Plouffe Park, 1010 Somerset Street W., Ottawa, Ontario. January 2005.


## Figures

DRAFT


**CITY OF OTTAWA**  
**PHASE I ENVIRONMENTAL SITE ASSESSMENT**

1010 SOMERSET STREET WEST, OTTAWA  
 ONTARIO

**FIGURE I**  
**SITE LOCATION**



- ★ Site Location
- Highways
- Arterial Roads
- Collector Roads
- Local Roads
- Rapid Transit
- Railway
- Contours
- Provincial Boundary
- Watercourse
- Waterbody



MAP DRAWING INFORMATION:  
 DATA PROVIDED BY ESRI, MNR & DILLON CONSULTING  
 MAP CREATED BY 44PMH  
 MAP CHECKED BY EH  
 MAP PROJECTION: NAD 1983 UTM Zone 18N



PROJECT: 211685  
 STATUS: DRAFT  
 DATE: 2021-06-02

**CITY OF OTTAWA**  
**PHASE I ENVIRONMENTAL SITE ASSESSMENT**


1010 SOMERSET STREET WEST, OTTAWA  
 ONTARIO

**FIGURE 2**  
**AERIAL OVERLAY**



- Phase One Property
- Phase One Study Area
- Arterial Roads
- Collector Roads
- Local Roads
- Railway

1:3,500



MAP DRAWING INFORMATION:


DATA PROVIDED BY CITY OF OTTAWA, ESRI, MNRF & DILLON CONSULTING

MAP CREATED BY 44PMH  
 MAP CHECKED BY EH

MAP PROJECTION: NAD 1983 MTH 9



PROJECT: 211685  
 STATUS: DRAFT  
 DATE: 2021-06-09



**CITY OF OTTAWA**  
**PHASE I ENVIRONMENTAL SITE ASSESSMENT**

1010 SOMERSET STREET WEST, OTTAWA  
 ONTARIO

**FIGURE 3**  
**SURROUNDING LAND USE**

- Phase One Property
- Phase One Study Area
- Arterial Roads
- Collector Roads
- Local Roads
- Railway
- Land Use**
- Institutional
- Industrial
- Leisure
- Commercial
- Residential

1:2,750



MAP DRAWING INFORMATION:

DATA PROVIDED BY CITY OF OTTAWA, ESRI, MNRF & DILLON CONSULTING

MAP CREATED BY 44PMH  
 MAP CHECKED BY EH

MAP PROJECTION: NAD 1983 MTH 9



PROJECT: 211685  
 STATUS: DRAFT  
 DATE: 2021-06-09


**CITY OF OTTAWA**  
**PHASE I ENVIRONMENTAL SITE ASSESSMENT**

1010 SOMERSET STREET WEST, OTTAWA  
 ONTARIO

**FIGURE 4**  
**NATURAL FEATURES AND WATER WELLS**



- Phase One Property
- Phase One Study Area
- ▲ MECP Water Well Record
- Arterial Roads
- Collector Roads
- Local Roads
- Railway
- Wooded Area



MAP DRAWING INFORMATION:  
 DATA PROVIDED BY CITY OF OTTAWA, ESRI, MECP, MNRF & DILLON CONSULTING  
 MAP CREATED BY 44PMH  
 MAP CHECKED BY EH  
 MAP PROJECTION: NAD 1983 MTH 9



PROJECT: 211685  
 STATUS: DRAFT  
 DATE: 2021-06-08



PCA #	PCA Description
1	#30 – Importation of fill material of unknown quality
2	#20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage
3	#46 – Railyards, tracks and spurs
4	#59 – Wood treating and preservative facility and bulk storage of treated and preserved wood products
5	PCA Other - Fire
6	PCA Other – Storage of maintenance equipment, fuel, and chemicals

PCA#	PCA Description
14	#28 – Gasoline and associated products storage in fixed tanks
15	#28 – Gasoline and associated products storage in fixed tanks. #32 – Metal treatment, coating, plating and finishing
16	#37 – Operation of dry cleaning equipment (where chemicals are used). #28 – Gasoline and associated products storage in fixed tanks
17	#28 – Gasoline and associated products storage in fixed tanks
18	#37 – Operation of dry cleaning equipment (where chemicals are used)
19	#28 – Gasoline and associated products storage in fixed tanks
20	#28 – Gasoline and associated products storage in fixed tanks
21	#28 – Gasoline and associated products storage in fixed tanks
22	#28 – Gasoline and associated products storage in fixed tanks. #32 – Metal treatment, coating, plating and finishing
23	#28 – Gasoline and associated products storage in fixed tanks
24	#32 – Metal treatment, coating, plating and finishing
25	#58 – Waste disposal and waste management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners
26	#58 – Waste disposal and waste management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners
27-31	#28 – Gasoline and associated products storage in fixed tanks


PCA#	PCA Description
1	#46 – Rail Yards, Tracks and Spurs
2	#59 – Wood treating and preservative facility and bulk storage of treated and preserved wood products. PCA Other - Fire
3	#20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage
4	#28 – Gasoline and associated products storage in fixed tanks
5	#28 – Gasoline and associated products storage in fixed tanks
6	#32 – Metal treatment, coating, plating and finishing
7	#32 – Metal treatment, coating, plating and finishing. #28 – Gasoline and associated products storage in fixed tanks
8	#49 – Salvage yard, including automobile wrecking. #10 – Commercial Autobody Shops. #28 – Gasoline and associated products storage in fixed tanks
9	#43 – Plastics (including fiberglass) manufacturing and processing. #29 – Glass manufacturing. #37 – Operation of dry cleaning equipment (where chemicals are used). #10 – Commercial Autobody Shops. #28 – Gasoline and associated products storage in fixed tanks
10	#10 – Commercial Autobody Shops. #32 – Metal treatment, coating, plating and finishing
11	#28 – Gasoline and associated products storage in fixed tanks
12	#28 – Gasoline and associated products storage in fixed tanks
13	#10 – Commercial Autobody Shops. #28 – Gasoline and associated products storage in fixed tanks

**CITY OF OTTAWA**  
PHASE I ENVIRONMENTAL SITE ASSESSMENT

1010 SOMERSET STREET WEST, OTTAWA  
ONTARIO

**FIGURE 5**  
**POTENTIALLY CONTAMINATING ACTIVITIES**

- PCAs**
- On-Site PCAs
  - Off-Site PCAs
  - Phase One Property
  - Phase One Study Area
  - Arterial Roads
  - Collector Roads
  - Local Roads
  - Railway




MAP DRAWING INFORMATION:  
DATA PROVIDED BY CITY OF OTTAWA, ESRI, MNRF & DILLON CONSULTING  
MAP CREATED BY 44PMH  
MAP CHECKED BY EH  
MAP PROJECTION: NAD 1983 MTH 9



PROJECT: 211685  
STATUS: DRAFT  
DATE: 2021-07-06

**FIGURE 6**  
**AREAS OF POTENTIAL ENVIRONMENTAL CONCERN**




**APECs**

- 1, 3 & 4
- 2
- 5
- 6
- 7
- 8
- 9

- Phase One Property
- Phase One Study Area
- Arterial Roads
- Collector Roads
- Local Roads
- Railway

APECs		
APEC #	Location	APEC Description
1	Entire RSC Property	On-Site PCA #1. #30 – Importation of fill material of unknown quality
2	Eastern Portion of RSC Property	On-Site PCA #2 and Off-Site PCA #3. #20 – Explosives and Ammunition Manufacturing, Production and Bulk Storage
3	Entire RSC Property	On-Site PCA #3 and Off-Site PCA #1. #46 - Railyards, tracks and spurs
4	Entire RSC Property	On-Site PCA #4. #59 – Wood treating and preservative facility and bulk storage of treated and preserved wood products
5	Northeastern portion of the RSC Property	On-Site PCA #5. PCA Other – Fire
6	Western portion of the RSC Property	On-Site PCA #6. PCA Other – Storage of maintenance equipment, fuel and chemicals
7	South boundary of the RSC Property	Off-Site PCA #2 and #22. #28 – Gasoline and associated products storage in fixed tanks. PCA Other – Coal Storage. #32 – Metal treatment, coating, plating and finishing
8	Western portion of RSC Property	Off-Site PCA #4, #5, #6 and #7. #28 – Gasoline and associated products storage in fixed tanks. #32 – Metal treatment, coating, plating and finishing
9	Northeastern portion of the RSC Property	Off-Site PCA #27. #28 – Gasoline and associated products storage in fixed tanks.



MAP DRAWING INFORMATION:  
 DATA PROVIDED BY CITY OF OTTAWA, ESRI, MNRF & DILLON CONSULTING  
 MAP CREATED BY 44PMH  
 MAP CHECKED BY EH  
 MAP PROJECTION: NAD 1983 MTH 9



PROJECT: 211685  
 STATUS: DRAFT  
 DATE: 2021-07-06

## Appendix A

### *Regulatory Correspondence*

DRAFT

Freedom of Information and  
Protection of Privacy Office  
40 St. Clair Avenue West, 12<sup>th</sup> Floor  
Toronto ON M4V 1M2  
Telephone 416 314-4075

**Instructions**

Use this form to request records that are in the Ministry's files on environmental concerns related to properties. Our fax number is 416 314-4285.


**For Ministry Use Only**

FOI Request Number	Date Request Received (yyyy/mm/dd)
Fee Paid	<input type="checkbox"/> Cheque <input type="checkbox"/> VISA/MC <input type="checkbox"/> Cash/Money Order
<input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SCB <input type="checkbox"/> SDW	

**1. Requester Data**

Last Name <b>Hergel</b>	First Name <b>Elsa</b>	Middle Initial <b>L</b>
Title <b>Environmental Scientist</b>	Company Name <b>Dillon Consulting Ltd.</b>	

**Mailing Address**

Unit Number <b>101</b>	Street Number <b>177</b>	Street Name <b>Colonnade Rd South</b>	PO Box
City/Town <b>Ottawa</b>		Province <b>Ontario</b>	Postal Code <b>K2E 7J4</b>
Email Address <b>ehergel@dillon.ca</b>		Telephone Number <b>613 745-2213</b>	Fax Number <b>613 745-3491</b>
Project/Reference Number <b>21-1685</b>	Signature of Requester 		

**2. Request Parameters**

**Municipal Address** (Municipal address mandatory for cities, towns or regions)

Unit Number	Street Number <b>1010</b>	Street Name <b>Somerset Street West</b>	PO Box
Lot Number	Concession	Geographic Township	
City/Town/Village <b>Ottawa</b>		Province <b>Ontario</b>	Postal Code <b>K1R 6R9</b>

**Present Property**

1. Owner <b>His Majesty the King in Right of Canada</b>	Date of Ownership (yyyy/mm/dd) <b>1942/08/17</b>
Tenant (if applicable)	
2. Owner <b>Her Majesty the Queen in Right of Canada</b>	Date of Ownership (yyyy/mm/dd) <b>1972/03/24</b>
Tenant (if applicable)	

**Previous Property**

1. Owner	Date of Ownership (yyyy/mm/dd)
----------	--------------------------------

Tenant (if applicable)

### 3. Search Parameters

Search Parameters	Specify Year(s) Requested
Environmental concerns (General correspondence, occurrence reports, abatement)	All
Orders	All
Spills	All
Investigations/prosecutions ► Owner and tenant information must be provided	All
Waste Generator number/classes	All
Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.	

### 4. Environmental Compliance Approvals/Certificates of Approval

Environmental Compliance Approvals/Certificates of Approval	SD	Specify Year(s) Requested
air - emissions	<input type="checkbox"/>	All
renewable energy	<input type="checkbox"/>	All
water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)	<input type="checkbox"/>	All
sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations	<input type="checkbox"/>	All
waste water - industrial discharge	<input type="checkbox"/>	All
waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites	<input type="checkbox"/>	All
waste systems - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, PCB destruction	<input type="checkbox"/>	All

Proponent information must be provided and Environmental Compliance Approval/Certificate of Approval number(s) (if known). 1985 and prior records are searched manually. Search fees in excess of \$300.00 may be incurred, depending on the types and years to be searched. Specify Approval number(s) (if known). If supporting documents are also required, mark SD box and specify type e.g. maps, plans, reports, etc.



---

## Database Search - Somerset Street

4 messages

---

**Hergel, Elsa** <ehergel@dillon.ca>  
To: publicinformationservices@tssa.org

Thu, May 27, 2021 at 10:27 AM

Hello,  
Can you please advise whether there are any records related to fuel use or storage, including current or historical use of above ground storage tanks (ASTs) or underground storage tanks (USTs) for the following locations:

- 1010 Somerset Street West
- 930 Somerset Street West
- 933 Gladstone Avenue
- 1030 Somerset Street West
- 250 City Centre Avenue
- 1000 Somerset Street West
- 1002 Somerset Street West
- 989 Somerset Street West
- 969 Somerset Street West
- 961 Somerset Street West
- 158 Spruce Street West
- 953 Somerset Street West
- 947 Somerset Street West
- 939 Somerset Street West
- 933 Somerset Street West
- 927 Somerset Street West
- 100 Preston Street
- 105 Preston Street
- 890 Somerset Street West
- 121 Preston Street
- 125 Preston Street
- 135 Preston Street
- 139 Preston Street
- 141 Preston Street
- 169 Preston
- 130 Anderson Street
- 2-26 Oak Street
- 935 Gladstone Ave

In addition, please determine if there are any files on record with the TSSA that include but are not limited to the following:

- Past or outstanding environmental violations, orders, etc.;
- Known contamination of soil or groundwater at or in the vicinity of the Site;
- Documented cases of spills or release occurrences, and responsive action taken; and
- Nuisance complaints, inspection reports, etc.

Thank you in advance for your cooperation and prompt attention to this request.

Regards,

Elsa

--



**Elsa Hergel**

**Dillon Consulting Limited**

177 Colonnade Rd South Suite 101

Ottawa, Ontario, K2E 7J4

T - 613.745.2213 ext. 3023

F - 613.745.3491

M - 343.998.8355

[EHergel@dillon.ca](mailto:EHergel@dillon.ca)

[www.dillon.ca](http://www.dillon.ca)



---

**Public Information Services**

[<publicinformationservices@tssa.org>](mailto:publicinformationservices@tssa.org)

To: "Hergel, Elsa" [<ehergel@dillon.ca>](mailto:ehergel@dillon.ca)

Thu, May 27, 2021 at 12:51  
PM

Hello,

Please be advised that we will accept your first 10 searches per day and you will need to resubmit the rest. Please also include the City/Town for each address.

Alternatively, If you want us to search the whole request, then be advised that it is considered a "multiple record search" and we charge \$120 + tax per hour (1 hour minimum) and to complete your request, I estimate 2 hours.

Thank you,

Sherees

## Public Information Agent

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail:  
[publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org)

[www.tssa.org](http://www.tssa.org)



[Quoted text hidden]

[Quoted text hidden]

[Quoted text hidden]

**Elsa Hergel**

**Dillon Consulting Limited**

177 Colonnade Rd South Suite 101

Ottawa, Ontario, K2E 7J4

T - 613.745.2213 ext. 3023

F - 613.745.3491

M - 343.998.8355

[EHergel@dillon.ca](mailto:EHergel@dillon.ca)

[www.dillon.ca](http://www.dillon.ca)



This message is directed in confidence solely to the person(s) named above and may contain privileged, confidential or private information which is not to be disclosed. If you are not the addressee or an authorized representative thereof, please contact the undersigned and then destroy this message.

Ce message est destiné uniquement aux personnes indiquées dans l'entête et peut contenir une information privilégiée, confidentielle ou privée et ne pouvant être divulguée. Si vous n'êtes pas le destinataire de ce message ou une personne autorisée à le recevoir, veuillez communiquer avec le soussigné et ensuite détruire ce message.

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

---

**Hergel, Elsa** <ehergel@dillon.ca>

Thu, May 27, 2021 at 1:09 PM

To: Public Information Services <publicinformationsservices@tssa.org>

Hello,

Can you please advise whether there are any records related to fuel use or storage, including current or historical use of above ground storage tanks (ASTs) or underground storage tanks (USTs) for the following locations:

- 1010 Somerset Street West, Ottawa, ON
- 930 Somerset Street West, Ottawa, ON
- 933 Gladstone Avenue, Ottawa, ON
- 1030 Somerset Street West, Ottawa, ON
- 250 City Centre Avenue, Ottawa, ON
- 1000 Somerset Street West, Ottawa, ON
- 1002 Somerset Street West, Ottawa, ON
- 989 Somerset Street West, Ottawa, ON
- 969 Somerset Street West, Ottawa, ON
- 961 Somerset Street West, Ottawa, ON

In addition, please determine if there are any files on record with the TSSA that include but are not limited to the following:

- Past or outstanding environmental violations, orders, etc.;
- Known contamination of soil or groundwater at or in the vicinity of the Site;
- Documented cases of spills or release occurrences, and responsive action taken; and
- Nuisance complaints, inspection reports, etc.

Thank you in advance for your cooperation and prompt attention to this request.

Regards,

Elsa

[Quoted text hidden]

--



**Elsa Hergel**

**Dillon Consulting Limited**

177 Colonnade Rd South Suite 101

Ottawa, Ontario, K2E 7J4

T - 613.745.2213 ext. 3023

F - 613.745.3491

M - 343.998.8355

[EHergel@dillon.ca](mailto:EHergel@dillon.ca)

[www.dillon.ca](http://www.dillon.ca)



---

**Public Information Services**

[<publicinformationservices@tssa.org>](mailto:publicinformationservices@tssa.org)

To: "Hergel, Elsa" [<ehergel@dillon.ca>](mailto:ehergel@dillon.ca)

Thu, May 27, 2021 at 2:40  
PM

**Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.**

**NO RECORD FOUND**

Hello Elsa,

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at [https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?\\_mid\\_=392](https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392) and email the completed form to [publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org) along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Sherees

## Public Information Agent

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail:  
[publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org)

[www.tssa.org](http://www.tssa.org)





Hergel, Elsa <ehergel@dillon.ca>

---

## Database Search - Somerset Street (part 2)

2 messages

---

Hergel, Elsa <ehergel@dillon.ca>

Thu, May 27, 2021 at 2:49 PM

To: Public Information Services <publicinformationservices@tssa.org>

Hello,

Can you please advise whether there are any records related to fuel use or storage, including current or historical use of above ground storage tanks (ASTs) or underground storage tanks (USTs) for the following locations:

- 158 Spruce Street West, Ottawa, ON
- 953 Somerset Street West, Ottawa, ON
- 947 Somerset Street West, Ottawa, ON
- 939 Somerset Street West, Ottawa, ON
- 933 Somerset Street West, Ottawa, ON
- 927 Somerset Street West, Ottawa, ON
- 100 Preston Street, Ottawa, ON
- 105 Preston Street, Ottawa, ON
- 890 Somerset Street West, Ottawa, ON
- 121 Preston Street, Ottawa, ON

In addition, please determine if there are any files on record with the TSSA that include but are not limited to the following:

- Past or outstanding environmental violations, orders, etc.;
- Known contamination of soil or groundwater at or in the vicinity of the Site;
- Documented cases of spills or release occurrences, and responsive action taken; and
- Nuisance complaints, inspection reports, etc.

Thank you in advance for your cooperation and prompt attention to this request.

Regards,

Elsa

--

**Elsa Hergel**

**Dillon Consulting Limited**

177 Colonnade Rd South Suite 101

Ottawa, Ontario, K2E 7J4

T - 613.745.2213 ext. 3023

F - 613.745.3491

M - 343.998.8355



Platinum member

EHergel@dillon.ca  
www.dillon.ca



---

## Public Information Services

<publicinformationservices@tssa.org>  
To: "Hergel, Elsa" <ehergel@dillon.ca>

Fri, May 28, 2021 at 8:27  
AM

**Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.**

## **NO RECORD FOUND**

Hello Elsa,

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any fuel storage tanks at the subject addresses:

For a further search in our archives please complete our release of public information form found at [https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?\\_mid\\_=392](https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392) and email the completed form to [publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org) along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

## Public Information Agent

Facilities and Business Services



[345 Carlingview Drive](#)

[Toronto, Ontario M9W 6N9](#)

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail:  
[publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org)

[www.tssa.org](http://www.tssa.org)



[Quoted text hidden]

[Quoted text hidden]

**Elsa Hergel**

**Dillon Consulting Limited**

177 Colonnade Rd South Suite 101

Ottawa, Ontario, K2E 7J4

T - 613.745.2213 ext. 3023

F - 613.745.3491

M - 343.998.8355

[EHergel@dillon.ca](mailto:EHergel@dillon.ca)

[www.dillon.ca](http://www.dillon.ca)

you are not the addressee or an authorized representative thereof, please contact the undersigned and then destroy this message.

Ce message est destiné uniquement aux personnes indiquées dans l'entête et peut contenir une information privilégiée, confidentielle ou privée et ne pouvant être divulguée. Si vous n'êtes pas le destinataire de ce message ou une personne autorisée à le recevoir, veuillez communiquer avec le soussigné et ensuite détruire ce message.

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



Hergel, Elsa <ehergel@dillon.ca>

---

## Database Search - Somerset Street (part 3)

2 messages

---

**Hergel, Elsa** <ehergel@dillon.ca>

Mon, May 31, 2021 at 10:36 AM

To: Public Information Services <publicinformationservices@tssa.org>

Hello,

Can you please advise whether there are any records related to fuel use or storage, including current or historical use of above ground storage tanks (ASTs) or underground storage tanks (USTs) for the following locations:

- 125 Preston Street
- 135 Preston Street
- 139 Preston Street
- 141 Preston Street
- 169 Preston
- 130 Anderson Street
- 2 Oak Street
- 26 Oak Street
- 935 Gladstone Ave

In addition, please determine if there are any files on record with the TSSA that include but are not limited to the following:

- Past or outstanding environmental violations, orders, etc.;
- Known contamination of soil or groundwater at or in the vicinity of the Site;
- Documented cases of spills or release occurrences, and responsive action taken; and
- Nuisance complaints, inspection reports, etc.

Thank you in advance for your cooperation and prompt attention to this request.

Regards,

Elsa

--



**Elsa Hergel**

**Dillon Consulting Limited**

177 Colonnade Rd South Suite 101

Ottawa, Ontario, K2E 7J4

T - 613.745.2213 ext. 3023

F - 613.745.3491

M - 343.998.8355

[EHergel@dillon.ca](mailto:EHergel@dillon.ca)

[www.dillon.ca](http://www.dillon.ca)



---

**Public Information Services**

[<publicinformationservices@tssa.org>](mailto:publicinformationservices@tssa.org)

To: "Hergel, Elsa" [<ehergel@dillon.ca>](mailto:ehergel@dillon.ca)

Mon, May 31, 2021 at 3:12

PM

**Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.**

**NO RECORD FOUND**

Hello Elsa,

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any fuel storage tanks at the subject addresses:

For a further search in our archives please complete our release of public information form found at [https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?\\_mid\\_=392](https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392) and email the completed form to [publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org) along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Saara

## Public Information Agent

Facilities and Business Services

[345 Carlingview Drive](#)

[Toronto, Ontario M9W 6N9](#)

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail:  
[publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org)

[www.tssa.org](http://www.tssa.org)



## **Appendix B**

### ***Phase One ESA Supporting Documents***

DRAFT

**ERIS**  
ENVIRONMENTAL RISK INFORMATION SERVICES



---

CITY  
**DIRECTORY**

**Project Property:** *1010 Somerset Street West, Ottawa, Ontario*  
**Report Type:** *City Directory*  
**Order No:** *21032900261*  
**Information Source:** *Vernon's Ottawa, Ontario City Directory*  
**Date Completed:** *02/06/2021*

*\*\*Note addendum regarding documentation results\*\**

**Environmental Risk Information Services**  
A division of Glacier Media Inc.  
1.866.517.5204 | [info@erisinfo.com](mailto:info@erisinfo.com) | [erisinfo.com](http://erisinfo.com)

<b>City Directory Information Source</b>
Vernon's Ottawa, Ontario City Directory

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year:</b> 2011	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Community Centers -Pools
<b>933 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)

<b>953 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Musca-Wine Pressing & Suppiles
<b>989 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1000 Somerset Street West</b>	-The Wine Exchange -Winde Garden Ltd
<b>1002 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Multi-Tenant Commercial/Industrial  -Printing Center  -Artex Electronic Publishing  -Vha Health and Home Support  -Marquardt Printing  -Ottawa Print Finishing Inc  -Parliament Cleaning Group

<b>933 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>935 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year:</b> 2001-02	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)

<b>933 Somerset Street West</b>	-Millenium VN Consulting Inc
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>953 Somerset Street West</b>	-Cooney's Sports Bar
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Musca-Wine Pressing & Supplies
<b>989 Somerset Street West</b>	-Tape Robt Ltd
<b>1000 Somerset Street West</b>	-The Wine Exchange -Wine Garden Ltd -Central
<b>1002 Somerset Street West</b>	-TETS Ottawa Ltd -GK Dental Lab Inc
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed

<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-St Joseph Print Group
<b>935 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year:</b> 1992	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	

<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>933 Somerset Street West</b>	-John Howard Society of Ottawa
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-G T Construction Inc
<b>953 Somerset Street West</b>	-Village Sports Club
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Musca-Wine Pressing & Supplies
<b>989 Somerset Street West</b>	-Tape Robt Ltd
<b>1000 Somerset Street West</b>	-Blue Chip Computer Technology Inc -Handi Can Consultants -Team Consultants -Gold Nugget Directory
<b>1002 Somerset Street West</b>	-TETS Ottawa Ltd -GK Dental Lab Inc

	-Cosenza Café -JC's Mobile Sharpening Service -Sharpening Shoppe
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>935 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario

<b>Year: 1980</b>	
<b>Site Listing:</b>	-Dept of Sup & Servs Capital Region Sup Center
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>933 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>953 Somerset Street West</b>	-Montagnard Club
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Musca-Wine Pressing & Supplies -Larche Heating Supply
<b>989 Somerset Street West</b>	-Tape Robt Ltd

<b>1000 Somerset Street West</b>	-Amber Furniture
<b>1002 Somerset Street West</b>	-RETS Ottawa Ltd
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>935 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER: 21032900261</b>	
------------------------------------	--

<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year: 1970</b>	
<b>Site Listing:</b>	-Dept of Defense Production No 1 Sup Center
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>933 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>953 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Swears & Wells Montreal Ltd fur storage vault
<b>989 Somerset Street West</b>	-Tape Robt Ltd

<b>1000 Somerset Street West</b>	-White & Victor Co
<b>1002 Somerset Street West</b>	-Stittsville Kennels pet shop -McCooeye Cecil & Son saddlery
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>935 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year:</b> 1960	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>933 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>953 Somerset Street West</b>	-Dept of Defense Production, Purchasing Office
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Swears & Wells Ltd fur storage vault -Genesove Press Ltd

<b>989 Somerset Street West</b>	-Crain Warehouse
<b>1000 Somerset Street West</b>	-White & Victor Co
<b>1002 Somerset Street West</b>	-McGregor Wholesale
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>935 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year:</b> 1950	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>933 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>953 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)

<b>989 Somerset Street West</b>	-Dept of Veterans Affairs Printing & Stationery br
<b>1000 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1002 Somerset Street West</b>	-Breadner Co Ltd mfg jwlr
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>935 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year:</b> 1940	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>933 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>953 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)

<b>989 Somerset Street West</b>	-Baker Bros Sash & Door Factory
<b>1000 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1002 Somerset Street West</b>	-Breadner Co Ltd mfg jwlr
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>935 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year:</b> 1930	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>933 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>953 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)

<b>989 Somerset Street West</b>	-Ottawa Stair Works Ltd
<b>1000 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1002 Somerset Street West</b>	-Breadner MFG Co Ltd jwlrs
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>935 Gladstone Avenue</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year:</b> 1920	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>933 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>953 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)

<b>989 Somerset Street West</b>	-Ottawa Stair Works Ltd
<b>1000 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1002 Somerset Street West</b>	-Breadner MFG Co Ltd jwlrs
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-Address Not Listed
<b>935 Gladstone Avenue</b>	-Address Not Listed
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year:</b> 1910	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>933 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>953 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)

<b>989 Somerset Street West</b>	-Ottawa Stair Works Ltd
<b>1000 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1002 Somerset Street West</b>	-Breadner MFG Co Ltd jwlrs
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-Address Not Listed
<b>935 Gladstone Avenue</b>	-Address Not Listed
<b>26 Oak Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 21032900261	
<b>Site Address:</b>	1010 Somerset Street West, Ottawa, Ontario
<b>Year:</b> 1900	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>927 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>930 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>933 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>939 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>947 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>953 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>961 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>969 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)

<b>989 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1000 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1002 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1030 Somerset Street West</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>1035 Somerset Street West</b>	-Address Not Listed
<b>250 City Centre Avenue</b>	-Address Not Listed
<b>933 Gladstone Avenue</b>	-Address Not Listed
<b>935 Gladstone Avenue</b>	-Address Not Listed
<b>26 Oak Street</b>	-Address Not Listed
<b>100 Preston Street</b>	-Either Residential or Not Listed (Not Identified in Coverage)
<b>152 Spruce Street West</b>	-Address Not Listed
<b>158 Spruce Street West</b>	-Address Not Listed

-All listings for businesses were listed as they are in the city directory.

-Listings that are residential are listed as “residential” with the number of tenants. The name of the residential tenant is not listed in the above city directory.

***\*\*Due to unforeseen circumstances resulting from the Covid-19 pandemic of 2020, access to information sources has been prohibited. While all additional measures were undertaken in order to provide accurate information where possible, some project searches yielded no results\*\****











OBJECTID	ACTIVITY_NAME	FACILITY_TYPE	SOURCE_UPDATE_SORTED	QAQC	YEAR	YEAR_1	ST_NUM	ST_NAME	ST_SUFFIX	ST_DIR	MUNICIPALITY	ST_NUM2017	ST_NAME2017	ST_SUFFIX2017	ST_DIR2017	POSTAL_CODE2017	PIN2017	MUNICIPALITY2017	NAICS	SIC	COMMENTS	STORAGE_TANK	Shape_Length	Shape_Area
8835	NORTHERN ART GLASS	Lumber and Building Materials, Wholesale	2005-SelectPhone	2	2005	c. 2005	955	GLADSTONE	AVE			951	GLADSTONE	AVE		K1Y3E5	41070276	OLD OTTAWA	444120				309.3166816	5747.459862
8836	ORVILLE'S ELECTRIC SERVICE	Electrical and Electronic Machinery, Equipment And Supplies, Wholesale, Automobile Repairing & Service	1998-SC; 2001-ES; 2017-SalesGenie	2	1998-2017	c. 1998; c. 2001	949	GLADSTONE	AVE		OTTAWA	951	GLADSTONE	AVE		K1Y3E5	41070276	OLD OTTAWA	811112; 811119; 811121; 811210	635			309.3166816	5747.459862
8837	PARADISE AUTO REPAIR	Other-Garage	2001-ES; 2005-SelectPhone; 2006-ES; 2012-ES	1	2001-2012	ES 2001; ES 2006; ES 2012	1040	SOMERSET	ST			1040	SOMERSET	ST	W	K1Y4L3	41070001	OLD OTTAWA	811111				153.7236155	1344.141419
8838	A-SANDOR INC	Machine Shop Industry	2001-ES; 2005-SelectPhone	1	2005	c. 2001; c. 2005	1040	SOMERSET	ST	WEST		1040	SOMERSET	ST	W	K1Y4L3	41070001	OLD OTTAWA	332710; 334110				153.7236155	1344.141419
8839	AERO MECHTRONICS LIMITED	Stamped, Pressed and Coated Metal Products Industries	1994-PID	1	1994	c. 1994	1040	SOMERSET	ST	WEST	OTTAWA	1040	SOMERSET	ST	W	K1Y4L3	41070001	OLD OTTAWA	332118; 332210; 332431; 332439; 332720; 339910	304	GEN# = ON0507400		153.7236155	1344.141419
8840	AL'S BODY SHOP	Motor Vehicle Repair Shops	1980-M; 1998-SC	1	1980-1998	c. 1980; c. 1998	1040	SOMERSET	ST	WEST	OTTAWA	1040	SOMERSET	ST	W	K1Y4L3	41070001	OLD OTTAWA	811112; 811119; 811121	635			153.7236155	1344.141419
8843	J SAINT GERMAIN AND SON	Exterior Close In Work	1970-M; 1980-M	1	1970-1980	c. 1970-1980	99	BREEZEHILL	AVE		OTTAWA	99	BREEZEHILL	AVE	N	K1Y2H6	41070279	OLD OTTAWA	238140; 238150; 238160; 238310	423			86.91470833	395.3758632
10679	131680 CANADA INC	Gasoline Service Stations	2005-PropertyAssessment	1	2005	c. 2005	1	SPADINA	AVE		OTTAWA	1	SPADINA	AVE		K1Y2B7	40980030	OLD OTTAWA	811111; 811112; 811119; 811121; 811199				178.3329063	1418.044017
10680	DIRIENZO & SAIKALEY AUTOMOTIVE	Motor Vehicles, Wholesale, Garage	2001-ES; 2005-SelectPhone; 2006-ES; 2012-ES; 2017-SalesGenie	1	2005-2017	c. 2001; c. 2005	1	SPADINA	AVE			1	SPADINA	AVE		K1Y2B7	40980030	OLD OTTAWA	811111				178.3329063	1418.044017
10681	GORDIE PANTALONE SERVICE STATION	Motor Vehicle Repair Shops	1900-1980-M; 1912-FIP-111-815; 1922-FIP-111-815; 1948-FIP-317-815; 1948-M; 1954-M; 1955-M; 1956-FIP-317-815; 1998-SC	1	1930-1998	c. 1930; c. 1940; c. 1948-1956; c. 1950; c. 1970; c. 1998	1	SPADINA	AVE		OTTAWA	1	SPADINA	AVE		K1Y2B7	40980030	OLD OTTAWA	447110; 447190; 811112; 811119; 811121; 811199	633; 635	Site is located on the corner of Spadina, Somerset and Wellington Streets.	Three (3), gasoline, underground storage tanks	178.3329063	1418.044017
10682	SERVICE STATION, BRITISH AMERICAN OIL CO	Gasoline Service Station	1934-CityOttawa	1	1934	c. 1934		WELLINGTON	ST			1	SPADINA	AVE		K1Y2B7	40980030	OLD OTTAWA			Wellington & Spadina		178.3329063	1418.044017
10683	MICUCCI ANNA	Gasoline Service Stations	1956-FIP-317-811; 1956-M; 1960-M; 1970-M; 1980-M; 1998-SC; 2005-PropertyAssessment	1	1956-2005	c. 1956; c. 1960; c. 1960-1970; c. 1988; c. 2005	927	WELLINGTON	ST		OTTAWA	927	WELLINGTON	ST	W	K1Y2X5	40980033	OLD OTTAWA	447110; 447190; 811112; 811119; 811121; 811199	633; 635		Two(2) Underground Storage Tanks (gasoline)	137.2531486	929.7077038
10718	ARC INDUSTRIES	Souvenirs	2004-GWStudy	1	1973	GW Study 2004 Scotts	73	BREEZEHILL	AVE	NORTH	OTTAWA	73	BREEZEHILL	AVE	N	K1Y2H6	41070003	OLD OTTAWA	339990	3999	73 Breezehill Ave N		188.8020984	1911.654799
10719	CHARCOAL SUPPLY CO	Petroleum Products, Wholesale	1920-M; 1930-M; 1940-M	1	1900-1950	c. 1920-1940	73	BREEZEHILL	AVE		OTTAWA	73	BREEZEHILL	AVE	N	K1Y2H6	41070003	OLD OTTAWA	412110; 419120; 454310	511			188.8020984	1911.654799
10744	BASCON CONTROL TECHNOLOGIES	Electrical and Electronic Machinery, Equipment and Supplies, Wholesale	2005-SelectPhone	2	2005		880	WELLINGTON	ST		OTTAWA	900	ALBERT	ST			40980005	Old Ottawa					94.68888292	476.1987538
10745	PSI MECHANICAL SVC INC	Electrical and Electronic Machinery, Equipment and Supplies, Wholesale	2005-SelectPhone	1	2005		880	WELLINGTON	ST		OTTAWA	900	ALBERT	ST			40980005	Old Ottawa					94.68888292	476.1987539
10752	GERVAIS MOTORS	Motor Vehicle Repair Shops	1950-1970-M; 1960-1970-M	1	1950-1970		1	BREEZEHILL	AVE		OTTAWA	1	BREEZEHILL	AVE			40980183	OTTAWA					94.93186999	477.7480673
10753	HUDSON'S PAINT & BODY SHOP	Motor Vehicle Repair Shops	1960-M	1	1960		1	BREEZEHILL	AVE		OTTAWA	1	BREEZEHILL	AVE			40980183	OTTAWA					94.93186999	477.7480673
10754	SLACK'S GARAGE	Motor Vehicle Repair Shops	1960-M; 1970-M	1	1960-1980	c. 1960; c. 1960-1970	1	BREEZEHILL	AVE		OTTAWA	1	BREEZEHILL	AVE	N	K1Y2H4	40980183	OLD OTTAWA	811112; 811119; 811121	635	1 to 3		94.93186999	477.7480673
17533	DOMINION ROLLER MILLS, MARTIN & WARRICK	Flour Mill	1898-FIP-104-823	1	1898			WELLINGTON	ST														308.6353453	5435.940301
17567	W FARMER TANNERY	Tannery	1901-FIP-84-721	1	1988		181	PRESTON	ST														163.3104781	1600.628006
17749	J R BOOTH LUMBER YARD - SPARKS ESTATE, SOUTH YARD	Lumber Yard	1901-FIP-121; 1912-FIP-118	1																			1584.060943	81334.86809
17771	CANADIAN PACIFIC RAILWAY ENGINE HOUSE	Railway Roundhouse	1901-FIP-104-813	1								900	ALBERT	ST			40980005	OLD OTTAWA					375.8202941	11239.59318
17881	MOLOTOV STUDIO	Blacksmiths	2017-SalesGenie	2	2017	SalesGenie 2017					Ottawa	2413	STEVENICH	AVE			41160085		11521001	2118195			77.36065189	236.6687896
17885	FW ARGUE LIMITED	Petroleum Products, Wholesale	1948-FIP-320-825; 1948-M; 1950-M; 1956-FIP-320-825; 1956-M; 1960-M	1	1901-1960	c. 1901-1912; c. 1930-1960	128	CHAMPAGNE	AVE		OTTAWA	250	CITY CENTRE	AVE		K1R6K7	40980009	OLD OTTAWA	324121; 412110; 416310; 416320; 416340; 419120; 444110; 444120; 444190; 454310; 493120; 493130; 493190	369; 479; 511; 563	FIP1912 - vacant lot - lumber shed, coal sheds (1 sm, 1 XL), open lumber yard	2 UST - gasoline	369.4193054	4328.735925







HLUI SUMMARY REPORT  
LINEAR FEATURES

OBJECTID	SOURCE	FEATURE	YEAR	COMMENT	NAME	Shape_Length
21	1979-Topographic Map	Abandoned Railway				587.574029
22	1979-Topographic Map	Abandoned Railway				1309.94332
69	1909-City Map	Abandoned Railway				516.462506
70	1909-City Map	Abandoned Railway				1170.10846
110	1909-City Map	Electric Railway	1895, 1929, 1950, 1954	Ottawa Electric Railway		2244.64269
159	1909-City Map	Electric Railway	1929, 1950	Ottawa Electric Railway		526.859804
170	ElectricRailwayMap	Electric Railway	1929, 1950	Ottawa Electric Railway		1544.08841
534	City of Ottawa	Railway				277.608971
535	City of Ottawa	Railway				279.52203
536	City of Ottawa	Railway				292.547878
537	City of Ottawa	Railway				15.5568442
538	City of Ottawa	Railway				25.6133091
539	City of Ottawa	Railway				10.3967116
540	City of Ottawa	Railway				0.03751333
541	City of Ottawa	Railway				10.2959507
542	City of Ottawa	Railway				483.029891
1564	Enbridge	Gas Pipeline				91.5670659
1600	Enbridge	Gas Pipeline				34.9335778
1624	Enbridge	Gas Pipeline				25.6741285
1645	Enbridge	Gas Pipeline				12.7552677
1651	Enbridge	Gas Pipeline				62.1018471
1663	Enbridge	Gas Pipeline				63.2765378
1685	Enbridge	Gas Pipeline				80.4454068
1686	Enbridge	Gas Pipeline				33.0445147
1713	Enbridge	Gas Pipeline				44.6149394
1726	Enbridge	Gas Pipeline		6N5697-4		7.5735445
1750	Enbridge	Gas Pipeline				127.672438
1754	Enbridge	Gas Pipeline				46.41685

HLUI SUMMARY REPORT  
AREA FEATURES

<b>HISTORIC LANDFILL FEATURE</b>	The historic landfills identified within the HLUI are referenced from the City's Old Landfill Management Strategy report (OLMS, 2004). Contact the City's Environmental Remediation Unit (ERU-UAE@ottawa.ca) if you would like more information about the old landfill sites identified in the OLMS report.
WATER_SUPPLY	municipally supplied water
WASTETYPE	unknown; glass, crushed stone, brick fragments and other construction rubble encountered in probe holes
WASTEDEPTH	approx. 1 m [GLL, 1988]
UTM_NAD27_NORTHING	5028150
UTM_NAD27_N_NOTE	<null>
UTM_NAD27_EASTING	443500
UTM_NAD27_E_NOTE	<null>
Unique ID	Baywater Avenue and Wellington StreetUr-41
TOPOGRAPHY	general area has a slight slope to the north and northeast
SOIL_COVER	wastes covered in one area by a thin cover (0.05m) of asphalt and crushed stone fill
SIZE_HA	approx. 0.3 ha
SITE_STATUS	Confirmed
SITE_NAME	Baywater Avenue and Wellington Street
SITE_IDENTIFICATION	Ur-41
SITE_COORD	Listed as a former landfill, the years of operation and closure are unknown.
SITE_ALIAS	Bayswater and Wellington
SITE_ACCES	old landfill site mostly located on private property
Site ID French	Ur-41
Sie Name French	Avenue Baywater et rue Wellington
SHAPE.LEN	264.212796
SHAPE.AREA	2767.146866
SHAPE	Polygon
SERVICE_AREA	presumably City of Ottawa
ROAD_TYPE	ST
ROAD_NAME	WELLINGTON
PHYSICAL	area is developed with commercial buildings and is paved on most of its surface
PARENT_ID	<null>
PARAMETERS	no known monitoring
OWNERCATEGORY	Private
OWNER	businesses/industries located at 1079, 1085, 1089 Somerset St., 1 Spadina Ave, 10 Bayswater Ave. and 930 Wellington St. (Car Country Canada Ltd.)
OVERBURDEN	generally bedrock is at the surface
OTHERREF	Gartner Lee, 1988 (Site #41); Intera, 1988 (Lf #41); Bayswater/Somerset / Closed Landfill Site folder
OTHER_INFO	none
OPERATOR	City of Ottawa
OPERATIONAL_PERIOD	unknown, but likely prior to 1928
OBJECTID	109
MOE_ID	-
METHANE	no methane detected during GLL survey conducted in 1988
MAGNITUDE	no known monitoring
LOCTN_REF	Corner of Bayswater Ave. and Wellington St.
LOCATION	between Wellington St., Bayswater Ave., Somerset St. and Spadina Ave.
LANDFILL_1998_ID	_60044Q
INFORMATION_SOURCE	Intera-1988a
GROUNDWATER_FLOW_DIRECTION	assumed north towards the Ottawa River
GLOBALID	{D7CB863D-068E-4D64-B91A-DB2C25B4A4C8}
G_VERSION	0
G_NEXT_VERSION	<null>
G_GENERATION	<null>
FORMER_MUN	OTTAWA
ECOLOGICAL	none expected since most of the area is paved and no water body located close-by

HLUI SUMMARY REPORT  
AREA FEATURES

<b>HISTORIC LANDFILL FEATURE</b>	The historic landfills identified within the HLUI are referenced from the City's Old Landfill Management Strategy report (OLMS, 2004). Contact the City's Environmental Remediation Unit (ERU-UAE@ottawa.ca) if you would like more information about the old landfill sites identified in the OLMS report.
<b>DISTANCE_TO_SURFACE_WATER</b>	Ottawa River 550 m NNW
<b>DEPTH_TO_GROUNDWATER</b>	water table encountered 1.2 m below ground level during GLL survey conducted in 1988
<b>DEPTH_TO_BEDROCK</b>	bedrock at surface
<b>CONCENTRTN</b>	no known monitoring
<b>Common Name French</b>	Bayswater et Wellington
<b>Common Name</b>	Bayswater & Wellington
<b>ANDERSONSWASTEDISPOSALSITES_I</b>	-
<b>ADJACENT_OWNER</b>	24 Spadina Ave. and 1073 Somerset St. on southeast side, 2 Spadina Ave. on southwest side, properties northwest of Wellington St. and south of Somerset St.
<b>ADJACENT_LANDUSE</b>	residential on east side, commercial all elsewhere; the zoning is partially L2[317] (leisure linkage) and R5A[160] H(24) (low rise apartment) in the general area of the site.
<b>ADJACENT_INDUSTRY</b>	Canadian Oil Co. Ltd. (bulk storage of oil and gas), 1920s-1930s, east side of Breezhill, north of Somerset [Intera #62]; CP Railway Roadhouse (railway workshops and roundhouses), 1920s-1950s, NE corner of Bayview and O'Mera Ave. [Intera #62]; CPR Roundh
<b>ACTIVITYID</b>	7075
<b>ACTIVITY2</b>	7075


HLUI SUMMARY REPORT  
AREA FEATURES

<b>HISTORIC LANDFILL FEATURE</b>	The historic landfills identified within the HLUI are referenced from the City's Old Landfill Management Strategy report (OLMS, 2004). Contact the City's Environmental Remediation Unit (ERU-UAE@ottawa.ca) if you would like more information about the old landfill sites identified in the OLMS report.
WATER_SUPPLY	municipally supplied water
WASTETYPE	domestic and industrial solid waste [NCC fax, Oct. 1, 2002]; concrete, glass, paper, wood, ashes, cinders, asphalt, plastic, rubber, metal and brick observed in fill [AMEC, April 2002]
WASTEDEPTH	from approx. 3 to 12 m [AMEC, 2002]
UTM_NAD27_NORTHING	5028720
UTM_NAD27_N_NOTE	<null>
UTM_NAD27_EASTING	443540
UTM_NAD27_E_NOTE	<null>
Unique ID	Nepean Bay Dump (Ottawa River Pkwy East of CPR Prince of Wales Bridge)Ur-06
TOPOGRAPHY	steeply sloping on the south and west sides to moderately inclined across the central, northern and eastern portions of the site [AMEC, April 2002]
SOIL_COVER	considerable earth fill placed over the waste for the construction of the Ottawa Parkway [GLL, 1980]; cover thickness varies from approx. 0.05 m (topsoil only) to several metres (topsoil underlain by sand or clay fill) [AMEC, April 2002]
SIZE_HA	area approx. 7.5 ha
SITE_STATUS	Confirmed
SITE_NAME	Nepean Bay Dump (Ottawa River Pkwy East of CPR Prince of Wales Bridge)
SITE_IDENTIFICATION	Ur-06
SITE_COORD	UTM = 443540E, 5028720N, map 31G/5. Site #X1011 of closed sites in the MOE inventory (pg133).
SITE_ALIAS	Nepean Bay
SITE_ACCES	vacant land not used for recreational purposes; site is not fenced but access to the site is limited due to its location
Site ID French	Ur-06
Sie Name French	Dépotoire de la baie Nepean (promenade de l'Outaouais à l'est du pont ferroviaire Prince of Wales du CP)
SHAPE.LEN	1485.063886
SHAPE.AREA	114638.5684
SHAPE	Polygon
SERVICE_AREA	City of Ottawa
ROAD_TYPE	<null>
ROAD_NAME	<null>
PHYSICAL	open green space with grass cover and tree plantings
PARENT_ID	<null>
PARAMETERS	heavy metals (barium, beryllium, cadmium, copper, lead, nickel, molybdenum, zinc) in soil; PAHs (benzo(a)pyrene and dibenzo(a,h)anthracene) in soil and groundwater; Trace levels of DCE, VC detected in limited number of sampling locations. [AMEC, April 2
OWNERCATEGORY	Government
OWNER	NCC
OVERBURDEN	topsoil, fill and native clay and/or till overlying limestone bedrock; estimated K = 4.2E-6 cm/s [AMEC, April 2002]
OTHERREF	Gartner Lee, 1980 (Site #6); Intera, 1988 (Lf #6); City of Ottawa Operations Branch, 1980 (Site 6); Dillon, 1984 (Site No. D-123); AMEC, April 2002 (Parcel E); AMEC, excerpts 2002
OTHER_INFO	During site operation, a dyke was built across the bay and wastes filled in behind. [Dillon, 1984]
OPERATOR	City of Ottawa
OPERATIONAL_PERIOD	March 1963 - Feb. 1964
OBJECTID	48
MOE_ID	x 1011
METHANE	up to 81.2 % methane v/v in December 2001 [AMEC, April 2002]; methane levels varied from 0 to 88.7% v/v in October 2002 [AMEC, excerpts 2002]; site studied in landfill gas utilization feasibility study but did not make it to extraction test screening lev
MAGNITUDE	heavy metals not found near surface; volume of heavy-metal impacted soil evaluated at 312,000 m3; PAH impacts occur sporadically [AMEC, April 2002]
LOCTN_REF	<null>
LOCATION	open green space between Ottawa Parkway (N), CP railway (W), Scott St. (S) and LeBreton Flats Aqueducts (E)
LANDFILL_1998_ID	_60043U
INFORMATION_SOURCE	1991-WDSI/WMB/MOE
GROUNDWATER_FLOW_DIRECTION	radially south (towards Ottawa River), west and north [AMEC, April 2002]
GLOBALID	{F6FCAC60-04D2-423E-929F-EAD4BBD1FA84}
G_VERSION	0
G_NEXT_VERSION	<null>






HLUI SUMMARY REPORT  
AREA FEATURES

<b>HISTORIC LANDFILL FEATURE</b>	The historic landfills identified within the HLUI are referenced from the City's Old Landfill Management Strategy report (OLMS, 2004). Contact the City's Environmental Remediation Unit (ERU-UAE@ottawa.ca) if you would like more information about the old landfill sites identified in the OLMS report.
<b>G_GENERATION</b>	<null>
<b>FORMER MUN</b>	OTTAWA
<b>ECOLOGICAL</b>	ecosystem of Nepean Bay/Ottawa River
<b>DISTANCE TO SURFACE WATER</b>	site is adjacent to Ottawa River on south side and to LeBreton Flats Aqueducts on east side
<b>DEPTH TO GROUNDWATER</b>	within the fill deposits, from 13.77m BGL on north side to 9.31 m BGL on southeast side and 4.55 m BGL on southwest side [AMEC, Dec. 3, 2001]
<b>DEPTH TO BEDROCK</b>	between approx. 6 m at periphery to over 16 m in mid-west section [AMEC, 2002] to interbedded bioclastic limestone, crystalline limestone and shale
<b>CONCENTRTN</b>	in excess of applicable remediation criteria [AMEC, April 2002]
<b>Common Name French</b>	Dépotoire de la baie Nepean
<b>Common Name</b>	Nepean Bay Dump
<b>ANDERSONSWASTEDISPOSALSITES_I</b>	80
<b>ADJACENT_OWNER</b>	City of Ottawa
<b>ADJACENT_LANDUSE</b>	commercial and institutional (municipal facilities) on west side and currently undeveloped in all other directions; historical landfill Ur-5 (Bayview and Slidell) is located immediately west of site; the zoning is LI (major open space) and EW Sch.225 (wa
<b>ADJACENT_INDUSTRY</b>	Canadian Pacific Railway Yards, West of Broad St. to Ottawa River [Intera #75]
<b>ACTIVITYID</b>	6108
<b>ACTIVITY2</b>	6108

# HISTORIC LAND USE INVENTORY (HLUI) - REPORT REFERENCE MAP



**Legend**

-  Subject Property - 1010 Somerset Street W
-  HLUI Area Feature within 250 m
-  HLUI Linear Feature within 250 m
-  HLUI Point Feature within 250 m
-  Historic Landfill Feature within 500 m

0 130 260 390 METERS

CHAIN OF TITLE REPORT

Project #: 21032900261  
 Address: Champagne Avenue, Ottawa  
 Legal: Pt Champagne Ave Plan 73  
 Description: Lying S of Somerset St & N of Pts 3 & 6 4R207  
 PIN #: 04107-0035 (LT)

Searched at: Ottawa  
 LRO #: 4

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
	Patent	23 02 1809	Crown	<b>Robert RANDALL</b>
RO1172	Deed	23 05 1817	Levius Sherwood exor for Robert Randall - Estate	Peter A. VALLALY
RO1193	Deed	18 08 1837	Peter A.Vallaly	William PRICE & P. McGILL
RO2262	Deed	02 05 1844	William Price & P. McGill	Nicholas SPARKS
PLNP73	Plan (Present Owner)	10 12 1875	Nicholas Sparks	<b>City of Ottawa</b>

LAND  
REGISTRY  
OFFICE #4

04107-0035 (LT)

PAGE 1 OF 2  
PREPARED FOR bertucci  
ON 2021/05/23 AT 14:12:16

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION: PT CHAMPAGNE AV, PL 73 , (FORMERLY FIRST AV) LYING S OF SOMERSET ST & N OF PTS 3 & 6, 4R207 ; OTTAWA/NEPEAN

PROPERTY REMARKS:

ESTATE/QUALIFIER:  
FEE SIMPLE  
LT CONVERSION QUALIFIED

RECENTLY:  
FIRST CONVERSION FROM BOOK 93

PIN CREATION DATE:  
1996/05/27

OWNERS' NAMES  
CITY OF OTTAWA

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p><b>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1996/05/27 ON THIS PIN**</b></p> <p><b>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1996/05/27**</b></p> <p><b>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1996/05/24 **</b></p> <p><b>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</b></p> <p><b>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *</b></p> <p><b>** AND ESCHEATS OR FORFEITURE TO THE CROWN.</b></p> <p><b>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF</b></p> <p><b>** IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY</b></p> <p><b>** CONVENTION.</b></p> <p><b>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</b></p> <p><b>**DATE OF CONVERSION TO LAND TITLES: 1996/05/27 **</b></p>						
PLNP73	1875/12/10	PLAN SUBDIVISION				C
4R207	1971/03/22	PLAN REFERENCE				C
4R989	1974/07/18	PLAN REFERENCE				C
5R4993	1980/05/06	PLAN REFERENCE				C
LT1402120	2001/07/06	APL (GENERAL)		CITY OF OTTAWA		C
REMARKS: LANDS DESCRIBED ARE HEREBY PERMANENTLY CLOSED						
4R28806	2015/06/11	PLAN REFERENCE				C
4R31143	2018/06/06	PLAN REFERENCE				C
OC2300245	2021/01/07	APL (GENERAL)		CITY OF OTTAWA		C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.

NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



LAND  
REGISTRY  
OFFICE #4

04107-0035 (LT)

PAGE 2 OF 2  
PREPARED FOR bertucci  
ON 2021/05/23 AT 14:12:16

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
4R33454	2021/01/20	PLAN REFERENCE				C



**PROPERTY INDEX MAP**  
OTTAWA-CARLETON(No. 04)

**LEGEND**

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

**THIS IS NOT A PLAN OF SURVEY**

**NOTES**

**REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS**

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED



CHAIN OF TITLE REPORT

Project #: 21032900261  
 Address: 1010 Somerset Street West, Ottawa  
 Legal Description: Lts 1-7 Blk B w/s Champagne Ave  
Pts 1-5 Blk B e/s Loretta Ave  
Pt lot A Blk B n/s Oak St Pts 4-6 5R4993  
 PIN #: 04107-0030 (LT)

Searched at: Ottawa  
 LRO #: 4

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
	Patent	23 02 1809	Crown	<b>Robert RANDALL</b>
RO1172	Deed	23 05 1817	Levius Sherwood exor for Robert Randall - Estate	Peter A. VALLALY
RO1193	Deed	18 08 1837	Peter A.Vallaly	William PRICE & P. McGILL
RO2262	Deed	02 05 1844	William Price & P. McGill	Nicholas SPARKS
4181	Deed	16 12 1875	Nicholas Sparks	Esther SLATER
42631	Deed	10 11 1894	Esther Slater - Estate	John R. BOOTH
158388	Deed	27 05 1921	John R. Booth	J. R. Booth Ltd.
CR239283	Deed (Present Owner)	17 08 1942	J. R. Booth Ltd.	<b>His Majesty The King in Right of Canada</b>

LAND  
REGISTRY  
OFFICE #4

04107-0030 (LT)

PAGE 1 OF 1  
PREPARED FOR bertucci  
ON 2021/05/23 AT 14:16:05

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION: LT 1, BLK B, PL 73 , LT 2, BLK B, PL 73 , LT 3, BLK B, PL 73 , LT 4, BLK B, PL 73 , LT 5, BLK B, PL 73 , LT 6, BLK B, PL 73 , LT 7, BLK B, PL 73 , W/S CHAMPAGNE AV ; LT 1, BLK B, PL 73 , LT 2, BLK B, PL 73 , LT 3, BLK B, PL 73 , PT LT 4, BLK B, PL 73 , PT LT 5, BLK B, PL 73 , E/S LORETTA AV (FORMERLY SECOND AV) ; PT LT A, BLK B, PL 73 , N/S OAK ST, PARTS 4, 5 & 6, 5R4993 ; OTTAWA/NEPEAN

PROPERTY REMARKS:

ESTATE/QUALIFIER:  
FEE SIMPLE  
LT CONVERSION QUALIFIED

RECENTLY:  
FIRST CONVERSION FROM BOOK 90


PIN CREATION DATE:  
1996/05/27

OWNERS' NAMES  
HIS MAJESTY THE KING IN RIGHT OF CANADA


CAPACITY SHARE  
BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p><b>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1996/05/27 ON THIS PIN**</b></p> <p><b>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1996/05/27**</b></p> <p><b>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1996/05/24 **</b></p> <p><b>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</b></p> <p><b>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * AND ESCHEATS OR FORFEITURE TO THE CROWN. * * * * *</b></p> <p><b>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY CONVENTION. * * * * *</b></p> <p><b>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES. * * * * *</b></p> <p><b>**DATE OF CONVERSION TO LAND TITLES: 1996/05/27 **</b></p>						
CR239283	1942/08/17	TRANSFER	\$30,000		HIS MAJESTY THE KING IN RIGHT OF CANADA	C
5R4993	1980/05/06	PLAN REFERENCE				C
4R28806	2015/06/11	PLAN REFERENCE				C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.  
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



PRINTED ON 23 MAY, 2021 AT 14:17:27  
FOR BERTUCCI



**PROPERTY INDEX MAP**  
OTTAWA-CARLETON(No. 04)

**LEGEND**

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

**THIS IS NOT A PLAN OF SURVEY**

**NOTES**

**REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS**

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED



CHAIN OF TITLE REPORT

Project #: 21032900261  
 Address: 1010 Somerset Street West, Ottawa  
 Legal Description: Lts 2-5 Block B Plan 73 s/s Somerset St;  
Lts 1-5 Blk B n/s Ash St; Lts 1-5 Blk B  
s/s Ash St; Lts 1-5 Blk B n/s Oak St; Pt Ash St & Oak St  
 PIN #: 04107-0289 (LT)

Searched at: Ottawa  
 LRO #: 4

Page 1

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
	Patent	23 02 1809	Crown	<b>Robert RANDALL</b>
RO1172	Deed	23 05 1817	Levius Sherwood exor for Robert Randall - Estate	Peter A. VALLALY
RO1193	Deed	18 08 1837	Peter A.Vallaly	William PRICE & P. McGILL
RO2262	Deed	02 05 1844	William Price & P. McGill	Nicholas SPARKS
4181	Deed	16 02 1875	Nicholas Sparks	Esther SLATER
42631	Deed	10 11 1894	Esther Slater - Estate	John R. BOOTH
158388	Deed	27 05 1921	John R. Booth	J. R. Booth Ltd.
CR239283	Deed	17 08 1942	J. R. Booth Ltd.	His Majesty The King In Right of Canada
574103	Order	28 04 1970	Closing Ash St & Part Oak St	

Cont'd on Page 2

CHAIN OF TITLE REPORT

Project #: 21032900261  
 Address: 1010 Somerset Street West, Ottawa  
 Legal Description: Lts 2-5 Block B Plan 73 s/s Somerset St;  
Lts 1-5 Blk B n/s Ash St; Lts 1-5 Blk B  
s/s Ash St; Lts 1-5 Blk B n/s Oak St; Pt Ash St & Oak St  
 PIN #: 04107-0289 (LT)

Searched at: Ottawa  
 LRO #: 4

INSTR #	DOC. TYPE	REG. DATE	PARTY FROM	PARTY TO
CR607830	Deed (Present Owner)	24 03 1972	The Corporation of the City of Ottawa	Her Majesty The Queen in Right of Canada
LT1183058	Easement (Over Pt 1 4R13627)	05 03 1999	Her Majesty The Queen in Right of Canada	The Regional Municipality of Ottawa - Carleton

LAND  
REGISTRY  
OFFICE #4

04107-0289 (LT)

PAGE 1 OF 1  
PREPARED FOR bertucci  
ON 2021/05/23 AT 14:15:13

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION: LOTS 2 TO 5, BLOCK B, PLAN 73 SOUTH OF SOMERSET STREET; LOTS 1 TO 5, BLOCK B, PLAN 73 NORTH OF ASH STREET; LOTS 1 TO 5, BLOCK B, PLAN 73 SOUTH OF ASH STREET; LOTS 1 TO 5, BLOCK B, PLAN 73 NORTH OF OAK STREET; ASH STREET, PLAN 73 CLOSED BY CR574103 AS IN CR239283 & CR607830; AND PART OF OAK STREET, PLAN 73 CLOSED BY CR574103;; SUBJECT TO AN EASEMENT OVER PART OF LOT 5, SOUTH OF SOMERSET BEING PART 1 ON PLAN 4R13627 IN FAVOUR OF THE REGIONAL MUNICIPALITY OF OTTAWA-CARLETON AS IN LT1183058; CITY OF OTTAWA

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE  
LT CONVERSION QUALIFIED

RECENTLY:

DIVISION FROM 04107-0039

PIN CREATION DATE:

2017/04/19

OWNERS' NAMES

HER MAJESTY THE QUEEN IN RIGHT OF CANADA

CAPACITY SHARE


ROWN

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 2017/04/19 **						
**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:						
** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *						
** AND ESCHEATS OR FORFEITURE TO THE CROWN.						
** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF						
** IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY						
** CONVENTION.						
** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.						
**DATE OF CONVERSION TO LAND TITLES: 1996/05/27 **						
CR239283	1942/08/17	TRANSFER	\$30,000		HIS MAJESTY THE KING IN RIGHT OF CANADA	C
CR607830	1972/03/24	TRANSFER	\$2,990		HER MAJESTY THE QUEEN IN RIGHT OF CANADA	C
N530192	1990/04/12	DEPOSIT				C
4R13627	1998/03/18	PLAN REFERENCE				C
LT1183058	1999/03/05	TRANSFER EASEMENT	\$4,500	HER MAJESTY THE QUEEN IN RIGHT OF CANADA	THE REGIONAL MUNICIPALITY OF OTTAWA-CARLETON	C
LT1203788	1999/06/18	APL (GENERAL)		THE CORPORATION OF THE CITY OF OTTAWA	THE REGIONAL MUNICIPALITY OF OTTAWA-CARLETON	C
REMARKS: CR607830						
4R28806	2015/06/11	PLAN REFERENCE				C
4R28807	2015/06/11	PLAN REFERENCE				C

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.

NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

SCALE



PROPERTY INDEX MAP

OTTAWA-CARLETON(No. 04)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

**THIS IS NOT A PLAN OF SURVEY**

NOTES


**REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS**


THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED





# enviroscan



An SCM Company

175 Commerce Valley Drive W  
Markham, Ontario L3T 7Z3

T: 905-882-6300  
W: [www.optaintel.ca](http://www.optaintel.ca)

Report Completed By:

Stephanie

Site Address:

1010 Somerset Street West Ottawa ON

Project No:

21052700094

Opta Order ID:

91083

Requested by:

Eleanor Goolab  
Ecolog Eris

Date Completed:

6/2/2021 10:59:21 AM



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



# Opta Historical Environmental Services Enviroscan <sup>TM</sup> Terms and Conditions

## Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

## Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

## Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

## Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

## Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.



175 Commerce Valley Drive W  
Markham, Ontario  
L3T 7Z3

T: 905.882.6300  
Toll Free: 905.882.6300  
F: 905.882.6300


An SCM Company  
[www.optaintel.ca](http://www.optaintel.ca)



<b>Page</b>	<b>Report Title</b>
6	(1895) Volume: Ottawa Volume 1 Firemap: 84
8	(1901) Volume: Ottawa Volume 1 Firemap: 119
10	(1895) Volume: Ottawa Volume 1 Firemap: 105A
12	(1912) Volume: Ottawa Volume 2 Firemap: 118
14	(1912) Volume: Ottawa Volume 2 Firemap: 119
16	(1922) Volume: Ottawa Volume 2 Firemap: 118
18	(1965) Volume: Ottawa Volume 3 Firemap: 319-1
20	(1965) Volume: Ottawa Volume 3 Firemap: 319-2
22	(1948) Volume: Ottawa Firemap: 319




**FIP Locator Map**  
The detailed FIP is on the following page




This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.






**FIP Locator Map**  
The detailed FIP is on the following page




This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.








**FIP Locator Map**  
The detailed FIP is on the following page



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.









This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.







**FIP Locator Map**  
The detailed FIP is on the following page



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.








**FIP Locator Map**  
The detailed FIP is on the following page




This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.






**FIP Locator Map**  
The detailed FIP is on the following page

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.





This plan is the property of the UNDERWRITERS' SURVEY BUREAU, LIMITED, (unauthorized reproduction prohibited) and is loaned on the following conditions: that the plan is to be kept in good order, that it is to be used only in connection with business of Companies, Members of the Canadian Underwriters' Association and is to be returned on request to the UNDERWRITERS' SURVEY BUREAU LIMITED, Toronto and Montreal.

COPYRIGHT REGISTERED AT OTTAWA BY THE UNDERWRITERS' SURVEY BUREAU, LIMITED TORONTO AND MONTREAL


SEE SHEET 319-2

SEE SHEET 318-1

SEE SHEET 319-3

SEE SHEET 319-4


SCALE 100 FEET TO 1 INCH  
0' 50' 100' 200'




**FIP Locator Map**  
The detailed FIP is on the following page




This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.







**FIP Locator Map**  
The detailed FIP is on the following page



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.







## Plouffe Park

Clipped By:



erin\_tait

Wed, Jan 6, 2016

# Amid The Smoke And Flame At Saturday Fire



Fire Causes Tremendous Destruction—Stocks of army clothing, paints, oil, domestic alcohol and other materials were lost in Saturday night's fire which charred a 150-foot section of the Central Ordnance Depot at Plouffe

Park. The ruins of the gutted depot section are shown above. Exploding oil and paint supplies added to the fierceness of the blaze and threatened homes on the north side of Somerset Street.

—Photo by Newton



Lt. Lorne MacRostie of the Ottawa Fire Department, one of the directors of the firefighting operations, came out once suffering from smoke fumes; went back in again and ended up in the Civic Hospital. He left a few hours after treatment for smoke poisoning.

Mr. and Mrs. Victor Balcelno, who live next to the burned-out building, played host to firemen, police, soldiers and weary pressmen.

A wrecking crew from the Rockcliffe air station were on the job Sunday morning, with a crane and a set of durable weights, to knock down the standing walls. More than 2,000 people watched the wrecking operations.

### Removal Squad

Maj. Jack Yarwood, Lt. Jack Garneau, WO2 Len Borthwick, Sgt. Jim Dewhurst, Sgt. Ivor Smith, Pte. A. A. Saucier, worked in the room filled with highly inflammable stores, and disregarded their safety to remove hundreds of pounds of paint, domestic alcohol and drums of varnish and fuel oil, to a box car squad.

In the box car squad were Maj. Clifford Smith, Capt. Vic Porter and Captain Thurwell. All are from Ottawa.

Considerable credit was given by fire chiefs present to the scores of army personnel who volunteered or were enlisted to aid in fighting the blaze. Some were just passing the scene and offered their services. Others, notably personnel stationed at the depot, were called out by the army to assist the firemen. One volunteer, Pte. Paul Tesler of 52 Willow Street, told The Citizen he had battled the blaze,

on a hose line, all night, from 1 a.m. to 11 a.m. Sunday. Eyes sore, dirt-streaked and weary, he was on his way home when questioned by a Citizen reporter.

### Traffic Jam

At the height of the spectacular blaze, thousands of people filled Plouffe Park to capacity and jammed the Somerset Street bridge as well as the approaches to Preston and Somerset Streets. Thousands of cars crowded the streets, parking where they could, for blocks around in every direction. In addition to the many off-duty firemen called out, there were 40 additional policemen required to assist in keeping traffic arteries free.

A call to Norway Bay, Que., the summer home of Ottawa Fire Chief Gray Burnett, brought Canada's top fire fighter rushing to the scene, and incidentally interrupted one of "the chief's" infrequent leave periods. He went into action a few seconds after his arrival and residents close to the scene acknowledged his fire fighting ability. "He is a great fire director" one woman said, and "he certainly was a welcome person."

Officials of the Ottawa Fire Department are hoping that the City Council will "lend us a few dollars to repair our pumper." The giant-sized and very necessary piece of fire fighting equipment was badly damaged when one of the walls of the burning building gave way and crashed down, smothering the truck under tons of cement.

At midnight on Saturday, almost three hours after the first alarm, a Canadian National Railway diesel engine pulled to safety a string of cars said to contain oxygen tanks, ether,

paint, and other highly inflammable supplies.

Using at least 25 hoses, firemen fought the fire from such spots as the roof of the adjoining building of Breadner and Company, Limited, 1002 Somerset Street West, playing streams of water on vulnerable stacks of dressed lumber in the W. Kemp Edwards property near the depot.

Across the street, store owners played small streams of water on their store fronts to prevent breakage due to the terrific heat.

### Seen For Miles

Clouds of black smoke, steam and finally flames rose into the warm air as the fire gained power. Reflection of the fire in the overcast sky could be seen for miles around.

As firemen put the finishing touches to the flames, jagged walls, dangling masonry presented a gaunt spectacle to the onlookers.

Scoring a near-miss on the home of Philippe Frechette, of 327 Somerset Street West, two pieces of red-hot cast-iron landed in his side lane, following an explosion during the height of the fire.

"I was sitting on my upper balcony watching the fire about 1.30 this morning (Sunday morning) and this explosion happened across at the fire," Mr. Frechette told The Citizen.

"I was startled and looked down in the lane, where I saw these two red pieces of metal. I took a pull of water and ran down, throwing the water on them. I even kept one for a souvenir," he said, exhibiting a two-inch length of metal, blackened by the intense heat.

### Eye-Witness' Story

One of the eye-witnesses of

the destructive blaze, J. K. Bradford, of Toronto, who is visiting his parents at 935 Somerset Street West, told his story:

"At first I saw it from the house (directly opposite Plant Bath and diagonally opposite the depot) and it was smoke only, coming from the east and west corners of the north side of the building. Then a glow showed and sparks came from the roof.

"It was hard to tell how much there was to the fire when we first saw it, so we all went to bed, but later there was so much excitement we got up again and stayed up all night.

"There was no suggestion from the army or the fire department that we should evacuate or prepare to evacuate. There was no wind and little danger of the fire spreading as far as our house."

### Kept Shop Open

Another eye-witness from the time the first alarm summoned firemen to the blaze was A. Lavolette, clerk of Roger's Smoke Shop, 903 Somerset Street West.

She called her employer, Roger Blisson, of 118 Preston Street. "Flames were shooting high in the air," she said.

Mr. Blisson came to his shop from his home and stayed open all night.

"Ordinarily we close at midnight Saturdays, but there were so many people wanting col'drinks and cigarets and food. I kept the place open 'til it was time for me to go to church this (Sunday) morning."

At noon Sunday, a squad of workmen were hard at work repairing large gaps made the previous evening in the steel mesh fence surrounding the depot to make access easier for the fire hoses.

# Several Firemen Overcome Fighting Plouffe Park Ordnance Depot Blaze

A raging inferno of flame caused damage in excess of \$1,000,000 to the Plouffe Park Central Ordnance Depot late Saturday night in an explosive oil-fed blaze that was only subdued by firemen and volunteers after an all-night battle.

It was the third fire in the huge army ordnance depot within the past two years and army officers were reported investigating the possibility of sabotage.

### Pumper Damaged

Several firemen and many civilians were overcome by the choking, black smoke and a fire department pumper was badly damaged when crushed under a falling wall. A 150-foot section at the northern end of the building was destroyed as firemen concentrated on keeping the blaze from spreading.

They set up a "water wall" to protect dental supplies in the second section of the depot. Some of the dental stores were burned before the fire was stopped and much of the supply was damaged by water.

Huge stocks of army equipment including supplies of oil, alcohol, and paint, were blown skyward in a series of heavy explosions that rocked the Somerset-Preston district.

An immediate investigation was ordered by senior army officials. Col. W. G. Denney, commandant of the Central Ordnance Depot was reported to have convened a court-of-enquiry early Sunday at the scene. Homes in the area were threatened by the sheets of flame that scorched across Somerset Street, driving motorists and pedestrians to cover.

The fire broke out in the north-east section of the sprawling block-long army building and was under control temporarily until flames reached stocks of oil and paint.

Acting Chief Joseph Hurtubise said the fire seemed under control 30 minutes after the first alarm was given at 9.30 o'clock Saturday evening.

### Terrific Explosion

"All of a sudden there was a terrific explosion and I realized

## Rent Body May Hold Hearings Here

By The Canadian Press

TORONTO — Home-builders in the Toronto district will be asked to present evidence to the Ontario Legislature's select committee on rent controls when it reconvenes here June 12 and 13.

The committee has finished a tour of Western Ontario to gather information on which to base recommendations for a rent control system. To be

placed around the blazing depot. OTO trams resumed service after an eight-hour interruption.

The intensity of the fire scorched buildings across Somerset Street. Residents turned garden-hoses on their homes to ensure safety.

Army headquarters announced Sunday that the fire was confined to an area representing nine percent of the total warehouse accommodation of the depot. No appraisal of the loss was given. Unofficial estimates placed it in excess of \$1,000,000.

Efficient Work  
The army said containment of the fire to the north end of the building was due to maximum effort and efficient work by firemen and depot personnel.

"The quick removal of highly inflammable stores by army personnel eliminated the risk of a major explosion which could have had serious consequences."

"The cause of the fire is unknown but a thorough investigation is being carried out by all authorities concerned."

The depot, second largest in Canada, is a 1,500-foot long brick structure stretching from Somerset to Gladstone. It houses huge stocks of army clothing, medical supplies, and inflammables such as paint and ether.

Fire Chief Gray Burnett rushed from his summer home at Norway Bay to take charge of the fire-fighting. A number of firement narrowly escaped injury as they fought the blaze from within the depot itself. An explosion drove them back amid a shower of flame.

Had Close Shave  
Deputy Chief Hurtubise had a close shave himself. When the west wall of the depot-section collapsed, he and another fireman scrambled to safety within seconds to spare.

The fire left a 150-foot section of the depot, gutted and littered with blackened army supplies. Fire walls helped prevent the flames from spreading to other sections.

Strong detachments of guards were placed around the depot early today to prevent entry of unauthorized persons. Officers probed the ruins, searching for clues as to the origin of the disaster.

Fire Chief Gray Burnett described the conflagration as one of the most serious in his experience. "With oil and paint supplies to feed the flames, that was a very dangerous fire," the chief stated.

"The explosions made the work of firemen and volunteers decidedly difficult and we are fortunate that no one was seriously injured."

The chief had high praise for the army men and civilians who had voluntarily assisted the fire department.

Reached Oil And Paint  
The flames gained headway rapidly but not until the main stores of oil and paint were reached, did the fire get completely out of hand.

In a matter of minutes, a towering torch of fire enveloped the northerly end of the depot. Explosions rocked the brick structure and jagged pieces of flaming metal were hurled hundreds of feet.

As firemen battled desperately, the heavy roof and walls of the building collapsed. A shower of heavy masonry crushed one of the fire department's pumps, causing heavy damage and handicapping firemen. An OTC tow-truck pulled the pumper away from the flames.

At midnight Saturday, three hours after the first alarm, a CNR diesel-engine pulled to safety a string of railway cars said to contain oxygen tanks, ether and paint.

A squad of army personnel under command of Major Jack Yarwood ignored personal safety in removing large quantities of paint and domestic alcohol from the path of the flames.

Poisoned By Smoke  
Forty firemen and dozens of army men and civilians suffered smoke poisoning. Lt. Lorne MacRostie required hospital treatment.

The fire department threw every available piece of equipment into the fight. One hundred firemen were called to the scene including many off-duty personnel.

The first alarm went in at 9.30 p.m. and not until 4.30 o'clock Sunday morning was the return sounded.

Even then, a large squad of fire-fighters remained at the scene through until Sunday afternoon, quelling the smouldering ruins.

3,000 Spectators  
An estimated 3,000 persons jammed Somerset Street, hampering firemen and volunteer fire-fighters. Special detachments of police were ordered to the area under the direction of Inspector Gordon Stewart.

Traffic was halted, including OTC service as cordons were



Sunday Afternoon Spectators—Thousands of Ottawans trekked to the Somerset-Preston Street area on Sunday to view the estimated \$1,000,000 damage caused the army's Central Ordnance Depot. During the fire itself, over 3,000 persons jammed Somerset Street, handicapping firemen until police reserves arrived and controlled the crowds. —Photo by Newton

## Extra Police Needed For Fire Traffic

Saturday night's Ordnance Depot fire was a bag-up first-class show-all for free.

Thousands of residents — taxpayers all, and therefore entitled to watch their own property blazing — jammed the Plouffe Park area to watch the oil-fed flames and blankets of smoke roar on. Many more just stood outside their homes, some miles

away, and saw the spectacular sky display from there.

City police had a difficult time of it, though. Although the immediate fire area was roped off by the militia and firemen, eager beavers in the crowd crushed closer and had to be hustled out of harm's way.

Main job of the police, however, was directing the stream of motorists, some of whom had headed the family car for a better look. Diverting traffic around the fire-blocked area was the main task of the seven extra officers called on duty.

## 3 Men Killed In Yacht Fire

PLYMOUTH, England—Three men died and four more were badly injured Saturday when their 108-foot-long yacht caught fire and sank in the English Channel.


The men were found clinging to a dinghy after the accident cut short a surveying cruise between Southampton and Liverpool.

The tanker British Advocate rescued the men but the three died en route to hospital here.

## Copper Cliff Woman Sought

SUDBURY—Police last night sought 22-year-old Mrs. Bernard O'Neill of Copper Cliff, Ont., who disappeared after leaving a Sudbury theater Saturday night.

A companion, Christa Ranta, 17, told police Mrs. O'Neill left the movie after complaining of feeling weak. Miss Ranta said she followed her friend a few minutes later but could not locate her.




Buy a bottle today

# 'DETTOL'

THE MODERN ANTISEPTIC



SAFE • NON-POISONOUS  
PLEASANT SMELL • DEODORANT  
DOESN'T PAIN • DOESN'T STAIN

## REFRIGERATORS TO RENT



NOTE:  
 OIL TANK - 2'-0" BELOW GRADE  
 & ANCHORED TO 6" CONC. PSD.

HEATING LAYOUT  
 SCALE 1/4" = 1'-0"  
 June 67 Draw # M1  
 Plouffe Park  
 Heating & Plumbing Plans



SPLASH SHIELD

REMOVEABLE PARTITION

REMOVEABLE PARTITION


ITEM	SIZE	QUANT	DESCRIPTION	MANUFAC	TYPE
1		2	GAS — STEAM-ATOMIZING OIL BURNER PACKAGE	PEARBODY	PK-150
2	5"	1	GAS HEADER PRESSURE CONTROLLER (BUTTERFLY CONTROL VALVE)	FISHER	3072
3	3"	2	GAS COCK	NORDSTROM	FIG. 152
4	3"	2	GAS FLOW ORIFICE PLATES	BAILEY	
5	3"	2	CONTROL VALVE (BUTTERFLY)	FISHER	3072
6	4"	2	HYDRAMOTOR AUTOMATIC GAS SHUT-OFF VALVE	GEN. CONT.	
7	3"	2	MANUAL RESET GAS SAFETY SHUT-OFF VALVE	GEN. CONT.	
8	4"	2	SUPERVISORY GAS COCK WITH MICROSWITCH	ROCKWELL	
9		2	LOW GAS PRESSURE SWITCH	HONEYWELL	C 437D
10	4"	1	HIGH ... LOCK OUT TYPE, RANGE: 0-16 OZ.		
11		2	...		
12	3/4"	2	IGNITION GAS SOLENOID VALVE	GEN. CONT.	
13		2	IGNITION GAS COCK		
14	1/4"	2	LEAK TEST PETCOCK (CAPPED OR PLUGGED)	MARSH	1300
15	3/4"	2	REVERSE ACTING GAS VENT SOLENOID VALVE ON MAIN LINE	GEN. CONT.	
16		2	GAS COCK (LOCKING-TYPE WITH PADLOCK)		
17	2 1/2"	5	GAS PRESSURE GAUGE, BOTTOM CONNECTED, RANGE: 0-32 OZ.	WINTERS	200-1
18		1	...		
19		1	STEAM ... 0-200 PSIG		
20		1	...		
21	1"	1	STEAM PRESSURE REDUCING VALVE	FISHER	95L
22	1 1/2"	1	STEAM SAFETY RELIEF VALVE, SET AT 20 PSIG.	KUNKLE	6000-G2
23	3/4"	1	OIL CIRCULATING RELIEF VALVE, RANGE: 40-180 PSIG.	FULFLO	VJ-1
24	1/2"	1	FUEL OIL CONTROL VALVE	BAILEY	VFA 3524
25	1/2"	2	SAFETY RELIEF VALVE, SET AT 150 PSIG.	KUNKLE	
26		2	FUEL OIL ELECTRIC PREHEATER, 12 KW	PEARBODY	
27		1	LEVELMETER FOR 8,000 I.G. HEAVY OIL TANK	LIQUITROL	LARGE MODEL
28		1	...		

**NOTES**

- THIS DRAWING IS DIAGRAMMATIC ONLY; LOCATION OF VALVES, GAUGES, PIPING & EQUIPMENT ARE TO BE DETERMINED ON BASIS OF JOB CONDITION.
- VALVES 2" AND OVER SHALL BE FLANGED, VALVES 2" AND UNDER SHALL BE SCREWED.
- PIPING: SCHEDULE 80 FOR TANK HEATING COILS AND CONDENSATE LINES. SCHEDULE 40 FOR ALL OTHER PIPING.
- ALL WELDED FITTINGS TO BE CARBON STEEL, STD. WEIGHT A.S.A. SPEC. B 16.9.
- ALL SCREWED FITTINGS TO BE 150" MALLEABLE IRON, BLACK.
- NATURAL GAS INPUT OF EACH BURNER MAXIMUM: 20,000 C.F.M.
- ALL WELDED PIPING GREATER THAN 1" DIAMETER SHALL USE BACKING RINGS WHEN WELDING.
- ALL PIPING TO BE CLEANED & TESTED IN ACCORDANCE WITH DEPTS. OF LABOUR & ENERGY RESOURCES OF ONTARIO.
- ALL PIPING TO BE RIGIDLY ANCHORED & SUPPORTED TO PREVENT STRESS ON PUMP & EQUIPMENT.
- DRIP LBS WITH LUBRICATED PLUG COCK TO BE PROVIDED AT ANY POINT IN GAS LINE WHERE CONDENSATION MAY COLLECT.
- ALL STEAM DOWNCOMERS TO BE TRAPPED.
- USE LONG SWEEP ELBOWS ON SUCTION LINES, SUCTION LINES TO BE ALL WELDED.
- ON HEAVY OIL SUCTION AT TANK, CHECK VALVE TO BE "CRANE" # 373 1/2 ALL IRON FLDG SWING WITH RENEWABLE NEOPRENE DISC, GATE VALVE TO BE "CRANE" # 473 ALL IRON FLDG.
- VALVES: GATE TO BE "JENKINS" # 2470 BRONZE SCREWED  
CHECK ... # 449  
GLOBE ... # 2032
- FLUSHING VALVES SHALL BE VELAN FORGED STEEL No. S259 B
- ARRANGEMENT OF PIPE MARKERS AND CLASSIFYING COLOURS SHALL BE INSTALLED AS PER DEPARTMENT OF PUBLIC WORKS SPECIFICATION # CA-66-12-4.

**LEGEND**

C	CONDENSATE
G	GAS SUPPLY
S	STEAM LINE
V	VENT LINE
LG	LEVEL GAUGE TUBING
PG	PROPANE GAS LINE
HOD	HEAVY OIL DISCHARGE
HOF	...
HOR	...
HOS	...
HOD	...
LVD	...
LOF	...
LOR	...
LOS	...
LOV	...
GV	GATE VALVE
CV	CHECK
GL	GLOBE
GC	GAS COCK
YS	"Y" STRAINER
ST	STEAM TRAP
FL	FLUSHING CONNECTION



DATE	REV. NO.	REVISION	DRN BY	CHK BY	DATE	SCALE	DRN BY	CHK BY	DWG. NO.
JULY 25/67						NONE			PC-5183-1

**COMBUSTION & POWER EQUIPMENT LTD.**  
**MONTREAL TORONTO**  
 DIAGRAMMATIC PIPING LAYOUT  
 PLOUFFE PARK HEATING PLANT  
 DEPARTMENT OF PUBLIC WORKS  
 OTTAWA ONTARIO


DOUBLE BUTT WELD





FULL COUPLING



1/2" COIL



HEAD




HOR. & VERT. SEAMS

COUPLING DETAIL

COIL DETAIL

HEAD & SIDE JOINT



20" MANHOLE DETAIL




21'-0"

PLAN


100'-0" OF 1/2" EXTRA HEAVY SEAMLESS PIPE COIL



PIPING DETAIL



SECTIONAL ELEVATION



SADDLE DETAIL  
3 REQUIRED


COMBUSTION & POWER EQUIPMENT LTD.

APPROVED FOR CONSTRUCTION

DATE JULY 28/67 BY M. Roy.

NOTE  
TANK SHELL 1/4" M.S. PL. A283 GRADE "C"  
WELDED THROUGHOUT  
TANK TEST 8 PSI  
100'-0" OF 1/2" EXTRA HEAVY PIPE COIL  
COIL TEST 200 PSI.  
TANK TO HAVE ONE COAT OF PRIMER  
& TWO OF ASPHALTUM PAINT  
FILL & VENT NOT TO EXCEED 8 PSI  
HYDRO STATIC  
TANK TO BEAR U.L. LABEL  
TANK TO BE BUILT ON JOB SITE

M. OTIS ENTERPRISES LTD 6555 COTE DES NEIGES RD. MONTREAL			
COMBUSTION & POWER LTD			
PLOUFFE PARK HEATING PLANT DEPT. PUBLIC WORKS OTTAWA			
ONE 8000 IMP GAL TANK 9'-0" DIA. X 21'-0" L X 1/4"			
DATE	SCALE	JOB	DWG#
JULY 12/67	3/8" = 1'-0"		4245




**:KEY:**  
 EXISTING QR. 89.8  
 NEW QR. 89.75

SOMERSET ST.

SCALE 1:20

139 FS 37

	DATE	REVISIONS	<b>CITY OF OTTAWA</b> <b>PROPERTY DEPARTMENT</b> PLOUFFE PARK  <b>SITE PLAN</b> FOR: DEPT OF REC. PARKS L.R. JOHNSON P.E. & L.C. AGENT IN CHARGE

Aug 67 Draw # A1

RAJ  
7.10.67

BRANIN & SONS  
 P.E. NUMBER 10588

April 17, 1973.

Our File No. 2590-1  
Your File No. M.69

Mr. W.G. Boland,  
Director of Supply,  
City Hall,  
111 Sussex Drive,  
OTTAWA, Ontario,  
K1N 5A1.

Attention: Mr. J.T. Drain


Dear Sir:

Re: Heating Oils  
1973-74 Season

As requested in your letter of April 5th, 1973, the attached is a complete list of oil heating installations for the properties which come under the jurisdiction of the Department of Recreation and Parks.

It is expected that approximately 250,000 gallons of oil will be required for the 1973-74 season.

Yours very truly,



John P. Tucker,  
Acting Commissioner.

JPT:MM:rl  
Encl.

*mm. JPT*  
FILE UNDER 2590-1

List and Description of Heating Units

Department Buildings


OIL FURNACES

BUILDING	LOCATION	MAKE OF BURNER	MODEL	TANK CAPACITY
Wincourt Fieldhouse	Albany & Emerald	Beach	Proline	200 gallons
Alexander Community Centre	N.E. Silver St.	Warden King	WK-96A-1-L	200 gallons
Ita Vista Fieldhouse	Randall and Beaver	Beach	B-2	200 gallons
Malena Park Fieldhouse	Balena & Braydon	Beach	Proline 90 W	200 gallons
Barbara Ann Scott Arena	Baseline Rd.	Weil McLean	#2 Oil	1,000 gallons
Del Air Fieldhouse	Berwick & Major	Beach	Proline 700	250 gallons
Higham Square Community Centre	Dalhousie & Bolton	Aero	Taylor-Forbes W0370	200 gallons
Lawyer Arena	Grove & Seneca	Warden King	No. 30-9	1,000 gallons
Lawyer Pool	Hopewell Avenue	Ray Lopact Boiler	#2 Oil)	
Lawyer Park-Administration Building	" "	" " "	" " )	6,000 gallons
Britannia Park-Supt. Quarters	Britannia Park	Atlas	Taylor-Forbes W0560	2-100 gallons
Britannia Park-Tennis Building	Don Ave.	Lennox	#11703E	250 gallons
Britannia Park-Lakeside Gardens	Britannia Park	Ray	PDF52	3,000 gallons
Canterbury Arena	Canterbury & Arch	_____	to be determined	
Canterbury Pool	Canterbury & Arch	Ray Lopact Boiler	#2 Oil	6,000 gallons
Cecil Morrison Fieldhouse	Avenue "N"	Beach	Proline 90PW	200 gallons
Camplain Park	Carleton & Pontiac	_____	to be determined	
Clutchy's Hole	Range Rd. at Mann Ave.	Electric Heat		
East End Storage Yard	1351 St. Laurent Blvd.	Tennant supplies oil	Dept. responsible for repairs and cleaning only.	

BUILDING	LOCATION	MAKE OF BURNER	MODEL	TANK CAPACITY
Elmdale Park - Drama Centre	Elmdale, Reid & Young	Atlas	Dominion W0116	2-200 gallons
Frank Ryan Fieldhouse	Clarenda & Neville	Beach	Proline 90 FW	200 gallons
Hampton Park	Sebring & Parkview	Oil Burner		
Hawthorne Fieldhouse	Joliffe & Tupper	Beach	Proline 90 FW	200 gallons
Heron Park Fieldhouse	Clover & Secord	Beach	B-2	200 gallons
Gil-O-Julien Park Fieldhouse	West end of Donald		to be determined	
Glebe Community Centre	Second Ave. & Lyon	Eveready Herbert Boiler	CG3T Low pressure 15 lbs.	3,000 gallons
Laroche Park Community Centre	Bayview & Burnside	Taylor-Forbes	W0560	200 gallons
Leitrim Nursery	Pine Rd.	Dom Rad. Boiler	Zenith 259	200 gallons
Leitrim Nursery	Hothouses	2 boilers - Crane & Weil McLean		100 gallons
Lindenlea Community Centre	Lindenlea & Rockcliffe Way	Taylor-Forbes	Red Feather W0560	200 gallons
Lion's Arena	Elmgrove & Winona	Fess	1 3/4 OPH	200 gallons
McNabb Arena	Gladstone & Percy	Ward-King	Series W0-30-9	1,000 gallons
McKellar Park Fieldhouse	Byron	Ward-King	Series W0-30-9	200 gallons
McNabb Community Centre	Gladstone & Percy	(Heated by School Board)		5,000 gallons
Manor Park Fieldhouse	Bedford Crescent	Beach		200 gallons
Meadowvale Fieldhouse	Trent & Chenier	Beach	Proline 90 FW	200 gallons
Mooney's Bay Fieldhouse	Riverside Dr. at Ridgewood	Wells McLean	684 WF	1,000 gallons
Municipal Art Centre	Bayview Rd.	Fess Type KS	Dominion W209	200 gallons
New Edinburgh Community Centre	S.E. Stanley Ave.	Taylor-Forbes	Zenith W0370	200 gallons

BUILDING	LOCATION	MAKE OF BURNER	MODEL	TANK CAPACITY
Merbrook Community Centre	Queen Mary & Quill	Warden-King	96A-1-L	200 gallons
Parkdale Park Fieldhouse	Parkdale & Hamilton	Crane	Warden-King #290	200 gallons
Proline Vanier Fieldhouse	Wexford Way & Walkley	Beach	Proline 90 PW	200 gallons
Procrest Pool	Baseline Road	Ray Lopact Boiler	#2 Oil	6,000 gallons
Rouffe Park Fieldhouses	Preston & Somerset	Beach 700	700	200 gallons
St. Mont Park Fieldhouse	Banff & Vancouver	Beach	Proline 90 PW	200 gallons
St. Laurent Pool	716 Morin Street	Ray Lopact	#2 Oil	6,000 gallons
St. Laurent Arena	714 Morin Street	Fess S4	5 - 2 GPH Warden-King Boiler	1,000 gallons
St. Luke's Community Centre	Cartier & Gladstone	Aero	Warden-King V-30	200 gallons
St. Luke's Community Centre & Pool	Lewis & Elgin		to be determined	
St. Andy Hill Arena	250 Somerset E.		to be determined	
St. Andy Hill Park Recreation and Health Centre	250 Somerset E.	Wil-McLean	CO-1000	3,000 gallons
St. Andy Hill Comfort Station	Nelson & Templeton	Crane	Economy Hot Air	200 gallons
St. Anni Citizen's Town Hall	Richmond Rd.	Percofleck		400 gallons
St. Arkley Arena	Walkley & Ayers	Volcano	BD-13	1,000 gallons
St. Astobon Community Centre	Roosevelt and Dovercourt	Warden-King	#30-10	1,000 gallons
St. Aston Park Fieldhouse	Othello & Weston	Beach	B-2	200 gallons
St. Windsor Park Fieldhouse	S.E. Windsor Ave.	Warden-King	Atlas J-1	200 gallons
St. Wodroffe Park Fieldhouse	Knightsbridge and Lockhart	Crane	Taylor Forbes W0560	200 gallons
St. Workshop	1161 Heron Road	Petro	P-90E-4-9GHP	1,000 gallons

St. Andy Hill - Property Department pays 50% of the heating.



SECTION 1 - INTRODUCTION

The Corporation of the City of Ottawa (the Corporation) intends to have underground heating oil tanks removed during the spring, summer and fall of 1993. It is the intent of the Corporation that each site be completely finished before starting at the next site. The number of tanks actually removed therefore will depend on the conditions encountered as the removal program proceeds. The Corporation reserves the right to remove as few as one tank, or as many 11 tanks, under this contract.

SECTION 2 - TANK LOCATIONS, INSTALLATION DATES, TANK CAPACITIES, EXISTING LANDSCAPING, MUNICIPAL ADDRESSES

The tanks are listed alphabetically for ease of reference. The Corporation reserves the right to choose the order in which the tanks will be removed.

Every site has 1 underground tank used for holding # 2 heating oil. F.H. stands for Field House.

- Agincourt F.H. - Installed in 1966; 500 gallons; sod; 1269 Albany.
- Balena Park F.H. - Installed in 1967; 500 gallons; sod, asphalt, gravel; 1640 Devon.
- Bel-Air Park F.H. - Installed in 1969; 500 gallons; sod; 2140 Berwick.
- Cecil Morrison Park F.H. - Installed in 1966; 500 gallons; sod; 1323 Avenue N.
- Frank Ryan F.H. - Installed in 1966; 500 gallons; sod, asphalt; 950 Alpine.
- Hawthorne F.H. - Installed in 1981; 500 gallons; asphalt; 2139 Tawney.
- Meadowvale F.H. - Installed in 1966; 500 gallons; sod; 1205 Trenton.
- Plouffe Park F.H. - Installed in 1967; 500 gallons; sod, asphalt; 130 Preston.
- Ridgemount F.H. - Installed in 1966; 500 gallons; sod; 1990 Cochrane.
- Weston Park F.H. - Installed in 1966; 500 gallons; sod; 955 Pleasant Park.
- Windsor Park F.H. - Installed pre-1974; 500 gallons; asphalt; 18 Windsor.

The stated tank capacities are believed to be accurate however the Corporation does not guarantee that the tanks are the stated size. No extra costs will be entertained by the Corporation should the tanks be larger than indicated above except for the supply of additional backfill material. Transaction tickets verifying tonnages supplied must be submitted to the Corporation.

Residual sludge in the tanks shall be disposed of by the Contractor at no cost to the Corporation.

Some tanks may contain good fuel. The Contractor is to quote a separate lump sum price for the removal and transfer of good fuel from one tank to another tank designated by the Corporation's Project Officer.

### SECTION 3 - CODES, STANDARDS, ACTS, AND REGULATIONS

The Contractor shall conduct this work in accordance with the latest issues of the following codes, standards, acts, and regulations:

- Ontario Fuel Oil Code
- Ontario Ministry of Environment regulations
- Ontario Ministry of Consumer and Commercial Relations regulations
- Ontario Occupational Health and Safety Act and regulations
- municipal by-laws
- any other requirements of any authorities having jurisdiction
- any site specific procedures required by the Corporation.

The Contractor shall be responsible for ensuring that any sub-contractors comply fully with all applicable codes, standards, acts, and regulations.

### SECTION 4 - CONTRACTOR'S QUALIFICATIONS

The Contractor must be approved by the authorities having jurisdiction to remove underground heating oil tanks and associated piping, and to excavate, transport, and dispose of contaminated soil and waste heating oil originating from these sites. Proof of qualifications must be submitted with the bid document.

The Contractor shall have a proven track record on similar projects. The Contractor shall submit references for past similar projects.

The Contractor shall submit evidence satisfactory to the Corporation of his ability to successfully undertake and complete this work according to the schedule specified in Section 11.

Only skilled, competent supervisors and laborers shall be used. All work shall be carried-out in accordance with good practice, and all workmanship shall be first class. The Contractor shall be responsible for the cleanup of any materials spilled or leaked during the execution of the work.

The Contractor shall ensure that all personnel involved in the remediation are fully aware of the hazards of waste oil contamination.

The Contractor shall have on site at all times when the work is in progress, at least one person trained in basic first aid.

His person may perform other duties but must be immediately available to render first aid when needed.

The Contractor shall ensure that all applicable personnel involved in the remediation are trained and competent in the use of: on-site soil testing and analytical equipment; a gas detector capable of measuring combustible gas, toxic gas, and oxygen deficiency; and, an appropriate respirator as required for confined space (ie trench and tank) entry.

The Contractor shall provide insurance and bonding to the satisfaction of the Corporation.

The Contractor shall be responsible for ensuring that any subcontractors comply fully with the requirements of this section.

#### SECTION 5 - MATERIALS AND EQUIPMENT

The Contractor shall provide all supervision, labour, materials, tools, vehicles, and equipment necessary to undertake and complete the work to the satisfaction of the Corporation and the authorities having jurisdiction.

Without limiting the generality of the preceding paragraph, the Contractor shall provide all necessary compaction equipment, aeration equipment, measuring equipment, surveying equipment, photoionization detectors, on-site soil testing and analytical equipment, welding and cutting equipment, tarps, flagpersons, signs, consumables, fertilizer, tree wound dressing, ventilation equipment, dewatering equipment, pumps, backfill material, topsoil, sod, gravel, asphalt, construction materials, barricades, hoarding, air compressors, electrical power (ie generators), digging equipment, supports, shoring, sheet piling, trench boxes, vehicles, trucks, vacuum trucks, peat moss, oil absorbent materials, lifting equipment, tanks, piping, wiring, explosimeters, self-contained breathing apparatus, respirators, first aid kits and safety equipment.

Provide water as required for dust control, compaction, and watering of plant life.

Do not use chemical means for dust control without the written approval of the Corporation. Use appropriate covers on trucks for hauling fine or dusty material. Use watertight vehicles to haul wet materials.

Imported backfill material shall be clean sand free from roots, rocks, building debris, toxic ingredients and other unsuitable materials.

Topsoil shall be screened and free of contaminants.

Ward dressing shall be horticulturally accepted non-toxic, non-hardening emulsion.

Storage of all equipment, tools, and materials associated with this job shall be at the risk and expense of the Contractor. Do not refuel, clean or maintain equipment in locations where pollutants can gain access to sewers or watercourses.

Decontamination of the Contractor's equipment shall be at the Contractor's sole expense.

#### SECTION 6 - SITE GENERATOR REGISTRATION NUMBERS

The Contractor shall obtain all site generator registration numbers required.

#### SECTION 7 - EXISTING CONDITIONS

The Contractor shall maintain all underground and aboveground utilities, services, pipes, and cables intact. This shall include, but not be limited to, sewer services, gas services, water services, building or yard drains, electric cables, cable television, telephone services, power transmission, power distribution, telegraph, and telephone lines. The Contractor is to design, provide, install, and remove as required any temporary supports, sheeting, shoring, wiring, piping etc. As required, the Contractor shall have all designs approved by a Professional Engineer registered in the Province of Ontario.

The Contractor shall maintain the stability of all buildings. The Contractor shall maintain the stability of slopes.

The Contractor shall implement measures to prevent flotation and uplift.

The Contractor is not to break through natural impermeable layers in the subsoil (such as clay layers) as this may cause any spill to penetrate deeper into the ground.

Any equipment, buildings, structures, or facilities damaged by the Contractor or a subcontractor shall be repaired to the satisfaction of the Corporation at the sole expense of the Contractor.

#### SECTION 8 - LANDSCAPING

##### SECTION 8.1 - TREES

It is a goal of the Corporation that trees be protected and that no trees be cut.

Any work involving trees shall be the responsibility of the Contractor except that the Corporation will plant any replacement trees independently of this contract.

Part of the cash allowance in this contract shall be for the protection, cutting and removal of trees. This should not be construed as moneys that the Contractor will necessarily receive as a result of award of this contract. Payment from these moneys will be at the approval of the Corporation.

SECTION 8.1.1 - CUTTING OF TREES

The Contractor shall not remove, trim, or alter any tree without prior written permission from the Corporation.


SECTION 8.1.2 - PROTECTION OF TREES

The Contractor is responsible for the protection of trees including the crown, trunk, and root system.

Protect roots of trees to dripline during the work to prevent disturbance or damage. The dripline is established as being 0.3 meters from the trunk of the tree for every 3 centimeters of trunk diameter. The trunk diameter is measured at a height of 1.2 meters for trees of 15 centimeters diameter and greater and at a height of 0.3 meters for trees of less than 15 centimeters diameter.

Avoid unnecessary traffic, dumping, and storage of materials over root zones. Minimize stripping of topsoil and vegetation.

The following sketch illustrates a tree preservation detail using standard steel or wooden fence posts and standard 48" high snow fence. This shall be used to provide protection for trees threatened by the work. The snow fence shall be at the dripline. In the case where the physical conditions are such that the Contractor cannot comply, the Corporation may approve alternate methods of ensuring the protection of trees.



Fertilize trees that have been distressed by the work at a rate of 50 g/mm of caliper. Take caliper measurement 0.3 m above grade. Distribute fertilizer equally into holes drilled 200-250 mm deep, spaced 600-750 mm apart and located in circular pattern between 2/3 and limit of each tree's branch spread. Water thoroughly after the fertilizer is applied. Soak area immediately below the tree crown sufficiently deep to reach feeder roots.

For trees that have been distressed by the work, selectively remove 1/3 of tree branches to reduce transpiration and compensate for dieback of roots in fill conditions and damage to root system in cut conditions.

#### SECTION 8.2 - ASPHALTED AREAS

The Contractor shall saw cut, dispose of, and reinstate asphalt.

Backfill using native, clean, suitable material and supplement as required with imported clean fill to a depth of 9" below grade level. Provide 6" Granular "A" (7/8" Stone) base. Cover with 1.5" thickness HL8 asphalt followed by 1.5" thickness HL3 asphalt flush with the existing surrounding material.

SECTION 8.3 - GRAVELED AREAS

Backfill using native, clean, suitable material and supplement as required with imported clean fill to a depth of 9" below grade level. Provide 9" Granular "A" (7/8" Stone) base.

SECTION 8.4 - SODDED AREAS

SECTION 8.4.1 - MATERIALS

Nursery sod: quality and source to comply with standards outlined in "Guide Specification for Nursery Stock", Section 17, 1978 edition, published by Canadian Nursery Trades Association. Number One Kentucky Bluegrass/Fescue Sod: sod grown from minimum 40% Kentucky Bluegrass, 30% Creeping Red Fescue.

Water: potable.

Fertilizer: complete synthetic slow release fertilizer with maximum 35% water soluble nitrogen.

SECTION 8.4.2 - LAYING SOD

Areas where topsoil is to be placed shall be fine graded to a smooth surface. Spread topsoil to a uniform depth of 100 mm. Loosen surface of topsoil prior to laying sod.

Lay sod in rows, perpendicular to slope, smooth and even with adjoining areas, and with joints staggered. Butt sections closely without overlapping or leaving gaps between sections. Where new sod meets existing cut in to provide smooth even transition. New sod to blend and meet flush with existing sod.

On slopes secure sod with 300 mm long wooden pegs set flush with top of sod soil.

Roll sod lightly and water immediately after laying to obtain moisture penetration into top 100 mm of topsoil.

Fertilize sodded areas with 2:1:1 ratio fertilizer at rate recommended by manufacturer.

SECTION 8.5 - CURBS, GUTTERS, DRIVEWAYS, SIDEWALKS AND FENCING

All curbs, gutters, driveways, sidewalks and similar structures that are broken or damaged by the work shall be reconstructed by the Contractor. Reconstruction shall be of the same kind of material with the same finish, and in not less than the same dimensions as the original work. Repairs shall be made by removing and replacing the entire portions between joints or scores and not merely refinishing any damaged part. All work shall match the appearance of the existing improvements as nearly as possible. The Contractor shall move and reinstate existing

fracing as required. All work will be done at the Contractor's expense.

#### SECTION 9 - CONTAMINATION

The Corporation reserves the right to deal with any contamination independently of this contract.

If contamination appears extensive, the Corporation may direct the Contractor to backfill the excavation pending further investigation by the Corporation.

The Contractor is to take appropriate measures to prevent tracking of contaminants on and off site.

Upon direction from the Corporation, the Contractor is to arrange for BTEX, TPH, or Regulation 309 analysis of contaminated material. Suspend the work as necessary until test results are received. BTEX and TPH test results are to be provided to the Corporation within 48 hours. Regulation 309 test results are to be provided to the Corporation within 72 hours. The Contractor shall maintain all samples for 30 calendar days from the date the analysis is performed. After 30 days, such samples will be returned to the Corporation or, at direction of the Corporation, disposed of.

If contaminated soil is stockpiled for any reason, the Contractor shall use tarps or take other suitable measures to prevent contaminated run-off from the stockpile.

#### SECTION 9.1 - CONTAMINATED SOIL

To the extent that the Corporation chooses to deal with contaminated soil under this contract, the Corporation will accept landfilling, bioremediation off-site, or treatment off-site by means of low temperature thermal desorption, provided that the requirements of the authorities having jurisdiction are satisfied, and provided that the Corporation's schedule in Section 11 is met. The Corporation reserves the right to select whichever remediation option it wishes. It is the Contractor's complete responsibility to ensure that the requirements of the authorities having jurisdiction are satisfied and that the Corporation's schedule is met.

Transportation of contaminated soil shall be at the risk of the Contractor.

Remediated soil is not to be returned to the site.

The Contractor shall segregate clean soil from contaminated soil and shall ensure that clean soil is not shipped for disposal. The Contractor is responsible to ascertain which soil is clean, subject to the approval of the Corporation. Delays while soil segregation is taking place will not be considered for extra

ment. In this paragraph, clean soil means soil whose contamination levels are low enough that, according to the authorities having jurisdiction, remediation is not required.

The Contractor is to excavate and remove contaminated soil from the site and supply clean fill material. Tonnages must be verified by original weigh scale tickets, signed by the truck operator. Where the disposal location does not have a weigh scale, the Contractor shall have contaminated soil weighed elsewhere.

In the case of landfilling, the Corporation reserves the right to direct that contaminated soil be sent either to the Trail Road Landfill, the West Carleton Landfill or the Huneault Waste Management Landfill. The selected landfill is to invoice the Corporation directly for the tipping fees.

Off-site bioremediation or off-site low temperature thermal desorption shall be at the risk of the Contractor and shall take place at a location provided by, and operated by, the Contractor.

#### SECTION 9.2 - LIQUID CONTAMINANTS

In the excavation, it is possible that liquid contamination will be discovered. The Contractor shall recover free product by means of a vacuum truck. The Contractor shall vacuum only the product floating on the water, not the water itself.

Transportation of liquid contaminants shall be at the risk of the Contractor.

Signed manifests verifying the quantities disposed of must be submitted to the Corporation.

#### SECTION 10 - SCOPE OF WORK

For each site, the Contractor is required to:

1. Plan and coordinate the work.
2. Cooperate fully with any others involved.
3. Notify the Corporation at least 48 hours prior to the start of excavation.
4. Obtain, prior to excavation, all clearances such as telephone, natural gas, electrical, sewers, water etc.
5. Obtain and pay for any permits.
6. Give all legal notifications and secure and pay for all necessary approvals and easements. Prior to doing any work on adjacent lands, obtain written permission from the owner of the lands.
7. Verify the location and configuration of the tank and piping.
8. Remove any residual sludge from the tank and dispose of it off-site in a manner acceptable to the authorities having jurisdiction.

9. Excavate the area as required. Ensure that excavated material does not endanger the workers or the public, does not obstruct traffic, and does not interfere with natural drainage. Suppress and control the generation of dust at all times.

Where unauthorized over-excavation has occurred, the Contractor shall correct such over-excavation to the satisfaction of the Corporation, at no additional cost to the Corporation. Correction of over-excavation shall comply with the applicable requirements for backfilling.

If contamination is encountered, the Contractor shall suspend the work pending inspection of the excavation by the Corporation's Project Officer and the authorities having jurisdiction.

10. Remove the tank and dispose of it off-site in a manner acceptable to the authorities having jurisdiction. Render the tank unusable and vapour free prior to disposal.
11. Remove all piping associated with the tank and dispose of it off-site in a manner acceptable to the authorities having jurisdiction.
12. Conduct the work so as to minimize disruptions to the activities at the site. Coordinate necessary disruptions with those affected. Select truck routes so as to minimize disturbances to the community. Provide flagpersons as required so that local traffic does not encounter unnecessary hardship or delay.
13. Maintain the site in a safe and orderly condition at all times. Keep the site free from the accumulation of debris and rubbish that may result from the performance of the work. Provide as required sheeting, shoring, trench covers, fencing, barricades, flashing signals, bilingual or universal signage etc. so as to ensure worker and public safety. All barricades shall be lighted from sunset to sunrise and the lens, reflectors and surfaces shall be maintained in a good state of repair and shall be kept clean at all times. Safety at this site is the Contractor's complete responsibility.
14. Plug any holes in the wall left by removed piping with waterproof, non-shrink cementitious material.
15. Backfill, compact, and grade the excavation to prevent future settling, depressions, sinkholes or ponding.

Compact to 95% Standard Proctor Density. Thickness of each uncompacted layer shall not exceed 300 mm. Apply water as necessary during compaction to obtain specified density. If fill is excessively moist, aerate with suitable equipment and methods until moisture content is corrected. The Corporation reserves the right to require that the Contractor submit Certificates of Compaction to the Corporation.

During the tendering period, the Contractor is to verify conditions affecting the work at every site listed in Section 2. Changes to the work made necessary by failure to make this verification will not be considered for extra payment.

The Contractor is to attend any inspections of the site held by the authorities having jurisdiction, or any other meetings requested by the Corporation.

The Contractor shall not allow any of the work to be covered up or enclosed prior to required inspections, tests, or approvals.

SECTION 14 - PROJECT OFFICER

The Corporation's Project Officer is Mr. John Willoughby, telephone 564-8003, located at 7 Bayview Road.

The Corporation may appoint an independent Inspector to ensure that the Corporation's best interests are being protected at all times.

The Contractor shall cooperate fully with the Project Officer and the Inspector and shall be subject to their authority.

111 Sussex,  
Ottawa, Ontario  
K1N 5A1

City of  
Ville d'**Ottawa**

Underground Tank  
Removal (Photos)

New Home



3

Pro)

Western Park W022k



3

Balena



4

0041 1/10/12



5

mark

AGINCOURT

post



10

1 small hole bottom



AGINCOURT



STRONG ODOUR ON TOP SOUTH SIDE

AGINCOURT

FRANK RYAN



11

FRANK RYAN



12



FRANK RYAN CLEAN

Bel-Air



9



BEL AIR

NO HOLES

WINDSOR



6

SEVERAL HOLES  
IN BOTTOM




WINDSOR

Meadowvale



10



2 - SMALL HOLES IN BOTTOM  
MEADOWVALE  
SEVERAL SMALL HOLES IN TOP

McNabb Area



13



McNABB



McNABB  
NO HOLES


WADK

PLOUFFE

Pool



7



PLOUFFE  
- SMALL HOLE AFTER SCRAPING  
ONLY



PLOUFFE  
NO HOLES



PLOUFFE

MEREDITH STEWART holds a B.A. in art history from Queen's University; she completed her master's in art history at Carleton University in the spring of 2014.

> MEREDITH STEWART

Ottawa's Plant Recreational Centre and Champagne Fitness Centre both celebrated their ninetieth anniversaries this year. When these two buildings were opened to the public in May of 1924, they were known simply as Plant Bath and Champagne Bath (figs. 1-2). This paper investigates how these two public baths, built in the working-class neighbourhoods of the city, evolved from civic baths to a recreational centre and a fitness centre, respectively. To trace this transition, I consider the factors that contributed to the construction of these two buildings, establishing their historical and social contexts. Furthermore, I explore the life of these buildings, and their changing roles in the community following their opening.

Over their ninety years of operation, the baths have proven to be a significant part of their communities. As a result, the study of these baths and their uses exposes facets of everyday life in Ottawa in the twentieth century. While the baths have received some attention by Heritage Ottawa through their *Newsletter*,<sup>2</sup> this paper provides a more comprehensive study of both buildings, pointing to their significance as makers and markers of community. Additionally, the history of public baths and bathing in Canada has not been studied in great detail.<sup>3</sup> As a result, this paper aims to fill in a small part of a broader history that requires further research and examination.

My analysis in this paper reconsiders not only the bathing facilities themselves but also their historical context. As both baths would eventually be granted heritage



FIG. 1. CHAMPAGNE BATH, EXTERIOR FAÇADE. | MEREDITH STEWART, 2014.



FIG. 2. CHAMPAGNE BATH, EXTERIOR FAÇADE. | MEREDITH STEWART, 2014.

designation, another task set forward by this paper is to consider the reasons for their designation and compare them with the longer history of these buildings. In doing so, I raise several questions with regard to heritage and the collective identity of the community. Studying the longer life of each of the baths exposes the limitations of fixed, historically based reasons for designation, and highlights the richer understanding that can be gained from considering these buildings as palimpsests.

### CLEANSING THE CITY: CRISIS AND RENEWAL IN THE MODERN CAPITAL

At the turn of the century, many Canadians, backed strongly by the federal government, felt that Ottawa needed to shift from an industrial lumber town to a thriving urban centre, one that would rival nearby Montreal and Toronto and reflect its role as the nation's capital.<sup>4</sup> Modernization required removing

evidence of the lumber industry from the city's core, for until the turn of the century, the grandeur of Parliament Hill was undermined by the rugged lumber mills and yards that surrounded it.<sup>5</sup> The transformation of Ottawa into a "modern" city did not rest solely in this removal, however, but in the development of other industries and the embrace of new technologies.<sup>6</sup> The expansion of infrastructure, through the introduction of amenities such as electricity, allowed for the city not only to thrive industrially, but also signalled a hope for social improvement.<sup>7</sup>

Part of this modernization led to the development of an urban-industrial working class, which was required to maintain the infrastructure of the city as there was a shift in labour related to lumber toward the operation and repair of newly implemented systems, such as waterworks.<sup>8</sup> Along with this working class, an urban bourgeoisie developed, which sought to bring social order and moral reform

to the expanding urban city.<sup>9</sup> Concerns about the effect of urban life on social welfare were primarily expressed by this urban bourgeoisie, and their anxiety led to the social reform movement. This movement was initiated by loosely organized groups that focused on the identification and study of what they deemed "social problems," and was influential not only in Canada but also the United States and Britain.<sup>10</sup> These "problems" generally referred to crime, poverty, gambling and prostitution, but the term was used liberally to indicate any type of "immoral" behaviour.<sup>11</sup> This movement also sought to provide aid to those afflicted by the negative influences of the city.<sup>12</sup> One method of providing aid to the poor and working classes was through the facilitation of physical cleanliness, viewed by reformists to be a means to moral cleanliness.<sup>13</sup> The anxiety and desire to aid the lower classes would ultimately lead to the building of Plant and Champagne Baths; however, the city would go through several major events before they were commissioned.

The first is the Ottawa-Hull fire, on April 26, 1900, which swept across the west end of the city<sup>14</sup> (fig. 3). The fire was so intense that the waterworks system, installed in the city in 1874, proved futile against the formidable inferno.<sup>15</sup> The aftermath of the fire was devastating to the cityscape and destroyed "approximately fifteen per cent of Ottawa's total urban space"<sup>16</sup> (fig. 4). At that time, a majority of the working class was living in either Lowertown or LeBreton Flats. Even though Lowertown was unaffected by the fire, LeBreton Flats was almost entirely destroyed by the flames, leaving a large population of primarily working-class citizens homeless<sup>17</sup> (fig. 5). Rebuilding the area after the fire led to a concentration of working-class homes in the area, reinforcing social and economic division in the city.<sup>18</sup>



FIG. 3. FIRE IN HULL, OTTAWA-HULL FIRE, APRIL 1900. | LIBRARY AND ARCHIVES CANADA, MIKAN NO. 3246703.

The second key factor that affected the built environment of the capital was the City Beautiful Movement, a design philosophy that was concerned with architecture and urban planning, but extended to notions of social reform in North America.<sup>19</sup> The ideology supporting the movement indicated that “better design of cities would contribute to a safer, healthier and more harmonious society.”<sup>20</sup> In 1915, Edward H. Bennett, a Chicago architect who was a prominent figure in the City Beautiful Movement, designed a city plan that sought to unify and aestheticize Ottawa.<sup>21</sup> His ideas appealed to those involved in the social reform movement, as they believed that the built environment could promote moral regeneration, and proper urban planning could benefit the poor and working classes.<sup>22</sup> While never realized, Bennett’s plans reveal the contemporary belief that the built environment formed people’s sense of self and community.<sup>23</sup>

The final key factor in Ottawa that was a catalyst for building the public baths was the Spanish flu epidemic that arrived in Ottawa in September of 1918.<sup>24</sup> By the end of October, four hundred and forty citizens had died as a result of contracting the virus.<sup>25</sup> The Spanish flu was contracted primarily in areas with greater human concentration and contact, as well




FIG. 4. PLAN SHOWING EXTENT OF OTTAWA-HULL CONFLAGRATION, THURSDAY, APRIL 26, 1900. PUBLISHED BY CHAS. E. GOAD, 1900. | LIBRARY AND ARCHIVES CANADA, MIKAN NO. 3827571.



FIG. 5. RUINS AFTER OTTAWA-HULL FIRE, TOPLEY STUDIO, JUNE 1900. | LIBRARY AND ARCHIVES CANADA, MIKAN NO. 3363983.

as those areas closest to rail lines, both of which were more common of working-class living situations in Ottawa.<sup>26</sup> As a result, the virus had the greatest impact in the working-class wards in the city, most notably By and Victoria Wards, which are known today as Lowertown and LeBreton Flats. It was, therefore, not a coincidence that Plant and Champagne Baths would come to be located in Victoria and By Wards, respectively. An observation recorded in the local Board of Health's *Annual Report* stated that the "conditions under which our poorer brethren live must create a greater public interest looking to a betterment of living conditions for everyone. This means sanitary dwellings but more important still, sanitary dwellers."<sup>27</sup> Social reformers, under the guise of research for social science, would often enter the neighbourhoods and homes of the poor and working class in order to study the conditions and living situations.<sup>28</sup> Parts of these "home" studies were preoccupied with the cleanliness of the home, and the affect of "dirt" on the

health of an individual. One of the main tenets of the social reform movement was the equation of physical cleanliness and health with moral health.<sup>29</sup> So it would appear that one of the greatest ways that the city could help working-class citizens would be through the improvement of their health through physical cleanliness.

The Spanish flu epidemic in 1918 seemed to be the catalyst that propelled the city, and its moral reformers, to seek a way to improve the lives of the working class. The need to rebuild portions of the city as a result of the Ottawa-Hull fire, and the lingering influence of the City Beautiful Movement, further indicated that it was an appropriate time to build. The question that remained for the city was what to construct. What would serve the working-class neighbourhoods that would promote a morally uplifting and "healthy lifestyle" and that would not come at too great a cost to the city? Public baths appeared as the most obvious answer.

## BUILDING THE BATHS

The baths would allow for a level of hygiene to be maintained in the working class in a time when indoor plumbing was not commonly available in their homes.<sup>30</sup> They would promote exercise, which would again contribute to the physical health of the user. Until the construction of public baths in the city, the Rideau River provided a place for this type of physical and recreational activity (fig. 6). The necessity of public baths, from the perspective of the upper class, can be expressed best by J.M. McWharf in his article "Public Baths and Their Hygienic or Sanitary Value," written between 1919 and 1921. While he was writing within an American context, his sentiments certainly resonated in the contemporary Canadian situation:

Personal cleanliness, so vital as a hygienic measure, must be carried to the forefront in our battle for a more perfect sanitation. Perfect compliance of all classes of people with sanitary laws will aid materially in the prolongation of human life and lessen sorrow and suffering in the world.

No argument is required to prove the necessity nor the present demand for public baths and no efforts should be instituted to thwart so great a public beneficence. Prompt action is demanded along this line of humanitarian work. Cleanliness means health; it means preservation of life; it means moral improvement; it means an uplift to all that is good and pure in the world.<sup>31</sup>

It is clear that public baths, meant to serve the working class, were not only viewed as a solution but also an obligation. Furthermore, the baths could act as a recreational centre, viewed by social reformists as the responsibility of the government to provide to lower- and working-class citizens.<sup>32</sup> Additionally, public

baths constructed in urban centres during the nineteenth century were often built below a library, or one was included within the design of the bath.<sup>33</sup> The inclusion of a library in Plant Bath further suggests that these baths were not only meant to serve as a space for working-class citizens to improve themselves physically, but intellectually as well.<sup>34</sup> The building of public baths in Ottawa was, therefore, clearly meant to provide a space for the cultivation of healthy, moral citizens.

In 1919, the decision to provide two public baths was initiated by the municipal government.<sup>35</sup> Each was named after mayors who were in office during the time of their construction, Frank Plant and Napoléon Champagne.<sup>36</sup> Plant Bath was designed by architectural firm Millson & Burgess to mark the corner of Somerset and Preston Streets<sup>37</sup> (figs. 7-8). Champagne Bath was designed by Ottawa architect Werner Ernest Noffke; located at 321 King Edward Avenue, it was a prominent part of the landscape in the neighbourhood of Lowertown (fig. 9).

Millson & Burgess arranged Plant Bath around the participation of both swimmers and spectators (fig. 10). Spectators' access to the bath was indicated in the masonry above one of the two main entranceways (fig. 11). The 1922 plans show there was a public bathroom in the basement level, which was most likely intended for use by spectators.<sup>38</sup> Millson & Burgess also designed a corridor leading from the "Spectators" entrance to the "Spectators Gallery" located on the second floor.<sup>39</sup> For the swimmers themselves, access was granted through a separate entranceway, where tickets could be purchased from the office on the ground floor. Separate changing rooms, complete with lockers, showers, and toilets, were provided for men and women. The women's locker room was located on the second floor and



FIG. 6. SWIMMING PLACE ON THE RIDEAU RIVER, OTTAWA, 1920S. | LIBRARY AND ARCHIVES CANADA, MIKAN NO. 3387263.

also contained bathtubs.<sup>40</sup> A caretaker's apartment was also included in the design of the second floor, featuring a kitchen, living room, and bedroom. The pool occupied the majority of interior space at seventy-five feet in length by thirty feet in width.<sup>41</sup> It would appear that these baths, while designed by separate architectural firms, bore some commonalities. Plans of Champagne Bath, drawn just prior to its renovation in 1990, show a layout similar to Plant Bath, complete with a caretaker's apartment, although spectator participation is not as heavily emphasized.<sup>42</sup>

The exteriors of these baths, however, do differ substantially. The Neo-Gothic exterior of Plant Bath would have resonated with other municipal buildings in Canada during that time, given the popularity of this mode<sup>43</sup> (fig. 12). The red brick façade of the rather modest building is enlivened with ornamentation through its brickwork and masonry, including small mandorla-shaped medallions that were incorporated above the main entrances and on the

southeast end of the structure (fig. 13). These medallions display a boy holding a large fish, standing within waves of water. This motif communicates that the bath was not only a space where water played a central role, but could also be a reference to the Rideau River, the former location for public swimming.<sup>44</sup> Champagne Bath, on the other hand, was executed in a hybrid mode that blended Spanish Colonial Revival style, which was gaining currency in the 1920s in Canada, with the Prairie style.<sup>45</sup> The red-tiled roofs of the side doors and broken pedimented main entrance reference the Spanish Colonial style, while the horizontal composition of the façade, articulated by a string course that compresses the second storey, and low-slung hipped roof, also exposes Noffke's interest in the Prairie style during that period<sup>46</sup> (figs. 14-15). Additionally, the use of the Spanish Colonial style may have connoted a sense of leisure for those in the community, for it was a style commonly used for theatres at the time.<sup>47</sup> This connection would have promoted the idea



FIG. 7. PLANT BATH ON ITS CORNER LOT. | MEREDITH STEWART, 2014.

that Champagne Bath was a place for social and public gathering.

Neither building is particularly radical in its form or approach; however, each building within its respective working-class community employed strategies that announced their presence. Plant Bath, angled on its corner lot, is set back from the street, providing relief to an otherwise congested and busy intersection.<sup>48</sup> Champagne Bath is also located in an area of high traffic, and its overhanging roof and central staircase work to visually draw in the public from street level. Both announce themselves as community centres that are available to the public and make space for gathering, and they physically mark the community. Their visibility and accessibility contributed to their reception after their doors opened in May 1924.

### THE EARLY YEARS

Champagne and Plant Baths both proved to be immensely popular in the years

following their construction. The *Ottawa Citizen* reported: “during the second week since the opening of the two civic baths the attendance has increased appreciably.”<sup>49</sup> Over the next several decades, the baths would host countless swimming competitions, provide space for several clubs, and be utilized by nearby schools.<sup>50</sup> The embrace of this civic space indicates the growing presence and importance of the baths in their respective communities within their early years of operation.

Although firsthand accounts and documentation surrounding the baths in the early years following their opening are sparse, several articles from the *Ottawa Citizen* give a sense of the operation and use of these buildings by the public. A letter to the editor describes the services provided to the patrons of Champagne Bath:

The operation of these baths call for the purchase of thousands of towels, bathing suits, cakes of soap and so on. Even hair brushes are provided, and recently expensive hair

driers were installed. The wonder is that this costly parentalism does not go to the extent of providing automobiles for the carrying of bathers back and forth.<sup>51</sup>

The list of services in this letter provides two important items of note. The first are the cakes of soap, indicating that these baths were not only sites for exercise but also cleansing, reinforcing the social reform backing that initiated their construction. The second, while not actually a service available, is the writer’s comment on the provision of automobiles for the transport of bathers. Since automobile ownership was not widespread among the working class at the time, this comment confirms that it was in fact the working class that were making use of the facilities, and that they were arriving there on foot, as the bath was located within walking distance.

Another article in the *Ottawa Citizen* that sheds light on the use of the baths indicates that children were scalping the swim tickets for the Champagne Bath in 1941. The punch tickets, sold for twenty-five cents at the beginning of each month, were good for ten swims at the bath. Some children were purchasing these punch tickets and then selling individual swims to their friends at a higher price, generally five to ten cents, for a rather good profit.<sup>52</sup> The article indicates that “playground officials expressed concern, not for the effect on the revenue at the baths, for the racket makes not the slightest difference since ten punches equal ten youngsters, but they are seriously concerned about the moral effect on the young ticket scalpers.”<sup>53</sup> This article not only provides valuable information on the system used for admittance into the bath, but also indicates that nearly twenty years after opening, the baths were perhaps not achieving the moral rejuvenation and cleansing originally intended.

A third example that offers some insight into the use and culture surrounding the baths is in the report of a near drowning in 1939 at Champagne Bath. This article from the *Ottawa Citizen* explains how a thirteen-year-old resident of Lowertown, “although unable to swim,” had “obtained permission from her mother to go with some playmates to the bath where, telling attendants she could swim, she obtained a pass-key. She jumped into the water and sank, swallowing several mouthfuls of water.”<sup>54</sup> This account provides not only further information on the processes surrounding entrance to the bath, but also indicates that children, or at least young adolescents, were able to go to the baths unaccompanied by an adult (the child’s mother, in this instance). It also supports the notion that these public baths were community centres and extensions of the neighbourhood.

The *Ottawa Citizen* also provides visual evidence of the baths’ appearance over their years of operation. For instance, a photo from the May 15, 1956, issue supplies an image of the interior of Champagne Bath, taken on the unfortunate event of a tragic drowning. The image depicts the investigation of the death, but also provides visual evidence of the tile decoration of the pool’s edge.<sup>55</sup> Although not as common as written articles on the baths, these types of images in the *Ottawa Citizen* provide useful documentation of the baths, as their interiors in particular would be altered and renovated over the years. The fact that they were periodically pictured in the local news also adds credence to the idea that these sites were significant places of community identity and formation.

The baths likewise reveal changing social and gender norms, which can be observed again through their use. Due to the overwhelming popularity of “mixed” bathing



FIG. 8. PLANT BATH, EXTERIOR FAÇADE, NORTHERN ENTRANCE. | MEREDITH STEWART, 2014.

times, provided as a trial for one month at Plant Bath in 1928, both baths established a schedule that would allow men and women to swim together at designated times during the week.<sup>56</sup> That is not to say that all prescribed social and gender roles had been abandoned, however. The establishment of mixed bathing times at the baths also came with new regulations. The *Ottawa Citizen* article announcing the allowance of mixed bathing at the baths stated that:

For the four Wednesdays of this month, there were 206 persons in the pool for mixed bathing, of these 78 being women and 128 men. While there was absolutely no complaint of any rudeness on the part of the men, some women were a little sensitive because there were so many men without women companions.<sup>57</sup>

As a result of this “sensitivity,” it was decided that men could attend mixed bathing hours only if accompanied by “one or more female companions.”<sup>58</sup>

It is also clear that the “permanent” establishment of mixed bathing was not all that permanent. Even though the superintendent of Champagne Bath was initially hesitant to adopt mixed bathing hours in 1928,<sup>59</sup> it would appear that by 1936 mixed bathing was only permitted at Champagne Bath.<sup>60</sup> The revoking of mixed bathing at Plant Bath suggests that while likely novel at the time of its introduction, the patrons of the bath preferred to swim separately.<sup>61</sup>

The baths, despite their popularity, faced possible closure in 1933. Due to an economic crisis, funding the two municipal baths was viewed by some governing boards to be too great a strain on their city’s limited budget.<sup>62</sup> The mayor was reported to be in favour of closing the baths: “The city can save a lot of money by closing both.”<sup>63</sup> Despite these opinions, there was opposition to the closing of the baths within the community. The Local Council of Women led a protest against the proposed closure and in a



FIG. 9. CHAMPAGNE BATH, EXTERIOR FAÇADE. | MEREDITH STEWART, 2014.



FIG. 10. PLANT BATH, EXTERIOR FAÇADE SHOWING THE TWO ENTRANCES. | MEREDITH STEWART, 2014.

meeting with city officials reasoned that “the women of Ottawa were responsible for the inauguration of the playgrounds and they urged it would be false economy to close the baths.”<sup>64</sup> In the wake of such public protest, it was decided that the baths would remain open, with the establishment of a tax that would cover the cost of operation.<sup>65</sup>

Even though the baths were spared in 1933, they always proved to be a financial burden to the city, and the question of whether or not to keep them open was periodically debated in the 1940s and 1950s. It was predicted that the baths would be profitable to the community when they were constructed, as indicated in an article from the *Ottawa Citizen* that reported on the first six months of operation. “It is clear that the swimming baths are fulfilling a good purpose, and that in an essential sense they are profitable institutions. In a financial sense they are not, but better results may be expected as time goes on.”<sup>66</sup> The baths’ profitability was not measured financially, but rather for its benefit to the community. And when considering the level of care and maintenance necessary in maintaining

a safe, hygienic, and healthy environment, it becomes evident that these baths were never intended to be financially sustainable.<sup>67</sup> Despite the popularity of the baths, and regular attendance by its patrons, the cost of operation and maintenance was clearly extensive and surpassed the profits in ticket stamp sales. As a result, the baths were continually considered for closure by the city.<sup>68</sup> Plant and Champagne Baths were always spared, however, because of the public support for the baths and the roles they played in their community. The primary reason presented by the public for their continued operation was their lifesaving role. This argument was rationalized by the number of citizens taught to swim in the baths, thus preventing a greater potential of drowning in the future. One citizen commented that “the number of young people who had learned to swim there would justify their existence even if the city never raised a cent on them.”<sup>69</sup> It is clear that while the public acknowledged that the baths might not be financially viable, their value was not one that could be measured monetarily.

## THE “LEISURE CENTRE” AGE

In the mid-1980s, many of the public pools, which had by then increased to ten including Plant and Champagne Baths,<sup>70</sup> were being converted into “leisure centres” that would incorporate slides, “Tarzan ropes,” and other recreational features into the pre-existing pools. While pools by their nature are related to notions of leisure and recreation, these “leisure centre” renovations aimed to provide alternate activities beyond strictly swimming. The ability for the baths to remain relevant and useful to the communities they served would be tested with the introduction of these “leisure centres.” It was during that time that Plant and Champagne Baths, the first municipal baths to be built in Ottawa, embarked on rather divergent paths.

Plant Bath was actually one of the first “leisure centre” conversions to be completed in the city, boasting a water slide, lounge, Tarzan rope, and solar-heated water at its reopening in August of 1983.<sup>71</sup> The aim of these conversions was to provide a “leisure atmosphere” and they were “designed to appeal to people who aren’t attracted by




FIG. 11. PLANT BATH, "SPECTATORS" (NORTH) ENTRANCE. | MEREDITH STEWART, 2014.



FIG. 12. PLANT BATH, EXTERIOR FAÇADE. | MEREDITH STEWART, 2014.

the stark surroundings of other municipal pools."<sup>72</sup> Plant underwent a second renovation the following year and reopened in May 1984, coinciding with the sixtieth anniversary of the bath's official opening in 1924. This renovation was much more extensive than in the previous year, although the city claimed that "the charm and character of the older building has been maintained."<sup>73</sup> The renovations also sought to further the leisure atmosphere through the addition of patio tables, chairs, parasols, plants, cedar deck, and a sauna.<sup>74</sup> Both renovations altered not only the physical space of the bath, but also the way that it was used and viewed within the community. Plant Bath was now a recreational place, where the focus had shifted from exercise and health to leisure and fun.

Champagne Bath, on the other hand, was estimated to be too costly to convert into a "leisure centre" and running the outdated, nearly sixty-year-old facility was also viewed to be too great an expense. So it was decided that the bath should be closed.<sup>75</sup> Response to this decision from the community was expressed through numerous letters to the editor, published

in the *Ottawa Citizen*.<sup>76</sup> The majority of the responses indicated that Champagne Bath, as the sole "adults only" pool remaining in the city, was a place where those who were serious about the sport of swimming could go to exercise.<sup>77</sup> One patron, Nan Sussman, claimed that "the people who swim here are extremely dedicated to the pool. It's deep at both ends so it's perfect for swimming laps. And since no children are allowed, it's really attractive for adults who want to swim seriously."<sup>78</sup> The dedication of those who swam at Champagne can also be seen in the formation of a group called "The Friends of Champagne Bath," led by Sussman. This collection of patrons of the bath recognized its unique position in the city and sought to see it remain open.<sup>79</sup> The main part of the rationale to close Champagne Bath was the presence of another city pool, just a few blocks away. But Sussman argued that the two pools "cannot be compared."<sup>80</sup> Although Champagne Bath was faced with competition, the facility had been able to distinguish itself from the others, providing an experience that could not be found elsewhere. It is in this niche that Champagne Bath was spared, once again, from closure.

## HERITAGE RECONSIDERED

Community involvement in the development and support of these two buildings during that time, in addition to the celebration of their sixtieth anniversary, ultimately led to the heritage designation of both baths. Champagne Bath was designated in 1986 and Plant Bath in 1994. Currently, the designation of these baths acknowledges the architecture of the buildings and the influential social reform movement that was the impetus for their construction. While these factors contribute to our understanding of each building, they do not consider aspects of the longer lives of the baths and the impact time has had in the shaping of the buildings and their communities. Additionally, it does not address the working-class patrons of the baths, or the communities and citizens who made sure that they stayed open to this day. The Local Council of Women who protested against the closure of the baths in 1933, the Friends of Champagne Bath formed in the 1980s, and the countless citizens who raised their voices against proposed closures are responsible for the survival of both of these baths, and yet they are



FIG. 13. PLANT BATH, SOUTHEAST FAÇADE. | MEREDITH STEWART, 2014.

all but forgotten. The many changes that each of the baths have undergone over the past ninety years, physically or otherwise, are significant to the social and cultural value of the buildings, and explain how they have managed to remain a vital part of the communities they serve.

The case of the baths exposes insufficiencies in the heritage designation of each bath and the alternative approaches that could begin to provide a fuller picture of the value of these buildings. Supported by Lucie K. Morisset's writing on the patrimonial site, the study of the lives of these baths allows them to emerge not simply as heritage objects, but rather as objects of patrimony.<sup>81</sup> The patrimonial object, as Morisset suggests, is one that is a "bearer of meaning,"<sup>82</sup> and that meaning is carried on from generation to generation through the object.<sup>83</sup> As Morisset states,

"Sites become traces of what has been collectively recognized by a certain collective intelligence at a particular time. Over the long term, patrimony retains successive traces of this recognition as it is renewed or forgotten."<sup>84</sup> If we consider Plant and Champagne Baths as sites and objects of patrimony, the lives of these buildings, and the memories attached to the spaces, can be carried forward. These buildings are the spaces where the history of the community has been recorded, and the structures that remain represent these histories through both their physical changes and "collective memories."

What still remains unanswered, however, is how to represent and protect the patrimonial building. While the definition of a "heritage place" in Canada has certainly expanded in the past fifty years, it is still not clear how the designation of

a monument can reflect its longer life, rather than a major historical moment (fixing the monument to a particular context and time). The preservation of these buildings and their continued use in the community allow for these baths to serve as a reminder not only of their past, but of the active role their patrons play in the collective memory of the space.

## CONCLUSION

Plant and Champagne Baths belong to history, but also to the citizens and communities they served over the past ninety years in Ottawa. The tumultuous lives of both Plant and Champagne Baths serve as a document of the changing fabric of the city and the efforts of those who fought to keep them open. The social changes that inform the physical state of the baths are made visible through age and wear, or effaced through renovation and restoration. The differing directions these two baths took are also particularly poignant when considering the similarities between the two at the time they were first commissioned. Both baths were informed by the social reform movement, a product of the same commission, and they offered the same services when they opened. However, the Plant Recreational Centre and Champagne Fitness Centre were clearly shaped by their communities and patrons more than the factors that contributed to their construction. That they are able to continue to serve their communities allows these buildings to represent the past while actively participating in the collective experience and memory of their patrons today.



FIG. 14. CHAMPAGNE BATH, CENTRE ENTRANCE. | MEREDITH STEWART, 2014.



FIG. 15. CHAMPAGNE BATH, STREET-LEVEL SOUTH ENTRANCE. | MEREDITH STEWART, 2014.

## NOTES

1. I would like to thank Michael Windover for his supervision of this project and acknowledge his constant enthusiasm and support, which allowed this paper to come to fruition. As well, I would like to thank Peter Coffman for not only introducing me to the Society, but also to the study of Canadian architecture. Finally, I am so pleased to have been awarded the Martin Eli Weil Prize, and am grateful to the Society for the Study of Architecture in Canada for the opportunity to share my research.
2. Most notably: Cook, John, 2009, "New Life for Plant Bath," *Heritage Ottawa Newsletter*, vol. 33, no. 2, p. 9; Ricketts, Shannon, 2005, "Werner Ernst Noffke: Ottawa's Architect," *Heritage Ottawa Newsletter*, vol. 32, no. 3, p. 1-3; and Deegan, Judy (ed.), 1984, "Lowertown – Group Formed to Save Champagne Bath," *Heritage Ottawa Newsletter*, vol. 12, no. 5, p. 3-4.
3. Cohen-Rose, Sandra, 1996, *Northern Deco: Art Deco Architecture In Montreal*, Montreal, Corona Publishers, features some of the public baths that were built in Montreal (primarily in the 1930s), but does not discuss them at great length. There are quite a few publications that address the building and use of public baths in the United States, which relate most closely to the Canadian situation. These include: Hoagland, Alison K., 2011, "Introducing the Bathroom: Space and Change in Working-Class Houses," *Buildings & Landscapes: Journal of the Vernacular Architectural Forum*, vol. 18, no. 2, p. 15-42; Renner, Andrea, 2008, "A Nation That Bathes Together: New York City's Progressive Era Public Baths," *Journal of the Society of Architectural Historians*, vol. 67, no. 4, p. 504-531; Stewart, J.A., 1900, "The Model Public Bath at Brookline," *American Journal of Sociology*, vol. 5, no. 4, p. 470-474; and Thornton Williams, Marilyn, 1991, *Washing "The Great Unwashed": Public Baths in Urban America, 1840-1920*, Columbus, Ohio State University Press.
4. Walsh, John C., 2001, "Modern Citizens for a Modern City?: Ottawa's Great Fire of 1900," in Jeff Keshan and Nicole J.M. St-Onge (eds.), *Ottawa: Construire une Capitale / Making a Capital*, Ottawa, University of Ottawa Press, p. 165.
5. *Ibid.* Walsh writes that despite the prominent presence of Parliament Hill in the landscape, there were "also unmistakable signs of a massive forestry industry" that infiltrated the city.
6. *Id.* : 167.
7. *Ibid.* The social aspect of a modern city was centred on democratic politics that would act to "preserve and promote social and economic betterment," as well as a broader establishment of "a series of accepted cultural norms and values."
8. Valverde, Marina, 1991, *The Age of Light, Soap, and Water: Moral Reform in English Canada, 1885-1925*, Toronto, McClelland & Stewart Inc., p. 15; and Walsh : 165.
9. Valverde : 15. It should be noted that this urban bourgeoisie class in Ottawa consisted primarily of English Protestant citizens, and the working-class was primarily French or Irish Catholic, or drawn from other ethnic minorities.
10. *Id.* : 15-16 and 21.

11. *Id.* : 25-26.
12. *Id.* : 18-19. Those who were the target of social reform philanthropy were not always willing participants, and it should be noted that usually these efforts were made through religious organizations.
13. *Id.* : 23. Cleanliness extended not just to personal hygiene. It was viewed that cleanliness could be achieved through the consumption of milk and water, which were seen as "pure."
14. Walsh : 165-184; and St. John, Edward S., 1983, "The Great Fire of Ottawa – 1900," *The Historical Society of Ottawa Pamphlet Series*, no. 9.
15. "Coming of Age Police and Fire Services," Library and Archives Canada, City Scapes, Ottawa, November 10, 2008, [<http://www.collectionscanada.gc.ca/databases/canadiandirectories/001075-2101-e.html>], accessed February 17, 2014. These waterworks were installed as a result of several fires that occurred in 1870, and were also influenced by the great Chicago fire of 1871. This was also the first introduction of tap water into Ottawa homes, although most certainly this would include a limited number of residences.
16. Walsh : 165.
17. *Id.* : 165-166. In Ottawa, approximately 12,000 citizens were left homeless.
18. St. John : 5-7, outlines the various relief programs that were instituted by the upper and middle classes in the wake of the fire, and which groups were largely responsible for their operation. See also Valverde : 22-23, another tenet of the social reform movement was providing aid to those less fortunate (those who had fallen prey to social ills), however, this aid was generally more philanthropic than charitable.
19. Simmins, Geoffrey, 2013, "Competing Visions for Redesigning the Canadian City: Architecture, Urban Planning, and Landscape Architecture, 1893-1918," in Charles C. Hill (ed.), *Artists, Architects and Artisans: Canadian Art 1890-1918*, Ottawa, National Gallery of Canada, p. 240-241. The City Beautiful Movement was a design philosophy that was concerned with architecture and urban planning, but also extended to notions of social reform in North America.
20. *Id.* : 240.
21. Gordon, David L.A., 1998, "A City Beautiful Plan for Canada's Capital: Edward Bennett and the 1915 Plan for Ottawa and Hull," *Planning Perspectives*, vol. 13, no. 3, p. 275-300 and 281-282; also see Leary, Robert M., 1970, "Capital on the Ottawa," *The Town Planning Review*, vol. 41, no. 1, p. 3-14, for information on the role of the federal government in urban planning and development.
22. Valverde : 18.
23. Hillis, Ken, 1992, "A History of Commissions: Threads of an Ottawa Planning History," *Urban History Review*, vol. 21, no. 1, p. 50 and 52. The schemes for Ottawa may not have been realized, but lingering ideologies remained and informed future construction in the city, although on a smaller scale, or in an individual building. Furthermore, despite its diminished success in Ottawa, the City Beautiful Movement had gained traction in other cities in Canada following the First World War. See also Simmins, p. 248-249. He includes in his essay a plan for Montreal by Rickson A. Outhet of a *Proposed Plan for Boulevard de la Confédération* (1908), in which there is a large public park, and attached by a tree-lined street is a public bath. It is also important to note that several major streets meet at this public bath, which becomes a sort of "centre" within the plan. The drawing demonstrates that public baths arguably held a venerated position at the time, for it was an architectural form that held the promise of health and well-being, which would surely resonate with City Beautiful designers.
24. Bacic, Jandranka, 1999, "The Plague of the Spanish Flu: The Influenza Epidemic of 1918 in Ottawa," *The Historical Society of Ottawa; Bytown Pamphlet Series*, no. 63, p. 1 and 11. Medical officials were slow to react, as the particular strain of the virus was not recognized, resulting in its rapid spread throughout the city. Due to the magnitude of those becoming ill, and the structural and systematic errors on both the federal and provincial health care levels, relief was eventually led by a civic campaign that sought to contain the spread of the virus and prevent any further infection or fatalities.
25. *Id.* : 1.
26. *Id.* : 7. It should also be noted that these areas were predominantly Roman Catholic communities, and had a wider range of ethnic groups represented within them. As a result, English Protestant citizens viewed the greater number of those ill in these areas to be symptomatic not only of their location within the city, but also of their social and cultural standing. By Ward had the greatest number of fatalities, with 16% of the total mortalities, followed closely by Victoria Ward with 11% (which is particularly significant when considering the geographic boundaries and its population).
27. *Id.* : 16.
28. Valverde : 21.
29. *Id.* : 41-42. This preoccupation with cleanliness and hygiene also included "pure foods" like milk, and was symbolically expressed in objects like soap (p. 23).
30. The reason for this was mostly a lack of infrastructure to bring plumbing into the working-class home, in addition to the lack of space within the domestic space. These factors, although in a slightly different context, are explored at length in Hoagland, "Introducing the Bathroom: Space and Change in Working-Class Houses," *op. cit.* : 15-42.
31. McWharf, J.M., 1919-1921, "Public Baths and Their Hygienic or Sanitary Value," *Transactions of the Kansas Academy of Science*, vol. 30, p. 370.
32. Valverde : 22; and "Lowertown / Pool Given Heritage Status," *Ottawa Citizen*, January 8, 1987.
33. Hoagland : 20.
34. Cook : 9, indicates that there was a small public library in Plant Bath. The original floor plans drawn up by Millson & Burgess in 1922 do not feature any library, however, it is possible that the caretaker's apartment on the second floor could have been altered to accommodate a library. Additionally, Evenson, Brad, "Aging Lowertown Pool to Close for Renovations," *Ottawa Citizen*, March 26, 1989, notes that Champagne Bath was originally designed to house a library as well, but it was removed at a later stage as a result of budget constraints.
35. Cook : 9.
36. "Pool Celebrations," *Ottawa Citizen*, April 9, 1984, p. 13.

37. Cook : 9. Cook also attributes A.J. Hazelgrove with the design for Plant Bath (as do several other sources) and while Hazelgrove was a partner in the Millson & Burgess firm during the years the Bath was constructed (1923-1924), he joined after the commission was issued, and was, therefore, likely not involved in the initial design. For information on the activities of the architects involved, consult [<http://dictionaryofarchitectsincanada.org/>].
38. These plans can be found in the collection at Library and Archives Canada within the McLean & MacPhadyen Fond, acc. no. 86703/9, NMC 134270-134276.
39. Cook : 9; and *Ottawa Journal*, 1924, as cited in the *Official Re-Opening of Plant Bath* brochure produced by the City of Ottawa, (1984); supported by the basement plan, ground floor plan, and second floor plan.
40. Hoagland : 22-23. Hoagland indicates that the general standards for the public baths featured in her case study provided both showers and bathtubs for men, but, generally, only bathtubs for women. She does not offer any rationale for this decision, and it is possible that there was no concrete reasoning for this choice. Regardless, it would appear that based on the plans for Plant Bath, there was a similar gendered differentiation operating in Ottawa.
41. Brault, Lucien, 1946, *Ottawa Old & New*, Ottawa, Ottawa Historical Institute, p. 109. Brault writes about the construction of both baths, elaborating on the interior and pools: "Constructed in ferro-concrete, lined on the inside with white glazed tiles, and inset with black diving lines, their dimensions are 75 feet in length by 30 in width, the water depth varies from 3½ feet to 9 feet."
42. The search for Noffke's plans are ongoing. Even though a majority of his plans are located within his fond at Library and Archives Canada, Champagne Bath is not among them. The last confirmed location of the plans was in 1976, when they were included in an exhibition coordinated by Harold Kalman and Joan Mackie for Heritage Ottawa titled "The Architecture of W.E. Noffke." Despite this obstacle, there is evidence of a caretaker's apartment on the second floor of Champagne Bath in a City of Ottawa report regarding its renovations in 1987, in which there is a recommendation to "convert the old second floor apartment area into public use." City of Ottawa, 1987, "Champagne Bath Renovations," *Community Services and Operations and City Council*, ref. no. 0713-043/87, p. 129.
43. Blumenson, John, 1990, *Ontario Architecture; A Guide to Styles and Building Terms 1784 to the Present*, Canada, Fitzhenry & Whiteside, p. 134.
44. A similar motif, although in the form of sculpture, is featured on the *Marché Maisonneuve Fountain* in Montreal. The sculpture is designed by Alfred Laliberté who was also responsible for the sculpture on the public bath within the same block. Images of both the fountain sculpture and the public bath can be found in Simmins, Geoffrey, 2013, "Art's 'Renewed Nearness to Life': Reflections on the Unity of the Arts in Canada," p. 188; and "Competing Visions for Redesigning the Canadian City," p. 252; both articles in Hill, *Artists, Architects and Artisan...*, *op. cit.*
45. Ricketts : 1; also, "Heritage," *Ottawa Citizen*, December 19, 1986, p. F7. Noffke experimented with Colonial revival styles for a period of time in his career, and the Champagne Bath stands as a testament to his exploration of the style. He also was responsible for the no. 10 Graham Fire Station (1921) in Old Ottawa South, which was similarly built in the Spanish Colonial Revival. Many of the residences he designed in the Glebe neighbourhood are also in this latter style.
46. "Heritage" : F7.
47. Kalman, Harold, 1994, *A History of Canadian Architecture: Volume 2*, Don Mills, ON, Oxford University Press, p. 772. The style was popular for use in "atmospheric" theatres.
48. The placement of Plant Bath on the corner lot reinforces the lingering City Beautiful sentiments in the city.
49. "Swimming Trials At Ottawa Civic Baths," *Ottawa Citizen*, May 26, 1924, p. 2. Exact figures were provided: "A record of attendance at the baths for the week ending May 24 showed that during that week there were 410 men, 148 women, 1,097 boys, 444 girls, total 2,099, in addition to 368 spectators who had attended Champagne Bath, while at Plant Bath the attendance was 140 men, 100 women, 749 boys, 366 girls totally 1,355, in addition to the 229 spectators. This makes a total of 550 men, 248 women, 1,846 boys, 810 girls, a grand total of 3,454 persons. There were also 587 spectators at the baths during the week. This record shows that in the second week Champagne Bath is still the leader in attendance."
50. Gladish, W.M., "City's Swimming Baths Ready for New Season," *Ottawa Citizen*, January 5, 1950, p. 47.
51. "Letters to the Editor: Mr. Payne and 'Champagne Spirit,'" *Ottawa Citizen*, January 13, 1925, p. 18. This letter was written by J.L. Payne, unsuccessful mayoral candidate and opponent to Napoleon Champagne, with the aim of exposing the irresponsible and excessive spending habits of Champagne and the city officials more broadly. It should also be noted that the plans for Plant Bath also contains a room for hair drying, attached to the women's changing room. This further supports the similarity between the interior features and amenities in both baths.
52. "Young Ticket Scalpers Busy Near Civic Baths," *Ottawa Citizen*, June 24, 1941, p. 20.
53. *Ibid.*
54. "Girl Gets Scare By Jump Into Deep Water," *Ottawa Citizen*, July 7, 1939, p. 2.
55. This image, titled "Champagne Bath Drowning, May 14, 1956," can be found at the City of Ottawa's Central Archives under reference code CA024657/ Newton.
56. "Allow Mixed Bathing Both Public Pools," *Ottawa Citizen*, February 28, 1928, p. 13.
57. *Ibid.*
58. *Ibid.*
59. *Ibid.*
60. "For Hockey Rink In Ottawa East," *Ottawa Citizen*, February 24, 1936, p. 4. This article also reports that free swims were offered to children, but that only boys took advantage of them. There is a lot of statistical data available on the attendance of both baths, with details on age and gender. As a result, an interesting research project could likely develop from the analysis of this data and the examination of factors that would affect attendance for each demographic.
61. Additionally, drawings by Canadian artist Tom Wood in one of his sketchbooks (located at Library and Archives) from 1937 of patrons in Plant Bath suggest a lingering gender divide, not only among swimmers, but spectators as well. For example: *Spectators and Swimmer at the Plaunt [sic] Bath*, Ottawa (MIKAN no. 2955019) and *Swimmer and Female Spectator in a Coat and Hat, Plaunt Bath*, Ottawa (MIKAN no. 2955023).

62. "Again Proposes That Baths Be Closed by City," *Ottawa Citizen*, April 21, 1933, p. 13. There is even a suggestion put forward in the meeting that this article discusses, to allow families to use the bath as living quarters in exchange for custodial work: however, this situation was likely never enacted.
63. "Mayor in Favour of Closing Both of Civic Baths," *Ottawa Citizen*, March 17, 1933, p. 12.
64. "Women Protest Against Scheme To Close Baths," *Ottawa Citizen*, April 26, 1933, p. 5.
65. "Ottawa's Tax Rate Up; Civic Baths Stay Open," *Ottawa Citizen*, May 20, 1933, p. 4. The tax specifically targeted the supporters of two nearby schools that utilized the baths.
66. "Civic Baths' Good Showing," *Ottawa Citizen*, November 22, 1924, p. 32.
67. Gerhard, William Paul, 1908, *Modern Baths and Bath Houses*, New York, John Wiley and Sons, p. 27-28, outlines the necessary steps required in maintaining a healthy and hygienic pool. And Gladish, *op. cit.*, indicates the various procedures used, including water testing, that were undertaken by the city to maintain the sanitary state of the baths.
68. "Civic Baths Again," *Ottawa Citizen*, January 28, 1942, p. 24. Selling the baths to a private entrepreneur was also considered at this time, along with other tax related solutions.
69. "Declares Civic Baths Vital in City's Life," *Ottawa Citizen*, December 30, 1941, p. 9.
70. "Summer Aquatics '78," the City of Ottawa brochure, 1978, lists eight public pools in the City. In the City of Ottawa brochure of 1987, "Public Swimming: Schedule from September 13, 1987 to July 1, 1988," in *Aquatics/Aquatique*, the number of public pools had increased to ten less than ten years later.
71. "Plant Bath Pool Reopens," *Ottawa Citizen*, August 17, 1983, p. 2.
72. *Ibid.*
73. "Official Re-opening of Plant Bath," City of Ottawa brochure, 1984.
74. *Ibid.*
75. "Champagne Pool Likely To Stay Open," *Ottawa Citizen*, November 5, 1986, p. 25.
76. "Letters: The Proposed Closing of Champagne Pool," *Ottawa Citizen*, November 26, 1984, p. A9; and "Letters: Champagne Pool," *Ottawa Citizen*, September 9, 1986, p. A9.
77. "Letters: The Proposed Closing of Champagne Pool," p. A9; and Deegan : 3-4.
78. Deegan : 4.
79. *Id.* : 3.; and "Champagne Bath Renovations," *City of Ottawa*, p. 131. It is made clear that this group was formed with the sole purpose of preventing the closure or conversion of the bath. They disbanded once this was achieved.
80. Deegan : 4.
81. Morisset, Lucie K., 2010, "Patrimony, the Concept, the Object, the Memory, and the Palimpsest: A View from the History of Architecture," *Journal for the Society for the Study of Architecture in Canada*, vol. 35, no. 1, p. 53-62.
82. *Id.* : 56.
83. *Id.* : 57.
84. *Ibid.*

## Appendix C

### *ERIS Report*

DRAFT



---

# DATABASE REPORT

**Project Property:** *Phase I ESA - 1010 Somerset Street West  
1010 Somerset Street West  
Ottawa ON*

**Project No:**

**Report Type:** *Quote - Custom-Build Your Own Report*

**Order No:** *21032900261*

**Requested by:** *Dillon Consulting Limited*

**Date Completed:** *April 25, 2021*

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	11
Executive Summary: Summary By Data Source.....	50
Map.....	100
Aerial.....	101
Topographic Map.....	102
Detail Report.....	103
Unplottable Summary.....	487
Unplottable Report.....	490
Appendix: Database Descriptions.....	505
Definitions.....	514

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## **Property Information:**

**Project Property:** *Phase I ESA - 1010 Somerset Street West  
1010 Somerset Street West Ottawa ON*

**Project No:**

## **Order Information:**

**Order No:** *21032900261*  
**Date Requested:** *March 29, 2021*  
**Requested by:** *Dillon Consulting Limited*  
**Report Type:** *Quote - Custom-Build Your Own Report*

## **Historical/Products:**

**Aerial Photographs** *Aerials - National Collection*  
**City Directory Search** *CD - Subject Site plus 20 Adjacent Properties*  
**Land Title Search** *Historical Land Title Search*

## Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	1	1
BORE	<i>Borehole</i>	Y	2	17	19
CA	<i>Certificates of Approval</i>	Y	0	24	24
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	1	1
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	4	4
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	7	7
EBR	<i>Environmental Registry</i>	Y	0	9	9
ECA	<i>Environmental Compliance Approval</i>	Y	0	24	24
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	4	52	56
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	2	2
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	1	1
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	3	3
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	26	180	206
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	4	4

<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Boundary to 0.25km</b>	<b>Total</b>
IAFT	<i>Indian &amp; Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	4	4
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense &amp; Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense &amp; Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence &amp; Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	10	10
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	18	18
PINC	<i>Pipeline Incidents</i>	Y	1	5	6
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	3	3
PTTW	<i>Permit to Take Water</i>	Y	0	1	1
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	1	0	1
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	48	48
SPL	<i>Ontario Spills</i>	Y	2	25	27
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	46	46
<b>Total:</b>			36	489	525

## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">1</a>	EHS		1010 Somerset Street West Ottawa ON K1R 6R9	WSW/0.0	0.54	<a href="#">103</a>
<a href="#">2</a>	BORE		ON	SW/0.0	0.54	<a href="#">103</a>
<a href="#">3</a>	SPL	SHELL CANADA PRODUCTS LTD.	DEPT OF PUBLIC WORKS 1010 SUMMERSET TANK TRUCK (CARGO) OTTAWA CITY ON	NNE/0.0	-0.31	<a href="#">10</a>
<a href="#">3</a>	GEN	GVT. OF CAN.-PUBLIC WORKS CANADA	MAINTENANCE SUPPORT SERV. PLOUFFE PARK 1010 SOMERSET ST.W. C/O140 PROMENADE DU PORTAGE-OTTAWA ON K1A 0M3	NNE/0.0	-0.31	<a href="#">105</a>
<a href="#">3</a>	GEN	GVT. OF CAN.-PUBLIC WORKS CANADA 18-285	MAINTENANCE SUPPORT SERVICES PLOUFFE PARK, 1010 SOMERSET STREET W. OTTAWA ON	NNE/0.0	-0.31	<a href="#">105</a>
<a href="#">3</a>	GEN	PUBLIC WORKS CANADA	MAINTENANCE SUPPORT SERVICES PLOUFFE PARK- 1010 SOMERSET STREET WEST OTTAWA ON	NNE/0.0	-0.31	<a href="#">106</a>
<a href="#">3</a>	GEN	BROOKFIELD LEPAGE JOHNSON CONTROLS	1010 SOMERSET STREET PLOUFFE PARK OTTAWA ON	NNE/0.0	-0.31	<a href="#">107</a>
<a href="#">3</a>	GEN	Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	NNE/0.0	-0.31	<a href="#">108</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">3</a>	GEN	PUBLIC WORK & GOV'T SER CANADA	1010 SOMERSET st OTTAWA ON	NNE/0.0	-0.31	<a href="#">109</a>
<a href="#">3</a>	GEN	Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	NNE/0.0	-0.31	<a href="#">109</a>
<a href="#">3</a>	GEN	Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	NNE/0.0	-0.31	<a href="#">110</a>
<a href="#">3</a>	GEN	public works government services canada	1010 SOMERSET STREET WEST OTTAWA ON	NNE/0.0	-0.31	<a href="#">111</a>
<a href="#">3</a>	GEN	Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	NNE/0.0	-0.31	<a href="#">112</a>
<a href="#">3</a>	GEN	SNC Lavalin O&M	1010 Somerset St. W Ottawa ON K1A 0K9	NNE/0.0	-0.31	<a href="#">113</a>
<a href="#">3</a>	GEN	Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	NNE/0.0	-0.31	<a href="#">114</a>
<a href="#">3</a>	GEN	public works government services canada	1010 SOMERSET STREET WEST OTTAWA ON	NNE/0.0	-0.31	<a href="#">115</a>
<a href="#">3</a>	GEN	Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	NNE/0.0	-0.31	<a href="#">115</a>
<a href="#">3</a>	PINC	GUANGZHOU TRISTATE INDUSTRIAL CO LTD	1010 SOMERSET ST W,,OTTAWA,ON, K1A 0J9,CA ON	NNE/0.0	-0.31	<a href="#">116</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#"><u>3</u></a>	GEN	public works government services canada	1010 SOMERSET STREET WEST OTTAWA ON K1R 6R9	NNE/0.0	-0.31	<a href="#"><u>116</u></a>
<a href="#"><u>3</u></a>	GEN	public works government services canada	1010 SOMERSET STREET WEST OTTAWA ON K1R 6R9	NNE/0.0	-0.31	<a href="#"><u>117</u></a>
<a href="#"><u>3</u></a>	GEN	public works government services canada	1010 SOMERSET STREET WEST OTTAWA ON K1R 6R9	NNE/0.0	-0.31	<a href="#"><u>118</u></a>
<a href="#"><u>3</u></a>	GEN	Public Services & Procurement Canada ESD/AFD	1010 Somerset ST W OTTAWA ON K1R 6R9	NNE/0.0	-0.31	<a href="#"><u>118</u></a>
<a href="#"><u>3</u></a>	GEN	Public Services & Procurement Canada ESD/AFD	1010 Somerset ST W OTTAWA ON K1R 6R9	NNE/0.0	-0.31	<a href="#"><u>119</u></a>
<a href="#"><u>3</u></a>	GEN	Public Services & Procurement Canada ESD/AFD	1010 Somerset ST W OTTAWA ON K1R 6R9	NNE/0.0	-0.31	<a href="#"><u>120</u></a>
<a href="#"><u>4</u></a>	SPL	UNKNOWN	933 GLADSTONE OTTAWA CITY ON K1A 0T4	ESE/0.0	1.01	<a href="#"><u>121</u></a>
<a href="#"><u>4</u></a>	EHS		1010 Somerset St W Ottawa ON	ESE/0.0	1.01	<a href="#"><u>121</u></a>
<a href="#"><u>4</u></a>	GEN	GVT. OF CAN. - PUBLIC WORKS CANADA	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II OTTAWA ON K1A 0T4	ESE/0.0	1.01	<a href="#"><u>122</u></a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">4</a>	GEN	GVT. OF CAN.- PUBLIC WORKS CANADA 18-375	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II HULL OTTAWA ON K1A 0T4	ESE/0.0	1.01	<a href="#">122</a>
<a href="#">4</a>	GEN	GVT. OF CAN.- PUBLIC WORKS CANADA 18-375	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II ON K1A 0T4	ESE/0.0	1.01	<a href="#">122</a>
<a href="#">4</a>	GEN	DSS CAPITAL REGION SUPPLY CENTRE	933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	ESE/0.0	1.01	<a href="#">123</a>
<a href="#">4</a>	GEN	PUBLIC WORKS AND GOVT SERVICES CANADA	CAPITAL REGION SUPPLY CENTRE (CRSC) 933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	ESE/0.0	1.01	<a href="#">123</a>
<a href="#">4</a>	GEN	DSS CAPITAL REGION SUPPLY CENTRE 13-297	933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	ESE/0.0	1.01	<a href="#">123</a>
<a href="#">4</a>	EHS		1010 Somerset Street West Ottawa ON	ESE/0.0	1.01	<a href="#">124</a>
<a href="#">4</a>	EHS		933 Gladstone Ave Ottawa ON K1A0T4	ESE/0.0	1.01	<a href="#">124</a>
<a href="#">4</a>	RSC	OTTAWA COMMUNITY HOUSING CORPORATION	933 GLADSTONE AVENUE, OTTAWA, ON K1A 0T4 Ottawa ON	ESE/0.0	1.01	<a href="#">124</a>
<a href="#">5</a>	BORE		ON	WSW/0.0	1.69	<a href="#">125</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
--------------------	-----------	--------------------------	----------------	---------------------	--------------------------	------------------------

## Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">6</a>	SCT	ROBERT TAPE LIMITED	989 SOMERSET ST W OTTAWA ON K1R 6R8	NNW/28.1	-1.00	<a href="#">127</a>
<a href="#">6</a>	GEN	ROBT TAPE LIMITED	989 SOMERSET ST. W. OTTAWA ON K1R 6R8	NNW/28.1	-1.00	<a href="#">127</a>
<a href="#">6</a>	GEN	ROBT TAPE LIMITED 33-483	989 SOMERSET ST. W. OTTAWA ON K1R 6R8	NNW/28.1	-1.00	<a href="#">127</a>
<a href="#">6</a>	GEN	ROBT TAPE LIMITED	989 SOMERSET STREET WEST OTTAWA ON K1R 6R8	NNW/28.1	-1.00	<a href="#">128</a>
<a href="#">6</a>	GEN	ROBT. TAPE LTD.	989 Somerset St. West Ottawa ON K1R 6R8	NNW/28.1	-1.00	<a href="#">128</a>
<a href="#">6</a>	GEN	697755 Ontario Inc.	160 Spruce Street Ottawa ON K1R 6P2	NNW/28.1	-1.00	<a href="#">128</a>
<a href="#">7</a>	BORE		ON	W/28.7	1.00	<a href="#">128</a>
<a href="#">8</a>	BORE		ON	NW/33.1	-0.69	<a href="#">129</a>
<a href="#">9</a>	SCT	T & E FOOD PRODUCTS	158 SPRUCE ST OTTAWA ON K1R 6P2	NNW/33.5	-1.00	<a href="#">130</a>
<a href="#">10</a>	GEN	PARSON REFRIGERATION (1988) LTD.	955 SOMERSET STREET WEST OTTAWA ON K1R 6R8	NNE/34.9	-0.39	<a href="#">130</a>
<a href="#">10</a>	GEN	PARSON REFRIGERATION (1985) LTD.	955 SOMERSET STREET WEST OTTAWA ON K1R 6R8	NNE/34.9	-0.39	<a href="#">131</a>
<a href="#">10</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON	NNE/34.9	-0.39	<a href="#">131</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">10</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON	NNE/34.9	-0.39	<a href="#">131</a>
<a href="#">10</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON	NNE/34.9	-0.39	<a href="#">132</a>
<a href="#">10</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON	NNE/34.9	-0.39	<a href="#">132</a>
<a href="#">11</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON	NNE/34.9	-0.39	<a href="#">132</a>
<a href="#">11</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	NNE/34.9	-0.39	<a href="#">133</a>
<a href="#">11</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	NNE/34.9	-0.39	<a href="#">133</a>
<a href="#">11</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	NNE/34.9	-0.39	<a href="#">133</a>
<a href="#">11</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	NNE/34.9	-0.39	<a href="#">134</a>
<a href="#">11</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	NNE/34.9	-0.39	<a href="#">134</a>
<a href="#">11</a>	GEN	Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	NNE/34.9	-0.39	<a href="#">134</a>
<a href="#">12</a>	ECA	The District in Lebreton Flats Inc.	148-158 Spruce Street Ottawa ON K2A 0E7	NNW/42.0	-1.00	<a href="#">135</a>
<a href="#">13</a>	SPL	OTTAWA HYDRO	947 SOMMERSET ST WEST TRANSFORMER OTTAWA CITY ON	NNE/43.9	-0.39	<a href="#">135</a>
<a href="#">14</a>	EHS		160 Spruce Street Ottawa ON K1R 1C6	NNW/45.8	-1.00	<a href="#">135</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">14</a>	EHS		160 Spruce Street Ottawa ON K1R 1C6	NNW/45.8	-1.00	<a href="#">135</a>
<a href="#">14</a>	EHS		160 Spruce Street Ottawa ON K1R 1C6	NNW/45.8	-1.00	<a href="#">136</a>
<a href="#">14</a>	EHS		160 Spruce Street Ottawa ON K1R 1C6	NNW/45.8	-1.00	<a href="#">136</a>
<a href="#">14</a>	EHS		160 Spruce Street Ottawa ON K1R 1C6	NNW/45.8	-1.00	<a href="#">136</a>
<a href="#">15</a>	GEN	PUBLIC WORKS CANADA	CHP PLOUFFE PARK C/O PLACE DU PORTAGE PHASE IV LEVEL II OTTAWA ON	ENE/50.9	3.00	<a href="#">136</a>
<a href="#">15</a>	CA	City of Ottawa	930 Somerset St W Ottawa ON K1R 6R9	ENE/50.9	3.00	<a href="#">137</a>
<a href="#">15</a>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON	ENE/50.9	3.00	<a href="#">137</a>
<a href="#">15</a>	PINC		930 Somerset St W,Ottawa ON	ENE/50.9	3.00	<a href="#">137</a>
<a href="#">15</a>	SPL		930 Somerset Street Ottawa ON	ENE/50.9	3.00	<a href="#">138</a>
<a href="#">15</a>	ECA	City of Ottawa	930 Somerset St W Ottawa ON K1P 1J1	ENE/50.9	3.00	<a href="#">138</a>
<a href="#">15</a>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	ENE/50.9	3.00	<a href="#">138</a>
<a href="#">15</a>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	ENE/50.9	3.00	<a href="#">139</a>
<a href="#">15</a>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	ENE/50.9	3.00	<a href="#">139</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">15</a>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	ENE/50.9	3.00	<a href="#">140</a>
<a href="#">15</a>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	ENE/50.9	3.00	<a href="#">140</a>
<a href="#">15</a>	GEN	Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	ENE/50.9	3.00	<a href="#">140</a>
<a href="#">16</a>	WWIS		ON <b>Well ID:</b> 7231311	NW/52.4	-1.00	<a href="#">141</a>
<a href="#">17</a>	BORE		ON	S/55.5	2.69	<a href="#">141</a>
<a href="#">18</a>	EHS		935/943 Somerset St. Ottawa ON	NE/56.9	1.00	<a href="#">143</a>
<a href="#">19</a>	GEN	City of Ottawa	130 Preston St Ottawa ON K1R 7P5	E/57.4	3.31	<a href="#">143</a>
<a href="#">19</a>	CA	City of Ottawa	130 Preston Street Ottawa ON	E/57.4	3.31	<a href="#">143</a>
<a href="#">19</a>	ECA	City of Ottawa	130 Preston Street Ottawa ON	E/57.4	3.31	<a href="#">143</a>
<a href="#">20</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	NW/60.5	-1.00	<a href="#">144</a>
<a href="#">20</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	NW/60.5	-1.00	<a href="#">144</a>
<a href="#">20</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	NW/60.5	-1.00	<a href="#">144</a>
<a href="#">20</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	NW/60.5	-1.00	<a href="#">145</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">20</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	NW/60.5	-1.00	<a href="#">145</a>
<a href="#">20</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	NW/60.5	-1.00	<a href="#">145</a>
<a href="#">21</a>	WWIS		250 CITY CENTRE AVE. Ottawa ON <b>Well ID:</b> 7121083	WNW/62.7	-1.00	<a href="#">146</a>
<a href="#">22</a>	GEN	Primrose Printing Inc	250 City Centre Avenue, BAY 142 Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">164</a>
<a href="#">22</a>	SCT	Display Laminating	250 City Centre Ave Suite 128 Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">165</a>
<a href="#">22</a>	SCT	Artext Electronic Publishing	250 City Centre Ave Suite 140 Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">165</a>
<a href="#">22</a>	SCT	Ottawa Print Finishing	250 City Centre Ave Suite 226 Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">165</a>
<a href="#">22</a>	SCT	Marquardt Printing Ltd.	250 City Centre Ave Bay 240 Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">165</a>
<a href="#">22</a>	SCT	Quality Signs Ltd.	250 City Centre Ave Suite 128 Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">166</a>
<a href="#">22</a>	SCT	C.N. Embroidery Inc.	250 City Centre Ave Unit 100 Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">166</a>
<a href="#">22</a>	EHS		250 City Centre Avenue (formerly Champagne Avenue N) Ottawa ON	WNW/66.4	0.12	<a href="#">166</a>
<a href="#">22</a>	GEN	Cielo Print Inc.	250 City Centre Avenue, BAY 136 Ottawa ON	WNW/66.4	0.12	<a href="#">166</a>
<a href="#">22</a>	GEN	Equity Management International Limited	250 City Centre Avenue Ottawa ON	WNW/66.4	0.12	<a href="#">167</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">22</a>	SCT	Cdn Parks & Wilderness Society	250 City Centre Ave Suite 506 Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">167</a>
<a href="#">22</a>	SCT	Christie Lites Ltd. - Ottawa	250 City Centre Ave Suite 102-104 Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">168</a>
<a href="#">22</a>	SCT	Cielo Print Inc.	250 City Centre Ave Unit 136 Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">168</a>
<a href="#">22</a>	GEN	MARQUARDT PRINTING LTD.	250 CITY CENTRE AVENUE, UNIT 236 OTTAWA ON K1R 6K7	WNW/66.4	0.12	<a href="#">168</a>
<a href="#">22</a>	GEN	PUBLIC WORKS AND GOVERNMENT SERVICES CANADA	250 City Centre Av Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">169</a>
<a href="#">22</a>	GEN	City of Ottawa	250 City Centre Avenue Ottawa ON	WNW/66.4	0.12	<a href="#">169</a>
<a href="#">22</a>	GEN	VISION FORM	BAY 244-250 CITY CENTRE AVE OTTAWA ON	WNW/66.4	0.12	<a href="#">169</a>
<a href="#">22</a>	SPL	Cascades Recovery Inc.	250 City Centre Ave. Ottawa ON	WNW/66.4	0.12	<a href="#">170</a>
<a href="#">22</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON	WNW/66.4	0.12	<a href="#">170</a>
<a href="#">22</a>	GEN	FURNITURE AFFAIRS	250 CITY CENTRE.UNIT 222 OTTAWA ON	WNW/66.4	0.12	<a href="#">170</a>
<a href="#">22</a>	GEN	FURNITURE AFFAIRS	250 CITY CENTRE.UNIT 222 OTTAWA ON K1R6K7	WNW/66.4	0.12	<a href="#">171</a>
<a href="#">22</a>	GEN	VISION FORM	BAY 244-250 CITY CENTRE AVE OTTAWA ON K1R 6K7	WNW/66.4	0.12	<a href="#">171</a>
<a href="#">22</a>	GEN	FURNITURE AFFAIRS	250 CITY CENTRE.UNIT 222 OTTAWA ON K1R6K7	WNW/66.4	0.12	<a href="#">171</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">22</a>	GEN	FURNITURE AFFAIRS	250 CITY CENTRE.UNIT 222 OTTAWA ON K1R6K7	WNW/66.4	0.12	<a href="#">172</a>
<a href="#">22</a>	GEN	Visionform Inc	BAY 244-250 City Centre Avenue Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">172</a>
<a href="#">22</a>	GEN	VISION FORM	BAY 244-250 CITY CENTRE AVE OTTAWA ON K1R 6K7	WNW/66.4	0.12	<a href="#">172</a>
<a href="#">22</a>	GEN	Public Services & Procurement Canada ESD/Trades	250 City Centre Av Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">173</a>
<a href="#">22</a>	GEN	Public Services and Procurement Canada	250 City Centre Avenue Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">173</a>
<a href="#">22</a>	GEN	Visionform Inc	BAY 244-250 City Centre Avenue Ottawa ON K1R 6K7	WNW/66.4	0.12	<a href="#">174</a>
<a href="#">23</a>	WWIS		73 Breezehill Ave N Ottawa ON <b>Well ID:</b> 7333913	WSW/66.6	2.00	<a href="#">174</a>
<a href="#">24</a>	SCT	J.M. HILL & SON LTD.	935 SOMERSET ST W OTTAWA ON K1R 6R8	NE/66.8	1.27	<a href="#">177</a>
<a href="#">25</a>	WWIS		270 CITY CENTER AVE. Ottawa ON <b>Well ID:</b> 7173325	NW/72.3	-1.00	<a href="#">177</a>
<a href="#">26</a>	WWIS		73 Breezehill Ave N Ottawa ON <b>Well ID:</b> 7333875	WSW/74.9	3.05	<a href="#">180</a>
<a href="#">27</a>	WWIS		270 CITY CENTER AVE. Ottawa ON <b>Well ID:</b> 7173323	NW/76.9	-1.00	<a href="#">183</a>
<a href="#">28</a>	GEN	1597655 Ontario Inc.	160 Spruce Street Ottawa ON K1R 6P2	NNW/77.1	-1.31	<a href="#">186</a>
<a href="#">29</a>	GEN	LEBRUN BUILDING SERVICES	75 G Breezehill North Ottawa ON K1Y 2H7	SW/77.1	3.69	<a href="#">186</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">29</a>	SCT	Breezehill Heating Ltd.	75 Breezehill Ave N Unit D Ottawa ON K1Y 2H6	SW/77.1	3.69	<a href="#">186</a>
<a href="#">30</a>	GEN	AERO MECHTRONICS LIMITED	1040 SOMERSET STREET WEST OTTAWA ON K1Y 4L3	W/78.6	1.31	<a href="#">187</a>
<a href="#">30</a>	GEN	AERO MECHTRONICS LIMITED 01-084	1040 SOMERSET STREET WEST OTTAWA ON K1Y 4L3	W/78.6	1.31	<a href="#">187</a>
<a href="#">30</a>	GEN	AERO MECHTRONICS LIMITED	1040 SOMERSET STREET WEST OTTAWA ON K1Y 4L3	W/78.6	1.31	<a href="#">187</a>
<a href="#">30</a>	EHS		1040 Somerset St. W Ottawa ON	W/78.6	1.31	<a href="#">187</a>
<a href="#">30</a>	EHS		1040 Somerset Street West Ottawa ON K1Y 2H6	W/78.6	1.31	<a href="#">188</a>
<a href="#">30</a>	EHS		1040 Somerset Street West Ottawa ON K1Y 2H6	W/78.6	1.31	<a href="#">188</a>
<a href="#">31</a>	WWIS		270 CITY CENTER AVE. Ottawa ON <b>Well ID:</b> 7173324	NW/78.8	-1.00	<a href="#">188</a>
<a href="#">32</a>	GEN	Domicile Corporation	148-158 Spruce Street Ottawa ON K1R 6P2	NNW/79.4	-1.31	<a href="#">191</a>
<a href="#">32</a>	CA	The District in Lebreton Flats Inc.	148-158 Spruce Street Ottawa ON K1R 6P2	NNW/79.4	-1.31	<a href="#">191</a>
<a href="#">33</a>	AUWR	A & T AUTO PARTS	55 BREEZEHILL AVE N OTTAWA ON K1Y 2H6	WSW/81.8	1.92	<a href="#">191</a>
<a href="#">34</a>	SCT	ARC Industries	73 Breezehill Ave N Ottawa ON K1Y 2H6	WSW/83.8	3.05	<a href="#">191</a>
<a href="#">34</a>	SCT	A R C INDUSTRIES	73 BREEZEHILL AVE N OTTAWA ON K1Y 2H6	WSW/83.8	3.05	<a href="#">192</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">34</a>	SCT	Arc Industries - Div. of OCAPDD	73 Breezehill Ave N Ottawa ON K1Y 2H6	WSW/83.8	3.05	<a href="#">192</a>
<a href="#">34</a>	EHS		73 Breezehill Avenue North Ottawa ON K1Y 2H6	WSW/83.8	3.05	<a href="#">192</a>
<a href="#">34</a>	EHS		73 Breezehill Ave North Ottawa Ontario Ottawa ON K1Y 2H6	WSW/83.8	3.05	<a href="#">192</a>
<a href="#">34</a>	SPL	Enbridge Gas Inc.	73 Breezehill Ave N. Ottawa ON	WSW/83.8	3.05	<a href="#">192</a>
<a href="#">34</a>	PINC	ENBRIDGE GAS INC	73 BREEZEHILL AVE N.,OTTAWA,ON, K1Y 2H6,CA ON	WSW/83.8	3.05	<a href="#">193</a>
<a href="#">35</a>	WWIS		270 CITY CENTRE ST OTTAWA ON <i>Well ID:</i> 7192919	WNW/84.3	-1.00	<a href="#">193</a>
<a href="#">36</a>	WWIS		270 CITY CENTRE OTTAWA ON <i>Well ID:</i> 7192921	NW/87.6	-1.31	<a href="#">196</a>
<a href="#">37</a>	WWIS		23 Breezehill Ave N Ottawa ON <i>Well ID:</i> 7333912	WSW/88.0	3.06	<a href="#">199</a>
<a href="#">38</a>	WWIS		270 CITY CENTRE OTTAWA ON <i>Well ID:</i> 7192920	WNW/88.4	-1.00	<a href="#">202</a>
<a href="#">39</a>	GEN	Claridge Homes (Hintonburg Yards) LP	1040 Somerset Street West Ottawa ON K1L 4Y3	W/89.7	1.95	<a href="#">204</a>
<a href="#">40</a>	WWIS		73 Breezehill Ave N Ottawa ON <i>Well ID:</i> 7333911	WSW/90.7	3.06	<a href="#">205</a>
<a href="#">41</a>	WWIS		270 CITY CENTRE AVE OTTAWA ON <i>Well ID:</i> 7192922	NW/90.9	-1.31	<a href="#">208</a>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NW/91.0	-1.31	<a href="#">210</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">42</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON	NW/91.0	-1.31	<a href="#">210</a>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NW/91.0	-1.31	<a href="#">211</a>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NW/91.0	-1.31	<a href="#">211</a>
<a href="#">42</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON	NW/91.0	-1.31	<a href="#">211</a>
<a href="#">42</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON	NW/91.0	-1.31	<a href="#">212</a>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NW/91.0	-1.31	<a href="#">212</a>
<a href="#">42</a>	GEN	Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON	NW/91.0	-1.31	<a href="#">212</a>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NW/91.0	-1.31	<a href="#">213</a>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON	NW/91.0	-1.31	<a href="#">213</a>
<a href="#">42</a>	INC		270 CITY CENTRE AVENUE, OTTAWA ON	NW/91.0	-1.31	<a href="#">213</a>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NW/91.0	-1.31	<a href="#">214</a>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NW/91.0	-1.31	<a href="#">214</a>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NW/91.0	-1.31	<a href="#">214</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NW/91.0	-1.31	<a href="#">215</a>
<a href="#">42</a>	CDRY	BROWN'S CLEANERS	270 CITY CENTRE AVE Ottawa ON K1R7R7	NW/91.0	-1.31	<a href="#">215</a>
<a href="#">42</a>	GEN	BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NW/91.0	-1.31	<a href="#">217</a>
<a href="#">43</a>	WWIS		ON <b>Well ID:</b> 1514863	NNE/92.0	-1.03	<a href="#">217</a>
<a href="#">44</a>	GEN	MCKERLIE-MILLEN INC.	35A LAUREL STREET OTTAWA ON K1Y 4M4	SW/96.4	4.00	<a href="#">219</a>
<a href="#">44</a>	GEN	MCKERLIE MILLEN (SEE & USE ON2231907)	35A LAUREL STREET OTTAWA ON K1Y 4M4	SW/96.4	4.00	<a href="#">220</a>
<a href="#">44</a>	GEN	CARQUEST CANADA LTD.	35A LAUREL STREET OTTAWA ON K1Y 4M4	SW/96.4	4.00	<a href="#">220</a>
<a href="#">44</a>	GEN	CARQUEST CANADA LTD.	AUTO PAINT SUPPLY 35A LAUREL STREET OTTAWA ON K1Y 4M4	SW/96.4	4.00	<a href="#">220</a>
<a href="#">44</a>	SCT	Wake Cup Coffee Roasters	35 Laurel St Ottawa ON K1Y 4M4	SW/96.4	4.00	<a href="#">221</a>
<a href="#">44</a>	SCT	Paper Sign Man	35B Laurel St Ottawa ON K1Y 4M4	SW/96.4	4.00	<a href="#">221</a>
<a href="#">44</a>	SCT	Signs in 23 hours.com	35B Laurel St Ottawa ON K1Y 4M4	SW/96.4	4.00	<a href="#">221</a>
<a href="#">44</a>	SCT	merge design, print & promo	35B Laurel St Ottawa ON K1Y 4M4	SW/96.4	4.00	<a href="#">221</a>
<a href="#">45</a>	BORE		ON	SSW/97.0	4.24	<a href="#">222</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">46</a>	HINC		901 SOMERSET ST. OTTAWA ON	NE/101.4	3.69	<a href="#">222</a>
<a href="#">47</a>	HINC		122 PRESTON STREET OTTAWA ON K1R 7P2	NE/105.1	3.69	<a href="#">223</a>
<a href="#">48</a>	SCT	Buchanan Lighting Ltd.	129 Loretta Ave N Ottawa ON K1Y 2J7	S/106.5	4.33	<a href="#">223</a>
<a href="#">49</a>	SPL	BROOKFIELD LEPAGE JOHNSON CONT	1 OAK STREET, OTTAWA PROPERTY MANAGEMENT CO. 120 PARKDALE AVE, SUITE 1401, OTTAWA OTTAWA CITY ON	E/109.2	5.05	<a href="#">224</a>
<a href="#">49</a>	GEN	BROOKFIELD LEPAGE JOHNSON CONTROLS	OAK STREET COMPLEX 1 OAK STREET OTTAWA ON	E/109.2	5.05	<a href="#">224</a>
<a href="#">49</a>	GEN	BROOKFIELD LEPAGE JOHNSON CONTROLS	1 OAK STREET OTTAWA ON	E/109.2	5.05	<a href="#">225</a>
<a href="#">49</a>	GEN	Aim Waste Management Inc.	1 Oak Street Ottawa ON K1R 6R9	E/109.2	5.05	<a href="#">225</a>
<a href="#">49</a>	GEN	Aim Waste Management Inc.	1 Oak Street Ottawa ON K1R 6R9	E/109.2	5.05	<a href="#">225</a>
<a href="#">50</a>	ECA	170 Preston Street Ltd.	170 Preston St Ottawa ON K1R 7H9	E/114.1	4.91	<a href="#">225</a>
<a href="#">51</a>	EHS		Preston St & Laurel St Ottawa On Ottawa ON	E/115.4	5.03	<a href="#">226</a>
<a href="#">52</a>	EHS		Anderson Street && Preston Street Ottawa ON	E/116.3	5.06	<a href="#">226</a>
<a href="#">53</a>	CA	R.M. OF OTTAWA-CARLETON	SOMERSET ST/PRESTON ST. OTTAWA CITY ON	NE/116.8	4.28	<a href="#">226</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">53</a>	CA	OTTAWA CITY	SOMERSET ST.W./PRESTON ST.,CSO OTTAWA CITY ON	NE/116.8	4.28	<a href="#">227</a>
<a href="#">54</a>	SPL	OTTAWA HYDRO	99 BREEZE HILL AVENUE TRANSFORMER OTTAWA CITY ON	SW/119.0	4.00	<a href="#">227</a>
<a href="#">55</a>	HINC		114 PRESTION STREET OTTAWA ON	NE/119.4	3.69	<a href="#">227</a>
<a href="#">56</a>	EHS		933 Gladstone Ave Ottawa ON K1A0T4	SE/121.8	2.00	<a href="#">228</a>
<a href="#">57</a>	BORE		ON	NW/122.7	-2.03	<a href="#">228</a>
<a href="#">58</a>	SPL	OLRT Constructors	1035 somerset street Ottawa ON	W/123.9	1.99	<a href="#">229</a>
<a href="#">58</a>	ECA	SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc. and EllisDon	Corporation Bayview (1035 Somerset Street W, 801 Albert Street) Ottawa ON K1Z 1G3	W/123.9	1.99	<a href="#">230</a>
<a href="#">59</a>	EHS		153-157 Preston Road aka 130 Anderson St. Ottawa ON K1R 7P6	E/125.8	5.69	<a href="#">230</a>
<a href="#">59</a>	EHS		153-157 Preston Street Ottawa ON K1R 7P6	E/125.8	5.69	<a href="#">230</a>
<a href="#">60</a>	HINC		106 PRESTON STREET OTTAWA ON K1R 7P2	NE/125.9	4.00	<a href="#">231</a>
<a href="#">61</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <b>Well ID:</b> 7202037	NW/129.0	-0.95	<a href="#">231</a>
<a href="#">62</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <b>Well ID:</b> 7202059	NW/129.1	-2.03	<a href="#">234</a>
<a href="#">63</a>	WWIS		O-TRAIN RAIL CORRIDOR Ottawa ON	SSE/129.2	3.31	<a href="#">237</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7205660			
<a href="#">64</a>	EHS		265 City Centre Avenue & 233 Champagne Avenue Ottawa ON	NW/129.8	-2.03	<a href="#">238</a>
<a href="#">65</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <b>Well ID:</b> 7202057	NW/130.0	-1.43	<a href="#">239</a>
<a href="#">66</a>	CA	907462 ONTARIO LIMITED	111-113 BREEZEHILL AVE.N., SWM OTTAWA CITY ON K1Y 2H6	SW/130.9	5.08	<a href="#">242</a>
<a href="#">66</a>	EBR	Grandtech Auto Inc.	111 Breezehill Avenue North Suite 3-4 Ottawa Ontario K1Y 2H6 Ottawa ON	SW/130.9	5.08	<a href="#">242</a>
<a href="#">66</a>	CA	Grandtech Auto Inc.	111 Breezehill Avenue North Ottawa ON K1Y 2H6	SW/130.9	5.08	<a href="#">242</a>
<a href="#">66</a>	ECA	Grandtech Auto Inc.	111 Breezehill Avenue North Ottawa ON K1Y 2H6	SW/130.9	5.08	<a href="#">243</a>
<a href="#">67</a>	EHS		131 Loretta Avenue Ottawa ON	S/132.2	4.69	<a href="#">243</a>
<a href="#">68</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <b>Well ID:</b> 7202058	NW/134.1	-2.03	<a href="#">243</a>
<a href="#">69</a>	WWIS		250 CITY CENTER AVE Ottawa ON <b>Well ID:</b> 7202055	NW/134.8	-2.03	<a href="#">246</a>
<a href="#">70</a>	GEN	Visionform Inc	BAY 244-250 City Centre Avenue Ottawa ON K1R 6K7	WNW/135.5	-1.08	<a href="#">249</a>
<a href="#">71</a>	SCT	Beacon Lite Ltd.	131 Loretta Ave N Ottawa ON K1Y 2J7	S/136.1	4.69	<a href="#">249</a>
<a href="#">72</a>	WWIS		ON <b>Well ID:</b> 1508959	NNW/137.3	-2.00	<a href="#">250</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">73</a>	BORE		ON	NNW/137.6	-2.00	<a href="#">252</a>
<a href="#">74</a>	GEN	ACKLANDS LIMITED	1050 SOMERSET ST. WEST OTTAWA ON K1Y 3C5	W/138.5	2.69	<a href="#">254</a>
<a href="#">74</a>	GEN	ACKLANDS LIMITED 02-414	1050 SOMERSET ST. WEST OTTAWA ON K1Y 3C5	W/138.5	2.69	<a href="#">254</a>
<a href="#">74</a>	GEN	ACKLANDS LIMITED	1050 SOMERSET STREET WEST OTTAWA ON K1Y 3C5	W/138.5	2.69	<a href="#">254</a>
<a href="#">75</a>	SCT	V Steel Works Ltd.	17 Larch St Ottawa ON K1R 6W4	ESE/139.6	3.00	<a href="#">254</a>
<a href="#">75</a>	EHS		15-19 Larch Street Ottawa ON K1R 6W4	ESE/139.6	3.00	<a href="#">255</a>
<a href="#">75</a>	EHS		15-19 Larch Street Ottawa ON K1R 6W4	ESE/139.6	3.00	<a href="#">255</a>
<a href="#">75</a>	EHS		15-19 Larch Street Ottawa ON K1R 6W4	ESE/139.6	3.00	<a href="#">255</a>
<a href="#">75</a>	EHS		15-19 Larch Street Ottawa ON K1R 6W4	ESE/139.6	3.00	<a href="#">255</a>
<a href="#">76</a>	EHS		105 Preston Street Ottawa ON	NE/140.2	4.89	<a href="#">256</a>
<a href="#">77</a>	WWIS		173-177 PRESTON ST Ottawa ON <i>Well ID: 7230092</i>	E/140.2	5.69	<a href="#">256</a>
<a href="#">78</a>	SCT	MANSFIELD & RODNEY PRINTING	164 ELM ST OTTAWA ON K1R 6N5	N/140.7	-0.88	<a href="#">259</a>
<a href="#">78</a>	SCT	Mansfield & Rodney Printing Ltd.	164 Elm St Ottawa ON K1R 6N5	N/140.7	-0.88	<a href="#">259</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">78</a>	GEN	MANSFIELD & RODNEY PRINTING LTD.	164 ELM STREET OTTAWA ON K1R 6N5	N/140.7	-0.88	<a href="#">260</a>
<a href="#">78</a>	GEN	MANSFIELD & RODNEY PRINTING	164 ELM STREET OTTAWA ON K1R 6N5	N/140.7	-0.88	<a href="#">260</a>
<a href="#">79</a>	PES	PARAMOUNT PEST CONTROL	110 SPRUCE ST APT#3 OTTAWA ON K1R 6P2	NE/140.8	2.61	<a href="#">260</a>
<a href="#">79</a>	PES	PARAMOUNT PEST CONTROL	110 SPRUCE ST; APT. #3 OTTAWA ON K1R 6P2	NE/140.8	2.61	<a href="#">261</a>
<a href="#">79</a>	PES	DAVID SAUNDERS O/A PARAMOUNT PEST CONTROL	110 SPRUCE ST, APT 3 OTTAWA ON K1R 6P2	NE/140.8	2.61	<a href="#">261</a>
<a href="#">79</a>	PES	DAVID SAUNDERS O/A PARAMOUNT PEST CONTROL	110 SPRUCE ST, APT 3 OTTAWA ON K1R 6P2	NE/140.8	2.61	<a href="#">261</a>
<a href="#">80</a>	SCT	UNION ENGRAVING & PRINTING LTD	145 SPRUCE ST OTTAWA ON K1R 6P1	N/140.8	-0.88	<a href="#">262</a>
<a href="#">80</a>	SCT	UNION ENGRAVING & PRINTING LTD	145 SPRUCE ST OTTAWA ON K1R 6P1	N/140.8	-0.88	<a href="#">262</a>
<a href="#">80</a>	GEN	ALEXANDER BATTERY CORPORATION 02-338	145-A SPRUCE STREET OTTAWA ON K1R 6P1	N/140.8	-0.88	<a href="#">262</a>
<a href="#">80</a>	GEN	UNION ENGRAVING CO. LTD. 39-450	145 SPRUCE STREET OTTAWA ON K1R 6P1	N/140.8	-0.88	<a href="#">263</a>
<a href="#">80</a>	GEN	ALEXANDER BATTERY CORPORATION	145-A SPRUCE STREET OTTAWA ON K1R 6P1	N/140.8	-0.88	<a href="#">263</a>
<a href="#">80</a>	GEN	UNION ENGRAVING CO. LTD.	145 SPRUCE STREET OTTAWA ON K1R 6P1	N/140.8	-0.88	<a href="#">263</a>
<a href="#">80</a>	SCT	Oberon Press	145 Spruce St Suite 205 Ottawa ON K1R 6P1	N/140.8	-0.88	<a href="#">264</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">80</a>	SCT	Alexander Battery Corp.	145 Spruce St Ottawa ON K1R 6P1	N/140.8	-0.88	<a href="#">264</a>
<a href="#">80</a>	GEN	A.H. FITZSIMMONS & CO. LTD.	145 SPRUCE STREET OTTAWA ON K1R 6P1	N/140.8	-0.88	<a href="#">264</a>
<a href="#">81</a>	GEN	OTTAWA BOARD OF EDUCATION	100 BREEZEHILL AVENUE OTTAWA ON K1Y 2H5	WSW/141.4	3.25	<a href="#">264</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	Devonshire Community PS 100 Breezehill Avenue Ottawa ON K1Y 2H5	WSW/141.4	3.25	<a href="#">265</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	Devonshire PS 100 Breezehill Avenue Ottawa ON	WSW/141.4	3.25	<a href="#">265</a>
<a href="#">81</a>	GEN	SEACOR Environmental Inc.	100 Breezehill Ave Ottawa ON	WSW/141.4	3.25	<a href="#">265</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	WSW/141.4	3.25	<a href="#">266</a>
<a href="#">81</a>	GEN	SLR Consulting (Canada) Ltd.	100 Breezehill Ave Ottawa ON K1Y 2H5	WSW/141.4	3.25	<a href="#">266</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON	WSW/141.4	3.25	<a href="#">266</a>
<a href="#">81</a>	GEN	SLR Consulting (Canada) Ltd.	100 Breezehill Ave Ottawa ON	WSW/141.4	3.25	<a href="#">267</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON	WSW/141.4	3.25	<a href="#">267</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON	WSW/141.4	3.25	<a href="#">268</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	WSW/141.4	3.25	<a href="#">268</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON	WSW/141.4	3.25	<a href="#">268</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	WSW/141.4	3.25	<a href="#">269</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	WSW/141.4	3.25	<a href="#">270</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	WSW/141.4	3.25	<a href="#">270</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board Health & Safety	100 Breezehille Ave. Ottawa ON K1Y 2H5	WSW/141.4	3.25	<a href="#">271</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board Health & Safety	100 Breezehille Ave. Ottawa ON K1Y 2H5	WSW/141.4	3.25	<a href="#">271</a>
<a href="#">81</a>	GEN	Ottawa-Carleton District School Board Health & Safety	100 Breezehille Ave. Ottawa ON K1Y 2H5	WSW/141.4	3.25	<a href="#">272</a>
<a href="#">82</a>	EHS		173 Preston St Ottawa ON K1R7P6	E/141.7	6.00	<a href="#">273</a>
<a href="#">83</a>	BORE		ON	NW/142.3	-0.88	<a href="#">273</a>
<a href="#">84</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <i>Well ID:</i> 7202054	NW/143.0	-2.03	<a href="#">274</a>
<a href="#">85</a>	ECA	Padom Holdings Ltd.	173 Preston St Ottawa ON K2C 1P1	E/144.5	6.00	<a href="#">277</a>
<a href="#">86</a>	EHS		250 City Centre Ottawa ON	NW/145.0	-1.43	<a href="#">277</a>
<a href="#">87</a>	WWIS		ON <i>Well ID:</i> 7216640	WSW/145.3	3.80	<a href="#">277</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">88</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <i>Well ID: 7202056</i>	NW/146.0	-1.43	<a href="#">278</a>
<a href="#">89</a>	PES	10278408 CANADA INC.	186 preston ottawa ON K1B 2P9	ESE/147.6	4.69	<a href="#">281</a>
<a href="#">90</a>	WWIS		173-177 PRESTON ST Ottawa ON <i>Well ID: 7230093</i>	E/147.9	6.00	<a href="#">281</a>
<a href="#">91</a>	EBR	Bridgehead (2000) Inc.	130 Anderson Street Ottawa K1R 6T7 CITY OF OTTAWA ON	E/148.7	6.00	<a href="#">285</a>
<a href="#">91</a>	EASR	BRIDGEHEAD (2000) INC.	130 Anderson ST Ottawa ON K1R 6T7	E/148.7	6.00	<a href="#">285</a>
<a href="#">92</a>	EHS		185 Preston Street Ottawa ON K1R 7P8	E/149.9	6.08	<a href="#">285</a>
<a href="#">92</a>	EHS		185 Preston Street Ottawa ON K1R 7P8	E/149.9	6.08	<a href="#">285</a>
<a href="#">92</a>	EHS		185 Preston Street Ottawa ON K1R 7P8	E/149.9	6.08	<a href="#">286</a>
<a href="#">92</a>	EHS		185 Preston Street Ottawa ON K1R 7P8	E/149.9	6.08	<a href="#">286</a>
<a href="#">92</a>	EHS		185 Preston Street Ottawa ON K1R 7P8	E/149.9	6.08	<a href="#">286</a>
<a href="#">93</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <i>Well ID: 7202053</i>	NW/150.5	-1.43	<a href="#">286</a>
<a href="#">94</a>	BORE		ON	E/155.9	5.00	<a href="#">289</a>
<a href="#">95</a>	CA	City of Ottawa	135 Preston Street Ottawa ON K1R 7P4	ENE/156.2	5.92	<a href="#">290</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">95</a>	ECA	City of Ottawa	135 Preston Street Ottawa ON K1P 1J1	ENE/156.2	5.92	<a href="#">291</a>
<a href="#">95</a>	GEN	City of Ottawa	135 Preston St Ottawa ON K1R 7P4	ENE/156.2	5.92	<a href="#">291</a>
<a href="#">95</a>	GEN	City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	ENE/156.2	5.92	<a href="#">291</a>
<a href="#">95</a>	GEN	City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	ENE/156.2	5.92	<a href="#">292</a>
<a href="#">95</a>	GEN	City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	ENE/156.2	5.92	<a href="#">292</a>
<a href="#">96</a>	WWIS		PRESTON ST.-SPRUCE ST.- LAUREL ST. Ottawa ON <i>Well ID: 7108782</i>	NE/158.3	5.16	<a href="#">292</a>
<a href="#">97</a>	SCT	UNION ENGRAVING	166 ELM ST OTTAWA ON K1R 6N5	NNW/161.1	-1.46	<a href="#">295</a>
<a href="#">97</a>	SCT	UNION ENGRAVING & PRINTING LTD	166 Elm St Ottawa ON K1R 6N5	NNW/161.1	-1.46	<a href="#">295</a>
<a href="#">97</a>	SCT	Union Engraving & Printing Ltd.	166 Elm St Ottawa ON K1R 6N5	NNW/161.1	-1.46	<a href="#">296</a>
<a href="#">97</a>	EBR	Union Engraving & Printing Ltd.	166 Elm Street Ottawa Ontario K1R 6N5 Ottawa ON	NNW/161.1	-1.46	<a href="#">296</a>
<a href="#">97</a>	EHS		166 Elm St Ottawa ON K1R6N5	NNW/161.1	-1.46	<a href="#">296</a>
<a href="#">98</a>	BORE		ON	SSE/162.5	3.69	<a href="#">297</a>
<a href="#">99</a>	GEN	District Realty	160-166 Elm Street Ottawa ON K1R 6N5	NNW/162.6	-1.46	<a href="#">297</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">100</a>	CA	B.A. BANKNOTE INC.	975 GLADSTONE AVE. OTTAWA CITY ON K1Y 4W5	SSW/163.0	6.00	<a href="#">298</a>
<a href="#">100</a>	SCT	B A BANKNOTE	975 GLADSTONE AVE OTTAWA ON K1Y 4W5	SSW/163.0	6.00	<a href="#">298</a>
<a href="#">100</a>	CA		975 Gladstone Avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">298</a>
<a href="#">100</a>	CA		975 Gladstone Avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">299</a>
<a href="#">100</a>	EBR	BA Banknote Inc.	975 Gladstone Avenue Ottawa Ontario CITY OF OTTAWA ON	SSW/163.0	6.00	<a href="#">299</a>
<a href="#">100</a>	EBR	BA Banknote Inc.	975 Gladstone Avenue Ottawa Ontario CITY OF OTTAWA ON	SSW/163.0	6.00	<a href="#">299</a>
<a href="#">100</a>	SCT	B.A. Banknote	975 Gladstone Ave Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">300</a>
<a href="#">100</a>	GEN	BRITISH AMERICAN BANK NOTE INC.	975 GLADSTONE AVENUE C/O P.O. BOX 399, STATION A OTTAWA ON K1Y 4W5	SSW/163.0	6.00	<a href="#">300</a>
<a href="#">100</a>	GEN	BA BANKNOTE	OTTAWA DIV., DIV OF QUEBECOR PUBLITECH INC. OTTAWA ON K1N 8V4	SSW/163.0	6.00	<a href="#">301</a>
<a href="#">100</a>	GEN	BA BANKNOTE	OTTAWA DIV., DIV OF QUEBECOR PUBLITECH INC./975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	SSW/163.0	6.00	<a href="#">301</a>
<a href="#">100</a>	GEN	BA BANKNOTE 05-931	OTTAWA DIV., DIV OF QUEBECOR PUBLITECH INC./975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	SSW/163.0	6.00	<a href="#">302</a>
<a href="#">100</a>	GEN	BA BANKNOTE	975 GLADSTONE AVENUE OTTAWA ON K1N 8V4	SSW/163.0	6.00	<a href="#">303</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">100</a>	GEN	BA BANKNOTE INC.	975 GLADSTONE AVENUE OTTAWA ON K1N 8V4	SSW/163.0	6.00	<a href="#">304</a>
<a href="#">100</a>	NPRI	BA BANKNOTE INC.	975 GLADSTONE AVE. NOT AVAILABLE OTTAWA ON K1Y 4W5	SSW/163.0	6.00	<a href="#">305</a>
<a href="#">100</a>	SCT	B.A. Banknote Inc.	975 Gladstone Ave Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">307</a>
<a href="#">100</a>	NPRI	BA BANKNOTE INC.	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	SSW/163.0	6.00	<a href="#">307</a>
<a href="#">100</a>	EHS		975 Gladstone Avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">308</a>
<a href="#">100</a>	GEN	BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON K1N 8V4	SSW/163.0	6.00	<a href="#">308</a>
<a href="#">100</a>	SCT	BA International Inc.	975 Gladstone Ave Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">309</a>
<a href="#">100</a>	NPRI	BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	SSW/163.0	6.00	<a href="#">310</a>
<a href="#">100</a>	GEN	Pinchin Environmental	975 Gladstone Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">312</a>
<a href="#">100</a>	NPRI	BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	SSW/163.0	6.00	<a href="#">312</a>
<a href="#">100</a>	EHS		975 Gladstone Avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">314</a>
<a href="#">100</a>	NPRI	BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	SSW/163.0	6.00	<a href="#">314</a>
<a href="#">100</a>	EBR	BA Banknote Inc.	975 Gladstone Avenue Ottawa Ontario Ottawa ON	SSW/163.0	6.00	<a href="#">315</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">100</a>	EBR	BA Banknote Inc.	975 Gladstone Avenue Ottawa Ontario Ottawa ON	SSW/163.0	6.00	<a href="#">315</a>
<a href="#">100</a>	EBR	BA Banknote Inc.	975 Gladstone Avenue Ottawa Ontario Ottawa ON	SSW/163.0	6.00	<a href="#">316</a>
<a href="#">100</a>	SPL	BA International Inc.	975 Gladstone Ave Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">316</a>
<a href="#">100</a>	SPL	BA International Inc.	975 Gladstone Ave Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">317</a>
<a href="#">100</a>	EHS		975 Gladstone Avenue n/a ON K1Y 4W5	SSW/163.0	6.00	<a href="#">317</a>
<a href="#">100</a>	NPRI	BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	SSW/163.0	6.00	<a href="#">318</a>
<a href="#">100</a>	SPL	Drain-All Ltd.	975 Gladstone Ave Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">318</a>
<a href="#">100</a>	SCT	BA International Inc.	975 Gladstone Ave Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">319</a>
<a href="#">100</a>	NPRI	BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	SSW/163.0	6.00	<a href="#">319</a>
<a href="#">100</a>	SPL	349977 Ontario Ltd.	975 Gladstone Ave Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">320</a>
<a href="#">100</a>	CA	BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">321</a>
<a href="#">100</a>	CA	BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">321</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">100</a>	CA	BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">321</a>
<a href="#">100</a>	CA	BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">321</a>
<a href="#">100</a>	CA	BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">322</a>
<a href="#">100</a>	NPRI	BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	SSW/163.0	6.00	<a href="#">322</a>
<a href="#">100</a>	NPRI	BA INTERNATIONAL INC.	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	SSW/163.0	6.00	<a href="#">323</a>
<a href="#">100</a>	GEN	BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	SSW/163.0	6.00	<a href="#">324</a>
<a href="#">100</a>	NPRI	BA INTERNATIONAL INC.	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	SSW/163.0	6.00	<a href="#">325</a>
<a href="#">100</a>	GEN	BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	SSW/163.0	6.00	<a href="#">326</a>
<a href="#">100</a>	GEN	BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	SSW/163.0	6.00	<a href="#">327</a>
<a href="#">100</a>	GEN	BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	SSW/163.0	6.00	<a href="#">328</a>
<a href="#">100</a>	EBR	Canadian Bank Note Company, Limited	975 Gladstone Avenue Ottawa K1Y 4W5 CITY OF OTTAWA ON	SSW/163.0	6.00	<a href="#">330</a>
<a href="#">100</a>	GEN	BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON	SSW/163.0	6.00	<a href="#">330</a>
<a href="#">100</a>	GEN	Canadian Bank Note Company, limited	975 Gladstone avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">331</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">100</a>	GEN	Canadian Bank Note Company, limited	975 Gladstone avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">332</a>
<a href="#">100</a>	GEN	Canadian Bank Note Company, limited	975 Gladstone avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">334</a>
<a href="#">100</a>	GEN	Canadian Bank Note Company, limited Gladstone	975 Gladstone avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">334</a>
<a href="#">100</a>	GEN	Canadian Bank Note Company, limited Gladstone	975 Gladstone avenue Ottawa ON K1Y 4W5	SSW/163.0	6.00	<a href="#">336</a>
<a href="#">101</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <b>Well ID:</b> 7202052	NW/164.6	-2.00	<a href="#">337</a>
<a href="#">102</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <b>Well ID:</b> 7202039	NW/164.9	-2.00	<a href="#">340</a>
<a href="#">103</a>	BORE		ON	S/167.0	6.00	<a href="#">343</a>
<a href="#">104</a>	WWIS		255 CITY CENTRE AVENUE lot 39 con 1 Ottawa ON <b>Well ID:</b> 7116509	NNW/168.0	-1.69	<a href="#">345</a>
<a href="#">105</a>	WWIS		975 GLADESTONE AVE OTTAWA ON <b>Well ID:</b> 7245911	S/168.0	6.08	<a href="#">363</a>
<a href="#">106</a>	SPL	Enbridge Gas Distribution Inc.	84 Preston St Ottawa ON	NNE/170.4	3.64	<a href="#">365</a>
<a href="#">106</a>	PINC	ENBRIDGE GAS INC	84 PRESTON ST,,OTTAWA,ON,K1R 7N9, CA ON	NNE/170.4	3.64	<a href="#">366</a>
<a href="#">107</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <b>Well ID:</b> 7202038	NW/170.9	-2.00	<a href="#">366</a>
<a href="#">108</a>	GEN	City of Ottawa	Elm Street and City Centre Ave (City Right of Way)	NW/170.9	-2.00	<a href="#">369</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			Ottawa ON			
<a href="#">108</a>	GEN	City of Ottawa	Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	NW/170.9	-2.00	<a href="#">370</a>
<a href="#">108</a>	GEN	City of Ottawa	Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	NW/170.9	-2.00	<a href="#">370</a>
<a href="#">108</a>	GEN	City of Ottawa	Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	NW/170.9	-2.00	<a href="#">370</a>
<a href="#">108</a>	GEN	City of Ottawa	Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	NW/170.9	-2.00	<a href="#">371</a>
<a href="#">109</a>	ECA	6176381 Canada Inc.	191 - 193 Preston St Ottawa ON K2E 5A4	E/174.7	6.05	<a href="#">371</a>
<a href="#">110</a>	EHS		883 Somerset St W Ottawa ON	ENE/178.4	7.08	<a href="#">371</a>
<a href="#">111</a>	WWIS		250 270,290 CITY CENTRE OTTAWA ON <b>Well ID:</b> 7163582	NW/180.1	-1.69	<a href="#">371</a>
<a href="#">112</a>	WWIS		975 GLADSTONE AVE. OTTAWA ON <b>Well ID:</b> 7245908	S/181.4	6.33	<a href="#">374</a>
<a href="#">113</a>	WWIS		250 CITY CENTRE AVE Ottawa ON <b>Well ID:</b> 7202051	NW/181.6	-2.00	<a href="#">377</a>
<a href="#">114</a>	SCT	INVITATIONS PLUS	193 PRESTON ST OTTAWA ON K1R 7P8	ESE/182.5	6.05	<a href="#">380</a>
<a href="#">114</a>	CA	6176381 Canada Inc.	191-193 Preston St Ottawa ON	ESE/182.5	6.05	<a href="#">380</a>
<a href="#">115</a>	WWIS		255 CITY CENTER AVENUE lot 8 con 73 OTTAWA ON	NNW/182.6	-1.69	<a href="#">380</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 1536786			
<a href="#">116</a>	WWIS		lot 39 con 1 ON <b>Well ID:</b> 7292789	S/183.1	5.00	<a href="#">383</a>
<a href="#">117</a>	FCS	Champagne Corridor, Breezehill Ave At Somerset Street	Ottawa ON	WNW/183.5	0.00	<a href="#">384</a>
<a href="#">118</a>	EHS		1 Breezehill Avenue North Ottawa ON K1Y 2H4	WNW/183.8	0.00	<a href="#">390</a>
<a href="#">119</a>	BORE		ON	SSW/189.0	7.05	<a href="#">390</a>
<a href="#">120</a>	SCT	ESPRIT DE CORPS	1066 SOMERSET ST W SUITE 204 OTTAWA ON K1Y 4T3	W/189.4	3.00	<a href="#">392</a>
<a href="#">120</a>	SCT	Esprit de Corps Inc.	1066 Somerset St W Unit 204 Ottawa ON K1Y 4T3	W/189.4	3.00	<a href="#">392</a>
<a href="#">120</a>	SCT	Grafik Visuals	A-1066 Somerset St W Ottawa ON K1Y 4T3	W/189.4	3.00	<a href="#">393</a>
<a href="#">121</a>	SPL	Broadband Maintenance Inc. <UNOFFICIAL>	49 Bayswater Ave Ottawa ON K1Y 2E7	WSW/189.4	4.05	<a href="#">393</a>
<a href="#">121</a>	INC		49 Bayswater Avenue, Ottawa ON K1Y 2E7	WSW/189.4	4.05	<a href="#">393</a>
<a href="#">122</a>	EASR	LAURENT LEBLANC LIMITED	151 Willow ST Ottawa ON K1R 6W2	E/189.5	6.69	<a href="#">394</a>
<a href="#">123</a>	CA	HARAMBEE CENTRES CANADA	29 BAYWATER AVE. (SWM) OTTAWA CITY ON	W/191.5	2.05	<a href="#">394</a>
<a href="#">123</a>	GEN	Institute of Naturopathic Education and Research	29 Bayswater Ave. Ottawa ON K1Y 2E5	W/191.5	2.05	<a href="#">395</a>
<a href="#">123</a>	GEN	Institute of Naturopathic Education and Research	29 Bayswater Ave. Ottawa ON K1Y 2E5	W/191.5	2.05	<a href="#">395</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">123</a>	GEN	Institute of Naturopathic Education and Research	29 Bayswater Ave. Ottawa ON	W/191.5	2.05	<a href="#">395</a>
<a href="#">123</a>	GEN	Ottawa Integrative Cancer Centre	29 Bayswater Ave. Ottawa ON K1Y 2E5	W/191.5	2.05	<a href="#">395</a>
<a href="#">123</a>	GEN	Institute of Naturopathic Education and Research	29 Bayswater Ave. Ottawa ON K1Y 2E5	W/191.5	2.05	<a href="#">396</a>
<a href="#">123</a>	GEN	Institute of Naturopathic Education and Research	29 Bayswater Ave. Ottawa ON K1Y 2E5	W/191.5	2.05	<a href="#">396</a>
<a href="#">123</a>	GEN	Ottawa Integrative Cancer Centre	29 Bayswater Ave. Ottawa ON K1Y 2E5	W/191.5	2.05	<a href="#">396</a>
<a href="#">123</a>	GEN	Ottawa Integrative Cancer Centre	29 Bayswater Ave. Ottawa ON K1Y 2E5	W/191.5	2.05	<a href="#">397</a>
<a href="#">124</a>	GEN	TerraPro Corporation	145 Loretta Ave. North Ottawa ON K1Y 2J7	S/194.8	5.85	<a href="#">397</a>
<a href="#">124</a>	PES	TERRA PRO CORPORATION	145 LORETTA AVE N OTTAWA ON K1Y 2J7	S/194.8	5.85	<a href="#">397</a>
<a href="#">124</a>	PES	TERRAPRO CORPORATION	145 LORETTA AVENUE NORTH OTTAWA ON K1Y 2J7	S/194.8	5.85	<a href="#">398</a>
<a href="#">124</a>	GEN	TerraPro Corporation	145 Loretta Ave. North Ottawa ON	S/194.8	5.85	<a href="#">398</a>
<a href="#">124</a>	GEN	TerraPro Corporation	145 Loretta Ave. North Ottawa ON	S/194.8	5.85	<a href="#">398</a>
<a href="#">124</a>	EHS		145 Loretta Avenue North Ottawa ON	S/194.8	5.85	<a href="#">399</a>
<a href="#">124</a>	GEN	TerraPro Corporation	145 Loretta Ave. North Ottawa ON	S/194.8	5.85	<a href="#">399</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">124</a>	GEN	TerraPro Corporation	145 Loretta Ave. North Ottawa ON	S/194.8	5.85	<a href="#">399</a>
<a href="#">124</a>	GEN	TerraPro Corporation	145 Loretta Ave. North Ottawa ON K1Y 2J7	S/194.8	5.85	<a href="#">399</a>
<a href="#">124</a>	GEN	TerraPro Corporation	145 Loretta Ave. North Ottawa ON K1Y 2J7	S/194.8	5.85	<a href="#">400</a>
<a href="#">124</a>	GEN	DST Group Inc	145 Loretta Ave Ottawa ON K1Y 4W5	S/194.8	5.85	<a href="#">400</a>
<a href="#">124</a>	PES	TERRA PRO CORPORATION	145 LORETTA AVE N OTTAWA ON K1Y2J7	S/194.8	5.85	<a href="#">400</a>
<a href="#">124</a>	PES	TERRAPRO CORPORATION	145 LORETTA AVENUE NORTH OTTAWA ON K1Y2J7	S/194.8	5.85	<a href="#">401</a>
<a href="#">124</a>	PES	TERRA PRO CORPORATION	145 LORETTA AVE N OTTAWA ON K1Y2J7	S/194.8	5.85	<a href="#">401</a>
<a href="#">124</a>	SPL		145 Loretta Ave North Ottawa ON	S/194.8	5.85	<a href="#">402</a>
<a href="#">124</a>	SPL	Private Pickup Truck<UNOFFICIAL>	145 Loretta Avenue, North Ottawa ON K1Y 2J7	S/194.8	5.85	<a href="#">402</a>
<a href="#">125</a>	WWIS		975 GLADSTON AVE OTTAWA ON <i>Well ID: 7245907</i>	S/196.1	6.33	<a href="#">402</a>
<a href="#">126</a>	WWIS		975 GLADSTONE AVE Ottawa ON <i>Well ID: 7322627</i>	S/197.3	6.33	<a href="#">405</a>
<a href="#">127</a>	EHS		145 Elm Street ottawa ON K1R 6N4	N/197.7	0.00	<a href="#">409</a>
<a href="#">128</a>	WWIS		975 GLADSTONE AVE Ottawa ON	S/199.4	6.33	<a href="#">409</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<i>Well ID:</i> 7322626			
<a href="#">129</a>	GEN	SUPERSHOT PHOTOLAB	879 SOMERSET STREET WEST OTTAWA ON K1R 6R6	ENE/201.4	7.08	<a href="#">412</a>
<a href="#">130</a>	WWIS		255 CITY CENTRE AVENUE Ottawa ON <i>Well ID:</i> 7125525	NW/203.0	-0.97	<a href="#">413</a>
<a href="#">131</a>	SPL	PRIVATE RESIDENCE	69 BAYSWATER AVE. FURNACE OIL TANK OTTAWA CITY ON K1Y 2E7	WSW/204.3	3.92	<a href="#">430</a>
<a href="#">132</a>	EHS		57 Bayswater Avenue Ottawa ON K1Y 3C4	WSW/205.6	5.00	<a href="#">431</a>
<a href="#">132</a>	EHS		57 Bayswater Avenue Ottawa ON K1Y 3C4	WSW/205.6	5.00	<a href="#">431</a>
<a href="#">132</a>	EHS		57 Bayswater Avenue Ottawa ON K1Y 3C4	WSW/205.6	5.00	<a href="#">431</a>
<a href="#">132</a>	EHS		57 Bayswater Avenue Ottawa ON K1Y 3C4	WSW/205.6	5.00	<a href="#">431</a>
<a href="#">133</a>	EHS		57 Bayswater Ave Ottawa ON K1Y 2E8	WSW/205.7	5.00	<a href="#">432</a>
<a href="#">133</a>	EHS		57 Bayswater Ave Ottawa ON K1Y2E8	WSW/205.7	5.00	<a href="#">432</a>
<a href="#">133</a>	EHS		57 Bayswater Avenue Ottawa ON K1Y 3C4	WSW/205.7	5.00	<a href="#">432</a>
<a href="#">134</a>	SPL	City of Ottawa	890 Wellington Street Ottawa ON	W/205.8	-0.03	<a href="#">432</a>
<a href="#">135</a>	BORE		ON	WNW/208.0	-1.76	<a href="#">433</a>
<a href="#">136</a>	WWIS		975 GLADSTON AVE OTTAWA ON	S/208.5	6.05	<a href="#">434</a>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<b>Well ID:</b> 7245909			
<a href="#">137</a>	CA	PHOENIX HOMES	900 WELLINGTON ST. (SWM) OTTAWA CITY ON	W/210.2	0.69	<a href="#">437</a>
<a href="#">138</a>	PINC		872 Somerset Street West, OTTAWA ON	ENE/211.6	6.92	<a href="#">437</a>
<a href="#">139</a>	GEN	CANADIAN MUSEUM OF CIVILIZATION CORPORATION	255 CITY CENTRE AVE. OTTAWA ON K1R 7R7	NNW/214.7	-1.00	<a href="#">438</a>
<a href="#">139</a>	GEN	Metcalfe Realty Company Limited	255 City Center Ottawa ON K1R 7W3	NNW/214.7	-1.00	<a href="#">438</a>
<a href="#">139</a>	GEN	Metcalfe Realty Company Limited	255 City Centre Ave. Ottawa ON K1R 7R7	NNW/214.7	-1.00	<a href="#">439</a>
<a href="#">139</a>	EASR	METCALFE REALTY COMPANY LIMITED	255 CITY CENTRE AVE OTTAWA ON K1R 7R7	NNW/214.7	-1.00	<a href="#">439</a>
<a href="#">139</a>	EASR	METCALFE REALTY COMPANY LIMITED	255 CITY CENTRE AVE OTTAWA ON K1R 7R7	NNW/214.7	-1.00	<a href="#">439</a>
<a href="#">139</a>	GEN	Metcalfe Realty Company Limited	255 City Centre Ave. Ottawa ON K1R 7R7	NNW/214.7	-1.00	<a href="#">440</a>
<a href="#">139</a>	ECA	Metcalfe Realty Company Limited	255 City Centre Ave Ottawa ON K2B 8H6	NNW/214.7	-1.00	<a href="#">440</a>
<a href="#">139</a>	GEN	METCALFE REALTY CO. LTD.	255 CITY CENTRE AVENUE OTTAWA ON K1R 7R7	NNW/214.7	-1.00	<a href="#">441</a>
<a href="#">140</a>	EHS		975 Gladstone Avenue Ottawa ON K1Y 4W5	SSW/214.8	7.49	<a href="#">441</a>
<a href="#">141</a>	WWIS		1010 SOMERSET ET W OTTAWA ON <b>Well ID:</b> 1535405	S/215.4	5.85	<a href="#">441</a>
<a href="#">142</a>	BORE		ON	WNW/218.7	-1.69	<a href="#">442</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">143</a>	BORE		ON	W/220.5	-0.04	<a href="#">444</a>
<a href="#">144</a>	SPL	FORM ALL CONSTRUCTION	SOMERSET & BAYSWATER OTTAWA CITY ON	W/220.8	2.71	<a href="#">445</a>
<a href="#">144</a>	SPL	OC TRANSP0	STORM SEWER AT SUMMERSET AND BAYWATER, FROM OC TRANSIT BUS. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON	W/220.8	2.71	<a href="#">446</a>
<a href="#">145</a>	SPL	Enbridge Gas Distribution	119 Elm Street Ottawa ON	NNE/225.2	3.50	<a href="#">446</a>
<a href="#">146</a>	PINC	PIPELINE HIT - 1 ¼"	119 ELM STREET,,OTTAWA,ON,K1R 6N4, CA ON	NNE/225.4	3.50	<a href="#">447</a>
<a href="#">147</a>	WWIS		975 GLADSTONE AVE. OTTAWA ON <b>Well ID:</b> 7245910	S/226.6	6.69	<a href="#">447</a>
<a href="#">148</a>	INC		60 PRESTON STREET, OTTAWA ON	NNE/229.5	3.08	<a href="#">450</a>
<a href="#">149</a>	EHS		951 Gladestone Avenue & 145 Loretta Avenue North Ottawa ON	SSE/234.2	5.69	<a href="#">451</a>
<a href="#">150</a>	BORE		ON	NW/236.3	-0.90	<a href="#">451</a>
<a href="#">151</a>	CA	R.M. OF OTTAWA-CARLETON	BALSAM AVE/PRESTON ST. OTTAWA ON	ESE/237.1	5.69	<a href="#">452</a>
<a href="#">151</a>	SPL		Intersection of Balsam St and Preston St Ottawa ON	ESE/237.1	5.69	<a href="#">452</a>
<a href="#">151</a>	INC		BALSAM ST. & PRESTON ST., OTTAWA ON	ESE/237.1	5.69	<a href="#">453</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">152</a>	BORE		ON	SE/237.6	3.00	<a href="#">453</a>
<a href="#">153</a>	EASR	CANADIAN BANK NOTE COMPANY, LIMITED	975 GLADSTONE AVE OTTAWA ON K1Y 4W5	S/239.6	7.49	<a href="#">455</a>
<a href="#">153</a>	EASR	CANADIAN BANK NOTE COMPANY, LIMITED	975 GLADSTONE AVE OTTAWA ON K1Y 4W5	S/239.6	7.49	<a href="#">455</a>
<a href="#">153</a>	ECA	Canadian Bank Note Company, Limited	975 Gladstone Ave Ottawa ON K1Y 4W5	S/239.6	7.49	<a href="#">456</a>
<a href="#">153</a>	ECA	BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	S/239.6	7.49	<a href="#">456</a>
<a href="#">153</a>	ECA	BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	S/239.6	7.49	<a href="#">456</a>
<a href="#">153</a>	ECA	BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	S/239.6	7.49	<a href="#">456</a>
<a href="#">153</a>	ECA	BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	S/239.6	7.49	<a href="#">457</a>
<a href="#">153</a>	ECA	BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	S/239.6	7.49	<a href="#">457</a>
<a href="#">153</a>	ECA	BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	S/239.6	7.49	<a href="#">457</a>
<a href="#">153</a>	ECA	BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	S/239.6	7.49	<a href="#">458</a>
<a href="#">153</a>	SPL	Canadian Bank Note Company, Limited	975 Gladstone Road Ottawa ON	S/239.6	7.49	<a href="#">458</a>
<a href="#">153</a>	GEN	Canadian Bank Note Company, limited Gladstone	975 Gladstone avenue Ottawa ON K1Y 4W5	S/239.6	7.49	<a href="#">458</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">154</a>	PRT	MR GAS LIMITED ATTN LILIANNE LEVAC	971 GLADSTONE AV OTTAWA ON K1Y 3E5	S/240.5	5.86	<a href="#">460</a>
<a href="#">154</a>	SCT	SPORTIVE SPORTSWEAR MFG INC.	155A LORETTA AVE N OTTAWA ON K1Y 2J7	S/240.5	5.86	<a href="#">460</a>
<a href="#">154</a>	SCT	Sportive Sportswear Manufacturers Inc.	155A Loretta Ave N Ottawa ON K1Y 2J7	S/240.5	5.86	<a href="#">461</a>
<a href="#">154</a>	DTNK	MR GAS LIMITED **	971 GLADSTONE AV OTTAWA ON K1Y 3E5	S/240.5	5.86	<a href="#">461</a>
<a href="#">154</a>	DTNK	MR GAS LIMITED **	971 GLADSTONE AV OTTAWA ON	S/240.5	5.86	<a href="#">461</a>
<a href="#">154</a>	DTNK	MR GAS LIMITED **	971 GLADSTONE AV OTTAWA ON	S/240.5	5.86	<a href="#">461</a>
<a href="#">154</a>	EXP	MR GAS LIMITED**	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON	S/240.5	5.86	<a href="#">462</a>
<a href="#">154</a>	EXP	MR GAS LIMITED**	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON	S/240.5	5.86	<a href="#">462</a>
<a href="#">154</a>	FST	MR GAS LIMITED**	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON	S/240.5	5.86	<a href="#">463</a>
<a href="#">154</a>	FST	MR GAS LIMITED**	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON	S/240.5	5.86	<a href="#">463</a>
<a href="#">155</a>	GEN	LA PAUSE VELO LTEE/BIKE STOP, THE	225 PRESTON STREET, REAR UNIT OTTAWA ON K1R 7R1	ESE/240.6	6.31	<a href="#">464</a>
<a href="#">155</a>	GEN	LA PAUSE VELO LIMITEE	225 PRESTON STREET OTTAWA ON K1R 7R1	ESE/240.6	6.31	<a href="#">464</a>
<a href="#">155</a>	EHS		225 Preston St. Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">464</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">464</a>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">465</a>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">465</a>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">465</a>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">466</a>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON	ESE/240.6	6.31	<a href="#">466</a>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">466</a>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">467</a>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">467</a>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">467</a>
<a href="#">155</a>	GEN	Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">468</a>
<a href="#">155</a>	GEN	Appletree Corporate Medical Centre 204	225 Preston Street Ottawa ON K1R 7R1	ESE/240.6	6.31	<a href="#">468</a>
<a href="#">156</a>	EHS		PE5130 - 54-60 Bayswater Ave Ottawa ON K1Y 2E9	WSW/242.3	4.69	<a href="#">468</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">157</a>	ECA	Preston Hardware (1980) Limited	234-248 Preston Street Ottawa ON K1R 7R4	ESE/243.3	3.97	<a href="#">468</a>
<a href="#">158</a>	WWIS		OTTAWA ON <b>Well ID:</b> 1535493	ESE/243.4	5.00	<a href="#">469</a>
<a href="#">159</a>	PES	PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON STREET OTTAWA ON K1R 7R4	ESE/243.8	3.97	<a href="#">471</a>
<a href="#">159</a>	PES	PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R 7R4	ESE/243.8	3.97	<a href="#">472</a>
<a href="#">159</a>	PES	PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R 7R4	ESE/243.8	3.97	<a href="#">472</a>
<a href="#">159</a>	PES	PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R 7R4	ESE/243.8	3.97	<a href="#">472</a>
<a href="#">159</a>	PES	PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R 7R4	ESE/243.8	3.97	<a href="#">473</a>
<a href="#">159</a>	CA	Preston Hardware (1980) Limited	234-248 Preston Street Ottawa ON K1R 7R4	ESE/243.8	3.97	<a href="#">473</a>
<a href="#">159</a>	PES	PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R7R4	ESE/243.8	3.97	<a href="#">474</a>
<a href="#">159</a>	SPL		248 Preston Street Ottawa ON	ESE/243.8	3.97	<a href="#">474</a>
<a href="#">159</a>	PES	PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R7R4	ESE/243.8	3.97	<a href="#">474</a>
<a href="#">159</a>	PES	PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R7R4	ESE/243.8	3.97	<a href="#">475</a>
<a href="#">160</a>	EASR	OTTAWA GREENBELT CONSTRUCTION COMPANY LIMITED	ON	WNW/244.4	-1.05	<a href="#">475</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">161</a>	BORE		ON	WSW/244.9	4.33	<a href="#">475</a>
<a href="#">162</a>	PRT	THEILE DIETER ELECTRICAL CONTRACTORS LTD	10-14 BAYSWATER AV OTTAWA ON K1Y 2E4	W/245.5	2.34	<a href="#">478</a>
<a href="#">162</a>	GEN	HEIDI THEILE	10-14 BAYSWATER OTTAWA ON K1Y 2E4	W/245.5	2.34	<a href="#">478</a>
<a href="#">162</a>	FST	THEILE DIETER ELECTRICAL CONTRACTORS LTD	10-14 BAYSWATER AV OTTAWA K1Y 2E4 ON CA 10-14 BAYSWATER AV OTTAWA K1Y 2E4 ON CA ON	W/245.5	2.34	<a href="#">478</a>
<a href="#">163</a>	SPL	City of Ottawa	Breezehill Ave N between Laurel and Gladstone Ottawa ON	SSW/246.4	7.18	<a href="#">479</a>
<a href="#">164</a>	EHS		52 Bayswater Ottawa ON K1Y 4K3	WSW/246.7	4.33	<a href="#">479</a>
<a href="#">164</a>	EHS		52 Bayswater Ottawa ON K1Y 4K3	WSW/246.7	4.33	<a href="#">479</a>
<a href="#">165</a>	SCT	The Original Maple Bat Company	93 Bayswater Ave Unit A Ottawa ON K1Y 2G2	SW/247.1	5.31	<a href="#">480</a>
<a href="#">165</a>	SCT	The Original Maple Bat Company	93 Bayswater Ave Ottawa ON K1Y 2G2	SW/247.1	5.31	<a href="#">480</a>
<a href="#">166</a>	CA		848-852 Somerset Street West Ottawa ON K1R 6R7	ENE/247.3	8.95	<a href="#">480</a>
<a href="#">166</a>	CA	City of Ottawa	852 Somerset St W Ottawa ON K1R 6R7	ENE/247.3	8.95	<a href="#">480</a>
<a href="#">166</a>	CA	Hung-Tiet Vu	848-852 Somerset Street West Ottawa ON K1R 6R7	ENE/247.3	8.95	<a href="#">481</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">166</a>	ECA	City of Ottawa	852 Somerset St W Ottawa ON K1P 1J1	ENE/247.3	8.95	<a href="#">481</a>
<a href="#">166</a>	ECA	Hung-Tiet Vu	848-852 Somerset Street West Ottawa ON K2B 5X1	ENE/247.3	8.95	<a href="#">481</a>
<a href="#">166</a>	ECA	John Phan	848-852 Somerset Street West Ottawa ON K1R 7M2	ENE/247.3	8.95	<a href="#">482</a>
<a href="#">167</a>	PTTW	801 Albert Street Inc.	900 Albert St, Ottawa, City CITY OF OTTAWA ON	NW/249.5	-0.96	<a href="#">482</a>
<a href="#">167</a>	ECA	801 Albert Street Inc.	900 Albert St Ottawa ON K2P 0R6	NW/249.5	-0.96	<a href="#">482</a>
<a href="#">167</a>	GEN	Ward and Burke Microtunnelling Ltd.	900 Albert St Ottawa ON K1P 5E7	NW/249.5	-0.96	<a href="#">483</a>
<a href="#">167</a>	ECA	City of Ottawa	900 Albert St 141 Bayview Station Road, 1035 Somerset Street West Ottawa ON K2G 6J8	NW/249.5	-0.96	<a href="#">483</a>
<a href="#">168</a>	PRT	PRESTON AUTO CENTRE INC	241 PRESTON ST OTTAWA ON K1R 7R3	ESE/249.5	6.00	<a href="#">483</a>
<a href="#">168</a>	SPL	City of Ottawa	South East corner of Preston and Balsam 241 PRESTON STREET, OTTAWA<UNOFFICIAL> Ottawa ON K1R 7R3	ESE/249.5	6.00	<a href="#">483</a>
<a href="#">168</a>	DTNK	PRESTON AUTO CENTRE INC	241 PRESTON ST OTTAWA ON K1R 7R3	ESE/249.5	6.00	<a href="#">484</a>
<a href="#">169</a>	SCT	VESUVIO IRON LOGIC CUSTOM	949 GLADSTONE AVE OTTAWA ON K1Y 3E5	SSE/249.9	5.69	<a href="#">484</a>
<a href="#">169</a>	SCT	VESUVIO IRON WORKS	949 GLADSTONE AVE OTTAWA ON K1Y 3E5	SSE/249.9	5.69	<a href="#">484</a>
<a href="#">169</a>	SCT	SPORTIVE SPORTSWEAR MFG INC.	155 A LORETTA AVE N OTTAWA ON K1Y 2J7	SSE/249.9	5.69	<a href="#">485</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">169</a>	GEN	LOVE PRINTING SERVICE LTD.	951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	SSE/249.9	5.69	<a href="#">485</a>
<a href="#">169</a>	GEN	LOVE PRINTING (OUT OF BUS) 24-265	951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	SSE/249.9	5.69	<a href="#">485</a>
<a href="#">169</a>	GEN	DST Group Inc	951 Gladstone Ave Ottawa ON K1Y 3E5	SSE/249.9	5.69	<a href="#">485</a>

# Executive Summary: Summary By Data Source

## **AUWR - Automobile Wrecking & Supplies**

A search of the AUWR database, dated 1999-Dec 31, 2020 has found that there are 1 AUWR site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
A & T AUTO PARTS	55 BREEZEHILL AVE N OTTAWA ON K1Y 2H6	81.8	<a href="#"><u>33</u></a>

## **BORE - Borehole**

A search of the BORE database, dated 1875-Jul 2018 has found that there are 19 BORE site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	0.0	<a href="#"><u>2</u></a>
	ON	0.0	<a href="#"><u>5</u></a>
	ON	28.7	<a href="#"><u>7</u></a>
	ON	33.1	<a href="#"><u>8</u></a>
	ON	55.5	<a href="#"><u>17</u></a>
	ON	97.0	<a href="#"><u>45</u></a>
	ON	122.7	<a href="#"><u>57</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	137.6	<a href="#"><u>73</u></a>
	ON	142.3	<a href="#"><u>83</u></a>
	ON	155.9	<a href="#"><u>94</u></a>
	ON	162.5	<a href="#"><u>98</u></a>
	ON	167.0	<a href="#"><u>103</u></a>
	ON	189.0	<a href="#"><u>119</u></a>
	ON	208.0	<a href="#"><u>135</u></a>
	ON	218.7	<a href="#"><u>142</u></a>
	ON	220.5	<a href="#"><u>143</u></a>
	ON	236.3	<a href="#"><u>150</u></a>
	ON	237.6	<a href="#"><u>152</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	244.9	<a href="#">161</a>

## **CA - Certificates of Approval**

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 24 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
City of Ottawa	930 Somerset St W Ottawa ON K1R 6R9	50.9	<a href="#">15</a>
City of Ottawa	130 Preston Street Ottawa ON	57.4	<a href="#">19</a>
The District in Lebreton Flats Inc.	148-158 Spruce Street Ottawa ON K1R 6P2	79.4	<a href="#">32</a>
R.M. OF OTTAWA-CARLETON	SOMERSET ST/PRESTON ST. OTTAWA CITY ON	116.8	<a href="#">53</a>
OTTAWA CITY	SOMERSET ST.W./PRESTON ST.,CSO OTTAWA CITY ON	116.8	<a href="#">53</a>
907462 ONTARIO LIMITED	111-113 BREEZEHILL AVE.N., SWM OTTAWA CITY ON K1Y 2H6	130.9	<a href="#">66</a>
Grandtech Auto Inc.	111 Breezehill Avenue North Ottawa ON K1Y 2H6	130.9	<a href="#">66</a>
City of Ottawa	135 Preston Street Ottawa ON K1R 7P4	156.2	<a href="#">95</a>
B.A. BANKNOTE INC.	975 GLADSTONE AVE. OTTAWA CITY ON K1Y 4W5	163.0	<a href="#">100</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	975 Gladstone Avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
	975 Gladstone Avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
6176381 Canada Inc.	191-193 Preston St Ottawa ON	182.5	<a href="#"><u>114</u></a>
HARAMBEE CENTRES CANADA	29 BAYWATER AVE. (SWM) OTTAWA CITY ON	191.5	<a href="#"><u>123</u></a>
PHOENIX HOMES	900 WELLINGTON ST. (SWM) OTTAWA CITY ON	210.2	<a href="#"><u>137</u></a>
R.M. OF OTTAWA-CARLETON	BALSAM AVE/PRESTON ST. OTTAWA ON	237.1	<a href="#"><u>151</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Preston Hardware (1980) Limited	234-248 Preston Street Ottawa ON K1R 7R4	243.8	<a href="#">159</a>
City of Ottawa	852 Somerset St W Ottawa ON K1R 6R7	247.3	<a href="#">166</a>
Hung-Tiet Vu	848-852 Somerset Street West Ottawa ON K1R 6R7	247.3	<a href="#">166</a>
	848-852 Somerset Street West Ottawa ON K1R 6R7	247.3	<a href="#">166</a>

### **CDRY - Dry Cleaning Facilities**

A search of the CDRY database, dated Jan 2004-Dec 2018 has found that there are 1 CDRY site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BROWN'S CLEANERS	270 CITY CENTRE AVE Ottawa ON K1R7R7	91.0	<a href="#">42</a>

### **DTNK - Delisted Fuel Tanks**

A search of the DTNK database, dated Jul 31, 2020 has found that there are 4 DTNK site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MR GAS LIMITED **	971 GLADSTONE AV OTTAWA ON K1Y 3E5	240.5	<a href="#">154</a>
MR GAS LIMITED **	971 GLADSTONE AV OTTAWA ON	240.5	<a href="#">154</a>
MR GAS LIMITED **	971 GLADSTONE AV OTTAWA ON	240.5	<a href="#">154</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PRESTON AUTO CENTRE INC	241 PRESTON ST OTTAWA ON K1R 7R3	249.5	<a href="#">168</a>

### **EASR - Environmental Activity and Sector Registry**

A search of the EASR database, dated Oct 2011-Mar 31, 2021 has found that there are 7 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BRIDGEHEAD (2000) INC.	130 Anderson ST Ottawa ON K1R 6T7	148.7	<a href="#">91</a>
LAURENT LEBLANC LIMITED	151 Willow ST Ottawa ON K1R 6W2	189.5	<a href="#">122</a>
METCALFE REALTY COMPANY LIMITED	255 CITY CENTRE AVE OTTAWA ON K1R 7R7	214.7	<a href="#">139</a>
METCALFE REALTY COMPANY LIMITED	255 CITY CENTRE AVE OTTAWA ON K1R 7R7	214.7	<a href="#">139</a>
CANADIAN BANK NOTE COMPANY, LIMITED	975 GLADSTONE AVE OTTAWA ON K1Y 4W5	239.6	<a href="#">153</a>
CANADIAN BANK NOTE COMPANY, LIMITED	975 GLADSTONE AVE OTTAWA ON K1Y 4W5	239.6	<a href="#">153</a>
OTTAWA GREENBELT CONSTRUCTION COMPANY LIMITED	ON	244.4	<a href="#">160</a>

### **EBR - Environmental Registry**

A search of the EBR database, dated 1994-Mar 31, 2021 has found that there are 9 EBR site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Grandtech Auto Inc.	111 Breezehill Avenue North Suite 3-4 Ottawa Ontario K1Y 2H6 Ottawa ON	130.9	<a href="#"><u>66</u></a>
Bridgehead (2000) Inc.	130 Anderson Street Ottawa K1R 6T7 CITY OF OTTAWA ON	148.7	<a href="#"><u>91</u></a>
Union Engraving & Printing Ltd.	166 Elm Street Ottawa Ontario K1R 6N5 Ottawa ON	161.1	<a href="#"><u>97</u></a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa Ontario CITY OF OTTAWA ON	163.0	<a href="#"><u>100</u></a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa Ontario CITY OF OTTAWA ON	163.0	<a href="#"><u>100</u></a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa Ontario Ottawa ON	163.0	<a href="#"><u>100</u></a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa Ontario Ottawa ON	163.0	<a href="#"><u>100</u></a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa Ontario Ottawa ON	163.0	<a href="#"><u>100</u></a>
Canadian Bank Note Company, Limited	975 Gladstone Avenue Ottawa K1Y 4W5 CITY OF OTTAWA ON	163.0	<a href="#"><u>100</u></a>

### **ECA - Environmental Compliance Approval**

A search of the ECA database, dated Oct 2011- Mar 31, 2021 has found that there are 24 ECA site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
The District in Lebreton Flats Inc.	148-158 Spruce Street Ottawa ON K2A 0E7	42.0	<a href="#"><u>12</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
City of Ottawa	930 Somerset St W Ottawa ON K1P 1J1	50.9	<a href="#"><u>15</u></a>
City of Ottawa	130 Preston Street Ottawa ON	57.4	<a href="#"><u>19</u></a>
170 Preston Street Ltd.	170 Preston St Ottawa ON K1R 7H9	114.1	<a href="#"><u>50</u></a>
SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc. and EllisDon	Corporation Bayview (1035 Somerset Street W, 801 Albert Street) Ottawa ON K1Z 1G3	123.9	<a href="#"><u>58</u></a>
Grandtech Auto Inc.	111 Breezehill Avenue North Ottawa ON K1Y 2H6	130.9	<a href="#"><u>66</u></a>
Padom Holdings Ltd.	173 Preston St Ottawa ON K2C 1P1	144.5	<a href="#"><u>85</u></a>
City of Ottawa	135 Preston Street Ottawa ON K1P 1J1	156.2	<a href="#"><u>95</u></a>
6176381 Canada Inc.	191 - 193 Preston St Ottawa ON K2E 5A4	174.7	<a href="#"><u>109</u></a>
Metcalf Realty Company Limited	255 City Centre Ave Ottawa ON K2B 8H6	214.7	<a href="#"><u>139</u></a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	239.6	<a href="#"><u>153</u></a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	239.6	<a href="#"><u>153</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	239.6	<a href="#">153</a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	239.6	<a href="#">153</a>
BA Banknote Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	239.6	<a href="#">153</a>
BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	239.6	<a href="#">153</a>
BA International Inc.	975 Gladstone Avenue Ottawa ON K1Y 4W5	239.6	<a href="#">153</a>
Canadian Bank Note Company, Limited	975 Gladstone Ave Ottawa ON K1Y 4W5	239.6	<a href="#">153</a>
Preston Hardware (1980) Limited	234-248 Preston Street Ottawa ON K1R 7R4	243.3	<a href="#">157</a>
Hung-Tiet Vu	848-852 Somerset Street West Ottawa ON K2B 5X1	247.3	<a href="#">166</a>
John Phan	848-852 Somerset Street West Ottawa ON K1R 7M2	247.3	<a href="#">166</a>
City of Ottawa	852 Somerset St W Ottawa ON K1P 1J1	247.3	<a href="#">166</a>
801 Albert Street Inc.	900 Albert St Ottawa ON K2P 0R6	249.5	<a href="#">167</a>
City of Ottawa	900 Albert St 141 Bayview Station Road, 1035 Somerset Street West Ottawa ON K2G 6J8	249.5	<a href="#">167</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

### **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Jan 31, 2021 has found that there are 56 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1010 Somerset Street West Ottawa ON K1R 6R9	0.0	<a href="#"><u>1</u></a>
	1010 Somerset St W Ottawa ON	0.0	<a href="#"><u>4</u></a>
	1010 Somerset Street West Ottawa ON	0.0	<a href="#"><u>4</u></a>
	933 Gladstone Ave Ottawa ON K1A0T4	0.0	<a href="#"><u>4</u></a>
	160 Spruce Street Ottawa ON K1R 1C6	45.8	<a href="#"><u>14</u></a>
	160 Spruce Street Ottawa ON K1R 1C6	45.8	<a href="#"><u>14</u></a>
	160 Spruce Street Ottawa ON K1R 1C6	45.8	<a href="#"><u>14</u></a>
	160 Spruce Street Ottawa ON K1R 1C6	45.8	<a href="#"><u>14</u></a>
	160 Spruce Street Ottawa ON K1R 1C6	45.8	<a href="#"><u>14</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	935/943 Somerset St. Ottawa ON	56.9	<a href="#"><u>18</u></a>
	250 City Centre Avenue (formerly Champagne Avenue N) Ottawa ON	66.4	<a href="#"><u>22</u></a>
	1040 Somerset St. W Ottawa ON	78.6	<a href="#"><u>30</u></a>
	1040 Somerset Street West Ottawa ON K1Y 2H6	78.6	<a href="#"><u>30</u></a>
	1040 Somerset Street West Ottawa ON K1Y 2H6	78.6	<a href="#"><u>30</u></a>
	73 Breezehill Avenue North Ottawa ON K1Y 2H6	83.8	<a href="#"><u>34</u></a>
	73 Breezehill Ave North Ottawa Ontario Ottawa ON K1Y 2H6	83.8	<a href="#"><u>34</u></a>
	Preston St & Laurel St Ottawa On Ottawa ON	115.4	<a href="#"><u>51</u></a>
	Anderson Street && Preston Street Ottawa ON	116.3	<a href="#"><u>52</u></a>
	933 Gladstone Ave Ottawa ON K1A0T4	121.8	<a href="#"><u>56</u></a>
	153-157 Preston Road aka 130 Anderson St. Ottawa ON K1R 7P6	125.8	<a href="#"><u>59</u></a>
	153-157 Preston Street Ottawa ON K1R 7P6	125.8	<a href="#"><u>59</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	265 City Centre Avenue & 233 Champagne Avenue Ottawa ON	129.8	<a href="#"><u>64</u></a>
	131 Loretta Avenue Ottawa ON	132.2	<a href="#"><u>67</u></a>
	15-19 Larch Street Ottawa ON K1R 6W4	139.6	<a href="#"><u>75</u></a>
	15-19 Larch Street Ottawa ON K1R 6W4	139.6	<a href="#"><u>75</u></a>
	15-19 Larch Street Ottawa ON K1R 6W4	139.6	<a href="#"><u>75</u></a>
	15-19 Larch Street Ottawa ON K1R 6W4	139.6	<a href="#"><u>75</u></a>
	105 Preston Street Ottawa ON	140.2	<a href="#"><u>76</u></a>
	173 Preston St Ottawa ON K1R7P6	141.7	<a href="#"><u>82</u></a>
	250 City Centre Ottawa ON	145.0	<a href="#"><u>86</u></a>
	185 Preston Street Ottawa ON K1R 7P8	149.9	<a href="#"><u>92</u></a>
	185 Preston Street Ottawa ON K1R 7P8	149.9	<a href="#"><u>92</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	185 Preston Street Ottawa ON K1R 7P8	149.9	<a href="#"><u>92</u></a>
	185 Preston Street Ottawa ON K1R 7P8	149.9	<a href="#"><u>92</u></a>
	185 Preston Street Ottawa ON K1R 7P8	149.9	<a href="#"><u>92</u></a>
	166 Elm St Ottawa ON K1R6N5	161.1	<a href="#"><u>97</u></a>
	975 Gladstone Avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
	975 Gladstone Avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
	975 Gladstone Avenue n/a ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
	883 Somerset St W Ottawa ON	178.4	<a href="#"><u>110</u></a>
	1 Breezehill Avenue North Ottawa ON K1Y 2H4	183.8	<a href="#"><u>118</u></a>
	145 Loretta Avenue North Ottawa ON	194.8	<a href="#"><u>124</u></a>
	145 Elm Street ottawa ON K1R 6N4	197.7	<a href="#"><u>127</u></a>
	57 Bayswater Avenue Ottawa ON K1Y 3C4	205.6	<a href="#"><u>132</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	57 Bayswater Avenue Ottawa ON K1Y 3C4	205.6	<a href="#">132</a>
	57 Bayswater Avenue Ottawa ON K1Y 3C4	205.6	<a href="#">132</a>
	57 Bayswater Avenue Ottawa ON K1Y 3C4	205.6	<a href="#">132</a>
	57 Bayswater Ave Ottawa ON K1Y 2E8	205.7	<a href="#">133</a>
	57 Bayswater Ave Ottawa ON K1Y2E8	205.7	<a href="#">133</a>
	57 Bayswater Avenue Ottawa ON K1Y 3C4	205.7	<a href="#">133</a>
	975 Gladstone Avenue Ottawa ON K1Y 4W5	214.8	<a href="#">140</a>
	951 Gladestone Avenue & 145 Loretta Avenue North Ottawa ON	234.2	<a href="#">149</a>
	225 Preston St. Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
	PE5130 - 54-60 Bayswater Ave Ottawa ON K1Y 2E9	242.3	<a href="#">156</a>
	52 Bayswater Ottawa ON K1Y 4K3	246.7	<a href="#">164</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	52 Bayswater Ottawa ON K1Y 4K3	246.7	<a href="#">164</a>

### **EXP - List of Expired Fuels Safety Facilities**

A search of the EXP database, dated Jul 31, 2020 has found that there are 2 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MR GAS LIMITED**	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON	240.5	<a href="#">154</a>
MR GAS LIMITED**	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON	240.5	<a href="#">154</a>

### **FCS - Contaminated Sites on Federal Land**

A search of the FCS database, dated Jun 2000-Jan 2021 has found that there are 1 FCS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Champagne Corridor, Breezehill Ave At Somerset Street	Ottawa ON	183.5	<a href="#">117</a>

### **FST - Fuel Storage Tank**

A search of the FST database, dated Jul 31, 2020 has found that there are 3 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MR GAS LIMITED**	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON	240.5	<a href="#">154</a>
MR GAS LIMITED**	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON	240.5	<a href="#">154</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
THEILE DIETER ELECTRICAL CONTRACTORS LTD	10-14 BAYSWATER AV OTTAWA K1Y 2E4 ON CA 10-14 BAYSWATER AV OTTAWA K1Y 2E4 ON CA ON	245.5	<a href="#">162</a>

## **GEN - Ontario Regulation 347 Waste Generators Summary**

A search of the GEN database, dated 1986-Jan 31, 2021 has found that there are 206 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GVT. OF CAN.-PUBLIC WORKS CANADA	MAINTENANCE SUPPORT SERV. PLOUFFE PARK 1010 SOMERSET ST.W.C/O140 PROMENADE DU PORTAGE-OTTAWA ON K1A 0M3	0.0	<a href="#">3</a>
GVT. OF CAN.-PUBLIC WORKS CANADA 18-285	MAINTENANCE SUPPORT SERVICES PLOUFFE PARK, 1010 SOMERSET STREET W. OTTAWA ON	0.0	<a href="#">3</a>
PUBLIC WORKS CANADA	MAINTENANCE SUPPORT SERVICES PLOUFFE PARK- 1010 SOMERSET STREET WEST OTTAWA ON	0.0	<a href="#">3</a>
BROOKFIELD LEPAGE JOHNSON CONTROLS	1010 SOMERSET STREET PLOUFFE PARK OTTAWA ON	0.0	<a href="#">3</a>
Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	0.0	<a href="#">3</a>
PUBLIC WORK & GOV'T SER CANADA	1010 SOMERSET st OTTAWA ON	0.0	<a href="#">3</a>
Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	0.0	<a href="#">3</a>
Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	0.0	<a href="#">3</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
public works government services canada	1010 SOMERSET STREET WEST OTTAWA ON	0.0	<a href="#"><u>3</u></a>
Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	0.0	<a href="#"><u>3</u></a>
SNC Lavalin O&M	1010 Somerset St. W Ottawa ON K1A 0K9	0.0	<a href="#"><u>3</u></a>
Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	0.0	<a href="#"><u>3</u></a>
public works government services canada	1010 SOMERSET STREET WEST OTTAWA ON	0.0	<a href="#"><u>3</u></a>
Public Works and Government Services Canada	1010 Somerset Street Plouffe Park Shop Ottawa ON	0.0	<a href="#"><u>3</u></a>
public works government services canada	1010 SOMERSET STREET WEST OTTAWA ON K1R 6R9	0.0	<a href="#"><u>3</u></a>
public works government services canada	1010 SOMERSET STREET WEST OTTAWA ON K1R 6R9	0.0	<a href="#"><u>3</u></a>
public works government services canada	1010 SOMERSET STREET WEST OTTAWA ON K1R 6R9	0.0	<a href="#"><u>3</u></a>
Public Services & Procurement Canada ESD/AFD	1010 Somerset ST W OTTAWA ON K1R 6R9	0.0	<a href="#"><u>3</u></a>
Public Services & Procurement Canada ESD/AFD	1010 Somerset ST W OTTAWA ON K1R 6R9	0.0	<a href="#"><u>3</u></a>
Public Services & Procurement Canada ESD/AFD	1010 Somerset ST W OTTAWA ON K1R 6R9	0.0	<a href="#"><u>3</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GVT. OF CAN.- PUBLIC WORKS CANADA	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II OTTAWA ON K1A 0T4	0.0	<a href="#">4</a>
GVT. OF CAN.- PUBLIC WORKS CANADA 18-375	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II HULL OTTAWA ON K1A 0T4	0.0	<a href="#">4</a>
GVT. OF CAN.- PUBLIC WORKS CANADA 18-375	CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II ON K1A 0T4	0.0	<a href="#">4</a>
DSS CAPITAL REGION SUPPLY CENTRE	933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	0.0	<a href="#">4</a>
PUBLIC WORKS AND GOVT SERVICES CANADA	CAPITAL REGION SUPPLY CENTRE (CRSC) 933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	0.0	<a href="#">4</a>
DSS CAPITAL REGION SUPPLY CENTRE 13-297	933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	0.0	<a href="#">4</a>
ROBT TAPE LIMITED	989 SOMERSET ST. W. OTTAWA ON K1R 6R8	28.1	<a href="#">6</a>
ROBT TAPE LIMITED 33-483	989 SOMERSET ST. W. OTTAWA ON K1R 6R8	28.1	<a href="#">6</a>
ROBT TAPE LIMITED	989 SOMERSET STREET WEST OTTAWA ON K1R 6R8	28.1	<a href="#">6</a>
ROBT. TAPE LTD.	989 Somerset St. West Ottawa ON K1R 6R8	28.1	<a href="#">6</a>
697755 Ontario Inc.	160 Spruce Street Ottawa ON K1R 6P2	28.1	<a href="#">6</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
PARSON REFRIGERATION (1988) LTD.	955 SOMERSET STREET WEST OTTAWA ON K1R 6R8	34.9	<a href="#"><u>10</u></a>
PARSON REFRIGERATION (1985) LTD.	955 SOMERSET STREET WEST OTTAWA ON K1R 6R8	34.9	<a href="#"><u>10</u></a>
Centretown Professional Corporation	955 Somerset st Ottawa ON	34.9	<a href="#"><u>10</u></a>
Centretown Professional Corporation	955 Somerset st Ottawa ON	34.9	<a href="#"><u>10</u></a>
Centretown Professional Corporation	955 Somerset st Ottawa ON	34.9	<a href="#"><u>10</u></a>
Centretown Professional Corporation	955 Somerset st Ottawa ON	34.9	<a href="#"><u>10</u></a>
Centretown Professional Corporation	955 Somerset st Ottawa ON	34.9	<a href="#"><u>11</u></a>
Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	34.9	<a href="#"><u>11</u></a>
Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	34.9	<a href="#"><u>11</u></a>
Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	34.9	<a href="#"><u>11</u></a>
Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	34.9	<a href="#"><u>11</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	34.9	<a href="#"><u>11</u></a>
Centretown Professional Corporation	955 Somerset st Ottawa ON K1R 6R8	34.9	<a href="#"><u>11</u></a>
PUBLIC WORKS CANADA	CHP PLOUFFE PARK C/O PLACE DU PORTAGE PHASE IV LEVEL II OTTAWA ON	50.9	<a href="#"><u>15</u></a>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON	50.9	<a href="#"><u>15</u></a>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	50.9	<a href="#"><u>15</u></a>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	50.9	<a href="#"><u>15</u></a>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	50.9	<a href="#"><u>15</u></a>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	50.9	<a href="#"><u>15</u></a>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	50.9	<a href="#"><u>15</u></a>
Corporation City of Ottawa	930 Somerset Street West Ottawa ON K1R 6R9	50.9	<a href="#"><u>15</u></a>
City of Ottawa	130 Preston St Ottawa ON K1R 7P5	57.4	<a href="#"><u>19</u></a>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	60.5	<a href="#"><u>20</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	60.5	<a href="#"><u>20</u></a>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	60.5	<a href="#"><u>20</u></a>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	60.5	<a href="#"><u>20</u></a>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	60.5	<a href="#"><u>20</u></a>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	60.5	<a href="#"><u>20</u></a>
Primrose Printing Inc	250 City Centre Avenue, BAY 142 Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Cielo Print Inc.	250 City Centre Avenue, BAY 136 Ottawa ON	66.4	<a href="#"><u>22</u></a>
Equity Management International Limited	250 City Centre Avenue Ottawa ON	66.4	<a href="#"><u>22</u></a>
MARQUARDT PRINTING LTD.	250 CITY CENTRE AVENUE, UNIT 236 OTTAWA ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
PUBLIC WORKS AND GOVERNMENT SERVICES CANADA	250 City Centre Av Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
City of Ottawa	250 City Centre Avenue Ottawa ON	66.4	<a href="#"><u>22</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
VISION FORM	BAY 244-250 CITY CENTRE AVE OTTAWA ON	66.4	<a href="#"><u>22</u></a>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON	66.4	<a href="#"><u>22</u></a>
FURNITURE AFFAIRS	250 CITY CENTRE.UNIT 222 OTTAWA ON	66.4	<a href="#"><u>22</u></a>
FURNITURE AFFAIRS	250 CITY CENTRE.UNIT 222 OTTAWA ON K1R6K7	66.4	<a href="#"><u>22</u></a>
VISION FORM	BAY 244-250 CITY CENTRE AVE OTTAWA ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
FURNITURE AFFAIRS	250 CITY CENTRE.UNIT 222 OTTAWA ON K1R6K7	66.4	<a href="#"><u>22</u></a>
FURNITURE AFFAIRS	250 CITY CENTRE.UNIT 222 OTTAWA ON K1R6K7	66.4	<a href="#"><u>22</u></a>
Visionform Inc	BAY 244-250 City Centre Avenue Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
VISION FORM	BAY 244-250 CITY CENTRE AVE OTTAWA ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Public Services & Procurement Canada ESD/Trades	250 City Centre Av Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Public Services and Procurement Canada	250 City Centre Avenue Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Visionform Inc	BAY 244-250 City Centre Avenue Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
1597655 Ontario Inc.	160 Spruce Street Ottawa ON K1R 6P2	77.1	<a href="#"><u>28</u></a>
LEBRUN BUILDING SERVICES	75 G Breezehill North Ottawa ON K1Y 2H7	77.1	<a href="#"><u>29</u></a>
AERO MECHTRONICS LIMITED	1040 SOMERSET STREET WEST OTTAWA ON K1Y 4L3	78.6	<a href="#"><u>30</u></a>
AERO MECHTRONICS LIMITED 01-084	1040 SOMERSET STREET WEST OTTAWA ON K1Y 4L3	78.6	<a href="#"><u>30</u></a>
AERO MECHTRONICS LIMITED	1040 SOMERSET STREET WEST OTTAWA ON K1Y 4L3	78.6	<a href="#"><u>30</u></a>
Domicile Corporation	148-158 Spruce Street Ottawa ON K1R 6P2	79.4	<a href="#"><u>32</u></a>
Claridge Homes (Hintonburg Yards) LP	1040 Somerset Street West Ottawa ON K1L 4Y3	89.7	<a href="#"><u>39</u></a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#"><u>42</u></a>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON	91.0	<a href="#"><u>42</u></a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#"><u>42</u></a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#"><u>42</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON	91.0	<a href="#">42</a>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON	91.0	<a href="#">42</a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#">42</a>
Equity Realty Group Inc.	250, 270, 290 City Centre Avenue Ottawa ON	91.0	<a href="#">42</a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#">42</a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON	91.0	<a href="#">42</a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#">42</a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#">42</a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#">42</a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#">42</a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#">42</a>
BROWNS CLEANERS & TAILORS LIMITED	270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	91.0	<a href="#">42</a>
MCKERLIE-MILLEN INC.	35A LAUREL STREET OTTAWA ON K1Y 4M4	96.4	<a href="#">44</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
MCKERLIE MILLEN (SEE & USE ON2231907)	35A LAUREL STREET OTTAWA ON K1Y 4M4	96.4	<a href="#"><u>44</u></a>
CARQUEST CANADA LTD.	35A LAUREL STREET OTTAWA ON K1Y 4M4	96.4	<a href="#"><u>44</u></a>
CARQUEST CANADA LTD.	AUTO PAINT SUPPLY 35A LAUREL STREET OTTAWA ON K1Y 4M4	96.4	<a href="#"><u>44</u></a>
BROOKFIELD LEPAGE JOHNSON CONTROLS	OAK STREET COMPLEX 1 OAK STREET OTTAWA ON	109.2	<a href="#"><u>49</u></a>
BROOKFIELD LEPAGE JOHNSON CONTROLS	1 OAK STREET OTTAWA ON	109.2	<a href="#"><u>49</u></a>
Aim Waste Management Inc.	1 Oak Street Ottawa ON K1R 6R9	109.2	<a href="#"><u>49</u></a>
Aim Waste Management Inc.	1 Oak Street Ottawa ON K1R 6R9	109.2	<a href="#"><u>49</u></a>
Visionform Inc	BAY 244-250 City Centre Avenue Ottawa ON K1R 6K7	135.5	<a href="#"><u>70</u></a>
ACKLANDS LIMITED	1050 SOMERSET ST. WEST OTTAWA ON K1Y 3C5	138.5	<a href="#"><u>74</u></a>
ACKLANDS LIMITED 02-414	1050 SOMERSET ST. WEST OTTAWA ON K1Y 3C5	138.5	<a href="#"><u>74</u></a>
ACKLANDS LIMITED	1050 SOMERSET STREET WEST OTTAWA ON K1Y 3C5	138.5	<a href="#"><u>74</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
MANSFIELD & RODNEY PRINTING LTD.	164 ELM STREET OTTAWA ON K1R 6N5	140.7	<a href="#"><u>78</u></a>
MANSFIELD & RODNEY PRINTING	164 ELM STREET OTTAWA ON K1R 6N5	140.7	<a href="#"><u>78</u></a>
ALEXANDER BATTERY CORPORATION 02-338	145-A SPRUCE STREET OTTAWA ON K1R 6P1	140.8	<a href="#"><u>80</u></a>
UNION ENGRAVING CO. LTD. 39-450	145 SPRUCE STREET OTTAWA ON K1R 6P1	140.8	<a href="#"><u>80</u></a>
ALEXANDER BATTERY CORPORATION	145-A SPRUCE STREET OTTAWA ON K1R 6P1	140.8	<a href="#"><u>80</u></a>
UNION ENGRAVING CO. LTD.	145 SPRUCE STREET OTTAWA ON K1R 6P1	140.8	<a href="#"><u>80</u></a>
A.H. FITZSIMMONS & CO. LTD.	145 SPRUCE STREET OTTAWA ON K1R 6P1	140.8	<a href="#"><u>80</u></a>
OTTAWA BOARD OF EDUCATION	100 BREEZEHILL AVENUE OTTAWA ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	Devonshire Community PS 100 Breezehill Avenue Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	Devonshire PS 100 Breezehill Avenue Ottawa ON	141.4	<a href="#"><u>81</u></a>
SEACOR Environmental Inc.	100 Breezehill Ave Ottawa ON	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
SLR Consulting (Canada) Ltd.	100 Breezehill Ave Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON	141.4	<a href="#"><u>81</u></a>
SLR Consulting (Canada) Ltd.	100 Breezehill Ave Ottawa ON	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board	100 Breezehille Ave. Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board Health & Safety	100 Breezehille Ave. Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Ottawa-Carleton District School Board Health & Safety	100 Breezehille Ave. Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>
Ottawa-Carleton District School Board Health & Safety	100 Breezehille Ave. Ottawa ON K1Y 2H5	141.4	<a href="#"><u>81</u></a>
City of Ottawa	135 Preston St Ottawa ON K1R 7P4	156.2	<a href="#"><u>95</u></a>
City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	156.2	<a href="#"><u>95</u></a>
City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	156.2	<a href="#"><u>95</u></a>
City of Ottawa Facilities	135 Preston St Ottawa ON K1R 7P4	156.2	<a href="#"><u>95</u></a>
District Realty	160-166 Elm Street Ottawa ON K1R 6N5	162.6	<a href="#"><u>99</u></a>
BRITISH AMERICAN BANK NOTE INC.	975 GLADSTONE AVENUE C/O P.O. BOX 399, STATION A OTTAWA ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
BA BANKNOTE	OTTAWA DIV., DIV OF QUEBECOR PUBLITECH INC. OTTAWA ON K1N 8V4	163.0	<a href="#"><u>100</u></a>
BA BANKNOTE	OTTAWA DIV., DIV OF QUEBECOR PUBLITECH INC./975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
BA BANKNOTE 05-931	OTTAWA DIV., DIV OF QUEBECOR PUBLITECH INC./975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
BA BANKNOTE	975 GLADSTONE AVENUE OTTAWA ON K1N 8V4	163.0	<a href="#">100</a>
BA BANKNOTE INC.	975 GLADSTONE AVENUE OTTAWA ON K1N 8V4	163.0	<a href="#">100</a>
BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON K1N 8V4	163.0	<a href="#">100</a>
Pinchin Environmental	975 Gladstone Ottawa ON K1Y 4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL INC.	975 GLADSTONE AVENUE OTTAWA ON	163.0	<a href="#">100</a>
Canadian Bank Note Company, limited	975 Gladstone avenue Ottawa ON K1Y 4W5	163.0	<a href="#">100</a>
Canadian Bank Note Company, limited	975 Gladstone avenue Ottawa ON K1Y 4W5	163.0	<a href="#">100</a>
Canadian Bank Note Company, limited	975 Gladstone avenue Ottawa ON K1Y 4W5	163.0	<a href="#">100</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Canadian Bank Note Company, limited Gladstone	975 Gladstone avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
Canadian Bank Note Company, limited Gladstone	975 Gladstone avenue Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
City of Ottawa	Elm Street and City Centre Ave (City Right of Way) Ottawa ON	170.9	<a href="#"><u>108</u></a>
City of Ottawa	Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	170.9	<a href="#"><u>108</u></a>
City of Ottawa	Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	170.9	<a href="#"><u>108</u></a>
City of Ottawa	Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	170.9	<a href="#"><u>108</u></a>
City of Ottawa	Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	170.9	<a href="#"><u>108</u></a>
Institute of Naturopathic Education and Research	29 Bayswater Ave. Ottawa ON K1Y 2E5	191.5	<a href="#"><u>123</u></a>
Institute of Naturopathic Education and Research	29 Bayswater Ave. Ottawa ON K1Y 2E5	191.5	<a href="#"><u>123</u></a>
Institute of Naturopathic Education and Research	29 Bayswater Ave. Ottawa ON	191.5	<a href="#"><u>123</u></a>
Ottawa Integrative Cancer Centre	29 Bayswater Ave. Ottawa ON K1Y 2E5	191.5	<a href="#"><u>123</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Institute of Naturopathic Education and Research	29 Bayswater Ave. Ottawa ON K1Y 2E5	191.5	<a href="#"><u>123</u></a>
Institute of Naturopathic Education and Research	29 Bayswater Ave. Ottawa ON K1Y 2E5	191.5	<a href="#"><u>123</u></a>
Ottawa Integrative Cancer Centre	29 Bayswater Ave. Ottawa ON K1Y 2E5	191.5	<a href="#"><u>123</u></a>
Ottawa Integrative Cancer Centre	29 Bayswater Ave. Ottawa ON K1Y 2E5	191.5	<a href="#"><u>123</u></a>
TerraPro Corporation	145 Loretta Ave. North Ottawa ON K1Y 2J7	194.8	<a href="#"><u>124</u></a>
TerraPro Corporation	145 Loretta Ave. North Ottawa ON	194.8	<a href="#"><u>124</u></a>
TerraPro Corporation	145 Loretta Ave. North Ottawa ON	194.8	<a href="#"><u>124</u></a>
TerraPro Corporation	145 Loretta Ave. North Ottawa ON	194.8	<a href="#"><u>124</u></a>
TerraPro Corporation	145 Loretta Ave. North Ottawa ON	194.8	<a href="#"><u>124</u></a>
TerraPro Corporation	145 Loretta Ave. North Ottawa ON K1Y 2J7	194.8	<a href="#"><u>124</u></a>
TerraPro Corporation	145 Loretta Ave. North Ottawa ON K1Y 2J7	194.8	<a href="#"><u>124</u></a>
DST Group Inc	145 Loretta Ave Ottawa ON K1Y 4W5	194.8	<a href="#"><u>124</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
SUPERSHOT PHOTOLAB	879 SOMERSET STREET WEST OTTAWA ON K1R 6R6	201.4	<a href="#">129</a>
CANADIAN MUSEUM OF CIVILIZATION CORPORATION	255 CITY CENTRE AVE. OTTAWA ON K1R 7R7	214.7	<a href="#">139</a>
Metcalf Realty Company Limited	255 City Center Ottawa ON K1R 7W3	214.7	<a href="#">139</a>
Metcalf Realty Company Limited	255 City Centre Ave. Ottawa ON K1R 7R7	214.7	<a href="#">139</a>
Metcalf Realty Company Limited	255 City Centre Ave. Ottawa ON K1R 7R7	214.7	<a href="#">139</a>
METCALFE REALTY CO. LTD.	255 CITY CENTRE AVENUE OTTAWA ON K1R 7R7	214.7	<a href="#">139</a>
Canadian Bank Note Company, limited Gladstone	975 Gladstone avenue Ottawa ON K1Y 4W5	239.6	<a href="#">153</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON	240.6	<a href="#">155</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
LA PAUSE VELO LTEE/BIKE STOP, THE	225 PRESTON STREET, REAR UNIT OTTAWA ON K1R 7R1	240.6	<a href="#">155</a>
LA PAUSE VELO LIMITEE	225 PRESTON STREET OTTAWA ON K1R 7R1	240.6	<a href="#">155</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
Preston Medical Management Inc.	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
Appletree Corporate Medical Centre 204	225 Preston Street Ottawa ON K1R 7R1	240.6	<a href="#">155</a>
HEIDI THEILE	10-14 BAYSWATER OTTAWA ON K1Y 2E4	245.5	<a href="#">162</a>
Ward and Burke Microtunnelling Ltd.	900 Albert St Ottawa ON K1P 5E7	249.5	<a href="#">167</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
LOVE PRINTING SERVICE LTD.	951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	249.9	<a href="#">169</a>
LOVE PRINTING (OUT OF BUS) 24-265	951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	249.9	<a href="#">169</a>
DST Group Inc	951 Gladstone Ave Ottawa ON K1Y 3E5	249.9	<a href="#">169</a>

### **HINC - TSSA Historic Incidents**

A search of the HINC database, dated 2006-June 2009\* has found that there are 4 HINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	901 SOMERSET ST. OTTAWA ON	101.4	<a href="#">46</a>
	122 PRESTON STREET OTTAWA ON K1R 7P2	105.1	<a href="#">47</a>
	114 PRESTION STREET OTTAWA ON	119.4	<a href="#">55</a>
	106 PRESTON STREET OTTAWA ON K1R 7P2	125.9	<a href="#">60</a>

### **INC - Fuel Oil Spills and Leaks**

A search of the INC database, dated Jul 31, 2020 has found that there are 4 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	270 CITY CENTRE AVENUE, OTTAWA ON	91.0	<a href="#">42</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	49 Bayswater Avenue, Ottawa ON K1Y 2E7	189.4	<a href="#">121</a>
	60 PRESTON STREET, OTTAWA ON	229.5	<a href="#">148</a>
	BALSAM ST. & PRESTON ST., OTTAWA ON	237.1	<a href="#">151</a>

### **NPRI - National Pollutant Release Inventory**

A search of the NPRI database, dated 1993-May 2017 has found that there are 10 NPRI site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
BA BANKNOTE INC.	975 GLADSTONE AVE. NOT AVAILABLE OTTAWA ON K1Y 4W5	163.0	<a href="#">100</a>
BA BANKNOTE INC.	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL INC.	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	163.0	<a href="#">100</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL INC.	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	163.0	<a href="#">100</a>
BA INTERNATIONAL	975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	163.0	<a href="#">100</a>

### **PES - Pesticide Register**

A search of the PES database, dated Oct 2011-Mar 31, 2021 has found that there are 18 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PARAMOUNT PEST CONTROL	110 SPRUCE ST APT#3 OTTAWA ON K1R 6P2	140.8	<a href="#">79</a>
PARAMOUNT PEST CONTROL	110 SPRUCE ST; APT. #3 OTTAWA ON K1R 6P2	140.8	<a href="#">79</a>
DAVID SAUNDERS O/A PARAMOUNT PEST CONTROL	110 SPRUCE ST, APT 3 OTTAWA ON K1R 6P2	140.8	<a href="#">79</a>
DAVID SAUNDERS O/A PARAMOUNT PEST CONTROL	110 SPRUCE ST, APT 3 OTTAWA ON K1R 6P2	140.8	<a href="#">79</a>
10278408 CANADA INC.	186 preston ottawa ON K1B 2P9	147.6	<a href="#">89</a>
TERRA PRO CORPORATION	145 LORETTA AVE N OTTAWA ON K1Y 2J7	194.8	<a href="#">124</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
TERRAPRO CORPORATION	145 LORETTA AVENUE NORTH OTTAWA ON K1Y 2J7	194.8	<a href="#">124</a>
TERRA PRO CORPORATION	145 LORETTA AVE N OTTAWA ON K1Y2J7	194.8	<a href="#">124</a>
TERRAPRO CORPORATION	145 LORETTA AVENUE NORTH OTTAWA ON K1Y2J7	194.8	<a href="#">124</a>
TERRA PRO CORPORATION	145 LORETTA AVE N OTTAWA ON K1Y2J7	194.8	<a href="#">124</a>
PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON STREET OTTAWA ON K1R 7R4	243.8	<a href="#">159</a>
PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R 7R4	243.8	<a href="#">159</a>
PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R 7R4	243.8	<a href="#">159</a>
PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R 7R4	243.8	<a href="#">159</a>
PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R 7R4	243.8	<a href="#">159</a>
PRESTON HARDWARE 1980 LIMITED	248 PRESTON ST OTTAWA ON K1R7R4	243.8	<a href="#">159</a>
PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R7R4	243.8	<a href="#">159</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PRESTON HARDWARE (1980) LIMITED	234-248 PRESTON ST OTTAWA ON K1R7R4	243.8	<a href="#">159</a>

### **PINC - Pipeline Incidents**

A search of the PINC database, dated Oct 31, 2020 has found that there are 6 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GUANGZHOU TRISTATE INDUSTRIAL CO LTD	1010 SOMERSET ST W,,OTTAWA,ON,K1A 0J9,CA ON	0.0	<a href="#">3</a>
	930 Somerset St W,Ottawa ON	50.9	<a href="#">15</a>
ENBRIDGE GAS INC	73 BREEZEHILL AVE N,,OTTAWA,ON,K1Y 2H6,CA ON	83.8	<a href="#">34</a>
ENBRIDGE GAS INC	84 PRESTON ST,,OTTAWA,ON,K1R 7N9,CA ON	170.4	<a href="#">106</a>
	872 Somerset Street West, OTTAWA ON	211.6	<a href="#">138</a>
PIPELINE HIT - 1 ¼"	119 ELM STREET,,OTTAWA,ON,K1R 6N4, CA ON	225.4	<a href="#">146</a>

### **PRT - Private and Retail Fuel Storage Tanks**

A search of the PRT database, dated 1989-1996\* has found that there are 3 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MR GAS LIMITED ATTN LILIANNE LEVAC	971 GLADSTONE AV OTTAWA ON K1Y 3E5	240.5	<a href="#">154</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
THEILE DIETER ELECTRICAL CONTRACTORS LTD	10-14 BAYSWATER AV OTTAWA ON K1Y 2E4	245.5	<a href="#">162</a>
PRESTON AUTO CENTRE INC	241 PRESTON ST OTTAWA ON K1R 7R3	249.5	<a href="#">168</a>

### **PTTW - Permit to Take Water**

A search of the PTTW database, dated 1994-Mar 31, 2021 has found that there are 1 PTTW site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
801 Albert Street Inc.	900 Albert St, Ottawa, City CITY OF OTTAWA ON	249.5	<a href="#">167</a>

### **RSC - Record of Site Condition**

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Mar 2021 has found that there are 1 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
OTTAWA COMMUNITY HOUSING CORPORATION	933 GLADSTONE AVENUE, OTTAWA, ON K1A 0T4 Ottawa ON	0.0	<a href="#">4</a>

### **SCT - Scott's Manufacturing Directory**

A search of the SCT database, dated 1992-Mar 2011\* has found that there are 48 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ROBERT TAPE LIMITED	989 SOMERSET ST W OTTAWA ON K1R 6R8	28.1	<a href="#">6</a>
T & E FOOD PRODUCTS	158 SPRUCE ST OTTAWA ON K1R 6P2	33.5	<a href="#">9</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Display Laminating	250 City Centre Ave Suite 128 Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Artext Electronic Publishing	250 City Centre Ave Suite 140 Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Ottawa Print Finishing	250 City Centre Ave Suite 226 Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Marquardt Printing Ltd.	250 City Centre Ave Bay 240 Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Quality Signs Ltd.	250 City Centre Ave Suite 128 Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
C.N. Embroidery Inc.	250 City Centre Ave Unit 100 Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Cdn Parks & Wilderness Society	250 City Centre Ave Suite 506 Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Christie Lites Ltd. - Ottawa	250 City Centre Ave Suite 102-104 Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
Cielo Print Inc.	250 City Centre Ave Unit 136 Ottawa ON K1R 6K7	66.4	<a href="#"><u>22</u></a>
J.M. HILL & SON LTD.	935 SOMERSET ST W OTTAWA ON K1R 6R8	66.8	<a href="#"><u>24</u></a>
Breezehill Heating Ltd.	75 Breezehill Ave N Unit D Ottawa ON K1Y 2H6	77.1	<a href="#"><u>29</u></a>
ARC Industries	73 Breezehill Ave N Ottawa ON K1Y 2H6	83.8	<a href="#"><u>34</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
A R C INDUSTRIES	73 BREEZEHILL AVE N OTTAWA ON K1Y 2H6	83.8	<a href="#"><u>34</u></a>
Arc Industries - Div. of OCAPDD	73 Breezehill Ave N Ottawa ON K1Y 2H6	83.8	<a href="#"><u>34</u></a>
Wake Cup Coffee Roasters	35 Laurel St Ottawa ON K1Y 4M4	96.4	<a href="#"><u>44</u></a>
Paper Sign Man	35B Laurel St Ottawa ON K1Y 4M4	96.4	<a href="#"><u>44</u></a>
Signs in 23 hours.com	35B Laurel St Ottawa ON K1Y 4M4	96.4	<a href="#"><u>44</u></a>
merge design, print & promo	35B Laurel St Ottawa ON K1Y 4M4	96.4	<a href="#"><u>44</u></a>
Buchanan Lighting Ltd.	129 Loretta Ave N Ottawa ON K1Y 2J7	106.5	<a href="#"><u>48</u></a>
Beacon Lite Ltd.	131 Loretta Ave N Ottawa ON K1Y 2J7	136.1	<a href="#"><u>71</u></a>
V Steel Works Ltd.	17 Larch St Ottawa ON K1R 6W4	139.6	<a href="#"><u>75</u></a>
MANSFIELD & RODNEY PRINTING	164 ELM ST OTTAWA ON K1R 6N5	140.7	<a href="#"><u>78</u></a>
Mansfield & Rodney Printing Ltd.	164 Elm St Ottawa ON K1R 6N5	140.7	<a href="#"><u>78</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
UNION ENGRAVING & PRINTING LTD	145 SPRUCE ST OTTAWA ON K1R 6P1	140.8	<a href="#"><u>80</u></a>
UNION ENGRAVING & PRINTING LTD	145 SPRUCE ST OTTAWA ON K1R 6P1	140.8	<a href="#"><u>80</u></a>
Oberon Press	145 Spruce St Suite 205 Ottawa ON K1R 6P1	140.8	<a href="#"><u>80</u></a>
Alexander Battery Corp.	145 Spruce St Ottawa ON K1R 6P1	140.8	<a href="#"><u>80</u></a>
UNION ENGRAVING	166 ELM ST OTTAWA ON K1R 6N5	161.1	<a href="#"><u>97</u></a>
UNION ENGRAVING & PRINTING LTD	166 Elm St Ottawa ON K1R 6N5	161.1	<a href="#"><u>97</u></a>
Union Engraving & Printing Ltd.	166 Elm St Ottawa ON K1R 6N5	161.1	<a href="#"><u>97</u></a>
B A BANKNOTE	975 GLADSTONE AVE OTTAWA ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
B.A. Banknote	975 Gladstone Ave Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
B.A. Banknote Inc.	975 Gladstone Ave Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
BA International Inc.	975 Gladstone Ave Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>
BA International Inc.	975 Gladstone Ave Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
INVITATIONS PLUS	193 PRESTON ST OTTAWA ON K1R 7P8	182.5	<a href="#">114</a>
ESPRIT DE CORPS	1066 SOMERSET ST W SUITE 204 OTTAWA ON K1Y 4T3	189.4	<a href="#">120</a>
Esprit de Corps Inc.	1066 Somerset St W Unit 204 Ottawa ON K1Y 4T3	189.4	<a href="#">120</a>
Grafik Visuals	A-1066 Somerset St W Ottawa ON K1Y 4T3	189.4	<a href="#">120</a>
SPORTIVE SPORTSWEAR MFG INC.	155A LORETTA AVE N OTTAWA ON K1Y 2J7	240.5	<a href="#">154</a>
Sportive Sportswear Manufacturers Inc.	155A Loretta Ave N Ottawa ON K1Y 2J7	240.5	<a href="#">154</a>
The Original Maple Bat Company	93 Bayswater Ave Unit A Ottawa ON K1Y 2G2	247.1	<a href="#">165</a>
The Original Maple Bat Company	93 Bayswater Ave Ottawa ON K1Y 2G2	247.1	<a href="#">165</a>
VESUVIO IRON LOGIC CUSTOM	949 GLADSTONE AVE OTTAWA ON K1Y 3E5	249.9	<a href="#">169</a>
VESUVIO IRON WORKS	949 GLADSTONE AVE OTTAWA ON K1Y 3E5	249.9	<a href="#">169</a>
SPORTIVE SPORTSWEAR MFG INC.	155 A LORETTA AVE N OTTAWA ON K1Y 2J7	249.9	<a href="#">169</a>

## **SPL - Ontario Spills**

A search of the SPL database, dated 1988-Mar 2020; Jul 2020 - Aug 2020 has found that there are 27 SPL site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
SHELL CANADA PRODUCTS LTD.	DEPT OF PUBLIC WORKS 1010 SUMMERSET TANK TRUCK (CARGO) OTTAWA CITY ON	0.0	<a href="#"><u>3</u></a>
UNKNOWN	933 GLADSTONE OTTAWA CITY ON K1A 0T4	0.0	<a href="#"><u>4</u></a>
OTTAWA HYDRO	947 SOMMERSET ST WEST TRANSFORMER OTTAWA CITY ON	43.9	<a href="#"><u>13</u></a>
	930 Somerset Street Ottawa ON	50.9	<a href="#"><u>15</u></a>
Cascades Recovery Inc.	250 City Centre Ave. Ottawa ON	66.4	<a href="#"><u>22</u></a>
Enbridge Gas Inc.	73 Breezehill Ave N. Ottawa ON	83.8	<a href="#"><u>34</u></a>
BROOKFIELD LEPAGE JOHNSON CONT	1 OAK STREET, OTTAWA PROPERTY MANAGEMENT CO. 120 PARKDALE AVE, SUITE 1401, OTTAWA OTTAWA CITY ON	109.2	<a href="#"><u>49</u></a>
OTTAWA HYDRO	99 BREEZE HILL AVENUE TRANSFORMER OTTAWA CITY ON	119.0	<a href="#"><u>54</u></a>
OLRT Constructors	1035 somerset street Ottawa ON	123.9	<a href="#"><u>58</u></a>
BA International Inc.	975 Gladstone Ave Ottawa ON K1Y 4W5	163.0	<a href="#"><u>100</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
BA International Inc.	975 Gladstone Ave Ottawa ON K1Y 4W5	163.0	<a href="#">100</a>
Drain-All Ltd.	975 Gladstone Ave Ottawa ON K1Y 4W5	163.0	<a href="#">100</a>
349977 Ontario Ltd.	975 Gladstone Ave Ottawa ON K1Y 4W5	163.0	<a href="#">100</a>
Enbridge Gas Distribution Inc.	84 Preston St Ottawa ON	170.4	<a href="#">106</a>
Broadband Maintenance Inc. <UNOFFICIAL>	49 Bayswater Ave Ottawa ON K1Y 2E7	189.4	<a href="#">121</a>
	145 Loretta Ave North Ottawa ON	194.8	<a href="#">124</a>
Private Pickup Truck<UNOFFICIAL>	145 Loretta Avenue, North Ottawa ON K1Y 2J7	194.8	<a href="#">124</a>
PRIVATE RESIDENCE	69 BAYSWATER AVE. FURNACE OIL TANK OTTAWA CITY ON K1Y 2E7	204.3	<a href="#">131</a>
City of Ottawa	890 Wellington Street Ottawa ON	205.8	<a href="#">134</a>
FORM ALL CONSTRUCTION	SOMERSET & BAYSWATER OTTAWA CITY ON	220.8	<a href="#">144</a>
OC TRANSP	STORM SEWER AT SUMMERSET AND BAYWATER, FROM OC TRANSIT BUS. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON	220.8	<a href="#">144</a>
Enbridge Gas Distribution	119 Elm Street Ottawa ON	225.2	<a href="#">145</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Intersection of Balsam St and Preston St Ottawa ON	237.1	<a href="#">151</a>
Canadian Bank Note Company, Limited	975 Gladstone Road Ottawa ON	239.6	<a href="#">153</a>
	248 Preston Street Ottawa ON	243.8	<a href="#">159</a>
City of Ottawa	Breezehill Ave N between Laurel and Gladstone Ottawa ON	246.4	<a href="#">163</a>
City of Ottawa	South East corner of Preston and Balsam 241 PRESTON STREET, OTTAWA<UNOFFICIAL> Ottawa ON K1R 7R3	249.5	<a href="#">168</a>

### **WWIS - Water Well Information System**

A search of the WWIS database, dated Apr 30, 2020 has found that there are 46 WWIS site(s) within approximately 0.25 kilometers of the project property.


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON  <i>Well ID: 7231311</i>	52.4	<a href="#">16</a>
	250 CITY CENTRE AVE. Ottawa ON  <i>Well ID: 7121083</i>	62.7	<a href="#">21</a>
	73 Breezehill Ave N Ottawa ON  <i>Well ID: 7333913</i>	66.6	<a href="#">23</a>
	270 CITY CENTER AVE. Ottawa ON  <i>Well ID: 7173325</i>	72.3	<a href="#">25</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	73 Breezehill Ave N Ottawa ON  <i>Well ID: 7333875</i>	74.9	<a href="#"><u>26</u></a>
	270 CITY CENTER AVE. Ottawa ON  <i>Well ID: 7173323</i>	76.9	<a href="#"><u>27</u></a>
	270 CITY CENTER AVE. Ottawa ON  <i>Well ID: 7173324</i>	78.8	<a href="#"><u>31</u></a>
	270 CITY CENTRE ST OTTAWA ON  <i>Well ID: 7192919</i>	84.3	<a href="#"><u>35</u></a>
	270 CITY CENTRE OTTAWA ON  <i>Well ID: 7192921</i>	87.6	<a href="#"><u>36</u></a>
	23 Breezehill Ave N Ottawa ON  <i>Well ID: 7333912</i>	88.0	<a href="#"><u>37</u></a>
	270 CITY CENTRE OTTAWA ON  <i>Well ID: 7192920</i>	88.4	<a href="#"><u>38</u></a>
	73 Breezehill Ave N Ottawa ON  <i>Well ID: 7333911</i>	90.7	<a href="#"><u>40</u></a>
	270 CITY CENTRE AVE OTTAWA ON  <i>Well ID: 7192922</i>	90.9	<a href="#"><u>41</u></a>
	ON  <i>Well ID: 1514863</i>	92.0	<a href="#"><u>43</u></a>
	250 CITY CENTRE AVE Ottawa ON  <i>Well ID: 7202037</i>	129.0	<a href="#"><u>61</u></a>
	250 CITY CENTRE AVE Ottawa ON	129.1	<a href="#"><u>62</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7202059		
	O-TRAIN RAIL CORRIDOR Ottawa ON	129.2	<a href="#"><u>63</u></a>
	<i>Well ID:</i> 7205660		
	250 CITY CENTRE AVE Ottawa ON	130.0	<a href="#"><u>65</u></a>
	<i>Well ID:</i> 7202057		
	250 CITY CENTRE AVE Ottawa ON	134.1	<a href="#"><u>68</u></a>
	<i>Well ID:</i> 7202058		
	250 CITY CENTER AVE Ottawa ON	134.8	<a href="#"><u>69</u></a>
	<i>Well ID:</i> 7202055		
	ON	137.3	<a href="#"><u>72</u></a>
	<i>Well ID:</i> 1508959		
	173-177 PRESTON ST Ottawa ON	140.2	<a href="#"><u>77</u></a>
	<i>Well ID:</i> 7230092		
	250 CITY CENTRE AVE Ottawa ON	143.0	<a href="#"><u>84</u></a>
	<i>Well ID:</i> 7202054		
	ON	145.3	<a href="#"><u>87</u></a>
	<i>Well ID:</i> 7216640		
	250 CITY CENTRE AVE Ottawa ON	146.0	<a href="#"><u>88</u></a>
	<i>Well ID:</i> 7202056		
	173-177 PRESTON ST Ottawa ON	147.9	<a href="#"><u>90</u></a>
	<i>Well ID:</i> 7230093		
	250 CITY CENTRE AVE Ottawa ON	150.5	<a href="#"><u>93</u></a>
	<i>Well ID:</i> 7202053		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	PRESTON ST.-SPRUCE ST.- LAUREL ST. Ottawa ON  <i>Well ID:</i> 7108782	158.3	<a href="#">96</a>
	250 CITY CENTRE AVE Ottawa ON  <i>Well ID:</i> 7202052	164.6	<a href="#">101</a>
	250 CITY CENTRE AVE Ottawa ON  <i>Well ID:</i> 7202039	164.9	<a href="#">102</a>
	255 CITY CENTRE AVENUE lot 39 con 1 Ottawa ON  <i>Well ID:</i> 7116509	168.0	<a href="#">104</a>
	975 GLADESTONE AVE OTTAWA ON  <i>Well ID:</i> 7245911	168.0	<a href="#">105</a>
	250 CITY CENTRE AVE Ottawa ON  <i>Well ID:</i> 7202038	170.9	<a href="#">107</a>
	250 270,290 CITY CENTRE OTTAWA ON  <i>Well ID:</i> 7163582	180.1	<a href="#">111</a>
	975 GLADSTONE AVE. OTTAWA ON  <i>Well ID:</i> 7245908	181.4	<a href="#">112</a>
	250 CITY CENTRE AVE Ottawa ON  <i>Well ID:</i> 7202051	181.6	<a href="#">113</a>
	255 CITY CENTER AVENUE lot 8 con 73 OTTAWA ON  <i>Well ID:</i> 1536786	182.6	<a href="#">115</a>
	lot 39 con 1 ON  <i>Well ID:</i> 7292789	183.1	<a href="#">116</a>
	975 GLADSTON AVE OTTAWA ON	196.1	<a href="#">125</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7245907		
	975 GLADSTONE AVE Ottawa ON	197.3	<a href="#">126</a>
	<i>Well ID:</i> 7322627		
	975 GLADSTONE AVE Ottawa ON	199.4	<a href="#">128</a>
	<i>Well ID:</i> 7322626		
	255 CITY CENTRE AVENUE Ottawa ON	203.0	<a href="#">130</a>
	<i>Well ID:</i> 7125525		
	975 GLADSTON AVE OTTAWA ON	208.5	<a href="#">136</a>
	<i>Well ID:</i> 7245909		
	1010 SOMERSET ET W OTTAWA ON	215.4	<a href="#">141</a>
	<i>Well ID:</i> 1535405		
	975 GLADSTONE AVE. OTTAWA ON	226.6	<a href="#">147</a>
	<i>Well ID:</i> 7245910		
	OTTAWA ON	243.4	<a href="#">158</a>
	<i>Well ID:</i> 1535493		




### Map: 0.25 Kilometer Radius

Order Number: 21032900261

Address: 1010 Somerset Street West, Ottawa, ON



Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail	Proposed Road	Other Recreation Area
	Ferry Route/Ice Road		



45°24'N

45°24'N

250 125 0 250 m

1:10000

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

**Aerial** Year: 2008


Order Number: 21032900261

**Address: 1010 Somerset Street West, Ottawa, ON**



Source: ESRI World Imagery

© ERIS Information Limited Partnership



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

# Topographic Map

Order Number: 21032900261

Address: 1010 Somerset Street West, ON



Source: ESRI World Topographic Map

© ERIS Information Limited Partnership

# Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>1</u>	1 of 1	WSW/0.0	61.4 / 0.54	1010 Somerset Street West Ottawa ON K1R 6R9	EHS
<b>Order No:</b> 20190621309 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 26-JUN-19 <b>Date Received:</b> 21-JUN-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> NS <b>Search Radius (km):</b> .3 <b>X:</b> -75.716434 <b>Y:</b> 45.406898			

<u>2</u>	1 of 1	SW/0.0	61.4 / 0.54	ON	BORE
<b>Borehole ID:</b> 847976 <b>OGF ID:</b> 215589633 <b>Status:</b> Decommissioned <b>Type:</b> Borehole <b>Use:</b> Geotechnical/Geological Investigation <b>Completion Date:</b> 04-DEC-1962 <b>Static Water Level:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Total Depth m:</b> 7 <b>Depth Ref:</b> Ground Surface <b>Depth Elev:</b> <b>Drill Method:</b> Diamond Drill <b>Orig Ground Elev m:</b> 60.3 <b>Elev Reliabil Note:</b> <b>DEM Ground Elev m:</b> 61 <b>Concession:</b> CON 1 ON OTTAWA RIVER <b>Location D:</b> <b>Survey D:</b> <b>Comments:</b>		<b>Inclin FLG:</b> No <b>SP Status:</b> Initial Entry <b>Surv Elev:</b> No <b>Piezometer:</b> No <b>Primary Name:</b> <b>Municipality:</b> <b>Lot:</b> LOT 38 <b>Township:</b> NEPEAN <b>Latitude DD:</b> 45.406683 <b>Longitude DD:</b> -75.716561 <b>UTM Zone:</b> 18 <b>Easting:</b> 443925 <b>Northing:</b> 5028379 <b>Location Accuracy:</b> <b>Accuracy:</b> Within 50 metres			

### Borehole Geology Stratum

<b>Geology Stratum ID:</b> 6559449 <b>Top Depth:</b> 1.1 <b>Bottom Depth:</b> 4.9 <b>Material Color:</b> Brown <b>Material 1:</b> Silt <b>Material 2:</b> Clay <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> BROWN, STIFF, CLAYEY SILT CHANGING TO STIFF TO SOFT GREY, SILTY CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field.	<b>Mat Consistency:</b> Stiff <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>
<b>Geology Stratum ID:</b> 6559447 <b>Top Depth:</b> 0 <b>Bottom Depth:</b> .1	<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material Color:</b> <b>Material 1:</b> Asphalt <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> ASPHALT **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<b>Geology Stratum ID:</b> 6559448 <b>Top Depth:</b> .1 <b>Bottom Depth:</b> 1.1 <b>Material Color:</b> <b>Material 1:</b> Fill <b>Material 2:</b> Granite <b>Material 3:</b> Sand <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> FILL (GRAVEL AND SAND) **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<b>Geology Stratum ID:</b> 6559450 <b>Top Depth:</b> 4.9 <b>Bottom Depth:</b> 5.9 <b>Material Color:</b> <b>Material 1:</b> Gravel <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> 2in. GRAVEL LAYER **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<b>Geology Stratum ID:</b> 6559451 <b>Top Depth:</b> 5.9 <b>Bottom Depth:</b> 7 <b>Material Color:</b> <b>Material 1:</b> Till <b>Material 2:</b> Fine Sand <b>Material 3:</b> Silt <b>Material 4:</b> Gravel <b>Gsc Material Description:</b> <b>Stratum Description:</b> DENSE, SILTY, FINE SAND, GRAVEL (GLACIAL TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<u>3</u>	1 of 22	NNE/0.0	60.6 / -0.31	SHELL CANADA PRODUCTS LTD. DEPT OF PUBLIC WORKS 1010 SUMMERSET TANK TRUCK (CARGO) OTTAWA CITY ON	SPL
<b>Ref No:</b> 66275 <b>Site No:</b> <b>Incident Dt:</b> 1/20/1992 <b>Year:</b> <b>Incident Cause:</b> CONTAINER OVERFLOW <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b>					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 20101 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 1/21/1992 <b>Dt Document Closed:</b> <b>Incident Reason:</b> EQUIPMENT FAILURE <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> SHELL - 0.5L FURNACE OIL OUTSIDE WALL & BESIDE TK VENT PIPE. CLEANED UP. <b>Contaminant Qty:</b>				<b>Easting:</b> MOE <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	

<u>3</u>	2 of 22	NNE/0.0	60.6 / -0.31	<b>GVT. OF CAN.-PUBLIC WORKS CANADA  MAINTENANCE SUPPORT SERV. PLOUFFE  PARK 1010 SOMERSET ST.W.C/O140  PROMENADE DU  PORTAGE-OTTAWA ON K1A 0M3</b>	GEN
<b>Generator No:</b> ON0144726 <b>Status:</b> <b>Approval Years:</b> 88,89,90 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 8174 <b>SIC Description:</b> HOUSING ADMIN.		<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			

<u>3</u>	3 of 22	NNE/0.0	60.6 / -0.31	<b>GVT. OF CAN.-PUBLIC WORKS CANADA 18-285  MAINTENANCE SUPPORT SERVICES PLOUFFE</b>	GEN
----------	---------	---------	--------------	--	-----

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
				<b>PARK, 1010 SOMERSET STREET W. OTTAWA ON</b>	
<b>Generator No:</b>	ON0144726			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8174				
<b>SIC Description:</b>	HOUSING ADMIN.				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	253				
<b>Waste Class Desc:</b>	EMULSIFIED OILS				
<b>Waste Class:</b>	265				
<b>Waste Class Desc:</b>	GRAPHIC ART WASTES				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	211				
<b>Waste Class Desc:</b>	AROMATIC SOLVENTS				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	222				
<b>Waste Class Desc:</b>	HEAVY FUELS				
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<b>Waste Class:</b>	243				
<b>Waste Class Desc:</b>	PCB'S				
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Class:</b>	112				
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Class:</b>	121				
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>3</b>	<b>4 of 22</b>	<b>NNE/0.0</b>	<b>60.6 / -0.31</b>	<b>PUBLIC WORKS CANADA MAINTENANCE SUPPORT SERVICES PLOUFFE PARK- 1010 SOMERSET STREET WEST</b>	<b>GEN</b>

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>OTTAWA ON</b>					
<b>Generator No:</b>	ON0144726			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8174				
<b>SIC Description:</b>		HOUSING ADMIN.			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		222			
<b>Waste Class Desc:</b>		HEAVY FUELS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCB'S			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>3</b>	<b>5 of 22</b>	<b>NNE/0.0</b>	<b>60.6 / -0.31</b>	<b>BROOKFIELD LEPAGE JOHNSON CONTROLS 1010 SOMERSET STREET PLOUFFE PARK OTTAWA ON</b>	<b>GEN</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b>	ON0554822			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	7512				
<b>SIC Description:</b>		NON-RES. BLDG. OPER.			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			

<b>3</b>	6 of 22	<b>NNE/0.0</b>	<b>60.6 / -0.31</b>	<b>Public Works and Government Services Canada 1010 Somerset Street Plouffe Park Shop Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON0144726			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>		Other Municipal Public Administration			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		222			
<b>Waste Class Desc:</b>		HEAVY FUELS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCB'S			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			

<u>3</u>	7 of 22	NNE/0.0	60.6 / -0.31	<b>PUBLIC WORK &amp; GOV'T SER CANADA 1010 SOMERSET st OTTAWA ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON3451496			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	03,04			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					

<u>3</u>	8 of 22	NNE/0.0	60.6 / -0.31	<b>Public Works and Government Services Canada 1010 Somerset Street Plouffe Park Shop Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON0144726			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>					

Detail(s)

<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	265

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Class Desc:</i>		GRAPHIC ART WASTES			
<i>Waste Class:</i>		112			
<i>Waste Class Desc:</i>		ACID WASTE - HEAVY METALS			
<i>Waste Class:</i>		121			
<i>Waste Class Desc:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i>		122			
<i>Waste Class Desc:</i>		ALKALINE WASTES - OTHER METALS			
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		148			
<i>Waste Class Desc:</i>		INORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		213			
<i>Waste Class Desc:</i>		PETROLEUM DISTILLATES			
<i>Waste Class:</i>		222			
<i>Waste Class Desc:</i>		HEAVY FUELS			
<i>Waste Class:</i>		145			
<i>Waste Class Desc:</i>		PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Class:</i>		211			
<i>Waste Class Desc:</i>		AROMATIC SOLVENTS			
<i>Waste Class:</i>		253			
<i>Waste Class Desc:</i>		EMULSIFIED OILS			
<i>Waste Class:</i>		252			
<i>Waste Class Desc:</i>		WASTE OILS & LUBRICANTS			
<i>Waste Class:</i>		251			
<i>Waste Class Desc:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Class:</i>		331			
<i>Waste Class Desc:</i>		WASTE COMPRESSED GASES			
<i>Waste Class:</i>		212			
<i>Waste Class Desc:</i>		ALIPHATIC SOLVENTS			
<i>Waste Class:</i>		243			
<i>Waste Class Desc:</i>		PCBS			
<i>Waste Class:</i>		241			
<i>Waste Class Desc:</i>		HALOGENATED SOLVENTS			

3

9 of 22

NNE/0.0

60.6 / -0.31

Public Works and Government Services Canada  
1010 Somerset Street Plouffe Park Shop  
Ottawa ON

GEN

<b>Generator No:</b>	ON0144726	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	
<b>Approval Years:</b>	2009	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910		
<b>SIC Description:</b>	Other Local Municipal and Regional Public Administration		

Detail(s)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Class:</i> <i>Waste Class Desc:</i>		213 PETROLEUM DISTILLATES			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		222 HEAVY FUELS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		241 HALOGENATED SOLVENTS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		243 PCBS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		251 OIL SKIMMINGS & SLUDGES			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		252 WASTE OILS & LUBRICANTS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		253 EMULSIFIED OILS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		263 ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		265 GRAPHIC ART WASTES			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		331 WASTE COMPRESSED GASES			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		112 ACID WASTE - HEAVY METALS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		121 ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		122 ALKALINE WASTES - OTHER METALS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		145 PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		146 OTHER SPECIFIED INORGANICS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		148 INORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		211 AROMATIC SOLVENTS			
<i>Waste Class:</i> <i>Waste Class Desc:</i>		212 ALIPHATIC SOLVENTS			

3

10 of 22

NNE/0.0

60.6 / -0.31

public works government services canada  
1010 SOMERSET STREET WEST  
OTTAWA ON

GEN

**Generator No:** ON8671552  
**Status:**  
**Approval Years:** 2013  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:** 531310  
**SIC Description:** REAL ESTATE PROPERTY MANAGERS

**PO Box No:**  
**Country:**  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			

<b><u>3</u></b>	<b>11 of 22</b>	<b>NNE/0.0</b>	<b>60.6 / -0.31</b>	<b>Public Works and Government Services Canada 1010 Somerset Street Plouffe Park Shop Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON0144726			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>	Other Local Municipal and Regional Public Administration				

<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		222			
<b>Waste Class Desc:</b>		HEAVY FUELS			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		146			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCBS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			

<u>3</u>	12 of 22	NNE/0.0	60.6 / -0.31	SNC Lavalin O&M 1010 Somerset St. W Ottawa ON K1A 0K9	GEN
<b>Generator No:</b>	ON9617269			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				

Detail(s)

<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	269
<b>Waste Class Desc:</b>	NON-HALOGENATED PESTICIDES

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			

<a href="#"><u>3</u></a>	13 of 22	NNE/0.0	60.6 / -0.31	Public Works and Government Services Canada 1010 Somerset Street Plouffe Park Shop Ottawa ON	GEN
<b>Generator No:</b>	ON0144726			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>	Other Local Municipal and Regional Public Administration				

**Detail(s)**

<b>Waste Class:</b>	243
<b>Waste Class Desc:</b>	PCBS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES
<b>Waste Class:</b>	265
<b>Waste Class Desc:</b>	GRAPHIC ART WASTES
<b>Waste Class:</b>	211
<b>Waste Class Desc:</b>	AROMATIC SOLVENTS
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES
<b>Waste Class:</b>	251
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	222
<b>Waste Class Desc:</b>	HEAVY FUELS
<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<u>3</u>	14 of 22	NNE/0.0	60.6 / -0.31	public works government services canada 1010 SOMERSET STREET WEST OTTAWA ON	GEN
<b>Generator No:</b>	ON8671552			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				
<u>3</u>	15 of 22	NNE/0.0	60.6 / -0.31	Public Works and Government Services Canada 1010 Somerset Street Plouffe Park Shop Ottawa ON	GEN
<b>Generator No:</b>	ON0144726			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>	Other Local Municipal and Regional Public Administration				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	211				
<b>Waste Class Desc:</b>	AROMATIC SOLVENTS				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	121				
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		222			
<b>Waste Class Desc:</b>		HEAVY FUELS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCBS			

<u>3</u>	16 of 22	NNE/0.0	60.6 / -0.31	GUANGZHOU TRISTATE INDUSTRIAL CO LTD 1010 SOMERSET ST W,, OTTAWA, ON, K1A 0J9, CA ON	PINC
<b>Incident ID:</b>				<b>Fuel Category:</b>	Natural Gas
<b>Incident No:</b>	1603296			<b>Health Impact:</b>	
<b>Incident Reported Dt:</b>	3/24/2015			<b>Environment Impact:</b>	
<b>Type:</b>	FS-Pipeline Incident			<b>Property Damage:</b>	Yes
<b>Status Code:</b>				<b>Service Interrupt:</b>	
<b>Customer Acct Name:</b>	GUANGZHOU TRISTATE INDUSTRIAL CO LTD			<b>Enforce Policy:</b>	Yes
<b>Incident Address:</b>	1010 SOMERSET ST W,, OTTAWA, ON, K1A 0J9, CA			<b>Public Relation:</b>	
<b>Tank Status:</b>	Pipeline Damage Reason Est			<b>Pipeline System:</b>	
<b>Task No:</b>	5417237			<b>Depth:</b>	
<b>Spills Action Centre:</b>				<b>Pipe Material:</b>	
<b>Fuel Type:</b>				<b>PSIG:</b>	
<b>Fuel Occurrence Tp:</b>				<b>Attribute Category:</b>	FS-Perform P-line Inc Invest
<b>Date of Occurrence:</b>				<b>Regulator Location:</b>	
<b>Occurrence Start Dt:</b>	2015/03/25			<b>Method Details:</b>	E-mail
<b>Operation Type:</b>					
<b>Pipeline Type:</b>					
<b>Regulator Type:</b>					
<b>Summary:</b>		1010 SOMERSET ST, OTTAWA - PIPELINE HIT - 2"			
<b>Reported By:</b>		Tracy Penney - ENBRIDGE			
<b>Affiliation:</b>					
<b>Occurrence Desc:</b>					
<b>Damage Reason:</b>		Excavation practices not sufficient			
<b>Notes:</b>					

<u>3</u>	17 of 22	NNE/0.0	60.6 / -0.31	public works government services canada 1010 SOMERSET STREET WEST OTTAWA ON K1R 6R9	GEN
<b>Generator No:</b>	ON8671552			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Sarah Page

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	No 531310			<b>Phone No Admin:</b> 613-915-5668 Ext. REAL ESTATE PROPERTY MANAGERS	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		331		WASTE COMPRESSED GASES	
<b>Waste Class:</b> <b>Waste Class Desc:</b>		252		WASTE OILS & LUBRICANTS	
<b>Waste Class:</b> <b>Waste Class Desc:</b>		145		PAINT/PIGMENT/COATING RESIDUES	
<b>Waste Class:</b> <b>Waste Class Desc:</b>		122		ALKALINE WASTES - OTHER METALS	
<b>Waste Class:</b> <b>Waste Class Desc:</b>		146		OTHER SPECIFIED INORGANICS	
<b>Waste Class:</b> <b>Waste Class Desc:</b>		221		LIGHT FUELS	
<b>Waste Class:</b> <b>Waste Class Desc:</b>		150		INERT INORGANIC WASTES	
<b>Waste Class:</b> <b>Waste Class Desc:</b>		212		ALIPHATIC SOLVENTS	

3      18 of 22      **NNE/0.0**      **60.6 / -0.31**      **public works government services canada**      GEN  
**1010 SOMERSET STREET WEST**  
**OTTAWA ON K1R 6R9**

<b>Generator No:</b>	ON8671552	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2016	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	Sarah Page
<b>MHSW Facility:</b>	No	<b>Phone No Admin:</b>	613-915-5668 Ext.
<b>SIC Code:</b>	531310		
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS		

**Detail(s)**

<b>Waste Class:</b> <b>Waste Class Desc:</b>	212	ALIPHATIC SOLVENTS
<b>Waste Class:</b> <b>Waste Class Desc:</b>	122	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b> <b>Waste Class Desc:</b>	331	WASTE COMPRESSED GASES
<b>Waste Class:</b> <b>Waste Class Desc:</b>	221	LIGHT FUELS
<b>Waste Class:</b> <b>Waste Class Desc:</b>	145	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b> <b>Waste Class Desc:</b>	146	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	150	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		INERT INORGANIC WASTES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			

<a href="#">3</a>	19 of 22	NNE/0.0	60.6 / -0.31	public works government services canada 1010 SOMERSET STREET WEST OTTAWA ON K1R 6R9	GEN
<b>Generator No:</b>	ON8671552			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS				

**Detail(s)**

<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	221
<b>Waste Class Desc:</b>	LIGHT FUELS
<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES

<a href="#">3</a>	20 of 22	NNE/0.0	60.6 / -0.31	Public Services & Procurement Canada ESD/AFD 1010 Somerset ST W OTTAWA ON K1R 6R9	GEN
<b>Generator No:</b>	ON8671552			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					

**Detail(s)**

<b>Waste Class:</b>	122 C
<b>Waste Class Desc:</b>	Alkaline slutions - containing other metals and non-metals (not cyanide)
<b>Waste Class:</b>	145 I
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints
<b>Waste Class:</b>	146 T

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class Desc:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Class:</b>		148 C			
<b>Waste Class Desc:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Class:</b>		150 L			
<b>Waste Class Desc:</b>		Inert organic wastes			
<b>Waste Class:</b>		212 L			
<b>Waste Class Desc:</b>		Aliphatic solvents and residues			
<b>Waste Class:</b>		221 I			
<b>Waste Class Desc:</b>		Light fuels			
<b>Waste Class:</b>		221 L			
<b>Waste Class Desc:</b>		Light fuels			
<b>Waste Class:</b>		251 L			
<b>Waste Class Desc:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<b>Waste Class:</b>		263 I			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<b>Waste Class:</b>		331 I			
<b>Waste Class Desc:</b>		Waste compressed gases including cylinders			
<b>Waste Class:</b>		112 C			
<b>Waste Class Desc:</b>		Acid solutions - containing heavy metals			
<b>Waste Class:</b>		121 C			
<b>Waste Class Desc:</b>		Alkaline slutions - containing heavy metals			

3

21 of 22

NNE/0.0

60.6 / -0.31

**Public Services & Procurement Canada  
ESD/AFD  
1010 Somerset ST W  
OTTAWA ON K1R 6R9**

GEN

**Generator No:** ON8671552  
**Status:** Registered  
**Approval Years:** As of Jul 2020  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:**  
**SIC Description:**

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

Detail(s)

**Waste Class:** 122 C  
**Waste Class Desc:** Alkaline slutions - containing other metals and non-metals (not cyanide)

**Waste Class:** 252 L  
**Waste Class Desc:** Waste crankcase oils and lubricants

**Waste Class:** 146 T  
**Waste Class Desc:** Other specified inorganic sludges, slurries or solids

**Waste Class:** 221 I  
**Waste Class Desc:** Light fuels

**Waste Class:** 121 C  
**Waste Class Desc:** Alkaline slutions - containing heavy metals

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		112 C			
<b>Waste Class Desc:</b>		Acid solutions - containing heavy metals			
<b>Waste Class:</b>		212 L			
<b>Waste Class Desc:</b>		Aliphatic solvents and residues			
<b>Waste Class:</b>		331 I			
<b>Waste Class Desc:</b>		Waste compressed gases including cylinders			
<b>Waste Class:</b>		145 I			
<b>Waste Class Desc:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Class:</b>		148 C			
<b>Waste Class Desc:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Class:</b>		150 L			
<b>Waste Class Desc:</b>		Inert organic wastes			
<b>Waste Class:</b>		221 L			
<b>Waste Class Desc:</b>		Light fuels			
<b>Waste Class:</b>		263 I			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<b>Waste Class:</b>		251 L			
<b>Waste Class Desc:</b>		Waste oils/sludges (petroleum based)			

<b>3</b>	<b>22 of 22</b>	<b>NNE/0.0</b>	<b>60.6 / -0.31</b>	<b>Public Services &amp; Procurement Canada ESD/AFD 1010 Somerset ST W OTTAWA ON K1R 6R9</b>	<b>GEN</b>
----------	-----------------	----------------	---------------------	--	------------

<b>Generator No:</b>	ON8671552	<b>PO Box No:</b>	
<b>Status:</b>	Registered	<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jan 2021	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>			
<b>SIC Description:</b>			

**Detail(s)**

<b>Waste Class:</b>	146 T
<b>Waste Class Desc:</b>	Other specified inorganic sludges, slurries or solids
<b>Waste Class:</b>	263 I
<b>Waste Class Desc:</b>	Misc. waste organic chemicals
<b>Waste Class:</b>	331 I
<b>Waste Class Desc:</b>	Waste compressed gases including cylinders
<b>Waste Class:</b>	221 I
<b>Waste Class Desc:</b>	Light fuels
<b>Waste Class:</b>	251 L
<b>Waste Class Desc:</b>	Waste oils/sludges (petroleum based)
<b>Waste Class:</b>	252 L
<b>Waste Class Desc:</b>	Waste crankcase oils and lubricants
<b>Waste Class:</b>	221 L
<b>Waste Class Desc:</b>	Light fuels

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		122 C			
<b>Waste Class Desc:</b>		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Class:</b>		148 C			
<b>Waste Class Desc:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Class:</b>		145 I			
<b>Waste Class Desc:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Class:</b>		121 C			
<b>Waste Class Desc:</b>		Alkaline slutions - containing heavy metals			
<b>Waste Class:</b>		212 L			
<b>Waste Class Desc:</b>		Aliphatic solvents and residues			
<b>Waste Class:</b>		112 C			
<b>Waste Class Desc:</b>		Acid solutions - containing heavy metals			
<b>Waste Class:</b>		150 L			
<b>Waste Class Desc:</b>		Inert organic wastes			

<u>4</u>	1 of 11	ESE/0.0	61.9 / 1.01	UNKNOWN 933 GLADSTONE OTTAWA CITY ON K1A 0T4	SPL
<b>Ref No:</b>	231625			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	7/11/2002			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	20107
<b>Nature of Impact:</b>	Water course or lake			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND, WATER			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	7/11/2002			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	EQUIPMENT FAILURE			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	TOW TRUCK:8L HYDRAULIC OIL TO GRD AND STORM SEW-ER, CLEANING				
<b>Contaminant Qty:</b>					

<u>4</u>	2 of 11	ESE/0.0	61.9 / 1.01	1010 Somerset St W Ottawa ON	EHS
<b>Order No:</b>	20010316001			<b>Nearest Intersection:</b>	Loretta Av, Champagne Av, Oak St
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Complete Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	3/20/01			<b>Search Radius (km):</b>	0.35
<b>Date Received:</b>	3/16/01			<b>X:</b>	-75.714394
<b>Previous Site Name:</b>				<b>Y:</b>	45.407494
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>4</u>	3 of 11	ESE/0.0	61.9 / 1.01	GVT. OF CAN.- PUBLIC WORKS CANADA CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II OTTAWA ON K1A 0T4	GEN
<b>Generator No:</b>	ON0144774			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8159				
<b>SIC Description:</b>	OTHER GEN. ADMIN.				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	221				
<b>Waste Class Desc:</b>	LIGHT FUELS				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<u>4</u>	4 of 11	ESE/0.0	61.9 / 1.01	GVT. OF CAN.- PUBLIC WORKS CANADA 18-375 CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II HULL OTTAWA ON K1A 0T4	GEN
<b>Generator No:</b>	ON0144774			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8159				
<b>SIC Description:</b>	OTHER GEN. ADMIN.				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	221				
<b>Waste Class Desc:</b>	LIGHT FUELS				
<u>4</u>	5 of 11	ESE/0.0	61.9 / 1.01	GVT. OF CAN.- PUBLIC WORKS CANADA 18-375 CHP PLOUFFE PARK 933 GLADSTONE AVE. C/O PLACE DU PORTAGE PHASE IV LEVEL II ON K1A 0T4	GEN
<b>Generator No:</b>	ON0144774			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8159				
<b>SIC Description:</b>	OTHER GEN. ADMIN.				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	221				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">4</a>	6 of 11	ESE/0.0	61.9 / 1.01	DSS CAPITAL REGION SUPPLY CENTRE 933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	GEN
<b>Generator No:</b>	ON0989500			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8159				
<b>SIC Description:</b>	OTHER GEN. ADMIN.				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<a href="#">4</a>	7 of 11	ESE/0.0	61.9 / 1.01	PUBLIC WORKS AND GOVT SERVICES CANADA CAPITAL REGION SUPPLY CENTRE (CRSC) 933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	GEN
<b>Generator No:</b>	ON0989500			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,95,96,97,98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8159				
<b>SIC Description:</b>	OTHER GEN. ADMIN.				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		261			
<b>Waste Class Desc:</b>		PHARMACEUTICALS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<a href="#">4</a>	8 of 11	ESE/0.0	61.9 / 1.01	DSS CAPITAL REGION SUPPLY CENTRE 13-297 933 GLADSTONE AVENUE OTTAWA ON K1A 0T4	GEN
<b>Generator No:</b>	ON0989500			<b>PO Box No:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 94 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 8159 <b>SIC Description:</b> OTHER GEN. ADMIN.				<b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES					
<b>Waste Class:</b> 252 <b>Waste Class Desc:</b> WASTE OILS & LUBRICANTS					
<u>4</u>	9 of 11	ESE/0.0	61.9 / 1.01	1010 Somerset Street West Ottawa ON	EHS
<b>Order No:</b> 20040723005 <b>Status:</b> C <b>Report Type:</b> Complete Report <b>Report Date:</b> 8/3/04 <b>Date Received:</b> 7/23/04 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>				<b>Nearest Intersection:</b> Somerset & Champagne <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -75.716554 <b>Y:</b> 45.407406	
<u>4</u>	10 of 11	ESE/0.0	61.9 / 1.01	933 Gladstone Ave Ottawa ON K1A0T4	EHS
<b>Order No:</b> 20160822162 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 23-SEP-16 <b>Date Received:</b> 22-AUG-16 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> ~7ha <b>Additional Info Ordered:</b> City Directory				<b>Nearest Intersection:</b> <b>Municipality:</b> Ottawa <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.714916 <b>Y:</b> 45.405543	
<u>4</u>	11 of 11	ESE/0.0	61.9 / 1.01	OTTAWA COMMUNITY HOUSING CORPORATION 933 GLADSTONE AVENUE, OTTAWA, ON K1A 0T4 Ottawa ON	RSC
<b>RSC ID:</b> 226204 <b>RA No:</b> <b>RSC Type:</b> Phase 1 and 2 RSC <b>Curr Property Use:</b> Industrial <b>Ministry District:</b> Ottawa District Office <b>Filing Date:</b> 2019/11/29 <b>Date Ack:</b> <b>Date Returned:</b> <b>Restoration Type:</b> <b>Soil Type:</b> <b>Criteria:</b> <b>CPU Issued Sect 1686:</b> <b>Asmt Roll No:</b> 061406350116102-0000 <b>Prop ID No (PIN):</b> 04107-0288 (LT)				<b>Cert Date:</b> <b>Cert Prop Use No:</b> <b>Intended Prop Use:</b> Residential <b>Qual Person Name:</b> ERIC WILSON <b>Stratified (Y/N):</b> <b>Audit (Y/N):</b> <b>Entire Leg Prop. (Y/N):</b> <b>Accuracy Estimate:</b> <b>Telephone:</b> <b>Fax:</b> <b>Email:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Property Municipal Address:** 933 GLADSTONE AVENUE, OTTAWA, ON K1A 0T4  
**Mailing Address:**  
**Latitude & Longitude:**  
**UTM Coordinates:**  
**Consultant:**  
**Legal Desc:**  
**Measurement Method:**  
**Applicable Standards:**  
**RSC PDF:** <https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=119556&fileName=BROWNFIELDS-E.pdf>

**Document(s) Detail**

**Document Heading:** Supporting Documents  
**Document Name:** 933 Gladstone - Owner Cert Status.pdf  
**Document Type:** Certificate of Status  
**Document Link:** <https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=119554&fileName=933+Gladstone++Owner+Cert+Status.pdf>

**Document Heading:** Supporting Documents  
**Document Name:** 933 Gladstone Lawyer letter.pdf  
**Document Type:** Lawyer's letter consisting of a legal description of the property  
**Document Link:** <https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=119558&fileName=933+Gladstone+Lawyer+letter.pdf>

**Document Heading:** Supporting Documents  
**Document Name:** 933 Gladstone - CSM.pdf  
**Document Type:** Phase 2 Conceptual Site Model  
**Document Link:** <https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=119559&fileName=933+Gladstone++CSM.pdf>

**Document Heading:** Supporting Documents  
**Document Name:** 933 Gladstone - Survey.pdf  
**Document Type:** A Current plan of Survey  
**Document Link:** <https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=119561&fileName=933+Gladstone++Survey.pdf>

**Document Heading:** Supporting Documents  
**Document Name:** 933 Gladstone-APEC\_Table.pdf  
**Document Type:** Area(s) of Potential Environmental Concern  
**Document Link:** [https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=119552&fileName=933+Gladstone-APEC\\_Table.pdf](https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=119552&fileName=933+Gladstone-APEC_Table.pdf)

**Document Heading:** Supporting Documents  
**Document Name:** 933 Gladstone - Deed.pdf  
**Document Type:** Copy of any deed(s), transfer(s) or other document(s)  
**Document Link:** <https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=119553&fileName=933+Gladstone++Deed.pdf>

**Document Heading:** Supporting Documents  
**Document Name:** 933 Gladstone-Current\_and\_Past\_Use\_Table.pdf  
**Document Type:** Table of Current and Past Property Use  
**Document Link:** [https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=119560&fileName=933+Gladstone-Current\\_and\\_Past\\_Use\\_Table.pdf](https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=119560&fileName=933+Gladstone-Current_and_Past_Use_Table.pdf)

**5**      1 of 1      **WSW/0.0**      **62.6 / 1.69**      **ON**      **BORE**

<b>Borehole ID:</b>	847982	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215589639	<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned	<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Primary Name:</b>	
<b>Completion Date:</b>	13-NOV-1962	<b>Municipality:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Static Water Level:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Total Depth m:</b> 10.4 <b>Depth Ref:</b> Ground Surface <b>Depth Elev:</b> <b>Drill Method:</b> Diamond Drill <b>Orig Ground Elev m:</b> 60.7 <b>Elev Reliabil Note:</b> <b>DEM Ground Elev m:</b> 59 <b>Concession:</b> CON 1 ON OTTAWA RIVER <b>Location D:</b> <b>Survey D:</b> <b>Comments:</b>				<b>Lot:</b> LOT 38 <b>Township:</b> NEPEAN <b>Latitude DD:</b> 45.406426 <b>Longitude DD:</b> -75.717273 <b>UTM Zone:</b> 18 <b>Easting:</b> 443869 <b>Northing:</b> 5028351 <b>Location Accuracy:</b> <b>Accuracy:</b> Within 50 metres	
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b> 6559468 <b>Top Depth:</b> 0 <b>Bottom Depth:</b> .3 <b>Material Color:</b> <b>Material 1:</b> Topsoil <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> 6559470 <b>Top Depth:</b> 3.2 <b>Bottom Depth:</b> 5.9 <b>Material Color:</b> Grey <b>Material 1:</b> Clay <b>Material 2:</b> Silt <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> SOFT, GREY CLAY, TRACE OF SILT **Note: Many records provided by the department have a truncated [Stratum Description] field.				<b>Mat Consistency:</b> Soft <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> 6559472 <b>Top Depth:</b> 9.1 <b>Bottom Depth:</b> 10.4 <b>Material Color:</b> <b>Material 1:</b> Bedrock <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> BEDROCK **Note: Many records provided by the department have a truncated [Stratum Description] field.				<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> 6559471 <b>Top Depth:</b> 5.9 <b>Bottom Depth:</b> 9.1 <b>Material Color:</b> <b>Material 1:</b> Till <b>Material 2:</b> Sand <b>Material 3:</b> Clay <b>Material 4:</b> Silt <b>Gsc Material Description:</b> <b>Stratum Description:</b> CLAYEY, SILTY SAND AND GRAVEL (TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.				<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> 6559469 <b>Top Depth:</b> .3				<b>Mat Consistency:</b> Firm <b>Material Moisture:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bottom Depth:</b> 3.2 <b>Material Color:</b> Brown-Grey <b>Material 1:</b> Clay <b>Material 2:</b> Silt <b>Material 3:</b> Sand <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>				<b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
FIRM, BROWNISH-GREY, SILTY, SANDY CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<u>6</u>	1 of 6	NNW/28.1	59.9 / -1.00	ROBERT TAPE LIMITED 989 SOMERSET ST W OTTAWA ON K1R 6R8	SCT
<b>Established:</b> 1945 <b>Plant Size (ft²):</b> 8000 <b>Employment:</b> 10					
<b>--Details--</b>					
<b>Description:</b>		INDUSTRIAL AND COMMERCIAL MACHINERY AND EQUIPMENT, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		3599			
<b>Description:</b>		Machine Shops			
<b>SIC/NAICS Code:</b>		332710			
<u>6</u>	2 of 6	NNW/28.1	59.9 / -1.00	ROBT TAPE LIMITED 989 SOMERSET ST. W. OTTAWA ON K1R 6R8	GEN
<b>Generator No:</b> ON0194400 <b>Status:</b> <b>Approval Years:</b> 88,89,90 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3081 <b>SIC Description:</b>		MACHINE SHOP IND.		<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<u>6</u>	3 of 6	NNW/28.1	59.9 / -1.00	ROBT TAPE LIMITED 33-483 989 SOMERSET ST. W. OTTAWA ON K1R 6R8	GEN
<b>Generator No:</b> ON0194400 <b>Status:</b> <b>Approval Years:</b> 92,93,94,95,96,97 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3081 <b>SIC Description:</b>		MACHINE SHOP IND.		<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>6</u>	4 of 6	NNW/28.1	59.9 / -1.00	ROBT TAPE LIMITED 989 SOMERSET STREET WEST OTTAWA ON K1R 6R8	GEN
<b>Generator No:</b>	ON0194400			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>	MACHINE SHOP IND.				
<b>Detail(s)</b>					
<b>Waste Class:</b>	253				
<b>Waste Class Desc:</b>	EMULSIFIED OILS				
<u>6</u>	5 of 6	NNW/28.1	59.9 / -1.00	ROBT. TAPE LTD. 989 Somerset St. West Ottawa ON K1R 6R8	GEN
<b>Generator No:</b>	ON0194400			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b>	253				
<b>Waste Class Desc:</b>	EMULSIFIED OILS				
<u>6</u>	6 of 6	NNW/28.1	59.9 / -1.00	697755 Ontario Inc. 160 Spruce Street Ottawa ON K1R 6P2	GEN
<b>Generator No:</b>	ON7299663			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jul 2020			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b>	251 L				
<b>Waste Class Desc:</b>	Waste oils/sludges (petroleum based)				
<u>7</u>	1 of 1	W/28.7	61.9 / 1.00	ON	BORE
<b>Borehole ID:</b>	847981			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215589638			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	15-DEC-1961			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	LOT 38

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b>				<b>Township:</b>	NEPEAN
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.407176
<b>Total Depth m:</b>	7.8			<b>Longitude DD:</b>	-75.718267
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	443792
<b>Drill Method:</b>	Diamond Drill			<b>Northing:</b>	5028435
<b>Orig Ground Elev m:</b>	58.2			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 50 metres
<b>DEM Ground Elev m:</b>	64.5				
<b>Concession:</b>		CON 1 ON OTTAWA RIVER			
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>		BH 15 IS LACKING A DATE, USED THE SAME DATE FOR 14 AS A MARKER.			

### Borehole Geology Stratum

<b>Geology Stratum ID:</b>	6559465			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	3.2			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>	Boulders			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	BROWN SAND AND GRAVEL WITH BOULDERS (POSSIBLE FILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>Geology Stratum ID:</b>	6559466			<b>Mat Consistency:</b>	Soft
<b>Top Depth:</b>	3.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.4			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SOFT TO FIRM GREY CLAY, TRACE OF SILT **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>Geology Stratum ID:</b>	6559467			<b>Mat Consistency:</b>	Very Dense
<b>Top Depth:</b>	6.4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	7.8			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Sand - Gravel			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	glacial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	VERY DENSE SILTY TILL, SOME SAND AND GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.				

8

1 of 1

NW/33.1

60.2 / -0.69

ON

.....  
BORE

<b>Borehole ID:</b>	847975	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215589632	<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned	<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Primary Name:</b>	
<b>Completion Date:</b>	01-DEC-1961	<b>Municipality:</b>	
<b>Static Water Level:</b>		<b>Lot:</b>	LOT 38
<b>Primary Water Use:</b>		<b>Township:</b>	NEPEAN
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	45.407695

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Total Depth m:</b>	5.5			<b>Longitude DD:</b>	-75.717264
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	443871
<b>Drill Method:</b>	Diamond Drill			<b>Northing:</b>	5028492
<b>Orig Ground Elev m:</b>	58.4			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 50 metres
<b>DEM Ground Elev m:</b>	58.8				
<b>Concession:</b>	CON 1 ON OTTAWA RIVER				
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	6559445			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.9			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand - Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>	Boulders			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL (SAND, GRAVEL AND SMALL BOULDERS) **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>Geology Stratum ID:</b>	6559446			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.5			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>	Boulders			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND, GRAVEL AND BOULDERS **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b><u>9</u></b>	<b>1 of 1</b>	<b>NNW/33.5</b>	<b>59.9 / -1.00</b>	<b>T &amp; E FOOD PRODUCTS 158 SPRUCE ST OTTAWA ON K1R 6P2</b>	<b>SCT</b>
<b>Established:</b>	1968				
<b>Plant Size (ft²):</b>					
<b>Employment:</b>	20				
<b>--Details--</b>					
<b>Description:</b>	FOOD PREPARATIONS, N.E.C.				
<b>SIC/NAICS Code:</b>	2099				

<b><u>10</u></b>	<b>1 of 6</b>	<b>NNE/34.9</b>	<b>60.5 / -0.39</b>	<b>PARSON REFRIGERATION (1988) LTD. 955 SOMERSET STREET WEST OTTAWA ON K1R 6R8</b>	<b>GEN</b>
<b>Generator No:</b>	ON2204200			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	97,98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	4253				
<b>SIC Description:</b>	COMMER. REFRIG. WORK				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#"><u>10</u></a>	2 of 6	<b>NNE/34.9</b>	<b>60.5 / -0.39</b>	<b>PARSON REFRIGERATION (1985) LTD. 955 SOMERSET STREET WEST OTTAWA ON K1R 6R8</b>	<b>GEN</b>
<b>Generator No:</b>	ON2204200			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#"><u>10</u></a>	3 of 6	<b>NNE/34.9</b>	<b>60.5 / -0.39</b>	<b>Centretown Professional Corporation 955 Somerset st Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	Veterinary Services				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		261			
<b>Waste Class Desc:</b>		PHARMACEUTICALS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#"><u>10</u></a>	4 of 6	<b>NNE/34.9</b>	<b>60.5 / -0.39</b>	<b>Centretown Professional Corporation 955 Somerset st Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	Veterinary Services				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		261			
<b>Waste Class Desc:</b>		PHARMACEUTICALS			
<b>Waste Class:</b>		312			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">10</a>	5 of 6	<b>NNE/34.9</b>	<b>60.5 / -0.39</b>	<b>Centretown Professional Corporation 955 Somerset st Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	Veterinary Services				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261				
<b>Waste Class Desc:</b>	PHARMACEUTICALS				
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">10</a>	6 of 6	<b>NNE/34.9</b>	<b>60.5 / -0.39</b>	<b>Centretown Professional Corporation 955 Somerset st Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	Veterinary Services				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261				
<b>Waste Class Desc:</b>	PHARMACEUTICALS				
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">11</a>	1 of 7	<b>NNE/34.9</b>	<b>60.5 / -0.39</b>	<b>Centretown Professional Corporation 955 Somerset st Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	VETERINARY SERVICES				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261				
<b>Waste Class Desc:</b>	PHARMACEUTICALS				
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">11</a>	2 of 7	NNE/34.9	60.5 / -0.39	Centretown Professional Corporation 955 Somerset st Ottawa ON K1R 6R8	GEN
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Matthew Stormes
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-567-0500 Ext.
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	VETERINARY SERVICES				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261				
<b>Waste Class Desc:</b>	PHARMACEUTICALS				
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">11</a>	3 of 7	NNE/34.9	60.5 / -0.39	Centretown Professional Corporation 955 Somerset st Ottawa ON K1R 6R8	GEN
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Matthew Stormes
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-567-0500 Ext.
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	VETERINARY SERVICES				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261				
<b>Waste Class Desc:</b>	PHARMACEUTICALS				
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">11</a>	4 of 7	NNE/34.9	60.5 / -0.39	Centretown Professional Corporation 955 Somerset st Ottawa ON K1R 6R8	GEN
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Matthew Stormes
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-567-0500 Ext.
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	VETERINARY SERVICES				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261				
<b>Waste Class Desc:</b>	PHARMACEUTICALS				
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">11</a>	5 of 7	NNE/34.9	60.5 / -0.39	Centretown Professional Corporation 955 Somerset st Ottawa ON K1R 6R8	GEN
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261 A				
<b>Waste Class Desc:</b>	Pharmaceuticals				
<b>Waste Class:</b>	312 P				
<b>Waste Class Desc:</b>	Pathological wastes				
<a href="#">11</a>	6 of 7	NNE/34.9	60.5 / -0.39	Centretown Professional Corporation 955 Somerset st Ottawa ON K1R 6R8	GEN
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jul 2020			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261 A				
<b>Waste Class Desc:</b>	Pharmaceuticals				
<b>Waste Class:</b>	312 P				
<b>Waste Class Desc:</b>	Pathological wastes				
<a href="#">11</a>	7 of 7	NNE/34.9	60.5 / -0.39	Centretown Professional Corporation 955 Somerset st Ottawa ON K1R 6R8	GEN
<b>Generator No:</b>	ON2653748			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jan 2021			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261 A				
<b>Waste Class Desc:</b>	Pharmaceuticals				
<b>Waste Class:</b>	312 P				
<b>Waste Class Desc:</b>	Pathological wastes				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">12</a>	1 of 1	NNW/42.0	59.9 / -1.00	The District in Lebreton Flats Inc. 148-158 Spruce Street Ottawa ON K2A 0E7	ECA
<p><b>Approval No:</b> 9980-5WVVDM  <b>Approval Date:</b> 2004-03-16  <b>Status:</b> Approved  <b>Record Type:</b> ECA  <b>Link Source:</b> IDS  <b>SWP Area Name:</b> Rideau Valley  <b>Approval Type:</b> ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  <b>Project Type:</b> MUNICIPAL AND PRIVATE SEWAGE WORKS  <b>Business Name:</b> The District in Lebreton Flats Inc.  <b>Address:</b> 148-158 Spruce Street  <b>Full Address:</b>  <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/4410-5UWSNS-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/4410-5UWSNS-14.pdf</a></p>					
<a href="#">13</a>	1 of 1	NNE/43.9	60.5 / -0.39	OTTAWA HYDRO 947 SOMMERSET ST WEST TRANSFORMER OTTAWA CITY ON	SPL
<p><b>Ref No:</b> 36234  <b>Site No:</b>  <b>Incident Dt:</b> 6/14/1990  <b>Year:</b>  <b>Incident Cause:</b> COOLING SYSTEM LEAK  <b>Incident Event:</b>  <b>Contaminant Code:</b>  <b>Contaminant Name:</b>  <b>Contaminant Limit 1:</b>  <b>Contam Limit Freq 1:</b>  <b>Contaminant UN No 1:</b>  <b>Environment Impact:</b> POSSIBLE  <b>Nature of Impact:</b> Soil contamination  <b>Receiving Medium:</b> LAND  <b>Receiving Env:</b>  <b>MOE Response:</b>  <b>Dt MOE Arvl on Scn:</b>  <b>MOE Reported Dt:</b> 6/14/1990  <b>Dt Document Closed:</b>  <b>Incident Reason:</b> EQUIPMENT FAILURE  <b>Site Name:</b>  <b>Site County/District:</b>  <b>Site Geo Ref Meth:</b>  <b>Incident Summary:</b> OTTAWA HYDRO: 150 ML MINERAL OIL TO LAND FROM OVERHEATED TRANSFORMER  <b>Contaminant Qty:</b></p>					
<a href="#">14</a>	1 of 5	NNW/45.8	59.9 / -1.00	160 Spruce Street Ottawa ON K1R 1C6	EHS
<p><b>Order No:</b> 20191216096  <b>Status:</b> C  <b>Report Type:</b> Standard Report  <b>Report Date:</b> 19-DEC-19  <b>Date Received:</b> 16-DEC-19  <b>Previous Site Name:</b>  <b>Lot/Building Size:</b>  <b>Additional Info Ordered:</b></p>					
<a href="#">14</a>	2 of 5	NNW/45.8	59.9 / -1.00	160 Spruce Street	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ottawa ON K1R 1C6</b>					
<b>Order No:</b>	20191216096			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	19-DEC-19			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	16-DEC-19			<b>X:</b>	-75.7169141
<b>Previous Site Name:</b>				<b>Y:</b>	45.4079268
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">14</a>	3 of 5	<b>NNW/45.8</b>	<b>59.9 / -1.00</b>	<b>160 Spruce Street Ottawa ON K1R 1C6</b>	<b>EHS</b>
<b>Order No:</b>	20191216096			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	19-DEC-19			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	16-DEC-19			<b>X:</b>	-75.7169141
<b>Previous Site Name:</b>				<b>Y:</b>	45.4079268
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">14</a>	4 of 5	<b>NNW/45.8</b>	<b>59.9 / -1.00</b>	<b>160 Spruce Street Ottawa ON K1R 1C6</b>	<b>EHS</b>
<b>Order No:</b>	20191216096			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	19-DEC-19			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	16-DEC-19			<b>X:</b>	-75.7169141
<b>Previous Site Name:</b>				<b>Y:</b>	45.4079268
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">14</a>	5 of 5	<b>NNW/45.8</b>	<b>59.9 / -1.00</b>	<b>160 Spruce Street Ottawa ON K1R 1C6</b>	<b>EHS</b>
<b>Order No:</b>	20191216096			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	19-DEC-19			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	16-DEC-19			<b>X:</b>	-75.7169141
<b>Previous Site Name:</b>				<b>Y:</b>	45.4079268
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">15</a>	1 of 12	<b>ENE/50.9</b>	<b>63.9 / 3.00</b>	<b>PUBLIC WORKS CANADA CHP PLOUFFE PARK C/O PLACE DU PORTAGE PHASE IV LEVEL II OTTAWA ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON0144774			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	8159				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		OTHER GEN. ADMIN.			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">15</a>	2 of 12	<b>ENE/50.9</b>	<b>63.9 / 3.00</b>	<b>City of Ottawa 930 Somerset St W Ottawa ON K1R 6R9</b>	<b>CA</b>
<b>Certificate #:</b>		5421-7EMPZ6			
<b>Application Year:</b>		2008			
<b>Issue Date:</b>		5/15/2008			
<b>Approval Type:</b>		Municipal and Private Sewage Works			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">15</a>	3 of 12	<b>ENE/50.9</b>	<b>63.9 / 3.00</b>	<b>Corporation City of Ottawa 930 Somerset Street West Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>		ON7608159		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2013		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		913150			
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">15</a>	4 of 12	<b>ENE/50.9</b>	<b>63.9 / 3.00</b>	<b>930 Somerset St W, Ottawa ON</b>	<b>PINC</b>
<b>Incident ID:</b>				<b>Fuel Category:</b>	
<b>Incident No:</b>		644900		Natural Gas	
<b>Incident Reported Dt:</b>				<b>Health Impact:</b>	
<b>Type:</b>		FS-Pipeline Incident		<b>Environment Impact:</b>	
<b>Status Code:</b>		Pipeline Damage Reason Est		<b>Property Damage:</b>	
<b>Customer Acct Name:</b>				Yes	
<b>Incident Address:</b>				<b>Service Interupt:</b>	
<b>Tank Status:</b>		RC Established		Yes	
<b>Task No:</b>		3447385		<b>Enforce Policy:</b>	
<b>Spills Action Centre:</b>				<b>Public Relation:</b>	
<b>Fuel Type:</b>				<b>Pipeline System:</b>	
<b>Fuel Occurrence Tp:</b>				<b>Depth:</b>	
<b>Date of Occurrence:</b>				<b>Pipe Material:</b>	
				<b>PSIG:</b>	
				<b>Attribute Category:</b>	
				FS-Perform P-line Inc Invest	
				<b>Regulator Location:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Occurrence Start Dt:</b> 2011/07/07 <span style="float: right;"><b>Method Details:</b> E-mail</span> <b>Operation Type:</b> <b>Pipeline Type:</b> <b>Regulator Type:</b> <b>Summary:</b> 930 Somerset St W,Ottawa - 11/4" Pipeline Hit <b>Reported By:</b> Stiles, Jeff <b>Affiliation:</b> <b>Occurrence Desc:</b> <b>Damage Reason:</b> Excavation practices not sufficient <b>Notes:</b>					
<a href="#">15</a>	5 of 12	ENE/50.9	63.9 / 3.00	930 Somerset Street Ottawa ON	SPL
<b>Ref No:</b> 5417-9PFQYU <span style="float: right;"><b>Discharger Report:</b></span> <b>Site No:</b> NA <span style="float: right;"><b>Material Group:</b></span> <b>Incident Dt:</b> 2014/09/30 <span style="float: right;"><b>Health/Env Conseq:</b></span> <b>Year:</b> <span style="float: right;"><b>Client Type:</b></span> <b>Incident Cause:</b> Operator/Human error <span style="float: right;"><b>Sector Type:</b> Structure</span> <b>Incident Event:</b> <span style="float: right;"><b>Agency Involved:</b></span> <b>Contaminant Code:</b> 36 <span style="float: right;"><b>Nearest Watercourse:</b></span> <b>Contaminant Name:</b> CHLORINE GAS <span style="float: right;"><b>Site Address:</b> 930 Somerset Street</span> <b>Contaminant Limit 1:</b> <span style="float: right;"><b>Site District Office:</b></span> <b>Contam Limit Freq 1:</b> <span style="float: right;"><b>Site Postal Code:</b></span> <b>Contaminant UN No 1:</b> <span style="float: right;"><b>Site Region:</b></span> <b>Environment Impact:</b> Confirmed <span style="float: right;"><b>Site Municipality:</b> Ottawa</span> <b>Nature of Impact:</b> Air Pollution <span style="float: right;"><b>Site Lot:</b></span> <b>Receiving Medium:</b> <span style="float: right;"><b>Site Conc:</b></span> <b>Receiving Env:</b> <span style="float: right;"><b>Northing:</b></span> <b>MOE Response:</b> No Field Response <span style="float: right;"><b>Easting:</b></span> <b>Dt MOE Arvl on Scn:</b> <span style="float: right;"><b>Site Geo Ref Accu:</b></span> <b>MOE Reported Dt:</b> 2014/09/30 <span style="float: right;"><b>Site Map Datum:</b></span> <b>Dt Document Closed:</b> 2014/10/02 <span style="float: right;"><b>SAC Action Class:</b> Air Spills - Gases and Vapours</span> <b>Incident Reason:</b> Operator/Human Error <span style="float: right;"><b>Source Type:</b></span> <b>Site Name:</b> Plant Bath Recreation Centre<UNOFFICIAL> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> chlorine gas being vented to atm due to chemicals mixing <b>Contaminant Qty:</b> 0 other - see incident description					
<a href="#">15</a>	6 of 12	ENE/50.9	63.9 / 3.00	City of Ottawa 930 Somerset St W Ottawa ON K1P 1J1	ECA
<b>Approval No:</b> 5421-7EMPZ6 <span style="float: right;"><b>MOE District:</b> Ottawa</span> <b>Approval Date:</b> 2008-05-15 <span style="float: right;"><b>City:</b></span> <b>Status:</b> Approved <span style="float: right;"><b>Longitude:</b> -75.714455</span> <b>Record Type:</b> ECA <span style="float: right;"><b>Latitude:</b> 45.407413</span> <b>Link Source:</b> IDS <span style="float: right;"><b>Geometry X:</b></span> <b>SWP Area Name:</b> Rideau Valley <span style="float: right;"><b>Geometry Y:</b></span> <b>Approval Type:</b> ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Project Type:</b> MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Business Name:</b> City of Ottawa <b>Address:</b> 930 Somerset St W <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7342-7BAT3C-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7342-7BAT3C-14.pdf</a>					
<a href="#">15</a>	7 of 12	ENE/50.9	63.9 / 3.00	Corporation City of Ottawa 930 Somerset Street West Ottawa ON K1R 6R9	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b>	ON7608159			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Randy Villeneuve
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-580-2424 Ext.12085
<b>SIC Code:</b>	913150				
<b>SIC Description:</b>	913150				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>15</b>	<b>8 of 12</b>	<b>ENE/50.9</b>	<b>63.9 / 3.00</b>	<b>Corporation City of Ottawa 930 Somerset Street West Ottawa ON K1R 6R9</b>	<b>GEN</b>
<b>Generator No:</b>	ON7608159			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Randy Villeneuve
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-580-2424 Ext.12085
<b>SIC Code:</b>	913150				
<b>SIC Description:</b>	913150				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>15</b>	<b>9 of 12</b>	<b>ENE/50.9</b>	<b>63.9 / 3.00</b>	<b>Corporation City of Ottawa 930 Somerset Street West Ottawa ON K1R 6R9</b>	<b>GEN</b>
<b>Generator No:</b>	ON7608159			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Randy Villeneuve
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-580-2424 Ext.12085
<b>SIC Code:</b>	913150				
<b>SIC Description:</b>	913150				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">15</a>	10 of 12	ENE/50.9	63.9 / 3.00	Corporation City of Ottawa 930 Somerset Street West Ottawa ON K1R 6R9	GEN
<b>Generator No:</b>	ON7608159			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252 L				
<b>Waste Class Desc:</b>	Waste crankcase oils and lubricants				
<b>Waste Class:</b>	145 L				
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints				
<b>Waste Class:</b>	212 L				
<b>Waste Class Desc:</b>	Aliphatic solvents and residues				
<a href="#">15</a>	11 of 12	ENE/50.9	63.9 / 3.00	Corporation City of Ottawa 930 Somerset Street West Ottawa ON K1R 6R9	GEN
<b>Generator No:</b>	ON7608159			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jul 2020			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252 L				
<b>Waste Class Desc:</b>	Waste crankcase oils and lubricants				
<b>Waste Class:</b>	212 L				
<b>Waste Class Desc:</b>	Aliphatic solvents and residues				
<b>Waste Class:</b>	145 L				
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints				
<a href="#">15</a>	12 of 12	ENE/50.9	63.9 / 3.00	Corporation City of Ottawa 930 Somerset Street West Ottawa ON K1R 6R9	GEN
<b>Generator No:</b>	ON7608159			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jan 2021			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252 L				
<b>Waste Class Desc:</b>	Waste crankcase oils and lubricants				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		212 L			
<b>Waste Class Desc:</b>		Aliphatic solvents and residues			
<b>Waste Class:</b>		145 L			
<b>Waste Class Desc:</b>		Wastes from the use of pigments, coatings and paints			

<a href="#">16</a>	1 of 1	NW/52.4	59.9 / -1.00	ON	WWIS
<b>Well ID:</b>	7231311			<b>Data Entry Status:</b>	Yes
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	12/14/2011
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6964
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	C07437			<b>Owner:</b>	
<b>Tag:</b>	A108227			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005282464			<b>Elevation:</b>	57.485713
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443890
<b>Code OB Desc:</b>				<b>North83:</b>	5028521
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	10/14/2011			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

<a href="#">17</a>	1 of 1	S/55.5	63.6 / 2.69	ON	BORE
<b>Borehole ID:</b>	847983			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215589640			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	12-NOV-1962			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	LOT 38
<b>Primary Water Use:</b>				<b>Township:</b>	NEPEAN
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.405686

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Total Depth m:</b>	8.5			<b>Longitude DD:</b>	-75.716165
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	443955
<b>Drill Method:</b>	Diamond Drill			<b>Northing:</b>	5028268
<b>Orig Ground Elev m:</b>	61.3			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 50 metres
<b>DEM Ground Elev m:</b>	58.5				
<b>Concession:</b>		CON 1 ON OTTAWA RIVER			
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

### Borehole Geology Stratum

<b>Geology Stratum ID:</b>	6559474			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.8			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silt			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL (SILTY SAND) **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>Geology Stratum ID:</b>	6559475			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.8			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.3			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	GREY CLAY, SOME GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>Geology Stratum ID:</b>	6559476			<b>Mat Consistency:</b>	Soft
<b>Top Depth:</b>	2.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.9			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SOFT, GREY CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>Geology Stratum ID:</b>	6559477			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	6.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	8.5			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SHALE BEDROCK **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>Geology Stratum ID:</b>	6559473			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	Asphalt
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>		<b>Geologic Period:</b> <b>Depositional Gen:</b>		ASPHALT **Note: Many records provided by the department have a truncated [Stratum Description] field.	
<a href="#">18</a>	1 of 1	NE/56.9	61.9 / 1.00	935/943 Somerset St. Ottawa ON	EHS
<b>Order No:</b>	20021129004	<b>Nearest Intersection:</b>	Preston		
<b>Status:</b>	C	<b>Municipality:</b>	ON		
<b>Report Type:</b>	Complete Report	<b>Client Prov/State:</b>	ON		
<b>Report Date:</b>	12/9/02	<b>Search Radius (km):</b>	0.25		
<b>Date Received:</b>	11/29/02	<b>X:</b>	-75.71511		
<b>Previous Site Name:</b>		<b>Y:</b>	45.408312		
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">19</a>	1 of 3	E/57.4	64.2 / 3.31	City of Ottawa 130 Preston St Ottawa ON K1R 7P5	GEN
<b>Generator No:</b>	ON7422806	<b>PO Box No:</b>			
<b>Status:</b>		<b>Country:</b>			
<b>Approval Years:</b>	03,04	<b>Choice of Contact:</b>			
<b>Contam. Facility:</b>		<b>Co Admin:</b>			
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>			
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<a href="#">19</a>	2 of 3	E/57.4	64.2 / 3.31	City of Ottawa 130 Preston Street Ottawa ON	CA
<b>Certificate #:</b>	4093-5FNH89				
<b>Application Year:</b>	2002				
<b>Issue Date:</b>	11/12/2002				
<b>Approval Type:</b>	Industrial Sewage Works				
<b>Status:</b>	Approved				
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">19</a>	3 of 3	E/57.4	64.2 / 3.31	City of Ottawa 130 Preston Street Ottawa ON	ECA
<b>Approval No:</b>	4093-5FNH89	<b>MOE District:</b>	Ottawa		
<b>Approval Date:</b>	2002-11-12	<b>City:</b>			
<b>Status:</b>	Approved	<b>Longitude:</b>	-75.71384		
<b>Record Type:</b>	ECA	<b>Latitude:</b>	45.407608		
<b>Link Source:</b>	IDS	<b>Geometry X:</b>			
<b>SWP Area Name:</b>	Rideau Valley	<b>Geometry Y:</b>			
<b>Approval Type:</b>	ECA-INDUSTRIAL SEWAGE WORKS				
<b>Project Type:</b>	INDUSTRIAL SEWAGE WORKS				
<b>Business Name:</b>	City of Ottawa				
<b>Address:</b>	130 Preston Street				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full Address:</b>					
<b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7365-5EPJM3-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7365-5EPJM3-14.pdf</a>					
<a href="#">20</a>	1 of 6	NW/60.5	59.9 / -1.00	Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	GEN
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS				
<b>Detail(s)</b>					
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<a href="#">20</a>	2 of 6	NW/60.5	59.9 / -1.00	Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	GEN
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS				
<b>Detail(s)</b>					
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<a href="#">20</a>	3 of 6	NW/60.5	59.9 / -1.00	Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	GEN
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS				
<b>Detail(s)</b>					
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">20</a>	4 of 6	NW/60.5	59.9 / -1.00	Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	GEN
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	146 L				
<b>Waste Class Desc:</b>	Other specified inorganic sludges, slurries or solids				
<b>Waste Class:</b>	146 T				
<b>Waste Class Desc:</b>	Other specified inorganic sludges, slurries or solids				
<b>Waste Class:</b>	221 L				
<b>Waste Class Desc:</b>	Light fuels				
<b>Waste Class:</b>	241 L				
<b>Waste Class Desc:</b>	Halogenated solvents and residues				
<a href="#">20</a>	5 of 6	NW/60.5	59.9 / -1.00	Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	GEN
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jul 2020			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	146 T				
<b>Waste Class Desc:</b>	Other specified inorganic sludges, slurries or solids				
<b>Waste Class:</b>	146 L				
<b>Waste Class Desc:</b>	Other specified inorganic sludges, slurries or solids				
<b>Waste Class:</b>	241 L				
<b>Waste Class Desc:</b>	Halogenated solvents and residues				
<b>Waste Class:</b>	221 L				
<b>Waste Class Desc:</b>	Light fuels				
<a href="#">20</a>	6 of 6	NW/60.5	59.9 / -1.00	Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON K1R 6K7	GEN
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jan 2021			<b>Choice of Contact:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		146 T			
<b>Waste Class Desc:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Class:</b>		221 L			
<b>Waste Class Desc:</b>		Light fuels			
<b>Waste Class:</b>		146 L			
<b>Waste Class Desc:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Class:</b>		241 L			
<b>Waste Class Desc:</b>		Halogenated solvents and residues			

<a href="#">21</a>	1 of 1	WNW/62.7	59.9 / -1.00	250 CITY CENTRE AVE. Ottawa ON	WWIS
<b>Well ID:</b>	7121083			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	3/30/2009
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1844
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	M04546			<b>Owner:</b>	
<b>Tag:</b>	A074574			<b>Street Name:</b>	250 CITY CENTRE AVE.
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7121083.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7121083.pdf</a>				

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002751246	<b>Elevation:</b>	56.238162
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443816
<b>Code OB Desc:</b>		<b>North83:</b>	5028542
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	3
<b>Date Completed:</b>	1/16/2009	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1002751250			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1002751249			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		HSA			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1002751251			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1002751253			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		1.5			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1002751252			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		1.5			
<i>Screen End Depth:</i>		4.6			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<b><u>Results of Well Yield Testing</u></b>					
<i>Pump Test ID:</i>		1002751254			
<i>Pump Set At:</i>					
<i>Static Level:</i>		2.5			
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>		m			
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002751248			
<b>Diameter:</b>		20			
<b>Depth From:</b>					
<b>Depth To:</b>		4.62			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002751318			<b>Elevation:</b>	57.296848
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443826
<b>Code OB Desc:</b>				<b>North83:</b>	5028505
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	2/2/2009			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1002751322				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1002751321				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	HSA				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1002751323				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1002751325				
<b>Layer:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Material:</b>	5				
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>	3				
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002751324			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>	3				
<b>Screen End Depth:</b>	4.5				
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002751326			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>	m				
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002751320			
<b>Diameter:</b>		20			
<b>Depth From:</b>					
<b>Depth To:</b>	4.57				
<b>Hole Depth UOM:</b>	m				
<b>Hole Diameter UOM:</b>	cm				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002751273			<b>Elevation:</b>	57.703392
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443817
<b>Code OB Desc:</b>				<b>North83:</b>	5028495
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	1/20/2009			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002751277			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002751276			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		HSA			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002751278			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002751280			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.8			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002751279			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.8			
<b>Screen End Depth:</b>		4.8			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002751281			
<b>Pump Set At:</b>					
<b>Static Level:</b>		3.6			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002751275			
<b>Diameter:</b>		20			
<b>Depth From:</b>					
<b>Depth To:</b>		4.8			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002751300			<b>Elevation:</b>	57.257808
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443784
<b>Code OB Desc:</b>				<b>North83:</b>	5028531
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	2/2/2009			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002751304			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002751303			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		HSA			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002751305			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002751307			
<b>Layer:</b>					
<b>Material:</b>	5				
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>	1.5				
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002751306			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>	1.5				
<b>Screen End Depth:</b>	4.5				
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002751308			
<b>Pump Set At:</b>					
<b>Static Level:</b>	2.7				
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>	m				
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002751302			
<b>Diameter:</b>	20				
<b>Depth From:</b>					
<b>Depth To:</b>	4.57				
<b>Hole Depth UOM:</b>	m				
<b>Hole Diameter UOM:</b>	cm				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002751291		<b>Elevation:</b>	56.131431	
<b>DP2BR:</b>			<b>Elevrc:</b>		
<b>Spatial Status:</b>			<b>Zone:</b>	18	
<b>Code OB:</b>			<b>East83:</b>	443838	
<b>Code OB Desc:</b>			<b>North83:</b>	5028541	
<b>Open Hole:</b>			<b>Org CS:</b>	UTM83	
<b>Cluster Kind:</b>	This is a record from cluster log sheet		<b>UTMRC:</b>	3	
<b>Date Completed:</b>	2/2/2009		<b>UTMRC Desc:</b>	margin of error : 10 - 30 m	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Remarks:</b>				<b>Location Method:</b>	WWF
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1002751295			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1002751294			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		HSA			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002751296			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002751298			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002751297			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002751299			
<b>Pump Set At:</b>					
<b>Static Level:</b>		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Final Level After Pumping:</b> <b>Recommended Pump Depth:</b> <b>Pumping Rate:</b> <b>Flowing Rate:</b> <b>Recommended Pump Rate:</b> <b>Levels UOM:</b> m <b>Rate UOM:</b> <b>Water State After Test Code:</b> <b>Water State After Test:</b> <b>Pumping Test Method:</b> <b>Pumping Duration HR:</b> <b>Pumping Duration MIN:</b> <b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1002751293 <b>Diameter:</b> 20 <b>Depth From:</b> <b>Depth To:</b> 4.57 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1002751255 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> This is a record from cluster log sheet <b>Date Completed:</b> 1/16/2009 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<b>Elevation:</b> 56.963123 <b>Elevrc:</b> <b>Zone:</b> 18 <b>East83:</b> 443793 <b>North83:</b> 5028529 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 3 <b>UTMRC Desc:</b> margin of error : 10 - 30 m <b>Location Method:</b> wwr					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> 1002751259 <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1002751258 <b>Method Construction Code:</b> <b>Method Construction:</b> <b>Other Method Construction:</b> HSA					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> 1002751260 <b>Casing No:</b> 0					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1002751262			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		2.1			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1002751261			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		2.1			
<i>Screen End Depth:</i>		5.1			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<b><u>Results of Well Yield Testing</u></b>					
<i>Pump Test ID:</i>		1002751263			
<i>Pump Set At:</i>					
<i>Static Level:</i>		3.5			
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>		m			
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>					
<i>Pumping Duration HR:</i>					
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1002751257			
<i>Diameter:</i>		20			
<i>Depth From:</i>					
<i>Depth To:</i>		5.11			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1002751264		<i>Elevation:</i>	61.445148	
<i>DP2BR:</i>			<i>Elevrc:</i>		
<i>Spatial Status:</i>			<i>Zone:</i>	18	
<i>Code OB:</i>			<i>East83:</i>	443709	
<i>Code OB Desc:</i>			<i>North83:</i>	5028515	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	1/19/2009			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002751268			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002751267			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		HSA			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002751269			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002751271			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		2			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002751270			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		2			
<b>Screen End Depth:</b>		3.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test ID:</b> 1002751272					
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b> m					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1002751266					
<b>Diameter:</b> 20					
<b>Depth From:</b>					
<b>Depth To:</b> 3.58					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002751282			<b>Elevation:</b>	55.925102
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443810
<b>Code OB Desc:</b>				<b>North83:</b>	5028570
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	2/2/2009			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> 1002751286					
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1002751285					
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b> HSA					

**Pipe Information**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pipe ID:</b>		1002751287			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002751289			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002751288			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002751290			
<b>Pump Set At:</b>					
<b>Static Level:</b>		2.1			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002751284			
<b>Diameter:</b>		20			
<b>Depth From:</b>					
<b>Depth To:</b>		4.95			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002751237			<b>Elevation:</b>	56.109962
<b>DP2BR:</b>				<b>Elevrc:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443813
<b>Code OB Desc:</b>				<b>North83:</b>	5028612
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b> This is a record from cluster log sheet				<b>UTMRC:</b>	3
<b>Date Completed:</b> 1/16/2009				<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002751241			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002751240			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		HSA			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002751242			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002751244			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002751243			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002751245			
<b>Pump Set At:</b>					
<b>Static Level:</b>		2.3			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002751239			
<b>Diameter:</b>		20			
<b>Depth From:</b>					
<b>Depth To:</b>		4.57			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002751309			<b>Elevation:</b>	57.657096
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443791
<b>Code OB Desc:</b>				<b>North83:</b>	5028498
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	2/2/2009			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002751313			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002751312			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		HSA			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

**Pipe Information**

**Pipe ID:** 1002751314  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 1002751316  
**Layer:**  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:**  
**Depth To:** 3  
**Casing Diameter:**  
**Casing Diameter UOM:**  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1002751315  
**Layer:**  
**Slot:**  
**Screen Top Depth:** 3  
**Screen End Depth:** 4.5  
**Screen Material:**  
**Screen Depth UOM:** m  
**Screen Diameter UOM:**  
**Screen Diameter:**

**Results of Well Yield Testing**

**Pump Test ID:** 1002751317  
**Pump Set At:**  
**Static Level:** 3.3  
**Final Level After Pumping:**  
**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:** m  
**Rate UOM:**  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:**  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1002751311  
**Diameter:** 20  
**Depth From:**  
**Depth To:** 4.57  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	1002036074			<b>Elevation:</b>	58.19588
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443756
<b>Code OB Desc:</b>				<b>North83:</b>	5028682
<b>Open Hole:</b>	No			<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	1/19/2009			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**  
**Materials Interval**

<b>Formation ID:</b>	1002751333
<b>Layer:</b>	5
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	34
<b>Most Common Material:</b>	TILL
<b>Mat2:</b>	28
<b>Mat2 Desc:</b>	SAND
<b>Mat3:</b>	84
<b>Mat3 Desc:</b>	SILTY
<b>Formation Top Depth:</b>	3.2
<b>Formation End Depth:</b>	5.18
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**  
**Materials Interval**

<b>Formation ID:</b>	1002751329
<b>Layer:</b>	1
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	12
<b>Most Common Material:</b>	STONES
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.2
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**  
**Materials Interval**

<b>Formation ID:</b>	1002751332
<b>Layer:</b>	4
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	84

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3 Desc:</b>		SILTY			
<b>Formation Top Depth:</b>		2.29			
<b>Formation End Depth:</b>		3.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1002751331			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		04			
<b>Most Common Material:</b>		PEAT			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		1.67			
<b>Formation End Depth:</b>		2.29			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1002751330			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		.2			
<b>Formation End Depth:</b>		1.67			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002751335			
<b>Layer:</b>		1			
<b>Plug From:</b>		1.3			
<b>Plug To:</b>		1.8			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002751338			
<b>Method Construction Code:</b>		F			
<b>Method Construction:</b>		H.S.A.			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002751327			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Screen**

Screen ID: 1002751336  
 Layer: 1  
 Slot: 10  
 Screen Top Depth:  
 Screen End Depth:  
 Screen Material: 5  
 Screen Depth UOM: m  
 Screen Diameter UOM: cm  
 Screen Diameter: 5.8

**Results of Well Yield Testing**

Pump Test ID: 1002751328  
 Pump Set At:  
 Static Level: 2.5  
 Final Level After Pumping:  
 Recommended Pump Depth:  
 Pumping Rate:  
 Flowing Rate:  
 Recommended Pump Rate:  
 Levels UOM: m  
 Rate UOM:  
 Water State After Test Code: 0  
 Water State After Test:  
 Pumping Test Method: 0  
 Pumping Duration HR:  
 Pumping Duration MIN:  
 Flowing:

**Hole Diameter**

Hole ID: 1002751334  
 Diameter: 20  
 Depth From: 0  
 Depth To: 5.18  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

<u>22</u>	1 of 29	WNW/66.4	61.0 / 0.12	Primrose Printing Inc 250 City Centre Avenue, BAY 142 Ottawa ON K1R 6K7	GEN
-----------	---------	----------	-------------	---	-----

Generator No: ON2422403	PO Box No:
Status:	Country:
Approval Years: 04,05	Choice of Contact:
Contam. Facility:	Co Admin:
MHSW Facility:	Phone No Admin:
SIC Code: 323113	
SIC Description: Commercial Screen Printing	

**Detail(s)**

Waste Class: 145  
 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES  
 Waste Class: 264  
 Waste Class Desc: PHOTOPROCESSING WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">22</a>	2 of 29	WNW/66.4	61.0 / 0.12	Display Laminating 250 City Centre Ave Suite 128 Ottawa ON K1R 6K7	SCT
<b>Established:</b>		01-JUL-87			
<b>Plant Size (ft²):</b>		6000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<a href="#">22</a>	3 of 29	WNW/66.4	61.0 / 0.12	Artext Electronic Publishing 250 City Centre Ave Suite 140 Ottawa ON K1R 6K7	SCT
<b>Established:</b>		01-AUG-87			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<b>Description:</b>		Manufacturing and Reproducing Magnetic and Optical Media			
<b>SIC/NAICS Code:</b>		334610			
<a href="#">22</a>	4 of 29	WNW/66.4	61.0 / 0.12	Ottawa Print Finishing 250 City Centre Ave Suite 226 Ottawa ON K1R 6K7	SCT
<b>Established:</b>		01-AUG-86			
<b>Plant Size (ft²):</b>		6500			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<a href="#">22</a>	5 of 29	WNW/66.4	61.0 / 0.12	Marquardt Printing Ltd. 250 City Centre Ave Bay 240 Ottawa ON K1R 6K7	SCT
<b>Established:</b>		01-JAN-48			
<b>Plant Size (ft²):</b>		10200			
<b>Employment:</b>					
<b>--Details--</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<b>Description:</b>		Quick Printing			
<b>SIC/NAICS Code:</b>		323114			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<a href="#">22</a>	6 of 29	WNW/66.4	61.0 / 0.12	Quality Signs Ltd. 250 City Centre Ave Suite 128 Ottawa ON K1R 6K7	SCT
<b>Established:</b>					
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<a href="#">22</a>	7 of 29	WNW/66.4	61.0 / 0.12	C.N. Embroidery Inc. 250 City Centre Ave Unit 100 Ottawa ON K1R 6K7	SCT
<b>Established:</b>		01-AUG-94			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		All Other Textile Product Mills			
<b>SIC/NAICS Code:</b>		314990			
<a href="#">22</a>	8 of 29	WNW/66.4	61.0 / 0.12	250 City Centre Avenue (formerly Champagne Avenue N) Ottawa ON	EHS
<b>Order No:</b>		20081114004		<b>Nearest Intersection:</b> City Centre Ave. and Elm Street	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Custom Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		11/24/2008		<b>Search Radius (km):</b> 0.25	
<b>Date Received:</b>		11/14/2008		<b>X:</b> -75.718294	
<b>Previous Site Name:</b>		formerly known as 250, 270 and 290 City Centre Avenue		<b>Y:</b> 45.409166	
<b>Lot/Building Size:</b>		lot: 8.07 acres			
<b>Additional Info Ordered:</b>		Fire Insur. Maps and/or Site Plans; City Directory			
<a href="#">22</a>	9 of 29	WNW/66.4	61.0 / 0.12	Cielo Print Inc. 250 City Centre Avenue, BAY 136 Ottawa ON	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b>	ON2422403			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	323113				
<b>SIC Description:</b>	Commercial Screen Printing				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	264				
<b>Waste Class Desc:</b>	PHOTOPROCESSING WASTES				
<b>22</b>	10 of 29	<b>WNW/66.4</b>	<b>61.0 / 0.12</b>	<b>Equity Management International Limited 250 City Centre Avenue Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON4569420			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	114				
<b>Waste Class Desc:</b>	OTHER INORGANIC ACID WASTES				
<b>Waste Class:</b>	123				
<b>Waste Class Desc:</b>	ALKALINE PHOSPHATES				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	147				
<b>Waste Class Desc:</b>	CHEMICAL FERTILIZER WASTES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>22</b>	11 of 29	<b>WNW/66.4</b>	<b>61.0 / 0.12</b>	<b>Cdn Parks &amp; Wilderness Society 250 City Centre Ave Suite 506 Ottawa ON K1R 6K7</b>	<b>SCT</b>
<b>Established:</b>	01-DEC-64				
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>	Social Advocacy Organizations				
<b>SIC/NAICS Code:</b>	813310				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">22</a>	12 of 29	WNW/66.4	61.0 / 0.12	Christie Lites Ltd. - Ottawa 250 City Centre Ave Suite 102-104 Ottawa ON K1R 6K7	SCT
<b>Established:</b>		01-SEP-01			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Electrical Wiring and Construction Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416110			
<b>Description:</b>		Electrical Wiring and Construction Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416110			
<b>Description:</b>		Other Specialty-Line Building Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416390			
<b>Description:</b>		Electrical Contractors and Other Wiring Installation Contractors			
<b>SIC/NAICS Code:</b>		238210			
<b>Description:</b>		Industrial Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417230			
<b>Description:</b>		Other Commercial and Industrial Machinery and Equipment Rental and Leasing			
<b>SIC/NAICS Code:</b>		532490			
<a href="#">22</a>	13 of 29	WNW/66.4	61.0 / 0.12	Cielo Print Inc. 250 City Centre Ave Unit 136 Ottawa ON K1R 6K7	SCT
<b>Established:</b>		01-OCT-88			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<a href="#">22</a>	14 of 29	WNW/66.4	61.0 / 0.12	MARQUARDT PRINTING LTD. 250 CITY CENTRE AVENUE, UNIT 236 OTTAWA ON K1R 6K7	GEN
<b>Generator No:</b>		ON5555800		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2010		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		323119			
<b>SIC Description:</b>		Other Printing			
<b>Detail(s)</b>					
<b>Waste Class:</b>		264			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<a href="#">22</a>	15 of 29	WNW/66.4	61.0 / 0.12	<b>PUBLIC WORKS AND GOVERNMENT SERVICES CANADA 250 City Centre Av Ottawa ON K1R 6K7</b>	GEN
<b>Generator No:</b>		ON6026658		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2011		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		911910			
<b>SIC Description:</b>					
<a href="#">22</a>	16 of 29	WNW/66.4	61.0 / 0.12	<b>City of Ottawa 250 City Centre Avenue Ottawa ON</b>	GEN
<b>Generator No:</b>		ON9363398		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2013		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		913910			
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">22</a>	17 of 29	WNW/66.4	61.0 / 0.12	<b>VISION FORM BAY 244-250 CITY CENTRE AVE OTTAWA ON</b>	GEN
<b>Generator No:</b>		ON5433512		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2013		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		323115			
<b>SIC Description:</b>		DIGITAL PRINTING			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">22</a>	18 of 29	WNW/66.4	61.0 / 0.12	Cascades Recovery Inc. 250 City Centre Ave. Ottawa ON	SPL
<b>Ref No:</b>	0423-8Y8TGA			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	17-SEP-12			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	15			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	250 City Centre Ave.
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>	No Field Response			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	17-SEP-12			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>				<b>Source Type:</b>	
<b>Site Name:</b>	Road and curb area<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Cascades Recovery: 218 L hydrlic oil to road, cleaned				
<b>Contaminant Qty:</b>	218 L				
<a href="#">22</a>	19 of 29	WNW/66.4	61.0 / 0.12	Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON	GEN
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<a href="#">22</a>	20 of 29	WNW/66.4	61.0 / 0.12	FURNITURE AFFAIRS 250 CITY CENTRE.UNIT 222 OTTAWA ON	GEN
<b>Generator No:</b>	ON8702314			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	337121, 337126				
<b>SIC Description:</b>	UPHOLSTERED HOUSEHOLD FURNITURE MANUFACTURING, HOUSEHOLD FURNITURE (EXCEPT WOOD AND UPHOLSTERED) MANUFACTURING				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Detail(s)

Waste Class: 145  
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

[22](#) 21 of 29 WNW/66.4 61.0 / 0.12 FURNITURE AFFAIRS 250 CITY CENTRE.UNIT 222 OTTAWA ON K1R6K7 GEN

Generator No:	ON8702314	PO Box No:	
Status:		Country:	Canada
Approval Years:	2016	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	
MHSW Facility:	No	Phone No Admin:	
SIC Code:	337121, 337126		
SIC Description:	UPHOLSTERED HOUSEHOLD FURNITURE MANUFACTURING, HOUSEHOLD FURNITURE (EXCEPT WOOD AND UPHOLSTERED) MANUFACTURING		

Detail(s)

Waste Class: 145  
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

[22](#) 22 of 29 WNW/66.4 61.0 / 0.12 VISION FORM BAY 244-250 CITY CENTRE AVE OTTAWA ON K1R 6K7 GEN

Generator No:	ON5433512	PO Box No:	
Status:		Country:	Canada
Approval Years:	2015	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Carol Menard
MHSW Facility:	No	Phone No Admin:	61356996258 Ext.
SIC Code:	323115		
SIC Description:	DIGITAL PRINTING		

Detail(s)

Waste Class: 145  
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 213  
Waste Class Desc: PETROLEUM DISTILLATES

[22](#) 23 of 29 WNW/66.4 61.0 / 0.12 FURNITURE AFFAIRS 250 CITY CENTRE.UNIT 222 OTTAWA ON K1R6K7 GEN

Generator No:	ON8702314	PO Box No:	
Status:		Country:	Canada
Approval Years:	2015	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	
MHSW Facility:	No	Phone No Admin:	
SIC Code:	337121, 337126		
SIC Description:	UPHOLSTERED HOUSEHOLD FURNITURE MANUFACTURING, HOUSEHOLD FURNITURE (EXCEPT WOOD AND UPHOLSTERED) MANUFACTURING		

Detail(s)

Waste Class: 145  
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">22</a>	24 of 29	WNW/66.4	61.0 / 0.12	<b>FURNITURE AFFAIRS 250 CITY CENTRE UNIT 222 OTTAWA ON K1R6K7</b>	<b>GEN</b>
<b>Generator No:</b>	ON8702314			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	337121, 337126				
<b>SIC Description:</b>	UPHOLSTERED HOUSEHOLD FURNITURE MANUFACTURING, HOUSEHOLD FURNITURE (EXCEPT WOOD AND UPHOLSTERED) MANUFACTURING				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<a href="#">22</a>	25 of 29	WNW/66.4	61.0 / 0.12	<b>Visionform Inc BAY 244-250 City Centre Avenue Ottawa ON K1R 6K7</b>	<b>GEN</b>
<b>Generator No:</b>	ON5433512			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	145 H				
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints				
<b>Waste Class:</b>	145 I				
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints				
<b>Waste Class:</b>	252 L				
<b>Waste Class Desc:</b>	Waste crankcase oils and lubricants				
<b>Waste Class:</b>	331 I				
<b>Waste Class Desc:</b>	Waste compressed gases including cylinders				
<a href="#">22</a>	26 of 29	WNW/66.4	61.0 / 0.12	<b>VISION FORM BAY 244-250 CITY CENTRE AVE OTTAWA ON K1R 6K7</b>	<b>GEN</b>
<b>Generator No:</b>	ON5433512			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Carol Menard
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	6132312246 Ext.235
<b>SIC Code:</b>	323115				
<b>SIC Description:</b>	DIGITAL PRINTING				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Waste Class:** 232  
**Waste Class Desc:** POLYMERIC RESINS  
  
**Waste Class:** 331  
**Waste Class Desc:** WASTE COMPRESSED GASES  
  
**Waste Class:** 213  
**Waste Class Desc:** PETROLEUM DISTILLATES

<a href="#">22</a>	27 of 29	WNW/66.4	61.0 / 0.12	Public Services & Procurement Canada ESD/Trades 250 City Centre Av Ottawa ON K1R 6K7	GEN
--------------------	----------	----------	-------------	---	-----

<b>Generator No:</b>	ON6026658	<b>PO Box No:</b>	
<b>Status:</b>	Registered	<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jun 2018	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>			
<b>SIC Description:</b>			

Detail(s)

**Waste Class:** 263 C  
**Waste Class Desc:** Misc. waste organic chemicals  
  
**Waste Class:** 213 I  
**Waste Class Desc:** Petroleum distillates  
  
**Waste Class:** 148 C  
**Waste Class Desc:** Misc. wastes and inorganic chemicals  
  
**Waste Class:** 145 I  
**Waste Class Desc:** Wastes from the use of pigments, coatings and paints  
  
**Waste Class:** 331 I  
**Waste Class Desc:** Waste compressed gases including cylinders  
  
**Waste Class:** 121 C  
**Waste Class Desc:** Alkaline slutions - containing heavy metals  
  
**Waste Class:** 263 I  
**Waste Class Desc:** Misc. waste organic chemicals

<a href="#">22</a>	28 of 29	WNW/66.4	61.0 / 0.12	Public Services and Procurement Canada 250 City Centre Avenue Ottawa ON K1R 6K7	GEN
--------------------	----------	----------	-------------	---	-----

<b>Generator No:</b>	ON3185623	<b>PO Box No:</b>	
<b>Status:</b>	Registered	<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>			
<b>SIC Description:</b>			

Detail(s)

**Waste Class:** 146 T  
**Waste Class Desc:** Other specified inorganic sludges, slurries or solids

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">22</a>	29 of 29	WNW/66.4	61.0 / 0.12	Visionform Inc BAY 244-250 City Centre Avenue Ottawa ON K1R 6K7	GEN
<b>Generator No:</b>	ON5433512			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jul 2020			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b>	331 I				
<b>Waste Class Desc:</b>	Waste compressed gases including cylinders				
<b>Waste Class:</b>	252 L				
<b>Waste Class Desc:</b>	Waste crankcase oils and lubricants				
<b>Waste Class:</b>	145 H				
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints				
<b>Waste Class:</b>	145 I				
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints				

<a href="#">23</a>	1 of 1	WSW/66.6	62.9 / 2.00	73 Breezehill Ave N Ottawa ON	WWIS
<b>Well ID:</b>	7333913			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	4/15/2019
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z302773			<b>Owner:</b>	
<b>Tag:</b>	A261094			<b>Street Name:</b>	73 Breezehill Ave N
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>	1007435548			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443799
<b>Code OB Desc:</b>				<b>North83:</b>	5028327
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	2/15/2019			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Remarks:  
 Elevrc Desc:  
 Location Source Date:  
 Improvement Location Source:  
 Improvement Location Method:  
 Source Revision Comment:  
 Supplier Comment:

Location Method: WWF

Overburden and Bedrock  
Materials Interval

Formation ID: 1007811215  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Mat1: 05  
 Most Common Material: CLAY  
 Mat2: 06  
 Mat2 Desc: SILT  
 Mat3: 85  
 Mat3 Desc: SOFT  
 Formation Top Depth: 1.83  
 Formation End Depth: 3.1  
 Formation End Depth UOM: m

Overburden and Bedrock  
Materials Interval

Formation ID: 1007811216  
 Layer: 3  
 Color: 2  
 General Color: GREY  
 Mat1: 05  
 Most Common Material: CLAY  
 Mat2: 06  
 Mat2 Desc: SILT  
 Mat3: 85  
 Mat3 Desc: SOFT  
 Formation Top Depth: 3.1  
 Formation End Depth: 6.1  
 Formation End Depth UOM: m

Overburden and Bedrock  
Materials Interval

Formation ID: 1007811214  
 Layer: 1  
 Color: 6  
 General Color: BROWN  
 Mat1: 01  
 Most Common Material: FILL  
 Mat2:  
 Mat2 Desc:  
 Mat3: 79  
 Mat3 Desc: PACKED  
 Formation Top Depth: 0  
 Formation End Depth: 1.83  
 Formation End Depth UOM: m

Annular Space/Abandonment  
Sealing Record

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1007812394			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.74			
<b>Plug To:</b>		6.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007812392			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007812393			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		2.74			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1007813481			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		Direct Push			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007810013			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007813872			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.1			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1007814348			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		3.1			
<b>Screen End Depth:</b>		6.1			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		4.82			
<b><u>Results of Well Yield Testing</u></b>					
Pump Test ID:		1007814878			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<b><u>Hole Diameter</u></b>					
Hole ID:		1007813189			
Diameter:		8.25			
Depth From:		0			
Depth To:		6.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">24</a>	1 of 1	NE/66.8	62.2 / 1.27	J.M. HILL & SON LTD. 935 SOMERSET ST W OTTAWA ON K1R 6R8	SCT
Established:		1922			
Plant Size (ft²):		0			
Employment:		40			
<b>--Details--</b>					
Description:		BOOKBINDING AND RELATED WORK			
SIC/NAICS Code:		2789			
Description:		OFFICE EQUIPMENT			
SIC/NAICS Code:		5044			
Description:		Other Printing			
SIC/NAICS Code:		323119			
Description:		Support Activities for Printing			
SIC/NAICS Code:		323120			
<a href="#">25</a>	1 of 1	NW/72.3	59.9 / -1.00	270 CITY CENTER AVE. Ottawa ON	WWIS
Well ID:		7173325		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received:	
Sec. Water Use:		0		12/9/2011	
Final Well Status:		Test Hole		Selected Flag:	
Water Type:				Yes	
Casing Material:				Abandonment Rec:	
				Contractor:	
				7241	
				Form Version:	
				7	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Audit No:</b>	Z140246			<b>Owner:</b>	
<b>Tag:</b>	A123878			<b>Street Name:</b>	270 CITY CENTER AVE.
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/717\7173325.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7173325.pdf)

### Bore Hole Information

<b>Bore Hole ID:</b>	1003618004	<b>Elevation:</b>	56.466735
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443858
<b>Code OB Desc:</b>		<b>North83:</b>	5028529
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	11/1/2011	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

### Overburden and Bedrock

#### Materials Interval

<b>Formation ID:</b>	1004052091
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	01
<b>Mat2 Desc:</b>	FILL
<b>Mat3:</b>	85
<b>Mat3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	3.1
<b>Formation End Depth UOM:</b>	m

### Overburden and Bedrock

#### Materials Interval

<b>Formation ID:</b>	1004052092
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Mat2 Desc:</b>	GRAVEL
<b>Mat3:</b>	73

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Mat3 Desc:</i>		HARD			
<i>Formation Top Depth:</i>		3.1			
<i>Formation End Depth:</i>		4.27			
<i>Formation End Depth UOM:</i>		m			
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1004052100			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.31			
<i>Plug Depth UOM:</i>		m			
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1004052101			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.31			
<i>Plug To:</i>		0.91			
<i>Plug Depth UOM:</i>		m			
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1004052102			
<i>Layer:</i>		3			
<i>Plug From:</i>		0.91			
<i>Plug To:</i>		4.27			
<i>Plug Depth UOM:</i>		m			
<u><i>Method of Construction &amp; Well Use</i></u>					
<i>Method Construction ID:</i>		1004052099			
<i>Method Construction Code:</i>		B			
<i>Method Construction:</i>		Other Method			
<i>Other Method Construction:</i>		DIRECT PUSH			
<u><i>Pipe Information</i></u>					
<i>Pipe ID:</i>		1004052090			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u><i>Construction Record - Casing</i></u>					
<i>Casing ID:</i>		1004052095			
<i>Layer:</i>		1			
<i>Material:</i>					
<i>Open Hole or Material:</i>					
<i>Depth From:</i>		0			
<i>Depth To:</i>		1.22			
<i>Casing Diameter:</i>		5.2			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u><i>Construction Record - Screen</i></u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1004052096			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.22			
Screen End Depth:		4.27			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			

**Water Details**

Water ID:	1004052094
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

**Hole Diameter**

Hole ID:	1004052093
Diameter:	10.92
Depth From:	0
Depth To:	4.27
Hole Depth UOM:	m
Hole Diameter UOM:	cm

<a href="#">26</a>	1 of 1	WSW/74.9	63.9 / 3.05	73 Breezehill Ave N Ottawa ON	WWIS
--------------------	--------	----------	-------------	----------------------------------	------

<b>Well ID:</b>	7333875	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	4/15/2019
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z302759	<b>Owner:</b>	
<b>Tag:</b>	A261253	<b>Street Name:</b>	73 Breezehill Ave N
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

PDF URL (Map):

**Bore Hole Information**

<b>Bore Hole ID:</b>	1007435434	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443799
<b>Code OB Desc:</b>		<b>North83:</b>	5028315

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 3/6/2019 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1007962885			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		12			
<b>Mat2 Desc:</b>		STONES			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		2.79			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1007962886			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		2.79			
<b>Formation End Depth:</b>		6.1			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1007962884			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		66			
<b>Mat3 Desc:</b>		DENSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		ft			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007964159			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		2.83			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007964158			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007964160			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.83			
<b>Plug To:</b>		6.1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1007965415			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		Direct Push			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007961918			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007965893			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.1			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		Inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1007966475			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		3.1			
<b>Screen End Depth:</b>		6.1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	Inch				
Screen Diameter:	4.82				

**Results of Well Yield Testing**

**Pump Test ID:** 1007967090  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:**  
**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:** 0  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1007964867  
**Diameter:** 8.25  
**Depth From:** 0  
**Depth To:** 6.1  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** Inch

[27](#)    1 of 1    **NW/76.9**    **59.9 / -1.00**    **270 CITY CENTER AVE.**  
 Ottawa ON    **WWIS**

<b>Well ID:</b> 7173323	<b>Data Entry Status:</b>
<b>Construction Date:</b>	<b>Data Src:</b>
<b>Primary Water Use:</b> Monitoring and Test Hole	<b>Date Received:</b> 12/9/2011
<b>Sec. Water Use:</b> 0	<b>Selected Flag:</b> Yes
<b>Final Well Status:</b> Test Hole	<b>Abandonment Rec:</b>
<b>Water Type:</b>	<b>Contractor:</b> 7241
<b>Casing Material:</b>	<b>Form Version:</b> 7
<b>Audit No:</b> Z140244	<b>Owner:</b>
<b>Tag:</b> A094120	<b>Street Name:</b> 270 CITY CENTER AVE.
<b>Construction Method:</b>	<b>County:</b> OTTAWA
<b>Elevation (m):</b>	<b>Municipality:</b> OTTAWA CITY
<b>Elevation Reliability:</b>	<b>Site Info:</b>
<b>Depth to Bedrock:</b>	<b>Lot:</b>
<b>Well Depth:</b>	<b>Concession:</b>
<b>Overburden/Bedrock:</b>	<b>Concession Name:</b>
<b>Pump Rate:</b>	<b>Easting NAD83:</b>
<b>Static Water Level:</b>	<b>Northing NAD83:</b>
<b>Flowing (Y/N):</b>	<b>Zone:</b>
<b>Flow Rate:</b>	<b>UTM Reliability:</b>
<b>Clear/Cloudy:</b>	

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/7177173323.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7177173323.pdf)

**Bore Hole Information**

**Bore Hole ID:** 1003618000    **Elevation:** 56.560981

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443839
<b>Code OB Desc:</b>				<b>North83:</b>	5028526
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	11/1/2011			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004052064  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 85  
**Mat2 Desc:** SOFT  
**Mat3:** 68  
**Mat3 Desc:** DRY  
**Formation Top Depth:** 0  
**Formation End Depth:** 2.44  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004052065  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 73  
**Mat3 Desc:** HARD  
**Formation Top Depth:** 2.44  
**Formation End Depth:** 3.35  
**Formation End Depth UOM:** m

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 1004052073  
**Layer:** 1  
**Plug From:** 0  
**Plug To:** 0.31  
**Plug Depth UOM:** m

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 1004052075

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		3			
<i>Plug From:</i>		0.91			
<i>Plug To:</i>		3.35			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1004052074			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.31			
<i>Plug To:</i>		0.91			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1004052072			
<i>Method Construction Code:</i>		B			
<i>Method Construction:</i>		Other Method			
<i>Other Method Construction:</i>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004052063			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004052068			
<i>Layer:</i>		1			
<i>Material:</i>					
<i>Open Hole or Material:</i>		0			
<i>Depth From:</i>		1.22			
<i>Depth To:</i>		5.2			
<i>Casing Diameter:</i>		cm			
<i>Casing Diameter UOM:</i>		m			
<i>Casing Depth UOM:</i>					
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004052069			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		1.22			
<i>Screen End Depth:</i>		3.35			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.03			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1004052067			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004052066			
<b>Diameter:</b>		10.92			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.35			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>28</u></b>	1 of 1	<b>NNW/77.1</b>	<b>59.6 / -1.31</b>	<b>1597655 Ontario Inc. 160 Spruce Street Ottawa ON K1R 6P2</b>	<b>GEN</b>
<b>Generator No:</b>	ON7299663			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jan 2021			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	251 L				
<b>Waste Class Desc:</b>	Waste oils/sludges (petroleum based)				
<b><u>29</u></b>	1 of 2	<b>SW/77.1</b>	<b>64.6 / 3.69</b>	<b>LEBRUN BUILDING SERVICES 75 G Breezehill North Ottawa ON K1Y 2H7</b>	<b>GEN</b>
<b>Generator No:</b>	ON1423690			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05,06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b><u>29</u></b>	2 of 2	<b>SW/77.1</b>	<b>64.6 / 3.69</b>	<b>Breezehill Heating Ltd. 75 Breezehill Ave N Unit D Ottawa ON K1Y 2H6</b>	<b>SCT</b>
<b>Established:</b>	01-JUL-82				
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>	Other Ornamental and Architectural Metal Product Manufacturing				
<b>SIC/NAICS Code:</b>	332329				
<b>Description:</b>	All Other Miscellaneous Fabricated Metal Product Manufacturing				
<b>SIC/NAICS Code:</b>	332999				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">30</a>	1 of 6	W/78.6	62.2 / 1.31	AERO MECHTRONICS LIMITED 1040 SOMERSET STREET WEST OTTAWA ON K1Y 4L3	GEN
<b>Generator No:</b>	ON0507400			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	3041				
<b>SIC Description:</b>	COATING OF METAL PR.				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	131				
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - HEAVY METALS				
<a href="#">30</a>	2 of 6	W/78.6	62.2 / 1.31	AERO MECHTRONICS LIMITED 01-084 1040 SOMERSET STREET WEST OTTAWA ON K1Y 4L3	GEN
<b>Generator No:</b>	ON0507400			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	3041				
<b>SIC Description:</b>	COATING OF METAL PR.				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	131				
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - HEAVY METALS				
<a href="#">30</a>	3 of 6	W/78.6	62.2 / 1.31	AERO MECHTRONICS LIMITED 1040 SOMERSET STREET WEST OTTAWA ON K1Y 4L3	GEN
<b>Generator No:</b>	ON0507400			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	3041				
<b>SIC Description:</b>	COATING OF METAL PR.				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	131				
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - HEAVY METALS				
<a href="#">30</a>	4 of 6	W/78.6	62.2 / 1.31	1040 Somerset St. W Ottawa ON	EHS
<b>Order No:</b>	20120516034			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	28-MAY-12			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	16-MAY-12			<b>X:</b>	-75.718876
<b>Previous Site Name:</b>				<b>Y:</b>	45.406752

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Lot/Building Size:  
Additional Info Ordered:

<a href="#">30</a>	5 of 6	W/78.6	62.2 / 1.31	1040 Somerset Street West Ottawa ON K1Y 2H6	EHS
--------------------	--------	--------	-------------	--	-----

<b>Order No:</b>	20311700178	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	20-NOV-20	<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	17-NOV-20	<b>X:</b>	-75.7187182
<b>Previous Site Name:</b>		<b>Y:</b>	45.4067228
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>			

<a href="#">30</a>	6 of 6	W/78.6	62.2 / 1.31	1040 Somerset Street West Ottawa ON K1Y 2H6	EHS
--------------------	--------	--------	-------------	--	-----

<b>Order No:</b>	20311700178	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	20-NOV-20	<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	17-NOV-20	<b>X:</b>	-75.7187182
<b>Previous Site Name:</b>		<b>Y:</b>	45.4067228
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>			

<a href="#">31</a>	1 of 1	NW/78.8	59.9 / -1.00	270 CITY CENTER AVE. Ottawa ON	WWIS
--------------------	--------	---------	--------------	-----------------------------------	------

<b>Well ID:</b>	7173324	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	12/9/2011
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z140245	<b>Owner:</b>	
<b>Tag:</b>	A123877	<b>Street Name:</b>	270 CITY CENTER AVE.
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/717173324.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717173324.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003618002	<b>Elevation:</b>	56.489757
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443839
<b>Code OB Desc:</b>		<b>North83:</b>	5028528

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 11/1/2011 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004052077			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		85			
<b>Mat2 Desc:</b>		SOFT			
<b>Mat3:</b>		68			
<b>Mat3 Desc:</b>		DRY			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		2.44			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004052078			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		73			
<b>Mat3 Desc:</b>		HARD			
<b>Formation Top Depth:</b>		2.44			
<b>Formation End Depth:</b>		3.35			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004052088			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		0.91			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004052087			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004052089			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.91			
<b>Plug To:</b>		3.35			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004052086			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004052076			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004052082			
<b>Layer:</b>		1			
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.22			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004052083			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.22			
<b>Screen End Depth:</b>		3.35			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004052081			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole ID:</b> 1004052079 <b>Diameter:</b> 10.92 <b>Depth From:</b> 0 <b>Depth To:</b> 3.35 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1004052080 <b>Diameter:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<a href="#">32</a>	1 of 2	NNW/79.4	59.6 / -1.31	Domicile Corporation 148-158 Spruce Street Ottawa ON K1R 6P2	GEN
<b>Generator No:</b> ON2357665		<b>PO Box No:</b>			
<b>Status:</b>		<b>Country:</b>			
<b>Approval Years:</b> 03,04		<b>Choice of Contact:</b>			
<b>Contam. Facility:</b>		<b>Co Admin:</b>			
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>			
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<a href="#">32</a>	2 of 2	NNW/79.4	59.6 / -1.31	The District in Lebreton Flats Inc. 148-158 Spruce Street Ottawa ON K1R 6P2	CA
<b>Certificate #:</b> 9980-5WVVDM					
<b>Application Year:</b> 2004					
<b>Issue Date:</b> 3/16/2004					
<b>Approval Type:</b> Municipal and Private Sewage Works					
<b>Status:</b> Approved					
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">33</a>	1 of 1	WSW/81.8	62.8 / 1.92	A & T AUTO PARTS 55 BREEZEHILL AVE N OTTAWA ON K1Y 2H6	AUWR
<b>Headcode:</b> 96400					
<b>Headcode Desc:</b> Automobile Parts & Supplies-Used & Rebuilt					
<b>Phone:</b> 6137255309					
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">34</a>	1 of 7	WSW/83.8	63.9 / 3.05	ARC Industries 73 Breezehill Ave N Ottawa ON K1Y 2H6	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Established:		1973			
Plant Size (ft²):					
Employment:					
<b>--Details--</b>					
Description:		All Other Miscellaneous Manufacturing			
SIC/NAICS Code:		339990			
<a href="#">34</a>	2 of 7	WSW/83.8	63.9 / 3.05	A R C INDUSTRIES 73 BREEZEHILL AVE N OTTAWA ON K1Y 2H6	SCT
Established:		1974			
Plant Size (ft²):		0			
Employment:		15			
<b>--Details--</b>					
Description:		MILLWORK			
SIC/NAICS Code:		2431			
<a href="#">34</a>	3 of 7	WSW/83.8	63.9 / 3.05	Arc Industries - Div. of OCAPDD 73 Breezehill Ave N Ottawa ON K1Y 2H6	SCT
Established:		1973			
Plant Size (ft²):					
Employment:		6			
<a href="#">34</a>	4 of 7	WSW/83.8	63.9 / 3.05	73 Breezehill Avenue North Ottawa ON K1Y 2H6	EHS
Order No:		20080924003	Nearest Intersection:		Somerset
Status:		C	Municipality:		Ottawa
Report Type:		Standard Report	Client Prov/State:		ON
Report Date:		10/2/2008	Search Radius (km):		0.25
Date Received:		9/24/2008	X:		-75.718626
Previous Site Name:			Y:		45.405893
Lot/Building Size:		10' x ~200'			
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; Title Search; City Directory			
<a href="#">34</a>	5 of 7	WSW/83.8	63.9 / 3.05	73 Breezehill Ave North Ottawa Ontario Ottawa ON K1Y 2H6	EHS
Order No:		20190129049	Nearest Intersection:		
Status:		C	Municipality:		
Report Type:		Standard Report	Client Prov/State:		ON
Report Date:		01-FEB-19	Search Radius (km):		.25
Date Received:		29-JAN-19	X:		-75.718268
Previous Site Name:			Y:		45.406057
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
<a href="#">34</a>	6 of 7	WSW/83.8	63.9 / 3.05	Enbridge Gas Inc. 73 Breezehill Ave N. Ottawa ON	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ref No:</b>	4363-BGZR82			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	10/16/2019			<b>Health/Env Conseq:</b>	2 - Minor Environment Corporation
<b>Year:</b>				<b>Client Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>				<b>Sector Type:</b>	
<b>Incident Event:</b>	Leak/Break			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	35			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	NATURAL GAS (METHANE)			<b>Site Address:</b>	73 Breezehill Ave N.
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>	1075			<b>Site Region:</b>	Eastern
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Air			<b>Northing:</b>	
<b>MOE Response:</b>	No			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	10/16/2019			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	10/24/2019			<b>SAC Action Class:</b>	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
<b>Incident Reason:</b>	Operator/Human Error			<b>Source Type:</b>	Pipeline/Components
<b>Site Name:</b>	Commercial<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	TSSA FSB: Enbridge Gas, 1" plastic IP service line damaged, made safe				
<b>Contaminant Qty:</b>	0 other - see incident description				

<a href="#">34</a>	7 of 7	WSW/83.8	63.9 / 3.05	ENBRIDGE GAS INC 73 BREEZEHILL AVE N,,OTTAWA,ON,K1Y 2H6, CA ON	PINC
<b>Incident ID:</b>				<b>Fuel Category:</b>	
<b>Incident No:</b>	2702886			<b>Health Impact:</b>	
<b>Incident Reported Dt:</b>	10/17/2019			<b>Environment Impact:</b>	
<b>Type:</b>	FS-Pipeline Incident			<b>Property Damage:</b>	
<b>Status Code:</b>				<b>Service Interupt:</b>	
<b>Customer Acct Name:</b>	ENBRIDGE GAS INC			<b>Enforce Policy:</b>	
<b>Incident Address:</b>	73 BREEZEHILL AVE N,,OTTAWA,ON,K1Y 2H6,CA			<b>Public Relation:</b>	
<b>Tank Status:</b>	Pipeline Damage Reason Est			<b>Pipeline System:</b>	
<b>Task No:</b>				<b>Depth:</b>	
<b>Spills Action Centre:</b>				<b>Pipe Material:</b>	
<b>Fuel Type:</b>				<b>PSIG:</b>	
<b>Fuel Occurrence Tp:</b>				<b>Attribute Category:</b>	
<b>Date of Occurrence:</b>				<b>Regulator Location:</b>	
<b>Occurrence Start Dt:</b>				<b>Method Details:</b>	
<b>Operation Type:</b>					
<b>Pipeline Type:</b>					
<b>Regulator Type:</b>					
<b>Summary:</b>					
<b>Reported By:</b>					
<b>Affiliation:</b>					
<b>Occurrence Desc:</b>					
<b>Damage Reason:</b>					
<b>Notes:</b>					

<a href="#">35</a>	1 of 1	WNW/84.3	59.9 / -1.00	270 CITY CENTRE ST OTTAWA ON	WWIS
<b>Well ID:</b>	7192919			<b>Data Entry Status:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	12/6/2012
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z152964			<b>Owner:</b>	
<b>Tag:</b>	A141858			<b>Street Name:</b>	270 CITY CENTRE ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/719\7192919.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7192919.pdf)

#### Bore Hole Information

<b>Bore Hole ID:</b>	1004215893	<b>Elevation:</b>	56.910518
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443806
<b>Code OB Desc:</b>		<b>North83:</b>	5028520
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	11/21/2012	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	digit
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1004546412
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	27
<b>Most Common Material:</b>	OTHER
<b>Mat2:</b>	10
<b>Mat2 Desc:</b>	COARSE SAND
<b>Mat3:</b>	73
<b>Mat3 Desc:</b>	HARD
<b>Formation Top Depth:</b>	3.35
<b>Formation End Depth:</b>	5.49
<b>Formation End Depth UOM:</b>	m

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1004546411
<b>Layer:</b>	1
<b>Color:</b>	6

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		27			
<i>Most Common Material:</i>		OTHER			
<i>Mat2:</i>		10			
<i>Mat2 Desc:</i>		COARSE SAND			
<i>Mat3:</i>		68			
<i>Mat3 Desc:</i>		DRY			
<i>Formation Top Depth:</i>		0			
<i>Formation End Depth:</i>		3.35			
<i>Formation End Depth UOM:</i>		m			
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1004546420			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.31			
<i>Plug Depth UOM:</i>		m			
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1004546422			
<i>Layer:</i>		3			
<i>Plug From:</i>		2.13			
<i>Plug To:</i>		5.49			
<i>Plug Depth UOM:</i>		m			
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1004546421			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.31			
<i>Plug To:</i>		2.13			
<i>Plug Depth UOM:</i>		m			
<u><i>Method of Construction &amp; Well Use</i></u>					
<i>Method Construction ID:</i>		1004546419			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>					
<u><i>Pipe Information</i></u>					
<i>Pipe ID:</i>		1004546410			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u><i>Construction Record - Casing</i></u>					
<i>Casing ID:</i>		1004546415			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		2.44			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004546416			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.44			
<b>Screen End Depth:</b>		5.49			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004546414			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004546413			
<b>Diameter:</b>		10.92			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5.49			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">36</a>	1 of 1	NW/87.6	59.6 / -1.31	270 CITY CENTRE OTTAWA ON	WWIS
<b>Well ID:</b>		7192921		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 12/6/2012	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		Observation Wells		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z154423		<b>Owner:</b>	
<b>Tag:</b>		A141856		<b>Street Name:</b> 270 CITY CENTRE	
<b>Construction Method:</b>				<b>County:</b> OTTAWA	
<b>Elevation (m):</b>				<b>Municipality:</b> OTTAWA CITY	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/719\7192921.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7192921.pdf)

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	1004215899			<b>Elevation:</b>	56.100337
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443847
<b>Code OB Desc:</b>				<b>North83:</b>	5028541
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	11/21/2012			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	digit
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004546437
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	27
<b>Most Common Material:</b>	OTHER
<b>Mat2:</b>	10
<b>Mat2 Desc:</b>	COARSE SAND
<b>Mat3:</b>	73
<b>Mat3 Desc:</b>	HARD
<b>Formation Top Depth:</b>	2.74
<b>Formation End Depth:</b>	3.35
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004546436
<b>Layer:</b>	1
<b>Color:</b>	8
<b>General Color:</b>	BLACK
<b>Mat1:</b>	03
<b>Most Common Material:</b>	MUCK
<b>Mat2:</b>	05
<b>Mat2 Desc:</b>	CLAY
<b>Mat3:</b>	85
<b>Mat3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	2.74
<b>Formation End Depth UOM:</b>	m

**Annular Space/Abandonment**

**Sealing Record**

<b>Plug ID:</b>	1004546447
<b>Layer:</b>	3
<b>Plug From:</b>	0.91
<b>Plug To:</b>	3.35
<b>Plug Depth UOM:</b>	m

**Annular Space/Abandonment**

**Sealing Record**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1004546445			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004546446			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		0.91			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004546444			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004546435			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004546440			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		.91			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004546441			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		0.91			
<b>Screen End Depth:</b>		3.35			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004546439			
<b>Layer:</b>		1			
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:	1004546438				
Diameter:	11.43				
Depth From:	0				
Depth To:	3.35				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

<a href="#">37</a>	1 of 1	WSW/88.0	63.9 / 3.06	23 Breezehill Ave N Ottawa ON	WWIS
<b>Well ID:</b>	7333912			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	4/15/2019
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z302771			<b>Owner:</b>	
<b>Tag:</b>	A261093			<b>Street Name:</b>	23 Breezehill Ave N
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1007435545			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443780
<b>Code OB Desc:</b>				<b>North83:</b>	5028316
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	2/15/2019			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1007811212		
<b>Layer:</b>	2		
<b>Color:</b>	6		
<b>General Color:</b>	BROWN		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1.83			
<b>Formation End Depth:</b>		4.57			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1007811213			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		4.57			
<b>Formation End Depth:</b>		6.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1007811211			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		79			
<b>Mat3 Desc:</b>		PACKED			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.83			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007812390			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		2.74			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007812391			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.74			
<b>Plug To:</b>		6.1			
<b>Plug Depth UOM:</b>		m			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007812389			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1007813480			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		Direct Push			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007810012			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007813871			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.1			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1007814347			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		3.1			
<b>Screen End Depth:</b>		6.1			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1007814877			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<b><u>Hole Diameter</u></b>					
Hole ID:		1007813188			
Diameter:		8.25			
Depth From:		0			
Depth To:		6.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">38</a>	1 of 1	WNW/88.4	59.9 / -1.00	270 CITY CENTRE OTTAWA ON	WWIS
Well ID:		7192920		<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:		Monitoring and Test Hole		<b>Date Received:</b> 12/6/2012	
Sec. Water Use:		0		<b>Selected Flag:</b> Yes	
Final Well Status:		Observation Wells		<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b> 7241	
Casing Material:				<b>Form Version:</b> 7	
Audit No:		Z152963		<b>Owner:</b>	
Tag:		A141857		<b>Street Name:</b> 270 CITY CENTRE	
Construction Method:				<b>County:</b> OTTAWA	
Elevation (m):				<b>Municipality:</b> OTTAWA CITY	
Elevation Reliability:				<b>Site Info:</b>	
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					
PDF URL (Map):		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7197192920.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7197192920.pdf</a>			

**Bore Hole Information**

Bore Hole ID:		1004215896		<b>Elevation:</b> 56.807468	
DP2BR:				<b>Elevrc:</b>	
Spatial Status:				<b>Zone:</b> 18	
Code OB:				<b>East83:</b> 443805	
Code OB Desc:				<b>North83:</b> 5028524	
Open Hole:				<b>Org CS:</b> UTM83	
Cluster Kind:				<b>UTMRC:</b> 4	
Date Completed:		11/21/2012		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
Remarks:				<b>Location Method:</b> digit	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1004546424

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		27			
<b>Mat2 Desc:</b>		OTHER			
<b>Mat3:</b>		68			
<b>Mat3 Desc:</b>		DRY			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		2.74			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004546425			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		27			
<b>Mat2 Desc:</b>		OTHER			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		2.74			
<b>Formation End Depth:</b>		5.49			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004546433			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004546434			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1004546432			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004546423			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 1004546428  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 2.44  
**Casing Diameter:** 5.2  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1004546429  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 2.49  
**Screen End Depth:** 5.49  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.03

**Water Details**

**Water ID:** 1004546427  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1004546426  
**Diameter:** 10.92  
**Depth From:** 0  
**Depth To:** 5.49  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

---

<a href="#">39</a>	1 of 1	W/89.7	62.8 / 1.95	Claridge Homes (Hintonburg Yards) LP 1040 Somerset Street West Ottawa ON K1L 4Y3	GEN
--------------------	--------	--------	-------------	--	-----

<b>Generator No:</b> ON3741725	<b>PO Box No:</b>
<b>Status:</b> Registered	<b>Country:</b> Canada
<b>Approval Years:</b> As of Jan 2021	<b>Choice of Contact:</b>
<b>Contam. Facility:</b>	<b>Co Admin:</b>
<b>MHSW Facility:</b>	<b>Phone No Admin:</b>
<b>SIC Code:</b>	
<b>SIC Description:</b>	

**Detail(s)**

**Waste Class:** 251 L  
**Waste Class Desc:** Waste oils/sludges (petroleum based)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">40</a>	1 of 1	WSW/90.7	63.9 / 3.06	73 Breezehill Ave N Ottawa ON	WWIS

<b>Well ID:</b>	7333911	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	4/15/2019
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z302772	<b>Owner:</b>	
<b>Tag:</b>	A261092	<b>Street Name:</b>	73 Breezehill Ave N
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

PDF URL (Map):

#### Bore Hole Information

<b>Bore Hole ID:</b>	1007435542	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443782
<b>Code OB Desc:</b>		<b>North83:</b>	5028310
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	2/15/2019	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	1007811209
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	06
<b>Mat2 Desc:</b>	SILT
<b>Mat3:</b>	85
<b>Mat3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	1.83
<b>Formation End Depth:</b>	4.57
<b>Formation End Depth UOM:</b>	m

#### Overburden and Bedrock Materials Interval

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1007811210			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		4.57			
<b>Formation End Depth:</b>		6.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1007811208			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		79			
<b>Mat3 Desc:</b>		PACKED			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.83			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007812386			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007812388			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.74			
<b>Plug To:</b>		6.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007812387			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		2.74			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Method Construction ID:</b>		1007813479			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		Direct Push			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007810011			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007813870			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		31			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1007814346			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		3.1			
<b>Screen End Depth:</b>		6.1			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1007814876			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1007813187			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>		0			
<b>Depth To:</b>		6.1			
<b>Hole Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Diameter UOM:</b>		cm			
<a href="#">41</a>	1 of 1	NW/90.9	59.6 / -1.31	270 CITY CENTRE AVE OTTAWA ON	WWIS
<b>Well ID:</b>	7192922			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	12/6/2012
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z154422			<b>Owner:</b>	
<b>Tag:</b>	A141855			<b>Street Name:</b>	270 CITY CENTRE AVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7192922.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7192922.pdf</a>				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004215902			<b>Elevation:</b>	55.982666
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443848
<b>Code OB Desc:</b>				<b>North83:</b>	5028545
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	11/21/2012			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1004546449				
<b>Layer:</b>	1				
<b>Color:</b>	8				
<b>General Color:</b>	BLACK				
<b>Mat1:</b>	03				
<b>Most Common Material:</b>	MUCK				
<b>Mat2:</b>	05				
<b>Mat2 Desc:</b>	CLAY				
<b>Mat3:</b>	85				
<b>Mat3 Desc:</b>	SOFT				
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	2.74				
<b>Formation End Depth UOM:</b>	m				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004546450			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>		10			
<b>Mat2 Desc:</b>		COARSE SAND			
<b>Mat3:</b>		73			
<b>Mat3 Desc:</b>		HARD			
<b>Formation Top Depth:</b>		2.74			
<b>Formation End Depth:</b>		3.66			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004546458			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004546459			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		0.91			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004546460			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.91			
<b>Plug To:</b>		3.66			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004546457			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004546448			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing ID:</b> 1004546453					
<b>Layer:</b> 1					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b> 0					
<b>Depth To:</b> 1.22					
<b>Casing Diameter:</b> 5.2					
<b>Casing Diameter UOM:</b> cm					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1004546454					
<b>Layer:</b> 1					
<b>Slot:</b> 10					
<b>Screen Top Depth:</b> 1.22					
<b>Screen End Depth:</b> 3.66					
<b>Screen Material:</b> 5					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b> cm					
<b>Screen Diameter:</b> 6.03					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1004546452					
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1004546451					
<b>Diameter:</b>					
<b>Depth From:</b> 0					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<a href="#">42</a>	1 of 17	NW/91.0	59.6 / -1.31	<b>BROWNS CLEANERS &amp; TAILORS LIMITED 270 CITY CENTRE AVE. OTTAWA ON K1R 7R7</b>	<b>GEN</b>
<b>Generator No:</b> ON9040439		<b>Status:</b>		<b>PO Box No:</b>	
<b>Approval Years:</b> 04,05,06,07,08		<b>Contam. Facility:</b>		<b>Country:</b>	
<b>MHSW Facility:</b>		<b>SIC Code:</b> 812320		<b>Choice of Contact:</b>	
<b>SIC Description:</b> Dry Cleaning and Laundry Services (except Coin-Operated)				<b>Co Admin:</b>	
				<b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 241					
<b>Waste Class Desc:</b> HALOGENATED SOLVENTS					
<a href="#">42</a>	2 of 17	NW/91.0	59.6 / -1.31	<b>Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON</b>	<b>GEN</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<a href="#">42</a>	3 of 17	NW/91.0	59.6 / -1.31	<b>BROWNS CLEANERS &amp; TAILORS LIMITED 270 CITY CENTRE AVE. OTTAWA ON K1R 7R7</b>	<b>GEN</b>
<b>Generator No:</b>	ON9040439			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	812320				
<b>SIC Description:</b>	Dry Cleaning and Laundry Services (except Coin-Operated)				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<a href="#">42</a>	4 of 17	NW/91.0	59.6 / -1.31	<b>BROWNS CLEANERS &amp; TAILORS LIMITED 270 CITY CENTRE AVE. OTTAWA ON K1R 7R7</b>	<b>GEN</b>
<b>Generator No:</b>	ON9040439			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	812320				
<b>SIC Description:</b>	Dry Cleaning and Laundry Services (except Coin-Operated)				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<a href="#">42</a>	5 of 17	NW/91.0	59.6 / -1.31	<b>Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		Real Estate Property Managers			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">42</a>	6 of 17	NW/91.0	59.6 / -1.31	Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON	GEN
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">42</a>	7 of 17	NW/91.0	59.6 / -1.31	BROWNS CLEANERS & TAILORS LIMITED 270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	GEN
<b>Generator No:</b>	ON9040439			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	812320				
<b>SIC Description:</b>	Dry Cleaning and Laundry Services (except Coin-Operated)				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<a href="#">42</a>	8 of 17	NW/91.0	59.6 / -1.31	Equity Realty Group Inc. 250, 270, 290 City Centre Avenue Ottawa ON	GEN
<b>Generator No:</b>	ON8497519			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				
<b><u>Detail(s)</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">42</a>	9 of 17	NW/91.0	59.6 / -1.31	<b>BROWNS CLEANERS &amp; TAILORS LIMITED</b> 270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	GEN
<b>Generator No:</b>	ON9040439			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	812320				
<b>SIC Description:</b>	Dry Cleaning and Laundry Services (except Coin-Operated)				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<a href="#">42</a>	10 of 17	NW/91.0	59.6 / -1.31	<b>BROWNS CLEANERS &amp; TAILORS LIMITED</b> 270 CITY CENTRE AVE. OTTAWA ON	GEN
<b>Generator No:</b>	ON9040439			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	812320				
<b>SIC Description:</b>	DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<a href="#">42</a>	11 of 17	NW/91.0	59.6 / -1.31	<b>270 CITY CENTRE AVENUE, OTTAWA</b> ON	INC
<b>Incident No:</b>	1633058			<b>Any Health Impact:</b>	No
<b>Incident ID:</b>				<b>Any Enviro Impact:</b>	No
<b>Instance No:</b>				<b>Service Interrupted:</b>	Yes
<b>Status Code:</b>				<b>Was Prop Damaged:</b>	Yes
<b>Attribute Category:</b>	FS-Perform L1 Incident Insp			<b>Reside App. Type:</b>	
<b>Context:</b>				<b>Commer App. Type:</b>	
<b>Date of Occurrence:</b>	2015/05/02 00:00:00			<b>Indus App. Type:</b>	
<b>Time of Occurrence:</b>	11:13:00			<b>Institut App. Type:</b>	
<b>Incident Created On:</b>				<b>Venting Type:</b>	
<b>Instance Creation Dt:</b>				<b>Vent Conn Mater:</b>	
<b>Instance Install Dt:</b>				<b>Vent Chimney Mater:</b>	
<b>Occur Insp Start Date:</b>	2015/05/02 00:00:00			<b>Pipeline Type:</b>	
<b>Approx Quant Rel:</b>				<b>Pipeline Involved:</b>	
<b>Tank Capacity:</b>				<b>Pipe Material:</b>	
<b>Fuels Occur Type:</b>	Fire			<b>Depth Ground Cover:</b>	
<b>Fuel Type Involved:</b>	Natural Gas			<b>Regulator Location:</b>	
<b>Enforcement Policy:</b>	NULL			<b>Regulator Type:</b>	
<b>Prc Escalation Req:</b>	NULL			<b>Operation Pressure:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Tank Material Type:</b>  <b>Tank Storage Type:</b>  <b>Tank Location Type:</b>  <b>Pump Flow Rate Cap:</b>  <b>Task No:</b> 5475041  <b>Notes:</b>  <b>Drainage System:</b>  <b>Sub Surface Contam.:</b>  <b>Aff Prop Use Water:</b>  <b>Contam. Migrated:</b>  <b>Contact Natural Env:</b>  <b>Incident Location:</b> 270 CITY CENTRE AVENUE, OTTAWA - FIRE  <b>Occurrence Narrative:</b> Fire originated in area of rooftop unit  <b>Operation Type Involved:</b> Industrial / Manufacturing Facility  <b>Item:</b>  <b>Item Description:</b>  <b>Device Installed Location:</b></p>					
<a href="#">42</a>	12 of 17	NW/91.0	59.6 / -1.31	<b>BROWNS CLEANERS &amp; TAILORS LIMITED</b> 270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	GEN
<p><b>Generator No:</b> ON9040439  <b>Status:</b>  <b>Approval Years:</b> 2016  <b>Contam. Facility:</b> No  <b>MHSW Facility:</b> No  <b>SIC Code:</b> 812320  <b>SIC Description:</b> DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)</p> <p><b>PO Box No:</b>  <b>Country:</b> Canada  <b>Choice of Contact:</b> CO_OFFICIAL  <b>Co Admin:</b>  <b>Phone No Admin:</b></p>					
<b>Detail(s)</b>					
<p><b>Waste Class:</b> 241  <b>Waste Class Desc:</b> HALOGENATED SOLVENTS</p> <p><b>Waste Class:</b> 233  <b>Waste Class Desc:</b> OTHER POLYMERIC WASTES</p>					
<a href="#">42</a>	13 of 17	NW/91.0	59.6 / -1.31	<b>BROWNS CLEANERS &amp; TAILORS LIMITED</b> 270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	GEN
<p><b>Generator No:</b> ON9040439  <b>Status:</b>  <b>Approval Years:</b> 2015  <b>Contam. Facility:</b> No  <b>MHSW Facility:</b> No  <b>SIC Code:</b> 812320  <b>SIC Description:</b> DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)</p> <p><b>PO Box No:</b>  <b>Country:</b> Canada  <b>Choice of Contact:</b> CO_OFFICIAL  <b>Co Admin:</b>  <b>Phone No Admin:</b></p>					
<b>Detail(s)</b>					
<p><b>Waste Class:</b> 233  <b>Waste Class Desc:</b> OTHER POLYMERIC WASTES</p> <p><b>Waste Class:</b> 241  <b>Waste Class Desc:</b> HALOGENATED SOLVENTS</p>					
<a href="#">42</a>	14 of 17	NW/91.0	59.6 / -1.31	<b>BROWNS CLEANERS &amp; TAILORS LIMITED</b> 270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b>	ON9040439			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	812320				
<b>SIC Description:</b>	DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)				
<b>Detail(s)</b>					
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				

<a href="#">42</a>	15 of 17	NW/91.0	59.6 / -1.31	<b>BROWNS CLEANERS &amp; TAILORS LIMITED</b> 270 CITY CENTRE AVE. OTTAWA ON K1R 7R7	GEN
<b>Generator No:</b>	ON9040439			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b>	233 L				
<b>Waste Class Desc:</b>	Other polymeric wastes				

<a href="#">42</a>	16 of 17	NW/91.0	59.6 / -1.31	<b>BROWN'S CLEANERS</b> 270 CITY CENTRE AVE Ottawa ON K1R7R7	CDRY
<b>Legal Name of Company:</b>					
<b>Waste Quantity by Year</b>					
<b>Reporting Year:</b>	2014				
<b>Quantity of PERC (kg):</b>	388				
<b>Total Waste Water (kg):</b>	0				
<b>Total Waste Water (L):</b>	-				
<b>Total Residue (kg):</b>	0				
<b>Total Residue (L):</b>	-				
<b>Total Mix (kg):</b>	-				
<b>Total Mix (L):</b>	461				
<b>Request for Confidentiality:</b>	No				
<b>Reason for Confidentiality:</b>					
<b>Reporting Year:</b>	2013				
<b>Quantity of PERC (kg):</b>	487.5				
<b>Total Waste Water (kg):</b>	0				
<b>Total Waste Water (L):</b>	-				
<b>Total Residue (kg):</b>	0				
<b>Total Residue (L):</b>	-				
<b>Total Mix (kg):</b>	-				
<b>Total Mix (L):</b>	410				
<b>Request for Confidentiality:</b>	No				
<b>Reason for Confidentiality:</b>					
<b>Reporting Year:</b>	2012				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Quantity of PERC (kg):</b>	776				
<b>Total Waste Water (kg):</b>	0				
<b>Total Waste Water (L):</b>	-				
<b>Total Residue (kg):</b>	0				
<b>Total Residue (L):</b>	-				
<b>Total Mix (kg):</b>	-				
<b>Total Mix (L):</b>	410				
<b>Request for Confidentiality:</b>	No				
<b>Reason for Confidentiality:</b>					
<b>Reporting Year:</b>	2011				
<b>Quantity of PERC (kg):</b>	1180				
<b>Total Waste Water (kg):</b>	0				
<b>Total Waste Water (L):</b>	-				
<b>Total Residue (kg):</b>	-				
<b>Total Residue (L):</b>	820				
<b>Total Mix (kg):</b>	0				
<b>Total Mix (L):</b>	-				
<b>Request for Confidentiality:</b>	No				
<b>Reason for Confidentiality:</b>					
<b>Reporting Year:</b>	2010				
<b>Quantity of PERC (kg):</b>	1440				
<b>Total Waste Water (kg):</b>	0				
<b>Total Waste Water (L):</b>	-				
<b>Total Residue (kg):</b>	664				
<b>Total Residue (L):</b>	-				
<b>Total Mix (kg):</b>	0				
<b>Total Mix (L):</b>	-				
<b>Request for Confidentiality:</b>	No				
<b>Reason for Confidentiality:</b>					
<b>Reporting Year:</b>	2009				
<b>Quantity of PERC (kg):</b>	973				
<b>Total Waste Water (kg):</b>	0				
<b>Total Waste Water (L):</b>	-				
<b>Total Residue (kg):</b>	664				
<b>Total Residue (L):</b>	-				
<b>Total Mix (kg):</b>	0				
<b>Total Mix (L):</b>	-				
<b>Request for Confidentiality:</b>	No				
<b>Reason for Confidentiality:</b>					
<b>Reporting Year:</b>	2008				
<b>Quantity of PERC (kg):</b>	590				
<b>Total Waste Water (kg):</b>	0				
<b>Total Waste Water (L):</b>	-				
<b>Total Residue (kg):</b>	664				
<b>Total Residue (L):</b>	-				
<b>Total Mix (kg):</b>	0				
<b>Total Mix (L):</b>	-				
<b>Request for Confidentiality:</b>	No				
<b>Reason for Confidentiality:</b>					
<b>Reporting Year:</b>	2007				
<b>Quantity of PERC (kg):</b>	236				
<b>Total Waste Water (kg):</b>	0				
<b>Total Waste Water (L):</b>	-				
<b>Total Residue (kg):</b>	1163				
<b>Total Residue (L):</b>	-				
<b>Total Mix (kg):</b>	0				
<b>Total Mix (L):</b>	-				
<b>Request for Confidentiality:</b>	No				
<b>Reason for Confidentiality:</b>	N/A				
<b>Reporting Year:</b>	2006				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Quantity of PERC (kg):</b>		1296			
<b>Total Waste Water (kg):</b>		0			
<b>Total Waste Water (L):</b>		-			
<b>Total Residue (kg):</b>		332			
<b>Total Residue (L):</b>		-			
<b>Total Mix (kg):</b>		0			
<b>Total Mix (L):</b>		-			
<b>Request for Confidentiality:</b>		No			
<b>Reason for Confidentiality:</b>		N/A			
<b>Reporting Year:</b>		2005			
<b>Quantity of PERC (kg):</b>		518			
<b>Total Waste Water (kg):</b>		0			
<b>Total Waste Water (L):</b>		-			
<b>Total Residue (kg):</b>		2656			
<b>Total Residue (L):</b>		-			
<b>Total Mix (kg):</b>		0			
<b>Total Mix (L):</b>		-			
<b>Request for Confidentiality:</b>		No			
<b>Reason for Confidentiality:</b>		N/A			
<b>Reporting Year:</b>		2004			
<b>Quantity of PERC (kg):</b>		890			
<b>Total Waste Water (kg):</b>		0			
<b>Total Waste Water (L):</b>		-			
<b>Total Residue (kg):</b>		-			
<b>Total Residue (L):</b>		826			
<b>Total Mix (kg):</b>		0			
<b>Total Mix (L):</b>		-			
<b>Request for Confidentiality:</b>		No			
<b>Reason for Confidentiality:</b>		N/A			
<hr/>					

[42](#) 17 of 17 NW/91.0 59.6 / -1.31 **BROWNS CLEANERS & TAILORS LIMITED** **GEN**  
**270 CITY CENTRE AVE.**  
**OTTAWA ON K1R 7R7**

<b>Generator No:</b>	ON9040439	<b>PO Box No:</b>	
<b>Status:</b>	Registered	<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Oct 2019	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>			
<b>SIC Description:</b>			

**Detail(s)**

**Waste Class:** 233 L  
**Waste Class Desc:** Other polymeric wastes

[43](#) 1 of 1 NNE/92.0 59.8 / -1.03 **ON** **WWIS**

<b>Well ID:</b>	1514863	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Industrial	<b>Date Received:</b>	8/22/1975
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	1836
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>		<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1514863.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1514863.pdf</a>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	10036831	<b>Elevation:</b>	56.825191
<b>DP2BR:</b>	23	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	443982.7
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5028597
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	5
<b>Date Completed:</b>	7/30/1975	<b>UTMRC Desc:</b>	margin of error : 100 m - 300 m
<b>Remarks:</b>		<b>Location Method:</b>	gis
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	931027535
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Mat2 Desc:</b>	GRAVEL
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	23
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	931027536
<b>Layer:</b>	2
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	23
<b>Formation End Depth:</b>	200
<b>Formation End Depth UOM:</b>	ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Method of Construction & Well Use**

Method Construction ID: 961514863  
Method Construction Code: 4  
Method Construction: Rotary (Air)  
Other Method Construction:

**Pipe Information**

Pipe ID: 10585401  
Casing No: 1  
Comment:  
Alt Name:

**Construction Record - Casing**

Casing ID: 930065113  
Layer: 1  
Material: 1  
Open Hole or Material: STEEL  
Depth From:  
Depth To: 23  
Casing Diameter: 6  
Casing Diameter UOM: inch  
Casing Depth UOM: ft

**Results of Well Yield Testing**

Pump Test ID: 991514863  
Pump Set At:  
Static Level: 15  
Final Level After Pumping: 180  
Recommended Pump Depth: 190  
Pumping Rate: 12  
Flowing Rate:  
Recommended Pump Rate: 10  
Levels UOM: ft  
Rate UOM: GPM  
Water State After Test Code: 1  
Water State After Test: CLEAR  
Pumping Test Method: 1  
Pumping Duration HR: 1  
Pumping Duration MIN: 0  
Flowing: No

**Water Details**

Water ID: 933470837  
Layer: 1  
Kind Code: 3  
Kind: SULPHUR  
Water Found Depth: 190  
Water Found Depth UOM: ft

<a href="#">44</a>	1 of 8	SW/96.4	64.9 / 4.00	MCKERLIE-MILLEN INC. 35A LAUREL STREET OTTAWA ON K1Y 4M4	GEN
--------------------	--------	---------	-------------	--	-----

Generator No: ON0212446 PO Box No:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 96,97 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3259 <b>SIC Description:</b> OTHER VEHICLE ACCES.				<b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 145 <b>Waste Class Desc:</b> PAINT/PIGMENT/COATING RESIDUES					
<a href="#">44</a>	2 of 8	SW/96.4	64.9 / 4.00	MCKERLIE MILLEN (SEE & USE ON2231907) 35A LAUREL STREET OTTAWA ON K1Y 4M4	GEN
<b>Generator No:</b> ON0212446 <b>Status:</b> <b>Approval Years:</b> 98 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3259 <b>SIC Description:</b> OTHER VEHICLE ACCES.				<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 145 <b>Waste Class Desc:</b> PAINT/PIGMENT/COATING RESIDUES					
<a href="#">44</a>	3 of 8	SW/96.4	64.9 / 4.00	CARQUEST CANADA LTD. 35A LAUREL STREET OTTAWA ON K1Y 4M4	GEN
<b>Generator No:</b> ON2231902 <b>Status:</b> <b>Approval Years:</b> 97,98,02,03,04 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3259 <b>SIC Description:</b> OTHER VEHICLE ACCES.				<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 145 <b>Waste Class Desc:</b> PAINT/PIGMENT/COATING RESIDUES					
<a href="#">44</a>	4 of 8	SW/96.4	64.9 / 4.00	CARQUEST CANADA LTD. AUTO PAINT SUPPLY 35A LAUREL STREET OTTAWA ON K1Y 4M4	GEN
<b>Generator No:</b> ON2231902 <b>Status:</b> <b>Approval Years:</b> 99,00,01 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3259 <b>SIC Description:</b> OTHER VEHICLE ACCES.				<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<a href="#">44</a>	5 of 8	SW/96.4	64.9 / 4.00	Wake Cup Coffee Roasters 35 Laurel St Ottawa ON K1Y 4M4	SCT
<b>Established:</b>		01-AUG-08			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Coffee and Tea Manufacturing			
<b>SIC/NAICS Code:</b>		311920			
<a href="#">44</a>	6 of 8	SW/96.4	64.9 / 4.00	Paper Sign Man 35B Laurel St Ottawa ON K1Y 4M4	SCT
<b>Established:</b>		01-AUG-96			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<a href="#">44</a>	7 of 8	SW/96.4	64.9 / 4.00	Signs in 23 hours.com 35B Laurel St Ottawa ON K1Y 4M4	SCT
<b>Established:</b>		01-AUG-87			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<b>Description:</b>		Coating, Engraving, Heat Treating and Allied Activities			
<b>SIC/NAICS Code:</b>		332810			
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<a href="#">44</a>	8 of 8	SW/96.4	64.9 / 4.00	merge design, print & promo 35B Laurel St Ottawa ON K1Y 4M4	SCT
<b>Established:</b>		01-SEP-04			
<b>Plant Size (ft²):</b>		1000			
<b>Employment:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>		Advertising Agencies			
<b>SIC/NAICS Code:</b>		541810			
<b>Description:</b>		All Other Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		418990			
<b>Description:</b>		Graphic Design Services			
<b>SIC/NAICS Code:</b>		541430			
<b>Description:</b>		Business Service Centres			
<b>SIC/NAICS Code:</b>		561430			

<a href="#">45</a>	1 of 1	SSW/97.0	65.1 / 4.24	ON	BORE
<b>Borehole ID:</b>	613137			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215514441			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>				<b>Municipality:</b>	
<b>Static Water Level:</b>	-58.0			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.40518
<b>Total Depth m:</b>	-999			<b>Longitude DD:</b>	-75.716725
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	443911
<b>Drill Method:</b>				<b>Northing:</b>	5028212
<b>Orig Ground Elev m:</b>	0			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	62.9				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b>Source</b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Ident:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	H			<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA2.txt RecordID: 056450 NTS_Sheet: 31G05G				
<b>Confiden 1:</b>	Logged by professional. Exact and complete description of material and properties.				
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				

<a href="#">46</a>	1 of 1	NE/101.4	64.6 / 3.69	901 SOMERSET ST. OTTAWA ON	HINC
<b>External File Num:</b>	FS INC 0809-05349				
<b>Fuel Occurrence Type:</b>	Pipeline Strike				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date of Occurrence:</b>		9/10/2008			
<b>Fuel Type Involved:</b>		Natural Gas			
<b>Status Desc:</b>		Completed - Causal Analysis(End)			
<b>Job Type Desc:</b>		Incident/Near-Miss Occurrence (FS)			
<b>Oper. Type Involved:</b>		Construction Site (pipeline strike)			
<b>Service Interruptions:</b>		Yes			
<b>Property Damage:</b>		Yes			
<b>Fuel Life Cycle Stage:</b>		Transmission, Distribution and Transportation			
<b>Root Cause:</b>		Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:No Training:No Management:Yes Human Factors:Yes			
<b>Reported Details:</b>					
<b>Fuel Category:</b>		Gaseous Fuel			
<b>Occurrence Type:</b>		Incident			
<b>Affiliation:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name:</b>		Ottawa			
<b>Approx. Quant. Rel:</b>					
<b>Nearby body of water:</b>					
<b>Enter Drainage Syst.:</b>					
<b>Approx. Quant. Unit:</b>					
<b>Environmental Impact:</b>					

---

<a href="#"><u>47</u></a>	1 of 1	<b>NE/105.1</b>	<b>64.6 / 3.69</b>	<b>122 PRESTON STREET OTTAWA ON K1R 7P2</b>	<b>HINC</b>
---------------------------	--------	-----------------	--------------------	---	-------------

<b>External File Num:</b>		FS INC 0807-03397			
<b>Fuel Occurrence Type:</b>		Pipeline Strike			
<b>Date of Occurrence:</b>		6/23/2008			
<b>Fuel Type Involved:</b>		Natural Gas			
<b>Status Desc:</b>		Completed - Causal Analysis(End)			
<b>Job Type Desc:</b>		Incident/Near-Miss Occurrence (FS)			
<b>Oper. Type Involved:</b>		Construction Site (pipeline strike)			
<b>Service Interruptions:</b>		Yes			
<b>Property Damage:</b>		No			
<b>Fuel Life Cycle Stage:</b>		Transmission, Distribution and Transportation			
<b>Root Cause:</b>		Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:Yes Training: No Management:No Human Factors:No			
<b>Reported Details:</b>					
<b>Fuel Category:</b>		Gaseous Fuel			
<b>Occurrence Type:</b>		Incident			
<b>Affiliation:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name:</b>		Ottawa			
<b>Approx. Quant. Rel:</b>					
<b>Nearby body of water:</b>					
<b>Enter Drainage Syst.:</b>					
<b>Approx. Quant. Unit:</b>					
<b>Environmental Impact:</b>					

---

<a href="#"><u>48</u></a>	1 of 1	<b>S/106.5</b>	<b>65.2 / 4.33</b>	<b>Buchanan Lighting Ltd. 129 Loretta Ave N Ottawa ON K1Y 2J7</b>	<b>SCT</b>
---------------------------	--------	----------------	--------------------	---	------------

<b>Established:</b>		01-DEC-71			
<b>Plant Size (ft²):</b>		6000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Electrical Wiring and Construction Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416110			
<b>Description:</b>		Professional Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417930			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Electrical Wiring and Construction Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416110			

<a href="#">49</a>	1 of 5	E/109.2	65.9 / 5.05	<b>BROOKFIELD LEPAGE JOHNSON CONT 1 OAK STREET, OTTAWA PROPERTY MANAGEMENT CO. 120 PARKDALE AVE, SUITE 1401, OTTAWA OTTAWA CITY ON</b>	<b>SPL</b>
<b>Ref No:</b>	205845			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	7/10/2001			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	20107
<b>Nature of Impact:</b>	Air Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Air			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	7/13/2001			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	EQUIPMENT FAILURE			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	BROOKFIELD:				
<b>Contaminant Qty:</b>					

<a href="#">49</a>	2 of 5	E/109.2	65.9 / 5.05	<b>BROOKFIELD LEPAGE JOHNSON CONTROLS OAK STREET COMPLEX 1 OAK STREET OTTAWA ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON0554831			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	7512				
<b>SIC Description:</b>	NON-RES. BLDG. OPER.				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<a href="#">49</a>	3 of 5	E/109.2	65.9 / 5.05	<b>BROOKFIELD LEPAGE JOHNSON CONTROLS</b> 1 OAK STREET OTTAWA ON	GEN
<b>Generator No:</b>	ON0554831			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	03,04			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<a href="#">49</a>	4 of 5	E/109.2	65.9 / 5.05	<b>Aim Waste Management Inc.</b> 1 Oak Street Ottawa ON K1R 6R9	GEN
<b>Generator No:</b>	ON3892828			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Marc Verticchio
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	905 912 0773 Ext.
<b>SIC Code:</b>	238910				
<b>SIC Description:</b>	SITE PREPARATION CONTRACTORS				
<b>Detail(s)</b>					
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCBS			
<a href="#">49</a>	5 of 5	E/109.2	65.9 / 5.05	<b>Aim Waste Management Inc.</b> 1 Oak Street Ottawa ON K1R 6R9	GEN
<b>Generator No:</b>	ON3892828			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Marc Verticchio
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	905 912 0773 Ext.
<b>SIC Code:</b>	238910				
<b>SIC Description:</b>	SITE PREPARATION CONTRACTORS				
<b>Detail(s)</b>					
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCBS			
<a href="#">50</a>	1 of 1	E/114.1	65.8 / 4.91	<b>170 Preston Street Ltd.</b> 170 Preston St	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ottawa ON K1R 7H9</b>					
<b>Approval No:</b>	4185-A9VUFZ			<b>MOE District:</b>	
<b>Approval Date:</b>	2016-06-06			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Business Name:</b>	170 Preston Street Ltd.				
<b>Address:</b>	170 Preston St				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8755-9ZGR7Q-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8755-9ZGR7Q-14.pdf</a>				
<a href="#">51</a>	1 of 1	E/115.4	65.9 / 5.03	<b>Preston St &amp; Laurel St Ottawa On Ottawa ON</b>	<b>EHS</b>
<b>Order No:</b>	20150115029			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	Ottawa
<b>Report Type:</b>	RSC Report (Urban)			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	21-JAN-15			<b>Search Radius (km):</b>	.3
<b>Date Received:</b>	15-JAN-15			<b>X:</b>	-75.713306
<b>Previous Site Name:</b>				<b>Y:</b>	45.406385
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Title Searches				
<a href="#">52</a>	1 of 1	E/116.3	65.9 / 5.06	<b>Anderson Street &amp; Preston Street Ottawa ON</b>	<b>EHS</b>
<b>Order No:</b>	20030603006			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	6/5/03			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	6/3/03			<b>X:</b>	-75.712863
<b>Previous Site Name:</b>				<b>Y:</b>	45.408415
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">53</a>	1 of 2	NE/116.8	65.2 / 4.28	<b>R.M. OF OTTAWA-CARLETON SOMERSET ST/PRESTON ST. OTTAWA CITY ON</b>	<b>CA</b>
<b>Certificate #:</b>	7-0582-97-				
<b>Application Year:</b>	97				
<b>Issue Date:</b>	7/7/1997				
<b>Approval Type:</b>	Municipal water				
<b>Status:</b>	Approved				
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">53</a>	2 of 2	NE/116.8	65.2 / 4.28	OTTAWA CITY SOMERSET ST.W./PRESTON ST.,CSO OTTAWA CITY ON	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		3-0703-97- 97 7/11/1997 Municipal sewage Approved			
<a href="#">54</a>	1 of 1	SW/119.0	64.9 / 4.00	OTTAWA HYDRO 99 BREEZE HILL AVENUE TRANSFORMER OTTAWA CITY ON	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>		117044 8/11/1995 COOLING SYSTEM LEAK POSSIBLE Soil contamination LAND 8/11/1995 EQUIPMENT FAILURE		<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 20101 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	
		OTTAWA HYDRO: 5 L OF TRANSFORMER OIL TO GRASS & SOIL: CLEANING UP			
<a href="#">55</a>	1 of 1	NE/119.4	64.6 / 3.69	114 PRESTION STREET OTTAWA ON	HINC
<b>External File Num:</b> <b>Fuel Occurrence Type:</b> <b>Date of Occurrence:</b> <b>Fuel Type Involved:</b> <b>Status Desc:</b> <b>Job Type Desc:</b> <b>Oper. Type Involved:</b> <b>Service Interruptions:</b> <b>Property Damage:</b> <b>Fuel Life Cycle Stage:</b> <b>Root Cause:</b>		FS INC 0808-04635 Pipeline Strike 8/7/2008 Natural Gas Completed - Causal Analysis(End) Incident/Near-Miss Occurrence (FS) Construction Site (pipeline strike) Yes Yes Transmission, Distribution and Transportation Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
		Management:Yes Human Factors:Yes			
<b>Reported Details:</b>					
<b>Fuel Category:</b>		Gaseous Fuel			
<b>Occurrence Type:</b>		Incident			
<b>Affiliation:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name:</b>		Ottawa			
<b>Approx. Quant. Rel:</b>					
<b>Nearby body of water:</b>					
<b>Enter Drainage Syst.:</b>					
<b>Approx. Quant. Unit:</b>					
<b>Environmental Impact:</b>					

<a href="#">56</a>	1 of 1	SE/121.8	62.9 / 2.00	933 Gladstone Ave Ottawa ON K1A0T4	EHS
<b>Order No:</b>		20150303037		<b>Nearest Intersection:</b>	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Custom Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		06-MAR-15		<b>Search Radius (km):</b> .25	
<b>Date Received:</b>		03-MAR-15		<b>X:</b> -75.714882	
<b>Previous Site Name:</b>				<b>Y:</b> 45.405412	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>		Topographic Maps			

<a href="#">57</a>	1 of 1	NW/122.7	58.8 / -2.03	ON	BORE
<b>Borehole ID:</b>		613183		<b>Inclin FLG:</b> No	
<b>OGF ID:</b>		215514486		<b>SP Status:</b> Initial Entry	
<b>Status:</b>				<b>Surv Elev:</b> No	
<b>Type:</b>		Borehole		<b>Piezometer:</b> No	
<b>Use:</b>					
<b>Completion Date:</b>		FEB-1965		<b>Primary Name:</b>	
<b>Static Water Level:</b>		2.7		<b>Municipality:</b>	
<b>Primary Water Use:</b>					
<b>Sec. Water Use:</b>					
<b>Total Depth m:</b>		-999		<b>Latitude DD:</b> 45.408414	
<b>Depth Ref:</b>		Ground Surface		<b>Longitude DD:</b> -75.717788	
<b>Depth Elev:</b>					
<b>Drill Method:</b>					
<b>Orig Ground Elev m:</b>		55.6		<b>UTM Zone:</b> 18	
<b>Elev Reliabil Note:</b>					
<b>DEM Ground Elev m:</b>		55.9		<b>Easting:</b> 443831	
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>		218394055		<b>Mat Consistency:</b> Soft	
<b>Top Depth:</b>		2.3		<b>Material Moisture:</b>	
<b>Bottom Depth:</b>		4.1		<b>Material Texture:</b>	
<b>Material Color:</b>		Brown		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>		Peat		<b>Geologic Formation:</b>	
<b>Material 2:</b>					
<b>Material 3:</b>					
<b>Material 4:</b>					
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		PEAT. BROWN,SOFT.			
				<b>Geologic Group:</b>	
				<b>Geologic Period:</b>	
				<b>Depositional Gen:</b> peat	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b>	218394056			<b>Mat Consistency:</b>	Hard
<b>Top Depth:</b>	4.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.9			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silt			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	TILL. GREY,VERY HARD, WATER STABLE AT 173.3 FEET.				
<b>Geology Stratum ID:</b>	218394054			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.3			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL.				
<b>Geology Stratum ID:</b>	218394057			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	5.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>				<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Limestone			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	BEDROCK,LIMESTONE. GREY,FOSSILIFEROUS,FRACTURED. ENSE. UNSPECIFIED. VERY DENSE. BEDROCK. 0 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Source</b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>				<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA2.txt RecordID: 056910 NTS_Sheet: 31G05G				
<b>Confiden 1:</b>					
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				
<b>58</b>	1 of 2	W/123.9	62.9 / 1.99	<b>OLRT Constructors</b> 1035 somerset street Ottawa ON	<b>SPL</b>
<b>Ref No:</b>	4784-A7ANLR			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2016/02/19			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Communal

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Event:</b> Operator/Human error <b>Contaminant Code:</b> 13 <b>Contaminant Name:</b> DIESEL FUEL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Land <b>MOE Response:</b> No <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2016/02/19 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Operator/Human Error <b>Site Name:</b> Bayview overpass demolition<UNOFFICIAL> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> OLRT- 550L diesel to ground *MOL holding site* <b>Contaminant Qty:</b> 550 L					
<b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> 1035 somerset street <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Ottawa <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Land Spills <b>Source Type:</b>					
<a href="#">58</a>	2 of 2	W/123.9	62.9 / 1.99	SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc. and EllisDon Corporation Bayview (1035 Somerset Street W, 801 Albert Street) Ottawa ON K1Z 1G3	ECA
<b>Approval No:</b> 0736-AGCLQM <b>Approval Date:</b> 2016-12-13 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Business Name:</b> SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc. and EllisDon Corporation <b>Address:</b> Bayview (1035 Somerset Street W, 801 Albert Street) <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1033-AFTP6U-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1033-AFTP6U-14.pdf</a>					
<a href="#">59</a>	1 of 2	E/125.8	66.6 / 5.69	153-157 Preston Road aka 130 Anderson St. Ottawa ON K1R 7P6	EHS
<b>Order No:</b> 20030326002 <b>Status:</b> C <b>Report Type:</b> Complete Report <b>Report Date:</b> 4/3/03 <b>Date Received:</b> 3/26/03 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> Anderson St. <b>Municipality:</b> <b>Client Prov/State:</b> CO <b>Search Radius (km):</b> 0.25 <b>X:</b> -75.71328 <b>Y:</b> 45.407261					
<a href="#">59</a>	2 of 2	E/125.8	66.6 / 5.69	153-157 Preston Street Ottawa ON K1R 7P6	EHS
<b>Order No:</b> 20031201013 <b>Status:</b> C <b>Report Type:</b> Complete Report <b>Report Date:</b> 12/10/03 <b>Date Received:</b> 12/1/03					
<b>Nearest Intersection:</b> Poplar Street <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -75.713236					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Previous Site Name:</b>				Y:	45.407274
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">60</a>	1 of 1	NE/125.9	64.9 / 4.00	106 PRESTON STREET OTTAWA ON K1R 7P2	HINC
<b>External File Num:</b>		FS INC 0808-04642			
<b>Fuel Occurrence Type:</b>		Pipeline Strike			
<b>Date of Occurrence:</b>		8/1/2008			
<b>Fuel Type Involved:</b>		Natural Gas			
<b>Status Desc:</b>		Completed - Causal Analysis(End)			
<b>Job Type Desc:</b>		Incident/Near-Miss Occurrence (FS)			
<b>Oper. Type Involved:</b>		Construction Site (pipeline strike)			
<b>Service Interruptions:</b>		Yes			
<b>Property Damage:</b>		Yes			
<b>Fuel Life Cycle Stage:</b>		Transmission, Distribution and Transportation			
<b>Root Cause:</b>		Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:No Management:Yes Human Factors:No			
<b>Reported Details:</b>					
<b>Fuel Category:</b>		Gaseous Fuel			
<b>Occurrence Type:</b>		Incident			
<b>Affiliation:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name:</b>		Ottawa			
<b>Approx. Quant. Rel:</b>					
<b>Nearby body of water:</b>					
<b>Enter Drainage Syst.:</b>					
<b>Approx. Quant. Unit:</b>					
<b>Environmental Impact:</b>					

<a href="#">61</a>	1 of 1	NW/129.0	59.9 / -0.95	250 CITY CENTRE AVE Ottawa ON	WWIS
<b>Well ID:</b>		7202037		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 5/27/2013	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		0		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z168676		<b>Owner:</b>	
<b>Tag:</b>		A145365		<b>Street Name:</b> 250 CITY CENTRE AVE	
<b>Construction Method:</b>				<b>County:</b> OTTAWA	
<b>Elevation (m):</b>				<b>Municipality:</b> OTTAWA CITY	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>		1004311623		<b>Elevation:</b> 56.100635	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 18	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	443793
Code OB Desc:				North83:	5028563
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/23/2013			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 1004878761  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Mat1: 28  
 Most Common Material: SAND  
 Mat2: 12  
 Mat2 Desc: STONES  
 Mat3:  
 Mat3 Desc:  
 Formation Top Depth: .31  
 Formation End Depth: 1.83  
 Formation End Depth UOM: m

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 1004878760  
 Layer: 1  
 Color: 8  
 General Color: BLACK  
 Mat1:  
 Most Common Material:  
 Mat2: 11  
 Mat2 Desc: GRAVEL  
 Mat3:  
 Mat3 Desc:  
 Formation Top Depth: 0  
 Formation End Depth: .31  
 Formation End Depth UOM: m

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 1004878762  
 Layer: 3  
 Color: 6  
 General Color: BROWN  
 Mat1: 28  
 Most Common Material: SAND  
 Mat2: 12  
 Mat2 Desc: STONES  
 Mat3:  
 Mat3 Desc:  
 Formation Top Depth: 1.83  
 Formation End Depth: 4.57  
 Formation End Depth UOM: m

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878770			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878772			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.22			
<b>Plug To:</b>		4.57			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878771			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		1.22			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004878769			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004878759			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004878765			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.52			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004878766			
<b>Layer:</b>		1			
<b>Slot:</b>		10			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:		1.52			
Screen End Depth:		4.57			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<b><u>Water Details</u></b>					
Water ID:		1004878764			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004878763			
Diameter:		8.25			
Depth From:		0			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">62</a>	1 of 1	NW/129.1	58.8 / -2.03	250 CITY CENTRE AVE Ottawa ON	WWIS
Well ID:		7202059		<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:		Monitoring and Test Hole		<b>Date Received:</b> 5/27/2013	
Sec. Water Use:				<b>Selected Flag:</b> Yes	
Final Well Status:		Test Hole		<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b> 7241	
Casing Material:				<b>Form Version:</b> 7	
Audit No:		Z168674		<b>Owner:</b>	
Tag:		A145964		<b>Street Name:</b> 250 CITY CENTRE AVE	
Construction Method:				<b>County:</b> OTTAWA	
Elevation (m):				<b>Municipality:</b> OTTAWA CITY	
Elevation Reliability:				<b>Site Info:</b>	
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					
PDF URL (Map):					
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:		1004312005		<b>Elevation:</b> 55.897457	
DP2BR:				<b>Elevrc:</b>	
Spatial Status:				<b>Zone:</b> 18	
Code OB:				<b>East83:</b> 443821	
Code OB Desc:				<b>North83:</b> 5028575	
Open Hole:				<b>Org CS:</b> UTM83	
Cluster Kind:				<b>UTMRC:</b> 4	
Date Completed:		4/19/2013		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
Remarks:				<b>Location Method:</b> wwr	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1004879152		
<b>Layer:</b>			1		
<b>Color:</b>			8		
<b>General Color:</b>			BLACK		
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>			11		
<b>Mat2 Desc:</b>			GRAVEL		
<b>Mat3:</b>			77		
<b>Mat3 Desc:</b>			LOOSE		
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.31		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1004879153		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			11		
<b>Mat2 Desc:</b>			GRAVEL		
<b>Mat3:</b>			85		
<b>Mat3 Desc:</b>			SOFT		
<b>Formation Top Depth:</b>			.31		
<b>Formation End Depth:</b>			2.13		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1004879154		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			06		
<b>Most Common Material:</b>			SILT		
<b>Mat2:</b>			28		
<b>Mat2 Desc:</b>			SAND		
<b>Mat3:</b>			85		
<b>Mat3 Desc:</b>			SOFT		
<b>Formation Top Depth:</b>			2.13		
<b>Formation End Depth:</b>			4.27		
<b>Formation End Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1004879164		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>	3				
<b>Plug From:</b>	0.91				
<b>Plug To:</b>	4.27				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1004879163				
<b>Layer:</b>	2				
<b>Plug From:</b>	0.31				
<b>Plug To:</b>	0.91				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1004879162				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	0.31				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1004879161				
<b>Method Construction Code:</b>	D				
<b>Method Construction:</b>	Direct Push				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1004879151				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1004879157				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	1.22				
<b>Casing Diameter:</b>	4.03				
<b>Casing Diameter UOM:</b>	cm				
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1004879158				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>	1.22				
<b>Screen End Depth:</b>	4.27				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>	cm				
<b>Screen Diameter:</b>	4.82				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Water Details</u></b>					
Water ID:		1004879156			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004879155			
Diameter:		8.25			
Depth From:		0			
Depth To:		4.27			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">63</a>	1 of 1	SSE/129.2	64.2 / 3.31	O-TRAIN RAIL CORRIDOR Ottawa ON	WWIS
Well ID:	7205660			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	7/31/2013
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	6894
Casing Material:				Form Version:	7
Audit No:	Z096874			Owner:	
Tag:	A111219			Street Name:	O-TRAIN RAIL CORRIDOR
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

**Bore Hole Information**

Bore Hole ID:	1004479434	Elevation:	57.220458
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	443981
Code OB Desc:		North83:	5028199
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Method of Construction & Well Use**

Method Construction ID: 1004980781  
Method Construction Code:  
Method Construction:  
Other Method Construction:

**Pipe Information**

Pipe ID: 1004980775  
Casing No: 0  
Comment:  
Alt Name:

**Construction Record - Casing**

Casing ID: 1004980779  
Layer:  
Material:  
Open Hole or Material:  
Depth From:  
Depth To:  
Casing Diameter:  
Casing Diameter UOM: cm  
Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1004980780  
Layer:  
Slot:  
Screen Top Depth:  
Screen End Depth:  
Screen Material:  
Screen Depth UOM: m  
Screen Diameter UOM: cm  
Screen Diameter:

**Water Details**

Water ID: 1004980778  
Layer:  
Kind Code:  
Kind:  
Water Found Depth:  
Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1004980777  
Diameter:  
Depth From:  
Depth To:  
Hole Depth UOM: m  
Hole Diameter UOM: cm

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ottawa ON					
<b>Order No:</b>	20050512001			<b>Nearest Intersection:</b>	Champayne Ave N and Spruce St
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>				<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	5/17/2005			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	5/12/2005			<b>X:</b>	-75.717378
<b>Previous Site Name:</b>				<b>Y:</b>	45.408677
<b>Lot/Building Size:</b>	0.56 acres				
<b>Additional Info Ordered:</b>					

<a href="#">65</a>	1 of 1	NW/130.0	59.4 / -1.43	250 CITY CENTRE AVE Ottawa ON	WWIS
<b>Well ID:</b>	7202057			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	5/27/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z168673			<b>Owner:</b>	
<b>Tag:</b>	A145963			<b>Street Name:</b>	250 CITY CENTRE AVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004311999			<b>Elevation:</b>	55.936687
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443807
<b>Code OB Desc:</b>				<b>North83:</b>	5028570
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	4/19/2013			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1004879081				
<b>Layer:</b>	1				
<b>Color:</b>	8				
<b>General Color:</b>	BLACK				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004879082			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		2.74			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004879083			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		79			
<b>Mat3 Desc:</b>		PACKED			
<b>Formation Top Depth:</b>		2.74			
<b>Formation End Depth:</b>		4.57			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004879091			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004879092			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		1.22			
<b>Plug Depth UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004879093			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.22			
<b>Plug To:</b>		4.57			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004879090			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004879080			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004879086			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.52			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004879087			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.52			
<b>Screen End Depth:</b>		4.57			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004879085			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004879084			
<b>Diameter:</b>		8.25			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">66</a>	1 of 4	SW/130.9	66.0 / 5.08	907462 ONTARIO LIMITED 111-113 BREEZEHILL AVE.N., SWM OTTAWA CITY ON K1Y 2H6	CA
Certificate #:		3-0953-97-			
Application Year:		97			
Issue Date:		9/9/1997			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					

<a href="#">66</a>	2 of 4	SW/130.9	66.0 / 5.08	Grandtech Auto Inc. 111 Breezehill Avenue North Suite 3-4 Ottawa Ontario K1Y 2H6 Ottawa ON	EBR
EBR Registry No:		IA03E0588		Decision Posted:	
Ministry Ref No:		8463-5M5SK5		Exception Posted:	
Notice Type:		Instrument Decision		Section:	
Notice Stage:				Act 1:	
Notice Date:		December 03, 2003		Act 2:	
Proposal Date:		May 02, 2003		Site Location Map:	
Year:		2003			
Instrument Type:		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
Off Instrument Name:					
Posted By:					
Company Name:		Grandtech Auto Inc.			
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:		111 Breezehill Avenue North , 3-4, Ottawa Ontario, K1Y 2H6			
Comment Period:					
URL:					

**Site Location Details:**

111 Breezehill Avenue North Suite 3-4 Ottawa Ontario K1Y 2H6 Ottawa

<a href="#">66</a>	3 of 4	SW/130.9	66.0 / 5.08	Grandtech Auto Inc. 111 Breezehill Avenue North Ottawa ON K1Y 2H6	CA
Certificate #:		6533-5TGM3J			
Application Year:		2003			
Issue Date:		11/21/2003			
Approval Type:		Air			
Status:		Approved			
Application Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">66</a>	4 of 4	SW/130.9	66.0 / 5.08	Grandtech Auto Inc. 111 Breezehill Avenue North Ottawa ON K1Y 2H6	ECA
<b>Approval No:</b> 6533-5TGM3J <b>Approval Date:</b> 2003-11-21 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Rideau Valley <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Business Name:</b> Grandtech Auto Inc. <b>Address:</b> 111 Breezehill Avenue North <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8463-5M5SK5-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8463-5M5SK5-14.pdf</a>					
<b>MOE District:</b> Ottawa <b>City:</b> <b>Longitude:</b> -75.718575 <b>Latitude:</b> 45.40595 <b>Geometry X:</b> <b>Geometry Y:</b>					
<a href="#">67</a>	1 of 1	S/132.2	65.6 / 4.69	131 Loretta Avenue Ottawa ON	EHS
<b>Order No:</b> 20130205035 <b>Status:</b> C <b>Report Type:</b> Standard Select Report <b>Report Date:</b> 14-FEB-13 <b>Date Received:</b> 05-FEB-13 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> 0.22 acre <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; Title Searches; Topographic Maps; City Directory; Aerial Photos					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.716288 <b>Y:</b> 45.404911					
<a href="#">68</a>	1 of 1	NW/134.1	58.8 / -2.03	250 CITY CENTRE AVE Ottawa ON	WWIS
<b>Well ID:</b> 7202058 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> <b>Final Well Status:</b> Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z168672 <b>Tag:</b> A145962 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 5/27/2013 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 250 CITY CENTRE AVE <b>County:</b> OTTAWA <b>Municipality:</b> OTTAWA CITY <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map):

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004312002	<b>Elevation:</b>	55.917778
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443820
<b>Code OB Desc:</b>		<b>North83:</b>	5028580
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	4/19/2013	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004879125
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	28
<b>Mat2 Desc:</b>	SAND
<b>Mat3:</b>	85
<b>Mat3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	2.74
<b>Formation End Depth:</b>	4.27
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004879123
<b>Layer:</b>	1
<b>Color:</b>	8
<b>General Color:</b>	BLACK
<b>Mat1:</b>	
<b>Most Common Material:</b>	
<b>Mat2:</b>	11
<b>Mat2 Desc:</b>	GRAVEL
<b>Mat3:</b>	77
<b>Mat3 Desc:</b>	LOOSE
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.31
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004879124
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		2.74			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004879135			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.91			
<b>Plug To:</b>		4.27			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004879133			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004879134			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		0.91			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004879132			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004879122			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004879128			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.22			
<b>Casing Diameter:</b>		4.03			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004879129			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.22			
<b>Screen End Depth:</b>		4.27			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004879127			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004879126			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.27			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">69</a>	1 of 1	NW/134.8	58.8 / -2.03	250 CITY CENTER AVE Ottawa ON	WWIS
<b>Well ID:</b>		7202055		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 5/27/2013	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		0		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z168671		<b>Owner:</b>	
<b>Tag:</b>		A145961		<b>Street Name:</b> 250 CITY CENTER AVE	
<b>Construction Method:</b>				<b>County:</b> OTTAWA	
<b>Elevation (m):</b>				<b>Municipality:</b> OTTAWA CITY	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1004311993		<b>Elevation:</b> 55.92403	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443811
<b>Code OB Desc:</b>				<b>North83:</b>	5028577
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	4/19/2013			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004878969  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 28  
**Mat2 Desc:** SAND  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** 2.74  
**Formation End Depth:** 4.57  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004878967  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:**  
**Most Common Material:**  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 77  
**Mat3 Desc:** LOOSE  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004878968  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** .31

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		2.74			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878977			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878978			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		1.22			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878979			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.22			
<b>Plug To:</b>		4.57			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004878976			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004878966			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004878972			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.52			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004878973			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Slot:		10			
Screen Top Depth:		1.52			
Screen End Depth:		4.57			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<b><u>Water Details</u></b>					
Water ID:		1004878971			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004878970			
Diameter:		8.25			
Depth From:		0			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>70</u>	1 of 1	WNW/135.5	59.8 / -1.08	Visionform Inc BAY 244-250 City Centre Avenue Ottawa ON K1R 6K7	GEN
Generator No:	ON5433512			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jan 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<b><u>Detail(s)</u></b>					
Waste Class:	331 I				
Waste Class Desc:	Waste compressed gases including cylinders				
Waste Class:	145 I				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				
Waste Class:	252 L				
Waste Class Desc:	Waste crankcase oils and lubricants				
Waste Class:	145 H				
Waste Class Desc:	Wastes from the use of pigments, coatings and paints				

<u>71</u>	1 of 1	S/136.1	65.6 / 4.69	Beacon Lite Ltd. 131 Loretta Ave N Ottawa ON K1Y 2J7	SCT
Established:	01-JUL-64				
Plant Size (ft²):	10000				
Employment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>		Industrial Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417230			
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<b>Description:</b>		Other Commercial and Industrial Machinery and Equipment Rental and Leasing			
<b>SIC/NAICS Code:</b>		532490			

72      1 of 1      **NNW/137.3**      **58.9 / -2.00**      **ON**      **WWIS**

<b>Well ID:</b>	1508959	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Industrial	<b>Date Received:</b>	8/27/1963
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	1802
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>		<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/150\1508959.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1508959.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b>	10030993	<b>Elevation:</b>	56.226257
<b>DP2BR:</b>	25	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	443910.7
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5028622
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	5
<b>Date Completed:</b>	6/24/1963	<b>UTMRC Desc:</b>	margin of error : 100 m - 300 m
<b>Remarks:</b>		<b>Location Method:</b>	p5
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	931011081
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>					
<b>Mat2:</b>		LIMESTONE			
<b>Mat2 Desc:</b>		17			
<b>Mat3:</b>		SHALE			
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		25			
<b>Formation End Depth:</b>		80			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931011079			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931011080			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		13			
<b>Mat2 Desc:</b>		BOULDERS			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		25			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961508959			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10579563			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930054624			
<b>Layer:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material:</b>					
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		28			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930054625			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		80			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991508959			
<b>Pump Set At:</b>					
<b>Static Level:</b>		10			
<b>Final Level After Pumping:</b>		80			
<b>Recommended Pump Depth:</b>		75			
<b>Pumping Rate:</b>		30			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		30			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		2			
<b>Flowing:</b>		0			
<b>Water Details</b>					
<b>Water ID:</b>		933463682			
<b>Layer:</b>		1			
<b>Kind Code:</b>		3			
<b>Kind:</b>		SULPHUR			
<b>Water Found Depth:</b>		30			
<b>Water Found Depth UOM:</b>		ft			

[73](#)

1 of 1

NNW/137.6

58.9 / -2.00

ON

BORE

<b>Borehole ID:</b>	613196	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215514499	<b>SP Status:</b>	Initial Entry
<b>Status:</b>		<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>		<b>Primary Name:</b>	
<b>Completion Date:</b>	JUN-1963	<b>Municipality:</b>	
<b>Static Water Level:</b>		<b>Lot:</b>	
<b>Primary Water Use:</b>		<b>Township:</b>	
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	45.408871
<b>Total Depth m:</b>	24.4	<b>Longitude DD:</b>	-75.716772
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	18

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Depth Elev:</b>				<b>Easting:</b>	443911
<b>Drill Method:</b>				<b>Northing:</b>	5028622
<b>Orig Ground Elev m:</b>	56.4			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	56.2				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218394096			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	3			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL.				
<b>Geology Stratum ID:</b>	218394097			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	7.6			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Gravel			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Boulders			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	GRAVEL.				
<b>Geology Stratum ID:</b>	218394098			<b>Mat Consistency:</b>	Firm
<b>Top Depth:</b>	7.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	24.4			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Limestone			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	LIMESTONE. GREY. 00030 CLAY. SOFT. CLAY. VERY SOFT. SAND. FIRM. CK,LIMESTONE, SHALE.				
<b><u>Source</u></b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>				<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA2.txt RecordID: 05704 NTS_Sheet:				
<b>Confiden 1:</b>					
<b><u>Source List</u></b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Source Originators:</b>		Geological Survey of Canada			
<a href="#">74</a>	1 of 3	W/138.5	63.6 / 2.69	ACKLANDS LIMITED 1050 SOMERSET ST. WEST OTTAWA ON K1Y 3C5	GEN
<b>Generator No:</b>	ON0021803			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	6359				
<b>SIC Description:</b>	OTHER VEH. REPAIR				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<a href="#">74</a>	2 of 3	W/138.5	63.6 / 2.69	ACKLANDS LIMITED 02-414 1050 SOMERSET ST. WEST OTTAWA ON K1Y 3C5	GEN
<b>Generator No:</b>	ON0021803			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	6359				
<b>SIC Description:</b>	OTHER VEH. REPAIR				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<a href="#">74</a>	3 of 3	W/138.5	63.6 / 2.69	ACKLANDS LIMITED 1050 SOMERSET STREET WEST OTTAWA ON K1Y 3C5	GEN
<b>Generator No:</b>	ON0021803			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	6359				
<b>SIC Description:</b>	OTHER VEH. REPAIR				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<a href="#">75</a>	1 of 5	ESE/139.6	63.9 / 3.00	V Steel Works Ltd. 17 Larch St Ottawa ON K1R 6W4	SCT
<b>Established:</b>	7/1/1975				
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>		All Other Industrial Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333299			
<b>Description:</b>		Other Plate Work and Fabricated Structural Product Manufacturing			
<b>SIC/NAICS Code:</b>		332319			
<b>Description:</b>		Other Ornamental and Architectural Metal Product Manufacturing			
<b>SIC/NAICS Code:</b>		332329			

<a href="#">75</a>	2 of 5	ESE/139.6	63.9 / 3.00	15-19 Larch Street Ottawa ON K1R 6W4	EHS
<b>Order No:</b>	20200515158			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	21-MAY-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	15-MAY-20			<b>X:</b>	-75.713835
<b>Previous Site Name:</b>				<b>Y:</b>	45.4055553
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">75</a>	3 of 5	ESE/139.6	63.9 / 3.00	15-19 Larch Street Ottawa ON K1R 6W4	EHS
<b>Order No:</b>	20200515158			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	21-MAY-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	15-MAY-20			<b>X:</b>	-75.713835
<b>Previous Site Name:</b>				<b>Y:</b>	45.4055553
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">75</a>	4 of 5	ESE/139.6	63.9 / 3.00	15-19 Larch Street Ottawa ON K1R 6W4	EHS
<b>Order No:</b>	20200515158			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	21-MAY-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	15-MAY-20			<b>X:</b>	-75.713835
<b>Previous Site Name:</b>				<b>Y:</b>	45.4055553
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">75</a>	5 of 5	ESE/139.6	63.9 / 3.00	15-19 Larch Street Ottawa ON K1R 6W4	EHS
<b>Order No:</b>	20200515158			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	21-MAY-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	15-MAY-20			<b>X:</b>	-75.713835
<b>Previous Site Name:</b>				<b>Y:</b>	45.4055553
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">76</a>	1 of 1	NE/140.2	65.8 / 4.89	105 Preston Street Ottawa ON	EHS
<b>Order No:</b>	20081124016			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	12/3/2008			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	11/24/2008			<b>X:</b>	-75.714113
<b>Previous Site Name:</b>				<b>Y:</b>	45.408597
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				
<a href="#">77</a>	1 of 1	E/140.2	66.6 / 5.69	173-177 PRESTON ST Ottawa ON	WWIS
<b>Well ID:</b>	7230092			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	10/24/2014
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1844
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z180596			<b>Owner:</b>	
<b>Tag:</b>	A153936			<b>Street Name:</b>	173-177 PRESTON ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005178385			<b>Elevation:</b>	58.334548
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	444198
<b>Code OB Desc:</b>				<b>North83:</b>	5028425
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	1/17/2014			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1005361704				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		4			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		1.6			
<b>Formation End Depth:</b>		3.9			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005361706			
<b>Layer:</b>		6			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		7.2			
<b>Formation End Depth:</b>		8.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005361705			
<b>Layer:</b>		5			
<b>Color:</b>		7			
<b>General Color:</b>		RED			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		29			
<b>Mat2 Desc:</b>		FINE GRAVEL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		3.9			
<b>Formation End Depth:</b>		7.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005361703			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		01			
<b>Mat3 Desc:</b>		FILL			
<b>Formation Top Depth:</b>		1.01			
<b>Formation End Depth:</b>		1.6			
<b>Formation End Depth UOM:</b>		m			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005361702			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		15			
<b>Mat2 Desc:</b>		LIMESTONE			
<b>Mat3:</b>		28			
<b>Mat3 Desc:</b>		SAND			
<b>Formation Top Depth:</b>		.05			
<b>Formation End Depth:</b>		1.01			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005361701			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.05			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005361713			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.3			
<b>Plug To:</b>		0.6			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005361712			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		HSA			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005361700			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing ID:</b> 1005361709					
<b>Layer:</b> 1					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b> 0					
<b>Depth To:</b> 3					
<b>Casing Diameter:</b> 3.18					
<b>Casing Diameter UOM:</b> cm					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1005361710					
<b>Layer:</b> 1					
<b>Slot:</b> 10					
<b>Screen Top Depth:</b> 3					
<b>Screen End Depth:</b> 6					
<b>Screen Material:</b> 5					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b> cm					
<b>Screen Diameter:</b> 3.89					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1005361708					
<b>Layer:</b> 1					
<b>Kind Code:</b> 8					
<b>Kind:</b> Untested					
<b>Water Found Depth:</b> 4.45					
<b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1005361707					
<b>Diameter:</b> 20.3					
<b>Depth From:</b> 0					
<b>Depth To:</b> 8.5					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<a href="#">78</a>	1 of 4	N/140.7	60.0 / -0.88	MANSFIELD & RODNEY PRINTING 164 ELM ST OTTAWA ON K1R 6N5	SCT
<b>Established:</b> 1963					
<b>Plant Size (ft²):</b> 2000					
<b>Employment:</b> 8					
<b>--Details--</b>					
<b>Description:</b> COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED					
<b>SIC/NAICS Code:</b> 2759					
<b>Description:</b> Other Printing					
<b>SIC/NAICS Code:</b> 323119					
<a href="#">78</a>	2 of 4	N/140.7	60.0 / -0.88	Mansfield & Rodney Printing Ltd. 164 Elm St Ottawa ON K1R 6N5	SCT
<b>Established:</b> 1963					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Plant Size (ft²):</b>		2000			
<b>Employment:</b>		8			
<a href="#">78</a>	3 of 4	N/140.7	60.0 / -0.88	<b>MANSFIELD &amp; RODNEY PRINTING LTD.</b> 164 ELM STREET OTTAWA ON K1R 6N5	GEN
<b>Generator No:</b>	ON1787400			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	93,95,96,97,98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	2811				
<b>SIC Description:</b>	BUSINESS FORMS PRINT				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	264				
<b>Waste Class Desc:</b>	PHOTOPROCESSING WASTES				
<a href="#">78</a>	4 of 4	N/140.7	60.0 / -0.88	<b>MANSFIELD &amp; RODNEY PRINTING</b> 164 ELM STREET OTTAWA ON K1R 6N5	GEN
<b>Generator No:</b>	ON1787400			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	2811				
<b>SIC Description:</b>	BUSINESS FORMS PRINT				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	264				
<b>Waste Class Desc:</b>	PHOTOPROCESSING WASTES				
<a href="#">79</a>	1 of 4	NE/140.8	63.5 / 2.61	<b>PARAMOUNT PEST CONTROL</b> 110 SPRUCE ST APT#3 OTTAWA ON K1R 6P2	PES
<b>Detail Licence No:</b>				<b>Operator Box:</b>	
<b>Licence No:</b>				<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b>				<b>Oper Area Code:</b>	
<b>Licence Type:</b>	Operator			<b>Oper Phone No:</b>	
<b>Licence Type Code:</b>	02			<b>Operator Ext:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">79</a>	2 of 4	NE/140.8	63.5 / 2.61	PARAMOUNT PEST CONTROL 110 SPRUCE ST; APT. #3 OTTAWA ON K1R 6P2	PES
<b>Detail Licence No:</b> <b>Licence No:</b> <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> <b>Licence Type:</b> Operator <b>Licence Type Code:</b> 02 <b>Licence Class:</b> <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>		<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>			
<a href="#">79</a>	3 of 4	NE/140.8	63.5 / 2.61	DAVID SAUNDERS O/A PARAMOUNT PEST CONTROL 110 SPRUCE ST, APT 3 OTTAWA ON K1R 6P2	PES
<b>Detail Licence No:</b> <b>Licence No:</b> <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> <b>Licence Type:</b> <b>Licence Type Code:</b> <b>Licence Class:</b> <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>		<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> Operator <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>			
<a href="#">79</a>	4 of 4	NE/140.8	63.5 / 2.61	DAVID SAUNDERS O/A PARAMOUNT PEST CONTROL 110 SPRUCE ST, APT 3 OTTAWA ON K1R 6P2	PES
<b>Detail Licence No:</b> <b>Licence No:</b> <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> <b>Licence Type:</b> Operator <b>Licence Type Code:</b> <b>Licence Class:</b> <b>Licence Control:</b>		<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>		<b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>			
<a href="#">80</a>	1 of 9	N/140.8	60.0 / -0.88	UNION ENGRAVING & PRINTING LTD 145 SPRUCE ST OTTAWA ON K1R 6P1	SCT
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>		1918 0 18			
<b>--Details--</b>					
<b>Description:</b>		Quick Printing			
<b>SIC/NAICS Code:</b>		323114			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<a href="#">80</a>	2 of 9	N/140.8	60.0 / -0.88	UNION ENGRAVING & PRINTING LTD 145 SPRUCE ST OTTAWA ON K1R 6P1	SCT
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>		1918 0 12			
<b>--Details--</b>					
<b>Description:</b>		COMMERCIAL PRINTING, LITHOGRAPHIC			
<b>SIC/NAICS Code:</b>		2752			
<b>Description:</b>		COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2759			
<a href="#">80</a>	3 of 9	N/140.8	60.0 / -0.88	ALEXANDER BATTERY CORPORATION 02-338 145-A SPRUCE STREET OTTAWA ON K1R 6P1	GEN
<b>Generator No:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>		ON1314600  92,93,94,95,96,97,98  5743 ELECTRONIC MACHINERY	<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
			112		
			ACID WASTE - HEAVY METALS		
			121		
			ALKALINE WASTES - HEAVY METALS		
<a href="#">80</a>	4 of 9	N/140.8	60.0 / -0.88	UNION ENGRAVING CO. LTD. 39-450 145 SPRUCE STREET OTTAWA ON K1R 6P1	GEN
<b>Generator No:</b>	ON1584800			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	2819				
<b>SIC Description:</b>	OTHER COMM. PRINTING				
<u>Detail(s)</u>					
			264		
			PHOTOPROCESSING WASTES		
<a href="#">80</a>	5 of 9	N/140.8	60.0 / -0.88	ALEXANDER BATTERY CORPORATION 145-A SPRUCE STREET OTTAWA ON K1R 6P1	GEN
<b>Generator No:</b>	ON1314600			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	5743				
<b>SIC Description:</b>	ELECTRONIC MACHINERY				
<u>Detail(s)</u>					
			112		
			ACID WASTE - HEAVY METALS		
			121		
			ALKALINE WASTES - HEAVY METALS		
<a href="#">80</a>	6 of 9	N/140.8	60.0 / -0.88	UNION ENGRAVING CO. LTD. 145 SPRUCE STREET OTTAWA ON K1R 6P1	GEN
<b>Generator No:</b>	ON1584800			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01,02,03,04,05			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	2819				
<b>SIC Description:</b>	OTHER COMM. PRINTING				
<u>Detail(s)</u>					
			264		
			PHOTOPROCESSING WASTES		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">80</a>	7 of 9	N/140.8	60.0 / -0.88	Oberon Press 145 Spruce St Suite 205 Ottawa ON K1R 6P1	SCT
<b>Established:</b>		01-AUG-66			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Book Publishers			
<b>SIC/NAICS Code:</b>		511130			
<a href="#">80</a>	8 of 9	N/140.8	60.0 / -0.88	Alexander Battery Corp. 145 Spruce St Ottawa ON K1R 6P1	SCT
<b>Established:</b>		01-JUL-81			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Electrical Wiring and Construction Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416110			
<b>Description:</b>		Electrical Wiring and Construction Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416110			
<a href="#">80</a>	9 of 9	N/140.8	60.0 / -0.88	A.H. FITZSIMMONS & CO. LTD. 145 SPRUCE STREET OTTAWA ON K1R 6P1	GEN
<b>Generator No:</b>		ON4479338			
<b>Status:</b>					
<b>Approval Years:</b>		2010			
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b>		323119			
<b>SIC Description:</b>		Other Printing			
<b>PO Box No:</b>					
<b>Country:</b>					
<b>Choice of Contact:</b>					
<b>Co Admin:</b>					
<b>Phone No Admin:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<a href="#">81</a>	1 of 18	WSW/141.4	64.1 / 3.25	OTTAWA BOARD OF EDUCATION 100 BREEZEHILL AVENUE OTTAWA ON K1Y 2H5	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No:</b> ON0375224 <b>Status:</b> <b>Approval Years:</b> 96,97,98,99,00,01 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 8511 <b>SIC Description:</b> ELEM./SECON. EDUC. <b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 221 <b>Waste Class Desc:</b> LIGHT FUELS					
<a href="#">81</a>	2 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board Devonshire Community PS 100 Breezehill Avenue Ottawa ON K1Y 2H5	GEN
<b>Generator No:</b> ON7620039 <b>Status:</b> <b>Approval Years:</b> 02,03,04 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 243 <b>Waste Class Desc:</b> PCB'S					
<a href="#">81</a>	3 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board Devonshire PS 100 Breezehill Avenue Ottawa ON	GEN
<b>Generator No:</b> ON8413809 <b>Status:</b> <b>Approval Years:</b> 03,04 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<a href="#">81</a>	4 of 18	WSW/141.4	64.1 / 3.25	SEACOR Environmental Inc. 100 Breezehill Ave Ottawa ON	GEN
<b>Generator No:</b> ON7477757 <b>Status:</b> <b>Approval Years:</b> 06 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 611690 <b>SIC Description:</b> All Other Schools and Instruction <b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 222 <b>Waste Class Desc:</b> HEAVY FUELS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">81</a>	5 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board 100 Breezehille Ave. Ottawa ON K1Y 2H5	GEN
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	611110				
<b>SIC Description:</b>	Elementary and Secondary Schools				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<a href="#">81</a>	6 of 18	WSW/141.4	64.1 / 3.25	SLR Consulting (Canada) Ltd. 100 Breezehill Ave Ottawa ON K1Y 2H5	GEN
<b>Generator No:</b>	ON7477757			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	611690				
<b>SIC Description:</b>	All Other Schools and Instruction				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	221				
<b>Waste Class Desc:</b>	LIGHT FUELS				
<b>Waste Class:</b>	222				
<b>Waste Class Desc:</b>	HEAVY FUELS				
<a href="#">81</a>	7 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board 100 Breezehille Ave. Ottawa ON	GEN
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	611110				
<b>SIC Description:</b>	Elementary and Secondary Schools				
<b><u>Detail(s)</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			

<a href="#">81</a>	8 of 18	WSW/141.4	64.1 / 3.25	SLR Consulting (Canada) Ltd. 100 Breezehill Ave Ottawa ON	GEN
<b>Generator No:</b>	ON7477757			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	611690				
<b>SIC Description:</b>	All Other Schools and Instruction				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	222				
<b>Waste Class Desc:</b>	HEAVY FUELS				
<b>Waste Class:</b>	221				
<b>Waste Class Desc:</b>	LIGHT FUELS				

<a href="#">81</a>	9 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board 100 Breezehille Ave. Ottawa ON	GEN
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	611110				
<b>SIC Description:</b>	Elementary and Secondary Schools				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	145				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<a href="#">81</a>	10 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board 100 Breezehille Ave. Ottawa ON	GEN
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	611110				
<b>SIC Description:</b>	Elementary and Secondary Schools				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<a href="#">81</a>	11 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board 100 Breezehille Ave. Ottawa ON K1Y 2H5	GEN
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	611110				
<b>SIC Description:</b>	Elementary and Secondary Schools				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<a href="#">81</a>	12 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board 100 Breezehille Ave.	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ottawa ON</b>					
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	611110				
<b>SIC Description:</b>	ELEMENTARY AND SECONDARY SCHOOLS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>81</b>	<b>13 of 18</b>	<b>WSW/141.4</b>	<b>64.1 / 3.25</b>	<b>Ottawa-Carleton District School Board 100 Breezehille Ave. Ottawa ON K1Y 2H5</b>	<b>GEN</b>
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Greg Benson
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-596-8211 Ext.8549
<b>SIC Code:</b>	611110				
<b>SIC Description:</b>	ELEMENTARY AND SECONDARY SCHOOLS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	112				
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	145				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<a href="#">81</a>	14 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board 100 Breezehille Ave. Ottawa ON K1Y 2H5	GEN
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Greg Benson
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-596-8211 Ext.8549
<b>SIC Code:</b>	611110				
<b>SIC Description:</b>	ELEMENTARY AND SECONDARY SCHOOLS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	112				
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				

<a href="#">81</a>	15 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board 100 Breezehille Ave. Ottawa ON K1Y 2H5	GEN
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Greg Benson
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-596-8211 Ext.8549
<b>SIC Code:</b>	611110				
<b>SIC Description:</b>	ELEMENTARY AND SECONDARY SCHOOLS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			

<a href="#">81</a>	16 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board Health & Safety 100 Breezehille Ave. Ottawa ON K1Y 2H5	GEN
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					

**Detail(s)**

<b>Waste Class:</b>	112 C
<b>Waste Class Desc:</b>	Acid solutions - containing heavy metals
<b>Waste Class:</b>	122 C
<b>Waste Class Desc:</b>	Alkaline slutions - containing other metals and non-metals (not cyanide)
<b>Waste Class:</b>	145 I
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints
<b>Waste Class:</b>	145 T
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints
<b>Waste Class:</b>	148 C
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals
<b>Waste Class:</b>	148 I
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals
<b>Waste Class:</b>	213 I
<b>Waste Class Desc:</b>	Petroleum distillates
<b>Waste Class:</b>	252 L
<b>Waste Class Desc:</b>	Waste crankcase oils and lubricants
<b>Waste Class:</b>	263 B
<b>Waste Class Desc:</b>	Misc. waste organic chemicals
<b>Waste Class:</b>	263 I
<b>Waste Class Desc:</b>	Misc. waste organic chemicals
<b>Waste Class:</b>	331 I
<b>Waste Class Desc:</b>	Waste compressed gases including cylinders

<a href="#">81</a>	17 of 18	WSW/141.4	64.1 / 3.25	Ottawa-Carleton District School Board Health & Safety 100 Breezehille Ave.	GEN
--------------------	----------	-----------	-------------	---	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ottawa ON K1Y 2H5</b>					
<b>Generator No:</b>	ON7473867			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jul 2020			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	148 I				
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals				
<b>Waste Class:</b>	148 C				
<b>Waste Class Desc:</b>	Misc. wastes and inorganic chemicals				
<b>Waste Class:</b>	213 I				
<b>Waste Class Desc:</b>	Petroleum distillates				
<b>Waste Class:</b>	112 C				
<b>Waste Class Desc:</b>	Acid solutions - containing heavy metals				
<b>Waste Class:</b>	252 L				
<b>Waste Class Desc:</b>	Waste crankcase oils and lubricants				
<b>Waste Class:</b>	263 B				
<b>Waste Class Desc:</b>	Misc. waste organic chemicals				
<b>Waste Class:</b>	145 T				
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints				
<b>Waste Class:</b>	263 I				
<b>Waste Class Desc:</b>	Misc. waste organic chemicals				
<b>Waste Class:</b>	122 C				
<b>Waste Class Desc:</b>	Alkaline slutions - containing other metals and non-metals (not cyanide)				
<b>Waste Class:</b>	145 I				
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints				
<b>Waste Class:</b>	331 I				
<b>Waste Class Desc:</b>	Waste compressed gases including cylinders				

<b><u>81</u></b>	<b>18 of 18</b>	<b>WSW/141.4</b>	<b>64.1 / 3.25</b>	<b>Ottawa-Carleton District School Board Health &amp; Safety 100 Breezehille Ave. Ottawa ON K1Y 2H5</b>	<b>GEN</b>
------------------	-----------------	------------------	--------------------	---	------------

<b>Generator No:</b>	ON7473867	<b>PO Box No:</b>	
<b>Status:</b>	Registered	<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jan 2021	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>			
<b>SIC Description:</b>			

**Detail(s)**

<b>Waste Class:</b>	112 C
<b>Waste Class Desc:</b>	Acid solutions - containing heavy metals

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		263 B			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<b>Waste Class:</b>		213 I			
<b>Waste Class Desc:</b>		Petroleum distillates			
<b>Waste Class:</b>		122 C			
<b>Waste Class Desc:</b>		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Class:</b>		145 I			
<b>Waste Class Desc:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Class:</b>		148 I			
<b>Waste Class Desc:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Class:</b>		263 I			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<b>Waste Class:</b>		148 C			
<b>Waste Class Desc:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Class:</b>		145 T			
<b>Waste Class Desc:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Class:</b>		331 I			
<b>Waste Class Desc:</b>		Waste compressed gases including cylinders			

[82](#)    1 of 1    **E/141.7**    **66.9 / 6.00**    **173 Preston St  
Ottawa ON K1R7P6**    **EHS**

<b>Order No:</b>	20131219015	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	RSC Report (Urban)	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	02-JAN-14	<b>Search Radius (km):</b>	.3
<b>Date Received:</b>	19-DEC-13	<b>X:</b>	-75.712947
<b>Previous Site Name:</b>		<b>Y:</b>	45.406838
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans		

[83](#)    1 of 1    **NW/142.3**    **60.0 / -0.88**    **ON**    **BORE**

<b>Borehole ID:</b>	847974	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215589631	<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned	<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Primary Name:</b>	
<b>Completion Date:</b>	01-DEC-1962	<b>Municipality:</b>	
<b>Static Water Level:</b>		<b>Lot:</b>	LOT 38
<b>Primary Water Use:</b>		<b>Township:</b>	NEPEAN
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	45.408408
<b>Total Depth m:</b>	5.5	<b>Longitude DD:</b>	-75.718436
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	18
<b>Depth Elev:</b>		<b>Easting:</b>	443780
<b>Drill Method:</b>	Diamond Drill	<b>Northing:</b>	5028572
<b>Orig Ground Elev m:</b>	56.7	<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b>	Within 50 metres
<b>DEM Ground Elev m:</b>	56.4		
<b>Concession:</b>	CON 1 ON OTTAWA RIVER		
<b>Location D:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Survey D:  
Comments:

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	6559443	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	3	<b>Material Texture:</b>	
<b>Material Color:</b>	Brown	<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt	<b>Geologic Group:</b>	
<b>Material 3:</b>	Fill	<b>Geologic Period:</b>	
<b>Material 4:</b>	Gravel	<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	BROWN, SILTY SAND AND GRAVEL FILL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

<b>Geology Stratum ID:</b>	6559444	<b>Mat Consistency:</b>	Soft
<b>Top Depth:</b>	3	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.5	<b>Material Texture:</b>	
<b>Material Color:</b>	Brown	<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Gravel	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel	<b>Geologic Group:</b>	
<b>Material 3:</b>	Dark-Coloured	<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	DARK BROWN SOFT PEAT, POCKETS OF GRAVEL (MOSTLY GRAVEL AT BOTTOM OF BOREHOLE) **Note: Many records provided by the department have a truncated [Stratum Description] field.		

<a href="#">84</a>	1 of 1	NW/143.0	58.8 / -2.03	250 CITY CENTRE AVE Ottawa ON	WWIS
--------------------	--------	----------	--------------	----------------------------------	------

<b>Well ID:</b>	7202054	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	5/27/2013
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z168669	<b>Owner:</b>	
<b>Tag:</b>	A145959	<b>Street Name:</b>	250 CITY CENTRE AVE
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

PDF URL (Map):

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004311990	<b>Elevation:</b>	55.936843
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443816
<b>Code OB Desc:</b>		<b>North83:</b>	5028588
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	9/19/2012			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1004878912  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** .31  
**Formation End Depth:** 2.74  
**Formation End Depth UOM:** m

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1004878911  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:**  
**Most Common Material:**  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 77  
**Mat3 Desc:** LOOSE  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1004878913  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** 2.74  
**Formation End Depth:** 4.57  
**Formation End Depth UOM:** m

**Annular Space/Abandonment**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1004878921			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.31			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1004878923			
<i>Layer:</i>		3			
<i>Plug From:</i>		1.22			
<i>Plug To:</i>		4.57			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<i>Plug ID:</i>		1004878922			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.31			
<i>Plug To:</i>		1.22			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1004878920			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004878910			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004878916			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		1.52			
<i>Casing Diameter:</i>		4.03			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004878917			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		1.52			
<i>Screen End Depth:</i>		4.57			
<i>Screen Material:</i>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<b><u>Water Details</u></b>					
Water ID:		1004878915			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004878914			
Diameter:		8.25			
Depth From:		0			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">85</a>	1 of 1	E/144.5	66.9 / 6.00	Padom Holdings Ltd. 173 Preston St Ottawa ON K2C 1P1	ECA
Approval No:		6105-A9ZMF9		MOE District:	Ottawa
Approval Date:		2016-05-19		City:	
Status:		Approved		Longitude:	-75.71293
Record Type:		ECA		Latitude:	45.406889
Link Source:		IDS		Geometry X:	
SWP Area Name:		Rideau Valley		Geometry Y:	
Approval Type:		ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS			
Project Type:		MUNICIPAL AND PRIVATE SEWAGE WORKS			
Business Name:		Padom Holdings Ltd.			
Address:		173 Preston St			
Full Address:					
Full PDF Link:		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9998-A4SMY7-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9998-A4SMY7-14.pdf</a>			
<a href="#">86</a>	1 of 1	NW/145.0	59.4 / -1.43	250 City Centre Ottawa ON	EHS
Order No:		20120912025		Nearest Intersection:	
Status:		C		Municipality:	Ottawa
Report Type:		Standard Report		Client Prov/State:	ON
Report Date:		20-SEP-12		Search Radius (km):	.25
Date Received:		12-SEP-12		X:	-75.718313
Previous Site Name:		F.W. Argue Ltd (Wood & Coal Yard) W.C. Edwards & Co. Ltd (Wood Yard & Planing Mill)		Y:	45.408472
Lot/Building Size:		2.47 acres			
Additional Info Ordered:					
<a href="#">87</a>	1 of 1	WSW/145.3	64.7 / 3.80	ON	WWIS
Well ID:		7216640		Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	2/20/2014
Sec. Water Use:				Selected Flag:	Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> C21873 <b>Tag:</b> A137238 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>  <b>PDF URL (Map):</b>				<b>Abandonment Rec:</b> <b>Contractor:</b> 6964 <b>Form Version:</b> 8 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> OTTAWA <b>Municipality:</b> OTTAWA CITY <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1004713335 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 1/4/2013 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> 64.669372 <b>Elevrc:</b> <b>Zone:</b> 18 <b>East83:</b> 443739 <b>North83:</b> 5028276 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> gis	

<a href="#">88</a>	1 of 1	NW/146.0	59.4 / -1.43	250 CITY CENTRE AVE Ottawa ON	WWIS
<b>Well ID:</b> 7202056 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> <b>Final Well Status:</b> Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z168670 <b>Tag:</b> A145960 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>  <b>PDF URL (Map):</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 5/27/2013 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 250 CITY CENTRE AVE <b>County:</b> OTTAWA <b>Municipality:</b> OTTAWA CITY <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004311996			<b>Elevation:</b>	56.006072
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443799
<b>Code OB Desc:</b>				<b>North83:</b>	5028584
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	4/19/2013			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1004879041				
<b>Layer:</b>	3				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	06				
<b>Most Common Material:</b>	SILT				
<b>Mat2:</b>	28				
<b>Mat2 Desc:</b>	SAND				
<b>Mat3:</b>	85				
<b>Mat3 Desc:</b>	SOFT				
<b>Formation Top Depth:</b>	2.13				
<b>Formation End Depth:</b>	4.57				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1004879040				
<b>Layer:</b>	2				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	11				
<b>Mat2 Desc:</b>	GRAVEL				
<b>Mat3:</b>	85				
<b>Mat3 Desc:</b>	SOFT				
<b>Formation Top Depth:</b>	.31				
<b>Formation End Depth:</b>	2.13				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1004879039				
<b>Layer:</b>	1				
<b>Color:</b>	8				
<b>General Color:</b>	BLACK				
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>	11				
<b>Mat2 Desc:</b>	GRAVEL				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004879051			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.22			
<b>Plug To:</b>		4.57			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004879049			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004879050			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		1.22			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004879048			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004879038			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004879044			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.52			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Screen**

**Screen ID:** 1004879045  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 1.52  
**Screen End Depth:** 4.57  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 4.82

**Water Details**

**Water ID:** 1004879043  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1004879042  
**Diameter:** 8.25  
**Depth From:** 0  
**Depth To:** 4.57  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">89</a>	1 of 1	ESE/147.6	65.6 / 4.69	10278408 CANADA INC. 186 preston ottawa ON K1B 2P9	PES
--------------------	--------	-----------	-------------	--	-----

<b>Detail Licence No:</b> <b>Licence No:</b> L-231-5038923500 <b>Status:</b> Active <b>Approval Date:</b> 2019-01-09 <b>Report Source:</b> PEST-General Vendor <b>Licence Type:</b> General Vendor <b>Licence Type Code:</b> <b>Licence Class:</b> <b>Licence Control:</b> <b>Latitude:</b> 45.14166667 <b>Longitude:</b> -76.16 <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b> <a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2116270">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2116270</a>	<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> Ottawa <b>SWP Area Name:</b> Mississippi Valley
---	--

<a href="#">90</a>	1 of 1	E/147.9	66.9 / 6.00	173-177 PRESTON ST Ottawa ON	WWIS
--------------------	--------	---------	-------------	---------------------------------	------

<b>Well ID:</b> 7230093 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring <b>Sec. Water Use:</b> <b>Final Well Status:</b> Observation Wells <b>Water Type:</b>	<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 10/24/2014 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 1844
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z180597			<b>Owner:</b>	
<b>Tag:</b>	A153936			<b>Street Name:</b>	173-177 PRESTON ST
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

PDF URL (Map):

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005178388	<b>Elevation:</b>	58.28907
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	444213
<b>Code OB Desc:</b>		<b>North83:</b>	5028401
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	1/17/2014	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	1005361728
<b>Layer:</b>	4
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	28
<b>Mat2 Desc:</b>	SAND
<b>Mat3:</b>	34
<b>Mat3 Desc:</b>	TILL
<b>Formation Top Depth:</b>	1.6
<b>Formation End Depth:</b>	3.9
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	1005361726
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	01
<b>Most Common Material:</b>	FILL
<b>Mat2:</b>	15
<b>Mat2 Desc:</b>	LIMESTONE

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>		28			
<b>Mat3 Desc:</b>		SAND			
<b>Formation Top Depth:</b>		.05			
<b>Formation End Depth:</b>		.6			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005361727			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		01			
<b>Mat3 Desc:</b>		FILL			
<b>Formation Top Depth:</b>		.6			
<b>Formation End Depth:</b>		1.6			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005361729			
<b>Layer:</b>		5			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		13			
<b>Mat3 Desc:</b>		BOULDERS			
<b>Formation Top Depth:</b>		3.9			
<b>Formation End Depth:</b>		10.9			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005361725			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.05			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005361736			
<b>Layer:</b>		1			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		0.3			
<i>Plug To:</i>		0.6			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1005361735			
<i>Method Construction Code:</i>		B			
<i>Method Construction:</i>		Other Method			
<i>Other Method Construction:</i>		HSA			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1005361724			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1005361732			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		3			
<i>Casing Diameter:</i>		3.18			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1005361733			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		3			
<i>Screen End Depth:</i>		4.6			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		3.89			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1005361731			
<i>Layer:</i>		1			
<i>Kind Code:</i>		8			
<i>Kind:</i>		Untested			
<i>Water Found Depth:</i>		3.5			
<i>Water Found Depth UOM:</i>		m			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1005361730			
<i>Diameter:</i>		20.3			
<i>Depth From:</i>		0			
<i>Depth To:</i>		10.9			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">91</a>	1 of 2	E/148.7	66.9 / 6.00	Bridgehead (2000) Inc. 130 Anderson Street Ottawa K1R 6T7 CITY OF OTTAWA ON	EBR
<b>EBR Registry No:</b> 012-1133 <b>Ministry Ref No:</b> 9800-9FDQHL <b>Notice Type:</b> Instrument Decision <b>Notice Stage:</b> <b>Notice Date:</b> August 04, 2016 <b>Proposal Date:</b> February 21, 2014 <b>Year:</b> 2014 <b>Decision Posted:</b> <b>Exception Posted:</b> <b>Section:</b> <b>Act 1:</b> <b>Act 2:</b> <b>Site Location Map:</b> <b>Instrument Type:</b> (EPA Part II.1-air) - Environmental Compliance Approval (project type: air) <b>Off Instrument Name:</b> <b>Posted By:</b> <b>Company Name:</b> Bridgehead (2000) Inc. <b>Site Address:</b> <b>Location Other:</b> <b>Proponent Name:</b> <b>Proponent Address:</b> 130 Anderson Street, Ottawa Ontario, Canada K1R 6T7 <b>Comment Period:</b> <b>URL:</b> <b>Site Location Details:</b> 130 Anderson Street Ottawa K1R 6T7 CITY OF OTTAWA					
<a href="#">91</a>	2 of 2	E/148.7	66.9 / 6.00	BRIDGEHEAD (2000) INC. 130 Anderson ST Ottawa ON K1R 6T7	EASR
<b>Approval No:</b> R-010-4112868817 <b>Status:</b> REGISTERED <b>Date:</b> 2021-01-26 <b>Record Type:</b> EASR <b>Link Source:</b> MOFA <b>Project Type:</b> Air Emissions <b>Full Address:</b> <b>Approval Type:</b> EASR-Air Emissions <b>Full PDF Link:</b> <a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2332788">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2332788</a> <b>SWP Area Name:</b> <b>MOE District:</b> <b>Municipality:</b> Ottawa <b>Latitude:</b> <b>Longitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>					
<a href="#">92</a>	1 of 5	E/149.9	67.0 / 6.08	185 Preston Street Ottawa ON K1R 7P8	EHS
<b>Order No:</b> 20191127055 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 02-DEC-19 <b>Date Received:</b> 27-NOV-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> <b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.712842 <b>Y:</b> 45.406438					
<a href="#">92</a>	2 of 5	E/149.9	67.0 / 6.08	185 Preston Street Ottawa ON K1R 7P8	EHS
<b>Order No:</b> 20191127055 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Report Date:</b> 02-DEC-19 <b>Date Received:</b> 27-NOV-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<a href="#">92</a>	3 of 5	E/149.9	67.0 / 6.08	185 Preston Street Ottawa ON K1R 7P8	EHS
<b>Order No:</b> 20191127055 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 02-DEC-19 <b>Date Received:</b> 27-NOV-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.712842 <b>Y:</b> 45.406438					
<a href="#">92</a>	4 of 5	E/149.9	67.0 / 6.08	185 Preston Street Ottawa ON K1R 7P8	EHS
<b>Order No:</b> 20191127055 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 02-DEC-19 <b>Date Received:</b> 27-NOV-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.712842 <b>Y:</b> 45.406438					
<a href="#">92</a>	5 of 5	E/149.9	67.0 / 6.08	185 Preston Street Ottawa ON K1R 7P8	EHS
<b>Order No:</b> 20191127055 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 02-DEC-19 <b>Date Received:</b> 27-NOV-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.712842 <b>Y:</b> 45.406438					
<a href="#">93</a>	1 of 1	NW/150.5	59.4 / -1.43	250 CITY CENTRE AVE Ottawa ON	WWIS
<b>Well ID:</b> 7202053 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> <b>Final Well Status:</b> Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z168668 <b>Tag:</b> A145958 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b>					
<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 5/27/2013 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 250 CITY CENTRE AVE <b>County:</b> OTTAWA <b>Municipality:</b> OTTAWA CITY <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>  <b>PDF URL (Map):</b>				<b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1004311987 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 4/18/2013 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> 55.967887 <b>Elevrc:</b> <b>Zone:</b> 18 <b>East83:</b> 443804 <b>North83:</b> 5028591 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1004878870 <b>Layer:</b> 3 <b>Color:</b> 2 <b>General Color:</b> GREY <b>Mat1:</b> 06 <b>Most Common Material:</b> SILT <b>Mat2:</b> 28 <b>Mat2 Desc:</b> SAND <b>Mat3:</b> 79 <b>Mat3 Desc:</b> PACKED <b>Formation Top Depth:</b> 2.13 <b>Formation End Depth:</b> 4.57 <b>Formation End Depth UOM:</b> m					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1004878869 <b>Layer:</b> 2 <b>Color:</b> 6 <b>General Color:</b> BROWN <b>Mat1:</b> 28 <b>Most Common Material:</b> SAND <b>Mat2:</b> 11 <b>Mat2 Desc:</b> GRAVEL <b>Mat3:</b> 85 <b>Mat3 Desc:</b> SOFT <b>Formation Top Depth:</b> .31 <b>Formation End Depth:</b> 2.13 <b>Formation End Depth UOM:</b> m					
<b><u>Overburden and Bedrock</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004878868			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878878			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878880			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.22			
<b>Plug To:</b>		4.57			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878879			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		1.22			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004878877			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004878867			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004878873			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.52			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004878874			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.52			
<b>Screen End Depth:</b>		4.57			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004878872			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004878871			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.57			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<b>94</b>	<b>1 of 1</b>	<b>E/155.9</b>	<b>65.9 / 5.00</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	613150			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215514454			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>				<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.406375
<b>Total Depth m:</b>	-999			<b>Longitude DD:</b>	-75.712779
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	444221
<b>Drill Method:</b>				<b>Northing:</b>	5028342
<b>Orig Ground Elev m:</b>	61			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	57.9				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	218393912			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND.				
<b>Geology Stratum ID:</b>	218393914			<b>Mat Consistency:</b>	Firm
<b>Top Depth:</b>	2.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>				<b>Material Texture:</b>	
<b>Material Color:</b>	Black			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	BEDROCK. RM. TILL. FIRM. BEDROCK. 0025016CK,VERY HARD. BEDROCK. BLACK. LT.				
<b>Geology Stratum ID:</b>	218393913			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND.				

**Source**

<b>Source Type:</b>	Data Survey	<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada	<b>Source Ident:</b>	1
<b>Source Date:</b>	1956-1972	<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	H	<b>Horizontal:</b>	NAD27
<b>Observatio:</b>		<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Details:</b>	File: OTTAWA2.txt RecordID: 056580 NTS_Sheet: 31G05G		
<b>Confiden 1:</b>	Logged by professional. Exact and complete description of material and properties.		

**Source List**

<b>Source Identifier:</b>	1	<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey	<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972	<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies		
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Originators:</b>	Geological Survey of Canada		

<b>95</b>	<b>1 of 6</b>	<b>ENE/156.2</b>	<b>66.8 / 5.92</b>	<b>City of Ottawa 135 Preston Street Ottawa ON K1R 7P4</b>	<b>CA</b>
-----------	---------------	------------------	--------------------	--	-----------

<b>Certificate #:</b>	5614-6MXMC2
<b>Application Year:</b>	2006

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Issue Date:</b> 4/13/2006 <b>Approval Type:</b> Air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">95</a>	2 of 6	ENE/156.2	66.8 / 5.92	City of Ottawa 135 Preston Street Ottawa ON K1P 1J1	ECA
<b>Approval No:</b> 5614-6MXMC2 <b>Approval Date:</b> 2006-04-13 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Rideau Valley <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Business Name:</b> City of Ottawa <b>Address:</b> 135 Preston Street <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2208-6LRQ3U-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2208-6LRQ3U-14.pdf</a>				<b>MOE District:</b> Ottawa <b>City:</b> <b>Longitude:</b> -75.71349 <b>Latitude:</b> 45.407806 <b>Geometry X:</b> <b>Geometry Y:</b>	
<a href="#">95</a>	3 of 6	ENE/156.2	66.8 / 5.92	City of Ottawa 135 Preston St Ottawa ON K1R 7P4	GEN
<b>Generator No:</b> ON9607593 <b>Status:</b> <b>Approval Years:</b> 2016 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 913150 <b>SIC Description:</b> 913150				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Brian J Nielsen <b>Phone No Admin:</b> 6132323000 Ext.230	
<b>Detail(s)</b>					
<b>Waste Class:</b> 251 <b>Waste Class Desc:</b> OIL SKIMMINGS & SLUDGES					
<a href="#">95</a>	4 of 6	ENE/156.2	66.8 / 5.92	City of Ottawa Facilities 135 Preston St Ottawa ON K1R 7P4	GEN
<b>Generator No:</b> ON9607593 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2018 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b>Detail(s)</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b> <b>Waste Class Desc:</b>		251 L Waste oils/sludges (petroleum based)			
<a href="#">95</a>	5 of 6	<b>ENE/156.2</b>	<b>66.8 / 5.92</b>	<b>City of Ottawa Facilities 135 Preston St Ottawa ON K1R 7P4</b>	<b>GEN</b>
<b>Generator No:</b>	ON9607593			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jul 2020			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		251 L Waste oils/sludges (petroleum based)			
<a href="#">95</a>	6 of 6	<b>ENE/156.2</b>	<b>66.8 / 5.92</b>	<b>City of Ottawa Facilities 135 Preston St Ottawa ON K1R 7P4</b>	<b>GEN</b>
<b>Generator No:</b>	ON9607593			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jan 2021			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		251 L Waste oils/sludges (petroleum based)			
<a href="#">96</a>	1 of 1	<b>NE/158.3</b>	<b>66.0 / 5.16</b>	<b>PRESTON ST.-SPRUCE ST.- LAUREL ST. Ottawa ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7108782			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Date Received:</b>	7/29/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	4875
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z84229			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	PRESTON ST.-SPRUCE ST.- LAUREL ST.
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7108782.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7108782.pdf</a>				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1001695663			<b>Elevation:</b>	59.697109
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	444101
<b>Code OB Desc:</b>				<b>North83:</b>	5028624
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	7/2/2008			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1001744941				
<b>Layer:</b>	1				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	9.6				
<b>Formation End Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1001744953				
<b>Layer:</b>	6				
<b>Plug From:</b>	0				
<b>Plug To:</b>	7.5				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1001744952				
<b>Layer:</b>	5				
<b>Plug From:</b>	0				
<b>Plug To:</b>	10				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1001744949				
<b>Layer:</b>	2				
<b>Plug From:</b>	0				
<b>Plug To:</b>	6				
<b>Plug Depth UOM:</b>	m				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1001744948			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		9.6			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1001744950			
<i>Layer:</i>		3			
<i>Plug From:</i>		0			
<i>Plug To:</i>		6.4			
<i>Plug Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1001744951			
<i>Layer:</i>		4			
<i>Plug From:</i>		0			
<i>Plug To:</i>		10			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1001744958			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1001744940			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1001744955			
<i>Layer:</i>					
<i>Material:</i>					
<i>Open Hole or Material:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1001744956			
<i>Layer:</i>					
<i>Slot:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Top Depth:</b> <b>Screen End Depth:</b> <b>Screen Material:</b> <b>Screen Depth UOM:</b> <b>Screen Diameter UOM:</b> <b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001744954			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001744947			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<a href="#"><u>97</u></a>	1 of 5	<b>NNW/161.1</b>	<b>59.4 / -1.46</b>	<b>UNION ENGRAVING 166 ELM ST OTTAWA ON K1R 6N5</b>	<b>SCT</b>
<b>Established:</b>		1917			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		20			
<b><u>--Details--</u></b>					
<b>Description:</b>		Quick Printing			
<b>SIC/NAICS Code:</b>		323114			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<a href="#"><u>97</u></a>	2 of 5	<b>NNW/161.1</b>	<b>59.4 / -1.46</b>	<b>UNION ENGRAVING &amp; PRINTING LTD 166 Elm St Ottawa ON K1R 6N5</b>	<b>SCT</b>
<b>Established:</b>		1918			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		25			
<b><u>--Details--</u></b>					
<b>Description:</b>		Quick Printing			
<b>SIC/NAICS Code:</b>		323114			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Sign Manufacturing			
<b>SIC/NAICS Code:</b>		339950			
<b>Description:</b>		All Other Miscellaneous Manufacturing			
<b>SIC/NAICS Code:</b>		339990			
<a href="#">97</a>	3 of 5	NNW/161.1	59.4 / -1.46	Union Engraving & Printing Ltd. 166 Elm St Ottawa ON K1R 6N5	SCT
<b>Established:</b>		1917			
<b>Plant Size (ft²):</b>		25			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Publishers			
<b>SIC/NAICS Code:</b>		511190			
<a href="#">97</a>	4 of 5	NNW/161.1	59.4 / -1.46	Union Engraving & Printing Ltd. 166 Elm Street Ottawa Ontario K1R 6N5 Ottawa ON	EBR
<b>EBR Registry No:</b>		IA03E0573		<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>		5020-5LHRDL		<b>Exception Posted:</b>	
<b>Notice Type:</b>		Instrument Decision		<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>		October 23, 2006		<b>Act 2:</b>	
<b>Proposal Date:</b>		April 29, 2003		<b>Site Location Map:</b>	
<b>Year:</b>		2003			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>		Union Engraving & Printing Ltd.			
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>		166 Elm Street, Ottawa Ontario, K1R 6N5			
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
166 Elm Street Ottawa Ontario K1R 6N5 Ottawa					
<a href="#">97</a>	5 of 5	NNW/161.1	59.4 / -1.46	166 Elm St Ottawa ON K1R6N5	EHS
<b>Order No:</b>		20140527067		<b>Nearest Intersection:</b>	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Custom Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		02-JUN-14		<b>Search Radius (km):</b> .25	
<b>Date Received:</b>		27-MAY-14		<b>X:</b> -75.716722	
<b>Previous Site Name:</b>				<b>Y:</b> 45.408976	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">98</a>	1 of 1	SSE/162.5	64.6 / 3.69	ON	BORE
<b>Borehole ID:</b>	847977			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215589634			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	05-DEC-1962			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	LOT 38
<b>Primary Water Use:</b>				<b>Township:</b>	NEPEAN
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.404899
<b>Total Depth m:</b>	3.2			<b>Longitude DD:</b>	-75.715286
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	444023
<b>Drill Method:</b>	Diamond Drill			<b>Northing:</b>	5028180
<b>Orig Ground Elev m:</b>	59.9			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 50 metres
<b>DEM Ground Elev m:</b>	57.3				
<b>Concession:</b>	CON 1 ON OTTAWA RIVER				
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	6559452			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.8			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey-Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Silt			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>	Gravel			<b>Geologic Period:</b>	
<b>Material 4:</b>	Fill			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	GREY-BROWN CLAYEY SILT AND GRAVEL FILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	6559453			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.8			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	3.2			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>	clay silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Fine Sand			<b>Geologic Period:</b>	
<b>Material 4:</b>	Gravel			<b>Depositional Gen:</b>	glacial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	GREY, CLAYEY SILT, FINE SAND, GRAVEL (GLACIAL TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<a href="#">99</a>	1 of 1	NNW/162.6	59.4 / -1.46	District Realty 160-166 Elm Street Ottawa ON K1R 6N5	GEN
<b>Generator No:</b>	ON4907252			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		264 L			
<b>Waste Class Desc:</b>		Photoprocessing wastes			
<a href="#">100</a>	1 of 54	SSW/163.0	66.9 / 6.00	B.A. BANKNOTE INC. 975 GLADSTONE AVE. OTTAWA CITY ON K1Y 4W5	CA
<b>Certificate #:</b>		8-4158-92-			
<b>Application Year:</b>		92			
<b>Issue Date:</b>		12/23/1992			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		INST. MIST ELMIN., (2) GEN. EXH. SYSTEMS			
<b>Contaminants:</b>					
<b>Emission Control:</b>		Packed Tower,			
<a href="#">100</a>	2 of 54	SSW/163.0	66.9 / 6.00	B A BANKNOTE 975 GLADSTONE AVE OTTAWA ON K1Y 4W5	SC7
<b>Established:</b>		0000			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		252			
<b>--Details--</b>					
<b>Description:</b>		COMMERCIAL PRINTING, LITHOGRAPHIC			
<b>SIC/NAICS Code:</b>		2752			
<b>Description:</b>		COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2759			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<a href="#">100</a>	3 of 54	SSW/163.0	66.9 / 6.00	975 Gladstone Avenue Ottawa ON K1Y 4W5	CA
<b>Certificate #:</b>		6703-4SSRE3			
<b>Application Year:</b>		01			
<b>Issue Date:</b>		1/8/01			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Revoked and/or Replaced			
<b>Application Type:</b>		Amended CofA			
<b>Client Name:</b>		BA Banknote Inc.			
<b>Client Address:</b>		975 Gladstone Avenue			
<b>Client City:</b>		Ottawa			
<b>Client Postal Code:</b>		K1Y 4W5			
<b>Project Description:</b>		Installation of one Super Simultank-212 printing press used in printing commercial paper.			
<b>Contaminants:</b>					
<b>Emission Control:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">100</a>	4 of 54	SSW/163.0	66.9 / 6.00	975 Gladstone Avenue Ottawa ON K1Y 4W5	CA
<b>Certificate #:</b>		9223-5C6HZK			
<b>Application Year:</b>		02			
<b>Issue Date:</b>		9/6/02			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		Amended CofA			
<b>Client Name:</b>		BA Banknote Inc.			
<b>Client Address:</b>		975 Gladstone Avenue			
<b>Client City:</b>		Ottawa			
<b>Client Postal Code:</b>		K1Y 4W5			
<b>Project Description:</b>		The applicant seeks approval for an amendment to the existing Certificate of Approval for the installation of a silk screen press. The addition of this equipment will include construction of three stacks that will ventilate the silk screen area and will exhaust solvent vapours to the atmosphere.			
<b>Contaminants:</b>					
<b>Emission Control:</b>					

<a href="#">100</a>	5 of 54	SSW/163.0	66.9 / 6.00	BA Banknote Inc. 975 Gladstone Avenue Ottawa Ontario CITY OF OTTAWA ON	EBR
<b>EBR Registry No:</b>		IA00E0164			
<b>Ministry Ref No:</b>		8042-4FUP9P			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Stage:</b>					
<b>Notice Date:</b>		January 10, 2001			
<b>Proposal Date:</b>		January 24, 2000			
<b>Year:</b>		2000			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>		BA Banknote Inc.			
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>		975 Gladstone Avenue, Ottawa Ontario, K1Y 4W5			
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
975 Gladstone Avenue Ottawa Ontario CITY OF OTTAWA					

<a href="#">100</a>	6 of 54	SSW/163.0	66.9 / 6.00	BA Banknote Inc. 975 Gladstone Avenue Ottawa Ontario CITY OF OTTAWA ON	EBR
<b>EBR Registry No:</b>		IA01E0439			
<b>Ministry Ref No:</b>		3825-4VAQMB			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Stage:</b>					
<b>Notice Date:</b>		September 10, 2002			
<b>Proposal Date:</b>		March 30, 2001			
<b>Year:</b>		2001			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Off Instrument Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Posted By:</b>					
<b>Company Name:</b>		BA Banknote Inc.			
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>		975 Gladstone Avenue, Ottawa Ontario, K1Y 4W5			
<b>Proponent Address:</b>					
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
975 Gladstone Avenue Ottawa Ontario CITY OF OTTAWA					

<a href="#">100</a>	7 of 54	SSW/163.0	66.9 / 6.00	B.A. Banknote 975 Gladstone Ave Ottawa ON K1Y 4W5	SCT
<b>Established:</b>		1867			
<b>Plant Size (ft²):</b>		170			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			

<a href="#">100</a>	8 of 54	SSW/163.0	66.9 / 6.00	BRITISH AMERICAN BANK NOTE INC. 975 GLADSTONE AVENUE C/O P.O. BOX 399, STATION A OTTAWA ON K1Y 4W5	GEN
<b>Generator No:</b>		ON0297401		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		86,87		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		2819			
<b>SIC Description:</b>		OTHER COMM. PRINTING			
<b>Detail(s)</b>					
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			

<a href="#">100</a>	9 of 54	SSW/163.0	66.9 / 6.00	<b>BA BANKNOTE OTTAWA DIV., DIV OF QUEBECOR PUBLITECH INC. OTTAWA ON K1N 8V4</b>	<b>GEN</b>
<b>Generator No:</b>	ON0297401			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	2819				
<b>SIC Description:</b>	OTHER COMM. PRINTING				

**Detail(s)**

<b>Waste Class:</b>	112				
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	211				
<b>Waste Class Desc:</b>	AROMATIC SOLVENTS				
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	265				
<b>Waste Class Desc:</b>	GRAPHIC ART WASTES				

<a href="#">100</a>	10 of 54	SSW/163.0	66.9 / 6.00	<b>BA BANKNOTE OTTAWA DIV., DIV OF QUEBECOR PUBLITECH INC./975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5</b>	<b>GEN</b>
<b>Generator No:</b>	ON0297401			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	89,90,92,93,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	2819				
<b>SIC Description:</b>	OTHER COMM. PRINTING				

**Detail(s)**

<b>Waste Class:</b>	265				
<b>Waste Class Desc:</b>	GRAPHIC ART WASTES				
<b>Waste Class:</b>	267				
<b>Waste Class Desc:</b>	ORGANIC ACIDS				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Class:</i>		312			
<i>Waste Class Desc:</i>		PATHOLOGICAL WASTES			
<i>Waste Class:</i>		112			
<i>Waste Class Desc:</i>		ACID WASTE - HEAVY METALS			
<i>Waste Class:</i>		121			
<i>Waste Class Desc:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i>		122			
<i>Waste Class Desc:</i>		ALKALINE WASTES - OTHER METALS			
<i>Waste Class:</i>		145			
<i>Waste Class Desc:</i>		PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Class:</i>		231			
<i>Waste Class Desc:</i>		LATEX WASTES			
<i>Waste Class:</i>		233			
<i>Waste Class Desc:</i>		OTHER POLYMERIC WASTES			
<i>Waste Class:</i>		241			
<i>Waste Class Desc:</i>		HALOGENATED SOLVENTS			
<i>Waste Class:</i>		252			
<i>Waste Class Desc:</i>		WASTE OILS & LUBRICANTS			
<i>Waste Class:</i>		253			
<i>Waste Class Desc:</i>		EMULSIFIED OILS			
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		264			
<i>Waste Class Desc:</i>		PHOTOPROCESSING WASTES			
<i>Waste Class:</i>		146			
<i>Waste Class Desc:</i>		OTHER SPECIFIED INORGANICS			
<i>Waste Class:</i>		148			
<i>Waste Class Desc:</i>		INORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		211			
<i>Waste Class Desc:</i>		AROMATIC SOLVENTS			
<i>Waste Class:</i>		212			
<i>Waste Class Desc:</i>		ALIPHATIC SOLVENTS			

[100](#)

11 of 54

SSW/163.0

66.9 / 6.00

BA BANKNOTE 05-931  
 OTTAWA DIV., DIV OF QUEBECOR PUBLITECH  
 INC./975 GLADSTONE AVENUE  
 OTTAWA ON K1Y 4W5

GEN

*Generator No:* ON0297401  
*Status:*  
*Approval Years:* 94,95,96  
*Contam. Facility:*  
*MHSW Facility:*  
*SIC Code:* 2819  
*SIC Description:* OTHER COMM. PRINTING

*PO Box No:*  
*Country:*  
*Choice of Contact:*  
*Co Admin:*  
*Phone No Admin:*

Detail(s)

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		231			
<b>Waste Class Desc:</b>		LATEX WASTES			
<b>Waste Class:</b>		233			
<b>Waste Class Desc:</b>		OTHER POLYMERIC WASTES			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			

<a href="#">100</a>	12 of 54	SSW/163.0	66.9 / 6.00	<b>BA BANKNOTE 975 GLADSTONE AVENUE OTTAWA ON K1N 8V4</b>	<b>GEN</b>
<b>Generator No:</b>	ON0297401			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	2819				
<b>SIC Description:</b>	OTHER COMM. PRINTING				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		231			
<b>Waste Class Desc:</b>		LATEX WASTES			
<b>Waste Class:</b>		233			
<b>Waste Class Desc:</b>		OTHER POLYMERIC WASTES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			

<b><u>100</u></b>	<b>13 of 54</b>	<b>SSW/163.0</b>	<b>66.9 / 6.00</b>	<b>BA BANKNOTE INC. 975 GLADSTONE AVENUE OTTAWA ON K1N 8V4</b>	<b>GEN</b>
<b>Generator No:</b>	ON0297401			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03			<b>Choice of Contact:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		231			
<b>Waste Class Desc:</b>		LATEX WASTES			
<b>Waste Class:</b>		233			
<b>Waste Class Desc:</b>		OTHER POLYMERIC WASTES			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<a href="#">100</a>	14 of 54	SSW/163.0	66.9 / 6.00	BA BANKNOTE INC. 975 GLADSTONE AVE. NOT AVAILABLE OTTAWA ON K1Y 4W5	NPRI

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>NPRI ID:</b>	7358			<b>Org ID:</b>	38275
<b>Other ID:</b>	Y			<b>Submit Date:</b>	7/14/2003
<b>No Other ID:</b>	1			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	18366			<b>Contact ID:</b>	168490
<b>Report ID:</b>	163453			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	JOHN
<b>Report Year:</b>	2002			<b>Cont Last Name:</b>	CODY
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	ENVIRONMENTAL MANAGER
<b>Yr of Last Filed Rpt:</b>	2011			<b>Contact Fax:</b>	6137287419
<b>Fac ID:</b>	141158			<b>Contact Ph.:</b>	6137285854
<b>Fac Name:</b>	NOT AVAILABLE			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	975 GLADSTONE AVE.			<b>Contact Tel.:</b>	37285854
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	228
<b>Fac Postal Zip:</b>	K1Y 4W5			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>				<b>Contact Fax:</b>	37287419
<b>Facility Long:</b>				<b>Contact Email:</b>	JOHN_CODY@GDM.DE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4038
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.7167
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	Fals			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	240			<b>Waste Streams:</b>	False
<b>Parent Co.:</b>	*			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	1
<b>Stacks:</b>	False			<b>Shutdown:</b>	False
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	0
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				

### Substance Release Report

<b>Category Type ID:</b>	3
<b>Category Type Desc:</b>	Fugitive
<b>Category Type Desc (fr):</b>	Émissions fugitives
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	VOCs
<b>Chem:</b>	Volatile Organic Compounds (VOCs)
<b>Chem (fr):</b>	Composés organiques volatils (COV)
<b>Quantity:</b>	10.1
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	E E2
<b>Basis of Estimate Desc:</b>	E- Emission Factor - In use from 1994 to 2002 ; E2- Published Emission Factors - In use from 2003 and onward
<b>Category Type ID:</b>	1
<b>Category Type Desc:</b>	Stack / Point
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	ASta
<b>Chem:</b>	Hexavalent chromium (and its compounds)
<b>Chem (fr):</b>	Chrome hexavalent (et ses composés)
<b>Quantity:</b>	11
<b>Unit:</b>	kg
<b>Basis of Estimate Cd:</b>	O
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">100</a>	15 of 54	SSW/163.0	66.9 / 6.00	B.A. Banknote Inc. 975 Gladstone Ave Ottawa ON K1Y 4W5	SCT
<b>Established:</b>		1867			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>		170			
<b>--Details--</b>					
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			

<a href="#">100</a>	16 of 54	SSW/163.0	66.9 / 6.00	BA BANKNOTE INC. 975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	NPRI
<b>NPRI ID:</b>	7358			<b>Org ID:</b>	38275
<b>Other ID:</b>	Y			<b>Submit Date:</b>	8/6/2004
<b>No Other ID:</b>	1			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	20585			<b>Contact ID:</b>	168490
<b>Report ID:</b>	155066			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	JOHN
<b>Report Year:</b>	2003			<b>Cont Last Name:</b>	CODY
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	ENVIRONMENTAL MANAGER
<b>Yr of Last Filed Rpt:</b>	2011			<b>Contact Fax:</b>	6137287419
<b>Fac ID:</b>	141159			<b>Contact Ph.:</b>	6137285854
<b>Fac Name:</b>	NOT AVAILABLE			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	975 GLADSTONE AVENUE			<b>Contact Tel.:</b>	37285854
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	228
<b>Fac Postal Zip:</b>	K1Y4W5			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4038			<b>Contact Fax:</b>	37287419
<b>Facility Long:</b>	-75.7167			<b>Contact Email:</b>	JOHN_CODY@GDM.DE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4038
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.7167
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	240			<b>Waste Streams:</b>	True¿
<b>Parent Co.:</b>	*			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	1
<b>Stacks:</b>	True			<b>Shutdown:</b>	True
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				

#### Substance Release Report

<b>Category Type ID:</b>	3
<b>Category Type Desc:</b>	Fugitive
<b>Category Type Desc (fr):</b>	Émissions fugitives
<b>Grouping:</b>	Total Air

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		11.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Hexavalent chromium (and its compounds)			
<b>Chem (fr):</b>		Chrome hexavalent (et ses composés)			
<b>Quantity:</b>		11			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

[100](#) 17 of 54 SSW/163.0 66.9 / 6.00 975 Gladstone Avenue Ottawa ON K1Y 4W5 EHS

<b>Order No:</b>	20050520015	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>		<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	5/31/2005	<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	5/20/2005	<b>X:</b>	-75.716382
<b>Previous Site Name:</b>		<b>Y:</b>	45.403273
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>			

[100](#) 18 of 54 SSW/163.0 66.9 / 6.00 BA INTERNATIONAL INC. 975 GLADSTONE AVENUE OTTAWA ON K1N 8V4 GEN

<b>Generator No:</b>	ON0297401	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	
<b>Approval Years:</b>	04,05,06,07,08	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>	323119		
<b>SIC Description:</b>	Other Printing		

**Detail(s)**

<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	264
<b>Waste Class Desc:</b>	PHOTOPROCESSING WASTES
<b>Waste Class:</b>	265

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		262			
<b>Waste Class Desc:</b>		DETERGENTS/SOAPS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		254			
<b>Waste Class Desc:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		998			
<b>Waste Class Desc:</b>		NONHAZARDOUS WASTE			
<b>Waste Class:</b>		132			
<b>Waste Class Desc:</b>		NEUTRALIZED WASTES - OTHER METALS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		231			
<b>Waste Class Desc:</b>		LATEX WASTES			
<b>Waste Class:</b>		233			
<b>Waste Class Desc:</b>		OTHER POLYMERIC WASTES			
<b>100</b>	<b>19 of 54</b>	<b>SSW/163.0</b>	<b>66.9 / 6.00</b>	<b>BA International Inc. 975 Gladstone Ave Ottawa ON K1Y 4W5</b>	<b>SCT</b>
<b>Established:</b>		1866			
<b>Plant Size (ft²):</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Employment:		170			
<b>--Details--</b>					
Description:		Other Printing			
SIC/NAICS Code:		323119			

100	20 of 54	SSW/163.0	66.9 / 6.00	BA INTERNATIONAL 975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	NPRI
<b>NPRI ID:</b>	7358			<b>Org ID:</b>	38290
<b>Other ID:</b>	Y			<b>Submit Date:</b>	1/22/2006
<b>No Other ID:</b>	1			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	32859			<b>Contact ID:</b>	168497
<b>Report ID:</b>	92759			<b>Contact Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	JOHN
<b>Report Year:</b>	2004			<b>Cont Last Name:</b>	CODY
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	QUALITY AND ENVIRONMENTAL MANAGER
<b>Yr of Last Filed Rpt:</b>	2011			<b>Contact Fax:</b>	6137287419
<b>Fac ID:</b>	141167			<b>Contact Ph.:</b>	6137285854
<b>Fac Name:</b>	BA INTERNATIONAL			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	975 GLADSTONE AVENUE			<b>Contact Tel.:</b>	37285854
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	K1Y4W5			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4038			<b>Contact Fax:</b>	37287419
<b>Facility Long:</b>	-75.7167			<b>Contact Email:</b>	JOHN_CODY@GDM.DE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4038
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.7167
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	True			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	240			<b>Waste Streams:</b>	False
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	True			<b>No Off Sites:</b>	1
<b>Stacks:</b>	No			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				

**Substance Release Report**

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Carbon black
<b>Chem (fr):</b>	Noir de carbone
<b>Quantity:</b>	0
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	
<b>Basis of Estimate Desc:</b>	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Titanium (and its compounds)				
<b>Chem (fr):</b>	Titane (et ses composés)				
<b>Quantity:</b>	0				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				
<b>Chem:</b>	MSG#2 - Hydrotreated light distillate				
<b>Chem (fr):</b>	EMG#2 - Distillat léger hydrotraité				
<b>Quantity:</b>	8.947				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	E2				
<b>Basis of Estimate Desc:</b>	E2- Published Emission Factors - In use from 2003 and onward				
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Light aromatic solvent naphtha				
<b>Chem (fr):</b>	Solvant naphta aromatique léger				
<b>Quantity:</b>	.213				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	GE - Ethylene glycol propyl ether (EGPE)				
<b>Chem (fr):</b>	EG - Éther propylique d'éthylèneglycol (EGPE)				
<b>Quantity:</b>	.317				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	GE - Ethylene glycol butyl ether acetate (EGBEA)				
<b>Chem (fr):</b>	EG - Acétate d'éther butylique d'éthylèneglycol (EGBEA)				
<b>Quantity:</b>	.164				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		13.851			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Hexavalent chromium (and its compounds)			
<b>Chem (fr):</b>		Chrome hexavalent (et ses composés)			
<b>Quantity:</b>		.026			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					

<a href="#">100</a>	21 of 54	SSW/163.0	66.9 / 6.00	<b>Pinchin Environmental</b> 975 Gladstone Ottawa ON K1Y 4W5	<b>GEN</b>
<b>Generator No:</b>	ON5063272			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	05			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	323119				
<b>SIC Description:</b>	Other Printing				
<b>Detail(s)</b>					
<b>Waste Class:</b>	222				
<b>Waste Class Desc:</b>	HEAVY FUELS				

<a href="#">100</a>	22 of 54	SSW/163.0	66.9 / 6.00	<b>BA INTERNATIONAL</b> 975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	<b>NPRI</b>
<b>NPRI ID:</b>	7358			<b>Org ID:</b>	38290
<b>Other ID:</b>	Y			<b>Submit Date:</b>	6/1/2006
<b>No Other ID:</b>	1			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	40358			<b>Contact ID:</b>	168497
<b>Report ID:</b>	100544			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	JOHN
<b>Report Year:</b>	2005			<b>Cont Last Name:</b>	CODY
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	QUALITY AND ENVIRONMENTAL MANAGER
<b>Yr of Last Filed Rpt:</b>	2011			<b>Contact Fax:</b>	6137287419
<b>Fac ID:</b>	141167			<b>Contact Ph.:</b>	6137285854
<b>Fac Name:</b>	BA INTERNATIONAL			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	975 GLADSTONE AVENUE			<b>Contact Tel.:</b>	37285854
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	K1Y4W5			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4038			<b>Contact Fax:</b>	37287419
<b>Facility Long:</b>	-75.7167			<b>Contact Email:</b>	JOHN_CODY@GDM.DE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4038
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.7167
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	Fals			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	240			<b>Waste Streams:</b>	False

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	1.00
<b>Stacks:</b>	False			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		32			
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3231			
<b>NAICS 4 Description:</b>		Printing and related support activities			
<b>NAICS Code (6 digit):</b>		323119			
<b>NAICS 6 Description:</b>		Other printing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		GE - Ethylene glycol butyl ether acetate (EGBEA)			
<b>Chem (fr):</b>		EG - Acétate d'éther butylique d'éthylèneglycol (EGBEA)			
<b>Quantity:</b>		.593			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		MSG#1 - Solvent naphtha medium aliphatic			
<b>Chem (fr):</b>		EMG#1 - Solvant naphtha aliphatique moyen			
<b>Quantity:</b>		4.706			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Hexavalent chromium (and its compounds)			
<b>Chem (fr):</b>		Chrome hexavalent (et ses composés)			
<b>Quantity:</b>		.017			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		MSG#1 - Hydrotreated heavy naphtha			
<b>Chem (fr):</b>		EMG#1 - Naphta lourd hydrotraité			
<b>Quantity:</b>		.908			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">100</a>	23 of 54	SSW/163.0	66.9 / 6.00	975 Gladstone Avenue Ottawa ON K1Y 4W5	EHS
<b>Order No:</b>	20071128024			<b>Nearest Intersection:</b>	Gladstone Avenue and Loretta Avenue North
<b>Status:</b>	C			<b>Municipality:</b>	City of Ottawa
<b>Report Type:</b>	CAN - Complete Report			<b>Client Prov/State:</b>	
<b>Report Date:</b>	11/30/2007			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	11/28/2007			<b>X:</b>	-75.716927
<b>Previous Site Name:</b>				<b>Y:</b>	45.404016
<b>Lot/Building Size:</b>	NA				
<b>Additional Info Ordered:</b>	Fire Insur. Maps And /or Site Plans				

<a href="#">100</a>	24 of 54	SSW/163.0	66.9 / 6.00	BA INTERNATIONAL 975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	NPRI
<b>NPRI ID:</b>	7358			<b>Org ID:</b>	38290
<b>Other ID:</b>	Y			<b>Submit Date:</b>	6/2/2007
<b>No Other ID:</b>	1			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	50882			<b>Contact ID:</b>	168497
<b>Report ID:</b>	111337			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	JOHN
<b>Report Year:</b>	2006			<b>Cont Last Name:</b>	CODY
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	QUALITY AND ENVIRONMENTAL MANAGER
<b>Yr of Last Filed Rpt:</b>	2011			<b>Contact Fax:</b>	6137287419
<b>Fac ID:</b>	141167			<b>Contact Ph.:</b>	6137285854
<b>Fac Name:</b>	BA INTERNATIONAL			<b>Cont Area Code:</b>	613
<b>Fac Address1:</b>	975 GLADSTONE AVENUE			<b>Contact Tel.:</b>	37285854
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	K1Y4W5			<b>Cont Fax Area Cde:</b>	613
<b>Facility Lat:</b>	45.4038			<b>Contact Fax:</b>	37287419
<b>Facility Long:</b>	-75.7167			<b>Contact Email:</b>	JOHN_CODY@GDM.DE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	45.4038
<b>Facility DLS:</b>				<b>Longitude:</b>	-75.7167
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	240			<b>Waste Streams:</b>	True
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	False
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	1.00
<b>Stacks:</b>	True			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Trans Code:</b> <b>Chem:</b> Hexavalent chromium (and its compounds) <b>Chem (fr):</b> Chrome hexavalent (et ses composés) <b>Quantity:</b> .016 <b>Unit:</b> kg <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b> 13 <b>Category Type Desc:</b> All Media <b>Category Type Desc (fr):</b> Rejets à tous les médias <b>Grouping:</b> Total All Media<1t <b>Trans Code:</b> <b>Chem:</b> MSG#1 - Hydrotreated heavy naphtha <b>Chem (fr):</b> EMG#1 - Naphta lourd hydrotraité <b>Quantity:</b> .836 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b> 3 <b>Category Type Desc:</b> Fugitive <b>Category Type Desc (fr):</b> Émissions fugitives <b>Grouping:</b> Total Air <b>Trans Code:</b> VOCs <b>Chem:</b> MSG#1 - Solvent naphtha medium aliphatic <b>Chem (fr):</b> EMG#1 - Solvant naphta aliphatique moyen <b>Quantity:</b> 2.9 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> E2 <b>Basis of Estimate Desc:</b> E2- Published Emission Factors - In use from 2003 and onward					
<a href="#">100</a>	25 of 54	SSW/163.0	66.9 / 6.00	BA Banknote Inc. 975 Gladstone Avenue Ottawa Ontario Ottawa ON	EBR
<b>EBR Registry No:</b> IA04E0048 <b>Ministry Ref No:</b> 9227-5V5REP <b>Notice Type:</b> Instrument Decision <b>Notice Stage:</b> <b>Notice Date:</b> June 08, 2004 <b>Proposal Date:</b> January 13, 2004 <b>Year:</b> 2004 <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) <b>Off Instrument Name:</b> <b>Posted By:</b> <b>Company Name:</b> BA Banknote Inc. <b>Site Address:</b> <b>Location Other:</b> <b>Proponent Name:</b> <b>Proponent Address:</b> 975 Gladstone Avenue, Ottawa Ontario, K1Y 4W5 <b>Comment Period:</b> <b>URL:</b>					
<b>Site Location Details:</b> 975 Gladstone Avenue Ottawa Ontario Ottawa					
<a href="#">100</a>	26 of 54	SSW/163.0	66.9 / 6.00	BA Banknote Inc. 975 Gladstone Avenue Ottawa Ontario Ottawa ON	EBR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>EBR Registry No:</b>	IA04E0471			<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>	6786-5XFJPS			<b>Exception Posted:</b>	
<b>Notice Type:</b>	Instrument Decision			<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>	November 09, 2004			<b>Act 2:</b>	
<b>Proposal Date:</b>	April 02, 2004			<b>Site Location Map:</b>	
<b>Year:</b>	2004				
<b>Instrument Type:</b>	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>	BA Banknote Inc.				
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	975 Gladstone Avenue, Ottawa Ontario, K1Y 4W5				
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
975 Gladstone Avenue Ottawa Ontario Ottawa					

<a href="#">100</a>	27 of 54	SSW/163.0	66.9 / 6.00	<b>BA Banknote Inc.</b> 975 Gladstone Avenue Ottawa Ontario Ottawa ON	<b>EBR</b>
<b>EBR Registry No:</b>	IA06E1098			<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>	4981-6SKPCP			<b>Exception Posted:</b>	
<b>Notice Type:</b>	Instrument Decision			<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>	April 16, 2007			<b>Act 2:</b>	
<b>Proposal Date:</b>	August 31, 2006			<b>Site Location Map:</b>	
<b>Year:</b>	2006				
<b>Instrument Type:</b>	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>	BA Banknote Inc.				
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	975 Gladstone Avenue, Ottawa Ontario, K1Y 4W5				
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
975 Gladstone Avenue Ottawa Ontario Ottawa					

<a href="#">100</a>	28 of 54	SSW/163.0	66.9 / 6.00	<b>BA International Inc.</b> 975 Gladstone Ave Ottawa ON K1Y 4W5	<b>SPL</b>
<b>Ref No:</b>	3258-76CGWF			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Other
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Other Discharges			<b>Sector Type:</b>	Transport Truck
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	99			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	CORROSIVE LIQUIDS, N.O.S.			<b>Site Address:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Possible <b>Nature of Impact:</b> Soil Contamination <b>Receiving Medium:</b> Land <b>Receiving Env:</b> <b>MOE Response:</b> Planned Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 8/23/2007 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Process upset <b>Site Name:</b> 122 HWY 53<UNOFFICIAL> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Lacombe: small quantity 121 C liquid to parking lot <b>Contaminant Qty:</b> 0 other - see incident description				<b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Brant <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	
<a href="#">100</a>	29 of 54	SSW/163.0	66.9 / 6.00	<b>BA International Inc.</b> <b>975 Gladstone Ave</b> <b>Ottawa ON K1Y 4W5</b>	<b>SPL</b>
<b>Ref No:</b> 0352-789G8L <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Pipe Or Hose Leak <b>Incident Event:</b> <b>Contaminant Code:</b> 15 <b>Contaminant Name:</b> HYDRAULIC OIL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Not Anticipated <b>Nature of Impact:</b> Other Impact(s) <b>Receiving Medium:</b> Land & Water <b>Receiving Env:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 10/23/2007 <b>Dt Document Closed:</b> 11/15/2007 <b>Incident Reason:</b> Equipment Failure <b>Site Name:</b> BA International Inc. <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> BA International: Hydraulic oil to parking lot and drain <b>Contaminant Qty:</b> 10 L				<b>Discharger Report:</b> <b>Material Group:</b> Oil <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Other <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Ottawa <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	
<a href="#">100</a>	30 of 54	SSW/163.0	66.9 / 6.00	<b>975 Gladstone Avenue</b> <b>n/a ON K1Y 4W5</b>	<b>EHS</b>
<b>Order No:</b> 20080226024w <b>Status:</b> C <b>Report Type:</b> Online Mapless <b>Report Date:</b> 2/26/2008 <b>Date Received:</b> 2/26/2008 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>				<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> 0 <b>Y:</b> 0	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">100</a>	31 of 54	SSW/163.0	66.9 / 6.00	BA INTERNATIONAL 975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	NPRI
<b>NPRI ID:</b> 7358 <b>Other ID:</b> Y <b>No Other ID:</b> 1.00 <b>Track ID:</b> 58740 <b>Report ID:</b> 118575 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2007 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2011 <b>Fac ID:</b> 141167 <b>Fac Name:</b> BA INTERNATIONAL <b>Fac Address1:</b> 975 GLADSTONE AVENUE <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> K1Y4W5 <b>Facility Lat:</b> 45.4038 <b>Facility Long:</b> -75.7167 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> False <b>URL:</b> <b>No of Empl.:</b> 240 <b>Parent Co.:</b> Y <b>No Parent Co.:</b> 1.00 <b>Pollut Prev Cmnts:</b> False <b>Stacks:</b> True <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 32 <b>NAICS 2 Description:</b> Manufacturing <b>NAICS Code (4 digit):</b> 3231 <b>NAICS 4 Description:</b> Printing and related support activities <b>NAICS Code (6 digit):</b> 323119 <b>NAICS 6 Description:</b> Other printing		<b>Org ID:</b> 38290 <b>Submit Date:</b> 5/31/2008 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> 168497 <b>Cont Type:</b> MED <b>Contact Title:</b> <b>Cont First Name:</b> JOHN <b>Cont Last Name:</b> CODY <b>Contact Position:</b> QUALITY AND ENVIRONMENTAL MANAGER <b>Contact Fax:</b> 6137287419 <b>Contact Ph.:</b> 6137285854 <b>Cont Area Code:</b> 613 <b>Contact Tel.:</b> 37285854 <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> 613 <b>Contact Fax:</b> 37287419 <b>Contact Email:</b> JOHN_CODY@GDM.DE <b>Latitude:</b> 45.4038 <b>Longitude:</b> -75.7167 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> True;		<b>Waste Off Sites:</b> True <b>No Off Sites:</b> 1.00 <b>Shutdown:</b> <b>No of Shutdown:</b>	
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b> 13 <b>Category Type Desc:</b> All Media <b>Category Type Desc (fr):</b> Rejets à tous les médias <b>Grouping:</b> Total All Media<1t <b>Trans Code:</b> <b>Chem:</b> Hexavalent chromium (and its compounds) <b>Chem (fr):</b> Chrome hexavalent (et ses composés) <b>Quantity:</b> .018 <b>Unit:</b> kg <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>					
<a href="#">100</a>	32 of 54	SSW/163.0	66.9 / 6.00	Drain-All Ltd. 975 Gladstone Ave Ottawa ON K1Y 4W5	SPL
<b>Ref No:</b> 7780-7HAJKY <b>Site No:</b> <b>Incident Dt:</b>		<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> 41 <b>Contaminant Name:</b> EFFLUENT (NOT OTHERWISE SPECIFIED) <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Not Anticipated <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 8/7/2008 <b>Dt Document Closed:</b> 9/9/2008 <b>Incident Reason:</b> <b>Site Name:</b> BA International Inc. <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Drain-All: 50 L effluent sol'n to rd. Cleaning. <b>Contaminant Qty:</b>		<b>Client Type:</b> <b>Sector Type:</b> Other <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> Ottawa <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Ottawa <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Land Spills <b>Source Type:</b>			

<a href="#">100</a>	33 of 54	SSW/163.0	66.9 / 6.00	BA International Inc. 975 Gladstone Ave Ottawa ON K1Y 4W5	SCT
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>		01-AUG-40			
<b>--Details--</b> <b>Description:</b> <b>SIC/NAICS Code:</b>		Other Printing 323119			

<a href="#">100</a>	34 of 54	SSW/163.0	66.9 / 6.00	BA INTERNATIONAL 975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	NPRI
<b>NPRI ID:</b> 7358 <b>Other ID:</b> Y <b>No Other ID:</b> 1 <b>Track ID:</b> 69223 <b>Report ID:</b> 127541 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2008 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2011 <b>Fac ID:</b> 141167 <b>Fac Name:</b> BA INTERNATIONAL <b>Fac Address1:</b> 975 GLADSTONE AVENUE <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> K1Y4W5 <b>Facility Lat:</b> 45.4038 <b>Facility Long:</b> -75.7167 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> No <b>URL:</b>		<b>Org ID:</b> 38290 <b>Submit Date:</b> 5/31/2009 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> 168497 <b>Cont Type:</b> MED <b>Contact Title:</b> <b>Cont First Name:</b> JOHN <b>Cont Last Name:</b> CODY <b>Contact Position:</b> QUALITY AND ENVIRONMENTAL MANAGER <b>Contact Fax:</b> 6137287419 <b>Contact Ph.:</b> 6137285854 <b>Cont Area Code:</b> 613 <b>Contact Tel.:</b> 37285854 <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> 613 <b>Contact Fax:</b> 37287419 <b>Contact Email:</b> JOHN_CODY@GDM.DE <b>Latitude:</b> 45.4038 <b>Longitude:</b> -75.7167 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>No of Empl.:</b>	240			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	1
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Hexavalent chromium (and its compounds)				
<b>Chem (fr):</b>	Chrome hexavalent (et ses composés)				
<b>Quantity:</b>	.012				
<b>Unit:</b>	kg				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>100</b>	<b>35 of 54</b>	<b>SSW/163.0</b>	<b>66.9 / 6.00</b>	<b>349977 Ontario Ltd. 975 Gladstone Ave Ottawa ON K1Y 4W5</b>	<b>SPL</b>
<b>Ref No:</b>	6348-7Q2JKQ			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Unknown			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	CAUSTIC SOLUTION (< 20%)			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>MOE Response:</b>	No Field Response			<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	3/11/2009			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Other - Reason not otherwise defined			<b>Source Type:</b>	
<b>Site Name:</b>	BA International Inc.				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Lacombe: 20 L caustic sol'n to pavement. Cleaning.				
<b>Contaminant Qty:</b>	20 L				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">100</a>	36 of 54	SSW/163.0	66.9 / 6.00	BA International Inc. 975 Gladstone Avenue Ottawa ON K1Y 4W5	CA
<p> <b>Certificate #:</b> 1491-63LLHD  <b>Application Year:</b> 2006  <b>Issue Date:</b> 3/23/2006  <b>Approval Type:</b> Air  <b>Status:</b> Revoked and/or Replaced  <b>Application Type:</b>  <b>Client Name:</b>  <b>Client Address:</b>  <b>Client City:</b>  <b>Client Postal Code:</b>  <b>Project Description:</b>  <b>Contaminants:</b>  <b>Emission Control:</b> </p>					
<a href="#">100</a>	37 of 54	SSW/163.0	66.9 / 6.00	BA International Inc. 975 Gladstone Avenue Ottawa ON K1Y 4W5	CA
<p> <b>Certificate #:</b> 1491-63LLHD  <b>Application Year:</b> 2004  <b>Issue Date:</b> 11/9/2004  <b>Approval Type:</b> Air  <b>Status:</b> Revoked and/or Replaced  <b>Application Type:</b>  <b>Client Name:</b>  <b>Client Address:</b>  <b>Client City:</b>  <b>Client Postal Code:</b>  <b>Project Description:</b>  <b>Contaminants:</b>  <b>Emission Control:</b> </p>					
<a href="#">100</a>	38 of 54	SSW/163.0	66.9 / 6.00	BA Banknote Inc. 975 Gladstone Avenue Ottawa ON K1Y 4W5	CA
<p> <b>Certificate #:</b> 3844-5SQTGU  <b>Application Year:</b> 2003  <b>Issue Date:</b> 10/29/2003  <b>Approval Type:</b> Air  <b>Status:</b> Revoked and/or Replaced  <b>Application Type:</b>  <b>Client Name:</b>  <b>Client Address:</b>  <b>Client City:</b>  <b>Client Postal Code:</b>  <b>Project Description:</b>  <b>Contaminants:</b>  <b>Emission Control:</b> </p>					
<a href="#">100</a>	39 of 54	SSW/163.0	66.9 / 6.00	BA International Inc. 975 Gladstone Avenue Ottawa ON K1Y 4W5	CA
<p> <b>Certificate #:</b> 5712-6XRLU3  <b>Application Year:</b> 2007  <b>Issue Date:</b> 3/19/2007 </p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		Air Approved			

<a href="#">100</a>	40 of 54	SSW/163.0	66.9 / 6.00	<b>BA Banknote Inc.</b> 975 Gladstone Avenue Ottawa ON K1Y 4W5	CA
---------------------	----------	-----------	-------------	--	----

**Certificate #:** 7660-5Z4PFX  
**Application Year:** 2004  
**Issue Date:** 6/4/2004  
**Approval Type:** Air  
**Status:** Revoked and/or Replaced  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

<a href="#">100</a>	41 of 54	SSW/163.0	66.9 / 6.00	<b>BA INTERNATIONAL</b> 975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	NPRI
---------------------	----------	-----------	-------------	---	------

<b>NPRI ID:</b> 7358 <b>Other ID:</b> Y <b>No Other ID:</b> 1 <b>Track ID:</b> 86101 <b>Report ID:</b> 140030 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2009 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2011 <b>Fac ID:</b> 141167 <b>Fac Name:</b> BA INTERNATIONAL <b>Fac Address1:</b> 975 GLADSTONE AVENUE <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> K1Y4W5 <b>Facility Lat:</b> 45.4038 <b>Facility Long:</b> -75.7167 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> Yes <b>URL:</b> <b>No of Empl.:</b> 210 <b>Parent Co.:</b> Y <b>No Parent Co.:</b> 1 <b>Pollut Prev Cmnts:</b> No <b>Stacks:</b> No <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b>	<b>Org ID:</b> 38290 <b>Submit Date:</b> 6/1/2010 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> 168497 <b>Cont Type:</b> MED <b>Contact Title:</b> <b>Cont First Name:</b> JOHN <b>Cont Last Name:</b> CODY <b>Contact Position:</b> QUALITY AND ENVIRONMENTAL MANAGER <b>Contact Fax:</b> 6137287419 <b>Contact Ph.:</b> 6137285854 <b>Cont Area Code:</b> 613 <b>Contact Tel.:</b> 37285854 <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> 613 <b>Contact Fax:</b> 37287419 <b>Contact Email:</b> JOHN_CODY@GDM.DE <b>Latitude:</b> 45.4038 <b>Longitude:</b> -75.7167 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> No <b>No Streams:</b> <b>Waste Off Sites:</b> Yes <b>No Off Sites:</b> 1 <b>Shutdown:</b> No <b>No of Shutdown:</b>
---	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 32 <b>NAICS 2 Description:</b> Manufacturing <b>NAICS Code (4 digit):</b> 3231 <b>NAICS 4 Description:</b> Printing and related support activities <b>NAICS Code (6 digit):</b> 323119 <b>NAICS 6 Description:</b> Other printing					
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b> 13 <b>Category Type Desc:</b> All Media <b>Category Type Desc (fr):</b> Rejets à tous les médias <b>Grouping:</b> Total All Media<1t <b>Trans Code:</b> <b>Chem:</b> Hexavalent chromium (and its compounds) <b>Chem (fr):</b> Chrome hexavalent (et ses composés) <b>Quantity:</b> .003 <b>Unit:</b> kg <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>					
<a href="#">100</a>	42 of 54	SSW/163.0	66.9 / 6.00	BA INTERNATIONAL INC. 975 GLADSTONE AVENUE NOT AVAILABLE OTTAWA ON K1Y4W5	NPRI
<b>NPRI ID:</b> 7358 <b>Other ID:</b> Y <b>No Other ID:</b> 2 <b>Track ID:</b> 93289 <b>Report ID:</b> 147340 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2010 <b>Not-Current Rpt?:</b> No  <b>Yr of Last Filed Rpt:</b> 2011 <b>Fac ID:</b> 141167 <b>Fac Name:</b> BA INTERNATIONAL <b>Fac Address1:</b> 975 GLADSTONE AVENUE <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> K1Y4W5 <b>Facility Lat:</b> 45.4038 <b>Facility Long:</b> -75.7167 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> No <b>URL:</b> <b>No of Empl.:</b> 194 <b>Parent Co.:</b> Y <b>No Parent Co.:</b> 1 <b>Pollut Prev Cmnts:</b> Yes <b>Stacks:</b> No <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 32 <b>NAICS 2 Description:</b> Manufacturing <b>NAICS Code (4 digit):</b> 3231					
<b>Org ID:</b> 38292 <b>Submit Date:</b> 6/18/2011 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> 168491 <b>Cont Type:</b> MED <b>Contact Title:</b> <b>Cont First Name:</b> JOHN <b>Cont Last Name:</b> CODY <b>Contact Position:</b> MANAGER, PROCESSES, TECHNOLOGY AND ENVIRONMENT  <b>Contact Fax:</b> 6137286847 <b>Contact Ph.:</b> 6137285854 <b>Cont Area Code:</b> 613 <b>Contact Tel.:</b> 37285854 <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> 613 <b>Contact Fax:</b> 37286847 <b>Contact Email:</b> JOHN.CODY@GI-DE.COM <b>Latitude:</b> 45.4038 <b>Longitude:</b> -75.7167 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> No <b>No Streams:</b> <b>Waste Off Sites:</b> No <b>No Off Sites:</b> <b>Shutdown:</b> No <b>No of Shutdown:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>NAICS 4 Description:</b>		Printing and related support activities			
<b>NAICS Code (6 digit):</b>		323119			
<b>NAICS 6 Description:</b>		Other printing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Hexavalent chromium (and its compounds)			
<b>Chem (fr):</b>		Chrome hexavalent (et ses composés)			
<b>Quantity:</b>		.0003			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					

<a href="#">100</a>	43 of 54	SSW/163.0	66.9 / 6.00	BA INTERNATIONAL INC. 975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	GEN
<b>Generator No:</b>	ON0297401			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	323119				
<b>SIC Description:</b>	Other Printing				

**Detail(s)**

<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	211
<b>Waste Class Desc:</b>	AROMATIC SOLVENTS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	221
<b>Waste Class Desc:</b>	LIGHT FUELS
<b>Waste Class:</b>	231
<b>Waste Class Desc:</b>	LATEX WASTES
<b>Waste Class:</b>	233
<b>Waste Class Desc:</b>	OTHER POLYMERIC WASTES
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	251

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		262			
<b>Waste Class Desc:</b>		DETERGENTS/SOAPS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		132			
<b>Waste Class Desc:</b>		NEUTRALIZED WASTES - OTHER METALS			

**100**    44 of 54    **SSW/163.0**    **66.9 / 6.00**    **BA INTERNATIONAL INC.**  
**975 GLADSTONE AVENUE NOT AVAILABLE**    **NPRI**  
**OTTAWA ON K1Y4W5**

<b>NPRI ID:</b>	7358	<b>Org ID:</b>	38291
<b>Other ID:</b>		<b>Submit Date:</b>	6/29/2012
<b>No Other ID:</b>		<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	106512	<b>Contact ID:</b>	
<b>Report ID:</b>	8148	<b>Cont Type:</b>	
<b>Report Type:</b>	DNMC	<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	2	<b>Cont First Name:</b>	
<b>Report Year:</b>	2011	<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No	<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2011	<b>Contact Fax:</b>	
<b>Fac ID:</b>	141167	<b>Contact Ph.:</b>	
<b>Fac Name:</b>	BA INTERNATIONAL	<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	975 GLADSTONE AVENUE	<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE	<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	K1Y4W5	<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	45.4038	<b>Contact Fax:</b>	
<b>Facility Long:</b>	-75.7167	<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>		<b>Latitude:</b>	45.4038
<b>Facility DLS:</b>		<b>Longitude:</b>	-75.7167
<b>Datum:</b>	1983	<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>		<b>UTM Northing:</b>	
<b>URL:</b>		<b>UTM Easting:</b>	
<b>No of Empl.:</b>		<b>Waste Streams:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):		32			
NAICS 2 Description:		Manufacturing			
NAICS Code (4 digit):		3231			
NAICS 4 Description:		Printing and related support activities			
NAICS Code (6 digit):		323119			
NAICS 6 Description:		Other printing			

<u>100</u>	45 of 54	SSW/163.0	66.9 / 6.00	BA INTERNATIONAL INC. 975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5	GEN
Generator No:	ON0297401			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	323119				
SIC Description:	Other Printing				

Detail(s)

Waste Class:	122				
Waste Class Desc:	ALKALINE WASTES - OTHER METALS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	132				
Waste Class Desc:	NEUTRALIZED WASTES - OTHER METALS				
Waste Class:	253				
Waste Class Desc:	EMULSIFIED OILS				
Waste Class:	231				
Waste Class Desc:	LATEX WASTES				
Waste Class:	145				
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES				
Waste Class:	263				
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS				
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
Waste Class:	121				
Waste Class Desc:	ALKALINE WASTES - HEAVY METALS				
Waste Class:	265				
Waste Class Desc:	GRAPHIC ART WASTES				
Waste Class:	233				
Waste Class Desc:	OTHER POLYMERIC WASTES				
Waste Class:	212				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		262			
<b>Waste Class Desc:</b>		DETERGENTS/SOAPS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b><u>100</u></b>	<b>46 of 54</b>	<b>SSW/163.0</b>	<b>66.9 / 6.00</b>	<b>BA INTERNATIONAL INC. 975 GLADSTONE AVENUE OTTAWA ON K1Y 4W5</b>	<b>GEN</b>
<b>Generator No:</b>	ON0297401			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	323119				
<b>SIC Description:</b>	Other Printing				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Class:</i>		262			
<i>Waste Class Desc:</i>		DETERGENTS/SOAPS			
<i>Waste Class:</i>		146			
<i>Waste Class Desc:</i>		OTHER SPECIFIED INORGANICS			
<i>Waste Class:</i>		132			
<i>Waste Class Desc:</i>		NEUTRALIZED WASTES - OTHER METALS			
<i>Waste Class:</i>		221			
<i>Waste Class Desc:</i>		LIGHT FUELS			
<i>Waste Class:</i>		231			
<i>Waste Class Desc:</i>		LATEX WASTES			
<i>Waste Class:</i>		251			
<i>Waste Class Desc:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Class:</i>		212			
<i>Waste Class Desc:</i>		ALIPHATIC SOLVENTS			
<i>Waste Class:</i>		267			
<i>Waste Class Desc:</i>		ORGANIC ACIDS			
<i>Waste Class:</i>		112			
<i>Waste Class Desc:</i>		ACID WASTE - HEAVY METALS			
<i>Waste Class:</i>		265			
<i>Waste Class Desc:</i>		GRAPHIC ART WASTES			
<i>Waste Class:</i>		122			
<i>Waste Class Desc:</i>		ALKALINE WASTES - OTHER METALS			
<i>Waste Class:</i>		331			
<i>Waste Class Desc:</i>		WASTE COMPRESSED GASES			
<i>Waste Class:</i>		241			
<i>Waste Class Desc:</i>		HALOGENATED SOLVENTS			
<i>Waste Class:</i>		233			
<i>Waste Class Desc:</i>		OTHER POLYMERIC WASTES			
<i>Waste Class:</i>		264			
<i>Waste Class Desc:</i>		PHOTOPROCESSING WASTES			
<i>Waste Class:</i>		252			
<i>Waste Class Desc:</i>		WASTE OILS & LUBRICANTS			
<i>Waste Class:</i>		312			
<i>Waste Class Desc:</i>		PATHOLOGICAL WASTES			
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			

[100](#)

47 of 54

SSW/163.0

66.9 / 6.00

BA INTERNATIONAL INC.  
975 GLADSTONE AVENUE  
OTTAWA ON K1Y 4W5

GEN

*Generator No:* ON0297401  
*Status:*  
*Approval Years:* 2012  
*Contam. Facility:*  
*MHSW Facility:*  
*SIC Code:* 323119  
*SIC Description:* Other Printing

*PO Box No:*  
*Country:*  
*Choice of Contact:*  
*Co Admin:*  
*Phone No Admin:*

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><i>Detail(s)</i></b>					
<b><i>Waste Class:</i></b>			253		
<b><i>Waste Class Desc:</i></b>			EMULSIFIED OILS		
<b><i>Waste Class:</i></b>			211		
<b><i>Waste Class Desc:</i></b>			AROMATIC SOLVENTS		
<b><i>Waste Class:</i></b>			312		
<b><i>Waste Class Desc:</i></b>			PATHOLOGICAL WASTES		
<b><i>Waste Class:</i></b>			145		
<b><i>Waste Class Desc:</i></b>			PAINT/PIGMENT/COATING RESIDUES		
<b><i>Waste Class:</i></b>			231		
<b><i>Waste Class Desc:</i></b>			LATEX WASTES		
<b><i>Waste Class:</i></b>			331		
<b><i>Waste Class Desc:</i></b>			WASTE COMPRESSED GASES		
<b><i>Waste Class:</i></b>			122		
<b><i>Waste Class Desc:</i></b>			ALKALINE WASTES - OTHER METALS		
<b><i>Waste Class:</i></b>			265		
<b><i>Waste Class Desc:</i></b>			GRAPHIC ART WASTES		
<b><i>Waste Class:</i></b>			262		
<b><i>Waste Class Desc:</i></b>			DETERGENTS/SOAPS		
<b><i>Waste Class:</i></b>			263		
<b><i>Waste Class Desc:</i></b>			ORGANIC LABORATORY CHEMICALS		
<b><i>Waste Class:</i></b>			267		
<b><i>Waste Class Desc:</i></b>			ORGANIC ACIDS		
<b><i>Waste Class:</i></b>			212		
<b><i>Waste Class Desc:</i></b>			ALIPHATIC SOLVENTS		
<b><i>Waste Class:</i></b>			121		
<b><i>Waste Class Desc:</i></b>			ALKALINE WASTES - HEAVY METALS		
<b><i>Waste Class:</i></b>			241		
<b><i>Waste Class Desc:</i></b>			HALOGENATED SOLVENTS		
<b><i>Waste Class:</i></b>			148		
<b><i>Waste Class Desc:</i></b>			INORGANIC LABORATORY CHEMICALS		
<b><i>Waste Class:</i></b>			251		
<b><i>Waste Class Desc:</i></b>			OIL SKIMMINGS & SLUDGES		
<b><i>Waste Class:</i></b>			132		
<b><i>Waste Class Desc:</i></b>			NEUTRALIZED WASTES - OTHER METALS		
<b><i>Waste Class:</i></b>			264		
<b><i>Waste Class Desc:</i></b>			PHOTOPROCESSING WASTES		
<b><i>Waste Class:</i></b>			233		
<b><i>Waste Class Desc:</i></b>			OTHER POLYMERIC WASTES		
<b><i>Waste Class:</i></b>			252		
<b><i>Waste Class Desc:</i></b>			WASTE OILS & LUBRICANTS		
<b><i>Waste Class:</i></b>			146		
<b><i>Waste Class Desc:</i></b>			OTHER SPECIFIED INORGANICS		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			

<a href="#">100</a>	48 of 54	SSW/163.0	66.9 / 6.00	<b>Canadian Bank Note Company, Limited</b> 975 Gladstone Avenue Ottawa K1Y 4W5 CITY OF OTTAWA ON	<b>EBR</b>
<b>EBR Registry No:</b>	012-1359			<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>	7194-9H3LA9			<b>Exception Posted:</b>	
<b>Notice Type:</b>	Instrument Decision			<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>	January 04, 2017			<b>Act 2:</b>	
<b>Proposal Date:</b>	March 19, 2014			<b>Site Location Map:</b>	
<b>Year:</b>	2014				
<b>Instrument Type:</b>	(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)				
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>	Canadian Bank Note Company, Limited				
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	975 Gladstone avenue, Ottawa Ontario, Canada K1Y 4W5				
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
975 Gladstone Avenue Ottawa K1Y 4W5 CITY OF OTTAWA					

<a href="#">100</a>	49 of 54	SSW/163.0	66.9 / 6.00	<b>BA INTERNATIONAL INC.</b> 975 GLADSTONE AVENUE OTTAWA ON	<b>GEN</b>
<b>Generator No:</b>	ON0297401			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	323119				
<b>SIC Description:</b>	OTHER PRINTING				

**Detail(s)**

<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<b>Waste Class:</b>	132				
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - OTHER METALS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	233				
<b>Waste Class Desc:</b>	OTHER POLYMERIC WASTES				
<b>Waste Class:</b>	252				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		262			
<b>Waste Class Desc:</b>		DETERGENTS/SOAPS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		231			
<b>Waste Class Desc:</b>		LATEX WASTES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			

[100](#)

50 of 54

SSW/163.0

66.9 / 6.00

Canadian Bank Note Company, limited  
975 Gladstone avenue  
Ottawa ON K1Y 4W5

GEN

**Generator No:** ON8483802  
**Status:**  
**Approval Years:** 2016  
**Contam. Facility:** No  
**MHSW Facility:** No

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:** CO\_OFFICIAL  
**Co Admin:**  
**Phone No Admin:**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>SIC Code:</b>	323113, 323119				
<b>SIC Description:</b>		COMMERCIAL SCREEN PRINTING, OTHER PRINTING			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		150			
<b>Waste Class Desc:</b>		INERT INORGANIC WASTES			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCBS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		269			
<b>Waste Class Desc:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		131			
<b>Waste Class Desc:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		262			
<b>Waste Class Desc:</b>		DETERGENTS/SOAPS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<a href="#">100</a>	51 of 54	SSW/163.0	66.9 / 6.00	Canadian Bank Note Company, limited 975 Gladstone avenue	GEN

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Ottawa ON K1Y 4W5</b>					
<b>Generator No:</b>	ON8483802			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	323113, 323119				
<b>SIC Description:</b>	COMMERCIAL SCREEN PRINTING, OTHER PRINTING				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	269				
<b>Waste Class Desc:</b>	NON-HALOGENATED PESTICIDES				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	131				
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - HEAVY METALS				
<b>Waste Class:</b>	232				
<b>Waste Class Desc:</b>	POLYMERIC RESINS				
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Class:</b>	265				
<b>Waste Class Desc:</b>	GRAPHIC ART WASTES				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	112				
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	267				
<b>Waste Class Desc:</b>	ORGANIC ACIDS				
<b>Waste Class:</b>	262				
<b>Waste Class Desc:</b>	DETERGENTS/SOAPS				
<b>Waste Class:</b>	243				
<b>Waste Class Desc:</b>	PCBS				
<b>Waste Class:</b>	252				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">100</a>	52 of 54	SSW/163.0	66.9 / 6.00	Canadian Bank Note Company, limited 975 Gladstone avenue Ottawa ON K1Y 4W5	GEN
<b>Generator No:</b>	ON8483802			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	323113, 323119				
<b>SIC Description:</b>	COMMERCIAL SCREEN PRINTING, OTHER PRINTING				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Class:</b>	262				
<b>Waste Class Desc:</b>	DETERGENTS/SOAPS				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	331				
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES				
<b>Waste Class:</b>	243				
<b>Waste Class Desc:</b>	PCBS				
<b>Waste Class:</b>	131				
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - HEAVY METALS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	232				
<b>Waste Class Desc:</b>	POLYMERIC RESINS				
<b>Waste Class:</b>	269				
<b>Waste Class Desc:</b>	NON-HALOGENATED PESTICIDES				

<a href="#">100</a>	53 of 54	SSW/163.0	66.9 / 6.00	Canadian Bank Note Company, limited Gladstone 975 Gladstone avenue Ottawa ON K1Y 4W5	GEN
<b>Generator No:</b>	ON8483802			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					

**Detail(s)**

**Waste Class:** 112 C  
**Waste Class Desc:** Acid solutions - containing heavy metals

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>			122 C		
<b>Waste Class Desc:</b>				Alkaline slutions - containing other metals and non-metals (not cyanide)	
<b>Waste Class:</b>			122 L		
<b>Waste Class Desc:</b>				Alkaline slutions - containing other metals and non-metals (not cyanide)	
<b>Waste Class:</b>			131 L		
<b>Waste Class Desc:</b>				Neutralized solutions - containing heavy metals	
<b>Waste Class:</b>			145 I		
<b>Waste Class Desc:</b>				Wastes from the use of pigments, coatings and paints	
<b>Waste Class:</b>			145 L		
<b>Waste Class Desc:</b>				Wastes from the use of pigments, coatings and paints	
<b>Waste Class:</b>			146 L		
<b>Waste Class Desc:</b>				Other specified inorganic sludges, slurries or solids	
<b>Waste Class:</b>			146 T		
<b>Waste Class Desc:</b>				Other specified inorganic sludges, slurries or solids	
<b>Waste Class:</b>			148 C		
<b>Waste Class Desc:</b>				Misc. wastes and inorganic chemicals	
<b>Waste Class:</b>			150 L		
<b>Waste Class Desc:</b>				Inert organic wastes	
<b>Waste Class:</b>			212 L		
<b>Waste Class Desc:</b>				Aliphatic solvents and residues	
<b>Waste Class:</b>			213 I		
<b>Waste Class Desc:</b>				Petroleum distillates	
<b>Waste Class:</b>			232 B		
<b>Waste Class Desc:</b>				Polymeric resins	
<b>Waste Class:</b>			232 L		
<b>Waste Class Desc:</b>				Polymeric resins	
<b>Waste Class:</b>			241 H		
<b>Waste Class Desc:</b>				Halogenated solvents and residues	
<b>Waste Class:</b>			243 D		
<b>Waste Class Desc:</b>				PCB	
<b>Waste Class:</b>			251 L		
<b>Waste Class Desc:</b>				Waste oils/sludges (petroleum based)	
<b>Waste Class:</b>			252 L		
<b>Waste Class Desc:</b>				Waste crankcase oils and lubricants	
<b>Waste Class:</b>			253 L		
<b>Waste Class Desc:</b>				Emulsified oils	
<b>Waste Class:</b>			262 L		
<b>Waste Class Desc:</b>				Detergents and soaps	
<b>Waste Class:</b>			263 B		
<b>Waste Class Desc:</b>				Misc. waste organic chemicals	
<b>Waste Class:</b>			263 I		
<b>Waste Class Desc:</b>				Misc. waste organic chemicals	
<b>Waste Class:</b>			263 L		
<b>Waste Class Desc:</b>				Misc. waste organic chemicals	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		265 L			
<b>Waste Class Desc:</b>		Graphic arts wastes			
<b>Waste Class:</b>		267 C			
<b>Waste Class Desc:</b>		Organic acids			
<b>Waste Class:</b>		269 B			
<b>Waste Class Desc:</b>		Organic non-halogenated pesticide and herbicide wastes			
<b>Waste Class:</b>		331 I			
<b>Waste Class Desc:</b>		Waste compressed gases including cylinders			
<b>Waste Class:</b>		331 L			
<b>Waste Class Desc:</b>		Waste compressed gases including cylinders			

<a href="#"><u>100</u></a>	54 of 54	SSW/163.0	66.9 / 6.00	<b>Canadian Bank Note Company, limited Gladstone 975 Gladstone avenue Ottawa ON K1Y 4W5</b>	<b>GEN</b>
<b>Generator No:</b>	ON8483802			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jul 2020			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					

**Detail(s)**

<b>Waste Class:</b>	269 B
<b>Waste Class Desc:</b>	Organic non-halogenated pesticide and herbicide wastes
<b>Waste Class:</b>	213 I
<b>Waste Class Desc:</b>	Petroleum distillates
<b>Waste Class:</b>	122 L
<b>Waste Class Desc:</b>	Alkaline slutions - containing other metals and non-metals (not cyanide)
<b>Waste Class:</b>	263 L
<b>Waste Class Desc:</b>	Misc. waste organic chemicals
<b>Waste Class:</b>	212 L
<b>Waste Class Desc:</b>	Aliphatic solvents and residues
<b>Waste Class:</b>	265 L
<b>Waste Class Desc:</b>	Graphic arts wastes
<b>Waste Class:</b>	243 D
<b>Waste Class Desc:</b>	PCB
<b>Waste Class:</b>	252 L
<b>Waste Class Desc:</b>	Waste crankcase oils and lubricants
<b>Waste Class:</b>	145 I
<b>Waste Class Desc:</b>	Wastes from the use of pigments, coatings and paints
<b>Waste Class:</b>	112 C
<b>Waste Class Desc:</b>	Acid solutions - containing heavy metals
<b>Waste Class:</b>	263 I
<b>Waste Class Desc:</b>	Misc. waste organic chemicals

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b> <b>Waste Class Desc:</b>		148 C Misc. wastes and inorganic chemicals			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		262 L Detergents and soaps			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		331 I Waste compressed gases including cylinders			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		251 L Waste oils/sludges (petroleum based)			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		145 L Wastes from the use of pigments, coatings and paints			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		263 B Misc. waste organic chemicals			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		267 C Organic acids			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		146 T Other specified inorganic sludges, slurries or solids			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		146 L Other specified inorganic sludges, slurries or solids			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		253 L Emulsified oils			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		331 L Waste compressed gases including cylinders			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		232 B Polymeric resins			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		241 H Halogenated solvents and residues			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		122 C Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		232 L Polymeric resins			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		131 L Neutralized solutions - containing heavy metals			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		150 L Inert organic wastes			

[101](#)

1 of 1

NW/164.6

58.9 / -2.00

250 CITY CENTRE AVE  
Ottawa ON

WWIS

**Well ID:** 7202052**Construction Date:****Primary Water Use:** Monitoring and Test Hole**Sec. Water Use:****Final Well Status:** Test Hole**Water Type:****Casing Material:****Audit No:** Z168590**Tag:** A145957**Construction Method:****Elevation (m):****Data Entry Status:****Data Src:****Date Received:** 5/27/2013**Selected Flag:** Yes**Abandonment Rec:****Contractor:** 7241**Form Version:** 7**Owner:****Street Name:** 250 CITY CENTRE AVE**County:** OTTAWA**Municipality:** OTTAWA CITY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004311984	<b>Elevation:</b>	56.111618
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443815
<b>Code OB Desc:</b>		<b>North83:</b>	5028611
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	4/18/2013	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004878840
<b>Layer:</b>	1
<b>Color:</b>	8
<b>General Color:</b>	BLACK
<b>Mat1:</b>	
<b>Most Common Material:</b>	
<b>Mat2:</b>	11
<b>Mat2 Desc:</b>	GRAVEL
<b>Mat3:</b>	77
<b>Mat3 Desc:</b>	LOOSE
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.31
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004878841
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Mat2 Desc:</b>	GRAVEL
<b>Mat3:</b>	85
<b>Mat3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	.31
<b>Formation End Depth:</b>	2.13
<b>Formation End Depth UOM:</b>	m

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004878842			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		79			
<b>Mat3 Desc:</b>		PACKED			
<b>Formation Top Depth:</b>		2.13			
<b>Formation End Depth:</b>		4.11			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878850			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878851			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		0.91			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878852			
<b>Layer:</b>		3			
<b>Plug From:</b>		0.91			
<b>Plug To:</b>		4.11			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004878849			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004878839			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:			1004878845		
Layer:			1		
Material:			5		
Open Hole or Material:			PLASTIC		
Depth From:			0		
Depth To:			1.07		
Casing Diameter:			4.03		
Casing Diameter UOM:			cm		
Casing Depth UOM:			m		
<b><u>Construction Record - Screen</u></b>					
Screen ID:			1004878846		
Layer:			1		
Slot:			10		
Screen Top Depth:			1.07		
Screen End Depth:			4.11		
Screen Material:			5		
Screen Depth UOM:			m		
Screen Diameter UOM:			cm		
Screen Diameter:			4.82		
<b><u>Water Details</u></b>					
Water ID:			1004878844		
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:			m		
<b><u>Hole Diameter</u></b>					
Hole ID:			1004878843		
Diameter:			8.25		
Depth From:			0		
Depth To:			4.11		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		

**102**      1 of 1      **NW/164.9**      **58.9 / -2.00**      **250 CITY CENTRE AVE**  
**Ottawa ON**      **WWIS**

<b>Well ID:</b>	7202039	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>		<b>Date Received:</b>	5/27/2013
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	0	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z168595	<b>Owner:</b>	
<b>Tag:</b>	A145955	<b>Street Name:</b>	250 CITY CENTRE AVE
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
Flowing (Y/N): Flow Rate: Clear/Cloudy:  PDF URL (Map):				Zone: UTM Reliability:		
<b><u>Bore Hole Information</u></b>						
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1004311641      4/18/2013			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	56.02547  18 443807 5028608 UTM83 4 margin of error : 30 m - 100 m wwr	
<b><u>Overburden and Bedrock Materials Interval</u></b>						
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1004878814 1 8 BLACK  11 GRAVEL 77 LOOSE 0 .31 m					
<b><u>Overburden and Bedrock Materials Interval</u></b>						
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1004878816 3 2 GREY 28 SAND 06 SILT 79 PACKED 2.13 4.57 m					
<b><u>Overburden and Bedrock Materials Interval</u></b>						
Formation ID:	1004878815					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>	2				
<i>Color:</i>	6				
<i>General Color:</i>	BROWN				
<i>Mat1:</i>	28				
<i>Most Common Material:</i>	SAND				
<i>Mat2:</i>	11				
<i>Mat2 Desc:</i>	GRAVEL				
<i>Mat3:</i>	85				
<i>Mat3 Desc:</i>	SOFT				
<i>Formation Top Depth:</i>	.31				
<i>Formation End Depth:</i>	2.13				
<i>Formation End Depth UOM:</i>	m				
 <u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>	1004878824				
<i>Layer:</i>	3				
<i>Plug From:</i>	1.22				
<i>Plug To:</i>	4.57				
<i>Plug Depth UOM:</i>	m				
 <u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>	1004878822				
<i>Layer:</i>	1				
<i>Plug From:</i>	0				
<i>Plug To:</i>	0.31				
<i>Plug Depth UOM:</i>	m				
 <u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>	1004878823				
<i>Layer:</i>	2				
<i>Plug From:</i>	0.31				
<i>Plug To:</i>	1.22				
<i>Plug Depth UOM:</i>	m				
 <u><i>Method of Construction &amp; Well Use</i></u>					
<i>Method Construction ID:</i>	1004878821				
<i>Method Construction Code:</i>	D				
<i>Method Construction:</i>	Direct Push				
<i>Other Method Construction:</i>					
 <u><i>Pipe Information</i></u>					
<i>Pipe ID:</i>	1004878813				
<i>Casing No:</i>	0				
<i>Comment:</i>					
<i>Alt Name:</i>					
 <u><i>Construction Record - Casing</i></u>					
<i>Casing ID:</i>	1004878819				
<i>Layer:</i>	1				
<i>Material:</i>	5				
<i>Open Hole or Material:</i>	PLASTIC				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.52			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004878820			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.52			
<b>Screen End Depth:</b>		4.57			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004878818			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004878817			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.57			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[103](#) 1 of 1 S/167.0 66.9 / 6.00 ON **BORE**

<b>Borehole ID:</b>	613129	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215514433	<b>SP Status:</b>	Initial Entry
<b>Status:</b>		<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>		<b>Primary Name:</b>	
<b>Completion Date:</b>		<b>Municipality:</b>	
<b>Static Water Level:</b>	7.4	<b>Lot:</b>	
<b>Primary Water Use:</b>		<b>Township:</b>	
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	45.40455
<b>Total Depth m:</b>	-999	<b>Longitude DD:</b>	-75.716717
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	18
<b>Depth Elev:</b>		<b>Easting:</b>	443911
<b>Drill Method:</b>		<b>Northing:</b>	5028142
<b>Orig Ground Elev m:</b>	65.5	<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	65.3		
<b>Concession:</b>			
<b>Location D:</b>			
<b>Survey D:</b>			
<b>Comments:</b>			

**Borehole Geology Stratum**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218393824 .6 1.5  Gravel			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218393823 0 .6  Silt Sand			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218393826 4.7 4.9  Sand			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218393827 4.9 5  Gravel			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	Hard
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218393825 1.5 4.7  Gravel Clay			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	Compact
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218393828 5   Bedrock			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	Compact
<b>Stratum Description:</b>	BEDROCK. BEDROCK. 013 00005 021 00050 081 000100670000500900050049COMPACT, W **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Source**

**Source Type:** Data Survey  
**Source Orig:** Geological Survey of Canada  
**Source Date:** 1956-1972  
**Confidence:** H  
**Observatio:**  
**Source Name:** Urban Geology Automated Information System (UGAIS)  
**Source Details:** File: OTTAWA2.txt RecordID: 056370 NTS\_Sheet: 31G05G  
**Confiden 1:** Logged by professional. Exact and complete description of material and properties.

**Source List**

**Source Identifier:** 1  
**Source Type:** Data Survey  
**Source Date:** 1956-1972  
**Scale or Resolution:** Varies  
**Source Name:** Urban Geology Automated Information System (UGAIS)  
**Source Originators:** Geological Survey of Canada

**Horizontal Datum:** NAD27  
**Vertical Datum:** Mean Average Sea Level  
**Projection Name:** Universal Transverse Mercator

<a href="#">104</a>	1 of 1	NNW/168.0	59.2 / -1.69	255 CITY CENTRE AVENUE lot 39 con 1 Ottawa ON	WWIS
---------------------	--------	-----------	--------------	--	------

**Well ID:** 7116509  
**Construction Date:**  
**Primary Water Use:** Monitoring  
**Sec. Water Use:**  
**Final Well Status:** Test Hole  
**Water Type:**  
**Casing Material:**  
**Audit No:** M02917  
**Tag:** A074575  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 12/15/2008  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 1844  
**Form Version:** 5  
**Owner:**  
**Street Name:** 255 CITY CENTRE AVENUE  
**County:** OTTAWA  
**Municipality:** OTTAWA CITY  
**Site Info:**  
**Lot:** 039  
**Concession:** 01  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/711\7116509.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/711\7116509.pdf)

**Bore Hole Information**

**Bore Hole ID:** 1002760854  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:**  
**Open Hole:**  
**Cluster Kind:** This is a record from cluster log sheet  
**Date Completed:** 11/12/2008  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**

**Elevation:** 56.690364  
**Elevrc:**  
**Zone:** 18  
**East83:** 443859  
**North83:** 5028639  
**Org CS:** UTM83  
**UTMRC:** 3  
**UTMRC Desc:** margin of error : 10 - 30 m  
**Location Method:** wwr

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1002760858			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1002760857			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1002760859			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1002760861			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		1.5			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1002760860			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		1.5			
<i>Screen End Depth:</i>		4.9			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<b><u>Results of Well Yield Testing</u></b>					
<i>Pump Test ID:</i>		1002760862			
<i>Pump Set At:</i>					
<i>Static Level:</i>		2.5			
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Levels UOM:</b> m					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1002760856					
<b>Diameter:</b> 10					
<b>Depth From:</b>					
<b>Depth To:</b> 4.9					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1002760890					
<b>DP2BR:</b>					
<b>Spatial Status:</b>					
<b>Code OB:</b>					
<b>Code OB Desc:</b>					
<b>Open Hole:</b>					
<b>Cluster Kind:</b> This is a record from cluster log sheet					
<b>Date Completed:</b> 11/13/2008					
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> 1002760894					
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1002760893					
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b> DIRECT PUSH					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> 1002760895					
<b>Casing No:</b> 0					
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing ID:</b>		1002760897			
<b>Layer:</b>					
<b>Material:</b>	5				
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>	1.5				
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002760896			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>	1.5				
<b>Screen End Depth:</b>	4.9				
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002760898			
<b>Pump Set At:</b>					
<b>Static Level:</b>	2.4				
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>	m				
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002760892			
<b>Diameter:</b>	10				
<b>Depth From:</b>					
<b>Depth To:</b>	4.9				
<b>Hole Depth UOM:</b>	m				
<b>Hole Diameter UOM:</b>	cm				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002760827		<b>Elevation:</b>	56.459518	
<b>DP2BR:</b>			<b>Elevrc:</b>		
<b>Spatial Status:</b>			<b>Zone:</b>	18	
<b>Code OB:</b>			<b>East83:</b>	443841	
<b>Code OB Desc:</b>			<b>North83:</b>	5028624	
<b>Open Hole:</b>			<b>Org CS:</b>	UTM83	
<b>Cluster Kind:</b>	This is a record from cluster log sheet		<b>UTMRC:</b>	3	
<b>Date Completed:</b>	11/12/2008		<b>UTMRC Desc:</b>	margin of error : 10 - 30 m	
<b>Remarks:</b>			<b>Location Method:</b>	wwr	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002760831			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002760830			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002760832			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002760834			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002760833			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.9			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002760835			
<b>Pump Set At:</b>					
<b>Static Level:</b>		3			
<b>Final Level After Pumping:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002760829			
<b>Diameter:</b>		10			
<b>Depth From:</b>					
<b>Depth To:</b>		4.9			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1001910061			<b>Elevation:</b>	56.618194
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443844
<b>Code OB Desc:</b>				<b>North83:</b>	5028632
<b>Open Hole:</b>	No			<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	11/12/2008			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002760902			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		1.2			
<b>Formation End Depth:</b>		4.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002760903			
<b>Layer:</b>		3			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>		81			
<b>Mat3 Desc:</b>		SANDY			
<b>Formation Top Depth:</b>		4.2			
<b>Formation End Depth:</b>		4.9			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002760901			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		12			
<b>Mat2 Desc:</b>		STONES			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1002760905			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.5			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1002760908			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002760899			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002760906			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		5.8			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002760900			
<b>Pump Set At:</b>					
<b>Static Level:</b>		2.9			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>		0			
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002760904			
<b>Diameter:</b>		10			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.9			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002760845			<b>Elevation:</b>	56.786983
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443836
<b>Code OB Desc:</b>				<b>North83:</b>	5028648
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	11/12/2008			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002760849			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002760848			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002760850			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002760852			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002760851			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.9			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002760853			
<b>Pump Set At:</b>					
<b>Static Level:</b>		2.9			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002760847			
<b>Diameter:</b>		10			
<b>Depth From:</b>					
<b>Depth To:</b>		4.9			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002760872			<b>Elevation:</b>	56.588462
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443824
<b>Code OB Desc:</b>				<b>North83:</b>	5028637
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	11/13/2008			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1002760876				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1002760875				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	DIRECT PUSH				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1002760877				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1002760879				
<b>Layer:</b>					
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>					
<b>Depth To:</b>	1.5				
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1002760878				
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>	1.5				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Screen End Depth: 4.9  
Screen Material:  
Screen Depth UOM: m  
Screen Diameter UOM:  
Screen Diameter:

**Results of Well Yield Testing**

Pump Test ID: 1002760880  
Pump Set At:  
Static Level: 2.7  
Final Level After Pumping:  
Recommended Pump Depth:  
Pumping Rate:  
Flowing Rate:  
Recommended Pump Rate:  
Levels UOM: m  
Rate UOM:  
Water State After Test Code:  
Water State After Test:  
Pumping Test Method:  
Pumping Duration HR:  
Pumping Duration MIN:  
Flowing:

**Hole Diameter**

Hole ID: 1002760874  
Diameter: 10  
Depth From:  
Depth To: 4.9  
Hole Depth UOM: m  
Hole Diameter UOM: cm

**Bore Hole Information**

Bore Hole ID:	1002760863	Elevation:	56.512043
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	443831
Code OB Desc:		North83:	5028629
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	11/13/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment Sealing Record**

Plug ID: 1002760867  
Layer:  
Plug From:  
Plug To:  
Plug Depth UOM:

**Method of Construction & Well**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1002760866			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002760868			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002760870			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002760869			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.9			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002760871			
<b>Pump Set At:</b>					
<b>Static Level:</b>		2.6			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002760865			
<b>Diameter:</b>		10			
<b>Depth From:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Depth To:</i>		4.9			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1002760809			<i>Elevation:</i>	56.645496
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	18
<i>Code OB:</i>				<i>East83:</i>	443860
<i>Code OB Desc:</i>				<i>North83:</i>	5028636
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	3
<i>Date Completed:</i>	11/12/2008			<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>	1002760813				
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>	1002760812				
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>	1002760814				
<i>Casing No:</i>	0				
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>	1002760816				
<i>Layer:</i>					
<i>Material:</i>	5				
<i>Open Hole or Material:</i>	PLASTIC				
<i>Depth From:</i>					
<i>Depth To:</i>	1.5				
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>	m				
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>	1002760815				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.9			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
 <b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>					
		1002760817			
<b>Pump Set At:</b>					
<b>Static Level:</b>		2.5			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
 <b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>					
		1002760811			
<b>Diameter:</b>					
		10			
<b>Depth From:</b>					
<b>Depth To:</b>					
		4.9			
<b>Hole Depth UOM:</b>					
		m			
<b>Hole Diameter UOM:</b>					
		cm			
 <b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>					
		1002760818			
<b>DP2BR:</b>					
<b>Spatial Status:</b>					
<b>Code OB:</b>					
<b>Code OB Desc:</b>					
<b>Open Hole:</b>					
<b>Cluster Kind:</b>					
		This is a record from cluster log sheet			
<b>Date Completed:</b>					
		11/12/2008			
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
 <b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>					
		1002760822			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Plug Depth UOM:</u></b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002760821			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002760823			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002760825			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002760824			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.9			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002760826			
<b>Pump Set At:</b>					
<b>Static Level:</b>		3			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Hole ID:</b>		1002760820			
<b>Diameter:</b>		10			
<b>Depth From:</b>					
<b>Depth To:</b>		4.9			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002760836			<b>Elevation:</b>	56.716533
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443835
<b>Code OB Desc:</b>				<b>North83:</b>	5028642
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	11/12/2008			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002760840			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002760839			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002760841			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002760843			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Construction Record - Screen**

Screen ID: 1002760842  
 Layer:  
 Slot:  
 Screen Top Depth: 1.5  
 Screen End Depth: 4.9  
 Screen Material:  
 Screen Depth UOM: m  
 Screen Diameter UOM:  
 Screen Diameter:

**Results of Well Yield Testing**

Pump Test ID: 1002760844  
 Pump Set At:  
 Static Level: 2.9  
 Final Level After Pumping:  
 Recommended Pump Depth:  
 Pumping Rate:  
 Flowing Rate:  
 Recommended Pump Rate:  
 Levels UOM: m  
 Rate UOM:  
 Water State After Test Code:  
 Water State After Test:  
 Pumping Test Method:  
 Pumping Duration HR:  
 Pumping Duration MIN:  
 Flowing:

**Hole Diameter**

Hole ID: 1002760838  
 Diameter: 10  
 Depth From:  
 Depth To: 4.9  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**Bore Hole Information**

Bore Hole ID:	1002760881	Elevation:	56.622066
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	443818
Code OB Desc:		North83:	5028643
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	11/13/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment Sealing Record**

Plug ID: 1002760885

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1002760884					
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b> DIRECT PUSH					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> 1002760886					
<b>Casing No:</b> 0					
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> 1002760888					
<b>Layer:</b>					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b>					
<b>Depth To:</b> 1.5					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1002760887					
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b> 1.5					
<b>Screen End Depth:</b> 4.9					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b> 1002760889					
<b>Pump Set At:</b>					
<b>Static Level:</b> 2.8					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b> m					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1002760883			
Diameter:		10			
Depth From:					
Depth To:		4.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">105</a>	1 of 1	S/168.0	67.0 / 6.08	975 GLADESTONE AVE OTTAWA ON	WWIS
Well ID:	7245911			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	8/5/2015
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7238
Casing Material:				Form Version:	7
Audit No:	Z199820			Owner:	
Tag:	A175223			Street Name:	975 GLADESTONE AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

**Bore Hole Information**

Bore Hole ID:	1005538759	Elevation:	65.016937
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	443926
Code OB Desc:		North83:	5028142
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	7/6/2015	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID:	1005652469
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	05

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>					
<b>Mat2:</b>		CLAY			
<b>Mat2 Desc:</b>		06			
<b>Mat3:</b>		SILT			
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		6			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005652470			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		23			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005652468			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		6			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005652477			
<b>Layer:</b>		1			
<b>Plug From:</b>		23			
<b>Plug To:</b>		11			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005652478			
<b>Layer:</b>		2			
<b>Plug From:</b>		11			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1005652476			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005652467			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005652473			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		13			
<b>Depth To:</b>		0			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005652474			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		23			
<b>Screen End Depth:</b>		13			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005652472			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005652471			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		23			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[106](#)

1 of 2

NNE/170.4

64.5 / 3.64

Enbridge Gas Distribution Inc.  
84 Preston St  
Ottawa ON

SPL

Ref No:

1372-BF8JRU

Discharger Report:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	8/20/2019			<b>Health/Env Conseq:</b>	2 - Minor Environment Corporation
<b>Year:</b>				<b>Client Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>				<b>Sector Type:</b>	
<b>Incident Event:</b>	Leak/Break			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	35			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	NATURAL GAS (METHANE)			<b>Site Address:</b>	84 Preston St
<b>Contaminant Limit 1:</b>	0			<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>	none			<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>	1075			<b>Site Region:</b>	Eastern
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Air			<b>Northing:</b>	
<b>MOE Response:</b>	No			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	8/20/2019			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	9/28/2019			<b>SAC Action Class:</b>	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
<b>Incident Reason:</b>	Operator/Human Error			<b>Source Type:</b>	Pipeline/Components
<b>Site Name:</b>	residential property<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	TSSAfsb ½ in pl IP gas srvc dmgd made safe				
<b>Contaminant Qty:</b>	0 other - see incident description				

[106](#)    2 of 2    **NNE/170.4**    **64.5 / 3.64**    **ENBRIDGE GAS INC**  
**84 PRESTON ST,,OTTAWA,ON,K1R 7N9,CA**    **PINC**  
**ON**

<b>Incident ID:</b>		<b>Fuel Category:</b>	
<b>Incident No:</b>	2667888	<b>Health Impact:</b>	
<b>Incident Reported Dt:</b>	8/20/2019	<b>Environment Impact:</b>	
<b>Type:</b>	FS-Pipeline Incident	<b>Property Damage:</b>	
<b>Status Code:</b>		<b>Service Interupt:</b>	
<b>Customer Acct Name:</b>	ENBRIDGE GAS INC	<b>Enforce Policy:</b>	
<b>Incident Address:</b>	84 PRESTON ST,,OTTAWA,ON,K1R 7N9,CA	<b>Public Relation:</b>	
<b>Tank Status:</b>	Pipeline Damage Reason Est	<b>Pipeline System:</b>	
<b>Task No:</b>		<b>Depth:</b>	
<b>Spills Action Centre:</b>		<b>Pipe Material:</b>	
<b>Fuel Type:</b>		<b>PSIG:</b>	
<b>Fuel Occurrence Tp:</b>		<b>Attribute Category:</b>	
<b>Date of Occurrence:</b>		<b>Regulator Location:</b>	
<b>Occurrence Start Dt:</b>		<b>Method Details:</b>	
<b>Operation Type:</b>			
<b>Pipeline Type:</b>			
<b>Regulator Type:</b>			
<b>Summary:</b>			
<b>Reported By:</b>			
<b>Affiliation:</b>			
<b>Occurrence Desc:</b>			
<b>Damage Reason:</b>			
<b>Notes:</b>			

[107](#)    1 of 1    **NW/170.9**    **58.9 / -2.00**    **250 CITY CENTRE AVE**  
**Ottawa ON**    **WWIS**

<b>Well ID:</b>	7202038	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	5/27/2013
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole	<b>Abandonment Rec:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z168591			<b>Owner:</b>	
<b>Tag:</b>	A145954			<b>Street Name:</b>	250 CITY CENTRE AVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

PDF URL (Map):

#### Bore Hole Information

<b>Bore Hole ID:</b>	1004311638	<b>Elevation:</b>	56.182643
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443813
<b>Code OB Desc:</b>		<b>North83:</b>	5028617
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	4/18/2013	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	1004878789
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	06
<b>Mat2 Desc:</b>	SILT
<b>Mat3:</b>	79
<b>Mat3 Desc:</b>	PACKED
<b>Formation Top Depth:</b>	2.13
<b>Formation End Depth:</b>	4.57
<b>Formation End Depth UOM:</b>	m

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	1004878788
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		.31			
<b>Formation End Depth:</b>		2.13			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004878787			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.31			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878799			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.22			
<b>Plug To:</b>		4.57			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878798			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		1.22			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878797			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004878796			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1004878786			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1004878792			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.52			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1004878793			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.52			
Screen End Depth:		4.57			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<b><u>Water Details</u></b>					
Water ID:		1004878791			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004878790			
Diameter:		8.25			
Depth From:		0			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[108](#)

1 of 5

NW/170.9

58.9 / -2.00

City of Ottawa  
 Elm Street and City Centre Ave (City Right of Way)  
 Ottawa ON

GEN

Generator No: ON9563614  
 Status:  
 Approval Years: 2013  
 Contam. Facility:  
 MHSW Facility:  
 SIC Code: 913910  
 SIC Description:

PO Box No:  
 Country:  
 Choice of Contact:  
 Co Admin:  
 Phone No Admin:

**Detail(s)**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">108</a>	2 of 5	NW/170.9	58.9 / -2.00	City of Ottawa Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	GEN
<b>Generator No:</b>	ON9563614			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	Yes			<b>Co Admin:</b>	Robert Timlin
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-226-2456 Ext.256
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>	913910				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">108</a>	3 of 5	NW/170.9	58.9 / -2.00	City of Ottawa Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	GEN
<b>Generator No:</b>	ON9563614			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	Yes			<b>Co Admin:</b>	Robert Timlin
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-226-2456 Ext.256
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>	913910				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<a href="#">108</a>	4 of 5	NW/170.9	58.9 / -2.00	City of Ottawa Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	GEN
<b>Generator No:</b>	ON9563614			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	Yes			<b>Co Admin:</b>	Robert Timlin
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-226-2456 Ext.256
<b>SIC Code:</b>	913910				
<b>SIC Description:</b>	913910				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		221			
<b>Waste Class Desc:</b>		LIGHT FUELS			
<a href="#">108</a>	5 of 5	NW/170.9	58.9 / -2.00	City of Ottawa Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1	GEN
<b>Generator No:</b>	ON9563614			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		221 L			
<b>Waste Class Desc:</b>		Light fuels			
<a href="#">109</a>	1 of 1	E/174.7	66.9 / 6.05	6176381 Canada Inc. 191 - 193 Preston St Ottawa ON K2E 5A4	ECA
<b>Approval No:</b>	3042-82DHGD			<b>MOE District:</b>	
<b>Approval Date:</b>	2010-02-11			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Business Name:</b>	6176381 Canada Inc.				
<b>Address:</b>	191 - 193 Preston St				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8985-7XRL8T-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8985-7XRL8T-14.pdf</a>				
<a href="#">110</a>	1 of 1	ENE/178.4	68.0 / 7.08	883 Somerset St W Ottawa ON	EHS
<b>Order No:</b>	20130225003			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	Ottawa
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	05-MAR-13			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	25-FEB-13			<b>X:</b>	0
<b>Previous Site Name:</b>				<b>Y:</b>	0
<b>Lot/Building Size:</b>	3267.0000 square feet				
<b>Additional Info Ordered:</b>	City Directory				
<a href="#">111</a>	1 of 1	NW/180.1	59.2 / -1.69	250 270,290 CITY CENTRE OTTAWA ON	WWIS
<b>Well ID:</b>	7163582			<b>Data Entry Status:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole			<b>Date Received:</b>	5/27/2011
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6964
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z127822			<b>Owner:</b>	
<b>Tag:</b>	A108277			<b>Street Name:</b>	250 270,290 CITY CENTRE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

PDF URL (Map):

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003513636	<b>Elevation:</b>	56.442871
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443820
<b>Code OB Desc:</b>		<b>North83:</b>	5028630
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	1/17/2011	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1003913581
<b>Layer:</b>	3
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	08
<b>Most Common Material:</b>	FINE SAND
<b>Mat2:</b>	10
<b>Mat2 Desc:</b>	COARSE SAND
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	1.35
<b>Formation End Depth:</b>	5.5
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1003913580
<b>Layer:</b>	2
<b>Color:</b>	7

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		RED			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		.75			
<b>Formation End Depth:</b>		1.35			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1003913579			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		08			
<b>Mat3 Desc:</b>		FINE SAND			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.75			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003913589			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.3			
<b>Plug To:</b>		4.63			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003913588			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1003913587			
<b>Method Construction Code:</b>		E			
<b>Method Construction:</b>		Auger			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003913578			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:			1003913584		
Layer:			1		
Material:			5		
Open Hole or Material:			PLASTIC		
Depth From:			0		
Depth To:			1.54		
Casing Diameter:			5.2		
Casing Diameter UOM:			cm		
Casing Depth UOM:			m		
<b><u>Construction Record - Screen</u></b>					
Screen ID:			1003913585		
Layer:			1		
Slot:			10		
Screen Top Depth:			1.54		
Screen End Depth:			4.63		
Screen Material:			5		
Screen Depth UOM:			m		
Screen Diameter UOM:			cm		
Screen Diameter:			6		
<b><u>Water Details</u></b>					
Water ID:			1003913583		
Layer:			1		
Kind Code:					
Kind:					
Water Found Depth:			2.73		
Water Found Depth UOM:			m		
<b><u>Hole Diameter</u></b>					
Hole ID:			1003913582		
Diameter:			22		
Depth From:			0		
Depth To:			5.5		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		

[112](#)    1 of 1    S/181.4    67.2 / 6.33    975 GLADSTONE AVE.  
OTTAWA ON    [WWIS](#)

Well ID:	7245908	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	8/5/2015
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	7238
Casing Material:		Form Version:	7
Audit No:	Z199795	Owner:	
Tag:	A175222	Street Name:	975 GLADSTONE AVE.
Construction Method:		County:	OTTAWA
Elevation (m):		Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:  PDF URL (Map):				Zone: UTM Reliability:	
<b><u>Bore Hole Information</u></b>					
Bore Hole ID: 1005538750 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 7/3/2015 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: 65.301795 Elevrc: Zone: 18 East83: 443930 North83: 5028129 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID: 1005652271 Layer: 2 Color: 6 General Color: BROWN Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 11 Mat3 Desc: GRAVEL Formation Top Depth: 4 Formation End Depth: 10 Formation End Depth UOM: ft					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID: 1005652272 Layer: 3 Color: 2 General Color: GREY Mat1: 05 Most Common Material: CLAY Mat2: 06 Mat2 Desc: SILT Mat3: 91 Mat3 Desc: WATER-BEARING Formation Top Depth: 10 Formation End Depth: 22 Formation End Depth UOM: ft					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
Formation ID: 1005652270					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		4			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005652278			
<b>Layer:</b>		1			
<b>Plug From:</b>		22			
<b>Plug To:</b>		8			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005652279			
<b>Layer:</b>		2			
<b>Plug From:</b>		8			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005652277			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005652269			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005652275			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		12			
<b>Depth To:</b>		0			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005652276			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Slot:	10				
Screen Top Depth:	22				
Screen End Depth:	12				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2				
<b><u>Water Details</u></b>					
Water ID:	1005652274				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	ft				
<b><u>Hole Diameter</u></b>					
Hole ID:	1005652273				
Diameter:	8				
Depth From:	0				
Depth To:	22				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				

<a href="#">113</a>	1 of 1	NW/181.6	58.9 / -2.00	250 CITY CENTRE AVE Ottawa ON	WWIS
Well ID:	7202051			<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:	Monitoring and Test Hole			<b>Date Received:</b>	5/27/2013
Sec. Water Use:				<b>Selected Flag:</b>	Yes
Final Well Status:	0			<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b>	7241
Casing Material:				<b>Form Version:</b>	7
Audit No:	Z168594			<b>Owner:</b>	
Tag:	A145956			<b>Street Name:</b>	250 CITY CENTRE AVE
Construction Method:				<b>County:</b>	OTTAWA
Elevation (m):				<b>Municipality:</b>	OTTAWA CITY
Elevation Reliability:				<b>Site Info:</b>	
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					
<b>PDF URL (Map):</b>					
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1004311981			<b>Elevation:</b>	56.201663
DP2BR:				<b>Elevrc:</b>	
Spatial Status:				<b>Zone:</b>	18
Code OB:				<b>East83:</b>	443802
Code OB Desc:				<b>North83:</b>	5028624
Open Hole:				<b>Org CS:</b>	UTM83
Cluster Kind:				<b>UTMRC:</b>	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Date Completed:** 4/18/2013  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**UTMRC Desc:** margin of error : 30 m - 100 m  
**Location Method:** wwr

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1004878828  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 06  
**Mat2 Desc:** SILT  
**Mat3:** 79  
**Mat3 Desc:** PACKED  
**Formation Top Depth:** 2.13  
**Formation End Depth:** 4.57  
**Formation End Depth UOM:** m

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1004878826  
**Layer:** 1  
**Color:** 8  
**General Color:** BLACK  
**Mat1:**  
**Most Common Material:**  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 77  
**Mat3 Desc:** LOOSE  
**Formation Top Depth:** 0  
**Formation End Depth:** .31  
**Formation End Depth UOM:** m

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1004878827  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** .31  
**Formation End Depth:** 2.13  
**Formation End Depth UOM:** m

**Annular Space/Abandonment  
Sealing Record**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1004878837			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.31			
<b>Plug To:</b>		1.22			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878838			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.22			
<b>Plug To:</b>		4.57			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004878836			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004878835			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004878825			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004878831			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.52			
<b>Casing Diameter:</b>		4.03			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004878832			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.52			
<b>Screen End Depth:</b>		4.57			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.82			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004878830			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004878829			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.57			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<a href="#">114</a>	1 of 2	ESE/182.5	66.9 / 6.05	INVITATIONS PLUS 193 PRESTON ST OTTAWA ON K1R 7P8	SCT
<b>Established:</b>		1994			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		0			
<b>--Details--</b>					
<b>Description:</b>		Quick Printing			
<b>SIC/NAICS Code:</b>		323114			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<a href="#">114</a>	2 of 2	ESE/182.5	66.9 / 6.05	6176381 Canada Inc. 191-193 Preston St Ottawa ON	CA
<b>Certificate #:</b>		3042-82DHGD			
<b>Application Year:</b>		2010			
<b>Issue Date:</b>		2/11/2010			
<b>Approval Type:</b>		Municipal and Private Sewage Works			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">115</a>	1 of 1	NNW/182.6	59.2 / -1.69	255 CITY CENTER AVENUE lot 8 con 73 OTTAWA ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	1536786			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	11/7/2006
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1844
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z50505			<b>Owner:</b>	
<b>Tag:</b>	A045185			<b>Street Name:</b>	255 CITY CENTER AVENUE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	008
<b>Well Depth:</b>				<b>Concession:</b>	73
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1536786.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536786.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b>	11691880	<b>Elevation:</b>	56.778808
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	o	<b>East83:</b>	443849
<b>Code OB Desc:</b>	Overburden	<b>North83:</b>	5028645
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	9/20/2006	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	933070926
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Mat2 Desc:</b>	GRAVEL
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	3
<b>Formation End Depth:</b>	4.9
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	933070924
----------------------	-----------

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		01			
<b>Mat2 Desc:</b>		FILL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933070927			
<b>Layer:</b>		4			
<b>Color:</b>		4			
<b>General Color:</b>		GREEN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		81			
<b>Mat2 Desc:</b>		SANDY			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		4.9			
<b>Formation End Depth:</b>		6			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933070925			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		06			
<b>Mat3 Desc:</b>		SILT			
<b>Formation Top Depth:</b>		.5			
<b>Formation End Depth:</b>		3			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933286580			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.1			
<b>Plug To:</b>		0.8			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961536786			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 11696746  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930886932  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 1.5  
**Casing Diameter:** 51  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 933420748  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 1.5  
**Screen End Depth:** 6  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 58

**Hole Diameter**

**Hole ID:** 11755449  
**Diameter:** 20  
**Depth From:** 0  
**Depth To:** 6  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">116</a>	1 of 1	S/183.1	65.9 / 5.00	lot 39 con 1 ON	WWIS
---------------------	--------	---------	-------------	--------------------	------

<b>Well ID:</b> 7292789 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> C36226 <b>Tag:</b> A198420 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b>	<b>Data Entry Status:</b> Yes <b>Data Src:</b> <b>Date Received:</b> 8/17/2017 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7543 <b>Form Version:</b> 8 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> OTTAWA <b>Municipality:</b> NEPEAN TOWNSHIP <b>Site Info:</b> <b>Lot:</b> 039 <b>Concession:</b> 01 <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b>
---	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
Flowing (Y/N): Flow Rate: Clear/Cloudy:  PDF URL (Map):				Zone: UTM Reliability:		
<b><u>Bore Hole Information</u></b>						
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1006712664			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	64.166984  18 443968 5028136 UTM83 4 margin of error : 30 m - 100 m wwr	

<a href="#">117</a>	1 of 1	WNW/183.5	60.9 / 0.00	Champagne Corridor, Breezehill Ave At Somerset Street  Ottawa ON	FCS
---------------------	--------	-----------	-------------	--	-----

SGC: 3506008  
 Site ID: 00023303  
 Departmental ID: 763  
 Depart Code: NCC  
 Class Type: 3  
 Class: Low Priority for Action  
 Site Name: Champagne Corridor, Breezehill Ave At Somerset Street  
 Site Name (FR): Corridor Champagne, avenue Breezehill à la rue Somerset  
 Site Status: Closed  
 Site Status Desc: Detailed testing completed. No further action required.  
 Site Status (FR): Fermé  
 Description (FR): Analyse détaillée terminée. Aucune autre mesure nécessaire.  
 Involv Code:  
 Census Division: Ottawa  
 Municipality: Ottawa  
 Census Sub Class: 1  
 Latitude: 45.407810  
 Longitude: -75.720065  
 Location:  
 Protected Data: 0  
 FED: 075  
 Fed Electoral District: Ottawa Centre  
 Fed Electoral District (FR): Ottawa-Centre  
 Metro:  
 Nearest Pop. Area:  
 Highest Step Cmpltd: 10  
 Site Deleted Flag:  
 Created: 2008-06-19T21:36:00  
 Modified: 2016-05-25T17:08:01.603  
 Property No.: 01884  
 Est m³ Contmnted: 150.0000  
 Est Ha Contmnted:  
 Est Tons Contamin:  
 Est Population at 1 Km: 13,612  
 Est Population at 5 Km: 225,046

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Est Population at 10 Km:</b>		654,120			
<b>Est Population at 25 Km:</b>		1,226,192			
<b>Est Population at 50 Km:</b>		1,440,117			
<b>Reporting Org:</b>					
<b>Reporting Org (FR):</b>					
<b>Reason for Involv:</b>		Federal Real Property			
<b>Reason for Involv (FR):</b>		Biens immobiliers fédéraux			
<b>Liab Third Party:</b>					
<b>Class (FR):</b>		Priorité d'intervention faible			
<b>Action Plan:</b>					
<b>Action Plan (FR):</b>					
<b>Site Mgmt Strategy:</b>					
<b>Minimap URL:</b>		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00023303			
<b>Additional Info:</b>					
<b>Additional Info (FR):</b>					
<b><u>Contamination</u></b>					
<b>Contaminant:</b>		Metal, metalloid, and organometallic			
<b>Contamination (FR):</b>		Métaux, métalloïdes, et organométalliques			
<b>Medium Code:</b>		5			
<b>Medium:</b>		Soil			
<b>Medium (FR):</b>		Sol			
<b>Contaminant:</b>		PHCs (petroleum hydrocarbons)			
<b>Contamination (FR):</b>		HCP (hydrocarbures pétroliers)			
<b>Medium Code:</b>		5			
<b>Medium:</b>		Soil			
<b>Medium (FR):</b>		Sol			
<b><u>Annual Data</u></b>					
<b>Fiscal Year:</b>		2014-2015			
<b>Reporting Organization:</b>		NCC			
<b>Reporting Organization (EN):</b>		National Capital Commission			
<b>Reporting Organization (FR):</b>		Commission de la Capitale nationale			
<b>Class Type:</b>					
<b>Class (EN):</b>					
<b>Class (FR):</b>					
<b>CCME Flag:</b>					
<b>CCME NCS Year:</b>					
<b>Step Name (EN):</b>					
<b>Step Name (FR):</b>					
<b>Highest Step Completed:</b>		05			
<b>Highest Step Completed Desc:</b>					
<b>Planned Compl Date Step7:</b>					
<b>Planned Compl Date Step8:</b>					
<b>Planned Compl Date Step9:</b>					
<b>Created:</b>					
<b>Modified:</b>					
<b>NCSCS Year:</b>					
<b>Closed:</b>		No			
<b>Actual Cubic Metres Rem:</b>		0.0000			
<b>Actual Hectares Rem:</b>		0.0000			
<b>Actual Tons Remediated:</b>		0.0000			
<b>Total Asmt Expenditure:</b>		0.00			
<b>Total Remediation Expenditure:</b>		0.00			
<b>Total Care/Maint Expenditur:</b>		0.00			
<b>Total Mntring Expenditure:</b>		0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		0.00			
<b>FCSAP Remed Expenditure:</b>		0.00			
<b>FCSAP Care/Maint Expenditur:</b>		0.00			
<b>FCSAP Mntring Expenditure:</b>		0.00			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Annual Data**

**Fiscal Year:** 2007-2008  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 10  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** Yes  
**Actual Cubic Metres Rem:** 0.0000  
**Actual Hectares Rem:** 0.0000  
**Actual Tons Remediated:** 0.0000  
**Total Asmt Expenditure:** 0.00  
**Total Remediation Expenditure:** 0.00  
**Total Care/Maint Expenditur:** 0.00  
**Total Mntring Expenditure:** 0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** 0.00  
**FCSAP Remed Expenditure:** 0.00  
**FCSAP Care/Maint Expenditur:** 0.00  
**FCSAP Mntring Expenditure:** 0.00

**Annual Data**

**Fiscal Year:** 2013-2014  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 05  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0.0000  
**Actual Hectares Rem:** 0.0000  
**Actual Tons Remediated:** 0.0000  
**Total Asmt Expenditure:** 0.00  
**Total Remediation Expenditure:** 0.00  
**Total Care/Maint Expenditur:** 0.00

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Total Mntring Expenditure:</b>		0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		0.00			
<b>FCSAP Remed Expenditure:</b>		0.00			
<b>FCSAP Care/Maint Expenditur:</b>		0.00			
<b>FCSAP Mntring Expenditure:</b>		0.00			

**Annual Data**

**Fiscal Year:** 2008-2009  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 10  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0.0000  
**Actual Hectares Rem:** 0.0000  
**Actual Tons Remediated:** 0.0000  
**Total Asmt Expenditure:** 0.00  
**Total Remediation Expenditure:** 0.00  
**Total Care/Maint Expenditur:** 0.00  
**Total Mntring Expenditure:** 0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** 0.00  
**FCSAP Remed Expenditure:** 0.00  
**FCSAP Care/Maint Expenditur:** 0.00  
**FCSAP Mntring Expenditure:** 0.00

**Annual Data**

**Fiscal Year:** 2010-2011  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 05  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Actual Cubic Metres Rem:</b>		0.0000			
<b>Actual Hectares Rem:</b>		0.0000			
<b>Actual Tons Remediated:</b>		0.0000			
<b>Total Asmt Expenditure:</b>		0.00			
<b>Total Remediation Expenditure:</b>		0.00			
<b>Total Care/Maint Expenditur:</b>		0.00			
<b>Total Mntring Expenditure:</b>		0.00			
<b>Ttl Expenditure Reduc Liabil:</b>					
<b>FCSAP Asmt Expenditure:</b>		0.00			
<b>FCSAP Remed Expenditure:</b>		0.00			
<b>FCSAP Care/Maint Expenditur:</b>		0.00			
<b>FCSAP Mntring Expenditure:</b>		0.00			

**Annual Data**

**Fiscal Year:** 2012-2013  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 05  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0.0000  
**Actual Hectares Rem:** 0.0000  
**Actual Tons Remediated:** 0.0000  
**Total Asmt Expenditure:** 0.00  
**Total Remediation Expenditure:** 0.00  
**Total Care/Maint Expenditur:** 0.00  
**Total Mntring Expenditure:** 0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** 0.00  
**FCSAP Remed Expenditure:** 0.00  
**FCSAP Care/Maint Expenditur:** 0.00  
**FCSAP Mntring Expenditure:** 0.00

**Annual Data**

**Fiscal Year:** 2009-2010  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 05  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0.0000  
**Actual Hectares Rem:** 0.0000  
**Actual Tons Remediated:** 0.0000  
**Total Asmt Expenditure:** 0.00  
**Total Remediation Expenditure:** 0.00  
**Total Care/Maint Expenditur:** 0.00  
**Total Mntring Expenditure:** 0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** 0.00  
**FCSAP Remed Expenditure:** 0.00  
**FCSAP Care/Maint Expenditur:** 0.00  
**FCSAP Mntring Expenditure:** 0.00

**Annual Data**

**Fiscal Year:** 2011-2012  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**  
**CCME NCS Year:**  
**Step Name (EN):**  
**Step Name (FR):**  
**Highest Step Completed:** 05  
**Highest Step Completed Desc:**  
**Planned Compl Date Step7:**  
**Planned Compl Date Step8:**  
**Planned Compl Date Step9:**  
**Created:**  
**Modified:**  
**NCSCS Year:**  
**Closed:** No  
**Actual Cubic Metres Rem:** 0.0000  
**Actual Hectares Rem:** 0.0000  
**Actual Tons Remediated:** 0.0000  
**Total Asmt Expenditure:** 0.00  
**Total Remediation Expenditure:** 0.00  
**Total Care/Maint Expenditur:** 0.00  
**Total Mntring Expenditure:** 0.00  
**Ttl Expenditure Reduc Liabil:**  
**FCSAP Asmt Expenditure:** 0.00  
**FCSAP Remed Expenditure:** 0.00  
**FCSAP Care/Maint Expenditur:** 0.00  
**FCSAP Mntring Expenditure:** 0.00

**Annual Data**

**Fiscal Year:** 2015-2016  
**Reporting Organization:** NCC  
**Reporting Organization (EN):** National Capital Commission  
**Reporting Organization (FR):** Commission de la Capitale nationale  
**Class Type:**  
**Class (EN):**  
**Class (FR):**  
**CCME Flag:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>CCME NCS Year:</b> <b>Step Name (EN):</b> <b>Step Name (FR):</b> <b>Highest Step Completed:</b> 05 <b>Highest Step Completed Desc:</b> <b>Planned Compl Date Step7:</b> <b>Planned Compl Date Step8:</b> <b>Planned Compl Date Step9:</b> <b>Created:</b> <b>Modified:</b> <b>NCSCS Year:</b> <b>Closed:</b> Yes <b>Actual Cubic Metres Rem:</b> 0.0000 <b>Actual Hectares Rem:</b> 0.0000 <b>Actual Tons Remediated:</b> 0.0000 <b>Total Asmt Expenditure:</b> 0.00 <b>Total Remediation Expenditure:</b> 0.00 <b>Total Care/Maint Expenditur:</b> 0.00 <b>Total Mntring Expenditure:</b> 0.00 <b>Ttl Expenditure Reduc Liabil:</b> <b>FCSAP Asmt Expenditure:</b> 0.00 <b>FCSAP Remed Expenditure:</b> 0.00 <b>FCSAP Care/Maint Expenditur:</b> 0.00 <b>FCSAP Mntring Expenditure:</b> 0.00					

[118](#) 1 of 1 WNW/183.8 60.9 / 0.00 1 Breezhill Avenue North Ottawa ON K1Y 2H4 **EHS**

<b>Order No:</b>	20180510088	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	RSC Report (Urban)	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	20-JUN-18	<b>Search Radius (km):</b>	.3
<b>Date Received:</b>	10-MAY-18	<b>X:</b>	-75.720071
<b>Previous Site Name:</b>		<b>Y:</b>	45.407807
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>			

[119](#) 1 of 1 SSW/189.0 67.9 / 7.05 ON **BORE**

<b>Borehole ID:</b>	613126	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215514430	<b>SP Status:</b>	Initial Entry
<b>Status:</b>		<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>		<b>Primary Name:</b>	
<b>Completion Date:</b>		<b>Municipality:</b>	
<b>Static Water Level:</b>	8.7	<b>Lot:</b>	
<b>Primary Water Use:</b>		<b>Township:</b>	
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	45.404368
<b>Total Depth m:</b>	-999	<b>Longitude DD:</b>	-75.717098
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	18
<b>Depth Elev:</b>		<b>Easting:</b>	443881
<b>Drill Method:</b>		<b>Northing:</b>	5028122
<b>Orig Ground Elev m:</b>	66.9	<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	66.1		
<b>Concession:</b>			
<b>Location D:</b>			
<b>Survey D:</b>			
<b>Comments:</b>			

**Borehole Geology Stratum**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Geology Stratum ID:</b> 218393817 <b>Top Depth:</b> 3.6 <b>Bottom Depth:</b> 8.1 <b>Material Color:</b> <b>Material 1:</b> Gravel <b>Material 2:</b> Sand <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> GRAVEL.				<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> 218393813 <b>Top Depth:</b> 1 <b>Bottom Depth:</b> 2.4 <b>Material Color:</b> <b>Material 1:</b> Clay <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> CLAY. FIRM.				<b>Mat Consistency:</b> Firm <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> 218393811 <b>Top Depth:</b> 0 <b>Bottom Depth:</b> .7 <b>Material Color:</b> <b>Material 1:</b> Silt <b>Material 2:</b> Sand <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> SILT.				<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> 218393812 <b>Top Depth:</b> .7 <b>Bottom Depth:</b> 1 <b>Material Color:</b> <b>Material 1:</b> Gravel <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> GRAVEL.				<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> 218393815 <b>Top Depth:</b> 2.7 <b>Bottom Depth:</b> 3 <b>Material Color:</b> <b>Material 1:</b> Clay <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> CLAY.				<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	
<b>Geology Stratum ID:</b> 218393816 <b>Top Depth:</b> 3 <b>Bottom Depth:</b> 3.6 <b>Material Color:</b> <b>Material 1:</b> Gravel <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> GRAVEL. HARD.				<b>Mat Consistency:</b> Hard <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Geology Stratum ID:** 218393818  
**Top Depth:** 8.1  
**Bottom Depth:**  
**Material Color:**  
**Material 1:** Bedrock  
**Material 2:**  
**Material 3:**  
**Material 4:**  
**Gsc Material Description:**  
**Stratum Description:** BEDROCK. 013 00005 021 00050 081 000100670000500900050049COMPACT, WATER STABLE AT \*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

**Geology Stratum ID:** 218393814  
**Top Depth:** 2.4  
**Bottom Depth:** 2.7  
**Material Color:**  
**Material 1:** Gravel  
**Material 2:** Clay  
**Material 3:**  
**Material 4:**  
**Gsc Material Description:**  
**Stratum Description:** GRAVEL.

**Source**

**Source Type:** Data Survey  
**Source Orig:** Geological Survey of Canada  
**Source Date:** 1956-1972  
**Confidence:** H  
**Observatio:**  
**Source Name:** Urban Geology Automated Information System (UGAIS)  
**Source Details:** File: OTTAWA2.txt RecordID: 056340 NTS\_Sheet: 31G05G  
**Confiden 1:** Logged by professional. Exact and complete description of material and properties.

**Source List**

**Source Identifier:** 1  
**Source Type:** Data Survey  
**Source Date:** 1956-1972  
**Scale or Resolution:** Varies  
**Source Name:** Urban Geology Automated Information System (UGAIS)  
**Source Originators:** Geological Survey of Canada

**Horizontal Datum:** NAD27  
**Vertical Datum:** Mean Average Sea Level  
**Projection Name:** Universal Transverse Mercator

<a href="#">120</a>	1 of 3	W/189.4	63.9 / 3.00	ESPRIT DE CORPS 1066 SOMERSET ST W SUITE 204 OTTAWA ON K1Y 4T3	SCT
<b>Established:</b>	1991				
<b>Plant Size (ft²):</b>	1096				
<b>Employment:</b>	4				

**--Details--**  
**Description:** Periodical Publishers  
**SIC/NAICS Code:** 511120

<a href="#">120</a>	2 of 3	W/189.4	63.9 / 3.00	Esprit de Corps Inc. 1066 Somerset St W Unit 204 Ottawa ON K1Y 4T3	SCT
<b>Established:</b>	01-AUG-91				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Plant Size (ft²):</b> <b>Employment:</b>		1100			
<b>--Details--</b>					
<b>Description:</b> <b>SIC/NAICS Code:</b>		Periodical Publishers 511120			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Periodical Publishers 511120			
<a href="#">120</a>	3 of 3	W/189.4	63.9 / 3.00	Grafik Visuals A-1066 Somerset St W Ottawa ON K1Y 4T3	SCT
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>		01-JAN-86 1150			
<b>--Details--</b>					
<b>Description:</b> <b>SIC/NAICS Code:</b>		Sign Manufacturing 339950			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Sign Manufacturing 339950			
<a href="#">121</a>	1 of 2	WSW/189.4	64.9 / 4.05	Broadband Maintenance Inc. <UNOFFICIAL> 49 Bayswater Ave Ottawa ON K1Y 2E7	SPL
<b>Ref No:</b>		5553-863QB4		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>		Discharge or Emission to Air		<b>Sector Type:</b> Other	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>		35		<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>		METHANE GAS, COMPRESSED (NATURAL GAS)		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>		Not Anticipated		<b>Site Municipality:</b>	
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>		Referral to others		<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>		6/3/2010		<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>		6/10/2010		<b>SAC Action Class:</b> TSSA - Fuel Safety Branch	
<b>Incident Reason:</b>		Spill		<b>Source Type:</b>	
<b>Site Name:</b>		gas service damage<UNOFFICIAL>			
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>		TSSA FSB: 1inch plastic made safe			
<b>Contaminant Qty:</b>					
<a href="#">121</a>	2 of 2	WSW/189.4	64.9 / 4.05	49 Bayswater Avenue, Ottawa ON K1Y 2E7	INC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident No:</b>	399906			<b>Any Health Impact:</b>	
<b>Incident ID:</b>	2551556			<b>Any Enviro Impact:</b>	
<b>Instance No:</b>				<b>Service Interrupted:</b>	
<b>Status Code:</b>	Causal Analysis Complete			<b>Was Prop Damaged:</b>	
<b>Attribute Category:</b>	FS-Incident			<b>Reside App. Type:</b>	
<b>Context:</b>				<b>Commer App. Type:</b>	
<b>Date of Occurrence:</b>				<b>Indus App. Type:</b>	
<b>Time of Occurrence:</b>				<b>Institut App. Type:</b>	
<b>Incident Created On:</b>				<b>Venting Type:</b>	
<b>Instance Creation Dt:</b>				<b>Vent Conn Mater:</b>	
<b>Instance Install Dt:</b>				<b>Vent Chimney Mater:</b>	
<b>Occur Insp Start Date:</b>				<b>Pipeline Type:</b>	Service / Riser Distribution Pipeline
<b>Approx Quant Rel:</b>				<b>Pipeline Involved:</b>	
<b>Tank Capacity:</b>				<b>Pipe Material:</b>	Plastic
<b>Fuels Occur Type:</b>				<b>Depth Ground Cover:</b>	0.6
<b>Fuel Type Involved:</b>				<b>Regulator Location:</b>	Outside
<b>Enforcement Policy:</b>				<b>Regulator Type:</b>	Service Regulator (up to 60 psi intake)
<b>Prc Escalation Req:</b>				<b>Operation Pressure:</b>	60
<b>Tank Material Type:</b>				<b>Liquid Prop Make:</b>	
<b>Tank Storage Type:</b>				<b>Liquid Prop Model:</b>	
<b>Tank Location Type:</b>				<b>Liquid Prop Serial No:</b>	
<b>Pump Flow Rate Cap:</b>				<b>Liquid Prop Notes:</b>	
<b>Task No:</b>				<b>Equipment Type:</b>	
<b>Notes:</b>				<b>Equipment Model:</b>	
<b>Drainage System:</b>				<b>Serial No:</b>	
<b>Sub Surface Contam.:</b>				<b>Cylinder Capacity:</b>	
<b>Aff Prop Use Water:</b>				<b>Cylinder Cap Units:</b>	
<b>Contam. Migrated:</b>				<b>Cylinder Mat Type:</b>	
<b>Contact Natural Env:</b>				<b>Near Body of Water:</b>	
<b>Incident Location:</b>		49 Bayswater Avenue, Ottawa - 1" Pipeline Hit			
<b>Occurrence Narrative:</b>		contractor hit gas line with mini excavator. Had locates and did not use them.			
<b>Operation Type Involved:</b>					
<b>Item:</b>					
<b>Item Description:</b>					
<b>Device Installed Location:</b>					

<a href="#">122</a>	1 of 1	E/189.5	67.6 / 6.69	<b>LAURENT LEBLANC LIMITED</b> 151 Willow ST Ottawa ON K1R 6W2	EASR
<b>Approval No:</b>	R-009-6112302477			<b>SWP Area Name:</b>	Rideau Valley
<b>Status:</b>	REGISTERED			<b>MOE District:</b>	Ottawa
<b>Date:</b>	2020-05-20			<b>Municipality:</b>	Ottawa
<b>Record Type:</b>	EASR			<b>Latitude:</b>	45.40611111
<b>Link Source:</b>	MOFA			<b>Longitude:</b>	-75.7125
<b>Project Type:</b>	Water Taking - Construction Dewatering			<b>Geometry X:</b>	
<b>Full Address:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	EASR-Water Taking - Construction Dewatering				
<b>Full PDF Link:</b>	<a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2251345">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2251345</a>				

<a href="#">123</a>	1 of 9	W/191.5	62.9 / 2.05	<b>HARAMBEE CENTRES CANADA</b> 29 BAYWATER AVE. (SWM) OTTAWA CITY ON	CA
<b>Certificate #:</b>	3-0329-95-				
<b>Application Year:</b>	95				
<b>Issue Date:</b>	5/31/1995				
<b>Approval Type:</b>	Municipal sewage				
<b>Status:</b>	Approved				
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">123</a>	2 of 9	W/191.5	62.9 / 2.05	Institute of Naturopathic Education and Research 29 Bayswater Ave. Ottawa ON K1Y 2E5	GEN
<b>Generator No:</b>	ON4138655			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621499				
<b>SIC Description:</b>					
<a href="#">123</a>	3 of 9	W/191.5	62.9 / 2.05	Institute of Naturopathic Education and Research 29 Bayswater Ave. Ottawa ON K1Y 2E5	GEN
<b>Generator No:</b>	ON4138655			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621499				
<b>SIC Description:</b>	All Other Out-Patient Care Centres				
<a href="#">123</a>	4 of 9	W/191.5	62.9 / 2.05	Institute of Naturopathic Education and Research 29 Bayswater Ave. Ottawa ON	GEN
<b>Generator No:</b>	ON4138655			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621499				
<b>SIC Description:</b>	ALL OTHER OUT-PATIENT CARE CENTRES				
<b>Detail(s)</b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">123</a>	5 of 9	W/191.5	62.9 / 2.05	Ottawa Integrative Cancer Centre 29 Bayswater Ave. Ottawa ON K1Y 2E5	GEN
<b>Generator No:</b>	ON4138655			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621499				
<b>SIC Description:</b>	ALL OTHER OUT-PATIENT CARE CENTRES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">123</a>	6 of 9	W/191.5	62.9 / 2.05	Institute of Naturopathic Education and Research 29 Bayswater Ave. Ottawa ON K1Y 2E5	GEN
<b>Generator No:</b>	ON4138655			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Sean Fisher
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	905-475-7755 Ext.
<b>SIC Code:</b>	621499				
<b>SIC Description:</b>	ALL OTHER OUT-PATIENT CARE CENTRES				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">123</a>	7 of 9	W/191.5	62.9 / 2.05	Institute of Naturopathic Education and Research 29 Bayswater Ave. Ottawa ON K1Y 2E5	GEN
<b>Generator No:</b>	ON4138655			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Sean Fisher
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	905-475-7755 Ext.
<b>SIC Code:</b>	621499				
<b>SIC Description:</b>	ALL OTHER OUT-PATIENT CARE CENTRES				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">123</a>	8 of 9	W/191.5	62.9 / 2.05	Ottawa Integrative Cancer Centre 29 Bayswater Ave. Ottawa ON K1Y 2E5	GEN
<b>Generator No:</b>	ON4138655			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">123</a>	9 of 9	W/191.5	62.9 / 2.05	Ottawa Integrative Cancer Centre 29 Bayswater Ave. Ottawa ON K1Y 2E5	GEN
<b>Generator No:</b>	ON4138655			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jul 2020			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		261 L			
<b>Waste Class Desc:</b>		Pharmaceuticals			
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">124</a>	1 of 16	S/194.8	66.7 / 5.85	TerraPro Corporation 145 Loretta Ave. North Ottawa ON K1Y 2J7	GEN
<b>Generator No:</b>	ON4523321			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	561730				
<b>SIC Description:</b>	Landscaping Services				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">124</a>	2 of 16	S/194.8	66.7 / 5.85	TERRA PRO CORPORATION 145 LORETTA AVE N OTTAWA ON K1Y 2J7	PES
<b>Detail Licence No:</b>				<b>Operator Box:</b>	
<b>Licence No:</b>				<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b>				<b>Oper Area Code:</b>	
<b>Licence Type:</b>	Operator			<b>Oper Phone No:</b>	
<b>Licence Type Code:</b>	02			<b>Operator Ext:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">124</a>	3 of 16	S/194.8	66.7 / 5.85	TERRAPRO CORPORATION 145 LORETTA AVENUE NORTH OTTAWA ON K1Y 2J7	PES
<b>Detail Licence No:</b> <b>Licence No:</b> <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> <b>Licence Type:</b> Operator <b>Licence Type Code:</b> 02 <b>Licence Class:</b> <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>		<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>			

<a href="#">124</a>	4 of 16	S/194.8	66.7 / 5.85	TerraPro Corporation 145 Loretta Ave. North Ottawa ON	GEN
<b>Generator No:</b> ON4523321 <b>Status:</b> <b>Approval Years:</b> 2013 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 561730 <b>SIC Description:</b> LANDSCAPING SERVICES		<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 252 <b>Waste Class Desc:</b> WASTE OILS & LUBRICANTS					
<b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES					

<a href="#">124</a>	5 of 16	S/194.8	66.7 / 5.85	TerraPro Corporation 145 Loretta Ave. North Ottawa ON	GEN
<b>Generator No:</b> ON4523321 <b>Status:</b> <b>Approval Years:</b> 2009 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 561730 <b>SIC Description:</b> Landscaping Services		<b>PO Box No:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<a href="#">124</a>	6 of 16	S/194.8	66.7 / 5.85	145 Loretta Avenue North Ottawa ON	EHS
<b>Order No:</b>	20120329007			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	4/4/2012 9:34:30 AM			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	3/29/2012 9:32:56 AM			<b>X:</b>	-75.716187
<b>Previous Site Name:</b>				<b>Y:</b>	45.404308
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">124</a>	7 of 16	S/194.8	66.7 / 5.85	TerraPro Corporation 145 Loretta Ave. North Ottawa ON	GEN
<b>Generator No:</b>	ON4523321			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	561730				
<b>SIC Description:</b>	Landscaping Services				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">124</a>	8 of 16	S/194.8	66.7 / 5.85	TerraPro Corporation 145 Loretta Ave. North Ottawa ON	GEN
<b>Generator No:</b>	ON4523321			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	561730				
<b>SIC Description:</b>	Landscaping Services				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<a href="#">124</a>	9 of 16	S/194.8	66.7 / 5.85	TerraPro Corporation 145 Loretta Ave. North Ottawa ON K1Y 2J7	GEN
<b>Generator No:</b>	ON4523321			<b>PO Box No:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 2012 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 561730 <b>SIC Description:</b> Landscaping Services				<b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 252 <b>Waste Class Desc:</b> WASTE OILS & LUBRICANTS					
<b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES					
<a href="#">124</a>	10 of 16	S/194.8	66.7 / 5.85	<b>TerraPro Corporation</b> 145 Loretta Ave. North Ottawa ON K1Y 2J7	GEN
<b>Generator No:</b> ON4523321 <b>Status:</b> <b>Approval Years:</b> 2014 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 561730 <b>SIC Description:</b> LANDSCAPING SERVICES				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Hank Mollema <b>Phone No Admin:</b> (613) 248-8383 Ext.221	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 252 <b>Waste Class Desc:</b> WASTE OILS & LUBRICANTS					
<b>Waste Class:</b> 213 <b>Waste Class Desc:</b> PETROLEUM DISTILLATES					
<a href="#">124</a>	11 of 16	S/194.8	66.7 / 5.85	<b>DST Group Inc</b> 145 Loretta Ave Ottawa ON K1Y 4W5	GEN
<b>Generator No:</b> ON4749433 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2017 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 251 L <b>Waste Class Desc:</b> Waste oils/sludges (petroleum based)					
<a href="#">124</a>	12 of 16	S/194.8	66.7 / 5.85	<b>TERRA PRO CORPORATION</b> 145 LORETTA AVE N OTTAWA ON K1Y2J7	PES
<b>Detail Licence No:</b> <b>Licence No:</b> 05112 <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> Legacy Licenses (Excluding TS)				<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> 613	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Licence Type:</b>	Operator			<b>Oper Phone No:</b> 2488383	
<b>Licence Type Code:</b>	02			<b>Operator Ext:</b>	
<b>Licence Class:</b>	01			<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

<a href="#">124</a>	13 of 16	S/194.8	66.7 / 5.85	<b>TERRAPRO CORPORATION</b> 145 LORETTA AVENUE NORTH OTTAWA ON K1Y2J7	<b>PES</b>
<b>Detail Licence No:</b>				<b>Operator Box:</b>	
<b>Licence No:</b>	05875			<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b>	Legacy Licenses (Excluding TS)			<b>Oper Area Code:</b>	613
<b>Licence Type:</b>	Operator			<b>Oper Phone No:</b>	2488383
<b>Licence Type Code:</b>	02			<b>Operator Ext:</b>	
<b>Licence Class:</b>	01			<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

<a href="#">124</a>	14 of 16	S/194.8	66.7 / 5.85	<b>TERRA PRO CORPORATION</b> 145 LORETTA AVE N OTTAWA ON K1Y2J7	<b>PES</b>
<b>Detail Licence No:</b>				<b>Operator Box:</b>	
<b>Licence No:</b>	05112			<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b>	Legacy Licenses (Excluding TS)			<b>Oper Area Code:</b>	613
<b>Licence Type:</b>	Operator			<b>Oper Phone No:</b>	2488383
<b>Licence Type Code:</b>	01			<b>Operator Ext:</b>	
<b>Licence Class:</b>	06			<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">124</a>	15 of 16	S/194.8	66.7 / 5.85	145 Loretta Ave North Ottawa ON	SPL
<b>Ref No:</b>	6320-BA8RWR			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	3/13/2019			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	145 Loretta Ave North
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	Eastern
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	3/13/2019			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>				<b>Source Type:</b>	
<b>Site Name:</b>	145 Loretta Ave North<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	TSSA: sheen on surface water private fuel outlet				
<b>Contaminant Qty:</b>					
<a href="#">124</a>	16 of 16	S/194.8	66.7 / 5.85	Private Pickup Truck<UNOFFICIAL> 145 Loretta Avenue, North Ottawa ON K1Y 2J7	SPL
<b>Ref No:</b>	6872-BLDNXX			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2020/02/01			<b>Health/Env Conseq:</b>	0 - No Impact
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Event:</b>	Leak/Break			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	15			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	MOTOR OIL			<b>Site Address:</b>	145 Loretta Avenue, North
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>	n/a			<b>Site Postal Code:</b>	K1Y 2J7
<b>Contaminant UN No 1:</b>	1993			<b>Site Region:</b>	Eastern
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land; Surface Water			<b>Northing:</b>	5028095.09
<b>MOE Response:</b>	No			<b>Easting:</b>	443957.07
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2020/02/01			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	2020/07/17			<b>SAC Action Class:</b>	Watercourse Spills
<b>Incident Reason:</b>	Operator/Human Error			<b>Source Type:</b>	Motor Vehicle
<b>Site Name:</b>	Parking Lot<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	City of Ottawa: Unknown Quantity of Motor Fluids to CB				
<b>Contaminant Qty:</b>	0 other - see incident description				
<a href="#">125</a>	1 of 1	S/196.1	67.2 / 6.33	975 GLADSTON AVE OTTAWA ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7245907			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	8/5/2015
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7238
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z199796			<b>Owner:</b>	
<b>Tag:</b>	A175221			<b>Street Name:</b>	975 GLADSTON AVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

PDF URL (Map):

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005538747	<b>Elevation:</b>	65.66967
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443936
<b>Code OB Desc:</b>		<b>North83:</b>	5028115
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	7/3/2015	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1005652260
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	06
<b>Mat2 Desc:</b>	SILT
<b>Mat3:</b>	91
<b>Mat3 Desc:</b>	WATER-BEARING
<b>Formation Top Depth:</b>	10
<b>Formation End Depth:</b>	20.9
<b>Formation End Depth UOM:</b>	ft

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1005652259
<b>Layer:</b>	2

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		01			
<b>Mat2 Desc:</b>		FILL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		6			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005652258			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		6			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005652268			
<b>Layer:</b>		2			
<b>Plug From:</b>		7			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005652267			
<b>Layer:</b>		1			
<b>Plug From:</b>		20.75			
<b>Plug To:</b>		7			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005652266			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005652257			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:			1005652263		
Layer:			1		
Material:			5		
Open Hole or Material:			PLASTIC		
Depth From:			10.75		
Depth To:			0		
Casing Diameter:			2		
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
<b><u>Construction Record - Screen</u></b>					
Screen ID:			1005652264		
Layer:			1		
Slot:			10		
Screen Top Depth:			20.75		
Screen End Depth:			10.75		
Screen Material:			5		
Screen Depth UOM:			ft		
Screen Diameter UOM:			inch		
Screen Diameter:			2		
<b><u>Water Details</u></b>					
Water ID:			1005652262		
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:			ft		
<b><u>Hole Diameter</u></b>					
Hole ID:			1005652261		
Diameter:			8		
Depth From:			0		
Depth To:			20.75		
Hole Depth UOM:			ft		
Hole Diameter UOM:			inch		

<a href="#">126</a>	1 of 1	S/197.3	67.2 / 6.33	975 GLADSTONE AVE Ottawa ON	WWIS
Well ID:	7322627			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	11/16/2018
Sec. Water Use:	Monitoring			Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7085
Casing Material:				Form Version:	7
Audit No:	Z298739			Owner:	
Tag:	A253877			Street Name:	975 GLADSTONE AVE
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	NEPEAN TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>	
<b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>  <b>PDF URL (Map):</b>				<b>Zone:</b> <b>UTM Reliability:</b>		
<b><u>Bore Hole Information</u></b>						
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1007314975      10/22/2018			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>		18 443930 5028113 UTM83 4 margin of error : 30 m - 100 m wwr
<b><u>Overburden and Bedrock</u></b>						
<b><u>Materials Interval</u></b>						
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> <b>Most Common Material:</b> <b>Mat2:</b> <b>Mat2 Desc:</b> <b>Mat3:</b> <b>Mat3 Desc:</b> <b>Formation Top Depth:</b> <b>Formation End Depth:</b> <b>Formation End Depth UOM:</b>	1007593102 3 2 GREY 05 CLAY       1.52 4.88 m					
<b><u>Overburden and Bedrock</u></b>						
<b><u>Materials Interval</u></b>						
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> <b>Most Common Material:</b> <b>Mat2:</b> <b>Mat2 Desc:</b> <b>Mat3:</b> <b>Mat3 Desc:</b> <b>Formation Top Depth:</b> <b>Formation End Depth:</b> <b>Formation End Depth UOM:</b>	1007593101 2 6 BROWN 28 SAND 11 GRAVEL       .3 1.52 m					
<b><u>Overburden and Bedrock</u></b>						
<b><u>Materials Interval</u></b>						
<b>Formation ID:</b>	1007593103					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		4.88			
<b>Formation End Depth:</b>		5.29			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1007593100			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.3			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1007593113			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1007593115			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.13			
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1007593114			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3			
<b>Plug To:</b>		2.13			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1007593112			
<b>Method Construction Code:</b>		6			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007593099			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007593107			
<b>Layer:</b>		1			
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>		0			
<b>Depth To:</b>		.3			
<b>Casing Diameter:</b>		17.78			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007593108			
<b>Layer:</b>		2			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.74			
<b>Casing Diameter:</b>		5.08			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1007593109			
<b>Layer:</b>		1			
<b>Slot:</b>		.10			
<b>Screen Top Depth:</b>		2.74			
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1007593106			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		5.18			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1007593105			
<b>Diameter:</b>		16.51			
<b>Depth From:</b>		0.3			
<b>Depth To:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1007593104			
<b>Diameter:</b>		30.48			
<b>Depth From:</b>		0			
<b>Depth To:</b>		0.3			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">127</a>	1 of 1	N/197.7	60.9 / 0.00	145 Elm Street ottawa ON K1R 6N4	EHS
<b>Order No:</b>		20080102009		<b>Nearest Intersection:</b>	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Custom Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		1/7/2008		<b>Search Radius (km):</b> 0.25	
<b>Date Received:</b>		1/2/2008		<b>X:</b> -75.716948	
<b>Previous Site Name:</b>				<b>Y:</b> 45.40924	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>		Fire Insur. Maps And /or Site Plans			

<a href="#">128</a>	1 of 1	S/199.4	67.2 / 6.33	975 GLADSTONE AVE Ottawa ON	WWIS
<b>Well ID:</b>		7322626		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Test Hole		<b>Date Received:</b> 11/16/2018	
<b>Sec. Water Use:</b>		Monitoring		<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		Observation Wells		<b>Abandonment Rec:</b> Yes	
<b>Water Type:</b>				<b>Contractor:</b> 7085	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z298740		<b>Owner:</b>	
<b>Tag:</b>		A253878		<b>Street Name:</b> 975 GLADSTONE AVE	
<b>Construction Method:</b>				<b>County:</b> OTTAWA	
<b>Elevation (m):</b>				<b>Municipality:</b> OTTAWA CITY	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>		1007314972		<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 18	
<b>Code OB:</b>				<b>East83:</b> 443918	
<b>Code OB Desc:</b>				<b>North83:</b> 5028110	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		10/22/2018		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1007593065		
<b>Layer:</b>			1		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			11		
<b>Most Common Material:</b>			GRAVEL		
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.3		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1007593067		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			05		
<b>Most Common Material:</b>			CLAY		
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			2.13		
<b>Formation End Depth:</b>			4.57		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1007593066		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			11		
<b>Mat2 Desc:</b>			GRAVEL		
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			.3		
<b>Formation End Depth:</b>			2.13		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1007593068		
<b>Layer:</b>			4		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		4.57			
<b>Formation End Depth:</b>		5.33			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007593079			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3			
<b>Plug To:</b>		1.98			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007593078			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		0.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007593080			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.98			
<b>Plug To:</b>		5.33			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1007593077			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007593064			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007593072			
<b>Layer:</b>		1			
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Depth To:</b>		.3			
<b>Casing Diameter:</b>		17.78			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007593073			
<b>Layer:</b>		2			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.29			
<b>Casing Diameter:</b>		5.08			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1007593074			
<b>Layer:</b>		1			
<b>Slot:</b>		.10			
<b>Screen Top Depth:</b>		2.29			
<b>Screen End Depth:</b>		5.33			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.03			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1007593071			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		5.33			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1007593070			
<b>Diameter:</b>		16.51			
<b>Depth From:</b>		0.3			
<b>Depth To:</b>		5.33			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1007593069			
<b>Diameter:</b>		30.48			
<b>Depth From:</b>		0			
<b>Depth To:</b>		0.3			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[129](#)

1 of 1

ENE/201.4

68.0 / 7.08

SUPERSHOT PHOTOLAB  
879 SOMERSET STREET WEST  
OTTAWA ON K1R 6R6

GEN

Generator No: ON1861600

PO Box No:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 94,95,96,97,98 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 6571 <b>SIC Description:</b> CAMERA/PHOTO. SUPPLY				<b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 264 <b>Waste Class Desc:</b> PHOTOPROCESSING WASTES					

<a href="#">130</a>	1 of 1	NW/203.0	59.9 / -0.97	255 CITY CENTRE AVENUE Ottawa ON	WWIS
<b>Well ID:</b> 7125525 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring <b>Sec. Water Use:</b> <b>Final Well Status:</b> Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> M04482 <b>Tag:</b> A083091 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 7/14/2009 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 1844 <b>Form Version:</b> 5 <b>Owner:</b> <b>Street Name:</b> 255 CITY CENTRE AVENUE <b>County:</b> OTTAWA <b>Municipality:</b> OTTAWA CITY <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/712\7125525.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7125525.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b> 1002807737 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> This is a record from cluster log sheet <b>Date Completed:</b> 5/8/2009 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Elevation:</b> 56.831916 <b>Elevrc:</b> <b>Zone:</b> 18 <b>East83:</b> 443825 <b>North83:</b> 5028657 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 3 <b>UTMRC Desc:</b> margin of error : 10 - 30 m <b>Location Method:</b> wwr	
--	--	--	--

**Annular Space/Abandonment  
Sealing Record**

<b>Plug ID:</b> 1002807741 <b>Layer:</b> <b>Plug From:</b>	
--	--

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1002807740				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	DIRECT PUSH				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1002807742				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1002807744				
<b>Layer:</b>					
<b>Material:</b>	1				
<b>Open Hole or Material:</b>	STEEL				
<b>Depth From:</b>					
<b>Depth To:</b>	1.6				
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1002807743				
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>	1.6				
<b>Screen End Depth:</b>	4.6				
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>	1002807745				
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002807739			
<b>Diameter:</b>		20			
<b>Depth From:</b>					
<b>Depth To:</b>		4.8			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002807710			<b>Elevation:</b>	56.326145
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443821
<b>Code OB Desc:</b>				<b>North83:</b>	5028622
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	5/7/2009			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1002807714				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1002807713				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1002807715				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1002807717				
<b>Layer:</b>					
<b>Material:</b>	1				
<b>Open Hole or Material:</b>	STEEL				
<b>Depth From:</b>					
<b>Depth To:</b>	1.2				
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>	m				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Construction Record - Screen**

Screen ID: 1002807716  
 Layer:  
 Slot:  
 Screen Top Depth: 1.2  
 Screen End Depth: 3.7  
 Screen Material:  
 Screen Depth UOM: m  
 Screen Diameter UOM:  
 Screen Diameter:

**Results of Well Yield Testing**

Pump Test ID: 1002807718  
 Pump Set At:  
 Static Level:  
 Final Level After Pumping:  
 Recommended Pump Depth:  
 Pumping Rate:  
 Flowing Rate:  
 Recommended Pump Rate:  
 Levels UOM:  
 Rate UOM:  
 Water State After Test Code:  
 Water State After Test:  
 Pumping Test Method:  
 Pumping Duration HR:  
 Pumping Duration MIN:  
 Flowing:

**Hole Diameter**

Hole ID: 1002807712  
 Diameter: 20  
 Depth From:  
 Depth To: 3.7  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**Bore Hole Information**

Bore Hole ID:	1002807665	Elevation:	56.492645
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	443837
Code OB Desc:		North83:	5028626
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/7/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment Sealing Record**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1002807669			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002807668			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002807670			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002807672			
<b>Layer:</b>					
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002807671			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002807673			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
Hole ID:		1002807667			
Diameter:		20			
Depth From:					
Depth To:		4.8			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1002807683			Elevation:	56.24332
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	443831
Code OB Desc:				North83:	5028616
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/7/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
Plug ID:		1002807687			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<b><u>Method of Construction &amp; Well Use</u></b>					
Method Construction ID:		1002807686			
Method Construction Code:					
Method Construction:					
Other Method Construction:		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
Pipe ID:		1002807688			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1002807690			
Layer:					
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		1.5			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002807689			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002807691			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002807685			
<b>Diameter:</b>		20			
<b>Depth From:</b>					
<b>Depth To:</b>		4.9			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002807692		<b>Elevation:</b>	56.122524	
<b>DP2BR:</b>			<b>Elevrc:</b>		
<b>Spatial Status:</b>			<b>Zone:</b>	18	
<b>Code OB:</b>			<b>East83:</b>	443828	
<b>Code OB Desc:</b>			<b>North83:</b>	5028606	
<b>Open Hole:</b>			<b>Org CS:</b>	UTM83	
<b>Cluster Kind:</b>	This is a record from cluster log sheet		<b>UTMRC:</b>	3	
<b>Date Completed:</b>	5/7/2009		<b>UTMRC Desc:</b>	margin of error : 10 - 30 m	
<b>Remarks:</b>			<b>Location Method:</b>	wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002807696			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002807695			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002807697			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002807699			
<b>Layer:</b>					
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002807698			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002807700			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1002807694				
<b>Diameter:</b>	20				
<b>Depth From:</b>					
<b>Depth To:</b>	4.5				
<b>Hole Depth UOM:</b>	m				
<b>Hole Diameter UOM:</b>	cm				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002807701			<b>Elevation:</b>	56.263896
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443825
<b>Code OB Desc:</b>				<b>North83:</b>	5028617
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	5/7/2009			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1002807705				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1002807704				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	DIRECT PUSH				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1002807706				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1002807708				
<b>Layer:</b>					
<b>Material:</b>	1				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Open Hole or Material:</i>		STEEL			
<i>Depth From:</i>					
<i>Depth To:</i>		1.4			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1002807707			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		1.4			
<i>Screen End Depth:</i>		4.4			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<b><u>Results of Well Yield Testing</u></b>					
<i>Pump Test ID:</i>		1002807709			
<i>Pump Set At:</i>					
<i>Static Level:</i>					
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>					
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>					
<i>Pumping Duration HR:</i>					
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1002807703			
<i>Diameter:</i>		20			
<i>Depth From:</i>					
<i>Depth To:</i>		4.4			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1002807674			<i>Elevation:</i>	56.260238
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	18
<i>Code OB:</i>				<i>East83:</i>	443836
<i>Code OB Desc:</i>				<i>North83:</i>	5028617
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	3
<i>Date Completed:</i>	5/7/2009			<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002807678			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002807677			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002807679			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002807681			
<b>Layer:</b>					
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002807680			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002807682			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Levels UOM:**  
**Rate UOM:**  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:**  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1002807676  
**Diameter:** 20  
**Depth From:**  
**Depth To:** 4.9  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002807656	<b>Elevation:</b>	57.934982
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443342
<b>Code OB Desc:</b>		<b>North83:</b>	5028630
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	3
<b>Date Completed:</b>	5/7/2009	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1002807660  
**Layer:**  
**Plug From:**  
**Plug To:**  
**Plug Depth UOM:**

**Method of Construction & Well Use**

**Method Construction ID:** 1002807659  
**Method Construction Code:**  
**Method Construction:**  
**Other Method Construction:** DIRECT PUSH

**Pipe Information**

**Pipe ID:** 1002807661  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing ID:</b> 1002807663					
<b>Layer:</b>					
<b>Material:</b> 1					
<b>Open Hole or Material:</b> STEEL					
<b>Depth From:</b>					
<b>Depth To:</b> 1.3					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1002807662					
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b> 1.3					
<b>Screen End Depth:</b> 3.6					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b> 1002807664					
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1002807658					
<b>Diameter:</b> 20					
<b>Depth From:</b>					
<b>Depth To:</b> 3.6					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002807728			<b>Elevation:</b>	56.687564
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443815
<b>Code OB Desc:</b>				<b>North83:</b>	5028651
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	5/8/2009			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002807732			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002807731			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002807733			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002807735			
<b>Layer:</b>					
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002807734			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002807736			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:**  
**Rate UOM:**  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:**  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1002807730  
**Diameter:** 20  
**Depth From:**  
**Depth To:** 4.9  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002519870	<b>Elevation:</b>	56.419139
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443817
<b>Code OB Desc:</b>		<b>North83:</b>	5028630
<b>Open Hole:</b>	No	<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	5/7/2009	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1002807748  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 01  
**Mat3 Desc:** FILL  
**Formation Top Depth:** .1  
**Formation End Depth:** 1.3  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1002807747  
**Layer:** 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002807749			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		1.3			
<b>Formation End Depth:</b>		4.9			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1002807751			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.5			
<b>Plug To:</b>		1.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1002807754			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002807746			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002807752			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		3.8			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1002807750			
<i>Diameter:</i>		20			
<i>Depth From:</i>		0			
<i>Depth To:</i>		4.9			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1002807719			<i>Elevation:</i>	56.540641
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	18
<i>Code OB:</i>				<i>East83:</i>	443817
<i>Code OB Desc:</i>				<i>North83:</i>	5028638
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	3
<i>Date Completed:</i>	5/8/2009			<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>	1002807723				
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>	1002807722				
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>	1002807724				
<i>Casing No:</i>	0				
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>	1002807726				
<i>Layer:</i>					
<i>Material:</i>	1				
<i>Open Hole or Material:</i>	STEEL				
<i>Depth From:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1002807725			
Layer:					
Slot:					
Screen Top Depth:		1			
Screen End Depth:		4			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<b><u>Results of Well Yield Testing</u></b>					
Pump Test ID:		1002807727			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<b><u>Hole Diameter</u></b>					
Hole ID:		1002807721			
Diameter:		20			
Depth From:					
Depth To:		4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[131](#)

1 of 1

WSW/204.3

64.8 / 3.92

PRIVATE RESIDENCE  
69 BAYSWATER AVE. FURNACE OIL TANK  
OTTAWA CITY ON K1Y 2E7

SPL

Ref No: 171718  
Site No:  
Incident Dt: 8/20/1999  
Year:  
Incident Cause: ABOVE-GROUND TANK LEAK  
Incident Event:  
Contaminant Code:  
Contaminant Name:  
Contaminant Limit 1:  
Contam Limit Freq 1:  
Contaminant UN No 1:  
Environment Impact: NOT ANTICIPATED  
Nature of Impact: Other

Discharger Report:  
Material Group:  
Health/Env Conseq:  
Client Type:  
Sector Type:  
Agency Involved:  
Nearest Watercourse:  
Site Address:  
Site District Office:  
Site Postal Code:  
Site Region:  
Site Municipality: 20101  
Site Lot:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>	WATER  8/20/1999  CORROSION			<b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> WORKS <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	
PRIVATE RESIDENCE-UNKNW AMOUNT FURNACE OIL TO BASEMENT AND DRAIN.					

<a href="#">132</a>	1 of 4	WSW/205.6	65.9 / 5.00	57 Bayswater Avenue Ottawa ON K1Y 3C4	EHS
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>	20191128034 C Site Report 29-NOV-19 28-NOV-19			<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .001 <b>X:</b> -75.71966 <b>Y:</b> 45.405512	

<a href="#">132</a>	2 of 4	WSW/205.6	65.9 / 5.00	57 Bayswater Avenue Ottawa ON K1Y 3C4	EHS
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>	20191128034 C Site Report 29-NOV-19 28-NOV-19			<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .001 <b>X:</b> -75.71966 <b>Y:</b> 45.405512	

<a href="#">132</a>	3 of 4	WSW/205.6	65.9 / 5.00	57 Bayswater Avenue Ottawa ON K1Y 3C4	EHS
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>	20191128034 C Site Report 29-NOV-19 28-NOV-19			<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .001 <b>X:</b> -75.71966 <b>Y:</b> 45.405512	

<a href="#">132</a>	4 of 4	WSW/205.6	65.9 / 5.00	57 Bayswater Avenue Ottawa ON K1Y 3C4	EHS
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b>	20191128034 C Site Report 29-NOV-19 28-NOV-19			<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .001 <b>X:</b> -75.71966 <b>Y:</b> 45.405512	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Additional Info Ordered:</i>					
<a href="#">133</a>	1 of 3	WSW/205.7	65.9 / 5.00	57 Bayswater Ave Ottawa ON K1Y 2E8	EHS
<b>Order No:</b>	20070322010			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	CAN - Custom Report			<b>Client Prov/State:</b>	
<b>Report Date:</b>	3/30/2007			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	3/22/2007			<b>X:</b>	-75.719684
<b>Previous Site Name:</b>				<b>Y:</b>	45.405687
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps And /or Site Plans				
<a href="#">133</a>	2 of 3	WSW/205.7	65.9 / 5.00	57 Bayswater Ave Ottawa ON K1Y2E8	EHS
<b>Order No:</b>	20130801025			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	09-AUG-13			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	01-AUG-13			<b>X:</b>	-75.719598
<b>Previous Site Name:</b>				<b>Y:</b>	45.405522
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">133</a>	3 of 3	WSW/205.7	65.9 / 5.00	57 Bayswater Avenue Ottawa ON K1Y 3C4	EHS
<b>Order No:</b>	20191128034			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Site Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	29-NOV-19			<b>Search Radius (km):</b>	.001
<b>Date Received:</b>	28-NOV-19			<b>X:</b>	-75.71966
<b>Previous Site Name:</b>				<b>Y:</b>	45.405512
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">134</a>	1 of 1	W/205.8	60.8 / -0.03	City of Ottawa 890 Wellington Street Ottawa ON	SPL
<b>Ref No:</b>	1350-8JM2WH			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	7/9/2011			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Unknown			<b>Sector Type:</b>	Motor Vehicle
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	27			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	COOLANT N.O.S.			<b>Site Address:</b>	890 Wellington Street
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Other Impact(s); Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>	No Field Response			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MOE Reported Dt:</b>	7/9/2011			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	7/11/2011			<b>SAC Action Class:</b>	Watercourse Spills
<b>Incident Reason:</b>				<b>Source Type:</b>	
<b>Site Name:</b>	Bayveiw Station lay up area<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	City of Ottawa: 20L coolant to CB				
<b>Contaminant Qty:</b>	20 L				

<a href="#">135</a>	1 of 1	WNW/208.0	59.1 / -1.76	ON	BORE
<b>Borehole ID:</b>	847979			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215589636			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	13-DEC-1961			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	LOT 38
<b>Primary Water Use:</b>				<b>Township:</b>	NEPEAN
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.408526
<b>Total Depth m:</b>	8.8			<b>Longitude DD:</b>	-75.719741
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	443678
<b>Drill Method:</b>	Diamond Drill			<b>Northing:</b>	5028586
<b>Orig Ground Elev m:</b>	55.7			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 50 metres
<b>DEM Ground Elev m:</b>	60.3				
<b>Concession:</b>	CON 1 ON OTTAWA RIVER				
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

#### Borehole Geology Stratum

<b>Geology Stratum ID:</b>	6559458			<b>Mat Consistency:</b>	Compact
<b>Top Depth:</b>	1.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	3.8			<b>Material Texture:</b>	Coarse
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Coarse Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	COMPACT, BROWN, COARSE SAND AND GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	6559459			<b>Mat Consistency:</b>	Soft
<b>Top Depth:</b>	3.8			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	7.2			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>	clay silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Sand			<b>Geologic Period:</b>	
<b>Material 4:</b>	Gravel			<b>Depositional Gen:</b>	glacial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SOFT, GREY, CLAYEY SILT, SOME SAND AND GRAVEL (GLACIAL TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	6559460			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	7.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	8.8			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:	Till			<b>Geologic Formation:</b>	
Material 2:	Sand			<b>Geologic Group:</b>	
Material 3:				<b>Geologic Period:</b>	
Material 4:				<b>Depositional Gen:</b>	glacial
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	DENSE, BROWN, SANDY TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	6559457			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
Material 1:	Fill			<b>Geologic Formation:</b>	
Material 2:	Cinders			<b>Geologic Group:</b>	
Material 3:	Sand			<b>Geologic Period:</b>	
Material 4:				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	FILL (CINDER, SAND) **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<a href="#">136</a>	1 of 1	S/208.5	66.9 / 6.05	975 GLADSTON AVE OTTAWA ON	WWIS
<b>Well ID:</b>	7245909			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	8/5/2015
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7238
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z199797			<b>Owner:</b>	
<b>Tag:</b>	A175220			<b>Street Name:</b>	975 GLADSTON AVE
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005538753			<b>Elevation:</b>	66.025978
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443940
<b>Code OB Desc:</b>				<b>North83:</b>	5028103
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	7/2/2015			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005652324			
<b>Layer:</b>		4			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		26			
<b>Most Common Material:</b>		ROCK			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		18			
<b>Formation End Depth:</b>		18.167			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005652322			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		8			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005652321			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		8			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005652323			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Mat3:</i>		91			
<i>Mat3 Desc:</i>		WATER-BEARING			
<i>Formation Top Depth:</i>		10			
<i>Formation End Depth:</i>		18			
<i>Formation End Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005652331			
<i>Layer:</i>		1			
<i>Plug From:</i>		18			
<i>Plug To:</i>		6			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005652332			
<i>Layer:</i>		2			
<i>Plug From:</i>		6			
<i>Plug To:</i>		0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1005652330			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1005652320			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1005652327			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		8			
<i>Depth To:</i>		0			
<i>Casing Diameter:</i>		2			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1005652328			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		18			
<i>Screen End Depth:</i>		8			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		2			
<b><u>Water Details</u></b>					
Water ID:		1005652326			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005652325			
Diameter:		8			
Depth From:		0			
Depth To:		18			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">137</a>	1 of 1	W/210.2	61.6 / 0.69	PHOENIX HOMES 900 WELLINGTON ST. (SWM) OTTAWA CITY ON	CA
---------------------	--------	---------	-------------	---	----

**Certificate #:** 3-0580-97-  
**Application Year:** 97  
**Issue Date:** 7/7/1997  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

<a href="#">138</a>	1 of 1	ENE/211.6	67.8 / 6.92	872 Somerset Street West, OTTAWA ON	PINC
---------------------	--------	-----------	-------------	--	------

<b>Incident ID:</b> <b>Incident No:</b> 672080 <b>Incident Reported Dt:</b> <b>Type:</b> FS-Pipeline Incident <b>Status Code:</b> Pipeline Damage Reason Est <b>Customer Acct Name:</b> <b>Incident Address:</b> <b>Tank Status:</b> RC Established <b>Task No:</b> 3509033 <b>Spills Action Centre:</b> <b>Fuel Type:</b> <b>Fuel Occurrence Tp:</b> <b>Date of Occurrence:</b> <b>Occurrence Start Dt:</b> 2011/10/24 <b>Operation Type:</b> <b>Pipeline Type:</b> <b>Regulator Type:</b> <b>Summary:</b> 872 Somerset Street West, OTTAWA - 1" Pipeline Hit <b>Reported By:</b> Stiles, Jeff - Enbridge <b>Affiliation:</b> <b>Occurrence Desc:</b>	<b>Fuel Category:</b> Natural Gas <b>Health Impact:</b> <b>Environment Impact:</b> <b>Property Damage:</b> Yes <b>Service Interrupt:</b> <b>Enforce Policy:</b> Yes <b>Public Relation:</b> <b>Pipeline System:</b> <b>Depth:</b> <b>Pipe Material:</b> <b>PSIG:</b> <b>Attribute Category:</b> FS-Perform P-line Inc Invest <b>Regulator Location:</b> <b>Method Details:</b> E-mail
--	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Damage Reason:</b>		Excavation practices not sufficient			
<b>Notes:</b>					

<a href="#">139</a>	1 of 8	NNW/214.7	59.9 / -1.00	CANADIAN MUSEUM OF CIVILIZATION CORPORATION 255 CITY CENTRE AVE. OTTAWA ON K1R 7R7	GEN
<b>Generator No:</b>	ON2642100			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	05			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	712119				
<b>SIC Description:</b>	Museums (except Art Museums and Galleries)				

**Detail(s)**

<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES

<a href="#">139</a>	2 of 8	NNW/214.7	59.9 / -1.00	Metcalfe Realty Company Limited 255 City Center Ottawa ON K1R 7W3	GEN
<b>Generator No:</b>	ON9891928			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	05			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Detail(s)**

**Waste Class:** 251  
**Waste Class Desc:** OIL SKIMMINGS & SLUDGES

[139](#)    3 of 8    **NNW/214.7**    **59.9 / -1.00**    **Metcalfe Realty Company Limited**  
**255 City Centre Ave.**  
**Ottawa ON K1R 7R7**    **GEN**

**Generator No:** ON2838067    **PO Box No:**  
**Status:**    **Country:**  
**Approval Years:** 2009    **Choice of Contact:**  
**Contam. Facility:**    **Co Admin:**  
**MHSW Facility:**    **Phone No Admin:**  
**SIC Code:** 531310  
**SIC Description:** Real Estate Property Managers

**Detail(s)**

**Waste Class:** 145  
**Waste Class Desc:** PAINT/PIGMENT/COATING RESIDUES

**Waste Class:** 146  
**Waste Class Desc:** OTHER SPECIFIED INORGANICS

**Waste Class:** 221  
**Waste Class Desc:** LIGHT FUELS

**Waste Class:** 222  
**Waste Class Desc:** HEAVY FUELS

**Waste Class:** 251  
**Waste Class Desc:** OIL SKIMMINGS & SLUDGES

**Waste Class:** 252  
**Waste Class Desc:** WASTE OILS & LUBRICANTS

**Waste Class:** 253  
**Waste Class Desc:** EMULSIFIED OILS

[139](#)    4 of 8    **NNW/214.7**    **59.9 / -1.00**    **METCALFE REALTY COMPANY LIMITED**  
**255 CITY CENTRE AVE**  
**OTTAWA ON K1R 7R7**    **EASR**

**Approval No:** R-003-8267526934    **SWP Area Name:**  
**Status:** REGISTERED    **MOE District:**  
**Date:** 2012-11-02    **Municipality:** OTTAWA  
**Record Type:** EASR    **Latitude:**  
**Link Source:** MOFA    **Longitude:**  
**Project Type:** Heating System    **Geometry X:**  
**Full Address:**    **Geometry Y:**  
**Approval Type:** EASR-Heating System  
**Full PDF Link:** <http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2509>

[139](#)    5 of 8    **NNW/214.7**    **59.9 / -1.00**    **METCALFE REALTY COMPANY LIMITED**  
**255 CITY CENTRE AVE**  
**OTTAWA ON K1R 7R7**    **EASR**

**Approval No:** R-002-4267664006    **SWP Area Name:**  
**Status:** REGISTERED    **MOE District:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date:</b>	2012-11-02			<b>Municipality:</b> OTTAWA	
<b>Record Type:</b>	EASR			<b>Latitude:</b>	
<b>Link Source:</b>	MOFA			<b>Longitude:</b>	
<b>Project Type:</b>	Standby Power System			<b>Geometry X:</b>	
<b>Full Address:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	EASR-Standby Power System				
<b>Full PDF Link:</b>	<a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2510">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2510</a>				

<a href="#">139</a>	6 of 8	<b>NNW/214.7</b>	<b>59.9 / -1.00</b>	<b>Metcalfe Realty Company Limited</b> 255 City Centre Ave. Ottawa ON K1R 7R7	<b>GEN</b>
<b>Generator No:</b>	ON2838067			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				
<b>Detail(s)</b>					
<b>Waste Class:</b>	253				
<b>Waste Class Desc:</b>	EMULSIFIED OILS				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	222				
<b>Waste Class Desc:</b>	HEAVY FUELS				
<b>Waste Class:</b>	221				
<b>Waste Class Desc:</b>	LIGHT FUELS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				

<a href="#">139</a>	7 of 8	<b>NNW/214.7</b>	<b>59.9 / -1.00</b>	<b>Metcalfe Realty Company Limited</b> 255 City Centre Ave Ottawa ON K2B 8H6	<b>ECA</b>
<b>Approval No:</b>	5506-79DJEZ			<b>MOE District:</b> Ottawa	
<b>Approval Date:</b>	2007-11-28			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b> -75.717	
<b>Record Type:</b>	ECA			<b>Latitude:</b> 45.409626	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Business Name:</b>	Metcalfe Realty Company Limited				
<b>Address:</b>	255 City Centre Ave				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2836-76QJVW-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2836-76QJVW-14.pdf</a>				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">139</a>	8 of 8	NNW/214.7	59.9 / -1.00	METCALFE REALTY CO. LTD. 255 CITY CENTRE AVENUE OTTAWA ON K1R 7R7	GEN
<b>Generator No:</b> ON3017697 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2018 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>		<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>			
<b>Detail(s)</b>					
<b>Waste Class:</b>		145 I			
<b>Waste Class Desc:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Class:</b>		145 L			
<b>Waste Class Desc:</b>		Wastes from the use of pigments, coatings and paints			
<a href="#">140</a>	1 of 1	SSW/214.8	68.4 / 7.49	975 Gladstone Avenue Ottawa ON K1Y 4W5	EHS
<b>Order No:</b> 20190501135 <b>Status:</b> C <b>Report Type:</b> RSC Report (Urban) <b>Report Date:</b> 08-MAY-19 <b>Date Received:</b> 01-MAY-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .3 <b>X:</b> -75.716925 <b>Y:</b> 45.404122			
<a href="#">141</a>	1 of 1	S/215.4	66.7 / 5.85	1010 SOMERSET ET W OTTAWA ON	WWIS
<b>Well ID:</b> 1535405 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> Observation Wells <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z20840 <b>Tag:</b> A011954 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 3/22/2005 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 1844 <b>Form Version:</b> 3 <b>Owner:</b> <b>Street Name:</b> 1010 SOMERSET ET W <b>County:</b> OTTAWA <b>Municipality:</b> OTTAWA CITY <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1535405.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1535405.pdf</a>			
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>		11315944		<b>Elevation:</b> 66.020317	
<b>DP2BR:</b>				<b>Elevrc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	443960
<b>Code OB Desc:</b> No formation data				<b>North83:</b>	5028100
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b> 8/18/2004				<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>				961535405	
<b>Method Construction Code:</b>				5	
<b>Method Construction:</b>				Air Percussion	
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>				11330799	
<b>Casing No:</b>				1	
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>				930855169	
<b>Layer:</b>				1	
<b>Material:</b>				5	
<b>Open Hole or Material:</b>				PLASTIC	
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>				5	
<b>Casing Diameter UOM:</b>				cm	
<b>Casing Depth UOM:</b>				m	
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>				933412025	
<b>Layer:</b>				1	
<b>Slot:</b>				#10	
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>				5	
<b>Screen Depth UOM:</b>				m	
<b>Screen Diameter UOM:</b>				cm	
<b>Screen Diameter:</b>				6.5	

142

1 of 1

WNW/218.7

59.2 / -1.69

ON

BORE

<b>Borehole ID:</b>	613184	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215514487	<b>SP Status:</b>	Initial Entry
<b>Status:</b>		<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>		<b>Primary Name:</b>	
<b>Completion Date:</b>	JUL-1967	<b>Municipality:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	1.8   -999 Ground Surface   55  58.5     			Lot: Township: Latitude DD: 45.4084 Longitude DD: -75.720088 UTM Zone: 18 Easting: 443651 Northing: 5028572 Location Accuracy: Accuracy: Not Applicable	
<b><u>Borehole Geology Stratum</u></b>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394060 3.4 3.8 Grey Clay Silt    CLAY. GREY,SOFT, WATER STABLE AT 174.3 FEET.			Mat Consistency: Soft Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394062 8.6  Grey Bedrock Limestone Shale  BEDROCK. GREY. RED. ENSE. UNSPECIFIED. VERY DENSE. BEDROCK. 00010 016 00100 075 **Note: Many records provided by the department have a truncated [Stratum Description] field.			Mat Consistency: Dense Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394058 0 1.7 Black Fill Gravel Sand  FILL. BLACK,LOOSE.			Mat Consistency: Loose Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: fill	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394059 1.7 3.4 Grey Fill Sand Silt  FILL. GREY,LOOSE.			Mat Consistency: Loose Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: fill	
Geology Stratum ID: Top Depth: Bottom Depth:	218394061 3.8 8.6			Mat Consistency: Compact Material Moisture: Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		TILL. COMPACT.			
<b>Source</b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Ident:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>				<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA2.txt RecordID: 056920 NTS_Sheet: 31G05G				
<b>Confiden 1:</b>					
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				
<b>143</b>	<b>1 of 1</b>	<b>W/220.5</b>	<b>60.8 / -0.04</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	613169			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215514472			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>	JUL-1967			<b>Municipality:</b>	
<b>Static Water Level:</b>	2.1			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.407766
<b>Total Depth m:</b>	-999			<b>Longitude DD:</b>	-75.720591
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	443611
<b>Drill Method:</b>				<b>Northing:</b>	5028502
<b>Orig Ground Elev m:</b>	55.2			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	58.2				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b>Borehole Geology Stratum</b>					
<b>Geology Stratum ID:</b>	218393994			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	8.7			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>				<b>Material Texture:</b>	Fine
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Limestone			<b>Geologic Group:</b>	
<b>Material 3:</b>	Shale			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		BEDROCK. GREY. EL. VERY HARD. NE. DENSE. SAND-FINE. VERY DENSE. SAND. DENSE. 00174 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	218393993			<b>Mat Consistency:</b>	Hard
<b>Top Depth:</b>	4.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	8.7			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Till			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>		TILL. GREY,HARD.			
<b>Stratum Description:</b>					
<b>Geology Stratum ID:</b>	218393991			<b>Mat Consistency:</b>	Firm
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	4			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	fill
<b>Gsc Material Description:</b>		FILL. FIRM.			
<b>Stratum Description:</b>					
<b>Geology Stratum ID:</b>	218393992			<b>Mat Consistency:</b>	Loose
<b>Top Depth:</b>	4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	4.3			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Gravel			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>		SAND. BROWN,LOOSE, WATER STABLE AT 174.1 FEET.			
<b>Stratum Description:</b>					
<b>Source</b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Ident:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>				<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA2.txt RecordID: 056770 NTS_Sheet: 31G05G				
<b>Confiden 1:</b>					
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				
<b>144</b>	1 of 2	<b>W/220.8</b>	<b>63.6 / 2.71</b>	<b>FORM ALL CONSTRUCTION SOMERSET &amp; BAYSWATER OTTAWA CITY ON</b>	<b>SPL</b>
<b>Ref No:</b>	4970			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
<b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b>	05-JUN-13  Operator/Human error  35 NATURAL GAS (METHANE)  Not Anticipated Air Pollution  Not MOE mandate  05-JUN-13			<b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b>  <b>Source Type:</b>	Pipeline/Components  119 Elm Street  Ottawa  TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill	
<b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>	Operator/Human Error Residential<UNOFFICIAL>  TSSA 1.25 inch line strike, not safe 0 other - see incident description					

[146](#) 1 of 1 **NNE/225.4** **64.4 / 3.50** **PIPELINE HIT - 1 ¼"**  
**119 ELM STREET,, OTTAWA, ON, K1R 6N4, CA** **PINC**  
**ON**

<b>Incident ID:</b> <b>Incident No:</b> <b>Incident Reported Dt:</b> <b>Type:</b> <b>Status Code:</b> <b>Customer Acct Name:</b> <b>Incident Address:</b> <b>Tank Status:</b> <b>Task No:</b> <b>Spills Action Centre:</b> <b>Fuel Type:</b> <b>Fuel Occurrence Tp:</b> <b>Date of Occurrence:</b> <b>Occurrence Start Dt:</b> <b>Operation Type:</b> <b>Pipeline Type:</b> <b>Regulator Type:</b> <b>Summary:</b> <b>Reported By:</b> <b>Affiliation:</b> <b>Occurrence Desc:</b> <b>Damage Reason:</b> <b>Notes:</b>	1112438 6/5/2013 FS-Pipeline Incident  PIPELINE HIT - 1 ¼" 119 ELM STREET,, OTTAWA, ON, K1R 6N4, CA Pipeline Damage Reason Est 4498104  2013/06/05  119 ELM STREET, OTTAWA - PIPELINE HIT - 1 ¼" Shawn Clost - Enbridge  Excavation practices not sufficient			<b>Fuel Category:</b> <b>Health Impact:</b> <b>Environment Impact:</b> <b>Property Damage:</b> <b>Service Interrupt:</b> <b>Enforce Policy:</b> <b>Public Relation:</b> <b>Pipeline System:</b> <b>Depth:</b> <b>Pipe Material:</b> <b>PSIG:</b> <b>Attribute Category:</b> <b>Regulator Location:</b> <b>Method Details:</b>	Natural Gas  Yes Yes FS-Perform P-line Inc Invest E-mail
--	--	--	--	--	---

[147](#) 1 of 1 **S/226.6** **67.6 / 6.69** **975 GLADSTONE AVE.**  
**OTTAWA ON** **WWIS**

<b>Well ID:</b> <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b>	7245910 Monitoring 0			<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> <b>Selected Flag:</b> <b>Abandonment Rec:</b> <b>Contractor:</b>	8/5/2015 Yes 7238
--	----------------------------	--	--	--	-------------------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z199798			<b>Owner:</b>	
<b>Tag:</b>	A175219			<b>Street Name:</b>	975 GLADSTONE AVE.
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	NEPEAN TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

PDF URL (Map):

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005538756	<b>Elevation:</b>	66.563568
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	443948
<b>Code OB Desc:</b>		<b>North83:</b>	5028086
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	7/2/2015	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1005652458
<b>Layer:</b>	4
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	26
<b>Most Common Material:</b>	ROCK
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	18
<b>Formation End Depth:</b>	18
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1005652457
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	06
<b>Mat2 Desc:</b>	SILT

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		18			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005652456			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		84			
<b>Mat2 Desc:</b>		SILTY			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		6			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005652455			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		6			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005652466			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005652465			
<b>Layer:</b>		1			
<b>Plug From:</b>		18			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005652464			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005652454			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005652461			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		8			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005652462			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		8			
<b>Screen End Depth:</b>		18			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005652460			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005652459			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		18			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[148](#)

1 of 1

NNE/229.5

64.0 / 3.08

60 PRESTON STREET, OTTAWA  
ON

INC

**Incident No:** 125430  
**Incident ID:** 2276252  
**Instance No:**  
**Status Code:** Causal Analysis Complete  
**Attribute Category:** FS-Incident

**Any Health Impact:**  
**Any Enviro Impact:**  
**Service Interrupted:**  
**Was Prop Damaged:**  
**Reside App. Type:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Context:</b> <b>Date of Occurrence:</b> <b>Time of Occurrence:</b> <b>Incident Created On:</b> <b>Instance Creation Dt:</b> <b>Instance Install Dt:</b> <b>Occur Insp Start Date:</b> <b>Approx Quant Rel:</b> <b>Tank Capacity:</b> <b>Fuels Occur Type:</b> <b>Fuel Type Involved:</b> <b>Enforcement Policy:</b> <b>Prc Escalation Req:</b> <b>Tank Material Type:</b> <b>Tank Storage Type:</b> <b>Tank Location Type:</b> <b>Pump Flow Rate Cap:</b> <b>Task No:</b> <b>Notes:</b> <b>Drainage System:</b> <b>Sub Surface Contam.:</b> <b>Aff Prop Use Water:</b> <b>Contam. Migrated:</b> <b>Contact Natural Env:</b> <b>Incident Location:</b> <b>Occurrence Narrative:</b> <b>Operation Type Involved:</b> <b>Item:</b> <b>Item Description:</b> <b>Device Installed Location:</b>				<b>Commer App. Type:</b> <b>Indus App. Type:</b> <b>Institut App. Type:</b> <b>Venting Type:</b> <b>Vent Conn Mater:</b> <b>Vent Chimney Mater:</b> <b>Pipeline Type:</b> Service / Riser Distribution Pipeline <b>Pipeline Involved:</b> <b>Pipe Material:</b> Plastic <b>Depth Ground Cover:</b> 30 <b>Regulator Location:</b> Outside <b>Regulator Type:</b> Service Regulator (up to 60 psi intake) <b>Operation Pressure:</b> 40 <b>Liquid Prop Make:</b> <b>Liquid Prop Model:</b> <b>Liquid Prop Serial No:</b> <b>Liquid Prop Notes:</b> <b>Equipment Type:</b> <b>Equipment Model:</b> <b>Serial No:</b> <b>Cylinder Capacity:</b> <b>Cylinder Cap Units:</b> <b>Cylinder Mat Type:</b> <b>Near Body of Water:</b>	
<a href="#">149</a>	1 of 1	SSE/234.2	66.6 / 5.69	951 Gladestone Avenue & 145 Loretta Avenue North Ottawa ON	EHS
<b>Order No:</b> 20170605066 <b>Status:</b> C <b>Report Type:</b> RSC Report (Urban) <b>Report Date:</b> 09-JUN-17 <b>Date Received:</b> 05-JUN-17 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos				<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.715549 <b>Y:</b> 45.404125	
<a href="#">150</a>	1 of 1	NW/236.3	60.0 / -0.90	ON	BORE
<b>Borehole ID:</b> 847973 <b>OGF ID:</b> 215589630 <b>Status:</b> Decommissioned <b>Type:</b> Borehole <b>Use:</b> Geotechnical/Geological Investigation <b>Completion Date:</b> 29-NOV-1961 <b>Static Water Level:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Total Depth m:</b> 7.3 <b>Depth Ref:</b> Ground Surface <b>Depth Elev:</b> <b>Drill Method:</b> Diamond Drill <b>Orig Ground Elev m:</b> 56.2 <b>Elev Reliabil Note:</b>				<b>Inclin FLG:</b> No <b>SP Status:</b> Initial Entry <b>Surv Elev:</b> No <b>Piezometer:</b> No <b>Primary Name:</b> <b>Municipality:</b> <b>Lot:</b> LOT 38 <b>Township:</b> NEPEAN <b>Latitude DD:</b> 45.409078 <b>Longitude DD:</b> -75.719249 <b>UTM Zone:</b> 18 <b>Easting:</b> 443717 <b>Northing:</b> 5028647 <b>Location Accuracy:</b> <b>Accuracy:</b> Within 50 metres	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DEM Ground Elev m:</b> 61.2 <b>Concession:</b> CON 1 ON OTTAWA RIVER <b>Location D:</b> <b>Survey D:</b> <b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b> 6559441 <b>Top Depth:</b> 0 <b>Bottom Depth:</b> 2.3 <b>Material Color:</b> <b>Material 1:</b> Fill <b>Material 2:</b> Boulders <b>Material 3:</b> Sand - Gravel <b>Material 4:</b> Cinders <b>Gsc Material Description:</b> <b>Stratum Description:</b> FILL (BOULDERS, SAND, GRAVEL AND CINDERS) **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>					
<b>Geology Stratum ID:</b> 6559442 <b>Top Depth:</b> 2.3 <b>Bottom Depth:</b> 7.3 <b>Material Color:</b> <b>Material 1:</b> Boulders <b>Material 2:</b> Gravel <b>Material 3:</b> Sand <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b> BOULDERS, GRAVEL AND SAND (ALMOST CONTINUOUS BOULDERS LOWER DOWN) **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>					
<a href="#">151</a>	1 of 3	ESE/237.1	66.6 / 5.69	R.M. OF OTTAWA-CARLETON BALSAM AVE/PRESTON ST. OTTAWA ON	CA
<b>Certificate #:</b> 7-0346-98- <b>Application Year:</b> 98 <b>Issue Date:</b> 5/14/1998 <b>Approval Type:</b> Municipal water <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">151</a>	2 of 3	ESE/237.1	66.6 / 5.69	Intersection of Balsam St and Preston St Ottawa ON	SPL
<b>Ref No:</b> 2814-7WZHFK <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Discharge or Emission to Air <b>Incident Event:</b> <b>Contaminant Code:</b> 35 <b>Contaminant Name:</b> NATURAL GAS (METHANE) <b>Contaminant Limit 1:</b>					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Pipeline <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Not Anticipated <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> Referral to others <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 10/20/2009 <b>Dt Document Closed:</b> 12/18/2009 <b>Incident Reason:</b> Damage By Moving Equipment - Containers damaged by moving  <b>Site Name:</b> Gas Main Strike<UNOFFICIAL> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> TSSA: Gas main damage, Ottawa <b>Contaminant Qty:</b> 0 other - see incident description				<b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Air Spills - Gases and Vapours <b>Source Type:</b>	

<a href="#">151</a>	3 of 3	ESE/237.1	66.6 / 5.69	BALSAM ST. & PRESTON ST., OTTAWA ON	INC
<b>Incident No:</b> 218290 <b>Incident ID:</b> 2369346 <b>Instance No:</b> <b>Status Code:</b> Causal Analysis Complete <b>Attribute Category:</b> FS-Incident <b>Context:</b> <b>Date of Occurrence:</b> <b>Time of Occurrence:</b> <b>Incident Created On:</b> <b>Instance Creation Dt:</b> <b>Instance Install Dt:</b> <b>Occur Insp Start Date:</b> <b>Approx Quant Rel:</b> <b>Tank Capacity:</b> <b>Fuels Occur Type:</b> <b>Fuel Type Involved:</b> <b>Enforcement Policy:</b> <b>Prc Escalation Req:</b> <b>Tank Material Type:</b> <b>Tank Storage Type:</b> <b>Tank Location Type:</b> <b>Pump Flow Rate Cap:</b> <b>Task No:</b> <b>Notes:</b> <b>Drainage System:</b> <b>Sub Surface Contam.:</b> <b>Aff Prop Use Water:</b> <b>Contam. Migrated:</b> <b>Contact Natural Env:</b> <b>Incident Location:</b> BALSAM ST. & PRESTON ST., OTTAWA - PIPELINE HIT <b>Occurence Narrative:</b> Gas main was exposed then struck by backhoe operator with the labourer guiding him. <b>Operation Type Involved:</b> <b>Item:</b> <b>Item Description:</b> <b>Device Installed Location:</b>				<b>Any Health Impact:</b> <b>Any Enviro Impact:</b> <b>Service Interrupted:</b> <b>Was Prop Damaged:</b> <b>Reside App. Type:</b> <b>Commer App. Type:</b> <b>Indus App. Type:</b> <b>Institut App. Type:</b> <b>Venting Type:</b> <b>Vent Conn Mater:</b> <b>Vent Chimney Mater:</b> <b>Pipeline Type:</b> Main Distribution Pipeline <b>Pipeline Involved:</b> <b>Pipe Material:</b> Plastic <b>Depth Ground Cover:</b> 42 <b>Regulator Location:</b> <b>Regulator Type:</b> <b>Operation Pressure:</b> 58 <b>Liquid Prop Make:</b> <b>Liquid Prop Model:</b> <b>Liquid Prop Serial No:</b> <b>Liquid Prop Notes:</b> <b>Equipment Type:</b> <b>Equipment Model:</b> <b>Serial No:</b> <b>Cylinder Capacity:</b> <b>Cylinder Cap Units:</b> <b>Cylinder Mat Type:</b> <b>Near Body of Water:</b>	

<a href="#">152</a>	1 of 1	SE/237.6	63.9 / 3.00	ON	BORE
<b>Borehole ID:</b> 613131 <b>OGF ID:</b> 215514435				<b>Inclin FLG:</b> No <b>SP Status:</b> Initial Entry	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>				<b>Municipality:</b>	
<b>Static Water Level:</b>	2.8			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.404568
<b>Total Depth m:</b>	-999			<b>Longitude DD:</b>	-75.713906
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	444131
<b>Drill Method:</b>				<b>Northing:</b>	5028142
<b>Orig Ground Elev m:</b>	61			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	60.6				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218393836			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.5			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND, GRAVEL. BROWN.				
<b>Geology Stratum ID:</b>	218393839			<b>Mat Consistency:</b>	Compact
<b>Top Depth:</b>	3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>				<b>Material Texture:</b>	
<b>Material Color:</b>	Black			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	BEDROCK. BEDROCK. BLACK. 0050 081 000100670000500900050049COMPACT, WATER STABLE AT 190 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	218393835			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.6			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Gravel			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	GRAVEL.				
<b>Geology Stratum ID:</b>	218393837			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.7			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>	Gravel			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND, SILT, GRAVEL. GREY.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b>	218393838			<b>Mat Consistency:</b>	Compact
<b>Top Depth:</b>	2.7			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	3			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Boulders			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sand			<b>Geologic Group:</b>	
<b>Material 3:</b>	Gravel			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		BOULDERS. COMPACT.			

**Source**

<b>Source Type:</b>	Data Survey	<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada	<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972	<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	H	<b>Horizontal:</b>	NAD27
<b>Observatio:</b>		<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Details:</b>	File: OTTAWA2.txt RecordID: 056390 NTS_Sheet: 31G05G		
<b>Confiden 1:</b>	Logged by professional. Exact and complete description of material and properties.		

**Source List**

<b>Source Identifier:</b>	1	<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey	<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972	<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies		
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Originators:</b>	Geological Survey of Canada		

[153](#) 1 of 12 S/239.6 68.4 / 7.49 **CANADIAN BANK NOTE COMPANY, LIMITED** **EASR**  
**975 GLADSTONE AVE**  
**OTTAWA ON K1Y 4W5**

<b>Approval No:</b>	R-002-3388172978	<b>SWP Area Name:</b>	Rideau Valley
<b>Status:</b>	REGISTERED	<b>MOE District:</b>	Ottawa
<b>Date:</b>	2013-11-19	<b>Municipality:</b>	OTTAWA
<b>Record Type:</b>	EASR	<b>Latitude:</b>	45.4041
<b>Link Source:</b>	MOFA	<b>Longitude:</b>	-75.71691
<b>Project Type:</b>	Standby Power System	<b>Geometry X:</b>	
<b>Full Address:</b>		<b>Geometry Y:</b>	
<b>Approval Type:</b>	EASR-Standby Power System		
<b>Full PDF Link:</b>	<a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=6525">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=6525</a>		

[153](#) 2 of 12 S/239.6 68.4 / 7.49 **CANADIAN BANK NOTE COMPANY, LIMITED** **EASR**  
**975 GLADSTONE AVE**  
**OTTAWA ON K1Y 4W5**

<b>Approval No:</b>	R-003-9388039268	<b>SWP Area Name:</b>	Rideau Valley
<b>Status:</b>	REGISTERED	<b>MOE District:</b>	Ottawa
<b>Date:</b>	2013-11-19	<b>Municipality:</b>	OTTAWA
<b>Record Type:</b>	EASR	<b>Latitude:</b>	45.4041
<b>Link Source:</b>	MOFA	<b>Longitude:</b>	-75.71691
<b>Project Type:</b>	Heating System	<b>Geometry X:</b>	
<b>Full Address:</b>		<b>Geometry Y:</b>	
<b>Approval Type:</b>	EASR-Heating System		
<b>Full PDF Link:</b>	<a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=6524">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=6524</a>		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">153</a>	3 of 12	S/239.6	68.4 / 7.49	Canadian Bank Note Company, Limited 975 Gladstone Ave Ottawa ON K1Y 4W5	ECA
<b>Approval No:</b>	3835-A7QLZW			<b>MOE District:</b>	
<b>Approval Date:</b>	2016-12-30			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Business Name:</b>	Canadian Bank Note Company, Limited				
<b>Address:</b>	975 Gladstone Ave				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7194-9H3LA9-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7194-9H3LA9-14.pdf</a>				
<a href="#">153</a>	4 of 12	S/239.6	68.4 / 7.49	BA International Inc. 975 Gladstone Avenue Ottawa ON K1Y 4W5	ECA
<b>Approval No:</b>	1491-63LLHD			<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>	2006-03-23			<b>City:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>Longitude:</b>	-75.71691
<b>Record Type:</b>	ECA			<b>Latitude:</b>	45.4041
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Business Name:</b>	BA International Inc.				
<b>Address:</b>	975 Gladstone Avenue				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6469-6MXMT6-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6469-6MXMT6-14.pdf</a>				
<a href="#">153</a>	5 of 12	S/239.6	68.4 / 7.49	BA International Inc. 975 Gladstone Avenue Ottawa ON K1Y 4W5	ECA
<b>Approval No:</b>	1491-63LLHD			<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>	2004-11-09			<b>City:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>Longitude:</b>	-75.71691
<b>Record Type:</b>	ECA			<b>Latitude:</b>	45.4041
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Business Name:</b>	BA International Inc.				
<b>Address:</b>	975 Gladstone Avenue				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6786-5XFJPS-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6786-5XFJPS-14.pdf</a>				
<a href="#">153</a>	6 of 12	S/239.6	68.4 / 7.49	BA Banknote Inc. 975 Gladstone Avenue Ottawa ON K1Y 4W5	ECA
<b>Approval No:</b>	7660-5Z4PFX			<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>	2004-06-04			<b>City:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>Longitude:</b>	-75.71691
<b>Record Type:</b>	ECA			<b>Latitude:</b>	45.4041
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Business Name:</b>		BA Banknote Inc.			
<b>Address:</b>		975 Gladstone Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/9227-5V5REP-14.pdf			
<a href="#">153</a>	7 of 12	S/239.6	68.4 / 7.49	<b>BA Banknote Inc.</b> 975 Gladstone Avenue Ottawa ON K1Y 4W5	ECA
<b>Approval No:</b>		9223-5C6HZK		<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>		2002-09-06		<b>City:</b>	
<b>Status:</b>		Revoked and/or Replaced		<b>Longitude:</b>	-75.71691
<b>Record Type:</b>		ECA		<b>Latitude:</b>	45.4041
<b>Link Source:</b>		IDS		<b>Geometry X:</b>	
<b>SWP Area Name:</b>		Rideau Valley		<b>Geometry Y:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Business Name:</b>		BA Banknote Inc.			
<b>Address:</b>		975 Gladstone Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/3825-4VAQMB-14.pdf			
<a href="#">153</a>	8 of 12	S/239.6	68.4 / 7.49	<b>BA International Inc.</b> 975 Gladstone Avenue Ottawa ON K1Y 4W5	ECA
<b>Approval No:</b>		5712-6XRLU3		<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>		2007-03-19		<b>City:</b>	
<b>Status:</b>		Approved		<b>Longitude:</b>	-75.71691
<b>Record Type:</b>		ECA		<b>Latitude:</b>	45.4041
<b>Link Source:</b>		IDS		<b>Geometry X:</b>	
<b>SWP Area Name:</b>		Rideau Valley		<b>Geometry Y:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Business Name:</b>		BA International Inc.			
<b>Address:</b>		975 Gladstone Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/4981-6SKPCP-14.pdf			
<a href="#">153</a>	9 of 12	S/239.6	68.4 / 7.49	<b>BA Banknote Inc.</b> 975 Gladstone Avenue Ottawa ON K1Y 4W5	ECA
<b>Approval No:</b>		6703-4SSRE3		<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>		2001-01-08		<b>City:</b>	
<b>Status:</b>		Revoked and/or Replaced		<b>Longitude:</b>	-75.71691
<b>Record Type:</b>		ECA		<b>Latitude:</b>	45.4041
<b>Link Source:</b>		IDS		<b>Geometry X:</b>	
<b>SWP Area Name:</b>		Rideau Valley		<b>Geometry Y:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Business Name:</b>		BA Banknote Inc.			
<b>Address:</b>		975 Gladstone Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/8042-4FUP9P-14.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">153</a>	10 of 12	S/239.6	68.4 / 7.49	BA Banknote Inc. 975 Gladstone Avenue Ottawa ON K1Y 4W5	ECA
<b>Approval No:</b>	3844-5SQTGU			<b>MOE District:</b>	Ottawa
<b>Approval Date:</b>	2003-10-29			<b>City:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>Longitude:</b>	-75.71691
<b>Record Type:</b>	ECA			<b>Latitude:</b>	45.4041
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Business Name:</b>	BA Banknote Inc.				
<b>Address:</b>	975 Gladstone Avenue				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	https://www.accessenvironment.ene.gov.on.ca/instruments/1525-5RURU7-14.pdf				
<a href="#">153</a>	11 of 12	S/239.6	68.4 / 7.49	Canadian Bank Note Company, Limited 975 Gladstone Road Ottawa ON	SPL
<b>Ref No:</b>	8041-BJCR6G			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2019/11/25			<b>Health/Env Conseq:</b>	2 - Minor Environment
<b>Year:</b>				<b>Client Type:</b>	Corporation
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Communal
<b>Incident Event:</b>	Leak/Break			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	38			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	REFRIGERANT GAS, N.O.S.			<b>Site Address:</b>	975 Gladstone Road
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>	1078			<b>Site Region:</b>	Eastern
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Air			<b>Northing:</b>	
<b>MOE Response:</b>	No			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2019/11/28			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
<b>Incident Reason:</b>	Equipment Failure			<b>Source Type:</b>	Valve/Fitting/Piping
<b>Site Name:</b>	Canadian Bank Note Company<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Canadian Bank Note Company: 320 lbs R134 to atm.				
<b>Contaminant Qty:</b>	320 lb				
<a href="#">153</a>	12 of 12	S/239.6	68.4 / 7.49	Canadian Bank Note Company, limited Gladstone 975 Gladstone avenue Ottawa ON K1Y 4W5	GEN
<b>Generator No:</b>	ON8483802			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jan 2021			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					

Detail(s)

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Waste Class:</b>		150 L			
<b>Waste Class Desc:</b>		Inert organic wastes			
<b>Waste Class:</b>		253 L			
<b>Waste Class Desc:</b>		Emulsified oils			
<b>Waste Class:</b>		232 B			
<b>Waste Class Desc:</b>		Polymeric resins			
<b>Waste Class:</b>		212 L			
<b>Waste Class Desc:</b>		Aliphatic solvents and residues			
<b>Waste Class:</b>		265 L			
<b>Waste Class Desc:</b>		Graphic arts wastes			
<b>Waste Class:</b>		122 L			
<b>Waste Class Desc:</b>		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Class:</b>		263 I			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<b>Waste Class:</b>		146 T			
<b>Waste Class Desc:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Class:</b>		131 L			
<b>Waste Class Desc:</b>		Neutralized solutions - containing heavy metals			
<b>Waste Class:</b>		251 L			
<b>Waste Class Desc:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Class:</b>		232 L			
<b>Waste Class Desc:</b>		Polymeric resins			
<b>Waste Class:</b>		145 I			
<b>Waste Class Desc:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Class:</b>		267 C			
<b>Waste Class Desc:</b>		Organic acids			
<b>Waste Class:</b>		213 I			
<b>Waste Class Desc:</b>		Petroleum distillates			
<b>Waste Class:</b>		269 B			
<b>Waste Class Desc:</b>		Organic non-halogenated pesticide and herbicide wastes			
<b>Waste Class:</b>		243 D			
<b>Waste Class Desc:</b>		PCB			
<b>Waste Class:</b>		331 I			
<b>Waste Class Desc:</b>		Waste compressed gases including cylinders			
<b>Waste Class:</b>		263 L			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<b>Waste Class:</b>		331 L			
<b>Waste Class Desc:</b>		Waste compressed gases including cylinders			
<b>Waste Class:</b>		112 C			
<b>Waste Class Desc:</b>		Acid solutions - containing heavy metals			
<b>Waste Class:</b>		268 C			
<b>Waste Class Desc:</b>		Amines			
<b>Waste Class:</b>		262 L			
<b>Waste Class Desc:</b>		Detergents and soaps			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		145 L			
<b>Waste Class Desc:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Class:</b>		122 C			
<b>Waste Class Desc:</b>		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Class:</b>		263 H			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<b>Waste Class:</b>		146 L			
<b>Waste Class Desc:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Class:</b>		241 H			
<b>Waste Class Desc:</b>		Halogenated solvents and residues			
<b>Waste Class:</b>		263 B			
<b>Waste Class Desc:</b>		Misc. waste organic chemicals			
<b>Waste Class:</b>		252 L			
<b>Waste Class Desc:</b>		Waste crankcase oils and lubricants			
<b>Waste Class:</b>		148 C			
<b>Waste Class Desc:</b>		Misc. wastes and inorganic chemicals			

<a href="#">154</a>	1 of 10	S/240.5	66.7 / 5.86	MR GAS LIMITED ATTN LILIANNE LEVAC 971 GLADSTONE AV OTTAWA ON K1Y 3E5	PRT
<b>Location ID:</b>		10944			
<b>Type:</b>		retail			
<b>Expiry Date:</b>		1994-06-30			
<b>Capacity (L):</b>		45400			
<b>Licence #:</b>		0010002008			

<a href="#">154</a>	2 of 10	S/240.5	66.7 / 5.86	SPORTIVE SPORTSWEAR MFG INC. 155A LORETTA AVE N OTTAWA ON K1Y 2J7	SCT
<b>Established:</b>		1984			
<b>Plant Size (ft²):</b>		3200			
<b>Employment:</b>		14			
<b>--Details--</b>					
<b>Description:</b>		All Other Cut and Sew Clothing Manufacturing			
<b>SIC/NAICS Code:</b>		315299			
<b>Description:</b>		MEN'S AND BOYS' CLOTHING, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2329			
<b>Description:</b>		WOMEN'S, MISSES', AND JUNIORS' OUTERWEAR, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2339			
<b>Description:</b>		Cut and Sew Clothing Contracting			
<b>SIC/NAICS Code:</b>		315210			
<b>Description:</b>		Men's and Boys' Cut and Sew Shirt Manufacturing			
<b>SIC/NAICS Code:</b>		315226			
<b>Description:</b>		Men's and Boys' Cut and Sew Trouser, Slack and Jean Manufacturing			
<b>SIC/NAICS Code:</b>		315227			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Other Men's and Boys' Cut and Sew Clothing Manufacturing			
<b>SIC/NAICS Code:</b>		315229			
<b>Description:</b>		Women's and Girls' Cut and Sew Blouse and Shirt Manufacturing			
<b>SIC/NAICS Code:</b>		315232			
<b>Description:</b>		Other Women's and Girls' Cut and Sew Clothing Manufacturing			
<b>SIC/NAICS Code:</b>		315239			
<a href="#">154</a>	3 of 10	S/240.5	66.7 / 5.86	<b>Sportive Sportswear Manufacturers Inc.</b> 155A Loretta Ave N Ottawa ON K1Y 2J7	<b>SCT</b>
<b>Established:</b>		1984			
<b>Plant Size (ft²):</b>		3200			
<b>Employment:</b>		20			
<a href="#">154</a>	4 of 10	S/240.5	66.7 / 5.86	<b>MR GAS LIMITED **</b> 971 GLADSTONE AV OTTAWA ON K1Y 3E5	<b>DTNK</b>
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
<b>Instance No:</b>		9453941			
<b>Status:</b>		EXPIRED			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Facility			
<b>Description:</b>					
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		6/17/1993			
<b>Original Source:</b>		EXP			
<b>Record Date:</b>		Up to May 2013			
<a href="#">154</a>	5 of 10	S/240.5	66.7 / 5.86	<b>MR GAS LIMITED **</b> 971 GLADSTONE AV OTTAWA ON	<b>DTNK</b>
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
<b>Instance No:</b>		10902905			
<b>Status:</b>		EXPIRED			
<b>Instance ID:</b>		51114			
<b>Instance Type:</b>		FS Piping			
<b>Description:</b>		FS Piping			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<b>Original Source:</b>		EXP			
<b>Record Date:</b>		Up to Mar 2012			
<a href="#">154</a>	6 of 10	S/240.5	66.7 / 5.86	<b>MR GAS LIMITED **</b> 971 GLADSTONE AV	<b>DTNK</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

OTTAWA ON

Delisted Expired Fuel Safety Facilities

Instance No: 10902920  
 Status: EXPIRED  
 Instance ID: 51537  
 Instance Type: FS Piping  
 Description: FS Piping  
 TSSA Program Area:  
 Maximum Hazard Rank:  
 Facility Type:  
 Expired Date:  
 Original Source: EXP  
 Record Date: Up to Mar 2012

[154](#) 7 of 10 S/240.5 66.7 / 5.86 MR GAS LIMITED\*\* 971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON **EXP**

Instance No:	10902896	Model:	NULL
Status:	EXPIRED	Quantity:	1
Instance ID:		Unit of Measure:	EA
Instance Type:		Fuel Type2:	NULL
Instance Creation Dt:	10/2/1989	Fuel Type3:	NULL
Instance Install Dt:	10/2/1989	Piping Steel:	
Item:		Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank	Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK	Piping Underground:	
Overfill Prot Type:	NULL	Tank Underground:	
Creation Date:	7/5/2009 1:22:05 AM	Panam Related:	NULL
Expired Date:		Panam Venue Nm:	NULL
Manufacturer:	NULL		
Source:	FS Liquid Fuel Tank		
Description:	UNDERGROUND TANK		
Serial No:	NULL		
Ulc Standard:	NULL		
Facility Location:	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA		

[154](#) 8 of 10 S/240.5 66.7 / 5.86 MR GAS LIMITED\*\* 971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON **EXP**

Instance No:	10902914	Model:	NULL
Status:	EXPIRED	Quantity:	1
Instance ID:		Unit of Measure:	EA
Instance Type:		Fuel Type2:	NULL
Instance Creation Dt:	10/2/1989	Fuel Type3:	NULL
Instance Install Dt:	10/2/1989	Piping Steel:	
Item:		Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank	Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK	Piping Underground:	
Overfill Prot Type:	NULL	Tank Underground:	
Creation Date:	7/5/2009 1:22:06 AM	Panam Related:	NULL
Expired Date:		Panam Venue Nm:	NULL
Manufacturer:	NULL		
Source:	FS Liquid Fuel Tank		
Description:	UNDERGROUND TANK		
Serial No:	NULL		
Ulc Standard:	NULL		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Location:</b>		971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA			

<a href="#">154</a>	9 of 10	S/240.5	66.7 / 5.86	MR GAS LIMITED** 971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON	FST
<b>Instance No:</b>	10902914			<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>				<b>Quantity:</b>	
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>	Liquid Fuel Single Wall UST			<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	10/2/1989			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1979			<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	22700			<b>Num Underground:</b>	
<b>Tank Material:</b>	Steel			<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>					
<b>Device Installed Location:</b>	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA				

**Fuel Storage Tank Details**

**Owner Account Name:** MR GAS LIMITED\*\*

<a href="#">154</a>	10 of 10	S/240.5	66.7 / 5.86	MR GAS LIMITED** 971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA ON	FST
<b>Instance No:</b>	10902896			<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>				<b>Quantity:</b>	
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>	Liquid Fuel Single Wall UST			<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	10/2/1989			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1979			<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	22700			<b>Num Underground:</b>	
<b>Tank Material:</b>	Steel			<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>					
<b>Device Installed Location:</b>	971 GLADSTONE AV OTTAWA K1Y 3E5 ON CA				

**Fuel Storage Tank Details**

**Owner Account Name:** MR GAS LIMITED\*\*

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">155</a>	1 of 15	ESE/240.6	67.2 / 6.31	LA PAUSE VELO LTEE/BIKE STOP, THE 225 PRESTON STREET, REAR UNIT OTTAWA ON K1R 7R1	GEN
<b>Generator No:</b>	ON0990703			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	6542				
<b>SIC Description:</b>	BICYCLE SHOPS				
<b>Detail(s)</b>					
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<a href="#">155</a>	2 of 15	ESE/240.6	67.2 / 6.31	LA PAUSE VELO LIMITEE 225 PRESTON STREET OTTAWA ON K1R 7R1	GEN
<b>Generator No:</b>	ON0990703			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	6542				
<b>SIC Description:</b>	BICYCLE SHOPS				
<b>Detail(s)</b>					
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<a href="#">155</a>	3 of 15	ESE/240.6	67.2 / 6.31	225 Preston St. Ottawa ON K1R 7R1	EHS
<b>Order No:</b>	20041122017			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Complete Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	11/30/04			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	11/22/04			<b>X:</b>	-75.712311
<b>Previous Site Name:</b>				<b>Y:</b>	45.405582
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				
<a href="#">155</a>	4 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	Offices of Physicians				
<b>Detail(s)</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		261			
<b>Waste Class Desc:</b>		PHARMACEUTICALS			
<a href="#">155</a>	5 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	Offices of Physicians				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261				
<b>Waste Class Desc:</b>	PHARMACEUTICALS				
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">155</a>	6 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	Offices of Physicians				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261				
<b>Waste Class Desc:</b>	PHARMACEUTICALS				
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">155</a>	7 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	Offices of Physicians				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		PHARMACEUTICALS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">155</a>	8 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	Offices of Physicians				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		261			
<b>Waste Class Desc:</b>		PHARMACEUTICALS			
<a href="#">155</a>	9 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	OFFICES OF PHYSICIANS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		261			
<b>Waste Class Desc:</b>		PHARMACEUTICALS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">155</a>	10 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	OFFICES OF PHYSICIANS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		261			
<b>Waste Class Desc:</b>		PHARMACEUTICALS			
<a href="#">155</a>	11 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Di Lu
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-726-3559 Ext.26
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	OFFICES OF PHYSICIANS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		261			
<b>Waste Class Desc:</b>		PHARMACEUTICALS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">155</a>	12 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Di Lu
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	613-726-3559 Ext.26
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	OFFICES OF PHYSICIANS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		261			
<b>Waste Class Desc:</b>		PHARMACEUTICALS			
<a href="#">155</a>	13 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		261 A			
<b>Waste Class Desc:</b>		Pharmaceuticals			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">155</a>	14 of 15	ESE/240.6	67.2 / 6.31	Preston Medical Management Inc. 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jul 2020			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		261 A			
<b>Waste Class Desc:</b>		Pharmaceuticals			
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">155</a>	15 of 15	ESE/240.6	67.2 / 6.31	Appletree Corporate Medical Centre 204 225 Preston Street Ottawa ON K1R 7R1	GEN
<b>Generator No:</b>	ON4912346			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jan 2021			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		261 A			
<b>Waste Class Desc:</b>		Pharmaceuticals			
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">156</a>	1 of 1	WSW/242.3	65.6 / 4.69	PE5130 - 54-60 Bayswater Ave Ottawa ON K1Y 2E9	EHS
<b>Order No:</b>	20321400013			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	17-DEC-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	14-DEC-20			<b>X:</b>	-75.7203084
<b>Previous Site Name:</b>				<b>Y:</b>	45.4056164
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">157</a>	1 of 1	ESE/243.3	64.8 / 3.97	Preston Hardware (1980) Limited 234-248 Preston Street Ottawa ON K1R 7R4	ECA
<b>Approval No:</b>	3131-63XLJC			<b>MOE District:</b>	Ottawa

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Date:</b>	2004-08-19			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	-75.71224
<b>Record Type:</b>	ECA			<b>Latitude:</b>	45.40498
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Rideau Valley			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Business Name:</b>	Preston Hardware (1980) Limited				
<b>Address:</b>	234-248 Preston Street				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8327-62PS45-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8327-62PS45-14.pdf</a>				

<a href="#">158</a>	1 of 1	ESE/243.4	65.9 / 5.00	OTTAWA ON	WWIS
<b>Well ID:</b>	1535493			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	5/5/2005
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1844
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z19259			<b>Owner:</b>	
<b>Tag:</b>	_NO_TAG			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1535493.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1535493.pdf)

#### Bore Hole Information

<b>Bore Hole ID:</b>	11316032	<b>Elevation:</b>	59.354789
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	o	<b>East83:</b>	444239
<b>Code OB Desc:</b>	Overburden	<b>North83:</b>	5028200
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	5/3/2005	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	932996484
<b>Layer:</b>	3
<b>Color:</b>	2

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		GREY			
<b>Mat1:</b>		13			
<b>Most Common Material:</b>		BOULDERS			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		1.7			
<b>Formation End Depth:</b>		4.65			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		932996483			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		01			
<b>Mat2 Desc:</b>		FILL			
<b>Mat3:</b>		05			
<b>Mat3 Desc:</b>		CLAY			
<b>Formation Top Depth:</b>		1.4			
<b>Formation End Depth:</b>		1.7			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		932996482			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		01			
<b>Mat3 Desc:</b>		FILL			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.4			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933268439			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933268438			
<b>Layer:</b>		1			
<b>Plug From:</b>		4.27			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Method of Construction & Well Use**

Method Construction ID: 961535493  
Method Construction Code: 6  
Method Construction: Boring  
Other Method Construction:

**Pipe Information**

Pipe ID: 11330887  
Casing No: 1  
Comment:  
Alt Name:

**Construction Record - Casing**

Casing ID: 930855305  
Layer: 1  
Material: 5  
Open Hole or Material: PLASTIC  
Depth From: 1.26  
Depth To: 0  
Casing Diameter: 20  
Casing Diameter UOM: cm  
Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 933412593  
Layer: 1  
Slot: 010  
Screen Top Depth: 1.26  
Screen End Depth: 4.26  
Screen Material: 5  
Screen Depth UOM: m  
Screen Diameter UOM: cm  
Screen Diameter: 25

**Hole Diameter**

Hole ID: 11533535  
Diameter: 10  
Depth From: 0  
Depth To: 4.65  
Hole Depth UOM: m  
Hole Diameter UOM: cm

---

<a href="#">159</a>	1 of 10	ESE/243.8	64.8 / 3.97	PRESTON HARDWARE (1980) LIMITED 234-248 PRESTON STREET OTTAWA ON K1R 7R4	PES
---------------------	---------	-----------	-------------	--	-----

Detail Licence No: 23-01-10903-0  
Licence No: 10903  
Status:  
Approval Date:  
Report Source:  
Licence Type: Limited Vendor  
Licence Type Code: 23  
Licence Class: 01

Operator Box:  
Operator Class:  
Operator No:  
Operator Type:  
Oper Area Code:  
Oper Phone No:  
Operator Ext:  
Operator Lot:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Licence Control:</b>	0			<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	4
<b>Longitude:</b>				<b>Operator District:</b>	2
<b>Lot:</b>				<b>Operator County:</b>	15
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>	4			<b>Post Office Box:</b>	
<b>District:</b>	2			<b>MOE District:</b>	
<b>County:</b>	15			<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

<a href="#">159</a>	2 of 10	ESE/243.8	64.8 / 3.97	PRESTON HARDWARE 1980 LIMITED 248 PRESTON ST OTTAWA ON K1R 7R4	PES
<b>Detail Licence No:</b>	23-01-12318-0			<b>Operator Box:</b>	
<b>Licence No:</b>	12318			<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b>				<b>Oper Area Code:</b>	
<b>Licence Type:</b>	Limited Vendor			<b>Oper Phone No:</b>	
<b>Licence Type Code:</b>	23			<b>Operator Ext:</b>	
<b>Licence Class:</b>	01			<b>Operator Lot:</b>	
<b>Licence Control:</b>	0			<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	4
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	15
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

<a href="#">159</a>	3 of 10	ESE/243.8	64.8 / 3.97	PRESTON HARDWARE (1980) LIMITED 234-248 PRESTON ST OTTAWA ON K1R 7R4	PES
<b>Detail Licence No:</b>				<b>Operator Box:</b>	
<b>Licence No:</b>				<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b>				<b>Oper Area Code:</b>	
<b>Licence Type:</b>	Limited Vendor			<b>Oper Phone No:</b>	
<b>Licence Type Code:</b>	23			<b>Operator Ext:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

<a href="#">159</a>	4 of 10	ESE/243.8	64.8 / 3.97	PRESTON HARDWARE (1980) LIMITED 234-248 PRESTON ST OTTAWA ON K1R 7R4	PES
---------------------	---------	-----------	-------------	--	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Detail Licence No:</b> <b>Licence No:</b> <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> <b>Licence Type:</b> Vendor <b>Licence Type Code:</b> <b>Licence Class:</b> <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>				<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>	
<a href="#">159</a>	5 of 10	ESE/243.8	64.8 / 3.97	PRESTON HARDWARE 1980 LIMITED 248 PRESTON ST OTTAWA ON K1R 7R4	PES
<b>Detail Licence No:</b> <b>Licence No:</b> <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> <b>Licence Type:</b> Vendor <b>Licence Type Code:</b> <b>Licence Class:</b> <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>				<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>	
<a href="#">159</a>	6 of 10	ESE/243.8	64.8 / 3.97	Preston Hardware (1980) Limited 234-248 Preston Street Ottawa ON K1R 7R4	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		3131-63XLJC			
		2004			
		8/19/2004			
		Municipal and Private Sewage Works			
		Approved			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">159</a>	7 of 10	ESE/243.8	64.8 / 3.97	PRESTON HARDWARE 1980 LIMITED 248 PRESTON ST OTTAWA ON K1R7R4	PES
<b>Detail Licence No:</b>				<b>Operator Box:</b>	
<b>Licence No:</b>	12318			<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b>	Legacy Licenses (Excluding TS)			<b>Oper Area Code:</b>	613
<b>Licence Type:</b>	Limited Vendor			<b>Oper Phone No:</b>	2307166
<b>Licence Type Code:</b>	23			<b>Operator Ext:</b>	
<b>Licence Class:</b>	01			<b>Operator Lot:</b>	
<b>Licence Control:</b>	0			<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	4
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	15
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

<a href="#">159</a>	8 of 10	ESE/243.8	64.8 / 3.97	248 Preston Street Ottawa ON	SPL
<b>Ref No:</b>	2660-ASCFNV			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2017/10/20			<b>Health/Env Conseq:</b>	2 - Minor Environment
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Unknown / N/A
<b>Incident Event:</b>	Unknown / N/A			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	27			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	PAINT (WATER-BASED)			<b>Site Address:</b>	248 Preston Street
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>	1263			<b>Site Region:</b>	Eastern
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	5028165
<b>MOE Response:</b>	No			<b>Easting:</b>	444270
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2017/10/21			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Watercourse Spills
<b>Incident Reason:</b>	Unknown / N/A			<b>Source Type:</b>	Unknown / N/A
<b>Site Name:</b>	CB<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Drain All: Paint to two catch basins; cleaned				
<b>Contaminant Qty:</b>	0 other - see incident description				

<a href="#">159</a>	9 of 10	ESE/243.8	64.8 / 3.97	PRESTON HARDWARE (1980) LIMITED 234-248 PRESTON ST OTTAWA ON K1R7R4	PES
<b>Detail Licence No:</b>	23-01-10903-0			<b>Operator Box:</b>	
<b>Licence No:</b>	10903			<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b>	Legacy Licenses (Excluding TS)			<b>Oper Area Code:</b>	613

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Licence Type:</b>	Limited Vendor			<b>Oper Phone No:</b> 2307166	
<b>Licence Type Code:</b>	23			<b>Operator Ext:</b>	
<b>Licence Class:</b>	01			<b>Operator Lot:</b>	
<b>Licence Control:</b>	0			<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b> 4	
<b>Longitude:</b>				<b>Operator District:</b> 2	
<b>Lot:</b>				<b>Operator County:</b> 15	
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b> 4				<b>Post Office Box:</b>	
<b>District:</b> 2				<b>MOE District:</b>	
<b>County:</b> 15				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

<a href="#">159</a>	10 of 10	ESE/243.8	64.8 / 3.97	PRESTON HARDWARE (1980) LIMITED 234-248 PRESTON ST OTTAWA ON K1R7R4	PES
<b>Detail Licence No:</b>				<b>Operator Box:</b>	
<b>Licence No:</b> 10903				<b>Operator Class:</b>	
<b>Status:</b>				<b>Operator No:</b>	
<b>Approval Date:</b>				<b>Operator Type:</b>	
<b>Report Source:</b> Legacy Licenses (Excluding TS)				<b>Oper Area Code:</b> 613	
<b>Licence Type:</b> Retail Vendor Class 03				<b>Oper Phone No:</b> 2307166	
<b>Licence Type Code:</b> 21				<b>Operator Ext:</b>	
<b>Licence Class:</b> 03				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Latitude:</b>				<b>Operator Region:</b>	
<b>Longitude:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Op Municipality:</b>	
<b>Region:</b>				<b>Post Office Box:</b>	
<b>District:</b>				<b>MOE District:</b>	
<b>County:</b>				<b>SWP Area Name:</b>	
<b>Trade Name:</b>					
<b>PDF Link:</b>					

<a href="#">160</a>	1 of 1	WNW/244.4	59.8 / -1.05	OTTAWA GREENBELT CONSTRUCTION COMPANY LIMITED	EASR
				ON	
<b>Approval No:</b> R-009-1112749636				<b>SWP Area Name:</b> Rideau Valley	
<b>Status:</b> REGISTERED				<b>MOE District:</b> Ottawa	
<b>Date:</b> 2020-12-15				<b>Municipality:</b>	
<b>Record Type:</b> EASR				<b>Latitude:</b> 45.40833333	
<b>Link Source:</b> MOFA				<b>Longitude:</b> -75.72055556	
<b>Project Type:</b> Water Taking - Construction Dewatering				<b>Geometry X:</b>	
<b>Full Address:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b> EASR-Water Taking - Construction Dewatering					
<b>Full PDF Link:</b> <a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2317479">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2317479</a>					

<a href="#">161</a>	1 of 1	WSW/244.9	65.2 / 4.33	ON	BORE
<b>Borehole ID:</b> 613144				<b>Inclin FLG:</b> No	
<b>OGF ID:</b> 215514448				<b>SP Status:</b> Initial Entry	
<b>Status:</b>				<b>Surv Elev:</b> No	
<b>Type:</b> Borehole				<b>Piezometer:</b> No	
<b>Use:</b>				<b>Primary Name:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
<b>Completion Date:</b> <b>Static Water Level:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Total Depth m:</b> <b>Depth Ref:</b> <b>Depth Elev:</b> <b>Drill Method:</b> <b>Orig Ground Elev m:</b> <b>Elev Reliabil Note:</b> <b>DEM Ground Elev m:</b> <b>Concession:</b> <b>Location D:</b> <b>Survey D:</b> <b>Comments:</b>	AUG-1970  8.4 Ground Surface  61.8  63.1			<b>Municipality:</b> <b>Lot:</b> <b>Township:</b> <b>Latitude DD:</b> <b>Longitude DD:</b> <b>UTM Zone:</b> <b>Easting:</b> <b>Northing:</b> <b>Location Accuracy:</b> <b>Accuracy:</b>	   45.405966 -75.720569 18 443611 5028302  Not Applicable	
<b><u>Borehole Geology Stratum</u></b>						
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218393887 1.5 2.1  Unknown Till Sand  UNSPECIFIED. VERY DENSE.			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	Dense	
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218393888 2.1 2.4 Brown Clay Silt Sand  CLAY. BROWN,GREY,STIFF.			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	Stiff	
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218393892 4 4.6  Unknown Till Silt  UNSPECIFIED. DENSE.			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>	Dense	
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b> <b>Material Color:</b> <b>Material 1:</b> <b>Material 2:</b> <b>Material 3:</b> <b>Material 4:</b> <b>Gsc Material Description:</b> <b>Stratum Description:</b>	218393886 0 1.5  Sand Bedrock Wood Fragments  ARTIFICIAL.			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>		
<b>Geology Stratum ID:</b> <b>Top Depth:</b> <b>Bottom Depth:</b>	218393889 2.4 3			<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b>	Dense	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Unknown			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Till			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay			<b>Geologic Period:</b>	
<b>Material 4:</b>	Silt			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		UNSPECIFIED. DENSE.			
<b>Geology Stratum ID:</b>	218393890			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	3.8			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silt			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SAND. VERY DENSE.			
<b>Geology Stratum ID:</b>	218393891			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	3.8			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	4			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Silt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SILT. DENSE.			
<b>Geology Stratum ID:</b>	218393894			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	5.4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	8.4			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Limestone			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		BEDROCK. 00000 015 00050 010 00070 055 00080 015 00100 016 00125 018 00130 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	218393893			<b>Mat Consistency:</b>	Dense
<b>Top Depth:</b>	4.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.4			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravel			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silt			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SAND. VERY DENSE.			
<b>Source</b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	H			<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA2.txt RecordID: 056520 NTS_Sheet: 31G05G				
<b>Confiden 1:</b>	Logged by professional. Exact and complete description of material and properties.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				
<a href="#">162</a>	1 of 3	W/245.5	63.2 / 2.34	<b>THEILE DIETER ELECTRICAL CONTRACTORS LTD</b> 10-14 BAYSWATER AV OTTAWA ON K1Y 2E4	<b>PRT</b>
<b>Location ID:</b>	10867				
<b>Type:</b>	private				
<b>Expiry Date:</b>					
<b>Capacity (L):</b>	9092.00				
<b>Licence #:</b>	0001007482				
<a href="#">162</a>	2 of 3	W/245.5	63.2 / 2.34	<b>HEIDI THEILE</b> 10-14 BAYSWATER OTTAWA ON K1Y 2E4	<b>GEN</b>
<b>Generator No:</b>	ON6036488			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	444190				
<b>SIC Description:</b>	Other Building Material Dealers				
<b>Detail(s)</b>					
<b>Waste Class:</b>	221				
<b>Waste Class Desc:</b>	LIGHT FUELS				
<a href="#">162</a>	3 of 3	W/245.5	63.2 / 2.34	<b>THEILE DIETER ELECTRICAL CONTRACTORS LTD</b> 10-14 BAYSWATER AV OTTAWA K1Y 2E4 ON CA 10-14 BAYSWATER AV OTTAWA K1Y 2E4 ON CA ON	<b>FST</b>
<b>Instance No:</b>	10901009			<b>Manufacturer:</b>	NULL
<b>Status:</b>	Active			<b>Serial No:</b>	NULL
<b>Cont Name:</b>				<b>Ulc Standard:</b>	NULL
<b>Instance Type:</b>	FS Liquid Fuel Tank			<b>Quantity:</b>	1
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	EA
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>	Single Wall UST			<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	1/4/1990			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1993			<b>Piping Steel:</b>	
<b>Years in Service:</b>	21.3			<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	9092			<b>Num Underground:</b>	
<b>Tank Material:</b>	Steel			<b>Panam Related:</b>	NULL
<b>Corrosion Protect:</b>	Sacrificial anode			<b>Panam Venue:</b>	NULL
<b>Overfill Protect:</b>					
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<b>Parent Facility Type:</b>	Fuels Safety Private Fuel Outlet - Self Serve				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Location:</b>		10-14 BAYSWATER AV OTTAWA K1Y 2E4 ON CA			
<b>Device Installed Location:</b>		10-14 BAYSWATER AV OTTAWA K1Y 2E4 ON CA			
<b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b>		THEILE DIETER ELECTRICAL CONTRACTORS LTD			
<b><u>Liquid Fuel Tank Details</u></b>					
<b>Overfill Protection:</b>		NULL			
<b>Owner Account Name:</b>		THEILE DIETER ELECTRICAL CONTRACTORS LTD			

<a href="#">163</a>	1 of 1	SSW/246.4	68.1 / 7.18	City of Ottawa Breezehill Ave N between Laurel and Gladstone Ottawa ON	SPL
<b>Ref No:</b>	0381-83NPSF			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Discharge Or Bypass To A Watercourse			<b>Sector Type:</b>	Other
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	41			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	PAINT AND PIGMENT WASTES			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	
<b>Nature of Impact:</b>	Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>	No Field Response			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	3/18/2010			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	4/20/2010			<b>SAC Action Class:</b>	Watercourse Spills
<b>Incident Reason:</b>	Negligence (Apparent) - Caused by lack of diligence			<b>Source Type:</b>	
<b>Site Name:</b>	Spill site<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Spill of paint to storm system				
<b>Contaminant Qty:</b>					

<a href="#">164</a>	1 of 2	WSW/246.7	65.2 / 4.33	52 Bayswater Ottawa ON K1Y 4K3	EHS
<b>Order No:</b>	20302000028			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	23-OCT-20			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	20-OCT-20			<b>X:</b>	-75.7205933
<b>Previous Site Name:</b>				<b>Y:</b>	45.4059667
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">164</a>	2 of 2	WSW/246.7	65.2 / 4.33	52 Bayswater Ottawa ON K1Y 4K3	EHS
<b>Order No:</b>	20302000028			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Report Type:</b> Standard Report <b>Report Date:</b> 23-OCT-20 <b>Date Received:</b> 20-OCT-20 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.7205933 <b>Y:</b> 45.4059667					
<a href="#">165</a>	1 of 2	SW/247.1	66.2 / 5.31	The Original Maple Bat Company 93 Bayswater Ave Unit A Ottawa ON K1Y 2G2	SCT
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b> 3					
<b>--Details--</b> <b>Description:</b> Sporting and Athletic Goods Manufacturing <b>SIC/NAICS Code:</b> 339920					
<a href="#">165</a>	2 of 2	SW/247.1	66.2 / 5.31	The Original Maple Bat Company 93 Bayswater Ave Ottawa ON K1Y 2G2	SCT
<b>Established:</b> 1996 <b>Plant Size (ft²):</b> <b>Employment:</b>					
<b>--Details--</b> <b>Description:</b> Sporting and Athletic Goods Manufacturing <b>SIC/NAICS Code:</b> 339920					
<a href="#">166</a>	1 of 6	ENE/247.3	69.8 / 8.95	848-852 Somerset Street West Ottawa ON K1R 6R7	CA
<b>Certificate #:</b> 0173-4URQL2 <b>Application Year:</b> 01 <b>Issue Date:</b> 3/16/01 <b>Approval Type:</b> Municipal & Private sewage <b>Status:</b> Approved <b>Application Type:</b> New Certificate of Approval <b>Client Name:</b> John Phan <b>Client Address:</b> 151 Rochester Street <b>Client City:</b> Ottawa <b>Client Postal Code:</b> K1R 7M2 <b>Project Description:</b> This application is for a Certificate of Approval for stormwater management for a residential building. Flow control for the pond will be provided by the orifice plate installed below the (single) catch basin in the parking area. <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">166</a>	2 of 6	ENE/247.3	69.8 / 8.95	City of Ottawa 852 Somerset St W Ottawa ON K1R 6R7	CA
<b>Certificate #:</b> 0688-887SD9 <b>Application Year:</b> 2010 <b>Issue Date:</b> 8/25/2010 <b>Approval Type:</b> Municipal and Private Sewage Works					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		Approved			
<a href="#">166</a>	3 of 6	<b>ENE/247.3</b>	<b>69.8 / 8.95</b>	<b>Hung-Tiet Vu 848-852 Somerset Street West Ottawa ON K1R 6R7</b>	<b>CA</b>
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		2380-5Y2MZC 2004 4/29/2004 Municipal and Private Sewage Works Approved			
<a href="#">166</a>	4 of 6	<b>ENE/247.3</b>	<b>69.8 / 8.95</b>	<b>City of Ottawa 852 Somerset St W Ottawa ON K1P 1J1</b>	<b>ECA</b>
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		0688-887SD9 2010-08-25 Approved ECA IDS		<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	
<b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b> <b>Full Address:</b>		ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS City of Ottawa 852 Somerset St W <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5610-87MJNL-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5610-87MJNL-14.pdf</a>			
<a href="#">166</a>	5 of 6	<b>ENE/247.3</b>	<b>69.8 / 8.95</b>	<b>Hung-Tiet Vu 848-852 Somerset Street West Ottawa ON K2B 5X1</b>	<b>ECA</b>
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b> <b>Full Address:</b>		2380-5Y2MZC 2004-04-29 Approved ECA IDS			
<b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b> <b>Full Address:</b>		ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS Hung-Tiet Vu 848-852 Somerset Street West			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1731-5WVJ6X-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1731-5WVJ6X-14.pdf</a>			
<a href="#">166</a>	6 of 6	<b>ENE/247.3</b>	<b>69.8 / 8.95</b>	<b>John Phan 848-852 Somerset Street West Ottawa ON K1R 7M2</b>	<b>ECA</b>
<b>Approval No:</b>	0173-4URQL2			<b>MOE District:</b>	
<b>Approval Date:</b>	2001-03-16			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Business Name:</b>	John Phan				
<b>Address:</b>	848-852 Somerset Street West				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3505-4UJPLY-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3505-4UJPLY-14.pdf</a>				
<a href="#">167</a>	1 of 4	<b>NW/249.5</b>	<b>59.9 / -0.96</b>	<b>801 Albert Street Inc. 900 Albert St, Ottawa, City CITY OF OTTAWA ON</b>	<b>PTTW</b>
<b>EBR Registry No:</b>	012-9681			<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>	4612-AHQRHB			<b>Exception Posted:</b>	
<b>Notice Type:</b>	Instrument Decision			<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>	April 05, 2017			<b>Act 2:</b>	
<b>Proposal Date:</b>	January 23, 2017			<b>Site Location Map:</b>	
<b>Year:</b>	2017				
<b>Instrument Type:</b>	(OWRA s. 34) - Permit to Take Water				
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>	801 Albert Street Inc.				
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	359 Kent Street, Ottawa Ontario, Canada K2P 0R6				
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
900 Albert St, Ottawa, City CITY OF OTTAWA					
<a href="#">167</a>	2 of 4	<b>NW/249.5</b>	<b>59.9 / -0.96</b>	<b>801 Albert Street Inc. 900 Albert St Ottawa ON K2P 0R6</b>	<b>ECA</b>
<b>Approval No:</b>	6969-AP8HW4			<b>MOE District:</b>	
<b>Approval Date:</b>	2017-07-20			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Business Name:</b>	801 Albert Street Inc.				
<b>Address:</b>	900 Albert St				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full Address:</b>					
<b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5492-ANTHAH-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5492-ANTHAH-14.pdf</a>					
<a href="#">167</a>	3 of 4	NW/249.5	59.9 / -0.96	Ward and Burke Microtunnelling Ltd. 900 Albert St Ottawa ON K1P 5E7	GEN
<b>Generator No:</b>	ON4119639			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b>	232 L				
<b>Waste Class Desc:</b>	Polymeric resins				
<a href="#">167</a>	4 of 4	NW/249.5	59.9 / -0.96	City of Ottawa 900 Albert St 141 Bayview Station Road, 1035 Somerset Street West Ottawa ON K2G 6J8	ECA
<b>Approval No:</b>	8867-BLXMCP			<b>MOE District:</b>	
<b>Approval Date:</b>	2020-03-03			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Business Name:</b>	City of Ottawa				
<b>Address:</b>	900 Albert St 141 Bayview Station Road, 1035 Somerset Street West				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7686-BL9M3P-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7686-BL9M3P-14.pdf</a>				
<a href="#">168</a>	1 of 3	ESE/249.5	66.9 / 6.00	PRESTON AUTO CENTRE INC 241 PRESTON ST OTTAWA ON K1R 7R3	PRT
<b>Location ID:</b>	11042				
<b>Type:</b>	retail				
<b>Expiry Date:</b>	1993-12-31				
<b>Capacity (L):</b>	7919				
<b>Licence #:</b>	0056555001				
<a href="#">168</a>	2 of 3	ESE/249.5	66.9 / 6.00	City of Ottawa South East corner of Preston and Balsam 241 PRESTON STREET, OTTAWA<UNOFFICIAL> Ottawa ON K1R 7R3	SPL
<b>Ref No:</b>	1823-6S4LH6			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Other
<b>Incident Dt:</b>	7/27/2006			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Unknown			<b>Sector Type:</b>	Other
<b>Incident Event:</b>				<b>Agency Involved:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Code:</b>	99			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	Hydrocarbon and lead contaminated water			<b>Site Address:</b>	SOUTH EAST CORNER OF PRESTON AND BALSAM
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Ottawa
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	Groundwater Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land & Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	7/27/2006			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>				<b>Source Type:</b>	
<b>Site Name:</b>	SOUTH EAST CORNER OF PRESTON AND BALSAM				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	SE corner of Balsam & Preston: oil & lead contaminated water				
<b>Contaminant Qty:</b>	Not specified				

<a href="#">168</a>	3 of 3	ESE/249.5	66.9 / 6.00	PRESTON AUTO CENTRE INC 241 PRESTON ST OTTAWA ON K1R 7R3	DTNK
---------------------	--------	-----------	-------------	--	------

**Delisted Expired Fuel Safety Facilities**

**Instance No:** 9838975  
**Status:** EXPIRED  
**Instance ID:**  
**Instance Type:** FS Facility  
**Description:**  
**TSSA Program Area:**  
**Maximum Hazard Rank:**  
**Facility Type:**  
**Expired Date:** 2/4/1993  
**Original Source:** EXP  
**Record Date:** Up to May 2013

<a href="#">169</a>	1 of 6	SSE/249.9	66.6 / 5.69	VESUVIO IRON LOGIC CUSTOM 949 GLADSTONE AVE OTTAWA ON K1Y 3E5	SCT
---------------------	--------	-----------	-------------	---	-----

**Established:** 1972  
**Plant Size (ft²):** 1500  
**Employment:** 3

**--Details--**

**Description:** Other Ornamental and Architectural Metal Products Manufacturing  
**SIC/NAICS Code:** 332329

<a href="#">169</a>	2 of 6	SSE/249.9	66.6 / 5.69	VESUVIO IRON WORKS 949 GLADSTONE AVE OTTAWA ON K1Y 3E5	SCT
---------------------	--------	-----------	-------------	--	-----

**Established:** 1972  
**Plant Size (ft²):** 1500  
**Employment:** 3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>		ARCHITECTURAL AND ORNAMENTAL METAL WORK			
<b>SIC/NAICS Code:</b>		3446			
<a href="#">169</a>	3 of 6	SSE/249.9	66.6 / 5.69	SPORTIVE SPORTSWEAR MFG INC. 155 A LORETTA AVE N OTTAWA ON K1Y 2J7	SCT
<b>Established:</b>		1984			
<b>Plant Size (ft²):</b>		3200			
<b>Employment:</b>		14			
<b>--Details--</b>					
<b>Description:</b>		MEN'S & BOYS' CLOTHING, N.E.C.			
<b>SIC/NAICS Code:</b>		2329			
<b>Description:</b>		WOMEN'S, MISSES', & JUNIORS' OUTERWEAR, N.E.C.			
<b>SIC/NAICS Code:</b>		2339			
<a href="#">169</a>	4 of 6	SSE/249.9	66.6 / 5.69	LOVE PRINTING SERVICE LTD. 951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	GEN
<b>Generator No:</b>		ON0607900		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		86,87,88,89,90		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		0007			
<b>SIC Description:</b>		LETTER ACKNOWLEDG.			
<b>Detail(s)</b>					
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<a href="#">169</a>	5 of 6	SSE/249.9	66.6 / 5.69	LOVE PRINTING (OUT OF BUS) 24-265 951 GLADSTONE AVENUE OTTAWA ON K1Y 3E5	GEN
<b>Generator No:</b>		ON0607900		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		92,93,94,95,96,97,98		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		2841			
<b>SIC Description:</b>		NEWSPAPER, ETC. IND.			
<a href="#">169</a>	6 of 6	SSE/249.9	66.6 / 5.69	DST Group Inc 951 Gladstone Ave Ottawa ON K1Y 3E5	GEN
<b>Generator No:</b>		ON8186657		<b>PO Box No:</b>	
<b>Status:</b>		Registered		<b>Country:</b> Canada	
<b>Approval Years:</b>		As of Dec 2017		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	------------------------------	------------------------------------	--------------------------	-------------	-----------

---

*SIC Code:*  
*SIC Description:*

*Detail(s)*

*Waste Class:* 251 L  
*Waste Class Desc:* Waste oils/sludges (petroleum based)

# Unplottable Summary

Total: **51** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	City of Ottawa	Preston Street	Ottawa ON	
CA	City of Ottawa	Oak Street & Pamilla Street	Ottawa ON	
CA	City of Ottawa	Gladstone Avenue	Ottawa ON	
CA	City of Ottawa	Balsam Street	Ottawa ON	
CA	City of Ottawa	Gladstone Avenue	Ottawa ON	
CA	City of Ottawa	Gladstone Avenue	Ottawa ON	
CA	City of Ottawa	Somerset Street between West of Preston Street to Preston St	Ottawa ON	
CA	City of Ottawa	Wellington St W	Ottawa ON	
CA	City of Ottawa	Larch Street and Laurel Street	Ottawa ON	
CA	City of Ottawa	Wellington St W	Ottawa ON	
CA	City of Ottawa	Wellington Street	Ottawa ON	
CA	City of Ottawa	Wellington St W	Ottawa ON	
CA	349977 Ontario Ltd.		Ottawa ON	
CA	349977 Ontario Ltd.	Part 4, RP 5R-455	Ottawa ON	
CA	City of Ottawa	Somerset St W	Ottawa ON	
CA	City of Ottawa	Somerset St W	Ottawa ON	
CA	R.M. OF OTTAWA-CARLETON	SOMERSET STREET	OTTAWA CITY ON	
CA	Garden of the Provinces Park	Wellington Street	Ottawa ON	

CA		Gladstone Avenue	Ottawa ON	
CA		Wellington Street	Ottawa ON	
CA		Gladstone Avenue	Ottawa ON	
CA	CITY	BREEZEHILL AVE.	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON	WELLINGTON ST. COMBINED SEWER	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON	WELLINGTON ST., VORTEX/DIV.CH.	OTTAWA CITY ON	
CA	OTTAWA CITY	WELLINGTON ST. COMBINED SEWER	OTTAWA CITY ON	
CA	OTTAWA CITY	BAYSWATER AVE.	OTTAWA CITY ON	
CA	OTTAWA CITY	WELLINGTON STREET	OTTAWA CITY ON	
CA	OTTAWA CITY	BAYSWATER AVE.	OTTAWA CITY ON	
CONV	349977 Ontario Ltd.		Ottawa ON	
CONV	349977 ONTARIO LTD		ON	
ECA	City of Ottawa	Oak Street & Pamilla Street	Ottawa ON	K2G 6J8
ECA	City of Ottawa	Larch Street and Laurel Street	Ottawa ON	K1P 1J1
ECA	City of Ottawa	Somerset St W	Ottawa ON	K1P 1J1
ECA	SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc. and EllisDon	Corporation operating as OLRT Constructors Booth St	Ottawa ON	K1Z 1G3
ECA	SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc., and EllisDon	Corporation	Ottawa ON	K1Z 1G3
ECA	349977 Ontario Ltd.	Part 4, RP 5R-455	Ottawa ON	
ECA	City of Ottawa	Gladstone Ave	Ottawa ON	K2G 6J8
EHS		Hickory St, Gladstone Ave, Preston St	Ottawa ON	
EHS		0 Breezehill Avenue	n/a ON	
EHS		0 Loretta Avenue	n/a ON	

GEN	City of Ottawa	Elm Street, City Right of Way (255 city centre)	Ottawa ON	
GEN	PCL Construction Canada INC	Wellington street	ottawa ON	L1A0A4
GEN	City of Ottawa	Elm Street and City Centre Ave (City Right of Way)	Ottawa ON	K1P 1J1
GEN	City of Ottawa	elm Street, City Right of Way (255 city centre)	Ottawa ON	
GEN	City of Ottawa	Elm Street and City Centre Ave (City Right of Way)	Ottawa ON	K1P 1J1
GEN	City of Ottawa	City Centre Avenue	Ottawa ON	K1R 6K7
GEN	City of Ottawa	Elm Street, City Right of Way (255 city centre)	Ottawa ON	
GEN	City of Ottawa	Elm Street, City Right of Way (255 city centre)	Ottawa ON	
GEN	City of Ottawa	Elm Street, City Right of Way (255 city centre)	Ottawa ON	
NEES	FORM ALL CONSTRUCTION		OTTAWA CITY ON	
SPL	349977 Ontario Ltd.	Buckingham QUEBEC	Ottawa ON	

# Unplottable Report

---

**Site:** City of Ottawa  
Preston Street Ottawa ON

**Database:**  
CA

**Certificate #:** 0057-7EKK59  
**Application Year:** 2008  
**Issue Date:** 5/22/2008  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** City of Ottawa  
Oak Street & Pamilla Street Ottawa ON

**Database:**  
CA

**Certificate #:** 2091-5ZLKWJ  
**Application Year:** 2004  
**Issue Date:** 6/4/2004  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** City of Ottawa  
Gladstone Avenue Ottawa ON

**Database:**  
CA

**Certificate #:** 3692-6PGP9X  
**Application Year:** 2006  
**Issue Date:** 5/6/2006  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** City of Ottawa  
Balsam Street Ottawa ON

**Database:**  
CA

**Certificate #:** 3889-6R6NVK

**Application Year:** 2006  
**Issue Date:** 6/29/2006  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *City of Ottawa*  
*Gladstone Avenue Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 6651-73WP47  
**Application Year:** 2007  
**Issue Date:** 6/6/2007  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *City of Ottawa*  
*Gladstone Avenue Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 7239-738KJA  
**Application Year:** 2007  
**Issue Date:** 6/18/2007  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *City of Ottawa*  
*Somerset Street between West of Preston Street to Preston St Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 8215-89TKG8  
**Application Year:** 2010  
**Issue Date:** 10/8/2010  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** City of Ottawa  
Wellington St W Ottawa ON

**Database:**  
CA

**Certificate #:** 8722-7D3S8L  
**Application Year:** 2008  
**Issue Date:** 3/27/2008  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** City of Ottawa  
Larch Street and Laurel Street Ottawa ON

**Database:**  
CA

**Certificate #:** 9051-7BLLPL  
**Application Year:** 2008  
**Issue Date:** 3/25/2008  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** City of Ottawa  
Wellington St W Ottawa ON

**Database:**  
CA

**Certificate #:** 9444-7DAKHD  
**Application Year:** 2008  
**Issue Date:** 4/1/2008  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** City of Ottawa  
Wellington Street Ottawa ON

**Database:**  
CA

**Certificate #:** 9625-65WJYS  
**Application Year:** 2005  
**Issue Date:** 2/7/2005  
**Approval Type:** Air  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**

**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** City of Ottawa  
Wellington St W Ottawa ON

**Database:**  
CA

**Certificate #:** 9949-7QUP3J  
**Application Year:** 2009  
**Issue Date:** 4/6/2009  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** 349977 Ontario Ltd.  
Ottawa ON

**Database:**  
CA

**Certificate #:** A860156  
**Application Year:** 2010  
**Issue Date:** 4/15/2010  
**Approval Type:** Waste Management Systems  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** 349977 Ontario Ltd.  
Part 4, RP 5R-455 Ottawa ON

**Database:**  
CA

**Certificate #:** 5545-8ESPJ5  
**Application Year:** 2011  
**Issue Date:** 4/28/2011  
**Approval Type:** Air  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** City of Ottawa  
Somerset St W Ottawa ON

**Database:**  
CA

**Certificate #:** 0195-8HMLH2  
**Application Year:** 2011

**Issue Date:** 6/15/2011  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *City of Ottawa  
Somerset St W Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 6180-8JKNNV  
**Application Year:** 2011  
**Issue Date:** 7/22/2011  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *R.M. OF OTTAWA-CARLETON  
SOMERSET STREET OTTAWA CITY ON*

**Database:**  
*CA*

**Certificate #:** 7-0096-88-  
88  
**Application Year:** 2/10/1988  
**Issue Date:** 2/10/1988  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Garden of the Provinces Park  
Wellington Street Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 5387-4SNPYM  
**Application Year:** 01  
**Issue Date:** 3/1/01  
**Approval Type:** Industrial air  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the City of Ottawa  
**Client Address:** 111 Lisgar St., Heritage Bldg., 1st Fl., N/W Office  
**Client City:** Ottawa  
**Client Postal Code:** K2P 2L7  
**Project Description:** This application is for a Certificate of Approval to install a granulated activated carbon (GAC) Scrubber, induced draft fan and ancillary equipment to draw air from the Garden of the Provinces shaft and treat the odorous exhaust gases prior to release into the environment.  
**Contaminants:**  
**Emission Control:**

---

**Site:**  
Gladstone Avenue Ottawa ON

**Database:**  
CA

**Certificate #:** 4558-4LXLWW  
**Application Year:** 00  
**Issue Date:** 7/5/00  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the Regional Municipality of Ottawa-Carleton  
**Client Address:** 111 Lisgar Street  
**Client City:** Ottawa  
**Client Postal Code:** K2P 2L7  
**Project Description:** Watermains to be constructed on Gladstone Ave. and Percy St. in the City of Ottawa  
**Contaminants:**  
**Emission Control:**

---

**Site:**  
Wellington Street Ottawa ON

**Database:**  
CA

**Certificate #:** 6456-4MDJXD  
**Application Year:** 00  
**Issue Date:** 7/25/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the City of Ottawa  
**Client Address:** 111 Sussex Drive, 7th Floor  
**Client City:** Ottawa  
**Client Postal Code:** K1N 5A1  
**Project Description:** Construction of storm sewers on Wellington Street from Clarenton Avenue to Parkdale Avenue and on Wellington Street from Carruthers Avenue to Irving Avenue.  
**Contaminants:**  
**Emission Control:**

---

**Site:**  
Gladstone Avenue Ottawa ON

**Database:**  
CA

**Certificate #:** 2461-4LXMEM  
**Application Year:** 00  
**Issue Date:** 7/5/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the City of Ottawa  
**Client Address:** 111 Sussex Drive, 7th Floor  
**Client City:** Ottawa  
**Client Postal Code:** K1N 5A1  
**Project Description:** Construction of Storm and Sanitary sewers on Gladstone Avenue from Bronson Avenue to Bay Street  
**Contaminants:**  
**Emission Control:**

---

**Site:** CITY  
BREEZEHILL AVE. OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-1423-85-006  
**Application Year:** 85  
**Issue Date:** 11/22/85  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**

**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** R.M. OF OTTAWA-CARLETON  
WELLINGTON ST. COMBINED SEWER OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-0126-97-  
**Application Year:** 97  
**Issue Date:** 4/15/1997  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** R.M. OF OTTAWA-CARLETON  
WELLINGTON ST., VORTEX/DIV.CH. OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-0125-97-  
**Application Year:** 97  
**Issue Date:** 4/27/1998  
**Approval Type:** Municipal sewage  
**Status:**  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** OTTAWA CITY  
WELLINGTON ST. COMBINED SEWER OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-0124-97-  
**Application Year:** 97  
**Issue Date:** 3/27/1997  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** OTTAWA CITY  
BAYSWATER AVE. OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 7-0907-89-  
**Application Year:** 89  
**Issue Date:** 6/15/1989  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** OTTAWA CITY  
WELLINGTON STREET OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-1102-89-  
**Application Year:** 89  
**Issue Date:** 6/12/1989  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** OTTAWA CITY  
BAYSWATER AVE. OTTAWA CITY ON

**Database:**  
CA

**Certificate #:** 3-1076-89-  
**Application Year:** 89  
**Issue Date:** 6/15/1989  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** 349977 Ontario Ltd.  
Ottawa ON

**Database:**  
CONV

**File No:** 109022  
**Crown Brief No:**  
**Court Location:**  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**Description:**

**Location:**  
**Region:**  
**Ministry District:**

An Ottawa waste services company was fined \$100,000 for depositing waste on an unapproved site and failing to

decontaminate a tanker contrary to a ministry approval and the Environmental Protection Act. "Polluters should be aware that the ministry's Investigations and Enforcement Branch will vigorously pursue charges when our environmental laws are broken," said Environment Minister Jim Bradley. 349977 Ontario Ltd., operating as Lacombe Waste Services operates a waste transportation services under a ministry approval for a waste management system. The facility is located on Power Road in the City of Ottawa. The company was contracted to provide roll-off containers for a retrofit project to remove toilets and transport them for disposal. An investigation found the toilets were taken to the company's transfer facility located on Power Road in Ottawa and later transferred to a former quarry on Bank Street. Lacombe deposited two loads of approximately 500 toilets wrapped in garbage bags, including materials that were not inert fill on Bank Street, a property that was not an approved waste disposal site. A separate investigation also found Lacombe failed to properly decontaminate tankers used to transport various liquid wastes. Ministry approval requires the tankers to be cleaned when different types of waste are to be hauled. The company failed to do so leaving a load of wastewater contaminated with industrial fuels and oils. In a global resolution, Lacombe was fined a total of \$100,000 plus victim fine surcharges of \$25,000. All fines were paid immediately after the conviction.

**Background:**  
**URL:**

**Additional Details**

**Publication Date:**  
**Count:**  
**Act:** EPA  
**Regulation:**  
**Section:**  
**Act/Regulation/Section:** EPA  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** July 23, 2013  
**Charge Disposition:** fine, victim fine surcharge  
**Fine:** \$100,000  
**Synopsis:**

**Additional Details**

**Publication Date:**  
**Count:**  
**Act:**  
**Regulation:**  
**Section:**  
**Act/Regulation/Section:**  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** January 9, 2014  
**Charge Disposition:** fine, victim fine surcharge  
**Fine:** \$3,500  
**Synopsis:**

---

**Site:** 349977 ONTARIO LTD  
ON

**Database:**  
CONV

**File No:**  
**Crown Brief No:** 01-0136-0330  
**Court Location:**  
**Publication City:**  
**Publication Title:**

**Location:**  
**Region:** EASTERN REGION  
**Ministry District:** OTTAWA

**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**Description:** FAIL TO CLEARLY MARK VEHICLE USED TO HAUL SEWAGE WITH "SEWAGE WASTE" ACCORDING TO THE STANDARDS.

**Background:**  
**URL:**

**Additional Details**

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 16 (1) (12)  
**Act/Regulation/Section:** EPA- -16 (1) (12)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 9/6/01  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$305.00  
**Synopsis:**

---

**Site:** *City of Ottawa*  
*Oak Street & Pamilla Street Ottawa ON K2G 6J8*

**Database:**  
*ECA*

**Approval No:** 2091-5ZLKWJ  
**Approval Date:** 2004-06-04  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:** Rideau Valley  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** City of Ottawa  
**Address:** Oak Street & Pamilla Street  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/4122-5ZHLUR-14.pdf>

**MOE District:** Ottawa  
**City:**  
**Longitude:** -75.7108  
**Latitude:** 45.405  
**Geometry X:**  
**Geometry Y:**

---

**Site:** *City of Ottawa*  
*Larch Street and Laurel Street Ottawa ON K1P 1J1*

**Database:**  
*ECA*

**Approval No:** 9051-7BLLPL  
**Approval Date:** 2008-03-25  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:** Rideau Valley  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** City of Ottawa  
**Address:** Larch Street and Laurel Street  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/1567-74CM38-14.pdf>

**MOE District:** Ottawa  
**City:**  
**Longitude:** -75.7108  
**Latitude:** 45.405  
**Geometry X:**  
**Geometry Y:**

---

**Site:** *City of Ottawa*  
*Somerset St W Ottawa ON K1P 1J1*

**Database:**  
*ECA*

**Approval No:** 0195-8HMLH2  
**Approval Date:** 2011-06-15  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** City of Ottawa  
**Address:** Somerset St W  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/3106-8HFGKN-14.pdf>

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** *SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc. and EllisDon Corporation operating as OLRT Constructors Booth St Ottawa ON K1Z 1G3* **Database:** *ECA*

**Approval No:** 2119-A39JCV **MOE District:**  
**Approval Date:** 2015-10-14 **City:**  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc. and EllisDon Corporation operating as OLRT Constructors  
**Address:** Booth St  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/0563-A33SMJ-14.pdf>

---

**Site:** *SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc., and EllisDon Corporation Ottawa ON K1Z 1G3* **Database:** *ECA*

**Approval No:** 3474-99NHUQ **MOE District:**  
**Approval Date:** 2013-08-07 **City:**  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** SNC-Lavalin Constructors (Pacific) Inc., Dragados Canada, Inc., and EllisDon Corporation  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/2982-99JLHL-14.pdf>

---

**Site:** *349977 Ontario Ltd. Part 4, RP 5R-455 Ottawa ON* **Database:** *ECA*

**Approval No:** 7578-948QD8 **MOE District:**  
**Approval Date:** 2/13/2013 **City:** Ottawa  
**Status:** Approved **Longitude:**  
**Record Type:** **Latitude:**  
**Link Source:** **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:**  
**Project Type:** Air/Noise  
**Business Name:**  
**Address:**  
**Full Address:**  
**Full PDF Link:**

---

**Site:** *City of Ottawa Gladstone Ave Ottawa ON K2G 6J8* **Database:** *ECA*

**Approval No:** 3935-98BQWQ **MOE District:**  
**Approval Date:** 2013-08-01 **City:**  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** City of Ottawa  
**Address:** Gladstone Ave  
**Full Address:**

---

**Site:** **Hickory St, Gladstone Ave, Preston St Ottawa ON** **Database:** **EHS**

<b>Order No:</b>	20011204014	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	12/13/01	<b>Search Radius (km):</b>	0.65
<b>Date Received:</b>	12/4/01	<b>X:</b>	-75.712864
<b>Previous Site Name:</b>		<b>Y:</b>	45.400926
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>			

**Site:** **0 Breezehill Avenue n/a ON** **Database:** **EHS**

<b>Order No:</b>	20080226017w	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	Online Mapless	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	2/26/2008	<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	2/26/2008	<b>X:</b>	0
<b>Previous Site Name:</b>		<b>Y:</b>	0
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>			

**Site:** **0 Loretta Avenue n/a ON** **Database:** **EHS**

<b>Order No:</b>	20080226021w	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	Online Mapless	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	2/26/2008	<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	2/26/2008	<b>X:</b>	0
<b>Previous Site Name:</b>		<b>Y:</b>	0
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>			

**Site:** **City of Ottawa Elm Street, City Right of Way (255 city centre) Ottawa ON** **Database:** **GEN**

<b>Generator No:</b>	ON9563614	<b>PO Box No:</b>	
<b>Status:</b>		<b>Country:</b>	
<b>Approval Years:</b>	2009	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No Admin:</b>	
<b>SIC Code:</b>	913910		
<b>SIC Description:</b>	Other Local Municipal and Regional Public Administration		

**Detail(s)**

**Waste Class:** 221  
**Waste Class Desc:** LIGHT FUELS

**Site:** **PCL Construction Canada INC Wellington street ottawa ON L1A0A4** **Database:** **GEN**

<b>Generator No:</b>	ON6026033	<b>PO Box No:</b>	
<b>Status:</b>	Registered	<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	

**MHSW Facility:**  
**SIC Code:**  
**SIC Description:**

**Phone No Admin:**

**Detail(s)**

**Waste Class:** 212 L  
**Waste Class Desc:** Aliphatic solvents and residues

**Site:** **City of Ottawa**  
**Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1**

**Database:**  
**GEN**

**Generator No:** ON9563614  
**Status:** Registered  
**Approval Years:** As of Jul 2020  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:**  
**SIC Description:**

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

**Detail(s)**

**Waste Class:** 221 L  
**Waste Class Desc:** Light fuels

**Site:** **City of Ottawa**  
**elm Street, City Right of Way (255 city centre) Ottawa ON**

**Database:**  
**GEN**

**Generator No:** ON9563614  
**Status:**  
**Approval Years:** 06  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:** 913910  
**SIC Description:** Other Local Municipal and Regional Public Administ

**PO Box No:**  
**Country:**  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

**Detail(s)**

**Waste Class:** 221  
**Waste Class Desc:** LIGHT FUELS

**Site:** **City of Ottawa**  
**Elm Street and City Centre Ave (City Right of Way) Ottawa ON K1P 1J1**

**Database:**  
**GEN**

**Generator No:** ON9563614  
**Status:** Registered  
**Approval Years:** As of Jan 2021  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:**  
**SIC Description:**

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:**  
**Co Admin:**  
**Phone No Admin:**

**Detail(s)**

**Waste Class:** 221 L  
**Waste Class Desc:** Light fuels

**Site:** **City of Ottawa**  
**City Centre Avenue Ottawa ON K1R 6K7**

**Database:**  
**GEN**

**Generator No:** ON5650646  
**Status:** Registered  
**Approval Years:** As of Oct 2019

**PO Box No:**  
**Country:** Canada  
**Choice of Contact:**

Contam. Facility:  
MHSW Facility:  
SIC Code:  
SIC Description:

Co Admin:  
Phone No Admin:

Detail(s)

Waste Class: 150 L  
Waste Class Desc: Inert organic wastes

Site: City of Ottawa  
Elm Street, City Right of Way (255 city centre) Ottawa ON

Database:  
GEN

Generator No: ON9563614  
Status:  
Approval Years: 2012  
Contam. Facility:  
MHSW Facility:  
SIC Code: 913910  
SIC Description: Other Local Municipal and Regional Public Administration

PO Box No:  
Country:  
Choice of Contact:  
Co Admin:  
Phone No Admin:

Detail(s)

Waste Class: 221  
Waste Class Desc: LIGHT FUELS

Site: City of Ottawa  
Elm Street, City Right of Way (255 city centre) Ottawa ON

Database:  
GEN

Generator No: ON9563614  
Status:  
Approval Years: 2011  
Contam. Facility:  
MHSW Facility:  
SIC Code: 913910  
SIC Description: Other Local Municipal and Regional Public Administration

PO Box No:  
Country:  
Choice of Contact:  
Co Admin:  
Phone No Admin:

Detail(s)

Waste Class: 221  
Waste Class Desc: LIGHT FUELS

Site: City of Ottawa  
Elm Street, City Right of Way (255 city centre) Ottawa ON

Database:  
GEN

Generator No: ON9563614  
Status:  
Approval Years: 2010  
Contam. Facility:  
MHSW Facility:  
SIC Code: 913910  
SIC Description: Other Local Municipal and Regional Public Administration

PO Box No:  
Country:  
Choice of Contact:  
Co Admin:  
Phone No Admin:

Detail(s)

Waste Class: 221  
Waste Class Desc: LIGHT FUELS

Site: FORM ALL CONSTRUCTION  
OTTAWA CITY ON

Database:  
NEES

Incident Date: 6/10/88  
Contaminant: LUBRICATING OIL

**Amount:** 0  
**Units:** Container Leak  
**Quantity:**  
**Cause:** Other  
**Source:** Other  
**Reason:**  
**Sector:** Service Industry

**Site:** 349977 Ontario Ltd.  
Buckingham QUEBEC Ottawa ON

**Database:**  
SPL

**Ref No:** 1588-97Z4MF  
**Site No:**  
**Incident Dt:** 23-MAY-13  
**Year:**  
**Incident Cause:** Leak/Break  
**Incident Event:**  
**Contaminant Code:** 15  
**Contaminant Name:** HYDRAULIC OIL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** Not Anticipated  
**Nature of Impact:** Soil Contamination; Surface Water Pollution  
**Receiving Medium:**  
**Receiving Env:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 23-MAY-13  
**Dt Document Closed:**  
**Incident Reason:** Operator/Human Error  
**Site Name:** ERCO Mondiaal<UNOFFICIAL>  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** Request for EGN  
**Contaminant Qty:** 0 L

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:** Non-Point Source (i.e. run-off)  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:** Buckingham QUEBEC  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Ottawa  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:** Land Spills  
**Source Type:**

# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

## **Abandoned Aggregate Inventory:**

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

## **Aggregate Inventory:**

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

**Government Publication Date: Up to Sep 2020**

## **Abandoned Mine Information System:**

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Oct 2018**

## **Anderson's Waste Disposal Sites:**

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

## **Aboveground Storage Tanks:**

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

**Government Publication Date: May 31, 2014**

## **Automobile Wrecking & Supplies:**

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Dec 31, 2020**

## **Borehole:**

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2018**

**Certificates of Approval:**

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Dry Cleaning Facilities:**

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2018**

**Commercial Fuel Oil Tanks:**

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Chemical Manufacturers and Distributors:**

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jan 31, 2020**

**Chemical Register:**

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

**Government Publication Date: 1999-Dec 31, 2020**

**Compressed Natural Gas Stations:**

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 2012 -Dec 2020**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Nov 2020**

**Certificates of Property Use:**

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994-Mar 31, 2021**

**Drill Hole Database:**

Provincial

DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886 - Sep 2020**

**Delisted Fuel Tanks:**

Provincial

DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

**Government Publication Date: Jul 31, 2020**

**Environmental Activity and Sector Registry:**

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

**Government Publication Date: Oct 2011-Mar 31, 2021**

**Environmental Registry:**

Provincial

EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994-Mar 31, 2021**

**Environmental Compliance Approval:**

Provincial

ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011- Mar 31, 2021**

**Environmental Effects Monitoring:**

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\***

**ERIS Historical Searches:**

Private

EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Jan 31, 2021**

**Environmental Issues Inventory System:**

Federal

EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\***

**Emergency Management Historical Event:**

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date: Dec 31, 2016**

**Environmental Penalty Annual Report:**

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date: Jan 1, 2011 - Dec 31, 2020**

**List of Expired Fuels Safety Facilities:**

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Federal Convictions:**

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date: 1988-Jun 2007\***

**Contaminated Sites on Federal Land:**

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

**Government Publication Date: Jun 2000-Jan 2021**

**Fisheries & Oceans Fuel Tanks:**

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1964-Sep 2019**

**Federal Identification Registry for Storage Tank Systems (FIRSTS):**

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

**Government Publication Date: May 31, 2018**

**Fuel Storage Tank:**

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Fuel Storage Tank - Historic:**

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date: Pre-Jan 2010\***

**Ontario Regulation 347 Waste Generators Summary:**

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date: 1986-Jan 31, 2021**

**Greenhouse Gas Emissions from Large Facilities:**

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO<sub>2</sub> eq).

**Government Publication Date: 2013-Dec 2018**

**TSSA Historic Incidents:**

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date: 2006-June 2009\***

**Indian & Northern Affairs Fuel Tanks:**

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1950-Aug 2003\***

**Fuel Oil Spills and Leaks:**

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Landfill Inventory Management Ontario:**

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date: Feb 28, 2019**

**Canadian Mine Locations:**

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date: 1998-2009\***

**Mineral Occurrences:**

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Dec 2020**

**National Analysis of Trends in Emergencies System (NATES):**

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2018**

**National Defense & Canadian Forces Fuel Tanks:**

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal [NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Apr 2018**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal [NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal [NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Dec 31, 2020**

**National Energy Board Wells:**

Federal [NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\***

**National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\***

**National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

**Government Publication Date: 1993-May 2017**

**Oil and Gas Wells:**

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-Feb 28, 2021**

**Ontario Oil and Gas Wells:**

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-Jun 2020**

**Inventory of PCB Storage Sites:**

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**

**Orders:**

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994-Mar 31, 2021**

**Canadian Pulp and Paper:**

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**

**Parks Canada Fuel Storage Tanks:**

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***

**Pesticide Register:**

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date: Oct 2011-Mar 31, 2021**

**Pipeline Incidents:**

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

**Government Publication Date: Oct 31, 2020**

**Private and Retail Fuel Storage Tanks:**

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date: 1989-1996\***

**Permit to Take Water:**

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date: 1994-Mar 31, 2021**

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date: 1986-2016**

**Record of Site Condition:**

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

**Government Publication Date: 1997-Sept 2001, Oct 2004-Mar 2021**

**Retail Fuel Storage Tanks:**

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

**Government Publication Date: 1999-Dec 31, 2020**

**Scott's Manufacturing Directory:**

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

**Government Publication Date: 1992-Mar 2011\***

**Ontario Spills:**

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

**Government Publication Date: 1988-Mar 2020; Jul 2020 - Aug 2020**

**Wastewater Discharger Registration Database:**

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

**Government Publication Date: 1990-Dec 31, 2017**

**Anderson's Storage Tanks:**

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1915-1953\***

**Transport Canada Fuel Storage Tanks:**

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

**Government Publication Date: 1970 - Dec 2020**

**Variations for Abandonment of Underground Storage Tanks:**

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Waste Disposal Sites - MOE CA Inventory:**

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

**Government Publication Date: Oct 2011-Mar 31, 2021**

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Apr 30, 2020**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

## Appendix D

### *Aerial Photographs*

DRAFT



---

# HISTORICAL **AERIALS**

**Project Property:** Phase I ESA - 1010 Somerset Street West  
1010 Somerset Street West  
Ottawa ON

**Project No:**

**Requested By:** Dillon Consulting Limited

**Order No:** 21032900261

**Date Completed:** April 21, 2021

<b>Decade</b>	<b>Year</b>	<b>Image Scale</b>	<b>Source</b>
1920	1928	10000	City of Ottawa
1930	1938	10000	NAPL
1940	1945	15000	NAPL
1980	1985	15000	NAPL

Aerial Maps included in this report are produced by the sources listed above and are to be used for research purposes including a phase I report. Maps are not to be resold as commercial property. No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc.(in the US) and ERIS Information Limited Partnership (in Canada), both doing business and ERIS Information Limited Partnership (in Canada), both doing business as 'ERIS', using aerial photos listed in above sources. The maps contained in this report does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Environmental Risk Information Services**

*A division of Glacier Media Inc.*

1.866.517.5204 | [info@erisinfo.com](mailto:info@erisinfo.com) | [erisinfo.com](http://erisinfo.com)



0 0.125 0.25 0.5  
Kilometers

Order Number: 21032900261

Year: 1928  
Source: City of Ottawa  
Map Scale: 1: 10000  
Comments:





0 0.125 0.25 0.5  
Kilometers

Order Number: 21032900261

Year: 1938  
Source: NAPL  
Map Scale: 1: 10000  
Comments:





0 0.125 0.25 0.5  
Kilometers

Order Number: 21032900261

Year: 1945  
Source: NAPL  
Map Scale: 1: 10000  
Comments:





Year: 1958

Source: GeoOttawa



Year: 1965

Source: GeoOttawa



Year: 1976

Source: GeoOttawa



0 0.125 0.25 0.5  
Kilometers

Order Number: 21032900261

Year: 1985  
Source: NAPL  
Map Scale: 1: 10000  
Comments:





Year: 1991

Source: GeoOttawa



Year: 1999

Source: GeoOttawa



Year: 2002

Source: GeoOttawa




Year: 2005

Source: GeoOttawa




Year: 2007

Source: GeoOttawa




Year: 2008

Source: GeoOttawa



Year: 2011

Source: GeoOttawa




Year: 2014

Source: GeoOttawa



Year: 2015

Source: GeoOttawa



Year: 2017

Source: GeoOttawa



Year: 2019

Source: GeoOttawa

## Appendix E

### *Site Photographs*

DRAFT

## Site Photographs



Picture 1 – Office Building on RSC Property (facing east)



Picture 2 – Office Space Inside Office Building



Picture 3 – Hydraulic Elevator Inside Office Building



Picture 4 – Pipe Wrapping Within 2<sup>nd</sup> Floor Mechanical Room of Office Building

Site Photographs




Picture 5 – Air Compressor Within 2<sup>nd</sup> Floor Mechanical Room of Office Building



Picture 6 – Stained Ceiling Tiles and Fluorescent Ballasts in Office Building



Picture 7 – Boiler Within 2<sup>nd</sup> Floor Mechanical Room of Office Building



Picture 8 – Floor Drain Within Bathroom of Office Building

Site Photographs



Picture 9 – Monitoring Well and Shed in Northern Portion of RSC Property (facing east)

Picture 10 – Catch Basins Along ROW (facing north towards Somerset Street West) With Parking Lot of West



Picture 11 – Western Portion of the RSC Property (facing south)

Picture 12 – Parking Lot and Former Building Footprints in the Western Portion of the RSC Property (facing north)

Site Photographs



Picture 13 – Public Works Yard (facing southwest)



Picture 14 – Sheds and Administration Trailer Inside Public Works Yard



Picture 15 – Empty Totes and Miscellaneous Material in Public Works Yard (facing southeast)



Picture 16 – Floor Drains in Building Footprint on Public Works Yard (facing south)

Site Photographs



Picture 17 – Discarded Building Equipment in Public Works Yard (facing north)



Picture 18 – Road Maintenance Equipment Storage Within Storage Locker in Public Works Yard



Picture 19 – Fuel Jerry Cans Within Storage Locker in Public Works Yard



Picture 20 – Elephant Shot (chemical for graffiti removal) Within Storage Locker in Public Works Yard

Site Photographs



Picture 21 – Paint Cans and Chemicals Stored Inside Storage Locker in Public Works Yard



Picture 22 – Interior of Sea Can in Public Works Yard



Picture 23 – Interior of Administration Trailer in Public Works Yard



Picture 24 – Paved Area in Southeastern Portion of RSC Property (former warehouse location, facing east)

Site Photographs



Picture 25 – Piles of Concrete Debris, Wooden Pallets, Metal Posts and Concrete Barriers in the Southern Portion of the RSC Property (facing south)

Picture 26 – Southern Portion of the RSC Property (facing north towards office building)



Picture 27 – Vegetated Gravel Area along Eastern RSC Property Boundary Sloping East (facing southeast)

Picture 28 – Monitoring Well Within Eastern Portion of the RSC Property

Site Photographs



Picture 29 – Hydro Vault South of the Office Building (facing south)



Picture 30 – Bike Path and Former Railway to the West of the RSC Property (facing south)



Picture 31 – Large Multi-Tenant Commercial Plaza at 250 City Centre Avenue, North of the RSC Property (facing north)



Picture 32 – Land Use East of the RSC Property (restaurants and recreational complex, facing southeast)

## Site Photographs



Picture 33 – Land Use South of RSC Property (facing west)