



The diagram illustrates two types of manhole covers used in the City of San Jose. Each cover is represented by a circle divided into sections, with lines pointing to descriptive text.

- R100A:**
 - Sanitary Drainage Area ID#
 - Population Count
 - Sanitary Drainage Area I.a.
- G100A:**
 - Sanitary Drainage Area ID#
 - Infiltration Rate Of 0.33 l/s/Ha Applied
 - Sanitary Drainage Area I.a.

Below the covers, a legend identifies the symbols used in the map:

- Sanitary Drainage Area:** Represented by a thick black horizontal bar.
- Proposed Sanitary MH and Sewer:** Represented by a black circle.
- Existing Sanitary MH and Sewer:** Represented by a grey circle.

SANITARY STATS

TOWER 3 AND 4
16 - BACHELOR @ 1.4 PPU = 22 PEOPLE
223 - 1 BEDROOM APTS + DEN @ 2.1 PPU = 468 PEOPLE
32 - 2 BEDROOM APTS @ 2.1 PPU = 67 PEOPLE
16 - 3 BEDROOM APTS @ 3.1 PPU = 50 PEOPLE
TOTAL POPULATION TOWER 3 AND 4 = 608 PEOPLE

25- BACHELOR @ 1.4 PPU = 35 PEOPLE
133- 1 BEDROOM APTS @ 1.4 PPU = 186 PEOPLE
73- 1 BEDROOM APTS + DEN @ 2.1 PPU = 153 PEOPLE
50- 2 BEDROOM APTS @ 2.1 PPU = 105 PEOPLE
4- 2 BEDROOM APTS + DEN @ 3.1 PPU = 8 PEOPLE
6- 3 BEDROOM APTS @ 3.1 PPU = 19 PEOPLE

TOWER 6

30 - BACHELOR @ 1.4 PPU = 42 PEOPLE
38 - 1 BEDROOM APTS @ 1.4 PPU = 53 PEOPLE
87 - 1 BEDROOM APTS + DEN @ 2.1 PPU = 183 PEOPLE
133 - 2 BEDROOM APTS @ 2.1 PPU = 279 PEOPLE
3 - 2 BEDROOM APTS + DEN @ 3.1 PPU = 9 PEOPLE
2 - 3 BEDROOM APTS @ 3.1 PPU = 6 PEOPLE

TOTAL POPULATION = 1687
COMMERCIAL SPACE TOWER 3 & 4 = 972m² (0.0972ha) @ 28,000 L/ha/day
COMMERCIAL SPACE TOWER 5 = 296m² (0.0296ha) @ 28,000 L/ha/day
COMMERCIAL SPACE TOWER 6 = 912m² (0.0912ha) @ 28,000 L/ha/day
TOTAL COMMERCIAL SPACE = 2180m² (0.218ha) @ 28,000 L/ha/day

Permit-Sea

BASELINE TOWERS 3-4-5-6
2946 BASELINE ROAD
OTTAWA, ON, CANADA

Title
SANITARY DRAINAGE PLAN

Project No. 160401676	Scale 1:400	0 4 12 20m
Drawing No.	Sheet	Revision

SA-1 7 of 7

2