

Phase I Environmental Site Assessment

260 MacLaren Street
Ottawa, Ontario

Prepared for Claridge Homes

Report: PE7414-1
May 29, 2026

TABLE OF CONTENTS

EXECUTIVE SUMMARY	ii
1.0 INTRODUCTION	1
2.0 PHASE I PROPERTY INFORMATION.....	2
3.0 SCOPE OF INVESTIGATION	3
4.0 RECORDS REVIEW	4
4.1 General.....	4
4.2 Environmental Source Information	5
4.3 Physical Setting Sources	9
5.0 INTERVIEWS	11
6.0 SITE RECONNAISSANCE.....	11
6.1 General Requirements.....	11
6.2 Site Inspection Observations	11
7.0 REVIEW AND EVALUATION OF INFORMATION	13
7.1 Land Use History	13
7.2 Conceptual Site Model.....	13
8.0 CONCLUSIONS	15
8.1 Assessment.....	15
8.2 Recommendations.....	16
9.0 STATEMENT OF LIMITATIONS	17
10.0 REFERENCES	18

List of Figures

Figure 1 - Key Plan

Figure 2 - Topographic Map

Drawing PE7414-1 - Site Plan

Drawing PE7414-2 - Surrounding Land Use Plan

List of Appendices

Appendix 1 Aerial Photographs
Site Photographs

Appendix 2 MECP Freedom of Information
MECP Well Records
TSSA
City of Ottawa HLUI
ERIS Report

Appendix 3 Qualifications of Assessors

EXECUTIVE SUMMARY

Assessment

Paterson Group was retained by Claridge Homes to carry out a Phase I Environmental Site Assessment (ESA) for 260 MacLaren Street, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

According to the historical research, the Phase I Property was initially developed with two residential dwellings circa 1890's which existed until the 1970s after which it has been used as a parking lot. No historical Potentially Contaminating Activities were identified on the Phase I Property.

The presence of fill of unknown quality, associated with previous building structures, is considered to pose a potential environmental concern on the Phase I Property.

The surrounding properties within the Phase I Study Area have been used for residential, commercial or institutional purposes. The historical research of the neighbouring properties did not identify any environmental concerns with the potential to impact the Phase I Property.

Following the historical research, Paterson carried out a site visit and a visual assessment of the properties within the Phase I Study Area. The Phase I Property is currently vacant and used as parking lot. No concerns were identified with the current use of the Phase I Property.

The surrounding lands within the vicinity of the Phase I Property consist of residential or commercial properties. No environmental concerns were identified with respect to the surrounding properties.

Recommendations

Based on the results of the Phase I ESA, in our opinion, **a Phase II Environmental Site Assessment is required for the Phase I Property.**

1.0 INTRODUCTION

At the request of Claridge Homes, Paterson Group (Paterson) carried out a Phase I-Environmental Site Assessment (Phase I-ESA) for 260 MacLaren Street, in the City of Ottawa, Ontario, herein referred to as the Phase I Property. The purpose of this Phase I-ESA was to research the past and current use of the Phase I ESA Property and properties within the Phase I Study Area to identify any potentially contaminating activities (PCAs) that would result in areas of potential environmental concern (APECs) on the Phase I Property.

Paterson was engaged to conduct this Phase I-ESA by Ms. Victoria St. Pierre with Claridge Homes. Ms. Victoria St. Pierre can be reached at info@claridgehomes.com.

This report has been prepared specifically and solely for the above noted project which is described herein. It contains all of our findings and results of the environmental conditions at this site.

This Phase I-ESA report has been prepared under the supervision of a Qualified Person, in general accordance with Ontario Regulation (O.Reg.) 153/04, as amended under the Environmental Protection Act, and CSA Z768-01 (as amended). The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I-ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

2.0 PHASE I PROPERTY INFORMATION

Address: 260 MacLaren Street, Ottawa, Ontario.

Location: The Phase I Property is located on the south side of MacLaren Street, approximately 40 m west of the MacLaren Street and Metcalfe Street intersection, in the City of Ottawa, Ontario. Refer to Figure 1 - Key Plan in the Figures section following the text.

Latitude and Longitude: 45° 24' 57.114" N, 75° 41' 32.442" W

Site Description:

Configuration: Rectangular

Area: 1189 m³ (approximately).

Zoning: R5B – Residential Fifth Density Zone.

Current Use: The Phase I ESA Property is currently vacant and utilized as a parking lot.

Services: The Phase I ESA Property is situated in a municipally serviced area.

3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase I – Environmental Site Assessment was as follows:

- ☐ Determine the historical activities on the Phase I Property and study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases, and regulatory agencies;
- ☐ Investigate the existing conditions present at the Phase I ESA Property and study area by conducting site reconnaissance;
- ☐ Conduct interviews with persons knowledgeable of current and historic operations on the Phase I ESA Property, and if warranted, neighbouring properties;
- ☐ Present the results of our findings in a comprehensive report in general accordance with the requirements O.Reg. 153/04 as amended under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01 (reaffirmed 2022);
- ☐ Provide a preliminary environmental site evaluation based on our findings;
- ☐ Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.

4.0 RECORDS REVIEW

4.1 General

Phase I-ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I Study Area for this assignment. Properties outside the 250 m radius are not considered to have impacted the Phase I ESA Property based on their significant separation distance.

First Developed Use Determination

Based on a review of available historical information, the Phase I Property was first developed with two residential dwellings between 1878 and 1888. The dwellings were removed in the 1970s, after which the Phase I Property was used as a parking lot.

Fire Insurance Plans

1878

The Phase I and surrounding properties were not listed in the 1878 FIPs.

1888

The Phase I Property is occupied by two residential dwellings. Surrounding properties consisted of residential properties.

1912

No significant changes have been made to the Phase I or surrounding properties since the 1888 FIPs.

1956

No significant changes have been made to the Phase I Property. Surrounding lands now consist of residential, institutional and commercial buildings. A gasoline service station was present at 280 Elgin Street, approximately 200 m northeast of the Phase I Property, this property is considered to be a PCA, but not an APEC due to its separation distance. No potential environmental concerns were noted during the FIPs review for the surrounding properties.

City of Ottawa Street Directories

City directories were reviewed in approximate ten (10) year intervals from 1900s to 2011. Based on the directories, the Phase I Property was occupied by residential dwellings until the 1970s, after which it has been used as a parking lot. The surrounding properties have been used for residential, commercial retail and institutional throughout the years reviewed. No potentially contaminating activities were identified in the directories for the Phase I or surrounding properties.

Chain of Title

Paterson did not request a Chain of Title for the Phase I Property as it was determined that sufficient information was gathered from other sources, such as, aerial photographs, city directories and personal interviews.

4.2 Environmental Source Information

National Pollutant Release Inventory

A search of the National Pollutant Release Inventory (NPRI) was carried out as part of this assessment. No records of any pollutant releases were identified for the Phase I or for any properties situated within the Phase I study area.

PCB Waste Storage Site Inventory

A search of the provincial PCB waste storage site inventory was carried out as part of this assessment. One PCB storage site was identified at 225 Metcalfe Street, approximately 160 m northeast of the Phase I Property. Due to its distance away, this property is not considered to pose a potential environmental concern to the Phase I Property.

MECP Coal Gasification Plant Inventory

The Ontario Ministry of Environment, Conservation and Parks document entitled, *"Municipal Coal Gasification Plant Site Inventory, 1991"* was reviewed as part of this assessment. This document provides a reference to the locations of former plants with respect to the Phase I Property. A review of this document did not identify any former coal gasification plants located on the Phase I Property or within the Phase I study area.

MECP Waste Disposal Site Inventory

The Ontario Ministry of Environment, Conservation and Parks document entitled, *"Waste Disposal Site Inventory in Ontario, 1991"* was reviewed as part of this assessment. This document includes all recorded active and closed waste

disposal sites, industrial manufactured gas plants, and coal tar distillation plants situated in the Province of Ontario. Based on the MECP Waste Disposal Site Inventory no such sites were identified within 250 m of the Phase I Property.

MECP Submissions

A request was submitted to the MECP Freedom of Information office for information with respect to reports related to environmental conditions for the Phase I Property. The response from the MECP indicated that no records were identified for the Phase I or surrounding properties.

MECP Instruments

A request was submitted to the MECP Freedom of Information office for information with respect to certificates of approval, permits to take water, certificates of property use, or any other similar MECP issued instruments for the Phase I Property. The response from the MECP indicated that no records were identified for the Phase I or surrounding properties.

MECP Incident Reports

A request was submitted to the MECP Freedom of Information office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants, or inspections maintained by the MECP for the Phase I Property or neighbouring properties. The response from the MECP indicated that no records were identified for the Phase I or surrounding properties.

MECP Waste Management Records

A request was submitted to the MECP Freedom of Information office for information with respect to waste management records for the Phase I Property. The response from the MECP indicated that no records were identified for the Phase I or surrounding properties.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry was carried out as part of this assessment. A record of site condition (RSC) was filed for the property located at 330 Gilmour Street (approximately 50 m south of the Phase I Property). A Phase II ESA was not conducted as part of the RSC, therefore, it is not considered to pose a potential environmental concern to the Phase I Property. No Records of Site Condition (RSCs) were identified in the database as having been filed for the Phase I or surrounding properties.

OMNRF Areas of Natural Significance

A search for areas of natural and scientific interest situated within the Phase I study area was carried out electronically via the Ontario Ministry of Natural Resources and Forestry (OMNRF) website. The search did not identify any natural features or areas of natural significance within the Phase I study area.

Technical Standards and Safety Authority (TSSA)

The TSSA, Fuels Safety Branch in Toronto, was contacted to inquire about current and former underground/aboveground storage tanks for the subject and neighbouring properties. The TSSA response indicates that no records were identified for the subject site or neighbouring properties. A copy of the correspondence with the TSSA is included in Appendix 2.

City of Ottawa Historical Land Use Inventory (HLUI) Database

As part of this assessment, a requisition form was submitted to the City of Ottawa to request information from the City's Historical Land Use Inventory (HLUI) database for any environmental records pertaining to the Phase I Property as well as any properties situated within the Phase I study area.

The response did not indicate any records on the Phase I Property. The HLUI response indicated several potentially contaminating activities within the Phase I Study Area.

The HLUI response identified a paper bag manufacturing facility at 270 MacLaren Street, a former hydraulic oil spill at 283 MacLaren Street, an underground storage tank at 252 Metcalfe Street, a motion picture production facility, and a former coal storage area and underground storage tank leak at 330 Gilmour Street. Due to the nature of these records and/or their cross-gradient orientation relative to the Phase I Property, they are not considered to represent potential environmental concerns for the Phase I Property.

The remaining records pertain to properties located a significant distance from the Phase I Property and, therefore, are not considered to represent potential environmental concerns for the Phase I Property. A copy of the response has been included in Appendix 2.

City of Ottawa Old Landfill Sites

The City of Ottawa's Former Landfills online map was reviewed as part of this assessment. This map identifies 123 former landfills through the City of Ottawa's Old Landfill Management Strategy (OLMS 2004) and includes location, ownership, periods of operation and waste type for 82 sites identified as previously

owned/operated either fully or in part by former municipalities and townships within the boundaries of the City of Ottawa and is updated periodically.

A review of this map did not identify any landfill sites situated on the Phase I Property or within 250 m of the Phase I Property.

City of Ottawa Former Industrial Sites

The document prepared by Intera Technologies Limited entitled, *"Mapping and Assessment of Former Industrial Sites, City of Ottawa"*, was reviewed as part of this assessment. No former industrial sites were identified on the Phase I Property or within the Phase I study area.

ERIS Database Report

A database report, prepared by ERIS (Environmental Risk Information Services) Ltd., dated January 28, 2026, was acquired and reviewed as part of this assessment. The complete ERIS report has been included in Appendix 2.

❑ On-Site Records:

The ERIS report did not identify any records on the Phase I Property.

❑ Off-Site Records:

The ERIS report identified three-hundred and sixty-seven (367) records pertaining to properties located within a 250 m radius of the Phase I Property. The off-site records pertain to boreholes, certificates of approval, ERIS historical searches, environmental compliance approval, pipeline incidents, Ontario spills, national PCB inventory, inventory of PCB storage sites, delisted fuel tanks, waste generators, TSSA historic incidents, historical business activity risk, pipeline incidents, private and retail fuel storage tanks, record of site condition, retail fuel storage tanks, Scott's manufacturing directories, variances for abandonment of underground storage tanks, permit to take water and water wells.

One waste oils and lubricant waste generator record was identified on the property south of the Phase I ESA (addressed 295 Gilmour Street). One light fuels waste generator record was identified on the property southwest of the Phase I ESA (addressed 280 MacLaren Street) and the property addressed 283 MacLaren Street (approximately 25m northwest of the Phase I ESA). Due to their distance away or their cross-gradient orientation to the Phase I Property, they are not considered to pose a potential environmental concern to the Phase I Property.

An Ontario Spill record was identified at 283 MacLaren Street, and it pertains to a hydraulic oil spill resulting from equipment failure. An Ontario spill was recorded for the property approximately 25m northwest of the Phase I Property. Due to their

cross-gradient orientation to the Phase I Property, they are not considered to pose a potential environmental concern to the Phase I Property.

Two national PCB inventory and four inventory of PCB storage sites records were identified on the property addressed 255 Metcalfe Street. Due to its distance away and its down-gradient orientation, this property is not considered to pose a potential environmental concern to the Phase I Property.

Due to the nature of the remaining records, they are not considered to pose a potential environmental concern to the Phase I Property.

4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library and Geo Ottawa were reviewed in approximate ten (10) year intervals. Based on the review, the following observations have been made:

- | | |
|------|---|
| 1928 | (City of Ottawa website) The Phase I Property is occupied by two residential dwellings at this time. Surrounding properties consist of residential properties. |
| 1958 | (City of Ottawa website) The Phase I Property appears to remain unchanged from the previous photograph. Residential apartment buildings have been constructed in the general area of the Phase I Property. |
| 1965 | (City of Ottawa website) The Phase I Property appears to remain unchanged from the previous photograph. The properties to the west, southwest and south of the Phase I Property are now vacant. Additional residential apartment buildings have been constructed in the general area of the Phase I Property. |
| 1976 | (City of Ottawa website) The Phase I Property is now vacant and used as a parking lot. No significant changes appear to have been made to the surrounding properties. |
| 1991 | (City of Ottawa website) The Phase I Property appears to remain unchanged from the previous photograph. A residential apartment building has been constructed southwest of the Phase I Property. |
| 2002 | (City of Ottawa website) No significant changes appear to have been made to the Phase I or surrounding properties. |

2011 (City of Ottawa website) No significant changes appear to have been made to the Phase I or surrounding properties.

2022 (City of Ottawa website) No significant changes appear to have been made to the Phase I or surrounding properties.

Copies of selected aerial photographs reviewed are included in Appendix 1.

Water Bodies

No water bodies are present on the Phase I Property. The nearest named water body with respect to the Phase I Property is the Rideau Canal, located approximately 760 m to the east.

Physiographic Maps

A physiographic map was reviewed from the Natural Resources Canada – The Atlas of Canada website, as a part of this assessment. According to the publication and mapping information, the Phase I Property is situated within the St. Lawrence Lowlands. According to the description provided: *“The lowlands are plain-like areas that were affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features associated with the ice sheets.”* The Phase I Property is specifically located within the Central St. Lawrence Lowland area, which is rarely more than 150 m above sea level.

Topographic Maps

Topographic maps were obtained from Natural Resources Canada – The Atlas of Canada website and from the City of Ottawa website. The topographic maps indicate that the regional topography in the general area of the site slopes down in an easterly direction towards the Rideau Canal. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on this information, bedrock in the area consists of shale, of the Billings Formation. The surficial geology in the area of the site consists of Offshore Marine Sediments, with a drift thickness ranging from 15 to 25 m.

Water Well Records

A search of the MECs website for all drilled well records within a 250 m radius of the Phase I Property was carried out as part of this assessment. The search identified no wells on the Phase I Property and thirteen (29) well records within the Phase I study area. These records pertain to wells installed between 2007 and 2021 and used for groundwater observation purposes. According to the well records, the overburden stratigraphy in the area of the Phase I Property generally consists of silt and clay. Bedrock was not encountered in any of the boreholes.

A select number of the aforementioned well records have been included in Appendix 2.

5.0 INTERVIEWS

Property Owner Representative

Ms. Victoria St. Pierre, a representative the current property owner, was available to answer questions during the site visit. Ms. St. Pierre was unaware of any potential environmental concerns associated with the subject and neighbouring properties. Ms. St. Pierre indicated that she was not aware of any previous environmental reports prepared for the subject property.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

The site visit was carried out on February 16, 2026 by Mr. Mohammed Ramadan with Paterson's Environmental Department. In addition to the site, the uses of neighbouring properties within the Phase I Study Area were also assessed at the time of the site visit, from publicly accessible areas.

6.2 Site Inspection Observations

Site Features

The Phase I Property is vacant and is being used as a parking lot. The site and regional topographies slope downward to the east towards the Rideau Canal. The subject site is considered to be mostly elevated with respect to the adjacent roads and the neighbouring properties. No ponded water, stressed vegetation, surficial staining, or any other indications of potential sub-surface contamination were observed on the subject site at the time of the site inspection.

A depiction of the Phase I Property is illustrated on Drawing PE7414-1 – Site Plan, in the Figures section of this report.

Potential Environmental Concerns

☐ Fuels and Chemical Storage

No chemical storage areas, above ground storage tanks (ASTs), or signs of underground storage tanks (USTs) were observed on the exterior of the Phase I Property at the time of the site inspection.

☐ Hazardous Materials and Unidentified Substances

No hazardous materials, unidentified substances, spills, surficial staining, abnormal odours, stressed vegetation, or any other indications of potential sub-surface contamination were observed on the exterior of the Phase I Property at the time of the site inspection.

☐ Polychlorinated Biphenyls (PCBs) and Transformer Oil

No potential sources of PCBs were identified on the exterior of the subject property at the time of the site inspection.

☐ Waste Management

No waste is currently being generated at the Phase I Property.

Neighbouring Properties

An inspection of the neighbouring properties was carried out from publicly accessible roadways at the time of the site inspection. Land use adjacent to the Phase I Property is as follows:

- ☐ North: MacLaren Street, followed by residential properties;
- ☐ South: Residential apartment building, followed by Gilmour Street;
- ☐ East: Residential apartment building, followed by Metcalfe Street;
- ☐ West: Residential dwelling, followed by residential and commercial office properties.

The current use of the immediately adjacent properties is not considered to pose an environmental concern to the Phase I Property. Surrounding land use is shown on Drawing PE7414-2 – Surrounding Land Use Plan.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Land Use History

Based on a review of available historical information, the Phase I Property was first developed with two residential dwellings between 1878 and 1888. The dwellings were removed in the 1970s, after which the Phase I Property was used as a parking lot.

Potentially Contaminating Activities (PCAs) and Areas of Potential Environmental Concern (APECs)

One potentially contaminating activity (PCA) that results in an area of environmental potential concern was identified on the Phase I Property and it pertains to the presence of fill of unknown quality. Twenty-two (22) off-site potentially contaminating activities were identified within the study area but were deemed not to pose a potential environmental concern due to their distance away from the Phase I Property. Surrounding land use is presented on Drawing P7414-2 – Surrounding Land Use Plan, in the Figures section of this report.

Contaminants of Potential Concern

Contaminants of potential concern (CPCs) in the soil and/or groundwater beneath the Phase I-ESA Property include the following:

- ☐ Metals (including arsenic (As), antimony (Sb) and selenium (Se))
- ☐ Polycyclic Aromatic Hydrocarbons (PAHs)
- ☐ Petroleum Hydrocarbons (PHCs)
- ☐ Benzene, Toluene, Ethylbenzene, and Xylene (BTEX)

In accordance with Section 49.1 of O.Reg.153/04, as amended, electrical conductivity (EC) and sodium adsorption ratio (SAR) are not considered to be CPCs.

7.2 Conceptual Site Model

Geological and Hydrogeological Setting

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on this information, bedrock in the area consists of shale, of the Billings Formation. The surficial geology in the area of the site consists of Offshore Marine Sediments, with a drift thickness ranging from 15 to 25 m.

Groundwater flow is interpreted to be in an easterly direction towards the Rideau Canal.

Water Bodies and Areas of Natural and Scientific Interest

No water bodies are present on the Phase I Property. The nearest named water body with respect to the Phase I Property is the Rideau Canal, located approximately 760 m to the east.

No areas of natural significance were identified within the Phase I Study area.

Existing Buildings and Structures

No existing buildings or structures are present on the Phase I Property.

Drinking Water Wells

Based on the availability of municipal water services, no drinking water wells are expected to be in use within the Phase I study area.

Neighbouring Land Use

The neighbouring lands within the Phase I study area consist of residential and commercial. Current land use is shown on Drawing PE7414-2 – Surrounding Land Use Plan, in the Figures section of this report.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

As per Section 7.1, one potentially contaminating activity (PCA) resulting in an area of potential environmental concern (APEC) was identified on the Phase I Property. Twenty-two (22) off-site potentially contaminating activities were identified within the study area but were deemed not to pose a potential environmental concern due to their distance away from the Phase I Property.

Contaminants of Potential Concern

Contaminants of potential concern (CPCs) in the soil and/or groundwater beneath the Phase I-ESA Property include the following:

- ☐ Metals (including arsenic (As), antimony (Sb) and selenium (Se))
- ☐ Polycyclic Aromatic Hydrocarbons (PAHs)
- ☐ Petroleum Hydrocarbons (PHCs)
- ☐ Benzene, Toluene, Ethylbenzene, and Xylene (BTEX)

In accordance with Section 49.1 of O.Reg.153/04, as amended, electrical conductivity (EC) and sodium adsorption ratio (SAR) are not considered to be CPCs.

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I ESA is considered to be sufficient to conclude that there is one APEC associated with the Phase I Property. This was confirmed by a variety of independent sources, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.

8.0 CONCLUSIONS

8.1 Assessment

Paterson Group was retained by Claridge Homes to carry out a Phase I Environmental Site Assessment (ESA) for 260 MacLaren Street, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

According to the historical research, the Phase I Property was initially developed with two residential dwellings circa 1890's which existed until the 1970s after which it has been used as a parking lot. No historical Potentially Contaminating Activities were identified on the Phase I Property.

The presence of fill of unknown quality, associated with previous building structures, is considered to pose a potential environmental concern on the Phase I Property.

The surrounding properties within the Phase I Study Area have been used for residential, commercial or institutional purposes. The historical research of the neighbouring properties did not identify any environmental concerns with the potential to impact the Phase I Property.

Following the historical research, Paterson carried out a site visit and a visual assessment of the properties within the Phase I Study Area. The Phase I Property is currently vacant and used as parking lot. No concerns were identified with the current use of the Phase I Property.

The surrounding lands within the vicinity of the Phase I Property consist of residential or commercial properties. No environmental concerns were identified with respect to the surrounding properties.

8.2 Recommendations

Based on the results of the Phase I ESA, in our opinion, **a Phase II Environmental Site Assessment is required for the Phase I Property.**

9.0 STATEMENT OF LIMITATIONS

This Phase I - Environmental Site Assessment report has been prepared under the supervision of a Qualified Person, in general accordance with O.Reg. 153/04, as amended, and CSA Z768-01 (as amended). The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

Should any conditions be encountered at the Phase I Property and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Claridge Homes. Permission and notification from the above noted party and Paterson will be required to release this report to any other party.

Paterson Group Inc.



Mohammed Ramadan, B.Sc.



Mark D'Arcy, P.Eng, QP_{ESA}



Report Distribution:

- ☐ Claridge Homes
- ☐ Paterson Group

10.0 REFERENCES

Federal Records

Air photos at the Energy Mines and Resources Air Photo Library.

National Archives.

Maps and photographs (Geological Survey of Canada surficial and subsurface mapping).

Natural Resources Canada – The Atlas of Canada.

Environment Canada, National Pollutant Release Inventory.

PCB Waste Storage Site Inventory.

Provincial Records

MECP Freedom of Information and Privacy Office.

MECP Municipal Coal Gasification Plant Site Inventory, 1991.

MECP document titled “Waste Disposal Site Inventory in Ontario”.

MECP Brownfields Environmental Site Registry.

Office of Technical Standards and Safety Authority, Fuels Safety Branch.

MNR Areas of Natural Significance.

MECP Water Well Record Inventory.

Chapman, L.J., and Putnam, D.F., 1984: ‘The Physiography of Southern Ontario, Third Edition’, Ontario Geological Survey Special Volume 2.

Municipal Records

City of Ottawa Document “Old Landfill Management Strategy, Phase I - Identification of Sites.”, prepared by Golder Associates, 2004.

Intera Technologies Limited Report “Mapping and Assessment of Former Industrial Sites, City of Ottawa”, 1988.

geoOttawa: City of Ottawa electronic mapping website.

City of Ottawa Historical Land Use Inventory (HLUI) Database

Local Information Sources

Personal Interviews.

Public Information Sources

Google Earth.

Google Maps/Street View.

Private Information Sources

ERIS Report

FIGURES

FIGURE 1 – KEY PLAN

FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE7414-1 – SITE PLAN

DRAWING PE7414-2 – SURROUNDING LAND USE PLAN





FIGURE 1
KEY PLAN



FIGURE 2
TOPOGRAPHIC MAP



LEGEND:


- - - PHASE I PROPERTY BOUNDARY

AREAS OF POTENTIAL ENVIRONMENTAL CONCERN :

ID #	PCA ID	DESCRIPTION
1	30	FILL MATERIAL OF UNKNOWN QUALITY

SCALE: 1:400

 9 AURIGA DRIVE OTTAWA, ON K2E 7T9 TEL: (613) 226-7381					CLARIDGE HOMES PHASE I - ENVIRONMENTAL SITE ASSESSMENT 260 MacLAREN STREET OTTAWA, ONTARIO SITE PLAN	Scale: 1:400	Date: 02/2026
						Drawn by: GK	Report No.: PE7414-1
						Checked by: MR	Dwg. No.: PE7414-1
						Approved by: MSD	Revision No.:
	NO.	REVISIONS	DATE	INITIAL			



PHASE I - ENVIRONMENTAL SITE ASSESSMENT STUDY AREA

POTENTIAL ENVIRONMENTAL CONCERN :

ID #	PCA ID	DESCRIPTION
1	30	FILL MATERIAL OF UNKNOWN QUALITY
2	31	FORMER PORTRAIT STUDIO AND PRINTER
3	N/A	FORMER COAL STORAGE
4	10	FORMER COMMERCIAL AUTOMOTIVE SERVICE GARAGE
5	N/A	FORMER PCB STORAGE SITE
6	N/A	PAPER BAG MANUFACTURER
7	N/A	FORMER HYDRAULIC OIL SPILL (VOLUME UNKNOWN)
8	28	UNDERGROUND STORAGE TANK LEAK (VOLUME UNKNOWN)
9	31	FORMER PUBLISHER
10	N/A	FORMER PCB STORAGE SITE
11	N/A	FORMER PCB STORAGE SITE
12	31	FORMER PUBLISHER
13	N/A	FORMER 180L FURNACE OIL SPILL
14	31	FORMER PRINTER/PUBLISHER
15	28	FORMER UNDERGROUND STORAGE TANK
16	31	FORMER PRINTING FACILITY
17	28	FORMER ABOVEGROUND STORAGE TANK
18	28	FORMER UNDERGROUND STORAGE TANK
19	28	FORMER UNDERGROUND STORAGE TANK
20	28	FORMER UNDERGROUND STORAGE TANK
21	28	FORMER UNDERGROUND STORAGE TANK
22	28	FORMER UNDERGROUND STORAGE TANK

LEGEND:

PHASE I PROPERTY BOUNDARY

SCALE: 1:2500





PATERSON GROUP
9 AURIGA DRIVE
OTTAWA, ON
K2E 7T9
TEL: (613) 226-7381

NO.	REVISIONS	DATE	INITIAL

CLARIDGE HOMES
PHASE I - ENVIRONMENTAL SITE ASSESSMENT
260 MacLAREN STREET

OTTAWA,
Title:

ONTARIO


SURROUNDING LAND USE PLAN

Scale:	1:2500	Date:	02/2026
Drawn by:	GK	Report No.:	PE7414-1
Checked by:	MR	Dwg. No.:	PE7414-2
Approved by:	MSD	Revision No.:	


APPENDIX 1

AERIAL PHOTOGRAPHS


SITE PHOTOGRAPHS



AERIAL PHOTOGRAPH
1928




AERIAL PHOTOGRAPH
1958



AERIAL PHOTOGRAPH
1965



AERIAL PHOTOGRAPH
1976



AERIAL PHOTOGRAPH
1991



AERIAL PHOTOGRAPH
2002



AERIAL PHOTOGRAPH
2011



AERIAL PHOTOGRAPH
2022

Site Photographs

PE7414

260 MacLaren Street, Ottawa ON

February 16, 2025



Photograph 1: View of the Phase I Property, facing south.

APPENDIX 2

MECP FREEDOM OF INFORMATION

MECP WELL RECORDS

TSSA

CITY OF OTTAWA HLUI

ERIS REPORT



February 17, 2026

Mohammed Ramadan
Paterson Group
9 Auriga Drive
Ottawa, Ontario K2E 7T9
mramadan@patersongroup.ca

Dear Mohammed Ramadan:

RE: MECP FOI A-2026-00621, Your Reference PE7414 – Decision Letter

This letter is in response to your request made pursuant to the Freedom of Information and Protection of Privacy Act (the Act) relating to:

260 MacLaren Street, Ottawa

Timeframe: 1850/01/01 to 2026/01/26

After a thorough search through the ministry files, no records were located responsive to your request. The official responsible for making the access decision on your request is the undersigned. This file is now closed.

You may request a review of my decision within 30 days from the date of this letter by contacting the Information and Privacy Commissioner/Ontario at <http://www.ipc.on.ca>. Please note there may be a fee associated with submitting the appeal.

If you have any questions, please contact Christian Brodersen at christian.brodersen@ontario.ca.

Yours truly,

Christian Brodersen

for
Josephine DeSouza
Manager, Access and Privacy Office

Instructions for Completing Form

- For use in the **Province of Ontario** only. This document is a permanent **legal** document. Please retain for future reference.
- All Sections **must** be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Help Desk (Toll Free) at 1-888-396-9355.
- All metre measurements shall be reported to 1/10th of a metre.**
- Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

First Name Canadian Federation		Last Name of Students		Mailing Address (Street Number/Name, RR, Lot, Concession) 170 Metcalfe st	
County/District/Municipality CARLETON		Township/City/Town/Village Ottawa		Province Ontario	Postal Code K2P 1P3
Address of Well Location (County/District/Municipality) 338 Somerset st. W., CARLETON		Township Ottawa		Lot	Concession
RR#/Street Number/Name		City/Town/Village Ottawa		Site/Compartment/Block/Tract etc.	
GPS Reading	NAD 83	Zone 18	Easting 45602	Northing 5029369	Unit Make/Model Garmin Etrex
			Mode of Operation: ☐ Undifferentiated ☒ Averaged ☐ Differentiated, specify _____		

Log of Overburden and Bedrock Materials (see instructions)

General Colour	Most common material	Other Materials	General Description	Depth	Metres
				From	To
Brn	Topsoil		Sandy Gravel, soft	0	.91
Brn	silt	Sand / clay	fine Sand, dry, soft	.91	1.5
Brn Grey	silt	clay	Soft, moist	1.5	3.66
Grey	clay	silt	Soft, moist	3.66	6.1
Grey	clay		wet, sticky, soft	6.1	8.23

Hole Diameter		
Depth	Metres	Diameter
From	To	Centimetres
0	8.23	8.89
Water Record		
Water found at _____ Metres / Kind of Water		
☐ m	☐ Fresh	☐ Sulphur
☐ Gas	☐ Salty	☐ Minerals
Other: _____		
☐ m	☐ Fresh	☐ Sulphur
☐ Gas	☐ Salty	☐ Minerals
Other: _____		
☐ m	☐ Fresh	☐ Sulphur
☐ Gas	☐ Salty	☐ Minerals
Other: _____		
After test of well yield, water was		
☐ Clear and sediment free		
☐ Other, specify _____		
Chlorinated ☐ Yes ☐ No		

Construction Record							
Inside diam centimetres	Material	Wall thickness centimetres	Depth				
			From	To			
Casing							
3.81	☐ Steel ☐ Fibreglass	0.25	0	4.88			
	☒ Plastic ☐ Concrete						
	☐ Galvanized						
	☐ Steel ☐ Fibreglass						
	☐ Plastic ☐ Concrete						
	☐ Galvanized						
Screen							
Outside diam	☐ Steel ☐ Fibreglass	Slot No. 10	4.88	8.23			
	☒ Plastic ☐ Concrete						
	☐ Galvanized						
No Casing or Screen							
☐ Open hole							

Test of Well Yield				
Pumping test method	Draw Down		Recovery	
	Time min	Water Level Metres	Time min	Water Level Metres
Pump intake set at - (metres)	Static Level			
Pumping rate - (litres/min)	1		1	
Duration of pumping _____ hrs + _____ min	2		2	
Final water level end of pumping _____ metres	3		3	
Recommended pump type. ☐ Shallow ☐ Deep	4		4	
Recommended pump depth. _____ metres	5		5	
Recommended pump rate. (litres/min)	10		10	
If flowing give rate - (litres/min)	15		15	
	20		20	
	25		25	
If pumping discontin- ued, give reason.	30		30	
	40		40	
	50		50	
	60		60	

Plugging and Sealing Record		
☒ Annular space ☐ Abandonment		
Depth set at - Metres	Material and type (bentonite slurry, neat cement slurry) etc.	Volume Placed (cubic metres)
From	To	
0	.31	Plushmount / concrete
.31		Benseal
		Sand

Method of Construction			
☐ Cable Tool	☐ Rotary (air)	☐ Diamond	☐ Digging
☐ Rotary (conventional)	☐ Air percussion	☐ Jetting	☒ Other
☐ Rotary (reverse)	☐ Boring	☐ Driving	Geoprobe

Water Use			
☐ Domestic	☐ Industrial	☐ Public Supply	☒ Other
☐ Stock	☐ Commercial	☐ Not used	Monitoring well
☐ Irrigation	☐ Municipal	☐ Cooling & air conditioning	well

Final Status of Well			
☒ Water Supply	☐ Recharge well	☐ Unfinished	☐ Abandoned, (Other)
☒ Observation well	☐ Abandoned, insufficient supply	☐ Dewatering	
☒ Test Hole	☐ Abandoned, poor quality	☐ Replacement well	

Well Contractor/Technician Information	
Name of Well Contractor STRATA SOIL SAMPLING	Well Contractor's Licence No. 7241
Business Address (street name, number, city etc.) 147 WEST BEAVER CREEK, RICHMOND HILL	
Name of Well Technician (last name, first name) FENG LIUS JOIA	Well Technician's Licence No. T-3069
Signature of Technician/Contractor X	Date Submitted 2007 06 22

Location of Well	
In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.	
Audit No. Z 74024	Date Well Completed 2007 06 22
Was the well owner's information package delivered? ☐ Yes ☒ No	Date Delivered YYYY MM DD

Ministry Use Only	
Data Source	Contractor R 241
Date Received JUL 17 2007	Date of Inspection YYYY MM DD
Remarks	Well Record Number



Measurements recorded in: ☒ Metric ☐ Imperial

A265336

S-23385

Page of

CARLETON UNIVERSITY

Address of Well Location (Street Number/Name) Beenson Rd and Raven		Township		Lot		Concession	
County/District/Municipality		City/Town/Village Ottawa		Province Ontario		Postal Code K1S 5S8	
UTM Coordinates NAD 83		Zone 18		Easting 445321		Northing 5029518	
		Municipal Plan and Sublot Number		Other			

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)					
General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
Brown	Top soil	Stones	Loose	0	1.5
Brown	Clay	Silt	Hard	1.5	4.88

Annular Space		
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0	0.61 Monomert	
0.61	3.1 Bentonite	
3.1	4.88 Sand	

Method of Construction	Well Use
☐ Cable Tool ☐ Rotary (Conventional) ☐ Rotary (Reverse) ☐ Boring ☐ Air percussion ☒ Other, specify D.P.	☐ Diamond ☐ Jetting ☐ Driving ☐ Digging ☐ Public ☐ Domestic ☐ Livestock ☐ Irrigation ☐ Industrial ☐ Other, specify ☐ Commercial ☐ Municipal ☒ Test Hole ☐ Cooling & Air Conditioning ☐ Not used ☐ Dewatering ☒ Monitoring

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		
			From	To	
4.03	PVC	0.368	0	3.35	☐ Water Supply ☐ Replacement Well ☐ Test Hole ☐ Recharge Well ☐ Dewatering Well ☒ Observation and/or Monitoring Hole ☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality ☐ Abandoned, other, specify ☐ Other, specify

Construction Record - Screen				Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		
			From	To	
4.82	PVC	10	3.35	4.88	☐ Other, specify

Water Details		Hole Diameter	
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify	Depth (m/ft)	Diameter (cm/in)
		From	To
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify	0	4.88 8.3
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify		

Well Contractor and Well Technician Information			
Business Name of Well Contractor STRATA Drilling Group		Well Contractor's Licence No. 72411	
Business Address (Street Number/Name) 165 Shields St		Municipality Markham	
Province ON	Postal Code L3R 4B1	Business E-mail Address WRecords@stratasoil.com	
Bus. Telephone No. (inc. area code) 905 940 7911		Name of Well Technician (Last Name, First Name) Beatty Brian	
Well Technician's Licence No. 13161116		Signature of Technician and/or Contractor [Signature]	
		Date Submitted 2019 04 30	

Results of Well Yield Testing			
After test of well yield, water was: ☐ Clear and sand free ☐ Other, specify		Draw Down	
		Time (min)	Water Level (m/ft)
If pumping discontinued, give reason:		Static Level	
		1	1
Pump intake set at (m/ft)		2	2
Pumping rate (l/min / GPM)		3	3
Duration of pumping hrs + min		4	4
Final water level end of pumping (m/ft)		5	5
If flowing give rate (l/min / GPM)		10	10
Recommended pump depth (m/ft)		15	15
Recommended pump rate (l/min / GPM)		20	20
Well production (l/min / GPM)		25	25
Disinfected? ☐ Yes ☐ No		30	30
		40	40
		50	50
		60	60

Map of Well Location	
Please provide a map below following instructions on the back. BEONSON AV. 200m PARKING LOT RAVEN RD.	
Comments:	
Well owner's information package delivered ☐ Yes ☐ No	Date Package Delivered Y Y Y Y M M D D 2019 03 27
Date Work Completed 2019 04 30	
Ministry Use Only Audit No. Z311181 JUN 14 2019 Received	


Measurements recorded in: ☒ Metric ☐ Imperial

A302 969

5-26399 Page ____ of ____

Comments:													
Well owner's information package delivered	Date Package Delivered						Ministry Use Only						
	Y	Y	Y	Y	M	M	D	D	Audit No.	233824			
☐ Yes ☐ No	Date Work Completed												
	2	0	2	1	0	2	1	6	Received	MAR 18 2021			

511 Somerset St W, Ottawa ON



NT

C-7741
4338246

MAR 18 2021



Measurements recorded in: ☒ Metric ☐ Imperial

A302968

5-26399

Page ____ of ____

Well Owner's Information

First Name _____ Last Name/Organization **Somerset & O'Connor LTD** E-mail Address _____ ☐ Well Constructed by Well Owner

Mailing Address (Street Number/Name) **252 Argyle Ave** Municipality **Ottawa** Province **ON** Postal Code **K2A1B9** Telephone No. (inc. area code) _____

Well Location

Address of Well Location (Street Number/Name) **311 Somerset St W** Township _____ Lot _____ Concession _____

County/District/Municipality _____ City/Town/Village **Ottawa** Province **Ontario** Postal Code _____

UTM Coordinates Zone _____ Easting **NAD 83 18445633** Northing **5029462** Municipal Plan and Sublot Number _____ Other _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	To
Grey	Gravel		dense	0	2
Grey/brown	Fill		dense	2	4
Grey	Silt	Clay	Soft	4	10
Grey	Clay		Soft/wet	10	22.5

Annular Space		
Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)
0	1	Concrete/Plush mount
1	11.5	Benseal
11.5	22.5	Sand

Method of Construction		Well Use	
☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☒ Test Hole
☐ Boring	☐ Digging	☐ Irrigation	☒ Monitoring
☐ Air percussion		☐ Industrial	☐ Cooling & Air Conditioning
☒ Other, specify DP		☐ Other, specify _____	

Construction Record - Casing			Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	To
2.047	PVC	0.154	0	22.5

Construction Record - Screen			Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	To
2.37	PVC	10	12.5	22.5

Water Details		Hole Diameter	
Water found at Depth (m/ft) ☐ Gas ☐ Other, specify _____	Kind of Water: ☐ Fresh ☐ Untested	Depth (m/ft) From	To
Water found at Depth (m/ft) ☐ Gas ☐ Other, specify _____	Kind of Water: ☐ Fresh ☐ Untested	0	22.5
Water found at Depth (m/ft) ☐ Gas ☐ Other, specify _____	Kind of Water: ☐ Fresh ☐ Untested		

Well Contractor and Well Technician Information			
Business Name of Well Contractor Strata Drilling Group	Well Contractor's Licence No. 722411	Business Address (Street Number/Name) 129 Ringwood dr	Municipality Stouffville
Province ON	Postal Code L4A8C1	Business E-mail Address Wrecords@strata1.com	
Bus. Telephone No. (inc. area code) 9059407919	Name of Well Technician (Last Name, First Name) Beth Brian	Well Technician's Licence No. 36116	Signature of Technician and/or Contractor
	Date Submitted YYMMDD		

Results of Well Yield Testing			
After test of well yield, water was: ☐ Clear and sand free ☐ Other, specify _____		Draw Down	
If pumping discontinued, give reason:		Time (min)	Water Level (m/ft)
Pump intake set at (m/ft)		1	1
Pumping rate (l/min / GPM)		2	2
Duration of pumping hrs + min		3	3
Final water level end of pumping (m/ft)		4	4
If flowing give rate (l/min/GPM)		5	5
Recommended pump depth (m/ft)		10	10
Recommended pump rate (l/min/GPM)		15	15
Well production (l/min/GPM)		20	20
Disinfected? ☐ Yes ☐ No		25	25
		30	30
		40	40
		50	50
		60	60

Map of Well Location

Please provide a map below following instructions on the back.

See map

Comments:	Well owner's information package delivered ☐ Yes ☐ No	Date Package Delivered YYMMDD	Date Work Completed 20210226
	Ministry Use Only		
	Audit No. 2343100		
	MAR 17 2021		
	Received		

511 Somerset St W, Ottawa ON



NT

MAR 17 2021

C7241

2343100



5-26872

Measurements recorded in: ☒ Metric ☐ Imperial

A302972 Tag#: A302972

Well Owner's Information

First Name: _____ Last Name/Organization: **Somerset & O'Connor** E-mail Address: _____ ☐ Well Constructed by Well Owner

Mailing Address (Street Number/Name): **252 Argyle Ave** Municipality: **Ottawa** Province: **ON** Postal Code: **K2P1B9** Telephone No. (inc. area code): _____

Well Location

Address of Well Location (Street Number/Name): **311 Somerset** Township: _____ Lot: _____ Concession: _____

County/District/Municipality: _____ City/Town/Village: **Ottawa** Province: **Ontario** Postal Code: _____

UTM Coordinates: Zone: **18** Easting: **445653** Northing: **5029431** Municipal Plan and Sublot Number: _____ Other: _____

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From To
GRY	gravel	sand	loose	0 .31
BRN	sand	gravel	soft	.31 2.74
BRN	clay	sand	soft	2.74 3.96
GRY	clay	silt	soft, wet	3.96 10.67
GRY	silt	gravel, shale	dense	10.67 13.1

Annular Space

Depth Set at (m/ft) From To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0 .31	concrete/flush mount	
.31 9.75	bentonite	
9.75 13.1	filter sand	

Method of Construction

☐ Cable Tool ☐ Rotary (Conventional) ☐ Rotary (Reverse) ☐ Boring ☒ Air percussion ☐ Other, specify _____	☐ Diamond ☐ Jetting ☐ Driving ☐ Digging
--	--

Well Use

☐ Public ☐ Domestic ☐ Livestock ☐ Irrigation ☐ Industrial ☐ Other, specify _____	☐ Commercial ☒ Municipal ☒ Test Hole ☐ Cooling & Air Conditioning	☐ Not used ☐ Dewatering ☒ Monitoring
---	--	--

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From To
5.20	PVC	3.40	0 10.05

Status of Well

☐ Water Supply ☐ Replacement Well ☒ Test Hole ☐ Recharge Well ☐ Dewatering Well ☒ Observation and/or Monitoring Hole ☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality ☐ Abandoned, other, specify _____ ☐ Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From To
6.03	PVC	10	10.05 13.1

Water Details

Water found at Depth (m/ft)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, specify _____
0 13.1	

Hole Diameter

Depth (m/ft) From To	Diameter (cm/in)
0 13.1	11.43

Well Contractor and Well Technician Information

Business Name of Well Contractor: **Strata Drilling Group** Well Contractor's Licence No.: **71241**

Business Address (Street Number/Name): **129 Ringwood Dr.** Municipality: **Stouffville**

Province: **ON** Postal Code: **L4A8C1** Business E-mail Address: **wrecord@stratasoil.com**

Bus. Telephone No. (inc. area code): **9059407919** Name of Well Technician (Last Name, First Name): **McLay, James**

Well Technician's Licence No.: **71107** Signature of Technician and/or Contractor: _____ Date Submitted: _____

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, specify _____

If pumping discontinued, give reason: _____

Pump intake set at (m/ft): _____

Pumping rate (l/min / GPM): _____

Duration of pumping _____ hrs + _____ min

Final water level end of pumping (m/ft): _____

If flowing give rate (l/min/GPM): _____

Recommended pump depth (m/ft): _____

Recommended pump rate (l/min/GPM): _____

Well production (l/min/GPM): _____

Disinfected? ☐ Yes ☐ No

Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
50		50	
60		60	

Map of Well Location

Please provide a map below following instructions on the back.

Comments: _____

Well owner's information package delivered: ☐ Yes ☐ No

Date Package Delivered: **2021/05/26**

Date Work Completed: _____

Ministry Use Only

Add. No: **Z364080**

Received: **JUN 29 2021**

Measurements recorded in: ☒ Metric ☐ Imperial

Well Owner's Information

First Name

Last Name/Organization
Somerset & O'Conner

E-mail Address

☐ Well Constructed by Well Owner

Mailing Address (Street Number/Name)
252 Argyle Ave

Municipality
Ottawa

Province
ON

Postal Code
K2P1B9

Telephone No. (inc. area code)

Well Location

Address of Well Location (Street Number/Name)
311 Somerset

Township

Lot

Concession

County/District/Municipality

City/Town/Village
Ottawa

Province
Ontario

Postal Code

UTM Coordinates

Zone
18

Easting
445630

Northing
5029428

Municipal Plan and Sublot Number

Other

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)					
General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
From	To			From	To
GRY	gravel	sand	loose	0	.31
BRN	sand	gravel	soft	.31	2.44
BRN	clay	sand	soft	2.44	3.66
GRY	clay	silt	soft, wet	3.66	11.28
GRY	silt	gravel, shale	dense	11.28	13.1

Annular Space

Depth Set at (m/ft)
From To

Type of Sealant Used
(Material and Type)

Volume Placed
(m³/ft³)

0 .31 concrete/chuck mud

.31 9.75 bentonite

9.75 13.1 filter sand

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, specify _____

If pumping discontinued, give reason:

Pump intake set at (m/ft)

Pumping rate (l/min / GPM)

Duration of pumping
hrs + min

Final water level end of pumping (m/ft)

If flowing give rate (l/min/GPM)

Recommended pump depth (m/ft)

Recommended pump rate
(l/min/GPM)

Well production (l/min/GPM)

Disinfected?
☐ Yes ☐ No

Draw Down

Recovery

Time (min)

Water Level (m/ft)

Time (min)

Water Level (m/ft)

Static Level

1

1

2

2

3

3

4

4

5

5

10

10

15

15

20

20

25

25

30

30

40

40

50

50

60

60

Method of Construction

☐ Cable Tool
☐ Rotary (Conventional)
☐ Rotary (Reverse)
☐ Boring
☒ Air percussion
☐ Other, specify _____

☐ Diamond
☐ Jetting
☐ Driving
☐ Digging

Well Use

☐ Public
☐ Domestic
☐ Livestock
☐ Irrigation
☐ Industrial
☐ Other, specify _____

☐ Commercial
☐ Municipal
☒ Test Hole
☐ Cooling & Air Conditioning

☐ Not used
☐ Dewatering
☐ Monitoring

Construction Record - Casing

Inside Diameter (cm/in)
5.20

Open Hole OR Material
(Galvanized, Fibreglass, Concrete, Plastic, Steel)
PVC

Wall Thickness (cm/in)
.390

Depth (m/ft)
From To
0 10.05

☐ Water Supply
☐ Replacement Well
☒ Test Hole
☐ Recharge Well
☐ Dewatering Well
☒ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify _____
☐ Other, specify _____

Status of Well

Water Supply
Replacement Well
Test Hole
Recharge Well
Dewatering Well
Observation and/or Monitoring Hole
Alteration (Construction)
Abandoned, Insufficient Supply
Abandoned, Poor Water Quality
Abandoned, other, specify _____
Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)
6.03

Material
(Plastic, Galvanized, Steel)
PVC

Slot No.
10

Depth (m/ft)
From To
10.05 13.1

☐ Water Supply
☐ Replacement Well
☒ Test Hole
☐ Recharge Well
☐ Dewatering Well
☒ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify _____
☐ Other, specify _____

Status of Well

Water Supply
Replacement Well
Test Hole
Recharge Well
Dewatering Well
Observation and/or Monitoring Hole
Alteration (Construction)
Abandoned, Insufficient Supply
Abandoned, Poor Water Quality
Abandoned, other, specify _____
Other, specify _____

Water Details

Water found at Depth (m/ft) ☐ Gas ☐ Other, specify _____

Kind of Water: ☐ Fresh ☐ Untested

Water found at Depth (m/ft) ☐ Gas ☐ Other, specify _____

Kind of Water: ☐ Fresh ☐ Untested

Water found at Depth (m/ft) ☐ Gas ☐ Other, specify _____

Kind of Water: ☐ Fresh ☐ Untested

Hole Diameter

Depth (m/ft)
From To
0 13.1

Diameter (cm/in)
11.43

Well Contractor and Well Technician Information

Business Name of Well Contractor
Strata Drilling Group

Well Contractor's Licence No.
7241

Business Address (Street Number/Name)
124 Ringwood Dr.

Municipality
Stouffville

Province
ON


Postal Code
L4A 8C1

Business E-mail Address
wrecords@stratasil.com

Bus. Telephone No. (inc. area code)
905 940 7919

Name of Well Technician (Last Name, First Name)
McLoy, JAMES

Well Technician's Licence No.
71

Signature of Technician and/or Contractor


Date Submitted
Y Y Y Y M M D D

Well owner's information package delivered
☐ Yes
☐ No


Date Package Delivered
Y Y Y Y M M D D

Date Work Completed
2021 05 26

Ministry Use Only

Audit No.
2364081

Received
JUN 29 2021



Measurements recorded in: ☒ Metric ☐ Imperial

Well Owner's Information

First Name

Last Name/Organization
Somerset & O'Connor

E-mail Address

☐ Well Constructed by Well Owner

Mailing Address (Street Number/Name)
252 Argyle Ave

Municipality
Ottawa

Province
ON

Postal Code
K2P1B9

Telephone No. (inc. area code)

Well Location

Address of Well Location (Street Number/Name)
711 Somerset

Township

Lot

Concession

County/District/Municipality

City/Town/Village
Ottawa

Province
Ontario

Postal Code

UTM Coordinates

Zone
NAD 83

Easting
184956245029452

Northing

Municipal Plan and Sublot Number

Other

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)					
General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
BRN	top soil		soft	0	0.31
BRN	sand	gravel	soft	0.31	2.13
BRN	clay	sand	soft	2.13	3.66
GRY	clay	soft	soft, wet	3.66	10.36
GRY	clay	gravel, shale	dense	10.36	14.33

Annular Space

Depth Set at (m/ft)
From To

Type of Sealant Used (Material and Type)

Volume Placed (m³/ft³)

0 0.31 concrete

0.31 10.97 bentonite

10.97 14.33 filter sand

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, specify

Draw Down

Recovery

If pumping discontinued, give reason:

Pump intake set at (m/ft)

Pumping rate (l/min / GPM)

Duration of pumping
hrs + min

Final water level end of pumping (m/ft)

If flowing give rate (l/min/GPM)

Recommended pump depth (m/ft)

Recommended pump rate (l/min/GPM)

Well production (l/min/GPM)

Disinfected?
☐ Yes ☐ No

Time (min)

Water Level (m/ft)

Time (min)

Water Level (m/ft)

Static Level

1

1

2

2

3

3

4

4

5

5

10

10

15

15

20

20

25

25

30

30

40

40

50

50

60

60

Method of Construction

☐ Cable Tool ☐ Diamond ☐ Public ☐ Commercial ☐ Not used
☐ Rotary (Conventional) ☐ Jetting ☐ Domestic ☐ Municipal ☐ Dewatering
☐ Rotary (Reverse) ☐ Driving ☐ Livestock ☒ Test Hole ☒ Monitoring
☐ Boring ☐ Digging ☐ Irrigation ☐ Cooling & Air Conditioning
☐ Air percussion ☐ Industrial ☐ Other, specify

Well Use

Construction Record - Casing

Inside Diameter (cm/in)

Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)

Wall Thickness (cm/in)

Depth (m/ft)
From To

10 PVC

390

0 11.28

Status of Well

☐ Water Supply ☐ Replacement Well ☒ Test Hole ☐ Recharge Well ☐ Dewatering Well ☒ Observation and/or Monitoring Hole ☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality ☐ Abandoned, other, specify ☐ Other, specify

Construction Record - Screen

Outside Diameter (cm/in)

Material (Plastic, Galvanized, Steel)

Slot No.

Depth (m/ft)
From To

6.03 PVC

10

11.28 14.33

Water Details

Water found at Depth (m/ft) ☐ Gas ☐ Other, specify

Kind of Water: ☐ Fresh ☐ Untested

Water found at Depth (m/ft) ☐ Gas ☐ Other, specify

Kind of Water: ☐ Fresh ☐ Untested

Water found at Depth (m/ft) ☐ Gas ☐ Other, specify

Kind of Water: ☐ Fresh ☐ Untested

Hole Diameter

Depth (m/ft)
From To

Diameter (cm/in)

0 14.33

14.33

Map of Well Location

Please provide a map below following instructions on the back.

Well Contractor and Well Technician Information

Business Name of Well Contractor
Strata Drilling Group

Well Contractor's Licence No.
7241

Business Address (Street Number/Name)
129 Ringwood Dr

Municipality
Stouffville

Province
Ont

Postal Code
L4A 8C1

Business E-mail Address
wlecord@strata-soil.com

Bus. Telephone No. (inc. area code)
9059407917

Name of Well Technician (Last Name, First Name)
M. C. Jones

Well Technician's Licence No.
2107

Signature of Technician and/or Contractor

Date Submitted
Y Y Y Y M M D D

Comments:

Well owner's information package delivered ☐ Yes ☐ No

Date Package Delivered
Y Y Y Y M M D D

Date Work Completed
20210525

Ministry Use Only

Audit No.
Z364138

Received
JUN 29 2021

Measurements recorded in: ☒ Metric ☐ Imperial

1302952

Tag#: A302952

Regulation 903 Ontario Water Resources Act

Page of

Well Owner's Information

First Name	Last Name/Organization Somerset & O'Connor	E-mail Address	☐ Well Constructed by Well Owner
Mailing Address (Street Number/Name) 252 Argyle Ave	Municipality Ottawa	Province ON	Postal Code K2P1B9
Telephone No. (inc. area code)			

Well Location

Address of Well Location (Street Number/Name) 311 Somerset	Township	Lot	Concession
County/District/Municipality	City/Town/Village Ottawa	Province Ontario	Postal Code
UTM Coordinates NAD 83 18 44 56 94 94 1	Zone 18	Easting 44	Northing 56
Municipal Plan and Sublot Number		Other	

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From To
GRY	gravel	sand	loose	0 .31
BRN	clay	gravel	soft	.31 2.74
BRN	clay	sand	soft	2.74 3.35
GRY	clay	sand	soft	3.35 11.28
GRY	silt	gravel, shale	dense	11.28 14.94

Annular Space			
Depth Set at (m/ft) From To 0 .31 .31 11.58 11.58 14.94	Type of Sealant Used (Material and Type) concrete/flushment bentonite filter sand	Volume Placed (m³/ft³)	

Method of Construction	Well Use
☐ Cable Tool ☐ Rotary (Conventional) ☐ Rotary (Reverse) ☐ Boring ☒ Air percussion ☐ Other, specify	☐ Diamond ☐ Jetting ☐ Driving ☐ Digging ☐ Public ☐ Domestic ☐ Livestock ☐ Irrigation ☐ Industrial ☐ Other, specify

Construction Record - Casing				Status of Well
Inside Diameter (cm/in) 5.20 PVL	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel) .340	Wall Thickness (cm/in) 0	Depth (m/ft) From To 0 11.89	☐ Water Supply ☐ Replacement Well ☐ Test Hole ☐ Recharge Well ☐ Dewatering Well ☒ Observation and/or Monitoring Hole ☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality ☐ Abandoned, other, specify ☐ Other, specify

Construction Record - Screen			
Outside Diameter (cm/in) 6.03 PVL	Material (Plastic, Galvanized, Steel) 10	Slot No. 11.89	Depth (m/ft) From To 11.89 14.94

Water Details		Hole Diameter	
Water found at Depth (m/ft) ☐ Gas ☐ Other, specify	Kind of Water: ☐ Fresh ☐ Untested	Depth (m/ft) From To 0 14.94	Diameter (cm/in) 11.43

Well Contractor and Well Technician Information			
Business Name of Well Contractor Strata Drilling Group		Well Contractor's Licence No. 7 2 4 1	
Business Address (Street Number/Name) 129 Ringwood Dr		Municipality Stouffville	
Province Ont	Postal Code L4A8C1	Business E-mail Address wrecord@strataoil.com	
Bus. Telephone No. (inc. area code) 905 940 7917		Name of Well Technician (Last Name, First Name) MCOY, JAMES	
Well Technician's Licence No. 7107		Date Submitted Y Y Y Y M M D D	

Results of Well Yield Testing			
After test of well yield, water was: ☐ Clear and sand free ☐ Other, specify	Draw Down		Recovery
	Time (min)	Water Level (m/ft)	Time (min) Water Level (m/ft)
If pumping discontinued, give reason:	Static Level		
	1		1
Pump intake set at (m/ft)	2		2
Pumping rate (l/min / GPM)	3		3
Duration of pumping hrs + min	4		4
Final water level end of pumping (m/ft)	5		5
If flowing give rate (l/min/GPM)	10		10
	15		15
Recommended pump depth (m/ft)	20		20
Recommended pump rate (l/min/GPM)	25		25
Well production (l/min/GPM)	30		30
Disinfected?	40		40
☐ Yes ☐ No	50		50
	60		60

Map of Well Location
Please provide a map below following instructions on the back.

Well owner's information package delivered ☐ Yes ☐ No	Date Package Delivered Y Y Y Y M M D D 2021 05 25	Ministry Use Only Audit No: Z364139 JUNE 29 2021 Received
	Date Work Completed Y Y Y Y M M D D	

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .

[Go Back to Map](#)

Well ID

Well ID Number: 7473693

Well Audit Number: Z398871

Well Tag Number: A384758

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	NEPEAN TOWNSHIP

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445801.00 Northing: 5029304.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed	

Method of Construction & Well Use

Method of Construction	Well Use	

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was		
If pumping discontinued, give reason		
Pump intake set at		
Pumping Rate		
Duration of Pumping		
Final water level		
If flowing give rate		

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

Depth From	Depth To	Diameter	
------------	----------	----------	--

Audit Number: Z398871

Date Well Completed: January 18, 2024

Date Well Record Received by MOE: March 22, 2024

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: January 10, 2024

Published: March 20, 2014

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .

[Go Back to Map](#)

Well ID

Well ID Number: 7473694

Well Audit Number: Z425449

Well Tag Number: A400061

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	NEPEAN TOWNSHIP

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445773.00 Northing: 5029390.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed	

Method of Construction & Well Use

Method of Construction	Well Use	

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was		
If pumping discontinued, give reason		
Pump intake set at		
Pumping Rate		
Duration of Pumping		
Final water level		
If flowing give rate		

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

Depth From	Depth To	Diameter	
------------	----------	----------	--

Audit Number: Z425449

Date Well Completed: January 16, 2024

Date Well Record Received by MOE: March 22, 2024

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: January 10, 2024

Published: March 20, 2014

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .



[Go Back to Map](#)

Well ID

Well ID Number: 7473695

Well Audit Number: Z425450

Well Tag Number: A400062

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	NEPEAN TOWNSHIP

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445773.00 Northing: 5029394.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed	

Method of Construction & Well Use

Method of Construction	Well Use	

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was		
If pumping discontinued, give reason		
Pump intake set at		
Pumping Rate		
Duration of Pumping		
Final water level		
If flowing give rate		

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

Depth From	Depth To	Diameter	
------------	----------	----------	--

Audit Number: Z425450

Date Well Completed: January 16, 2024

Date Well Record Received by MOE: March 22, 2024

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: January 10, 2024

Published: March 20, 2014

Print only in spaces provided.
Mark correct box with a checkmark, where applicable.

A 054894

11

Municipality _____ Con. _____

County or District CANADA		Township/Borough/City/Town/Village Ottawa		Con block tract survey, etc.		Lot	
Owner's surname [REDACTED]		First Name [REDACTED]		Address 190 + 192 SOMERSET STREET WEST		Date completed 27 10 09 day month year	

Zone 18	Eastings 445965	Northings 8029573	RC []	Elevation []	RC []	Basin Code []	W []
-------------------	---------------------------	-----------------------------	-----------	------------------	-----------	-------------------	----------

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)					
General colour	Most common material	Other materials	General description	Depth - feet	
				From	To
BHMMW4					
BLACK	ASPHALT			0	0.25
BROWN	Sand and gravel			0.25	3
BROWN	Sand	some silt, trace gravel		3	5.5
GREY	Clay	trace silt		5.5	80

31	32
----	----

41 WATER RECORD			
Water found at - feet	Kind of water		
10-13	1 ☒ Fresh	3 ☐ Sulphur	14
19.46	2 ☐ Salty	4 ☐ Minerals	
15-18	1 ☐ Fresh	3 ☐ Sulphur	19
	2 ☐ Salty	4 ☐ Minerals	
20-23	1 ☐ Fresh	3 ☐ Sulphur	24
	2 ☐ Salty	4 ☐ Minerals	
25-28	1 ☐ Fresh	3 ☐ Sulphur	29
	2 ☐ Salty	4 ☐ Minerals	
30-33	1 ☐ Fresh	3 ☐ Sulphur	34
	2 ☐ Salty	4 ☐ Minerals	

51 CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
10-11	1 ☐ Steel			13-16
2	2 ☐ Galvanized			
	3 ☐ Concrete			
	4 ☐ Open hole			
	5 ☐ Plastic			
17-18	1 ☐ Steel			20-23
	2 ☐ Galvanized			
	3 ☐ Concrete			
	4 ☐ Open hole			
	5 ☐ Plastic			
24-25	1 ☐ Steel			27-30
	2 ☐ Galvanized			
	3 ☐ Concrete			
	4 ☐ Open hole			
	5 ☐ Plastic			

Sizes of opening (Slot No.) 10	Diameter 2 inches	Length 10 feet
Material and type Plastic		Depth at top of screen 10.34 feet

61 PLUGGING & SEALING RECORD			
Annular space		Abandonment	
Depth set at - feet		Material and type (Cement grout, bentonite, etc.)	
From	To		
0	9	Bentonite	
9	20.34	sand	

71 PUMPING TEST		Pumping test method		Pumping rate		Duration of pumping	
		1 ☐ Pump	2 ☐ Bailer	GPM		Hours Mins	
Static level	Water level end of pumping	Water levels during		1 ☐ Pumping		2 ☐ Recovery	
19-21	22-24	15 minutes		30 minutes		45 minutes	
		25-28		29-31		32-34	
		feet		feet		feet	
If flowing give rate	GPM	Pump intake set at		feet		Water at end of test	
						☐ Clear ☐ Cloudy	
Recommended pump type	Recommended pump setting	Recommended pump rate		feet		Recommended pump rate	
☐ Shallow ☐ Deep						GPM	

FINAL STATUS OF WELL		
1 ☐ Water supply	5 ☐ Abandoned, insufficient supply	9 ☐ Unfinished
2 ☐ Observation well	6 ☐ Abandoned, poor quality	10 ☐ Replacement well
3 ☐ Test hole	7 ☐ Abandoned (Other)	
4 ☐ Recharge well	8 ☐ Dewatering	

WATER USE		
1 ☐ Domestic	5 ☐ Commercial	9 ☐ Not use
2 ☐ Stock	6 ☐ Municipal	10 ☐ Other
3 ☐ Irrigation	7 ☐ Public supply	
4 ☐ Industrial	8 ☐ Cooling & air conditioning	

METHOD OF CONSTRUCTION		
1 ☐ Cable tool	5 ☐ Air percussion	9 ☐ Driving
2 ☐ Rotary (conventional)	6 ☐ Boring	10 ☐ Digging
3 ☐ Rotary (reverse)	7 ☐ Diamond	11 ☐ Other
4 ☐ Rotary (air)	8 ☐ Jetting	

LOCATION OF WELL	
In diagram below show distances of well from road and lot line. Indicate north by arrow.	
239796	


Name of Well Contractor DST Consulting Engineers Inc	Well Contractor's Licence No. 6838
Address 605 Hewitson St, Thunder Bay, ON, P7B 5V5	
Name of Well Technician Nicholas Norton	Well Technician's Licence No. 2099
Signature of Technician/Contractor 	Submission date 20 11 09 day mo yr

MINISTRY USE ONLY	Data source	Contractor	Date received NOV 27 2009
	Date of inspection	Inspector	
	Remarks		

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .



[Go Back to Map](#)

Well ID

Well ID Number: 7473722

Well Audit Number: Z413372

Well Tag Number: A400087

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	NEPEAN TOWNSHIP

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445769.00 Northing: 5029400.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed	

Method of Construction & Well Use

Method of Construction	Well Use	

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was		
If pumping discontinued, give reason		
Pump intake set at		
Pumping Rate		
Duration of Pumping		
Final water level		
If flowing give rate		

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

Depth From	Depth To	Diameter	
------------	----------	----------	--

Audit Number: Z413372

Date Well Completed: February 21, 2024

Date Well Record Received by MOE: March 22, 2024

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: January 10, 2024

Published: March 20, 2014

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .



[Go Back to Map](#)

Well ID

Well ID Number: 7473723

Well Audit Number: Z413371

Well Tag Number: A400086

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	OTTAWA CITY

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445772.00 Northing: 5029388.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed	

Method of Construction & Well Use

Method of Construction	Well Use	

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was		
If pumping discontinued, give reason		
Pump intake set at		
Pumping Rate		
Duration of Pumping		
Final water level		
If flowing give rate		

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

Depth From	Depth To	Diameter	
------------	----------	----------	--

Audit Number: Z413371

Date Well Completed: February 21, 2024

Date Well Record Received by MOE: March 22, 2024

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)


Updated: January 10, 2024

Published: March 20, 2014

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .



[Go Back to Map](#)

Well ID

Well ID Number: 7473724

Well Audit Number: Z412883

Well Tag Number: A400085

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	NEPEAN TOWNSHIP

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445765.00 Northing: 5029390.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed	

Method of Construction & Well Use

Method of Construction	Well Use	

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was		
If pumping discontinued, give reason		
Pump intake set at		
Pumping Rate		
Duration of Pumping		
Final water level		
If flowing give rate		

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

Depth From	Depth To	Diameter	
------------	----------	----------	--

Audit Number: Z412883

Date Well Completed: February 21, 2024

Date Well Record Received by MOE: March 22, 2024

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: January 10, 2024

Published: March 20, 2014

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .



[Go Back to Map](#)

Well ID

Well ID Number: 7473725

Well Audit Number: Z412884

Well Tag Number: A400084

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	NEPEAN TOWNSHIP

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445769.00 Northing: 5029395.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed	

Method of Construction & Well Use

Method of Construction	Well Use	

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was		
If pumping discontinued, give reason		
Pump intake set at		
Pumping Rate		
Duration of Pumping		
Final water level		
If flowing give rate		

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

Depth From	Depth To	Diameter	
------------	----------	----------	--

Audit Number: Z412884

Date Well Completed: February 20, 2024

Date Well Record Received by MOE: March 22, 2024

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: January 10, 2024

Published: March 20, 2014

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .



[Go Back to Map](#)

Well ID

Well ID Number: 7473726

Well Audit Number: Z412885

Well Tag Number: A400083

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	NEPEAN TOWNSHIP

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445784.00 Northing: 5029386.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed	

Method of Construction & Well Use

Method of Construction	Well Use	

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was		
If pumping discontinued, give reason		
Pump intake set at		
Pumping Rate		
Duration of Pumping		
Final water level		
If flowing give rate		

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

Depth From	Depth To	Diameter	
------------	----------	----------	--

Audit Number: Z412885

Date Well Completed: February 20, 2024

Date Well Record Received by MOE: March 22, 2024

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: January 10, 2024

Published: March 20, 2014

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .

[Go Back to Map](#)

Well ID

Well ID Number: 7473727

Well Audit Number: Z425489

Well Tag Number: A400082

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	NEPEAN TOWNSHIP

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445786.00 Northing: 5029387.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed	

Method of Construction & Well Use

Method of Construction	Well Use	

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was		
If pumping discontinued, give reason		
Pump intake set at		
Pumping Rate		
Duration of Pumping		
Final water level		
If flowing give rate		

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

Depth From	Depth To	Diameter	
------------	----------	----------	--

Audit Number: Z425489

Date Well Completed: February 20, 2024

Date Well Record Received by MOE: March 22, 2024

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)


Updated: January 10, 2024

Published: March 20, 2014

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (<https://data.ontario.ca/dataset/well-records>) .



[Go Back to Map](#)

Well ID

Well ID Number: 7473728

Well Audit Number: Z425488

Well Tag Number: A400081

This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location		
Township	NEPEAN TOWNSHIP	

Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON
City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445798.00 Northing: 5029381.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed	

Method of Construction & Well Use

Method of Construction	Well Use	

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To	

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To	

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was		
If pumping discontinued, give reason		
Pump intake set at		
Pumping Rate		
Duration of Pumping		
Final water level		
If flowing give rate		

Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind	

Hole Diameter

Depth From	Depth To	Diameter	
------------	----------	----------	--

Audit Number: Z425488

Date Well Completed: February 20, 2024

Date Well Record Received by MOE: March 22, 2024

Related

How to use a Ministry of the Environment map (<https://www.ontario.ca/page/how-use-ministry-environment-map#wells>)

Technical documentation: Metadata record (<https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77>)

Updated: January 10, 2024

Published: March 20, 2014

Print only in spaces provided.
Mark correct box with a checkmark, where applicable.

A 054894

11

Municipality _____ Con. _____

County or District CANADA		Township/Borough/City/Town/Village Ottawa		Con block tract survey, etc.		Lot 25-27	
Owner's surname [REDACTED]		First Name		Address 190 + 192 SOMERSET ST WEST		Date completed 27 10 09 day month year	
Zone 18		Easting 445979		Northing 5029558		RC 25	
UTM 10		Elevation 25		Basin Code II		IV 47	

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)

General colour	Most common material	Other materials	General description	Depth - feet	
				From	To
BROWN	Asphalt			0	0.21
BROWN				0.21	4.5
BROWN	Sand and Gravel			4.5	8.25
GREY	Clay	trace silt and gravel		8.25	27

31 _____ 32 _____

41 WATER RECORD			
Water found at - feet	Kind of water		
23.10	1 ☒ Fresh	3 ☐ Sulphur	14
	2 ☐ Salty	4 ☐ Minerals	
		5 ☐ Gas	
15-18	1 ☐ Fresh	3 ☐ Sulphur	19
	2 ☐ Salty	4 ☐ Minerals	
		5 ☐ Gas	
20-23	1 ☐ Fresh	3 ☐ Sulphur	24
	2 ☐ Salty	4 ☐ Minerals	
		5 ☐ Gas	
25-28	1 ☐ Fresh	3 ☐ Sulphur	29
	2 ☐ Salty	4 ☐ Minerals	
		5 ☐ Gas	
30-33	1 ☐ Fresh	3 ☐ Sulphur	34
	2 ☐ Salty	4 ☐ Minerals	
		5 ☐ Gas	

51 CASING & OPEN HOLE RECORD			
Inside diam inches	Material	Wall thickness inches	Depth - feet
2"	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☒ Plastic	1/4"	0 25.26
17-18	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic	3-7/8"	20-23
24-25	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic		27-30

60 SCREEN	
Sizes of opening (Slot No.) 10	Diameter 2 inches
Material and type Plastic	Length 10 feet
	Depth at top of screen 15 feet

61 PLUGGING & SEALING RECORD	
☒ Annular space	☐ Abandonment
Depth set at - feet	Material and type (Cement grout, bentonite, etc.)
From To	
0 16	BENTONITE
16 25	SAND
25 29	
29 33	

71 PUMPING TEST	
Pumping test method 1 ☐ Pump 2 ☐ Bailer	Pumping rate GPM
Static level 19-21 feet	Water level end of pumping 22-24 feet
15 minutes 26-28 feet	30 minutes 29-31 feet
45 minutes 32-34 feet	60 minutes 35-37 feet
If flowing give rate GPM	Pump intake set at feet
Recommended pump type ☐ Shallow ☐ Deep	Recommended pump setting feet
	Recommended pump rate GPM

FINAL STATUS OF WELL	
1 ☐ Water supply	5 ☐ Abandoned, insufficient supply
2 ☐ Observation well	6 ☐ Abandoned, poor quality
3 ☒ Test hole	7 ☐ Abandoned (Other)
4 ☐ Recharge well	8 ☐ Dewatering
9 ☐ Unfinished	10 ☐ Replacement well
WATER USE	
1 ☐ Domestic	5 ☐ Commercial
2 ☐ Stock	6 ☐ Municipal
3 ☐ Irrigation	7 ☐ Public supply
4 ☐ Industrial	8 ☐ Cooling & air conditioning
9 ☐ Not use	10 ☐ Other
METHOD OF CONSTRUCTION	
1 ☐ Cable tool	5 ☐ Air percussion
2 ☐ Rotary (conventional)	6 ☒ Boring
3 ☐ Rotary (reverse)	7 ☐ Diamond
4 ☐ Rotary (air)	8 ☐ Jetting
9 ☐ Driving	10 ☐ Digging
	11 ☐ Other

LOCATION OF WELL	
In diagram below show distances of well from road and lot line. Indicate north by arrow.	

Name of Well Contractor DST CONSULTING ENGINEERING INC	Well Contractor's Licence No. 6838
Address 605 Hewitson Street, Thunder Bay, ON, P7B 5V5	
Name of Well Technician Nicholas Norton	Well Technician's Licence No. 2099
Signature of Technician/Contractor 	Submission date 20 11 09 day mo yr

MINISTRY USE ONLY	
Date source NOV 27 2009	Contractor NOV 27 2009
Date of inspection	Inspector
Remarks	

Print only in spaces provided.
Mark correct box with a checkmark, where applicable.

11

Municipality Con.

County or District CANADA		Township/Borough/City/Town/Village Ottawa		Con block tract survey, etc.		Lot	
Owner's surname [REDACTED]		First Name		Address 190+192 SOMERSET ST WEST		Date completed 27 10 09 day month year	

Zone 18	Easting 445973	Northing 5079570	RC	Elevation	RC	Basin Code	ii	iii	iv
-------------------	--------------------------	----------------------------	----	-----------	----	------------	----	-----	----

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)					
General colour	Most common material	Other materials	General description	Depth - feet	
				From	To
BHWW1					
BLACK	Asphalt			0	0.25
BROWN	Sand and Gravel			0.25	2.5
BROWN	Sand	some silt		2.5	5.5
GREY	Clay	fine silt		5.5	16.5

31	32
----	----

41 WATER RECORD			
Water found at - feet	Kind of water		
10.3	☒ Fresh ☐ Salty	☐ Sulphur ☐ Minerals ☐ Gas	

51 CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
2	☐ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☒ Plastic	1/4"	0	16.5

SCREEN	Sizes of opening (Slot No.)	Diameter	Length
	10	2 inches	5 feet
Material and type		Depth at top of screen	
Plastic		16.5 feet	

61 PLUGGING & SEALING RECORD			
☒ Annular space		☐ Abandonment	
Depth set at - feet		Material and type (Cement grout, bentonite, etc.)	
From	To		
0	10	BENTONITE	
10	16.5	SAND	

71 PUMPING TEST		Pumping rate	Duration of pumping
☐ Pump ☐ Bailer	☐ Static level ☐ Water level end of pumping	GPM	Hours Mins
Water levels during ☐ Pumping ☐ Recovery			
15 minutes 30 minutes 45 minutes 60 minutes			
If flowing give rate Recommended pump type ☐ Shallow ☐ Deep		Pump intake set at Recommended pump setting Recommended pump rate Water at end of test ☐ Clear ☐ Cloudy	

FINAL STATUS OF WELL			
☐ Water supply ☐ Observation well ☒ Test hole ☐ Recharge well	☐ Abandoned, insufficient supply ☐ Abandoned, poor quality ☐ Abandoned (Other) ☐ Dewatering	☐ Unfinished ☐ Replacement well	
WATER USE			
☐ Domestic ☐ Stock ☐ Irrigation ☐ Industrial	☐ Commercial ☐ Municipal ☐ Public supply ☐ Cooling & air conditioning	☐ Not use ☐ Other	
METHOD OF CONSTRUCTION			
☐ Cable tool ☐ Rotary (conventional) ☐ Rotary (reverse) ☐ Rotary (air)	☐ Air percussion ☒ Boring ☐ Diamond ☐ Jetting	☐ Driving ☐ Digging ☐ Other	

LOCATION OF WELL	
In diagram below show distances of well from road and lot line. Indicate north by arrow.	

Name of Well Contractor DST CONSULTING ENGINEERS INC	Well Contractor's Licence No. 6838
Address 605 Hewitson Street, Thunder Bay, ON, P7B 5V5	
Name of Well Technician Nicholas Norton	Well Technician's Licence No. 2099
Signature of Technician/Contractor [Signature]	Submission date 20 11 09 day mo yr

MINISTRY USE ONLY	Data source	Contractor	Date received
	Date of inspection	Inspector	
	Remarks		

Print only in spaces provided.
Mark correct box with a checkmark, where applicable.

A054894

11

Municipality

Con.

County or District CANADA		Township/Borough/City/Town/Village Ottawa		Con block tract survey, etc.		Lot 25-27	
Owner's surname [REDACTED]		First Name [REDACTED]		Address 190 & 192 Somerset Street West		Date completed 27 10 09 day month year	

Zone 18	Easting 445976	Northing 5029535	RC [REDACTED]	Elevation [REDACTED]	RC [REDACTED]	Basin Code [REDACTED]	II [REDACTED]	III [REDACTED]	IV [REDACTED]
-------------------	--------------------------	----------------------------	------------------	-------------------------	------------------	--------------------------	------------------	-------------------	------------------

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)

General colour	Most common material	Other materials	General description	Depth - feet	
				From	To
Black	Asphalt			0	0.08
Brown	Sand	Gravel	(fill)	0.08	2.5
Brown	Sand	Some silt		2.5	5.5
Grey	Clay	trace silt		5.5	16.5
Black	Asphalt			9	0.08
Brown	Sand and gravel		(fill)	0.08	2.5
Brown	Sand	Some silt		2.5	6
Grey	Clay	trace silt		6	20

31	32	33	34	35	36	37	38	39	40
----	----	----	----	----	----	----	----	----	----

41 WATER RECORD			
Water found at	Kind of water		
10-13	1 ☒ Fresh	3 ☐ Sulphur	14
	2 ☐ Salty	4 ☐ Minerals	
		5 ☐ Gas	
15-18	1 ☒ Fresh	3 ☐ Sulphur	19
	2 ☐ Salty	4 ☐ Minerals	
		5 ☐ Gas	
20-23	1 ☒ Fresh	3 ☐ Sulphur	24
	2 ☐ Salty	4 ☐ Minerals	
		5 ☐ Gas	
25-28	1 ☐ Fresh	3 ☐ Sulphur	29
	2 ☐ Salty	4 ☐ Minerals	
		5 ☐ Gas	
30-33	1 ☐ Fresh	3 ☐ Sulphur	34
	2 ☐ Salty	4 ☐ Minerals	
		5 ☐ Gas	

51 CASING & OPEN HOLE RECORD			
Inside diam inches	Material	Wall thickness inches	Depth - feet
			From To
10-11	1 ☐ Steel	12	13-16
	2 ☐ Galvanized		
	3 ☐ Concrete		
	4 ☐ Open hole		
	5 ☐ Plastic		
17-18	1 ☐ Steel	19	20-23
	2 ☐ Galvanized		
	3 ☐ Concrete		
	4 ☐ Open hole		
	5 ☐ Plastic		
24-25	1 ☐ Steel	26	27-30
	2 ☐ Galvanized		
	3 ☐ Concrete		
	4 ☐ Open hole		
	5 ☐ Plastic		

SCREEN	Sizes of opening (Slot No.)	Diameter	Length
	10	2 inches	10 feet
	Material and type		Depth at top of screen
			feet

61 PLUGGING & SEALING RECORD			
☐ Annular space		☐ Abandonment	
Depth set at - feet		Material and type (Cement grout, bentonite, etc.)	
From	To		
0-13	7	BENTONITE	
7-21	20	Sand	
26-29	30-33		


71 PUMPING TEST	
Pumping test method 1 ☐ Pump 2 ☐ Bailer	Pumping rate GPM
Duration of pumping Hours Mins	
Static level feet	Water level during 1 ☐ Pumping 2 ☐ Recovery
19-21	22-24
15 minutes	30 minutes
25-28	29-31
45 minutes	60 minutes
32-34	35-37
feet	feet
If flowing give rate GPM	Pump intake set at feet
38-41	42
Water at end of test ☐ Clear ☐ Cloudy	
Recommended pump type ☐ Shallow ☐ Deep	Recommended pump setting feet
43-45	46-49
Recommended pump rate GPM	

FINAL STATUS OF WELL		
1 ☐ Water supply	5 ☐ Abandoned, insufficient supply	9 ☐ Unfinished
2 ☐ Observation well	6 ☐ Abandoned, poor quality	10 ☐ Replacement well
3 ☒ Test hole	7 ☐ Abandoned (Other)	
4 ☐ Recharge well	8 ☐ Dewatering	
WATER USE		
1 ☐ Domestic	5 ☐ Commercial	9 ☐ Not use
2 ☐ Stock	6 ☐ Municipal	10 ☐ Other
3 ☐ Irrigation	7 ☐ Public supply	
4 ☐ Industrial	8 ☐ Cooling & air conditioning	
METHOD OF CONSTRUCTION		
1 ☐ Cable tool	5 ☐ Air percussion	9 ☐ Driving
2 ☐ Rotary (conventional)	6 ☒ Boring	10 ☐ Digging
3 ☐ Rotary (reverse)	7 ☐ Diamond	11 ☐ Other
4 ☐ Rotary (air)	8 ☐ Jetting	

LOCATION OF WELL	
In diagram below show distances of well from road and lot line. Indicate north by arrow.	

Name of Well Contractor DST CONSULTING ENGINEERS	Well Contractor's Licence No. 6838
Address 605 Hurontario Street, Thunder Bay, ON, P7B 5V5	
Name of Well Technician Nicholas Norton	Well Technician's Licence No. 2099
Signature of Technician/Contractor 	Submission date 20 11 2009 day mo yr

MINISTRY USE ONLY	Data source	Contractor	Date received
	Date of inspection	Inspector	
	Remarks		



Measurements recorded in: ☐ Metric ☐ Imperial

A152341

Regulation 903 Ontario Water Resources Act

Page 1 of 1

Well Owner's Information

First Name	Last Name / Organization	E-mail Address			☐ Well Constructed by Well Owner
	City of Ottawa				
Mailing Address (Street Number/Name)		Municipality	Province	Postal Code	Telephone No. (inc. area code)
110 Laurier Ave. West		Ottawa	ON.	K1P1J1	613 580 2424

Well Location

Address of Well Location (Street Number/Name)				Township				Lot		Concession			
County/District/Municipality				City/Town/Village						Province Ontario		Postal Code 	
UTM Coordinates		Zone		Easting		Northing		Municipal Plan and Sublot Number				Other	
NAD		8 3		18445650		5029430							

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

[illegible]

Annular Space

[illegible]

Results of Well Yield Testing

After test of well yield, water was:	Draw Down		Recovery	
☐ Clear and sand free	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
☐ Other, specify _____	Static Level			
If pumping discontinued, give reason:	1		1	
Pump intake set at (m/ft)	2		2	
Pumping rate (l/min / GPM)	3		3	
	4		4	
Duration of pumping _____ hrs + _____ min	5		5	
Final water level end of pumping (m/ft)	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
Recommended pump depth (m/ft)	25		25	
	30		30	
Recommended pump rate (l/min / GPM)	40		40	
	50		50	
Well production (l/min / GPM)	60		60	
Disinfected?				
☐ Yes ☐ No				

Method of Construction

☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial	☐ Not used
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal	☐ Dewatering
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Test Hole	☒ Monitoring
☐ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning	
☐ Air percussion		☐ Industrial		
☐ Other, <i>specify</i> _____		☐ Other, <i>specify</i> _____		

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☐ Test Hole ☒ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify* _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		☐ Water Supply ☐ Replacement Well ☐ Test Hole ☐ Recharge Well ☐ Dewatering Well ☐ Observation and/or Monitoring Hole ☐ Alteration (Construction) ☐ Abandoned,
			From	To	

Status of Well

☐ Water Supply
☐ Replacement Well
☐ Test Hole
☐ Recharge Well
☐ Dewatering Well
☐ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☒ Abandoned, other, *specify*
Removal
☐ Other, *specify*

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		☐ Abandoned, Poor Water Quality ☒ Abandoned, other, specify Removal ☐ Other, specify _____
			From	To	

Water Details

		Depth (m/ft)		Diameter (cm/in)
		From	To	
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, <i>specify</i> _____			
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, <i>specify</i> _____			
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, <i>specify</i> _____			

Hole Diameter

Depth (m/ft)		Diameter (cm/in)
From	To	

Well Contractor and Well Technician Information

Business Name of Well Contractor Marathon Drilling CO. Ltd		Well Contractor's Licence No. 6 8 9 4	
Business Address (Street Number/Name) 6847 Hiram Dr		Municipality OTT	
Province ON	Postal Code K4P1A2	Business E-mail Address	
Bus. Telephone No. (inc. area code) 6138220571		Name of Well Technician (Last Name, First Name) Wright Terry	
Well Technician's Licence No. 0 7 1 5	Signature of Technician and/or Contractor [Signature]		Date Submitted 20130913

Map of Well Location

Please provide a map below following instructions on the back.

309/311

Empty Lot

22' 17' 0" corner

Somersetst.

Comments:

Well owner's information package delivered

☐ Yes


☐ No

Date Package Delivered
Y|Y|Y|Y|M|M|D

Date Work Completed
Y|Y|Y|Y|M|M|D

Ministry Use Only

Audit No. Z 096856
NOV 14 2013
Roxbury



A152336

Regulation 903 Ontario Water Resources Act

Page 1 of 1

Measurements recorded in: ☐ Metric ☐ Imperial

Well Owner's Information

First Name	Last Name / Organization City of Ottawa		E-mail Address		☐ Well Constructed by Well Owner
Mailing Address (Street Number/Name) 110 Laurier Ave West		Municipality Ottawa	Province ON	Postal Code K1P 1J1	Telephone No. (inc. area code) 613 580 2424

Well Location

Address of Well Location (Street Number/Name)				Township		Lot		Concession	
County/District/Municipality				City/Town/Village				Province Ontario	
UTM Coordinates				Zone		Easting		Northing	
NAD 83				48		445795		5029519	
Municipal Plan and Sublot Number				Other					

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

[illegible]

Annular Space

Depth Set at (m/ft)		Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
From	To		

Results of Well Yield Testing

After test of well yield, water was: ☐ Clear and sand free ☐ Other, <i>specify</i> _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason:	Static Level			
	1		1	
Pump intake set at (m/ft)	2		2	
	3		3	
Pumping rate (l/min / GPM)	4		4	
	5		5	
Duration of pumping _____ hrs + _____ min	10		10	
	15		15	
Final water level end of pumping (m/ft)	20		20	
	25		25	
If flowing give rate (l/min / GPM)	30		30	
	40		40	
Recommended pump depth (m/ft)	50		50	
	60		60	
Recommended pump rate (l/min / GPM)				
Well production (l/min / GPM)				
Disinfected? ☐ Yes ☐ No				

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☐ Other, *specify*

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☐ Test Hole ☒ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)	
			From	To

Status of Well

☐ Water Supply
☐ Replacement Well
☐ Test Hole
☐ Recharge Well
☐ Dewatering Well
☐ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☒ Abandoned, other, specify
Removed
☐ Other, specify

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To

Water Details

Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, <i>specify</i> _____
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, <i>specify</i> _____
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, <i>specify</i> _____

Hole Diameter

Depth (m/ft)		Diameter (cm/in)
From	To	

Well Contractor and Well Technician Information

Business Name of Well Contractor <i>Marathon Drilling Co Ltd</i>		Well Contractor's Licence No. <i>6894</i>	
Business Address (Street Number/Name) <i>6847 Hiram Dr</i>		Municipality <i>OTT</i>	
Province <i>ON</i>	Postal Code <i>K4P1A2</i>	Business E-mail Address	
Bus. Telephone No. (inc. area code) <i>6138220571</i>		Name of Well Technician (Last Name, First Name) <i>Wright Terry</i>	
Well Technician's Licence No. <i>0715</i>	Signature of Technician and/or Contractor <i>Ther</i>	Date Submitted <i>26130913</i>	

Comments:

Well owner's information package delivered

☐ Yes

☐ No

Date Package Delivered

Y Y Y Y M M D D

Date Work Completed

Y Y Y Y M M D D

Ministry Use Only

Audit No. **Z 096855**
Received **NOV 14 2013**



Measurements recorded in: ☒ Metric ☐ Imperial

A136699 13/12/01

Well Owner's Information

First Name: AUBUT HOLDINGS, Last Name: [REDACTED], E-mail Address: [REDACTED], Mailing Address (Street Number/Name): [REDACTED], Municipality: [REDACTED], Province: [REDACTED], Postal Code: [REDACTED], Telephone No. (inc. area code): [REDACTED]

Well Location

Address of Well Location (Street Number/Name): 356 MACLAREN STREET, Township: [REDACTED], Lot: [REDACTED], Concession: [REDACTED], County/District/Municipality: [REDACTED], City/Town/Village: OTTAWA, Province: Ontario, Postal Code: [REDACTED], UTM Coordinates: NAD 83, Zone: 18, Easting: 445678, Northing: 5029243, Municipal Plan and Sublot Number: [REDACTED], Other: [REDACTED]

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
GREY	CONCRETE		ASPHALTIC CONCRETE	0 0.05
GREY	CRUSHED SAND/GRAVEL		FILL MATERIAL	0.95 0.53
BROWN	SAND		FILL MATERIAL	0.53 1.52
GREY BROWN	SILTY CLAY		WEATHERED CRUST	1.52 3.51
				3.51 5.18

Annular Space		
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0.75 1.5	BENTONITE	

Method of Construction	Well Use
☐ Cable Tool ☐ Diamond ☐ Rotary (Conventional) ☐ Jetting ☐ Rotary (Reverse) ☐ Driving ☐ Boring ☐ Digging ☐ Air percussion ☒ Other, specify SSA	☐ Public ☐ Commercial ☐ Not used ☐ Domestic ☐ Municipal ☐ Dewatering ☐ Livestock ☐ Test Hole ☒ Monitoring ☐ Irrigation ☐ Cooling & Air Conditioning ☐ Industrial ☐ Other, specify

Construction Record - Casing			Status of Well
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)
3.18	PVC	SHED 40	0 3.05

Construction Record - Screen			Status of Well
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)
3.8	PVC	10	3.05 4.57


Water Details		Hole Diameter	
Water found at Depth (m/ft) ☐ Gas ☐ Other, specify	Kind of Water: ☐ Fresh ☐ Untested	Depth (m/ft) From To	Diameter (cm/in)
Water found at Depth (m/ft) ☐ Gas ☐ Other, specify	Kind of Water: ☐ Fresh ☐ Untested	0 5.18	16.51

Well Contractor and Well Technician Information			
Business Name of Well Contractor: GEORGE DOWNING ESTATE DRILLING		Well Contractor's Licence No.: 1844	
Business Address (Street Number/Name): 410 RUE PRINCIPALE		Municipality: GRENVILLE-SUR-LA-ROUGE	
Province: QC	Postal Code: J8M1B8	Business E-mail Address: downing@hawk.ig.net	
Bus. Telephone No. (inc. area code): 819/2426469		Name of Well Technician (Last Name, First Name): STEPHEN DOWNING	
Well Technician's Licence No.: 3326		Signature of Technician and/or Contractor: [Signature] Date Submitted: 2013/12/27	

Results of Well Yield Testing				
After test of well yield, water was: ☐ Clear and sand free ☐ Other, <i>specify</i> _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason:	Static Level			
	1		1	
Pump intake set at (m/ft)	2		2	
Pumping rate (l/min / GPM)	3		3	
Duration of pumping ____ hrs + ____ min	4		4	
	5		5	
Final water level end of pumping (m/ft)	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
Recommended pump depth (m/ft)	25		25	
	30		30	
Recommended pump rate (l/min / GPM)	40		40	
	50		50	
Well production (l/min / GPM)	60		60	
Disinfected? ☐ Yes ☐ No				

Map of Well Location	
Please provide a map below following instructions on the back.	
Comments: SEE ATTACHED	
Well owner's information package delivered ☐ Yes ☐ No	Date Package Delivered: Y/Y/Y/M/M/D/D Date Work Completed: 2012/12/03
Ministry Use Only Audit No.: Z163980 APR 03 2014	

A136699
Z163980



SERCO REALTY LTD.

Address of Well Location (Street Number/Name) 331 Cooper St				Township		Lot		Concession	
County/District/Municipality				City/Town/Village Ottawa				Province Ontario	
UTM Coordinates				Municipal Plan and Sublot Number				Postal Code	
Zone Easting Northing NAD 83 18 445651 5029536								Other	

[illegible]

Annular Space			
Depth Set at (m/ft)		Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
From	To		
0	1	Concrete / Flush mount	
1	2	Seaseal	
2	18	Pitter Sand	

Method of Construction		Well Use		
☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial	☐ Not used
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal	☐ Dewatering
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☒ Test Hole	☒ Monitoring
☐ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning	
☐ Air percussion		☐ Industrial		
☒ Other, specify <i>direct push</i>		☐ Other, specify _____		

Construction Record - Casing					Status of Well
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		
			From	To	
138	PLE	14	0	3	☐ Water Supply ☐ Replacement Well ☒ Test Hole ☐ Recharge Well ☐ Dewatering Well ☒ Observation and/or Monitoring Hole ☐ Alteration (Construction) ☐ Abandoned,


Construction Record - Screen				
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
1.66	PVC	10	8	13


☐ Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify _____
☐ Other, specify _____

Water Details		Hole Diameter		
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____	Depth (m/ft) From	To	Diameter (cm/in)
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____	0	18	2.375
Water found at Depth (m/ft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____			

Well Contractor and Well Technician Information			
Business Name of Well Contractor Strata Drilling Group		Well Contractor's Licence No. 7121411	
Business Address (Street Number/Name) 165 Shields Court		Municipality Markham	
Province ON	Postal Code L3R 9B1	Business E-mail Address wreedard@strataoil.com	
Bus. Telephone No. (inc. area code) 905 940 7919	Name of Well Technician (Last Name, First Name) Bentley Brian		
Well Technician's Licence No. 3616	Signature of Technician and/or Contractor LB	Date Submitted 2018/11/17	

Results of Well Yield Testing				
After test of well yield, water was: ☐ Clear and sand free ☐ Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason:	Static Level			
	1		1	
Pump intake set at (m/ft)	2		2	
Pumping rate (l/min / GPM)	3		3	
	4		4	
Duration of pumping _____ hrs + _____ min	5		5	
Final water level end of pumping (m/ft)	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
Recommended pump depth (m/ft)	25		25	
Recommended pump rate (l/min / GPM)	30		30	
	40		40	
Well production (l/min / GPM)	50		50	
	60		60	
Disinfected? ☐ Yes ☐ No				

Map of Well Location																				
Please provide a map below following instructions on the back. 																				
Comments: 																				
Well owner's information package delivered ☐ Yes ☐ No	Date Package Delivered <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 12.5%;">Y</td> <td style="width: 12.5%;">Y</td> <td style="width: 12.5%;">Y</td> <td style="width: 12.5%;">Y</td> <td style="width: 12.5%;">M</td> <td style="width: 12.5%;">M</td> <td style="width: 12.5%;">D</td> <td style="width: 12.5%;">D</td> </tr> </table> Date Work Completed <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 12.5%;">2</td> <td style="width: 12.5%;">0</td> <td style="width: 12.5%;">1</td> <td style="width: 12.5%;">8</td> <td style="width: 12.5%;">M</td> <td style="width: 12.5%;">M</td> <td style="width: 12.5%;">D</td> <td style="width: 12.5%;">D</td> </tr> </table>	Y	Y	Y	Y	M	M	D	D	2	0	1	8	M	M	D	D	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: center; padding: 5px;">Ministry Use Only</th> </tr> <tr> <td style="padding: 5px;"> Audit No. Z298238 MAR 08 2019 Received _____ </td> </tr> </table>	Ministry Use Only	Audit No. Z298238 MAR 08 2019 Received _____
Y	Y	Y	Y	M	M	D	D													
2	0	1	8	M	M	D	D													
Ministry Use Only																				
Audit No. Z298238 MAR 08 2019 Received _____																				



	PROJECT NAME PHASE I ENVIRONMENTAL SITE ASSESSMENT		
	CLIENT NAME SERCO COMMERCIAL HOLDINGS INC.		
	PROJECT LOCATION 309 AND 331 COOPER STREET, OTTAWA, ONTARIO		
	FIGURE NAME SITE AND SURROUNDING LAND USE PLAN		
	FIGURE NO. 2		
APPROXIMATE SCALE AS SHOWN		PROJECT NO. 230021	DATE OCTOBER 2018

MAR 08 2019

C7241 2298238



RE: Records Search for PE7414

From Public Information Services <publicinformationsservices@tssa.org>

Date Mon 1/26/2026 2:49 PM

To Mohammed Ramadan <MRamadan@patersongroup.ca>

External Email: Do not click on links or open attachments unless you trust the sender.

Hello ,

NO RECORDS FOUND IN CURRENT DATABASE:

- We confirm that there are NO **fuels records** in our database at the subject address(es).

This is not a confirmation that there are no records in the archives. For a further search in our archives, please go to the **TSSA Client Portal** to complete an Application for Release of Public Information.

Please refer to **Training_(tssa.org)** for instructions on how to use the portal. Please refer to **How to Submit a Public Information Request (tssa.org)** for instructions.

The associated fee must be paid via credit card (Visa or MasterCard).

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at **publicinformationsservices@tssa.org**.

Kind regards,



Slavka Zahrebelny | Public Information & Records Agent

Public Information

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1 416-734-3585 | Fax: +1 416-734-6242 | E-Mail: **szahrebelny@tssa.org**

www.tssa.org



**Winner of 2025 5-Star Safety Cultures Award**

From: Mohammed Ramadan
<MRamadan@patersongroup.ca>

Sent: January 26, 2026 1:35 PM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: Records Search for PE7414

⚠ External Email >

[⚠ **CAUTION**]: THIS EMAIL ORIGINATED OUTSIDE THE ORGANISATION.
DO NOT CLICK LINKS OR OPEN ATTACHMENTS UNLESS YOU KNOW THE SENDER AND ARE EXPECTING THIS EMAIL.
PLEASE REPORT WITH THE PHISH REPORT BUTTON IF SUSPICIONS.

Good Morning,

Could you please complete a search of your records for underground/aboveground storage tanks for the following address in **Ottawa, Ontario**:

MacLaren Street: 260, 263, 264, 275

Metcalfe St: 252, 260, 280

Gilmour Street: 295, 307

Regards,



MOHAMMED RAMADAN, B.Sc.
Environmental Scientist
TEL: (613) 226-7381 ext. 345
DIRECT: (613) 909-8069
9 AURIGA DRIVE
OTTAWA ON K2E 7T9
patersongroup.ca

TEMPORARY SHORING DESIGN SERVICES ARE NOW AVAILABLE, PLEASE CONTACT US TO SEE HOW WE CAN HELP!

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



File Number: D06-03-26-0020

March 12 2026

Mohammed Ramadan
Paterson Group

Sent via email [mramadan@patersongroup.ca]

Dear Mohammed Ramadan,

Re: Information Request
260 MacLaren Street, **Ottawa, Ontario ("Subject Property")**

Internal Department Circulation:

The Planning, Infrastructure and Economic Development Department has the following information in response to your request for information regarding the Subject Property:

Environmental Remediation Unit: The City's Environmental Remediation Unit (ERU) has copies of the following environmental reports for the property:

- Paterson, 2008. 287 & 293 Lisgar, 260 MacLaren, 89 Nepean - Phase I & II ESA. 2Jul2008

Please contact ERU-UAE@ottawa.ca to request copies of the reports if required

Sewer Use Program: No information found pertaining to the subject property.

Solid Waste Services: No information found pertaining to the subject property.

Ottawa Public Health - Environmental Health: all public inspection results are publicly available on the Ottawa Public Health website:

<https://www.ottawapublichealth.ca/en/public-health-services/public-health-inspections.aspx>

Documents Provided:

HLUI Summary Report and HLUI Map

The HLUI Summary Report Excel spreadsheet identifies HLUI area, point and line features within 250 metres of the Subject Property, as shown on the provided HLUI Map PDF. Within 500 metres of the Subject Property, landfills and Environmental Risk Management Area (ERMA) are also identified if applicable.

For more information on how to interpret the HLUI data identified in the attached excel sheet ('26-0020 HLUI Summary report.xlsx'), please refer to the [Overview and User Guide.](#)"

Additional information may be obtained by contacting:

Ontario's Environmental Registry

The Environmental Registry found at <https://ero.ontario.ca/> contains "public notices" about environmental matters being proposed by all government ministries covered by the Environmental Bill of Rights. The public notices may contain information about proposed new laws, regulations, policies and programs or about proposals to change or eliminate existing ones. By using key words i.e. name of proponent/owner and the address one can ascertain if there is any information on the proponent and address under the following categories: Ministry, keywords, notice types, Notice Status, Acts, Instruments and published date (all years).

The Ontario Land Registry Office

Registration of real property is recorded in the Ontario Land Registry Office through the Land Titles Act or the Registry Act. Documents relating to title and other agreements that may affect your property are available to the public for a fee. It is recommended that a property search at the Land Registry Office be included in any investigation as to the historic use of your property. The City of Ottawa cannot comment on any documents to which it is not a party.

Court House
161 Elgin Street 4th Floor
Ottawa ON K2P 2K1
Tel: (613) 239-1230
Fax: (613) 239-1422

Ottawa Public Health

Ottawa Public Health inspects many different types of establishments. To view inspection results, please visit the Ottawa Public Health website: [Public Health Inspections - Ottawa Public Health](#)

Please note that Ottawa Public Health is not the lead agency on land use contamination in the City of Ottawa – contact the Ministry of Environment Conservation and Parks (MECP) for further information.

Please note, as per the HLUI Disclaimer, that the information contained in the HLUI database has been compiled from publicly available records and other sources of information. The HLUI may contain erroneous information given that the records used as sources of information may be flawed. For instance, changes in municipal addresses over time may introduce error. Accordingly, all information from the HLUI database is provided on an “as is” basis with no representation or warranty by the City with respect to the information’s accuracy or exhaustiveness in responding to the request.

Furthermore, the HLUI database and the results of this search in no way confirm the presence or absence of contamination or pollution of any kind. This information is provided on the assumption that it will not be relied upon by any person for any purpose whatsoever. The City of Ottawa denies all liability to any persons attempting to rely on any information provided from the HLUI database.

Please note that in responding to your request, the City of Ottawa does not guarantee or comment on the environmental condition of the Subject Property. You may wish to contact the Ontario Ministry of Environment and Climate Change for additional information.

If you have any further questions or comments, please contact HLUI@ottawa.ca.

Sincerely,

Mevanya Kasturiarachchi

Student Planner | Étudiante en Urbanism

Development Review | Examen des projets d'aménagement


City of Ottawa | Ville d'Ottawa

Enclosures: (2)

1. HLUI Map
2. HLUI Summary Report

cc: File no. D06-03-26-0020

HISTORIC LAND USE INVENTORY (HLUI) - REPORT REFERENCE MAP





DATABASE REPORT

Project Property:	<i>Phase I ESA 260 MacLaren Street Ottawa ON K2P 1W5 P.O. 64971/PE7414</i>
Project No:	<i>P.O. 64971/PE7414</i>
Report Type:	<i>Standard Report</i>
Order No:	<i>26012600426</i>
Requested by:	<i>Paterson Group Inc.</i>
Date Completed:	<i>January 28, 2026</i>

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	7
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	37
Map.....	72
Aerial.....	73
Topographic Map.....	74
Detail Report.....	75
Unplottable Summary.....	314
Unplottable Report.....	315
Appendix: Database Descriptions.....	319
Definitions.....	330

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: Phase I ESA
260 MacLaren Street Ottawa ON K2P 1W5

Project No: P.O. 64971/PE7414

Coordinates:

Latitude: 45.4159202
Longitude: -75.6923368
UTM Northing: 5,029,388.66
UTM Easting: 445,829.51
UTM Zone: 18T

Elevation: 242 FT
73.88 M

Order Information:

Order No: 26012600426
Date Requested: January 26, 2026
Requested by: Paterson Group Inc.
Report Type: Standard Report

Historical/Products:

ERIS Xplorer [ERIS Xplorer](#)

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	8	8
CA	Certificates of Approval	Y	0	9	9
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
CHM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	1	1
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	6	6
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	74	74
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EOR	Environmental Offenders Registry	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
ESNR	Excess Soil Registry	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	171	171
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
HINC	TSSA Historic Incidents	Y	0	5	5
HIST RISK	Historical Business Activity Risk	Y	0	12	12
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NOC	Notice of Contamination List	Y	0	0	0
NPCB	National PCB Inventory	Y	0	3	3
NPR2	National Pollutant Release Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory - Historic	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OGGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	6	6
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PFAS	Ontario PFAS Spills	Y	0	0	0
PFCH	NPRI Reporters - PFAS Substances	Y	0	0	0
PFHA	Potential PFAS Handlers from NPRI	Y	0	0	0
PINC	Pipeline Incidents	Y	0	3	3
PPHA	Potential PFAS Handlers from EASR	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	1	1
PTTW	Permit to Take Water	Y	0	1	1
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	1	1
RST	Retail Fuel Storage Tanks	Y	0	1	1
SCT	Scott's Manufacturing Directories	Y	0	29	29
SPL	Ontario Spills	Y	0	8	8
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	1	1
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WMS	<i>Waste Management Site</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	27	27
Total:			0	367	367

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
------------	----	-------------------	---------	--------------	------------------	----------------

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>1</u>	SCT	Invenire4 Ltd.	260 Metcalfe St Unit 2A Ottawa ON K2P 1R6	E/28.3	0.00	<u>75</u>
<u>2</u>	WWIS		ON Well ID: 7473728	W/32.4	0.69	<u>75</u>
<u>3</u>	GEN	Elevation Elevator Inc	295 Gilmour Street Ottawa ON	SSE/40.9	-0.03	<u>76</u>
<u>4</u>	SCT	Innova Envelope	270 MacLaren St Ottawa ON K2P 0M3	WSW/43.3	1.00	<u>77</u>
<u>4</u>	SCT	Supremex Inc.	270 MacLaren St Suite 25 Ottawa ON K2P 0M3	WSW/43.3	1.00	<u>77</u>
<u>5</u>	WWIS		ON Well ID: 7473727	W/43.5	1.00	<u>78</u>
<u>6</u>	WWIS		ON Well ID: 7473726	W/45.6	1.00	<u>79</u>
<u>7</u>	GEN	Trilex Holdings Ltd (Care of District Reality)	307 GILMOUR ST OTTAWA ON K2P 0P7	SSW/53.6	0.69	<u>79</u>
<u>8</u>	EHS		283 MacLaren Street Ottawa ON K2P 0M2	W/56.1	1.00	<u>80</u>
<u>8</u>	GEN	CM3 Environmental Inc.	283 MacLaren Street Ottawa ON	W/56.1	1.00	<u>80</u>
<u>8</u>	SPL	s.21	283 MacLaren, Ottawa Ottawa ON	W/56.1	1.00	<u>81</u>
<u>8</u>	SPL		OTTAWA ON	W/56.1	1.00	<u>82</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>9</u>	WWIS		ON Well ID: 7473694	W/56.5	1.00	<u>83</u>
<u>10</u>	WWIS		ON Well ID: 7473695	W/56.8	1.00	<u>83</u>
<u>11</u>	WWIS		ON Well ID: 7473723	W/57.5	1.00	<u>84</u>
<u>12</u>	EHS		252 Metcalfe St. Ottawa ON K2P 1R3	N/58.5	-0.03	<u>85</u>
<u>12</u>	EHS		252 Metcalfe Street Ottawa ON K2P 1R3	N/58.5	-0.03	<u>85</u>
<u>13</u>	WWIS		ON Well ID: 7473725	W/60.8	1.00	<u>86</u>
<u>14</u>	WWIS		ON Well ID: 7473722	W/61.6	1.00	<u>86</u>
<u>15</u>	WWIS		ON Well ID: 7473724	W/64.5	1.00	<u>87</u>
<u>16</u>	BORE		ON	SW/67.4	1.00	<u>88</u>
<u>17</u>	NPCB	TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE/70.2	0.00	<u>90</u>
<u>17</u>	NPCB	TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE/70.2	0.00	<u>90</u>
<u>17</u>	OPCB	TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE/70.2	0.00	<u>90</u>
<u>17</u>	OPCB	TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE/70.2	0.00	<u>90</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
17	OPCB	TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE/70.2	0.00	90
17	OPCB	TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE/70.2	0.00	91
18	SPL	OTTAWA BOARD OF EDUCATION	300 GILMOUR ST. OTTAWA CITY ON	SSE/70.6	0.00	91
19	EHS		255 Metcalfe Street Ottawa ON K2P 0N9	ENE/73.6	0.00	92
20	EHS		267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	92
20	EHS		267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	92
20	EHS		267 O'connor St Ottawa ON K2P 1V3	SW/78.8	1.00	92
20	EHS		267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	93
20	GEN	KOPP CLINICAL LABORATORIES	267 O'CONNOR STREET, SUITE 104 OTTAWA ON K2P 1V3	SW/78.8	1.00	93
20	GEN	KOPP CLINICAL LABORAT (OUT OF BUSINESS)	267 O'CONNOR STREET, SUITE 104 OTTAWA ON K2P 1V3	SW/78.8	1.00	93
20	GEN	KOPP CLINICAL LABORATORIES 23-100	267 O'CONNOR STREET, SUITE 104 OTTAWA ON K2P 1V3	SW/78.8	1.00	94
20	GEN	O'CONNOR PHARMACY	267 O'CONNER STREET OTTAWA ON K2P 1V3	SW/78.8	1.00	94
20	GEN	CML HealthCare Inc.	267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	94

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
20	GEN	CML HealthCare Inc.	267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	95
20	GEN	CML HealthCare Inc.	267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	95
20	GEN	Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON K2P 1V3	SW/78.8	1.00	95
20	GEN	Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	96
20	GEN	Ottawa Endoscopy & Day Surgery	267 O'conner Street Suite 225 Ottawa ON K2P 1V3	SW/78.8	1.00	96
20	GEN	Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 225 Ottawa ON	SW/78.8	1.00	96
20	GEN	Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	97
20	GEN	Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON K2P 1V3	SW/78.8	1.00	97
20	GEN	CML HealthCare Inc.	267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	97
20	GEN	Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON	SW/78.8	1.00	98
20	GEN	Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	98
20	GEN	Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON K2P 1V3	SW/78.8	1.00	99
20	GEN	LifeLabs LP	267 O'Connor Street, Unit B003 Ottawa ON	SW/78.8	1.00	99

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>20</u>	GEN	LifeLabs LP	267 O'Connor Street, Unit B003 Ottawa ON	SW/78.8	1.00	<u>99</u>
<u>20</u>	GEN	Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON	SW/78.8	1.00	<u>100</u>
<u>20</u>	GEN	Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON	SW/78.8	1.00	<u>100</u>
<u>20</u>	GEN	Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON	SW/78.8	1.00	<u>100</u>
<u>20</u>	GEN	Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>101</u>
<u>20</u>	GEN	Sajjad Giby Pharmacies Inc.	267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	SW/78.8	1.00	<u>101</u>
<u>20</u>	GEN	Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	<u>102</u>
<u>20</u>	GEN	We Care Home Health Services	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>102</u>
<u>20</u>	GEN	Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>103</u>
<u>20</u>	GEN	We Care Home Health Services	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>103</u>
<u>20</u>	GEN	LifeLabs LP	267 O'Connor Street, Unit B003 Ottawa ON K1S 1C2	SW/78.8	1.00	<u>103</u>
<u>20</u>	GEN	Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	<u>104</u>
<u>20</u>	GEN	Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON K2P1V3	SW/78.8	1.00	<u>104</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>20</u>	GEN	Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>105</u>
<u>20</u>	GEN	Sajjad Giby Pharmacies Inc.	267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	SW/78.8	1.00	<u>105</u>
<u>20</u>	GEN	Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>105</u>
<u>20</u>	GEN	Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW/78.8	1.00	<u>106</u>
<u>20</u>	GEN	LifeLabs LP	267 O'Connor Street, Unit B003 Ottawa ON K1S 1C2	SW/78.8	1.00	<u>106</u>
<u>20</u>	GEN	Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON K2P1V3	SW/78.8	1.00	<u>107</u>
<u>20</u>	GEN	Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>107</u>
<u>20</u>	GEN	Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>107</u>
<u>20</u>	GEN	Sajjad Giby Pharmacies Inc.	267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	SW/78.8	1.00	<u>108</u>
<u>20</u>	GEN	CBI Home Health formerly We Care Home Health	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>108</u>
<u>20</u>	GEN	Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>109</u>
<u>20</u>	GEN	Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 OConnor Street Ottawa ON K2P 1V3	SW/78.8	1.00	<u>109</u>
<u>20</u>	GEN	Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>109</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>20</u>	GEN	Sajjad Giby Pharmacies Inc.	267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	SW/78.8	1.00	<u>110</u>
<u>20</u>	GEN	Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>110</u>
<u>20</u>	GEN	Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>111</u>
<u>20</u>	GEN	Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 OConnor Street Ottawa ON K2P 1V3	SW/78.8	1.00	<u>111</u>
<u>20</u>	GEN	CBI Home Health formerly We Care Home Health	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>112</u>
<u>20</u>	GEN	Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 OConnor Street Ottawa ON K2P 1V3	SW/78.8	1.00	<u>112</u>
<u>20</u>	GEN	CBI Home Health formerly We Care Home Health	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>113</u>
<u>20</u>	GEN	Sajjad Giby Pharmacies Inc.	267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	SW/78.8	1.00	<u>113</u>
<u>20</u>	GEN	Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>115</u>
<u>20</u>	GEN	Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>118</u>
<u>20</u>	GEN	CBI Home Health formerly We Care Home Health	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>118</u>
<u>20</u>	GEN	Midtown Ottawa FHO	267 O'Connor ST. Suite 306 Ottawa ON	SW/78.8	1.00	<u>123</u>
<u>20</u>	GEN	CENTRAL OTTAWA FAMILY MEDICINE ASSOCIATES LTD.	Suite 500, 267 O'Connor Street Ottawa ON	SW/78.8	1.00	<u>126</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>20</u>	SCT	DENTAL TECHNOLOGY GROUP INC.	267 O'CONNOR ST SUITE 101 OTTAWA ON K2P 1V3	SW/78.8	1.00	<u>129</u>
<u>20</u>	SCT	E.L. LITTLEJOHN & ASSOCIATES	267 O'Connor St Ottawa ON K2P 1V3	SW/78.8	1.00	<u>130</u>
<u>20</u>	SCT	The Dental Technology Group	267 O'Connor St Suite 101 Ottawa ON K2P 1V3	SW/78.8	1.00	<u>130</u>
<u>20</u>	SCT	E.L. Littlejohn & Associates Ltd.	267 O'Connor St Ottawa ON K2P 1V3	SW/78.8	1.00	<u>131</u>
<u>20</u>	SCT	GALLEY Kitchen + Provisions	267 O'Connor St Ottawa ON K2P1V3	SW/78.8	1.00	<u>131</u>
<u>21</u>	SCT	Cdn Council-International Law	236 Metcalfe St Suite 215 Ottawa ON K2P 1R3	NNW/80.0	0.69	<u>132</u>
<u>22</u>	EHS		267 O'Connor Street Ottawa ON K2P 1V3	WSW/84.6	1.00	<u>132</u>
<u>23</u>	HINC		293 McLAREN STREET OTTAWA ON	W/86.7	1.00	<u>133</u>
<u>24</u>	EHS		258-260 Somerset Street West Ottawa ON K2P 0J6	NNW/87.0	1.00	<u>133</u>
<u>25</u>	WWIS		ON Well ID: 7473693	SSW/89.3	0.69	<u>133</u>
<u>26</u>	GEN	GLENVIEW CORPORATION	270 SOMERSET WEST OTTAWA ON K2P 0J7	NW/100.9	1.00	<u>134</u>
<u>27</u>	BORE		ON	S/116.8	-0.03	<u>134</u>
<u>28</u>	CA	R.M. OF OTTAWA-CARLETON	SOMERSET ST./METCALFE ST. OTTAWA CITY ON	N/120.8	0.00	<u>136</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>28</u>	CA	City of Ottawa	Somerset Street and Metcalfe Street Ottawa ON	N/120.8	0.00	<u>137</u>
<u>28</u>	ECA	City of Ottawa	Somerset Street and Metcalfe St Ottawa ON K2G 6J8	N/120.8	0.00	<u>137</u>
<u>28</u>	ECA	City of Ottawa	Somerset Street and Metcalfe St Ottawa ON K2G 6J8	N/120.8	0.00	<u>137</u>
<u>29</u>	GEN	PUBLIC SERVICE ALLIANCE OF CANADA	233 GILMOUR ST. OTTAWA ON K2P 0P1	E/124.3	-0.68	<u>138</u>
<u>29</u>	GEN	PUBLIC SERVICE ALLIANCE OF CANADA 31-381	233 GILMOUR ST. OTTAWA ON K2P 0P1	E/124.3	-0.68	<u>138</u>
<u>29</u>	GEN	PSAC Holdings Ltd.	233 Gilmour Street Ottawa ON K2P 0P2	E/124.3	-0.68	<u>138</u>
<u>29</u>	GEN	PSAC Holdings Ltd.	233 Gilmour Street Ottawa ON	E/124.3	-0.68	<u>139</u>
<u>29</u>	GEN	PSAC Holdings Ltd.	233 Gilmour Street Ottawa ON	E/124.3	-0.68	<u>139</u>
<u>29</u>	GEN	PSAC HOLDINGS LTD.	233 GILMOUR STREET OTTAWA ON K1S 1V7	E/124.3	-0.68	<u>140</u>
<u>29</u>	GEN	Plomberie Bourget Plumbing	233 gilmour st ottawa Ottawa ON	E/124.3	-0.68	<u>140</u>
<u>30</u>	CA	R.M. OF OTTAWA-CARLETON	LEWIS ST/METCALFE ST. OTTAWA CITY ON	ESE/124.6	-0.31	<u>141</u>
<u>31</u>	EHS		225 MacLaren Street Ottawa ON K2P 0L4	NE/127.0	0.00	<u>141</u>
<u>32</u>	EHS		296 Metcalfe Street Ottawa ON K2P 1S2	ESE/128.2	-1.12	<u>141</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
33	EHS		300 Somerset St W Ottawa ON K2P0J6	W/129.0	1.31	141
34	CA	1384274 Ontario Inc.	330 Gilmour St Ward 14 Ottawa ON K2P 2P6	SSW/129.1	0.69	142
34	ECA	1384274 Ontario Inc.	330 Gilmour St Ward 14 Ottawa ON K2E 1A9	SSW/129.1	0.69	142
34	GEN	OTTAWA BOARD OF EDUCATION	330 GILMOUR STREET OTTAWA ON K2P 2P6	SSW/129.1	0.69	142
34	GEN	OTTAWA BOARD OF EDUCATION 29-129	330 GILMOUR STREET OTTAWA ON K2P 2P6	SSW/129.1	0.69	142
34	GEN	OTTAWA BOARD OF EDUCATION	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	SSW/129.1	0.69	143
34	GEN	OTTAWA (SEE&USE ON1285703)	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	SSW/129.1	0.69	143
34	GEN	OTTAWA (SEE&USE ON1285703) 29-129	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	SSW/129.1	0.69	143
34	RSC	1384274 Ontario Incorporated	330 GILMOUR ST ON OTTAWA ON	SSW/129.1	0.69	144
35	WWIS		BRONSON RD AND RAVEN Ottawa ON Well ID: 7337489	N/129.6	0.00	144
36	CA	OTTAWA CITY - BANK STREET	GILMOUR ST./O'CONNOR ST. OTTAWA CITY ON	SW/130.4	1.00	147
37	BORE		ON	WNW/134.7	1.00	148
38	WWIS		ON	NNW/134.8	1.00	149

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
Well ID: 7211111						
39	GEN	OCSCC # 1049	222 Somerset St. West Ottawa ON K2P 0A7	NNE/137.8	0.00	151
39	SCT	Air Force Productions Ltd.	222 Somerset St W Ottawa ON K2P 2G3	NNE/137.8	0.00	152
40	EHS		222 MacLaren Street Ottawa ON K2P 0L8	ENE/139.3	-1.06	152
40	EHS		222 MacLaren St Ottawa ON K2P0L8	ENE/139.3	-1.06	153
41	GEN	Timbercreek Communities	222 Metcalfe St Ottawa ON K2P 1R2	N/143.1	-0.08	153
42	EHS		250 O'Connor Street Ottawa ON K2P 1V2	W/144.2	1.85	153
43	GEN	Carleton Condominium Corporation 251	420 Lewis Street Ottawa ON K2P 0S9	S/146.3	-0.03	153
44	GEN	GTA'S Finest Restoration	236 Somerset Ottawa ON K2P0J4	NNE/147.6	0.00	154
45	EHS		278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	SW/148.0	1.00	155
46	PTTW	1578051 Ontario Inc.	237 Somerset Street West Ottawa ON K2P 0J3	N/148.4	0.00	155
47	GEN	AK Global Management Inc	280-282 O'Connor Street Ottawa ON K2P 1V4	SW/150.1	1.00	156
48	GEN	TAGGART CORPORATION	235 SOMERSET STREET WEST OTTAWA ON K2P 0J3	N/156.1	0.00	156
49	EHS		331 MacLaren St Ottawa ON K2P0M4	W/156.9	2.00	157

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
50	EHS		246 Gilmour St Ottawa ON K2P 0P6	E/158.0	-1.00	157
51	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S/159.0	0.69	157
51	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S/159.0	0.69	157
51	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON	S/159.0	0.69	158
51	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S/159.0	0.69	158
51	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S/159.0	0.69	158
51	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S/159.0	0.69	159
51	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S/159.0	0.69	159
51	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S/159.0	0.69	159
51	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S/159.0	0.69	160
51	GEN	David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON	S/159.0	0.69	160
52	BORE		ON	W/161.0	2.01	164
53	EHS		301 Metcalfe Street Ottawa ON K2P 1R9	ESE/167.4	-1.00	166

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
54	EHS		301 Metcalfe Street Ottawa ON K2P 1R9	ESE/168.0	-1.00	166
55	EHS		301 Metcalfe St Ottawa ON K2P1R9	ESE/169.7	-1.00	166
56	EHS		218 maclaren street ottawa ON K2P 0L7	ENE/171.0	-1.00	166
56	EHS		218 MacLaren Street Ottawa ON K2P 0L4	ENE/171.0	-1.00	167
57	EHS		318 Cooper St Ottawa ON	NW/172.1	0.97	167
58	SCT	Dr George Wehbi Dentist	229 Metcalfe St Ottawa ON K2P2C2	N/175.5	0.00	167
59	PINC	PIPELINE HIT 1/2"	310 COOPER ST,,OTTAWA,ON,K2P 0G7, CA ON	NW/175.6	1.00	168
59	SPL	Enbridge Gas Distribution Inc.	310 Cooper St. Ottawa ON	NW/175.6	1.00	168
60	EHS		320 Cooper Street Ottawa ON K2P 0G7	WNW/177.4	0.97	169
60	EHS		320 Cooper St Ottawa ON K2P0G7	WNW/177.4	0.97	170
60	EHS		320 Cooper Street Ottawa ON Ottawa ON K2P 0G7	WNW/177.4	0.97	170
61	EHS		334 MacLaren Street Ottawa ON K2P 0M6	WSW/178.2	2.00	170
62	SCT	HICKS MEDIA	300 Cooper St Suite 30 Ottawa ON K2P 0G7	NW/178.3	1.00	170

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
62	SCT	Hicks Media - Div. of Gidney News & Publishing Limited	300 Cooper St Suite 30 Ottawa ON K2P 0G7	NW/178.3	1.00	171
63	BORE		ON	ESE/178.3	-1.00	171
64	WWIS		311 SOMERSET Ottawa ON Well ID: 7391112	W/181.5	2.00	172
65	EHS		223 Somerset St W Ottawa ON K2P0J1	NNE/182.2	-0.14	176
66	BORE		ON	ESE/182.2	-1.00	176
67	GEN	Ottawa-Carleton District School Board	Elgin Street Public School 310 Elgin Street Ottawa ON K2P 1M4	E/182.6	-1.00	177
67	GEN	Ottawa-Carleton District School Board	Elgin Street PS 310 Elgin Street Ottawa ON K2P 1M4	E/182.6	-1.00	178
67	GEN	Ottawa-Carleton District School Board	310 Elgin St. Ottawa ON K2P 1M4	E/182.6	-1.00	178
67	GEN	Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON K2P 1M4	E/182.6	-1.00	178
67	GEN	Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON K2P 1M4	E/182.6	-1.00	179
67	GEN	Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON	E/182.6	-1.00	179
67	GEN	Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON K2P 1M4	E/182.6	-1.00	180
67	GEN	Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON K2P 1M4	E/182.6	-1.00	180

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>67</u>	GEN	Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON K2P 1M4	E/182.6	-1.00	<u>181</u>
<u>67</u>	GEN	Ottawa-Carleton District School Board Health & Safety	310 Elgin Street Ottawa ON K2P 1M4	E/182.6	-1.00	<u>182</u>
<u>67</u>	GEN	Ottawa-Carleton District School Board Health & Safety	310 Elgin Street Ottawa ON K2P 1M4	E/182.6	-1.00	<u>183</u>
<u>67</u>	GEN	Ottawa-Carleton District School Board Health & Safety	310 Elgin Street Ottawa ON K2P 1M4	E/182.6	-1.00	<u>183</u>
<u>67</u>	GEN	Ottawa-Carleton District School Board	Elgin Street Public School, 310 Elgin Street Ottawa ON	E/182.6	-1.00	<u>184</u>
<u>68</u>	EHS		335 MacLaren Street Ottawa ON K2P 0M4	WSW/182.8	2.00	<u>187</u>
<u>69</u>	HBAR	California Standard Co	233 Metcalfe Ottawa ON	N/183.3	0.00	<u>188</u>
<u>70</u>	WWIS		ON <i>Well ID:</i> 7211110	W/184.2	2.00	<u>188</u>
<u>71</u>	EHS		335 MacLaren St Ottawa ON K2P0M5	WSW/184.3	2.00	<u>190</u>
<u>72</u>	HINC		438 LEWIS STREET OTTAWA ON	SSW/184.6	1.00	<u>190</u>
<u>73</u>	WWIS		311 Somerset St W Ottawa ON <i>Well ID:</i> 7382782	W/185.0	2.00	<u>190</u>
<u>74</u>	EHS		350 Gilmour Street Ottawa ON K2P 0R3	SW/185.3	1.00	<u>194</u>
<u>75</u>	PINC	KEN RALPH	231 O'CONNOR ST.,OTTAWA,ON,K2P 1T8,CA ON	WNW/185.7	2.00	<u>194</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
76	SCT	Kun Shoulder Rest Inc.	200 MacLaren St Ottawa ON K2P0L4	ENE/188.9	-1.00	195
77	EHS		318 Cooper Street Ottawa ON Ottawa ON K2P 0G7	NW/189.5	0.97	196
78	WWIS		311 SONERSET Ottawa ON Well ID: 7391115	W/189.9	2.00	196
79	GEN	ARTEXT (OUT OF BUS)	225 METCALFE STREET, SUITE 710 OTTAWA ON K2P 1P9	N/190.2	0.00	200
79	GEN	ARTEXT ELECTRONIC PUBLISHING INC.	225 METCALFE STREET, SUITE 710 OTTAWA ON K2P 1P9	N/190.2	0.00	200
79	GEN	TAGGART CORPORATION	708-225 Metcalfe Street OTTAWA ON K2P 1P9	N/190.2	0.00	201
79	GEN	Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N/190.2	0.00	201
79	GEN	Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N/190.2	0.00	201
79	GEN	Dr. J. Li Dentistry Professional Corporation	400-225 Metcalfe Street Ottawa ON K2P1P9	N/190.2	0.00	202
79	GEN	dr stanley shiff/dr dana shiff	225 metcalfe st suite 503 ottawa ON K2P1P9	N/190.2	0.00	202
79	GEN	Dr. J. Li Dentistry Professional Corporation	400-225 Metcalfe Street Ottawa ON K2P1P9	N/190.2	0.00	203
79	GEN	Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N/190.2	0.00	203
79	GEN	Dr. J. Li Dentistry Professional Corporation	400-225 Metcalfe Street Ottawa ON K2P1P9	N/190.2	0.00	204

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>79</u>	GEN	dr stanley shiff/dr dana shiff	225 metcalfe st suite 503 ottawa ON K2P1P9	N/190.2	0.00	<u>204</u>
<u>79</u>	GEN	Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N/190.2	0.00	<u>204</u>
<u>79</u>	GEN	Dr. J. Li Dentistry Professional Corporation	400-225 Metcalfe Street Ottawa ON K2P1P9	N/190.2	0.00	<u>205</u>
<u>79</u>	GEN	Metcalfe Street Dental	225 Metcalfe Street, Unit 104 Ottawa ON K2P1P9	N/190.2	0.00	<u>207</u>
<u>79</u>	GEN	dr stanley shiff/dr dana shiff	225 metcalfe st suite 503 ottawa ON K2P1P9	N/190.2	0.00	<u>207</u>
<u>79</u>	GEN	Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N/190.2	0.00	<u>207</u>
<u>79</u>	GEN	Metcalfe Street Dental	225 Metcalfe Street, Unit 104 Ottawa ON K2P1P9	N/190.2	0.00	<u>208</u>
<u>79</u>	GEN	Metcalfe Street Dental	225 Metcalfe Street Unit 104 Ottawa ON K2P1P9	N/190.2	0.00	<u>209</u>
<u>79</u>	GEN	dr stanley shiff/dr dana shiff	225 metcalfe st suite 503 ottawa ON K2P1P9	N/190.2	0.00	<u>209</u>
<u>79</u>	GEN	Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N/190.2	0.00	<u>210</u>
<u>79</u>	GEN	Metcalfe Street Dental	225 Metcalfe Street Unit 104 Ottawa ON K2P1P9	N/190.2	0.00	<u>210</u>
<u>79</u>	GEN	Capital Dentistry Group Ltd.	225 Metcalfe Street, Unit 104 Ottawa ON	N/190.2	0.00	<u>211</u>
<u>79</u>	GEN	Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N/190.2	0.00	<u>213</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
79	GEN	Metcalfe and Cooper Family Dentistry	225 Metcalfe St. Unit 507 Ottawa ON K2P 1P9	N/190.2	0.00	216
79	GEN	Dr. Amar Kuruganti Dentistry Professional Corporat Kenson Downtown Dentistry	225 Metcalfe Street Suite 504 Ottawa ON K2P 1P9	N/190.2	0.00	217
79	GEN	dr stanley shiff/dr dana shiff	225 metcalfe st suite 503 ottawa ON K2P1P9	N/190.2	0.00	217
79	GEN	Kenson Downtown Dentistry	225 Metcalfe Street, Suite 504 Ottawa ON	N/190.2	0.00	220
79	GEN	DR STANLEY SHIFF	225 Metcalfe Street Ottawa ON	N/190.2	0.00	221
79	GEN	Capital Dentistry Group Ltd.	225 Metcalfe Street Ottawa ON	N/190.2	0.00	222
79	GEN	Capital Dentistry Group Ltd.	225 Metcalfe Street Ottawa ON	N/190.2	0.00	223
79	NPCB	TAGGART CORPORATION	225 METCALFE STREET SUITE 708 OTTAWA ON K2P 1P9	N/190.2	0.00	224
79	OPCB	TAGGART CORPORATION	225 METCALFE STREET, SUITE 708 OTTAWA ON K2P 1P9	N/190.2	0.00	224
79	OPCB	TAGGART CORPORATION	225 METCALFE STREET, SUITE 708 OTTAWA ON K2P 1P9	N/190.2	0.00	224
79	SCT	F K Dental Lab Ltd	225 Metcalfe St Suite 500 Ottawa ON K2P 1P9	N/190.2	0.00	225
79	SCT	Chromatek Dental Laboratories	225 Metcalfe St Suite 500 Ottawa ON K2P 1P9	N/190.2	0.00	225
79	SCT	Ottawa Dentistry	225 Metcalfe St Ottawa ON K2P1P9	N/190.2	0.00	225

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>80</u>	EHS		305 Metcalfe St Ottawa ON K2P1S1	ESE/190.4	-1.00	<u>226</u>
<u>81</u>	EHS		324 Somerset Street West Ottawa ON K2P 0J9	W/192.4	2.00	<u>226</u>
<u>82</u>	HINC		322 SOMERSET STREET WEST OTTAWA ON	W/192.8	2.00	<u>227</u>
<u>83</u>	EHS		234 O'connor St Ottawa ON K2P1T9	W/193.8	2.00	<u>227</u>
<u>84</u>	EHS		311 Somerset Street West Ottawa ON K2P 0J8	W/194.2	2.00	<u>227</u>
<u>85</u>	EHS		350-352 Gilmour Street and 453 Lewis Street Ottawa, Ontario Ottawa ON K2P 0R3	SW/194.5	1.00	<u>227</u>
<u>86</u>	GEN	CRAIG OFFICE PRODUCTS CORPORATION	329 WAVERLEY STREET OTTAWA ON K2P 0V9	S/195.7	0.00	<u>228</u>
<u>86</u>	GEN	CRAIG OFFICE PRODUCTS CORPORATION 11-330	329 WAVERLEY STREET OTTAWA ON K2P 0V9	S/195.7	0.00	<u>228</u>
<u>87</u>	EHS		340 MacLaren Street Ottawa ON K2P 0M6	WSW/196.8	2.00	<u>228</u>
<u>88</u>	EHS		320 Cooper Street Ottawa Ottawa ON K2P 0G7	NW/199.0	0.97	<u>229</u>
<u>89</u>	EHS		326 Somerset St W Ottawa ON K2P0J9	W/200.7	2.00	<u>229</u>
<u>89</u>	GEN	EnviroCentre	326 Somerset St. West Ottawa ON K2P 0J9	W/200.7	2.00	<u>229</u>
<u>90</u>	EHS		302 Waverley Street Ottawa ON K2P 0W3	SSE/201.9	-1.00	<u>230</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>91</u>	WWIS		311 SOMERSET Ottawa ON Well ID: 7391113	W/203.4	2.00	<u>230</u>
<u>92</u>	SCT	Dentacraft Dental Studio	190 MacLaren St Ottawa ON K2P0L6	ENE/205.1	-1.00	<u>234</u>
<u>92</u>	SCT	Dentacraft Dental Studio Inc.	190 MacLaren St Suite 205 Ottawa ON K2P 0L6	ENE/205.1	-1.00	<u>235</u>
<u>92</u>	SPL	UNKNOWN	190 MACLAREN ST. OTTAWA CITY ON K2P 0L6	ENE/205.1	-1.00	<u>236</u>
<u>93</u>	WWIS		ON Well ID: 7134824	NE/207.1	-0.97	<u>237</u>
<u>94</u>	WWIS		ON Well ID: 7134806	NE/208.6	-0.97	<u>240</u>
<u>95</u>	EHS		340 Cooper street Ottawa ON Ottawa ON K2P 0G7	WNW/208.6	2.00	<u>243</u>
<u>96</u>	SCT	Aromaflex	340 MacLaren St Ottawa ON K2P0M6	WSW/209.4	2.00	<u>243</u>
<u>97</u>	WWIS		311 Somerset St W Ottawa ON Well ID: 7382859	WNW/209.8	2.00	<u>244</u>
<u>98</u>	WWIS		356 MACLAREN STREET Ottawa ON Well ID: 7218928	SW/210.2	2.00	<u>248</u>
<u>99</u>	EHS		371 Gilmour St Ottawa ON K2P0R2	WSW/210.3	2.00	<u>251</u>
<u>100</u>	EHS		371 Gilmour Street Ottawa ON Ottawa ON K2P 0R3	WSW/210.8	2.00	<u>251</u>
<u>101</u>	EHS		323 Somerset Street West Ottawa ON K2P 0J8	W/211.3	2.00	<u>251</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
102	GEN	Centretown Citizens Ottawa Corporation	345 Waverley Street Ottawa ON	SSW/211.6	1.08	251
103	EHS		322 Waverly Street Ottawa Ontario Ottawa ON K2P 0W3	SSE/214.8	0.06	252
104	WWIS		311 SOMERSET Ottawa ON <i>Well ID: 7391114</i>	WNW/215.1	2.00	252
105	EHS		250-254 Cooper St Ottawa ON K2P 0G4	N/216.0	0.00	256
106	EHS		297 Cooper St Ottawa ON K2P0G5	NW/217.3	1.00	256
107	EHS		322-326 Waverley Street Ottawa ON K2P 0W3	SSE/218.3	0.06	256
108	EHS		292 Elgin St Ottawa ON K2P1M3	ENE/218.8	-1.00	257
109	EHS		309 Cooper Street Ottawa ON K2P 0G5	NW/219.2	0.98	257
109	SCT	DOMUS SOFTWARE LTD	309 COOPER ST UNIT 500 OTTAWA ON K2P 0G5	NW/219.2	0.98	257
109	SCT	The Canadian Council on Social Development	309 Cooper St Floor 5 Ottawa ON K2P 0G5	NW/219.2	0.98	257
109	SCT	Cdn Council on Social Dev	309 Cooper St Floor 5 Ottawa ON K2P 0G5	NW/219.2	0.98	258
109	SCT	The Ottawa XPress	309 Cooper St Suite 401 Ottawa ON K2P 0G5	NW/219.2	0.98	258
109	VAR	DALE R KENNY	309 COOPER ST,,OTTAWA,ON,K2P 0G5, CA ON	NW/219.2	0.98	258

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
110	GEN	Elevation Elevator Inc.	215 Somerset Street, West Ottawa ON K2P0J3	NNE/219.4	-1.00	259
111	GEN	AUBUT & NADEAU SERVICES INC.	342 MCLAREN STREET OTTAWA ON K2P 0M6	WSW/219.6	2.00	259
112	EHS		330 Metcalfe Street Ottawa ON K2P 1S4	SE/220.7	-1.00	259
113	EHS		320 Jack Purcell Lane Ottawa ON K2P2J5	E/220.7	-1.00	260
113	GEN	KONE Inc	320 JACK PURCELL LANE Ottawa ON K2P 2J5	E/220.7	-1.00	260
113	GEN	City of Ottawa	320 Jack Purcell Lane Ottawa ON K2P 2J5	E/220.7	-1.00	260
113	GEN	City of Ottawa	320 Jack Purcell Lane Ottawa ON K2P 2J5	E/220.7	-1.00	261
113	GEN	City of Ottawa	320 Jack Purcell Lane Ottawa ON K2P 2J5	E/220.7	-1.00	261
113	GEN	City of Ottawa Facility Operations Service	320 Jack Purcell Lane Ottawa ON	E/220.7	-1.00	261
114	EHS		341 Maclaren St Ottawa ON K2P2E2	WSW/220.9	1.97	264
115	EHS		214 Metcalfe Street Ottawa ON K2P 1P7	NNW/221.3	0.31	264
116	EHS		338 Somerset Street West Ottawa Ontario Ottawa ON K2P 0J9	W/221.5	2.00	265
116	HINC		338 SOMERSET STREET WEST OTTAWA ON	W/221.5	2.00	265

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>116</u>	SCT	CDIA Report Newsletter	338 Somerset St W Unit 4 Ottawa ON K2P 0J9	W/221.5	2.00	<u>265</u>
<u>116</u>	SCT	whatif? Technologies Inc.	338 Somerset St W Unit 3 Ottawa ON K2P 0J9	W/221.5	2.00	<u>266</u>
<u>116</u>	SPL	Enbridge Gas Distribution Inc.	338 Sommerset West Ottawa ON	W/221.5	2.00	<u>266</u>
<u>117</u>	HBAR	Elgin Motors	286 Elgin Ottawa ON	ENE/222.1	-1.00	<u>267</u>
<u>117</u>	HBAR	Elliott Alex	286 Elgin Ottawa ON	ENE/222.1	-1.00	<u>267</u>
<u>117</u>	HBAR	Hillary's Fraser Ltd	286 Elgin Ottawa ON	ENE/222.1	-1.00	<u>267</u>
<u>117</u>	HBAR	Hillary's Fraser Ltd	286 Elgin Ottawa ON	ENE/222.1	-1.00	<u>267</u>
<u>117</u>	HBAR	Elgin Motors	286 Elgin Ottawa ON	ENE/222.1	-1.00	<u>268</u>
<u>117</u>	HBAR	Elgin Motors	286 Elgin Ottawa ON	ENE/222.1	-1.00	<u>268</u>
<u>117</u>	HBAR	Quigg Victor	286 Elgin Ottawa ON	ENE/222.1	-1.00	<u>268</u>
<u>118</u>	HBAR	Elgin Motors	296 Elgin Ottawa ON	ENE/223.3	-1.00	<u>268</u>
<u>118</u>	HBAR	Ottawash Laundry	211 Gilmour Ottawa ON	ENE/223.3	-1.00	<u>268</u>
<u>119</u>	EHS		341 MacLaren Street Ottawa ON K2P 2E2	WSW/223.5	2.00	<u>268</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
120	EHS		325 Cooper Street Ottawa ON K2P 0G5	NW/224.1	1.46	268
121	EHS		375 Gilmour St Ottawa ON	WSW/225.7	2.00	269
122	EHS		330 Metcalfe Street Ottawa ON K2P 1S4	SE/225.8	-1.00	269
123	WWIS		ON Well ID: 7134805	NE/225.9	-0.97	269
124	EHS		261 Cooper Street Ottawa ON K2P 0G3	NNW/226.0	0.00	272
124	GEN	Regency Towers Ltd.	261 Cooper Street Ottawa ON K2P 0G3	NNW/226.0	0.00	272
125	EHS		330 Metcalfe Street Ottawa Ontario Ottawa ON K2P 1S4	SE/226.1	-1.00	273
126	EHS		327 Somerset St W Ottawa ON K2P0J8	W/226.3	2.00	273
127	HBAR	Blair's Doc B A Station	280 Elgin Ottawa ON	ENE/227.3	-1.33	273
128	CA	ALLAN KWAI	331 SOMERSET ST. W., SWM OTTAWA CITY ON K2P 0J8	W/228.1	2.00	274
129	WWIS		338 SOMERSET STREET WEST OTTAWA ON Well ID: 7046637	W/228.4	2.00	274
130	WWIS		ON Well ID: 7134804	NE/228.8	-1.45	277
131	SCT	Fettuccine's	280 Elgin St Ottawa ON K2P 1M2	ENE/229.0	-1.33	281

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>132</u>	RST	TOPIA ENERGY	311 O'CONNOR ST OTTAWA ON K2P 2G9	S/230.2	0.00	<u>281</u>
<u>133</u>	WWIS		331 Cooper St Ottawa ON Well ID: 7334763	WNW/231.5	2.00	<u>281</u>
<u>134</u>	EHS		335 Cooper Street Ottawa ON K2P 0G5	WNW/232.4	2.00	<u>284</u>
<u>135</u>	EHS		295 frank st Ottawa ON K2P 0X7	SE/232.7	-1.00	<u>285</u>
<u>136</u>	CA	Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	WNW/233.4	2.00	<u>285</u>
<u>136</u>	CA	Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	WNW/233.4	2.00	<u>285</u>
<u>136</u>	CA	Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	WNW/233.4	2.00	<u>285</u>
<u>136</u>	ECA	South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON K1R 7Y2	WNW/233.4	2.00	<u>286</u>
<u>136</u>	ECA	South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON	WNW/233.4	2.00	<u>286</u>
<u>136</u>	ECA	South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON	WNW/233.4	2.00	<u>286</u>
<u>136</u>	PINC	PIPELINE HIT 1"	331 COOPER ST,,OTTAWA,ON,K2P 0G5, CA ON	WNW/233.4	2.00	<u>287</u>
<u>136</u>	SPL	Enbridge Gas Distribution Inc.	331 Cooper St. Ottawa ON	WNW/233.4	2.00	<u>287</u>
<u>137</u>	EHS		264 Elgin St Ottawa ON K2P 1M2	NE/233.9	-1.69	<u>288</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
137	GEN	WHITE CROSS DISPENSARY	264 ELGIN STREET OTTAWA ON K2P 1M2	NE/233.9	-1.69	288
137	GEN	White Cross Dispensary Ottawa 2006 Ltd	264 Elgin Street Ottawa ON K2P 1M2	NE/233.9	-1.69	289
137	GEN	White Cross Dispensary Ottawa 2006 Ltd	264 Elgin Street Ottawa ON K2P 1M2	NE/233.9	-1.69	289
137	GEN	White Cross Dispensary	264 Elgin Street Ottawa ON	NE/233.9	-1.69	289
138	GEN	CMG	344 Waverley St. Ottawa ON K2P 0W5	S/234.7	0.00	292
139	EHS		292 Elgin Street Ottawa Ontario Ottawa ON K2P 1M3	ENE/234.8	-1.00	292
140	BORE		ON	WNW/235.7	2.00	292
141	DTNK	350807 ONTARIO LTD ELGIN SERVICE CENTRE	280 ELGIN ST OTTAWA ON	NE/235.9	-1.33	294
141	GEN	SUNSHINE BICYCLE BOARD & BLADES	280 ELGIN STREET OTTAWA ON K2P 1M2	NE/235.9	-1.33	295
141	PRT	350807 ONTARIO LTD ELGIN SERVICE CENTRE	280 ELGIN ST OTTAWA ON K2P 1M2	NE/235.9	-1.33	295
142	GEN	JUST TYPESETTING	298 ELGIN ST. ST. 105 OTTAWA ON K2P 1M3	ENE/236.6	-1.00	296
142	GEN	JUST TYPESETTING (OUT OF BUSINESS)	298 ELGIN ST. ST. 105 OTTAWA ON K2P 1M3	ENE/236.6	-1.00	296
142	GEN	JUST TYPESETTING 22-281	298 ELGIN ST. ST. 105 OTTAWA ON K2P 1M3	ENE/236.6	-1.00	296

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>142</u>	SCT	Empire Photo and Video Inc.	298 Elgin St #104 Ottawa ON K2P1M3	ENE/236.6	-1.00	<u>297</u>
<u>143</u>	GEN	BROWNS CLEANERS & TAILORS LTD.	300 ELGIN STREET C/O 6 CHAMPAGNE AVENUE NORTH OTTAWA-CARLTON ON K2P 1M3	ENE/236.8	-1.00	<u>298</u>
<u>143</u>	GEN	BROWNS CLEANERS & TAILORS LTD. 06-342	300 ELGIN STREET C/O 6 CHAMPAGNE AVENUE NORTH OTTAWA-CARLTON ON K2P 1M3	ENE/236.8	-1.00	<u>298</u>
<u>144</u>	GEN	ENR Abraham	284 Elgin Ottawa ON K2P 1M3	ENE/240.9	-1.00	<u>298</u>
<u>145</u>	GEN	Danosh construction	325 Cooper St ottawa ON K2P 0G5	NW/241.0	0.88	<u>299</u>
<u>145</u>	GEN	Danosh construction	325 Cooper St ottawa ON K2P 0G5	NW/241.0	0.88	<u>299</u>
<u>146</u>	EHS		190 Somerset Street West Ottawa ON K2P0J1	NE/241.4	-1.69	<u>300</u>
<u>146</u>	EHS		190 Somerset St. W. Ottawa ON	NE/241.4	-1.69	<u>300</u>
<u>146</u>	GEN	DST Consulting	190 somerset west ottawa ON	NE/241.4	-1.69	<u>301</u>
<u>147</u>	GEN	AIM Healt Group - Elgin	270 Elgin Street Ottawa ON K2P 1M2	NE/242.6	-2.06	<u>301</u>
<u>147</u>	GEN	Saralex Medical Inc.	270 Elgin Street Ottawa ON K2P 1M2	NE/242.6	-2.06	<u>301</u>
<u>147</u>	GEN	Saralex Medical Inc.	270 Elgin Street Ottawa ON K2P 1M2	NE/242.6	-2.06	<u>301</u>
<u>147</u>	GEN	Saralex Medical Inc.	270 Elgin Street Ottawa ON K2P 1M2	NE/242.6	-2.06	<u>302</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>148</u>	GEN	SKETCHLEY CLEANING SERVICES LTD.	268 ELGIN ST. OTTAWA ON K2P 1M2	NE/243.7	-1.69	<u>304</u>
<u>148</u>	GEN	SKETCHLEY CLEANING SERVICES LTD.	268 ELGIN ST. OTTAWA ON K2P 1M2	NE/243.7	-1.69	<u>304</u>
<u>148</u>	GEN	SKETCHLEY CLEANING SERVICES LTD. 35-248	268 ELGIN ST. OTTAWA ON K2P 1M2	NE/243.7	-1.69	<u>304</u>
<u>148</u>	GEN	SKETCHLEY CLEANING SERVICES LIMITED	268 ELGIN STREET OTTAWA ON K2P 1M2	NE/243.7	-1.69	<u>305</u>
<u>148</u>	GEN	HILLARY CLEANERS (SEE&USEON0240427-	SKETCH) 268 ELGIN STREET OTTAWA ON K2P 1M2	NE/243.7	-1.69	<u>305</u>
<u>148</u>	GEN	HILLARY (SEE & USE ON0240427) 20-099	268 ELGIN STREET OTTAWA ON K2P 1M2	NE/243.7	-1.69	<u>306</u>
<u>149</u>	GEN	Ottawa Community Housing Corp	379 Gilmour Street Ottawa ON K2P 2M6	WSW/245.2	2.00	<u>306</u>
<u>150</u>	WWIS		ON Well ID: 7471728	WNW/245.7	2.00	<u>307</u>
<u>151</u>	HINC		331 METCALFE STREET OTTAWA ON K2P 1S3	ESE/246.1	-0.92	<u>307</u>
<u>152</u>	EHS		346 Waverley St Ottawa ON K2P 0W5	S/246.4	0.00	<u>308</u>
<u>152</u>	SCT	Paramount Gold & Silver Corp.	346 Waverley St Ottawa ON K2P 0W5	S/246.4	0.00	<u>308</u>
<u>153</u>	HBAR	Langley's	281 Elgin Ottawa ON	ENE/248.0	-1.24	<u>309</u>
<u>154</u>	BORE		ON	SE/248.1	-1.00	<u>309</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>155</u>	SPL	285 MacLaren St	OTTAWA ON	WSW/248.6	1.91	<u>311</u>
<u>156</u>	EHS		356 MacLaren Street Ottawa ON K2P 0M6	WSW/248.8	1.91	<u>312</u>
<u>156</u>	EHS		356 MacLaren Street Ottawa ON K2P 0M6	WSW/248.8	1.91	<u>312</u>
<u>156</u>	GEN	AUBUT & NADEAU SERVICES INC.	356 MCLAREN STREET OTTAWA ON K2P 0M6	WSW/248.8	1.91	<u>312</u>

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 8 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	SW	67.44	<u>16</u>
	ON	WNW	134.73	<u>37</u>
	ON	W	161.04	<u>52</u>
	ON	WNW	235.67	<u>140</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	S	116.83	<u>27</u>
	ON	ESE	178.34	<u>63</u>
	ON	ESE	182.19	<u>66</u>
	ON	SE	248.12	<u>154</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 9 CA site(s) within approximately 0.25 kilometers of

the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
R.M. OF OTTAWA-CARLETON	SOMERSET ST./METCALFE ST. OTTAWA CITY ON	N	120.75	28
City of Ottawa	Somerset Street and Metcalfe Street Ottawa ON	N	120.75	28
1384274 Ontario Inc.	330 Gilmour St Ward 14 Ottawa ON K2P 2P6	SSW	129.10	34
OTTAWA CITY - BANK STREET	GILMOUR ST./O'CONNOR ST. OTTAWA CITY ON	SW	130.39	36
ALLAN KWAI	331 SOMERSET ST. W., SWM OTTAWA CITY ON K2P 0J8	W	228.12	128
Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	WNW	233.44	136
Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	WNW	233.44	136
Tartan Land Corporation	331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	WNW	233.44	136

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
R.M. OF OTTAWA-CARLETON	LEWIS ST/METCALFE ST. OTTAWA CITY ON	ESE	124.59	30

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated Oct 2023 has found that there are 1 DTNK site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
------------------------	----------------	------------------	---------------------	----------------

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011 - Nov 30, 2025 has found that there are 6 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
City of Ottawa	Somerset Street and Metcalfe St Ottawa ON K2G 6J8	N	120.75	28
City of Ottawa	Somerset Street and Metcalfe St Ottawa ON K2G 6J8	N	120.75	28
1384274 Ontario Inc.	330 Gilmour St Ward 14 Ottawa ON K2E 1A9	SSW	129.10	34
South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON	WNW	233.44	136
South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON	WNW	233.44	136
South Nepean Development Corporation	331 Cooper Street, Suite 400 Ottawa ON K1R 7Y2	WNW	233.44	136

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Nov 30, 2025 has found that there are 74 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	283 MacLaren Street Ottawa ON K2P 0M2	W	56.10	8
	255 Metcalfe Street Ottawa ON K2P 0N9	ENE	73.59	19

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	20
	267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	20
	267 O'connor St Ottawa ON K2P 1V3	SW	78.85	20
	267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	20
	267 O'Connor Street Ottawa ON K2P 1V3	WSW	84.64	22
	258-260 Somerset Street West Ottawa ON K2P 0J6	NNW	87.04	24
	225 MacLaren Street Ottawa ON K2P 0L4	NE	126.98	31
	300 Somerset St W Ottawa ON K2P0J6	W	129.00	33
	250 O'Connor Street Ottawa ON K2P 1V2	W	144.19	42
	278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	SW	147.98	45
	331 Maclaren St Ottawa ON K2P0M4	W	156.88	49

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	318 Cooper St Ottawa ON	NW	172.05	<u>57</u>
	320 Cooper Street Ottawa ON K2P 0G7	WNW	177.38	<u>60</u>
	320 Cooper St Ottawa ON K2P0G7	WNW	177.38	<u>60</u>
	320 Cooper Street Ottawa ON Ottawa ON K2P 0G7	WNW	177.38	<u>60</u>
	334 MacLaren Street Ottawa ON K2P 0M6	WSW	178.24	<u>61</u>
	335 MacLaren Street Ottawa ON K2P 0M4	WSW	182.82	<u>68</u>
	335 MacLaren St Ottawa ON K2P0M5	WSW	184.30	<u>71</u>
	350 Gilmour Street Ottawa ON K2P 0R3	SW	185.29	<u>74</u>
	318 Cooper Street Ottawa ON Ottawa ON K2P 0G7	NW	189.49	<u>77</u>
	324 Somerset Street West Ottawa ON K2P 0J9	W	192.40	<u>81</u>
	234 O'connor St Ottawa ON K2P1T9	W	193.78	<u>83</u>
	311 Somerset Street West Ottawa ON K2P 0J8	W	194.22	<u>84</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	350-352 Gilmour Street and 453 Lewis Street Ottawa, Ontario Ottawa ON K2P 0R3	SW	194.50	<u>85</u>
	340 MacLaren Street Ottawa ON K2P 0M6	WSW	196.77	<u>87</u>
	320 Cooper Street Ottawa Ottawa ON K2P 0G7	NW	199.05	<u>88</u>
	326 Somerset St W Ottawa ON K2P0J9	W	200.74	<u>89</u>
	340 Cooper street Ottawa ON Ottawa ON K2P 0G7	WNW	208.64	<u>95</u>
	371 Gilmour St Ottawa ON K2P0R2	WSW	210.25	<u>99</u>
	371 Gilmour Street Ottawa ON Ottawa ON K2P 0R3	WSW	210.82	<u>100</u>
	323 Somerset Street West Ottawa ON K2P 0J8	W	211.31	<u>101</u>
	322 Waverly Street Ottawa Ontario Ottawa ON K2P 0W3	SSE	214.77	<u>103</u>
	250-254 Cooper St Ottawa ON K2P 0G4	N	216.02	<u>105</u>
	297 Cooper St Ottawa ON K2P0G5	NW	217.35	<u>106</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	322-326 Waverley Street Ottawa ON K2P 0W3	SSE	218.27	<u>107</u>
	309 Cooper Street Ottawa ON K2P 0G5	NW	219.25	<u>109</u>
	341 MacLaren St Ottawa ON K2P2E2	WSW	220.88	<u>114</u>
	214 Metcalfe Street Ottawa ON K2P 1P7	NNW	221.34	<u>115</u>
	338 Somerset Street West Ottawa Ontario Ottawa ON K2P 0J9	W	221.48	<u>116</u>
	341 MacLaren Street Ottawa ON K2P 2E2	WSW	223.55	<u>119</u>
	325 Cooper Street Ottawa ON K2P 0G5	NW	224.08	<u>120</u>
	375 Gilmour St Ottawa ON	WSW	225.74	<u>121</u>
	261 Cooper Street Ottawa ON K2P 0G3	NNW	225.97	<u>124</u>
	327 Somerset St W Ottawa ON K2P0J8	W	226.33	<u>126</u>
	335 Cooper Street Ottawa ON K2P 0G5	WNW	232.43	<u>134</u>
	346 Waverley St Ottawa ON K2P 0W5	S	246.36	<u>152</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	356 MacLaren Street Ottawa ON K2P 0M6	WSW	248.82	<u>156</u>
	356 MacLaren Street Ottawa ON K2P 0M6	WSW	248.82	<u>156</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	252 Metcalfe St. Ottawa ON K2P 1R3	N	58.47	<u>12</u>
	252 Metcalfe Street Ottawa ON K2P 1R3	N	58.47	<u>12</u>
	296 Metcalfe Street Ottawa ON K2P 1S2	ESE	128.19	<u>32</u>
	222 MacLaren Street Ottawa ON K2P 0L8	ENE	139.28	<u>40</u>
	222 MacLaren St Ottawa ON K2P0L8	ENE	139.28	<u>40</u>
	246 Gilmour St Ottawa ON K2P 0P6	E	157.95	<u>50</u>
	301 Metcalfe Street Ottawa ON K2P 1R9	ESE	167.39	<u>53</u>
	301 Metcalfe Street Ottawa ON K2P 1R9	ESE	167.98	<u>54</u>
	301 Metcalfe St Ottawa ON K2P1R9	ESE	169.73	<u>55</u>

218 maclaren street ottawa ON K2P 0L7	ENE	170.96	<u>56</u>
218 MacLaren Street Ottawa ON K2P 0L4	ENE	170.96	<u>56</u>
223 Somerset St W Ottawa ON K2P0J1	NNE	182.17	<u>65</u>
305 Metcalfe St Ottawa ON K2P1S1	ESE	190.43	<u>80</u>
302 Waverley Street Ottawa ON K2P 0W3	SSE	201.94	<u>90</u>
292 Elgin St Ottawa ON K2P1M3	ENE	218.75	<u>108</u>
330 Metcalfe Street Ottawa ON K2P 1S4	SE	220.65	<u>112</u>
320 Jack Purcell Lane Ottawa ON K2P2J5	E	220.69	<u>113</u>
330 Metcalfe Street Ottawa ON K2P 1S4	SE	225.84	<u>122</u>
330 Metcalfe Street Ottawa Ontario Ottawa ON K2P 1S4	SE	226.05	<u>125</u>
295 frank st Ottawa ON K2P 0X7	SE	232.71	<u>135</u>
264 Elgin St Ottawa ON K2P 1M2	NE	233.85	<u>137</u>

292 Elgin Street Ottawa Ontario Ottawa ON K2P 1M3	ENE	234.81	139
190 Somerset Street West Ottawa ON K2P0J1	NE	241.37	146
190 Somerset St. W. Ottawa ON	NE	241.37	146

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Mar 31, 2025 has found that there are 171 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Trilex Holdings Ltd (Care of District Reality)	307 GILMOUR ST OTTAWA ON K2P 0P7	SSW	53.64	7
CM3 Environmental Inc.	283 MacLaren Street Ottawa ON	W	56.10	8
KOPP CLINICAL LABORATORIES	267 O'CONNOR STREET, SUITE 104 OTTAWA ON K2P 1V3	SW	78.85	20
KOPP CLINICAL LABORAT (OUT OF BUSINESS)	267 O'CONNOR STREET, SUITE 104 OTTAWA ON K2P 1V3	SW	78.85	20
KOPP CLINICAL LABORATORIES 23-100	267 O'CONNOR STREET, SUITE 104 OTTAWA ON K2P 1V3	SW	78.85	20
O'CONNOR PHARMACY	267 O'CONNER STREET OTTAWA ON K2P 1V3	SW	78.85	20
CML HealthCare Inc.	267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	20
CML HealthCare Inc.	267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	20

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CML HealthCare Inc.	267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Ottawa Endoscopy & Day Surgery	267 O'conner Street Suite 225 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 225 Ottawa ON	SW	78.85	<u>20</u>
Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
CML HealthCare Inc.	267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON	SW	78.85	<u>20</u>
Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON K2P 1V3	SW	78.85	<u>20</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
LifeLabs LP	267 O'Connor Street, Unit B003 Ottawa ON	SW	78.85	<u>20</u>
LifeLabs LP	267 O'Connor Street, Unit B003 Ottawa ON	SW	78.85	<u>20</u>
Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON	SW	78.85	<u>20</u>
Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON	SW	78.85	<u>20</u>
Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON	SW	78.85	<u>20</u>
Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Sajjad Giby Pharmacies Inc.	267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	SW	78.85	<u>20</u>
Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
We Care Home Health Services	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
We Care Home Health Services	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
LifeLabs LP	267 O'Connor Street, Unit B003 Ottawa ON K1S 1C2	SW	78.85	<u>20</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	20
Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON K2P1V3	SW	78.85	20
Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW	78.85	20
Sajjad Giby Pharmacies Inc.	267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	SW	78.85	20
Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW	78.85	20
Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	SW	78.85	20
LifeLabs LP	267 O'Connor Street, Unit B003 Ottawa ON K1S 1C2	SW	78.85	20
Dr. Donald K. Wilson Medicine Prof. Corp.	403-267 O'Connor St Ottawa ON K2P1V3	SW	78.85	20
Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW	78.85	20
Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW	78.85	20
Sajjad Giby Pharmacies Inc.	267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	SW	78.85	20

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CBI Home Health formerly We Care Home Health	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 OConnor Street Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Sajjad Giby Pharmacies Inc.	267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	SW	78.85	<u>20</u>
Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 OConnor Street Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
CBI Home Health formerly We Care Home Health	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Central Ottawa Family Medicine Associates Ltd.	Suite 500 267 OConnor Street Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
CBI Home Health formerly We Care Home Health	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW	78.85	<u>20</u>
Sajjad Giby Pharmacies Inc.	267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	SW	78.85	<u>20</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Ottawa Endoscopy & Day Surgery	267 O'connor Street Suite 207 Ottawa ON K2P 1V3	SW	78.85	20
Midtown Family Health	267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	SW	78.85	20
CBI Home Health formerly We Care Home Health	267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	SW	78.85	20
Midtown Ottawa FHO	267 O'Connor ST. Suite 306 Ottawa ON	SW	78.85	20
CENTRAL OTTAWA FAMILY MEDICINE ASSOCIATES LTD.	Suite 500, 267 O'Connor Street Ottawa ON	SW	78.85	20
GLENVIEW CORPORATION	270 SOMERSET WEST OTTAWA ON K2P 0J7	NW	100.85	26
OTTAWA BOARD OF EDUCATION	330 GILMOUR STREET OTTAWA ON K2P 2P6	SSW	129.10	34
OTTAWA BOARD OF EDUCATION 29-129	330 GILMOUR STREET OTTAWA ON K2P 2P6	SSW	129.10	34
OTTAWA BOARD OF EDUCATION	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	SSW	129.10	34
OTTAWA (SEE&USE ON1285703)	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	SSW	129.10	34
OTTAWA (SEE&USE ON1285703) 29-129	ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	SSW	129.10	34

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
OCSCC # 1049	222 Somerset St. West Ottawa ON K2P 0A7	NNE	137.78	<u>39</u>
GTA'S Finest Restoration	236 Somerset Ottawa ON K2P0J4	NNE	147.59	<u>44</u>
AK Global Management Inc	280-282 O'Connor Street Ottawa ON K2P 1V4	SW	150.12	<u>47</u>
TAGGART CORPORATION	235 SOMERSET STREET WEST OTTAWA ON K2P 0J3	N	156.10	<u>48</u>
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S	159.02	<u>51</u>
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S	159.02	<u>51</u>
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON	S	159.02	<u>51</u>
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S	159.02	<u>51</u>
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S	159.02	<u>51</u>
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S	159.02	<u>51</u>
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S	159.02	<u>51</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S	159.02	<u>51</u>
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON K2P 1V6	S	159.02	<u>51</u>
David Jordan Medicine Professional Corporation	301 O'Connor St. Ottawa ON	S	159.02	<u>51</u>
dr stanley shiff/dr dana shiff	225 metcalfe st suite 503 ottawa ON K2P1P9	N	190.21	<u>79</u>
Kenson Downtown Dentistry	225 Metcalfe Street, Suite 504 Ottawa ON	N	190.21	<u>79</u>
DR STANLEY SHIFF	225 Metcalfe Street Ottawa ON	N	190.21	<u>79</u>
Capital Dentistry Group Ltd.	225 Metcalfe Street Ottawa ON	N	190.21	<u>79</u>
Capital Dentistry Group Ltd.	225 Metcalfe Street Ottawa ON	N	190.21	<u>79</u>
ARTEXT (OUT OF BUS)	225 METCALFE STREET, SUITE 710 OTTAWA ON K2P 1P9	N	190.21	<u>79</u>
ARTEXT ELECTRONIC PUBLISHING INC.	225 METCALFE STREET, SUITE 710 OTTAWA ON K2P 1P9	N	190.21	<u>79</u>
TAGGART CORPORATION	708-225 Metcalfe Street OTTAWA ON K2P 1P9	N	190.21	<u>79</u>
Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N	190.21	<u>79</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N	190.21	<u>79</u>
Dr. J. Li Dentistry Professional Corporation	400-225 Metcalfe Street Ottawa ON K2P1P9	N	190.21	<u>79</u>
dr stanley shiff/dr dana shiff	225 metcalfe st suite 503 ottawa ON K2P1P9	N	190.21	<u>79</u>
Dr. J. Li Dentistry Professional Corporation	400-225 Metcalfe Street Ottawa ON K2P1P9	N	190.21	<u>79</u>
Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N	190.21	<u>79</u>
Dr. J. Li Dentistry Professional Corporation	400-225 Metcalfe Street Ottawa ON K2P1P9	N	190.21	<u>79</u>
dr stanley shiff/dr dana shiff	225 metcalfe st suite 503 ottawa ON K2P1P9	N	190.21	<u>79</u>
Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N	190.21	<u>79</u>
Dr. J. Li Dentistry Professional Corporation	400-225 Metcalfe Street Ottawa ON K2P1P9	N	190.21	<u>79</u>
Metcalfe Street Dental	225 Metcalfe Street, Unit 104 Ottawa ON K2P1P9	N	190.21	<u>79</u>
dr stanley shiff/dr dana shiff	225 metcalfe st suite 503 ottawa ON K2P1P9	N	190.21	<u>79</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N	190.21	<u>79</u>
Metcalfe Street Dental	225 Metcalfe Street, Unit 104 Ottawa ON K2P1P9	N	190.21	<u>79</u>
Metcalfe Street Dental	225 Metcalfe Street Unit 104 Ottawa ON K2P1P9	N	190.21	<u>79</u>
dr stanley shiff/dr dana shiff	225 metcalfe st suite 503 ottawa ON K2P1P9	N	190.21	<u>79</u>
Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N	190.21	<u>79</u>
Metcalfe Street Dental	225 Metcalfe Street Unit 104 Ottawa ON K2P1P9	N	190.21	<u>79</u>
Capital Dentistry Group Ltd.	225 Metcalfe Street, Unit 104 Ottawa ON	N	190.21	<u>79</u>
Drs. John and Micaela Fitzgerald Dentistry Profess	225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	N	190.21	<u>79</u>
Metcalfe and Cooper Family Dentistry	225 Metcalfe St. Unit 507 Ottawa ON K2P 1P9	N	190.21	<u>79</u>
Dr. Amar Kuruganti Dentistry Professional Corporat Kenson Downtown Dentistry	225 Metcalfe Street Suite 504 Ottawa ON K2P 1P9	N	190.21	<u>79</u>
CRAIG OFFICE PRODUCTS CORPORATION	329 WAVERLEY STREET OTTAWA ON K2P 0V9	S	195.70	<u>86</u>
CRAIG OFFICE PRODUCTS CORPORATION 11-330	329 WAVERLEY STREET OTTAWA ON K2P 0V9	S	195.70	<u>86</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
EnviroCentre	326 Somerset St. West Ottawa ON K2P 0J9	W	200.74	<u>89</u>
Centretown Citizens Ottawa Corporation	345 Waverley Street Ottawa ON	SSW	211.64	<u>102</u>
AUBUT & NADEAU SERVICES INC.	342 MCLAREN STREET OTTAWA ON K2P 0M6	WSW	219.59	<u>111</u>
Regency Towers Ltd.	261 Cooper Street Ottawa ON K2P 0G3	NNW	225.97	<u>124</u>
CMG	344 Waverley St. Ottawa ON K2P 0W5	S	234.68	<u>138</u>
Danosh construction	325 Cooper St ottawa ON K2P 0G5	NW	241.04	<u>145</u>
Danosh construction	325 Cooper St ottawa ON K2P 0G5	NW	241.04	<u>145</u>
Ottawa Community Housing Corp	379 Gilmour Street Ottawa ON K2P 2M6	WSW	245.16	<u>149</u>
AUBUT & NADEAU SERVICES INC.	356 MCLAREN STREET OTTAWA ON K2P 0M6	WSW	248.82	<u>156</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Elevation Elevator Inc	295 Gilmour Street Ottawa ON	SSE	40.87	<u>3</u>
PSAC Holdings Ltd.	233 Gilmour Street Ottawa ON K2P 0P2	E	124.28	<u>29</u>

PSAC Holdings Ltd.	233 Gilmour Street Ottawa ON	E	124.28	29
PSAC Holdings Ltd.	233 Gilmour Street Ottawa ON	E	124.28	29
PSAC HOLDINGS LTD.	233 GILMOUR STREET OTTAWA ON K1S 1V7	E	124.28	29
Plomberie Bourget Plumbing	233 gilmour st ottawa Ottawa ON	E	124.28	29
PUBLIC SERVICE ALLIANCE OF CANADA	233 GILMOUR ST. OTTAWA ON K2P 0P1	E	124.28	29
PUBLIC SERVICE ALLIANCE OF CANADA 31-381	233 GILMOUR ST. OTTAWA ON K2P 0P1	E	124.28	29
Timbercreek Communities	222 Metcalfe St Ottawa ON K2P 1R2	N	143.11	41
Carleton Condominium Corporation 251	420 Lewis Street Ottawa ON K2P 0S9	S	146.31	43
Ottawa-Carleton District School Board	Elgin Street Public School 310 Elgin Street Ottawa ON K2P 1M4	E	182.64	67
Ottawa-Carleton District School Board	Elgin Street PS 310 Elgin Street Ottawa ON K2P 1M4	E	182.64	67
Ottawa-Carleton District School Board	310 Elgin St. Ottawa ON K2P 1M4	E	182.64	67
Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON K2P 1M4	E	182.64	67

Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON K2P 1M4	E	182.64	<u>67</u>
Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON	E	182.64	<u>67</u>
Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON K2P 1M4	E	182.64	<u>67</u>
Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON K2P 1M4	E	182.64	<u>67</u>
Ottawa-Carleton District School Board	310 Elgin Street Ottawa ON K2P 1M4	E	182.64	<u>67</u>
Ottawa-Carleton District School Board Health & Safety	310 Elgin Street Ottawa ON K2P 1M4	E	182.64	<u>67</u>
Ottawa-Carleton District School Board Health & Safety	310 Elgin Street Ottawa ON K2P 1M4	E	182.64	<u>67</u>
Ottawa-Carleton District School Board Health & Safety	310 Elgin Street Ottawa ON K2P 1M4	E	182.64	<u>67</u>
Ottawa-Carleton District School Board	Elgin Street Public School, 310 Elgin Street Ottawa ON	E	182.64	<u>67</u>
Elevation Elevator Inc.	215 Somerset Street, West Ottawa ON K2P0J3	NNE	219.44	<u>110</u>
KONE Inc	320 JACK PURCELL LANE Ottawa ON K2P 2J5	E	220.69	<u>113</u>
City of Ottawa	320 Jack Purcell Lane Ottawa ON K2P 2J5	E	220.69	<u>113</u>
City of Ottawa	320 Jack Purcell Lane Ottawa ON K2P 2J5	E	220.69	<u>113</u>

City of Ottawa	320 Jack Purcell Lane Ottawa ON K2P 2J5	E	220.69	<u>113</u>
City of Ottawa Facility Operations Service	320 Jack Purcell Lane Ottawa ON	E	220.69	<u>113</u>
WHITE CROSS DISPENSARY	264 ELGIN STREET OTTAWA ON K2P 1M2	NE	233.85	<u>137</u>
White Cross Dispensary Ottawa 2006 Ltd	264 Elgin Street Ottawa ON K2P 1M2	NE	233.85	<u>137</u>
White Cross Dispensary Ottawa 2006 Ltd	264 Elgin Street Ottawa ON K2P 1M2	NE	233.85	<u>137</u>
White Cross Dispensary	264 Elgin Street Ottawa ON	NE	233.85	<u>137</u>
SUNSHINE BICYCLE BOARD & BLADES	280 ELGIN STREET OTTAWA ON K2P 1M2	NE	235.90	<u>141</u>
JUST TYPESETTING	298 ELGIN ST. ST. 105 OTTAWA ON K2P 1M3	ENE	236.64	<u>142</u>
JUST TYPESETTING (OUT OF BUSINESS)	298 ELGIN ST. ST. 105 OTTAWA ON K2P 1M3	ENE	236.64	<u>142</u>
JUST TYPESETTING 22-281	298 ELGIN ST. ST. 105 OTTAWA ON K2P 1M3	ENE	236.64	<u>142</u>
BROWNS CLEANERS & TAILORS LTD.	300 ELGIN STREET C/O 6 CHAMPAGNE AVENUE NORTH OTTAWA-CARLTON ON K2P 1M3	ENE	236.79	<u>143</u>
BROWNS CLEANERS & TAILORS LTD. 06-342	300 ELGIN STREET C/O 6 CHAMPAGNE AVENUE NORTH OTTAWA-CARLTON ON K2P 1M3	ENE	236.79	<u>143</u>

ENR Abraham	284 Elgin Ottawa ON K2P 1M3	ENE	240.91	<u>144</u>
DST Consulting	190 somerset west ottawa ON	NE	241.37	<u>146</u>
AIM Healt Group - Elgin	270 Elgin Street Ottawa ON K2P 1M2	NE	242.55	<u>147</u>
Saralex Medical Inc.	270 Elgin Street Ottawa ON K2P 1M2	NE	242.55	<u>147</u>
Saralex Medical Inc.	270 Elgin Street Ottawa ON K2P 1M2	NE	242.55	<u>147</u>
Saralex Medical Inc.	270 Elgin Street Ottawa ON K2P 1M2	NE	242.55	<u>147</u>
SKETCHLEY CLEANING SERVICES LTD.	268 ELGIN ST. OTTAWA ON K2P 1M2	NE	243.69	<u>148</u>
SKETCHLEY CLEANING SERVICES LTD.	268 ELGIN ST. OTTAWA ON K2P 1M2	NE	243.69	<u>148</u>
SKETCHLEY CLEANING SERVICES LTD. 35-248	268 ELGIN ST. OTTAWA ON K2P 1M2	NE	243.69	<u>148</u>
SKETCHLEY CLEANING SERVICES LIMITED	268 ELGIN STREET OTTAWA ON K2P 1M2	NE	243.69	<u>148</u>
HILLARY CLEANERS (SEE&USEON0240427-	SKETCH) 268 ELGIN STREET OTTAWA ON K2P 1M2	NE	243.69	<u>148</u>
HILLARY (SEE & USE ON0240427) 20-099	268 ELGIN STREET OTTAWA ON K2P 1M2	NE	243.69	<u>148</u>

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 5 HINC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	293 McLAREN STREET OTTAWA ON	W	86.74	<u>23</u>
	438 LEWIS STREET OTTAWA ON	SSW	184.58	<u>72</u>
	322 SOMERSET STREET WEST OTTAWA ON	W	192.78	<u>82</u>
	338 SOMERSET STREET WEST OTTAWA ON	W	221.48	<u>116</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	331 METCALFE STREET OTTAWA ON K2P 1S3	ESE	246.05	<u>151</u>

HIST RISK - Historical Business Activity Risk

A search of the HIST RISK database, dated 1920s - 1960 has found that there are 12 HIST RISK site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
California Standard Co	233 Metcalfe Ottawa ON	N	183.34	<u>69</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Hillary's Fraser Ltd	286 Elgin Ottawa ON	ENE	222.10	<u>117</u>
Quigg Victor	286 Elgin Ottawa ON	ENE	222.10	<u>117</u>

Elgin Motors	286 Elgin Ottawa ON	ENE	222.10	<u>117</u>
Elliott Alex	286 Elgin Ottawa ON	ENE	222.10	<u>117</u>
Hillary's Fraser Ltd	286 Elgin Ottawa ON	ENE	222.10	<u>117</u>
Elgin Motors	286 Elgin Ottawa ON	ENE	222.10	<u>117</u>
Elgin Motors	286 Elgin Ottawa ON	ENE	222.10	<u>117</u>
Ottawash Laundry	211 Gilmour Ottawa ON	ENE	223.33	<u>118</u>
Elgin Motors	296 Elgin Ottawa ON	ENE	223.33	<u>118</u>
Blair's Doc B A Station	280 Elgin Ottawa ON	ENE	227.32	<u>127</u>
Langley's	281 Elgin Ottawa ON	ENE	247.97	<u>153</u>

NPCB - National PCB Inventory

A search of the NPCB database, dated 1988-2008* has found that there are 3 NPCB site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE	70.17	<u>17</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE	70.17	17
TAGGART CORPORATION	225 METCALFE STREET SUITE 708 OTTAWA ON K2P 1P9	N	190.21	79

OPCB - Inventory of PCB Storage Sites

A search of the OPCB database, dated 1987-Oct 2004; 2012-Dec 2013 has found that there are 6 OPCB site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE	70.17	17
TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE	70.17	17
TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE	70.17	17
TAGGART CORPORATION	255 METCALFE STREET OTTAWA ON K2P 1R4	ENE	70.17	17
TAGGART CORPORATION	225 METCALFE STREET, SUITE 708 OTTAWA ON K2P 1P9	N	190.21	79
TAGGART CORPORATION	225 METCALFE STREET, SUITE 708 OTTAWA ON K2P 1P9	N	190.21	79

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 3 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
PIPELINE HIT 1/2"	310 COOPER ST.,OTTAWA,ON,K2P 0G7,CA ON	NW	175.64	59

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
KEN RALPH	231 O'CONNOR ST.,OTTAWA,ON, K2P 1T8,CA ON	WNW	185.66	75
PIPELINE HIT 1"	331 COOPER ST.,OTTAWA,ON,K2P 0G5,CA ON	WNW	233.44	136

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 1 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
350807 ONTARIO LTD ELGIN SERVICE CENTRE	280 ELGIN ST OTTAWA ON K2P 1M2	NE	235.90	141

PTTW - Permit to Take Water

A search of the PTTW database, dated 1994 - Nov 30, 2025 has found that there are 1 PTTW site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1578051 Ontario Inc.	237 Somerset Street West Ottawa ON K2P 0J3	N	148.44	46

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004 - 31 Dec, 2025 has found that there are 1 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1384274 Ontario Incorporated	330 GILMOUR ST ON OTTAWA ON	SSW	129.10	34

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Apr 30, 2025 has found that there are 1 RST site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
TOPIA ENERGY	311 O'CONNOR ST OTTAWA ON K2P 2G9	S	230.16	132

SCT - Scott's Manufacturing Directories

A search of the SCT database, dated 1992-Mar 2011; Feb 2025 has found that there are 29 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Invenire4 Ltd.	260 Metcalfe St Unit 2A Ottawa ON K2P 1R6	E	28.30	1
Innova Envelope	270 MacLaren St Ottawa ON K2P 0M3	WSW	43.28	4
Supremex Inc.	270 MacLaren St Suite 25 Ottawa ON K2P 0M3	WSW	43.28	4
DENTAL TECHNOLOGY GROUP INC.	267 O'CONNOR ST SUITE 101 OTTAWA ON K2P 1V3	SW	78.85	20
E.L. LITTLEJOHN & ASSOCIATES	267 O'Connor St Ottawa ON K2P 1V3	SW	78.85	20
The Dental Technology Group	267 O'Connor St Suite 101 Ottawa ON K2P 1V3	SW	78.85	20
E.L. Littlejohn & Associates Ltd.	267 O'Connor St Ottawa ON K2P 1V3	SW	78.85	20
GALLEY Kitchen + Provisions	267 O'Connor St Ottawa ON K2P1V3	SW	78.85	20
Cdn Council-International Law	236 Metcalfe St Suite 215 Ottawa ON K2P 1R3	NNW	80.00	21

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Air Force Productions Ltd.	222 Somerset St W Ottawa ON K2P 2G3	NNE	137.78	<u>39</u>
Dr George Wehbi Dentist	229 Metcalfe St Ottawa ON K2P2C2	N	175.53	<u>58</u>
HICKS MEDIA	300 Cooper St Suite 30 Ottawa ON K2P 0G7	NW	178.25	<u>62</u>
Hicks Media - Div. of Gidney News & Publishing Limited	300 Cooper St Suite 30 Ottawa ON K2P 0G7	NW	178.25	<u>62</u>
F K Dental Lab Ltd	225 Metcalfe St Suite 500 Ottawa ON K2P 1P9	N	190.21	<u>79</u>
Chromatek Dental Laboratories	225 Metcalfe St Suite 500 Ottawa ON K2P 1P9	N	190.21	<u>79</u>
Ottawa Dentistry	225 Metcalfe St Ottawa ON K2P1P9	N	190.21	<u>79</u>
Aromaflex	340 MacLaren St Ottawa ON K2P0M6	WSW	209.39	<u>96</u>
The Canadian Council on Social Development	309 Cooper St Floor 5 Ottawa ON K2P 0G5	NW	219.25	<u>109</u>
The Ottawa XPress	309 Cooper St Suite 401 Ottawa ON K2P 0G5	NW	219.25	<u>109</u>
Cdn Council on Social Dev	309 Cooper St Floor 5 Ottawa ON K2P 0G5	NW	219.25	<u>109</u>
DOMUS SOFTWARE LTD	309 COOPER ST UNIT 500 OTTAWA ON K2P 0G5	NW	219.25	<u>109</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
whatif? Technologies Inc.	338 Somerset St W Unit 3 Ottawa ON K2P 0J9	W	221.48	<u>116</u>
CDIA Report Newsletter	338 Somerset St W Unit 4 Ottawa ON K2P 0J9	W	221.48	<u>116</u>
Paramount Gold & Silver Corp.	346 Waverley St Ottawa ON K2P 0W5	S	246.36	<u>152</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Kun Shoulder Rest Inc.	200 MacLaren St Ottawa ON K2P0L4	ENE	188.86	<u>76</u>
Dentacraft Dental Studio	190 MacLaren St Ottawa ON K2P0L6	ENE	205.11	<u>92</u>
Dentacraft Dental Studio Inc.	190 MacLaren St Suite 205 Ottawa ON K2P 0L6	ENE	205.11	<u>92</u>
Fettuccine's	280 Elgin St Ottawa ON K2P 1M2	ENE	228.98	<u>131</u>
Empire Photo and Video Inc.	298 Elgin St #104 Ottawa ON K2P1M3	ENE	236.64	<u>142</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Oct 2025 has found that there are 8 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	OTTAWA ON	W	56.10	<u>8</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
s.21	283 MacLaren, Ottawa Ottawa ON	W	56.10	<u>8</u>
OTTAWA BOARD OF EDUCATION	300 GILMOUR ST. OTTAWA CITY ON	SSE	70.60	<u>18</u>
Enbridge Gas Distribution Inc.	310 Cooper St. Ottawa ON	NW	175.64	<u>59</u>
Enbridge Gas Distribution Inc.	338 Sommerset West Ottawa ON	W	221.48	<u>116</u>
Enbridge Gas Distribution Inc.	331 Cooper St. Ottawa ON	WNW	233.44	<u>136</u>
285 MacLaren St	OTTAWA ON	WSW	248.56	<u>155</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
UNKNOWN	190 MACLAREN ST. OTTAWA CITY ON K2P 0L6	ENE	205.11	<u>92</u>

VAR - Variances for Abandonment of Underground Storage Tanks

A search of the VAR database, dated Feb 28, 2022 has found that there are 1 VAR site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
DALE R KENNY	309 COOPER ST.,,OTTAWA,ON,K2P 0G5,CA ON	NW	219.25	<u>109</u>


WWIS - Water Well Information System

A search of the WWIS database, dated Jul 31, 2025 has found that there are 27 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON <i>Well ID: 7473728</i>	W	32.43	<u>2</u>
	ON <i>Well ID: 7473727</i>	W	43.54	<u>5</u>
	ON <i>Well ID: 7473726</i>	W	45.59	<u>6</u>
	ON <i>Well ID: 7473694</i>	W	56.53	<u>9</u>
	ON <i>Well ID: 7473695</i>	W	56.76	<u>10</u>
	ON <i>Well ID: 7473723</i>	W	57.51	<u>11</u>
	ON <i>Well ID: 7473725</i>	W	60.84	<u>13</u>
	ON <i>Well ID: 7473722</i>	W	61.56	<u>14</u>
	ON <i>Well ID: 7473724</i>	W	64.52	<u>15</u>
	ON <i>Well ID: 7473693</i>	SSW	89.33	<u>25</u>
	BRONSON RD AND RAVEN Ottawa ON <i>Well ID: 7337489</i>	N	129.62	<u>35</u>
	ON	NNW	134.83	<u>38</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 7211111			
	311 SOMERSET Ottawa ON	W	181.52	<u>64</u>
	Well ID: 7391112			
	ON	W	184.21	<u>70</u>
	Well ID: 7211110			
	311 Somerset St W Ottawa ON	W	185.01	<u>73</u>
	Well ID: 7382782			
	311 SONERSET Ottawa ON	W	189.87	<u>78</u>
	Well ID: 7391115			
	311 SOMERSET Ottawa ON	W	203.35	<u>91</u>
	Well ID: 7391113			
	311 Somerset St W Ottawa ON	WNW	209.75	<u>97</u>
	Well ID: 7382859			
	356 MACLAREN STREET Ottawa ON	SW	210.17	<u>98</u>
	Well ID: 7218928			
	311 SOMERSET Ottawa ON	WNW	215.05	<u>104</u>
	Well ID: 7391114			
	338 SOMERSET STREET WEST OTTAWA ON	W	228.36	<u>129</u>
	Well ID: 7046637			
	331 Cooper St Ottawa ON	WNW	231.46	<u>133</u>
	Well ID: 7334763			
	ON	WNW	245.68	<u>150</u>
	Well ID: 7471728			


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON <i>Well ID: 7134824</i>	NE	207.06	<u>93</u>
	ON <i>Well ID: 7134806</i>	NE	208.55	<u>94</u>
	ON <i>Well ID: 7134805</i>	NE	225.89	<u>123</u>
	ON <i>Well ID: 7134804</i>	NE	228.78	<u>130</u>



Map: 0.25 Kilometer Radius

Order Number: 26012600426

Address: 260 MacLaren Street, Ottawa, ON



75°42'W

75°41'30"W

75°41'W

45°25'30"N


45°25'30"N

45°25'N

45°25'N

45°24'30"N

45°24'30"N



Aerial

Year: 2025

Order Number: 26012600426

Address: 260 MacLaren Street, Ottawa, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership

75°43'W 75°42'30"W 75°42'W 75°41'30"W 75°41'W 75°40'30"W 75°40'W

45°26'N
45°25'30"N
45°25'N
45°24'30"N
45°24'N
45°23'30"N



Topographic Map

Address: 260 MacLaren Street, ON

Source: ESRI World Topographic Map

Order Number: 26012600426



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	E/28.3	73.9 / 0.00	Invenire4 Ltd. 260 Metcalfe St Unit 2A Ottawa ON K2P 1R6	SCT
Scott S ID:		57739959			
Latitude:					
Longitude:					
<u>Historical Details</u>					
Established:		01-AUG-01			
Plant Size (ft²):					
Employment:					
<u>Historical Details</u>					
Description:		Administrative Management and General Management Consulting Services			
SIC/NAICS Code:		541611			
<u>Historical Details</u>					
Description:		Administrative Management and General Management Consulting Services			
SIC/NAICS Code:		541611			
<u>Historical Details</u>					
Description:		Book Publishers			
SIC/NAICS Code:		511130			
2	1 of 1	W/32.4	74.6 / 0.69	ON	WWIS
Well ID:		7473728	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:			Data Entry Status:		Yes
Use 2nd:			Data Src:		
Final Well Status:			Date Received:		03/22/2024
Water Type:			Selected Flag:		TRUE
Casing Material:			Abandonment Rec:		
Audit No:		Z425488	Contractor:		7241
Tag:		A400081	Form Version:		7
Constructn Method:			Owner:		
Elevation (m):			County:		OTTAWA-CARLETON
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:		NEPEAN TOWNSHIP			
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Additional Detail(s) (Map)

Bore Hole ID:	1010281665	Tag No:	A400081
Depth (m):		Contractor:	7241
Year Completed:	2024	Latitude:	45.4158488324598
Well Completed Dt:	02/20/2024	Longitude:	-75.6927386487294
Audit No:	Z425488	Point Y:	45.41584882513822
Path:		Point X:	-75.69273848717552

Bore Hole Information

Bore Hole ID:	1010281665	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445798.00
Code OB Desc:		North83:	5029381.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	02/20/2024	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

<u>3</u>	1 of 1	SSE/40.9	73.8 / -0.03	Elevation Elevator Inc 295 Gilmour Street Ottawa ON	GEN
----------	--------	----------	--------------	---	-----

Generator Info (as of Dec 2024)

Generator No:	ON001064134
Generator Company Name:	Elevation Elevator Inc
Street:	295 Gilmour Street
City:	Ottawa
Province State:	Ontario
Country:	Canada
Postal Code:	K2P 1R7
Waste Class:	252 L

Waste Class Decoded:

252 - WASTE OILS & LUBRICANTS

Generator Info (as of Apr 2025)

Generator Company Name:	Elevation Elevator Inc
Generator Site Address:	295 Gilmour Street
City:	Ottawa
Province State:	Ontario
Country:	Canada
Postal Code:	K2P 1R7
Waste Class:	252 L

Waste Class Decoded:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
252 - WASTE OILS & LUBRICANTS					
Waste Characteristic Decoded:					
L - Liquid Industrial Waste					
4	1 of 2	WSW/43.3	74.9 / 1.00	Innova Envelope 270 MacLaren St Ottawa ON K2P 0M3	SCT
Scott S ID:		19409243			
Latitude:					
Longitude:					
<u>Historical Details</u>					
Established:		1960			
Plant Size (ft²):					
Employment:		5			
<u>Historical Details</u>					
Description:		Paper Bag and Coated and Treated Paper Manufacturing			
SIC/NAICS Code:		322220			
<u>Historical Details</u>					
Description:		Stationery Product Manufacturing			
SIC/NAICS Code:		322230			
<u>Historical Details</u>					
Description:		Manifold Business Forms Printing			
SIC/NAICS Code:		323116			
<u>Historical Details</u>					
Description:		Plastics Bag Manufacturing			
SIC/NAICS Code:		326111			
4	2 of 2	WSW/43.3	74.9 / 1.00	Supremex Inc. 270 MacLaren St Suite 25 Ottawa ON K2P 0M3	SCT
Scott S ID:		19409243			
Latitude:					
Longitude:					
<u>Historical Details</u>					
Established:		01-AUG-60			
Plant Size (ft²):					
Employment:					
<u>Historical Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		Stationery and Office Supplies Wholesaler-Distributors			
SIC/NAICS Code:		418210			
<u>Historical Details</u>					
Description:		Other Paper and Disposable Plastic Product Wholesaler-Distributors			
SIC/NAICS Code:		418220			
<u>Historical Details</u>					
Description:		Stationery and Office Supplies Wholesaler-Distributors			
SIC/NAICS Code:		418210			
<u>Historical Details</u>					
Description:		Professional Machinery, Equipment and Supplies Wholesaler-Distributors			
SIC/NAICS Code:		417930			

5

1 of 1

W/43.5

74.9 / 1.00

ON

WWIS

Well ID:

7473727

Construction Date:

Use 1st:

Use 2nd:

Final Well Status:

Water Type:

Casing Material:

Audit No:

Z425489

Tag:

A400082

Constructn Method:

Elevation (m):

Elevatn Reliabilty:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Clear/Cloudy:

Municipality:

NEPEAN TOWNSHIP

Site Info:

Flowing (Y/N):

Flow Rate:

Data Entry Status:

Yes

Data Src:

Date Received:

03/22/2024

Selected Flag:

TRUE

Abandonment Rec:

Contractor:

7241

Form Version:

7

Owner:

County:

OTTAWA-CARLETON

Lot:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Zone:

UTM Reliability:

Additional Detail(s) (Map)

Bore Hole ID:

1010281662

Depth (m):

Year Completed:

2024

Well Completed Dt:

02/20/2024

Audit No:

Z425489

Path:

Tag No:

A400082

Contractor:

7241

Latitude:

45.4159019059016

Longitude:

-75.6928926661297

Point Y:

45.41590189894945

Point X:

-75.69289250417373

Bore Hole Information

Bore Hole ID:

1010281662

DP2BR:

Spatial Status:

Code OB:

Code OB Desc:

Open Hole:

Cluster Kind:

Date Completed:

02/20/2024

Elevation:

Elevrc:

Zone:

18

East83:

445786.00

North83:

5029387.00

Org CS:

UTM83

UTMRC:

4

UTMRC Desc:

margin of error : 30 m - 100 m

79 erisinfo.com | Environmental Risk Information Services Order No: 26012600426

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				307 GILMOUR ST OTTAWA ON K2P 0P7	
<u>Generator Info</u>					
Generator No:	ON2922059			Choice of Contact:	
Approval Years:	06			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	531210
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Offices of Real Estate Agents and Brokers				
<u>Waste Detail(s)</u>					
Waste Class:	221				
Waste Class Name:	LIGHT FUELS				

8	1 of 4	W/56.1	74.9 / 1.00	283 MacLaren Street Ottawa ON K2P 0M2	EHS
Order No:	24043000266			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	03-MAY-24			Search Radius (km):	.25
Date Received:	30-APR-24			X:	-75.6930373
Previous Site Name:				Y:	45.4160277
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos				

8	2 of 4	W/56.1	74.9 / 1.00	CM3 Environmental Inc. 283 MacLaren Street Ottawa ON	GEN
<u>Generator Info (as of Dec 2024)</u>					
Generator No:	ON001063874				
Generator Company Name:	CM3 Environmental Inc.				
Street:	283 MacLaren Street				
City:	Ottawa				
Province State:	Ontario				
Country:	Canada				
Postal Code:	K2P 0M2				
Waste Class:	221 L				
Waste Class Decoded:					
221 - LIGHT FUELS					
<u>Generator Info (as of Apr 2025)</u>					
Generator Company Name:	CM3 Environmental Inc.				
Generator Site Address:	283 MacLaren Street				
City:	Ottawa				
Province State:	Ontario				
Country:	Canada				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Postal Code:		K2P 0M2			
Waste Class:		221 L			
Waste Class Decoded:					
221 - LIGHT FUELS					
Waste Characteristic Decoded:					
L - Liquid Industrial Waste					

<u>8</u>	3 of 4	W/56.1	74.9 / 1.00	s.21 283 Maclaren, Ottawa Ottawa ON	SPL
Ref No:		2751-A2LSTQ		Municipality No:	
Year:				Nature of Damage:	
Incident Dt:		9/22/2015		Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:		9/22/2015		Impact to Health:	
Dt Document Closed:		10/1/2015		Agency Involved:	
Site No:		NA			
MOE Response:		No			
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:		Hydraulic Spill<UNOFFICIAL>			
Site Address:		283 Maclaren, Ottawa			
Site Region:					
Site Municipality:		Ottawa			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:		s.21			
Client Type:					
Source Type:					
Incident Cause:					
Incident Preceding Spill:					
Incident Reason:		Equipment Failure			
Incident Summary:		Spill to road, hydraulic oil.			
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:		20 other - see incident description			
Contaminant Qty 1:		20			
Contaminant Unit:		other - see incident description			
Contaminant Code:		15			
Contaminant Name:		HYDRAULIC OIL			
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:					
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:		Other			
SAC Action Class:		Land Spills			
Call Report Locatn Geodata:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Time Reported: System Facility Address: Source Sector Type: Conservtn Auth Name: Primary Watershed: Quaternary Watershed: Offsite Impacts Y N: Waterbody Impacted Y N:					
<u>8</u>	4 of 4	W/56.1	74.9 / 1.00	OTTAWA ON	SPL
Ref No: 1-4HPLXK Year: Incident Dt: 12/14/2023 2:00:00 PM Dt MOE Arvl on Scn: MOE Reported Dt: 12/14/2023 2:29:50 PM Dt Document Closed: 12/20/2023 7:11:26 AM Site No: MOE Response: Desktop Response Site County/District: Site Geo Ref Meth: Site District Office: Ottawa District Office Nearest Watercourse: Site Name: Site Address: Site Region: Site Municipality: OTTAWA Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northings: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Tank - Underground Incident Cause: Incident Preceding Spill: Leak/Break Incident Reason: Equipment failure/malfunction Incident Summary: Mannion Petroleum: heating oil leaked from old tank underground Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: 0 other - see notes Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: HEATING OIL, LIGHT Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Land Activity Preceding Spill: Other (specify) Property 2nd Watershed: 02L Lower Ottawa River Property Tertiary Watershed: 02LA Rideau River Sector Type: SAC Action Class: Call Report Locatn Geodata: {"integration_ids":["PR00003803184"],"wks":["POINT (-75.6930373000 45.4160277000)","creation_date":"2023-12-14"} Time Reported: System Facility Address: Source Sector Type:					
Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Conservtn Auth Name: Primary Watershed: Quaternary Watershed: Offsite Impacts Y N: Waterbody Impacted Y N:					
9	1 of 1	W/56.5	74.9 / 1.00	ON	WWIS
Well ID: 7473694 Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Z425449 Tag: A400061 Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: NEPEAN TOWNSHIP Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Yes Data Src: Date Received: 03/22/2024 Selected Flag: TRUE Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID: 1010281563 Depth (m): Year Completed: 2024 Well Completed Dt: 01/16/2024 Audit No: Z425449 Path: Tag No: A400061 Contractor: 7241 Latitude: 45.4159278997613 Longitude: -75.6930591332696 Point Y: 45.4159278932288 Point X: -75.69305897092163					
<u>Bore Hole Information</u>					
Bore Hole ID: 1010281563 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 01/16/2024 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 18 East83: 445773.00 North83: 5029390.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
10	1 of 1	W/56.8	74.9 / 1.00	ON	WWIS
Well ID: 7473695 Flowing (Y/N):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Z425450 Tag: A400062 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: NEPEAN TOWNSHIP Site Info: Flow Rate: Data Entry Status: Yes Data Src: Date Received: 03/22/2024 Selected Flag: TRUE Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID: 1010281566 Depth (m): Year Completed: 2024 Well Completed Dt: 01/16/2024 Audit No: Z425450 Path: Tag No: A400062 Contractor: 7241 Latitude: 45.4159639021978 Longitude: -75.6930595736895 Point Y: 45.41596389536769 Point X: -75.69305941199121					
<u>Bore Hole Information</u>					
Bore Hole ID: 1010281566 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 01/16/2024 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 18 East83: 445773.00 North83: 5029394.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
11	1 of 1	W/57.5	74.9 / 1.00	ON	WWIS
Well ID: 7473723 Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Z413371 Tag: A400086 Constructn Method: Elevation (m): Elevatn Reliabilty: Flowing (Y/N): Flow Rate: Data Entry Status: Yes Data Src: Date Received: 03/22/2024 Selected Flag: TRUE Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: County: OTTAWA-CARLETON Lot:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: OTTAWA CITY Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID: 1010281650 Depth (m): Year Completed: 2024 Well Completed Dt: 02/21/2024 Audit No: Z413371 Path: Tag No: A400086 Contractor: 7241 Latitude: 45.415909820997 Longitude: -75.6930716928174 Point Y: 45.415909813959736 Point X: -75.6930715311633					
<u>Bore Hole Information</u>					
Bore Hole ID: 1010281650 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 02/21/2024 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 18 East83: 445772.00 North83: 5029388.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
12	1 of 2	N/58.5	73.8 / -0.03	252 Metcalfe St. Ottawa ON K2P 1R3	EHS
Order No: 20010322014 Status: C Report Type: Basic Report Report Date: 4/2/01 Date Received: 3/23/01 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: at Somerset st. Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.692039 Y: 45.416427					
12	2 of 2	N/58.5	73.8 / -0.03	252 Metcalfe Street Ottawa ON K2P 1R3	EHS
Order No: 20181203116 Status: C Report Type: Site Report Report Date: 04-DEC-18 Date Received: 03-DEC-18 Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .001 X: -75.692282 Y: 45.416473					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
13	1 of 1	W/60.8	74.9 / 1.00	ON	WWIS
Well ID: 7473725 Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Z412884 Tag: A400084 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: NEPEAN TOWNSHIP Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Yes Data Src: Date Received: 03/22/2024 Selected Flag: TRUE Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
Additional Detail(s) (Map)					
Bore Hole ID: 1010281656 Depth (m): Year Completed: 2024 Well Completed Dt: 02/20/2024 Audit No: Z412884 Path: Tag No: A400084 Contractor: 7241 Latitude: 45.4159725926136 Longitude: -75.693110802881 Point Y: 45.41597258597277 Point X: -75.6931106410975					
Bore Hole Information					
Bore Hole ID: 1010281656 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 02/20/2024 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 18 East83: 445769.00 North83: 5029395.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
14	1 of 1	W/61.6	74.9 / 1.00	ON	WWIS
Well ID: 7473722 Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Flowing (Y/N): Flow Rate: Data Entry Status: Yes Data Src: Date Received: 03/22/2024 Selected Flag: TRUE Abandonment Rec:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No: Z413372 Tag: A400087 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: NEPEAN TOWNSHIP Site Info: Contractor: 7241 Form Version: 7 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID: 1010281647 Depth (m): Year Completed: 2024 Well Completed Dt: 02/21/2024 Audit No: Z413372 Path: Tag No: A400087 Contractor: 7241 Latitude: 45.4160175956583 Longitude: -75.693111353448 Point Y: 45.41601758892248 Point X: -75.69311119086247					
<u>Bore Hole Information</u>					
Bore Hole ID: 1010281647 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 02/21/2024 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 18 East83: 445769.00 North83: 5029400.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
15	1 of 1	W/64.5	74.9 / 1.00	ON	WWIS
Well ID: 7473724 Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Z412883 Tag: A400085 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Flowing (Y/N): Flow Rate: Data Entry Status: Yes Data Src: Date Received: 03/22/2024 Selected Flag: TRUE Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Municipality: Site Info:		NEPEAN TOWNSHIP			
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID:	1010281653			Tag No:	A400085
Depth (m):				Contractor:	7241
Year Completed:	2024			Latitude:	45.4159272793528
Well Completed Dt:	02/21/2024			Longitude:	-75.6931613713603
Audit No:	Z412883			Point Y:	45.41592727211498
Path:				Point X:	-75.69316120904857
<u>Bore Hole Information</u>					
Bore Hole ID:	1010281653			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445765.00
Code OB Desc:				North83:	5029390.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	02/21/2024			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>16</u>	1 of 1	SW/67.4	74.9 / 1.00	ON	BORE
Borehole ID:	613286			Inclin FLG:	No
OGF ID:	215514587			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:	15.2			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.415498
Total Depth m:	-999			Longitude DD:	-75.692956
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	445781
Drill Method:				Northing:	5029342
Orig Ground Elev m:	70.1			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	71.4				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218394504			Mat Consistency:	
Top Depth:	12.3			Material Moisture:	
Bottom Depth:	12.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Gravel SAND.			Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394502 0 .8 Sand Clay SAND.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394507 17.9 Bedrock BEDROCK. 219.2 FEET.FIED. DENSE. 00000 018 00050 017 00130 038 00200 023 **Note: Many records provided by the department have a truncated [Stratum Description] field.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Dense
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394506 17.7 17.9 Gravel GRAVEL. WATER STABLE AT 180.0 FEET.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394503 .8 12.3 Clay CLAY.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218394505 12.6 17.7 Clay CLAY.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Orig: Geological Survey of Canada Source Date: 1956-1972 Confidence: H Observatio: Source Name: Urban Geology Automated Information System (UGAIS) Source Details: File: OTTAWA2.txt RecordID: 057940 NTS_Sheet: 31G05G Confiden 1: Logged by professional. Exact and complete description of material and properties.					
Source Ident: 1					
Source Type: Data Survey					
Source Date: 1956-1972					
Scale or Resolution: Varies					
Source Name: Urban Geology Automated Information System (UGAIS)					
Source Originators: Geological Survey of Canada					
Horizontal Datum: NAD27					
Vertical Datum: Mean Average Sea Level					
Projection Name: Universal Transverse Mercator					
17	1 of 6	ENE/70.2	73.9 / 0.00	TAGGART CORPORATION 255 METCALFE STREET OTTAWA ON K2P 1R4	NPCB
Company Code: F1444					
Industry:					
Site Status:					
Transaction Date:					
Inspection Date:					
17	2 of 6	ENE/70.2	73.9 / 0.00	TAGGART CORPORATION 255 METCALFE STREET OTTAWA ON K2P 1R4	NPCB
Company Code: F1361					
Industry: UNDEFINED					
Site Status:					
Transaction Date:					
Inspection Date:					
17	3 of 6	ENE/70.2	73.9 / 0.00	TAGGART CORPORATION 255 METCALFE STREET OTTAWA ON K2P 1R4	OPCB
Year: 1995					
Site Number: 40294A012					
Name Owner:					
Additional Site Information:					
17	4 of 6	ENE/70.2	73.9 / 0.00	TAGGART CORPORATION 255 METCALFE STREET OTTAWA ON K2P 1R4	OPCB
Year: 1998					
Site Number: 40294A012					
Name Owner:					
Additional Site Information:					
17	5 of 6	ENE/70.2	73.9 / 0.00	TAGGART CORPORATION 255 METCALFE STREET	OPCB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OTTAWA ON K2P 1R4					
Year:		1999			
Site Number:		40294A012			
Name Owner:					
Additional Site Information:					
17	6 of 6	ENE/70.2	73.9 / 0.00	TAGGART CORPORATION 255 METCALFE STREET OTTAWA ON K2P 1R4	OPCB
Year:		2000			
Site Number:		40294A012			
Name Owner:					
Additional Site Information:					
18	1 of 1	SSE/70.6	73.9 / 0.00	OTTAWA BOARD OF EDUCATION 300 GILMOUR ST. OTTAWA CITY ON	SPL
Ref No:	89979			Municipality No:	20101
Year:				Nature of Damage:	
Incident Dt:	//			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	8/11/1993			Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		OTTAWA CITY			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:		UNDERGROUND TANK LEAK			
Incident Preceding Spill:					
Incident Reason:		CORROSION			
Incident Summary:		BACKENTRY-OTTAWA B.O.E.: FURNACE OIL LEAK FROM UNDERGROUND OIL TANK			
Environment Impact:		CONFIRMED			
Health Env Consequence:					
Nature of Impact:		Soil contamination			
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:		LAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address: Source Sector Type: Conservtn Auth Name: Primary Watershed: Quaternary Watershed: Offsite Impacts Y N: Waterbody Impacted Y N:					
19	1 of 1	ENE/73.6	73.9 / 0.00	255 Metcalfe Street Ottawa ON K2P 0N9	EHS
Order No: 20200723047 Status: C Report Type: Standard Report Report Date: 28-JUL-20 Date Received: 23-JUL-20 Previous Site Name: Lot/Building Size: 0.12 hectares Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6915411 Y: 45.4162734			
20	1 of 66	SW/78.8	74.9 / 1.00	267 O'Connor Street Ottawa ON K2P 1V3	EHS
Order No: 20061012001 Status: C Report Type: Custom Report Report Date: 10/20/2006 Date Received: 10/12/2006 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps And /or Site Plans		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.693092 Y: 45.415298			
20	2 of 66	SW/78.8	74.9 / 1.00	267 O'Connor Street Ottawa ON K2P 1V3	EHS
Order No: 20090313006 Status: C Report Type: Custom Report Report Date: 3/23/2009 Date Received: 3/13/2009 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.693105 Y: 45.415292			
20	3 of 66	SW/78.8	74.9 / 1.00	267 O'connor St Ottawa ON K2P 1V3	EHS
Order No: 20121001003 Status: C Report Type: Custom Report Report Date: 05-OCT-12 Date Received: 01-OCT-12		Nearest Intersection: Municipality: Ottawa Client Prov/State: ON Search Radius (km): .25 X: -75.693207			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Previous Site Name: Lot/Building Size: Additional Info Ordered:				Y: 45.415395	
20	4 of 66	SW/78.8	74.9 / 1.00	267 O'Connor Street Ottawa ON K2P 1V3	EHS
Order No: 20200323030 Status: C Report Type: Standard Report Report Date: 26-MAR-20 Date Received: 23-MAR-20 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6930364 Y: 45.4154094			
20	5 of 66	SW/78.8	74.9 / 1.00	KOPP CLINICAL LABORATORIES 267 O'CONNOR STREET, SUITE 104 OTTAWA ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No: ON0390100 Approval Years: 86,87,88,89,90 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: MEDICAL LABORATORIES		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 8681			
<u>Waste Detail(s)</u>					
Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
20	6 of 66	SW/78.8	74.9 / 1.00	KOPP CLINICAL LABORAT (OUT OF BUSINESS) 267 O'CONNOR STREET, SUITE 104 OTTAWA ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No: ON0390100 Approval Years: 92,93,96,97,98 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: MEDICAL LABORATORIES		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 8681			
<u>Waste Detail(s)</u>					
Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
20	7 of 66	SW/78.8	74.9 / 1.00	KOPP CLINICAL LABORATORIES 23-100 267 O'CONNOR STREET, SUITE 104 OTTAWA ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:	ON0390100			Choice of Contact:	
Approval Years:	94,95			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	8681
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	MEDICAL LABORATORIES				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
20	8 of 66	SW/78.8	74.9 / 1.00	O'CONNOR PHARMACY 267 O'CONNER STREET OTTAWA ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:	ON8434988			Choice of Contact:	
Approval Years:	02,03,04			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	261				
Waste Class Name:	PHARMACEUTICALS				
20	9 of 66	SW/78.8	74.9 / 1.00	CML HealthCare Inc. 267 O'Connor Street Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:	ON2674529			Choice of Contact:	
Approval Years:	04,05,07,08			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621510
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Medical and Diagnostic Laboratories				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
20	10 of 66	SW/78.8	74.9 / 1.00	CML HealthCare Inc. 267 O'Connor Street Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:		ON2674529	Choice of Contact:		
Approval Years:		2009	Contaminated Fac:		
Status:			MHSW Facility:		
PO Box No:			SIC Code: 621510		
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Medical and Diagnostic Laboratories			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
20	11 of 66	SW/78.8	74.9 / 1.00	CML HealthCare Inc. 267 O'Connor Street Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:		ON2674529	Choice of Contact:		
Approval Years:		2010	Contaminated Fac:		
Status:			MHSW Facility:		
PO Box No:			SIC Code: 621510		
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Medical and Diagnostic Laboratories			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
20	12 of 66	SW/78.8	74.9 / 1.00	Dr. Donald K. Wilson Medicine Prof. Corp. 403-267 O'Connor St Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:		ON9901254	Choice of Contact:		
Approval Years:		2010	Contaminated Fac:		
Status:			MHSW Facility:		
PO Box No:			SIC Code: 621110		
Country:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Admin: Phone No Admin: SIC Description: Offices of Physicians					
<u>Waste Detail(s)</u>					
Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
20	13 of 66	SW/78.8	74.9 / 1.00	Central Ottawa Family Medicine Associates Ltd. Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No: ON6644068 Approval Years: 2010 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: Offices of Physicians					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 621110					
<u>Waste Detail(s)</u>					
Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
20	14 of 66	SW/78.8	74.9 / 1.00	Ottawa Endoscopy & Day Surgery 267 O'conner Street Suite 225 Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No: ON7074415 Approval Years: 2010 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: Offices of All Other Health Practitioners					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 621390					
<u>Waste Detail(s)</u>					
Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
20	15 of 66	SW/78.8	74.9 / 1.00	Ottawa Endoscopy & Day Surgery 267 O'connor Street Suite 225 Ottawa ON	GEN
<u>Generator Info</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON7074415 Approval Years: 2011 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: Offices of All Other Health Practitioners Waste Detail(s) Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
20	16 of 66	SW/78.8	74.9 / 1.00	Central Ottawa Family Medicine Associates Ltd. Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	GEN
Generator Info Generator No: ON6644068 Approval Years: 2011 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: Offices of Physicians Waste Detail(s) Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
20	17 of 66	SW/78.8	74.9 / 1.00	Dr. Donald K. Wilson Medicine Prof. Corp. 403-267 O'Connor St Ottawa ON K2P 1V3	GEN
Generator Info Generator No: ON9901254 Approval Years: 2011 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: Offices of Physicians Waste Detail(s) Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
20	18 of 66	SW/78.8	74.9 / 1.00	CML HealthCare Inc. 267 O'Connor Street Ottawa ON K2P 1V3	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON2674529			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621510
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Medical and Diagnostic Laboratories			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
20	19 of 66	SW/78.8	74.9 / 1.00	Ottawa Endoscopy & Day Surgery 267 O'connor Street Suite 207 Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:	ON7074415			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621390
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Offices of All Other Health Practitioners			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
20	20 of 66	SW/78.8	74.9 / 1.00	Central Ottawa Family Medicine Associates Ltd. Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:	ON6644068			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Offices of Physicians			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
20	21 of 66	SW/78.8	74.9 / 1.00	Dr. Donald K. Wilson Medicine Prof. Corp. 403-267 O'Connor St Ottawa ON K2P 1V3	GEN
Generator Info					
Generator No:	ON9901254			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Offices of Physicians				
Waste Detail(s)					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
20	22 of 66	SW/78.8	74.9 / 1.00	LifeLabs LP 267 O'Connor Street, Unit B003 Ottawa ON	GEN
Generator Info					
Generator No:	ON2674529			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621510
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Medical and Diagnostic Laboratories				
Waste Detail(s)					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
20	23 of 66	SW/78.8	74.9 / 1.00	LifeLabs LP 267 O'Connor Street, Unit B003 Ottawa ON	GEN
Generator Info					
Generator No:	ON2674529			Choice of Contact:	
Approval Years:	2013			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621510
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
20	24 of 66	SW/78.8	74.9 / 1.00	Dr. Donald K. Wilson Medicine Prof. Corp. 403-267 O'Connor St Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:		ON9901254		Choice of Contact:	
Approval Years:		2013		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 621110	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		OFFICES OF PHYSICIANS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
20	25 of 66	SW/78.8	74.9 / 1.00	Central Ottawa Family Medicine Associates Ltd. Suite 500 267 O'Connor Street Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:		ON6644068		Choice of Contact:	
Approval Years:		2013		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 621110	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		OFFICES OF PHYSICIANS			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
20	26 of 66	SW/78.8	74.9 / 1.00	Ottawa Endoscopy & Day Surgery 267 O'connor Street Suite 207 Ottawa ON	GEN

Generator Info

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON7074415 Approval Years: 2013 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 621390					
<u>Waste Detail(s)</u>					
Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
20	27 of 66	SW/78.8	74.9 / 1.00	Midtown Family Health 267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No: ON5935207 Approval Years: 2016 Status: PO Box No: Country: Canada Co Admin: Helen Rizzo Phone No Admin: 6132336652 Ext. SIC Description: OFFICES OF PHYSICIANS Choice of Contact: CO_OFFICIAL Contaminated Fac: No MHSW Facility: No SIC Code: 621110					
<u>Waste Detail(s)</u>					
Waste Class: 261 Waste Class Name: PHARMACEUTICALS					
<u>Waste Detail(s)</u>					
Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
20	28 of 66	SW/78.8	74.9 / 1.00	Sajjad Giby Pharmacies Inc. 267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No: ON3475419 Approval Years: 2016 Status: PO Box No: Country: Canada Co Admin: NASTRAN NAJAFI-FARD Phone No Admin: 4164931120 Ext.3218 SIC Description: 446110 Choice of Contact: CO_ADMIN Contaminated Fac: No MHSW Facility: No SIC Code: 446110					
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
20	29 of 66	SW/78.8	74.9 / 1.00	Central Ottawa Family Medicine Associates Ltd. Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:		ON6644068	Choice of Contact:		CO_ADMIN
Approval Years:		2016	Contaminated Fac:		No
Status:			MHSW Facility:		No
PO Box No:			SIC Code:		621110
Country:		Canada			
Co Admin:		Jasmine Soule			
Phone No Admin:		613-730-3701 Ext.			
SIC Description:		OFFICES OF PHYSICIANS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
20	30 of 66	SW/78.8	74.9 / 1.00	We Care Home Health Services 267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:		ON6991797	Choice of Contact:		CO_OFFICIAL
Approval Years:		2016	Contaminated Fac:		No
Status:			MHSW Facility:		No
PO Box No:			SIC Code:		621610, 621390
Country:		Canada			
Co Admin:		Heather Bozik			
Phone No Admin:		6137822244 Ext.1811			
SIC Description:		621610, OFFICES OF ALL OTHER HEALTH PRACTITIONERS			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		PATHOLOGICAL WASTES			
20	31 of 66	SW/78.8	74.9 / 1.00	Ottawa Endoscopy & Day Surgery 267 O'Connor Street Suite 207 Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:	ON7074415			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621390
Country:	Canada				
Co Admin:	Grace Wilson				
Phone No Admin:	6135678106 Ext.				
SIC Description:	OFFICES OF ALL OTHER HEALTH PRACTITIONERS				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
20	32 of 66	SW/78.8	74.9 / 1.00	We Care Home Health Services 267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:	ON6991797			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621610
Country:	Canada				
Co Admin:	Heather Bozik				
Phone No Admin:	6137822244 Ext.1811				
SIC Description:	621610				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
<u>Waste Detail(s)</u>					
Waste Class:	261				
Waste Class Name:	PHARMACEUTICALS				
20	33 of 66	SW/78.8	74.9 / 1.00	LifeLabs LP 267 O'Connor Street, Unit B003 Ottawa ON K1S 1C2	GEN
<u>Generator Info</u>					
Generator No:	ON2674529			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Contaminated Fac:	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: Canada MEDICAL AND DIAGNOSTIC LABORATORIES					
Waste Detail(s) Waste Class: Waste Class Name: 312 PATHOLOGICAL WASTES					
20	34 of 66	SW/78.8	74.9 / 1.00	Central Ottawa Family Medicine Associates Ltd. Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	GEN
Generator Info Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: ON6644068 2015 Canada Jasmine Soule 613-730-3701 Ext. OFFICES OF PHYSICIANS					
Waste Detail(s) Waste Class: Waste Class Name: 312 PATHOLOGICAL WASTES					
Waste Detail(s) Waste Class: Waste Class Name: 148 INORGANIC LABORATORY CHEMICALS					
20	35 of 66	SW/78.8	74.9 / 1.00	Dr. Donald K. Wilson Medicine Prof. Corp. 403-267 O'Connor St Ottawa ON K2P1V3	GEN
Generator Info Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: ON9901254 2015 Canada Judy Costantini 613-567-3904 Ext. OFFICES OF PHYSICIANS					
Waste Detail(s) Waste Class: Waste Class Name: 312 PATHOLOGICAL WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
20	36 of 66	SW/78.8	74.9 / 1.00	Ottawa Endoscopy & Day Surgery 267 O'connor Street Suite 207 Ottawa ON K2P 1V3	GEN

Generator Info

Generator No:	ON7074415	Choice of Contact:	CO_ADMIN
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621390
Country:	Canada		
Co Admin:	Grace Wilson		
Phone No Admin:	6135678106 Ext.		
SIC Description:	OFFICES OF ALL OTHER HEALTH PRACTITIONERS		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

20	37 of 66	SW/78.8	74.9 / 1.00	Sajjad Giby Pharmacies Inc. 267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	GEN
--------------------	----------	---------	-------------	---	-----

Generator Info

Generator No:	ON3475419	Choice of Contact:	CO_ADMIN
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	446110
Country:	Canada		
Co Admin:	NASTRAN NAJAFI-FARD		
Phone No Admin:	4164931120 Ext.3218		
SIC Description:	446110		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class:	261
Waste Class Name:	PHARMACEUTICALS

20	38 of 66	SW/78.8	74.9 / 1.00	Midtown Family Health 267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	GEN
--------------------	----------	---------	-------------	--	-----

Generator Info

Generator No:	ON5935207	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621110

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country: Canada Co Admin: Helen Rizzo Phone No Admin: 6132336652 Ext. SIC Description: OFFICES OF PHYSICIANS					
<u>Waste Detail(s)</u>					
Waste Class: 261 Waste Class Name: PHARMACEUTICALS					
<u>Waste Detail(s)</u>					
Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					

20	39 of 66	SW/78.8	74.9 / 1.00	Central Ottawa Family Medicine Associates Ltd. Suite 500 267 O'Connor Street Ottawa ON K2P 1V3	GEN
--------------------	----------	---------	-------------	--	-----

Generator Info

Generator No:	ON6644068	Choice of Contact:	CO_ADMIN
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621110
Country:	Canada		
Co Admin:	Jasmine Soule		
Phone No Admin:	613-730-3701 Ext.		
SIC Description:	OFFICES OF PHYSICIANS		

Waste Detail(s)

Waste Class: 148
Waste Class Name: INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

20	40 of 66	SW/78.8	74.9 / 1.00	LifeLabs LP 267 O'Connor Street, Unit B003 Ottawa ON K1S 1C2	GEN
--------------------	----------	---------	-------------	--	-----

Generator Info

Generator No:	ON2674529	Choice of Contact:	CO_ADMIN
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621510
Country:	Canada		
Co Admin:	Jacquie Maertz		
Phone No Admin:	905 565 0433 Ext.2202		
SIC Description:	MEDICAL AND DIAGNOSTIC LABORATORIES		

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		312 PATHOLOGICAL WASTES			
20	41 of 66	SW/78.8	74.9 / 1.00	Dr. Donald K. Wilson Medicine Prof. Corp. 403-267 O'Connor St Ottawa ON K2P1V3	GEN
Generator Info					
Generator No:	ON9901254			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621110
Country:	Canada				
Co Admin:	Judy Costantini				
Phone No Admin:	613-567-3904 Ext.				
SIC Description:	OFFICES OF PHYSICIANS				
Waste Detail(s)					
Waste Class: Waste Class Name:		312 PATHOLOGICAL WASTES			
20	42 of 66	SW/78.8	74.9 / 1.00	Ottawa Endoscopy & Day Surgery 267 O'connor Street Suite 207 Ottawa ON K2P 1V3	GEN
Generator Info					
Generator No:	ON7074415			Choice of Contact:	CO_ADMIN
Approval Years:	2014			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621390
Country:	Canada				
Co Admin:	Grace Wilson				
Phone No Admin:	6135678106 Ext.				
SIC Description:	OFFICES OF ALL OTHER HEALTH PRACTITIONERS				
Waste Detail(s)					
Waste Class: Waste Class Name:		312 PATHOLOGICAL WASTES			
20	43 of 66	SW/78.8	74.9 / 1.00	Midtown Family Health 267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	GEN
Generator Info					
Generator No:	ON5935207			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621110
Country:	Canada				
Co Admin:	Amanda Peskett				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin:		6135633332 Ext.			
SIC Description:		OFFICES OF PHYSICIANS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
20	44 of 66	SW/78.8	74.9 / 1.00	Sajjad Giby Pharmacies Inc. 267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:		ON3475419		Choice of Contact:	
Approval Years:		As of Dec 2018		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
<u>Waste Detail(s)</u>					
Waste Class:		261 A			
Waste Class Name:		Pharmaceuticals			
20	45 of 66	SW/78.8	74.9 / 1.00	CBI Home Health formerly We Care Home Health 267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:		ON6991797		Choice of Contact:	
Approval Years:		As of Dec 2018		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		261 A			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		Pharmaceuticals			
Waste Detail(s)					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
20	46 of 66	SW/78.8	74.9 / 1.00	Ottawa Endoscopy & Day Surgery 267 O'connor Street Suite 207 Ottawa ON K2P 1V3	GEN
Generator Info					
Generator No:		ON7074415		Choice of Contact:	
Approval Years:		As of Dec 2018		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
Waste Detail(s)					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
20	47 of 66	SW/78.8	74.9 / 1.00	Central Ottawa Family Medicine Associates Ltd. Suite 500 267 OConnor Street Ottawa ON K2P 1V3	GEN
Generator Info					
Generator No:		ON6644068		Choice of Contact:	
Approval Years:		As of Dec 2018		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
Waste Detail(s)					
Waste Class:		148 C			
Waste Class Name:		Misc. wastes and inorganic chemicals			
Waste Detail(s)					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
20	48 of 66	SW/78.8	74.9 / 1.00	Midtown Family Health 267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON5935207			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	Pathological wastes				
<u>Waste Detail(s)</u>					
Waste Class:	261 A				
Waste Class Name:	Pharmaceuticals				
20	49 of 66	SW/78.8	74.9 / 1.00	Sajjad Giby Pharmacies Inc. 267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:	ON3475419			Choice of Contact:	
Approval Years:	As of Jul 2020			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	Pathological wastes				
<u>Waste Detail(s)</u>					
Waste Class:	261 A				
Waste Class Name:	Pharmaceuticals				
20	50 of 66	SW/78.8	74.9 / 1.00	Ottawa Endoscopy & Day Surgery 267 O'connor Street Suite 207 Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:	ON7074415			Choice of Contact:	
Approval Years:	As of Jul 2020			Contaminated Fac:	
Status:	Registered			MHSW Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:					
SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: Pathological wastes					
20	51 of 66	SW/78.8	74.9 / 1.00	Midtown Family Health 267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No: ON5935207 Approval Years: As of Jul 2020 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: Pathological wastes					
<u>Waste Detail(s)</u>					
Waste Class: 261 A Waste Class Name: Pharmaceuticals					
20	52 of 66	SW/78.8	74.9 / 1.00	Central Ottawa Family Medicine Associates Ltd. Suite 500 267 OConnor Street Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No: ON6644068 Approval Years: As of Jul 2020 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 148 C Waste Class Name: Misc. wastes and inorganic chemicals					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
20	53 of 66	SW/78.8	74.9 / 1.00	CBI Home Health formerly We Care Home Health 267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:		ON6991797		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		261 A			
Waste Class Name:		Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
20	54 of 66	SW/78.8	74.9 / 1.00	Central Ottawa Family Medicine Associates Ltd. Suite 500 267 OConnor Street Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No:		ON6644068		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		148 C			
Waste Class Name:		Misc. wastes and inorganic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
20	55 of 66	SW/78.8	74.9 / 1.00	CBI Home Health formerly We Care Home Health 267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	GEN

Generator Info

Generator No:	ON6991797	Choice of Contact:	
Approval Years:	As of Nov 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	261 A
Waste Class Name:	Pharmaceuticals

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	Pathological wastes

20	56 of 66	SW/78.8	74.9 / 1.00	Sajjad Giby Pharmacies Inc. 267 O'CONNOR STREET, UNIT 120 OTTAWA ON K2P 1V3	GEN
--------------------	----------	---------	-------------	---	-----

Generator Info

Generator No:	ON3475419	Choice of Contact:	
Approval Years:	As of Jan 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	Pathological wastes

Waste Detail(s)

Waste Class:	261 A
Waste Class Name:	Pharmaceuticals

2017 Generator Info

Gen No:	ON3475419	Choice of Contact:	CO_ADMIN
ID:	13973	Phone No Official:	613-238-8552 Ext.
Contaminated Fac:	N	Phone No Admin:	4164931120 Ext.3218
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110	County Out:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Sajjad Giby Pharmacies Inc.			
Gen Div:					
Gen Op Name:		SHOPPERS SIMPLY PHARMACY 3003			
Gen Op Div:					
Site Adrs1:		267 O'CONNOR STREET, UNIT 120			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		OTTAWA			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		SAJJAD H GIBY GIBY			
Co Admin:		NASTRAN NAJAFI-FARD			
<u>2018 Generator Info</u>					
Gen No:	ON3475419			Choice of Contact:	CO_ADMIN
ID:	13844			Phone No Official:	613-238-8552 Ext.
Contaminated Fac:	N			Phone No Admin:	4164931120 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Sajjad Giby Pharmacies Inc.			
Gen Div:					
Gen Op Name:		SHOPPERS SIMPLY PHARMACY 3003			
Gen Op Div:					
Site Adrs1:		267 O'CONNOR STREET, UNIT 120			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		OTTAWA			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		SAJJAD H GIBY GIBY			
Co Admin:		Pharmacy Operations Development			
<u>2019 Generator Info</u>					
Gen No:	ON3475419			Choice of Contact:	CO_ADMIN
ID:	13631			Phone No Official:	613-238-8552 Ext.
Contaminated Fac:	N			Phone No Admin:	4164931120 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Sajjad Giby Pharmacies Inc.			
Gen Div:					
Gen Op Name:		SHOPPERS SIMPLY PHARMACY 3003			
Gen Op Div:					
Site Adrs1:		267 O'CONNOR STREET, UNIT 120			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		OTTAWA			
Province Out:					
Site Postal Code:		K2P 1V3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Country:		Canada			
Co Official:		SAJJAD H GIBY GIBY			
Co Admin:		Pharmacy Operations Development			
<u>2020 Generator Info</u>					
Gen No:	ON3475419			Choice of Contact:	CO_ADMIN
ID:	13296			Phone No Official:	613-238-8552 Ext.
Contaminated Fac:	N			Phone No Admin:	4164931120 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Sajjad Giby Pharmacies Inc.				
Gen Div:					
Gen Op Name:	SHOPPERS SIMPLY PHARMACY 3003				
Gen Op Div:					
Site Adrs1:	267 O'CONNOR STREET, UNIT 120				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	OTTAWA				
Province Out:					
Site Postal Code:	K2P 1V3				
Site Country:	Canada				
Co Official:	SAJJAD H GIBY GIBY				
Co Admin:	Pharmacy Operations Development				
20	57 of 66	SW/78.8	74.9 / 1.00	Ottawa Endoscopy & Day Surgery 267 O'connor Street Suite 207 Ottawa ON K2P 1V3	GEN

Generator Info

Generator No: ON7074415
Approval Years: As of Jan 2021
Status: Registered
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Waste Detail(s)

Waste Class: 312 P
Waste Class Name: Pathological wastes

2017 Generator Info

Gen No: ON7074415
ID: 27762
Contaminated Fac: N
MHSW Facility: N
NAICS Code1: 621390
NAICS Code2:
NAICS Code3:
Gen Name: Ottawa Endoscopy & Day Surgery
Gen Div:
Gen Op Name: Ottawa Endoscopy & Day Surgery

Choice of Contact: CO_ADMIN
Phone No Official: 613-567-4922 Ext.
Phone No Admin: 6135678106 Ext.
County Ont: OTTAWA CARLTON (RM)
County Out:
District: 402

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen Op Div:					
Site Adrs1:		267 O'connor Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite 207			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		Russell Kronick			
Co Admin:		Grace Wilson			
<u>2017 Generator Manifest</u>					
ID:	54059			Sum Received Qty:	99.5
Generator No:	ON7074415			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	2
Waste Char:	P			District:	402
Waste Code:	312				
<u>2018 Generator Info</u>					
Gen No:	ON7074415			Choice of Contact:	CO_ADMIN
ID:	28210			Phone No Official:	613-567-4922 Ext.
Contaminated Fac:	N			Phone No Admin:	6135678106 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621390			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Ottawa Endoscopy & Day Surgery			
Gen Div:					
Gen Op Name:		Ottawa Endoscopy & Day Surgery			
Gen Op Div:					
Site Adrs1:		267 O'connor Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite 207			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		Russell Kronick			
Co Admin:		Grace Wilson			
<u>2018 Generator Manifest</u>					
ID:	54122			Sum Received Qty:	140.7
Generator No:	ON7074415			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	3
Waste Char:	P			District:	402
Waste Code:	312				
<u>2019 Generator Info</u>					
Gen No:	ON7074415			Choice of Contact:	CO_ADMIN
ID:	28490			Phone No Official:	613-567-4922 Ext.1
Contaminated Fac:	N			Phone No Admin:	6135678106 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621390			County Out:	
NAICS Code2:				District:	402

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code3:					
Gen Name:		Ottawa Endoscopy & Day Surgery			
Gen Div:					
Gen Op Name:		Ottawa Endoscopy & Day Surgery			
Gen Op Div:					
Site Adrs1:		267 O'connor Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite 207			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		Russell Kronick			
Co Admin:		Grace Wilson			
<u>2019 Generator Manifest</u>					
ID:	54107			Sum Received Qty:	147.0
Generator No:	ON7074415			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	2
Waste Char:	P			District:	402
Waste Code:	312				
<u>2020 Generator Info</u>					
Gen No:	ON7074415			Choice of Contact:	CO_ADMIN
ID:	28184			Phone No Official:	613-567-4922 Ext.1
Contaminated Fac:	N			Phone No Admin:	6135678106 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621390			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Ottawa Endoscopy & Day Surgery			
Gen Div:					
Gen Op Name:		Ottawa Endoscopy & Day Surgery			
Gen Op Div:					
Site Adrs1:		267 O'connor Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite 207			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		Russell Kronick			
Co Admin:		Grace Wilson			
<u>2020 Generator Manifest</u>					
ID:	50505			Sum Received Qty:	89.6
Generator No:	ON7074415			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	2
Waste Char:	P			District:	402
Waste Code:	312				
<u>2021 Generator Info</u>					
Gen No:	ON7074415			Choice of Contact:	CO_ADMIN
ID:	28710			Phone No Official:	613-567-4922 Ext.1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminated Fac: N MHSW Facility: N NAICS Code1: 621390 NAICS Code2: NAICS Code3: Gen Name: Ottawa Endoscopy & Day Surgery Gen Div: Gen Op Name: Ottawa Endoscopy & Day Surgery Gen Op Div: Site Adrs1: 267 O'connor Street Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Suite 207 Site City: Ottawa Province Out: Site Postal Code: K2P 1V3 Site Country: Canada Co Official: Russell Kronick Co Admin: Grace Wilson					
Phone No Admin: 6135678106 Ext. County Ont: OTTAWA CARLTON (RM) County Out: District: 402					
<u>2021 Generator Manifest</u>					
ID: 52535 Generator No: ON7074415 Receiver Type: 030 Waste Char: P Waste Code: 312					
Sum Received Qty: 33.8 Waste Class Name: PATHOLOGICAL WASTES Count Manifests: 1 District: 402					
20	58 of 66	SW/78.8	74.9 / 1.00	Midtown Family Health 267 O'Connor ST. Suite 306 Ottawa ON K2P 1V3	GEN
<u>Generator Info</u>					
Generator No: ON5935207 Approval Years: As of Nov 2021 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: Pathological wastes					
<u>Waste Detail(s)</u>					
Waste Class: 261 A Waste Class Name: Pharmaceuticals					
20	59 of 66	SW/78.8	74.9 / 1.00	CBI Home Health formerly We Care Home Health 267 O'Connor Street Suite 609 Ottawa ON K2P 1V3	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON6991797			Choice of Contact:	
Approval Years:	As of Oct 2022			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	261 A				
Waste Class Name:	PHARMACEUTICALS				
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	PATHOLOGICAL WASTES				
<u>2017 Generator Info</u>					
Gen No:	ON6991797			Choice of Contact:	CO_OFFICIAL
ID:	27457			Phone No Official:	6137822244 Ext.34527
Contaminated Fac:	N			Phone No Admin:	6137822244 Ext.1811
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621610			County Out:	
NAICS Code2:	621390			District:	402
NAICS Code3:					
Gen Name:	CBI Home Health formerly We Care Home Health				
Gen Div:					
Gen Op Name:	CBI Home Health formerly We Care Home Health				
Gen Op Div:					
Site Adrs1:	267 O'Connor Street Suite 609				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1V3				
Site Country:	Canada				
Co Official:	Melina A Verhaegen				
Co Admin:	Heather Bozik				
<u>2017 Generator Manifest</u>					
ID:	53636			Sum Received Qty:	303.82
Generator No:	ON6991797			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	8
Waste Char:	A			District:	402
Waste Code:	261				
<u>2017 Generator Manifest</u>					
ID:	53637			Sum Received Qty:	102.94
Generator No:	ON6991797			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	6
Waste Char:	P			District:	402
Waste Code:	312				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2018 Generator Info</u>					
Gen No:	ON6991797			Choice of Contact:	CO_ADMIN
ID:	27876			Phone No Official:	6137822244 Ext.34527
Contaminated Fac:	N			Phone No Admin:	613-782-2244 Ext.34527
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621610			County Out:	
NAICS Code2:	621390			District:	402
NAICS Code3:					
Gen Name:	CBI Home Health formerly We Care Home Health				
Gen Div:					
Gen Op Name:	CBI Home Health formerly We Care Home Health				
Gen Op Div:					
Site Adrs1:	267 O'Connor Street Suite 609				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1V3				
Site Country:	Canada				
Co Official:	Melina A Verhaegen				
Co Admin:	Ankita Gandhi				
<u>2018 Generator Manifest</u>					
ID:	53627			Sum Received Qty:	145.93
Generator No:	ON6991797			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	9
Waste Char:	P			District:	402
Waste Code:	312				
<u>2018 Generator Manifest</u>					
ID:	53626			Sum Received Qty:	178.93
Generator No:	ON6991797			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	12
Waste Char:	A			District:	402
Waste Code:	261				
<u>2019 Generator Info</u>					
Gen No:	ON6991797			Choice of Contact:	CO_ADMIN
ID:	28145			Phone No Official:	6137822244 Ext.34527
Contaminated Fac:	N			Phone No Admin:	613-782-2244 Ext.34527
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621610			County Out:	
NAICS Code2:	621390			District:	402
NAICS Code3:					
Gen Name:	CBI Home Health formerly We Care Home Health				
Gen Div:					
Gen Op Name:	CBI Home Health formerly We Care Home Health				
Gen Op Div:					
Site Adrs1:	267 O'Connor Street Suite 609				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1V3				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Country:		Canada			
Co Official:		Melina A Verhaegen			
Co Admin:		Ankita Gandhi			
<u>2019 Generator Manifest</u>					
ID:	53560			Sum Received Qty:	9.0
Generator No:	ON6991797			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	1
Waste Char:	P			District:	402
Waste Code:	261				
<u>2019 Generator Manifest</u>					
ID:	53559			Sum Received Qty:	173.0
Generator No:	ON6991797			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	11
Waste Char:	A			District:	402
Waste Code:	261				
<u>2019 Generator Manifest</u>					
ID:	53561			Sum Received Qty:	58.0
Generator No:	ON6991797			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	9
Waste Char:	P			District:	402
Waste Code:	312				
<u>2020 Generator Info</u>					
Gen No:	ON6991797			Choice of Contact:	CO_OFFICIAL
ID:	27851			Phone No Official:	6137822244 Ext.34527
Contaminated Fac:	N			Phone No Admin:	613-782-2244 Ext.34527
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621610			County Out:	
NAICS Code2:	621390			District:	402
NAICS Code3:					
Gen Name:	CBI Home Health formerly We Care Home Health				
Gen Div:					
Gen Op Name:	CBI Home Health formerly We Care Home Health				
Gen Op Div:					
Site Adrs1:	267 O'Connor Street Suite 609				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1V3				
Site Country:	Canada				
Co Official:	Melina A Verhaegen				
Co Admin:	Ankita Gandhi				
<u>2020 Generator Manifest</u>					
ID:	50015			Sum Received Qty:	18.84
Generator No:	ON6991797			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	2
Waste Char:	P			District:	402
Waste Code:	312				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2020 Generator Manifest</u>					
ID:	50012			Sum Received Qty:	41.7
Generator No:	ON6991797			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	035			Count Manifests:	3
Waste Char:	A			District:	305
Waste Code:	261				
<u>2020 Generator Manifest</u>					
ID:	50013			Sum Received Qty:	19.7
Generator No:	ON6991797			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	2
Waste Char:	P			District:	305
Waste Code:	312				
<u>2020 Generator Manifest</u>					
ID:	50014			Sum Received Qty:	28.73
Generator No:	ON6991797			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	3
Waste Char:	A			District:	402
Waste Code:	261				
<u>2021 Generator Info</u>					
Gen No:	ON6991797			Choice of Contact:	CO_OFFICIAL
ID:	28360			Phone No Official:	6137822244 Ext.34527
Contaminated Fac:	N			Phone No Admin:	613-782-2244 Ext.34527
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621610			County Out:	
NAICS Code2:	621390			District:	402
NAICS Code3:					
Gen Name:	CBI Home Health formerly We Care Home Health				
Gen Div:					
Gen Op Name:	CBI Home Health formerly We Care Home Health				
Gen Op Div:					
Site Adrs1:	267 O'Connor Street Suite 609				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1V3				
Site Country:	Canada				
Co Official:	Melina A Verhaegen				
Co Admin:	Ankita Gandhi				
<u>2021 Generator Manifest</u>					
ID:	51977			Sum Received Qty:	54.82
Generator No:	ON6991797			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	6
Waste Char:	P			District:	402
Waste Code:	312				
<u>2021 Generator Manifest</u>					
ID:	51976			Sum Received Qty:	64.8
Generator No:	ON6991797			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	10

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Char: Waste Code:	A 261			District: 402	

20	60 of 66	SW/78.8	74.9 / 1.00	Midtown Ottawa FHO 267 O'Connor ST. Suite 306 Ottawa ON	GEN
--------------------	----------	---------	-------------	---	-----

Generator Info

Generator No:	ON5935207	Choice of Contact:
Approval Years:	As of Oct 2022	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class:	261 A
Waste Class Name:	PHARMACEUTICALS

Generator Info (as of Dec 2024)

Generator No:	ON5935207
Generator Company Name:	Midtown Ottawa FHO
Street:	267 O'Connor ST. Suite 306
City:	Ottawa
Province State:	Ontario
Country:	Canada
Postal Code:	K2P1V3
Waste Class:	312 P, 261 A

Waste Class Decoded:

312 - PATHOLOGICAL WASTES; 261 - PHARMACEUTICALS

Generator Info (as of Apr 2025)

Generator Company Name:	Midtown Ottawa FHO
Generator Site Address:	267 O'Connor ST. Suite 306
City:	Ottawa
Province State:	Ontario
Country:	Canada
Postal Code:	K2P1V3
Waste Class:	312 P, 261 A

Waste Class Decoded:

312 - PATHOLOGICAL WASTES; 261 - PHARMACEUTICALS

Waste Characteristic Decoded:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	----------------------	----------------------------	------------------	------	----

P - Pathological; A - Acutely Hazardous Waste Chem.

2017 Generator Info

Gen No:	ON5935207	Choice of Contact:	CO_OFFICIAL
ID:	23417	Phone No Official:	613-233-6652 Ext.
Contaminated Fac:	N	Phone No Admin:	6132336652 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Midtown Family Health		
Gen Div:			
Gen Op Name:	bhavna Valia		
Gen Op Div:			
Site Adrs1:	267 O'Connor ST. Suite 306		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K2P 1V3		
Site Country:	Canada		
Co Official:	Bhavna Valia		
Co Admin:	Helen Rizzo		

2017 Generator Manifest

ID:	48459	Sum Received Qty:	6.1
Generator No:	ON5935207	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035	Count Manifests:	1
Waste Char:	P	District:	305
Waste Code:	312		

2017 Generator Manifest

ID:	48460	Sum Received Qty:	23.9
Generator No:	ON5935207	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	3
Waste Char:	P	District:	402
Waste Code:	312		

2018 Generator Info

Gen No:	ON5935207	Choice of Contact:	CO_OFFICIAL
ID:	23664	Phone No Official:	613-233-6652 Ext.
Contaminated Fac:	N	Phone No Admin:	6132336652 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Midtown Family Health		
Gen Div:			
Gen Op Name:	bhavna Valia		
Gen Op Div:			
Site Adrs1:	267 O'Connor ST. Suite 306		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		Bhavna Valia			
Co Admin:		Helen Rizzo			
<u>2018 Generator Manifest</u>					
ID:	48338			Sum Received Qty:	23.9
Generator No:	ON5935207			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	3
Waste Char:	P			District:	402
Waste Code:	312				
<u>2019 Generator Info</u>					
Gen No:	ON5935207			Choice of Contact:	CO_OFFICIAL
ID:	23786			Phone No Official:	613-233-6652 Ext.
Contaminated Fac:	N			Phone No Admin:	6132336652 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Midtown Family Health			
Gen Div:					
Gen Op Name:		bhavna Valia			
Gen Op Div:					
Site Adrs1:		267 O'Connor ST. Suite 306			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		Bhavna Valia			
Co Admin:		Helen Rizzo			
<u>2019 Generator Manifest</u>					
ID:	48097			Sum Received Qty:	23.0
Generator No:	ON5935207			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	3
Waste Char:	P			District:	402
Waste Code:	312				
<u>2020 Generator Info</u>					
Gen No:	ON5935207			Choice of Contact:	CO_OFFICIAL
ID:	23501			Phone No Official:	613-233-6652 Ext.
Contaminated Fac:	N			Phone No Admin:	6132336652 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Midtown Family Health			
Gen Div:					
Gen Op Name:		Bhavna Valia			
Gen Op Div:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Adrs1:		267 O'Connor ST. Suite 306			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		Bhavna Valia			
Co Admin:		Helen Rizzo			
<u>2020 Generator Manifest</u>					
ID:	44705			Sum Received Qty:	13.1
Generator No:	ON5935207			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	2
Waste Char:	P			District:	402
Waste Code:	312				
<u>2021 Generator Info</u>					
Gen No:	ON5935207			Choice of Contact:	CO_OFFICIAL
ID:	23852			Phone No Official:	613-233-6652 Ext.
Contaminated Fac:	N			Phone No Admin:	6132336652 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Midtown Family Health			
Gen Div:					
Gen Op Name:		Darren Whatley			
Gen Op Div:					
Site Adrs1:		267 O'Connor ST. Suite 306			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		Whatley Darren			
Co Admin:		Helen Rizzo			
<u>2021 Generator Manifest</u>					
ID:	46433			Sum Received Qty:	24.05
Generator No:	ON5935207			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	3
Waste Char:	P			District:	402
Waste Code:	312				
20	61 of 66	SW/78.8	74.9 / 1.00	CENTRAL OTTAWA FAMILY MEDICINE ASSOCIATES LTD. Suite 500, 267 O'Connor Street Ottawa ON	GEN

Generator Info

Generator No: ON6644068 Choice of Contact:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years:		As of Oct 2022		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		148 C			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Generator Info (as of Dec 2024)</u>					
Generator No:		ON6644068			
Generator Company Name:		CENTRAL OTTAWA FAMILY MEDICINE ASSOCIATES LTD.			
Street:		Suite 500, 267 O'Connor Street			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P1V3			
Waste Class:		312 P,148 C			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES; 148 - INORGANIC LABORATORY CHEMICALS					
<u>Generator Info (as of Apr 2025)</u>					
Generator Company Name:		CENTRAL OTTAWA FAMILY MEDICINE ASSOCIATES LTD.			
Generator Site Address:		Suite 500, 267 O'Connor Street			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P1V3			
Waste Class:		312 P, 148 C			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES; 148 - INORGANIC LABORATORY CHEMICALS					
Waste Characteristic Decoded:					
P - Pathological; C - Corrosive					
<u>2017 Generator Info</u>					
Gen No:		ON6644068		Choice of Contact:	
ID:		26121		CO_ADMIN	
Contaminated Fac:		N		Phone No Official:	
MHSW Facility:		N		613-760-3701 Ext.	
NAICS Code1:		621110		Phone No Admin:	
NAICS Code2:				613-730-3701 Ext.	
				County Ont:	
				OTTAWA CARLTON (RM)	
				County Out:	
				District:	
				402	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code3:					
Gen Name:		Central Ottawa Family Medicine Associates Ltd.			
Gen Div:					
Gen Op Name:		Central Ottawa Family Medicine Associates			
Gen Op Div:					
Site Adrs1:		Suite 500			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		267 O'Connor Street			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		Jasmine Soule			
Co Admin:		Jasmine Soule			
2018 Generator Info					
Gen No:	ON6644068			Choice of Contact:	CO_ADMIN
ID:	26462			Phone No Official:	613-760-3701 Ext.
Contaminated Fac:	N			Phone No Admin:	613-730-3701 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:		Central Ottawa Family Medicine Associates Ltd.			
Gen Name:		Central Ottawa Family Medicine Associates Ltd.			
Gen Div:					
Gen Op Name:		Central Ottawa Family Medicine Associates			
Gen Op Div:					
Site Adrs1:		Suite 500			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		267 O'Connor Street			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			
Co Official:		Jasmine Soule			
Co Admin:		Jasmine Soule			
2019 Generator Info					
Gen No:	ON6644068			Choice of Contact:	CO_ADMIN
ID:	26699			Phone No Official:	613-760-3701 Ext.
Contaminated Fac:	N			Phone No Admin:	613-730-3701 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:		Central Ottawa Family Medicine Associates Ltd.			
Gen Name:		Central Ottawa Family Medicine Associates Ltd.			
Gen Div:					
Gen Op Name:		Central Ottawa Family Medicine Associates			
Gen Op Div:					
Site Adrs1:		Suite 500			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		267 O'Connor Street			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V3			
Site Country:		Canada			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Official:		Jasmine Soule			
Co Admin:		Jasmine Soule			
<u>2020 Generator Info</u>					
Gen No:	ON6644068			Choice of Contact:	CO_ADMIN
ID:	26434			Phone No Official:	613-760-3701 Ext.
Contaminated Fac:	N			Phone No Admin:	613-730-3701 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Central Ottawa Family Medicine Associates Ltd.				
Gen Div:					
Gen Op Name:	Central Ottawa Family Medicine Associates				
Gen Op Div:					
Site Adrs1:	Suite 500				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:	267 O'Connor Street				
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1V3				
Site Country:	Canada				
Co Official:	Jasmine Soule				
Co Admin:	Jasmine Soule				
<u>2021 Generator Info</u>					
Gen No:	ON6644068			Choice of Contact:	CO_ADMIN
ID:	26892			Phone No Official:	613-760-3701 Ext.
Contaminated Fac:	N			Phone No Admin:	613-730-3701 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Central Ottawa Family Medicine Associates Ltd.				
Gen Div:					
Gen Op Name:	Central Ottawa Family Medicine Associates				
Gen Op Div:					
Site Adrs1:	Suite 500				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:	267 O'Connor Street				
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1V3				
Site Country:	Canada				
Co Official:	Jasmine Soule				
Co Admin:	Jasmine Soule				
20	62 of 66	SW/78.8	74.9 / 1.00	DENTAL TECHNOLOGY GROUP INC. 267 O'CONNOR ST SUITE 101 OTTAWA ON K2P 1V3	SCT
Scott S ID:	18939431				
Latitude:					
Longitude:					
<u>Historical Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Established:		1989			
Plant Size (ft²):		0			
Employment:		14			
 <u>Historical Details</u>					
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			
 <u>Historical Details</u>					
Description:		DENTAL EQUIPMENT AND SUPPLIES			
SIC/NAICS Code:		3843			
20	63 of 66	SW/78.8	74.9 / 1.00	E.L. LITTLEJOHN & ASSOCIATES 267 O'Connor St Ottawa ON K2P 1V3	SCT
Scott S ID:		18522054			
Latitude:					
Longitude:					
 <u>Historical Details</u>					
Established:		1972			
Plant Size (ft²):		1200			
Employment:		2			
 <u>Historical Details</u>					
Description:		Other Printing			
SIC/NAICS Code:		323119			
 <u>Historical Details</u>					
Description:		Periodical Publishers			
SIC/NAICS Code:		511120			
 <u>Historical Details</u>					
Description:		Database and Directory Publishers			
SIC/NAICS Code:		511140			
20	64 of 66	SW/78.8	74.9 / 1.00	The Dental Technology Group 267 O'Connor St Suite 101 Ottawa ON K2P 1V3	SCT
Scott S ID:		32905202			
Latitude:					
Longitude:					
 <u>Historical Details</u>					
Established:					
Plant Size (ft²):					
Employment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
20	65 of 66	SW/78.8	74.9 / 1.00	E.L. Littlejohn & Associates Ltd. 267 O'Connor St Ottawa ON K2P 1V3	SCT
Scott S ID:		18522054			
Latitude:					
Longitude:					
<u>Historical Details</u>					
Established:		1972			
Plant Size (ft²):		1200			
Employment:		2			
<u>Historical Details</u>					
Description:		Other Printing			
SIC/NAICS Code:		323119			
<u>Historical Details</u>					
Description:		Periodical Publishers			
SIC/NAICS Code:		511120			
<u>Historical Details</u>					
Description:		Directory and Mailing List Publishers			
SIC/NAICS Code:		511140			

20	66 of 66	SW/78.8	74.9 / 1.00	GALLEY Kitchen + Provisions 267 O'Connor St Ottawa ON K2P1V3	SCT
Scott S ID:		301371828			
Latitude:		45.4155			
Longitude:		-75.6933			
<u>Details</u>					
Bus Type 1:		Accommodation and Food Services	Employee Count:		5
Bus Type 2:		Manufacturer	Square Footage:		0
Bus Type 3:			Estimated Sales:		Under \$1 Million
Product Cat 1:		Food producer	Export Indicator:		
Product Cat 2:		Restaurant	Export Country 1:		
Product Cat 3:			Export Country 2:		
Product Cat 4:			Export Country 3:		
Product Cat 5:			Export Country 4:		
Product Cat 6:			Export Country 5:		
Product Cat 7:			Export Country 6:		
Product Cat 8:			Geocoded by:		Address
Company Name:		GALLEY Kitchen + Provisions			
Address Line 1:		267 O'Connor St			
Address Line 2:					
City:		Ottawa			
Province:		ON			
Postal Code:		K2P1V3			
Census Division:		Ottawa; ON			
Metro Area:		Ottawa/Hull			
Year Established:					
Head Office Indicator:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Parent Company Nm: Parent Cmpny Addr 1: Parent Cmpny Addr 2: Parent Cmpny City: Parent Cmpny Prov: Parent Cmpny PC: Parent Cmpny Cntry: Head Office Nm: H Office Addr Line 1: H Office Addr Line 2: Head Office City: Head Office Province: Head Office PC: Head Office Cntry: Telephone: 613-447-1060 Fax: -- Website: https://www.galleykp.com/contact-1 Pri NAICS Desc: 722410-Drinking Places (Alcoholic Beverages) NAICS Code 1: 311990-All Other Food Manufacturing NAICS Code 2: 722511-Full-Service Restaurants NAICS Code 3: NAICS Code 4: NAICS Code 5:					
21	1 of 1	NNW/80.0	74.6 / 0.69	Cdn Council-International Law 236 Metcalfe St Suite 215 Ottawa ON K2P 1R3	SCT
Scott S ID: 35850470 Latitude: Longitude:					
<u>Historical Details</u>					
Established: 1972 Plant Size (ft²): Employment:					
<u>Historical Details</u>					
Description: Periodical Publishers SIC/NAICS Code: 511120					
<u>Historical Details</u>					
Description: Professional Organizations SIC/NAICS Code: 813920					
22	1 of 1	WSW/84.6	74.9 / 1.00	267 O'Connor Street Ottawa ON K2P 1V3	EHS
Order No: 23083000586 Status: C Report Type: Standard Report Report Date: 05-SEP-23 Date Received: 30-AUG-23 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6931679 Y: 45.4154325					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
23	1 of 1	W/86.7	74.9 / 1.00	293 McLAREN STREET OTTAWA ON	HINC
External File Num: Fuel Occurrence Type: Date of Occurrence: Fuel Type Involved: Status Desc: Job Type Desc: Oper. Type Involved: Service Interruptions: Property Damage: Fuel Life Cycle Stage: Root Cause: Reported Details: Fuel Category: Occurrence Type: Affiliation: County Name: Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: Environmental Impact:		FS INC 0711-07045 Completed - No Action Required Incident/Near-Miss Occurrence (FS) Liquid Fuel Near-miss Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) Ottawa			
24	1 of 1	NNW/87.0	74.9 / 1.00	258-260 Somerset Street West Ottawa ON K2P 0J6	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20050919026 C Custom Report 9/28/2005 9/19/2005		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	
				Metcalfe St and Somerset St W ON 0.25 -75.692633 45.416775	
25	1 of 1	SSW/89.3	74.6 / 0.69	ON	WWIS
Well ID: Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		7473693 Z398871 A384758 NEPEAN TOWNSHIP		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
				Yes 03/22/2024 TRUE 7241 7 OTTAWA-CARLETON	

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID: 1010281560 Depth (m): Year Completed: 2024 Well Completed Dt: 01/18/2024 Audit No: Z398871 Path: Tag No: A384758 Contractor: 7241 Latitude: 45.4151560179716 Longitude: -75.6926918359856 Point Y: 45.41515601088936 Point X: -75.69269167424378					
<u>Bore Hole Information</u>					
Bore Hole ID: 1010281560 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 01/18/2024 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 18 East83: 445801.00 North83: 5029304.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
26	1 of 1	NW/100.9	74.9 / 1.00	GLENVIEW CORPORATION 270 SOMERSET WEST OTTAWA ON K2P 0J7	GEN
<u>Generator Info</u>					
Generator No: ON6707052 Approval Years: 02,03,04 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 145 Waste Class Name: PAINT/PIGMENT/COATING RESIDUES					
<u>Waste Detail(s)</u>					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
27	1 of 1	S/116.8	73.8 / -0.03	ON	BORE
Borehole ID: 613270 OGF ID: 215514571 Status: Type: Borehole Use: Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Completion Date: Static Water Level: 15.2 Primary Water Use: Sec. Water Use: Total Depth m: -999 Depth Ref: Ground Surface Depth Elev: Drill Method: Orig Ground Elev m: 70.1 Elev Reliabil Note: DEM Ground Elev m: 70.3 Concession: Location D: Survey D: Comments:				Municipality: Lot: Township: Latitude DD: 45.414871 Longitude DD: -75.692437 UTM Zone: 18 Easting: 445821 Northing: 5029272 Location Accuracy: Accuracy: Not Applicable	
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218394440 Top Depth: 2.4 Bottom Depth: 12.5 Material Color: Blue Material 1: Clay Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: CLAY. BLUE,FIRM.				Mat Consistency: Firm Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218394438 Top Depth: 0 Bottom Depth: .6 Material Color: Material 1: Sand Material 2: Gravel Material 3: Material 4: Gsc Material Description: Stratum Description: SAND. LOOSE.				Mat Consistency: Loose Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218394439 Top Depth: .6 Bottom Depth: 2.4 Material Color: Blue Material 1: Clay Material 2: Sand Material 3: Material 4: Gsc Material Description: Stratum Description: CLAY. BLUE,COMPACT.				Mat Consistency: Compact Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218394441 Top Depth: 12.5 Bottom Depth: 14.9 Material Color: Material 1: Clay Material 2: Sand Material 3: Material 4: Gsc Material Description: Stratum Description: CLAY. FIRM.				Mat Consistency: Firm Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218394442 Top Depth: 14.9 Bottom Depth: 19.5				Mat Consistency: Material Moisture: Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: Sand Clay SAND,CLAY. Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: 218394444 19.8 Bedrock BEDROCK. BEDROCK. 00000 018 00055 053 00100 035 00150 025 00175 028 00190 **Note: Many records provided by the department have a truncated [Stratum Description] field. Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: 218394443 19.5 19.8 Sand Gravel SAND. COMPACT, WATER STABLE AT 180.0 FEET. Source Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1: Data Survey Geological Survey of Canada 1956-1972 H Urban Geology Automated Information System (UGAIS) File: OTTAWA2.txt RecordID: 057780 NTS_Sheet: 31G05G Logged by professional. Exact and complete description of material and properties. Source List Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators: 1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada 28 1 of 4 N/120.8 73.9 / 0.00 R.M. OF OTTAWA-CARLETON SOMERSET ST./METCALFE ST. OTTAWA CITY ON CA Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: 7-0343-99-99 5/21/1999 Municipal water Approved					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
28	2 of 4	N/120.8	73.9 / 0.00	City of Ottawa Somerset Street and Metcalfe Street Ottawa ON	CA
Certificate #: 6578-6H3J45 Application Year: 2005 Issue Date: 10/11/2005 Approval Type: Municipal and Private Sewage Works Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
28	3 of 4	N/120.8	73.9 / 0.00	City of Ottawa Somerset Street and Metcalfe St Ottawa ON K2G 6J8	ECA
Approval No: 6578-6H3J45 Approval Date: 2005-10-11 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: City of Ottawa Address: Somerset Street and Metcalfe St Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9286-6GTRNN-14.pdf PDF Site Location:					
MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:					
28	4 of 4	N/120.8	73.9 / 0.00	City of Ottawa Somerset Street and Metcalfe St Ottawa ON K2G 6J8	ECA
Approval No: 7047-6H3HYB Approval Date: 2005-10-11 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Business Name: City of Ottawa Address: Somerset Street and Metcalfe St Full Address: Full PDF Link: PDF Site Location:					
MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
29	1 of 7	E/124.3	73.2 / -0.68	PUBLIC SERVICE ALLIANCE OF CANADA 233 GILMOUR ST. OTTAWA ON K2P 0P1	GEN
<u>Generator Info</u>					
Generator No:	ON0939900			Choice of Contact:	
Approval Years:	86,87,88,89,90			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	8159
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	OTHER GEN. ADMIN.				
<u>Waste Detail(s)</u>					
Waste Class:	264				
Waste Class Name:	PHOTOPROCESSING WASTES				
29	2 of 7	E/124.3	73.2 / -0.68	PUBLIC SERVICE ALLIANCE OF CANADA 31-381 233 GILMOUR ST. OTTAWA ON K2P 0P1	GEN
<u>Generator Info</u>					
Generator No:	ON0939900			Choice of Contact:	
Approval Years:	92,93,94,95,96,97,98			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	8159
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	OTHER GEN. ADMIN.				
<u>Waste Detail(s)</u>					
Waste Class:	264				
Waste Class Name:	PHOTOPROCESSING WASTES				
29	3 of 7	E/124.3	73.2 / -0.68	PSAC Holdings Ltd. 233 Gilmour Street Ottawa ON K2P 0P2	GEN
<u>Generator Info</u>					
Generator No:	ON3358750			Choice of Contact:	
Approval Years:	06			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	531310
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Real Estate Property Managers				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCB'S			
29	4 of 7	E/124.3	73.2 / -0.68	PSAC Holdings Ltd. 233 Gilmour Street Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:		ON3358750		Choice of Contact:	
Approval Years:		2009		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	531310
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Real Estate Property Managers			
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCBS			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
29	5 of 7	E/124.3	73.2 / -0.68	PSAC Holdings Ltd. 233 Gilmour Street Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:		ON3358750		Choice of Contact:	
Approval Years:		2010		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	531310
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Real Estate Property Managers			
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCBS			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
29	6 of 7	E/124.3	73.2 / -0.68	PSAC HOLDINGS LTD. 233 GILMOUR STREET OTTAWA ON K1S 1V7	GEN

Generator Info

Generator No:	ON3357645	Choice of Contact:	
Approval Years:	As of Dec 2017	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	251 L
Waste Class Name:	Waste oils/sludges (petroleum based)

2017 Generator Info

Gen No:	ON3357645	Choice of Contact:	CO_OFFICIAL
ID:	13538	Phone No Official:	613-225-9533 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	531310	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	PSAC HOLDINGS LTD.		
Gen Div:			
Gen Op Name:	PSAC HOLDINGS LTD.		
Gen Op Div:			
Site Adrs1:	233 GILMOUR STREET		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	OTTAWA		
Province Out:			
Site Postal Code:	K1S 1V7		
Site Country:	Canada		
Co Official:	Krissy Van Alstein		
Co Admin:			

29	7 of 7	E/124.3	73.2 / -0.68	Plomberie Bourget Plumbing 233 gilmour st ottawa Ottawa ON	GEN
--------------------	--------	---------	--------------	--	-----

Generator Info (as of Apr 2025)

Generator Company Name:	Plomberie Bourget Plumbing
Generator Site Address:	233 gilmour st ottawa
City:	Ottawa
Province State:	Ontario
Country:	Canada
Postal Code:	K2P 0P2
Waste Class:	122 L

Waste Class Decoded:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
122 - ALKALINE WASTES - OTHER METALS					
Waste Characteristic Decoded:					
L - Liquid Industrial Waste					
30	1 of 1	ESE/124.6	73.6 / -0.31	R.M. OF OTTAWA-CARLETON LEWIS ST/METCALFE ST. OTTAWA CITY ON	CA
Certificate #:		7-0642-95-			
Application Year:		95			
Issue Date:		7/17/1995			
Approval Type:		Municipal water			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
31	1 of 1	NE/127.0	73.9 / 0.00	225 MacLaren Street Ottawa ON K2P 0L4	EHS
Order No:		20191128026		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Site Report		Client Prov/State: ON	
Report Date:		29-NOV-19		Search Radius (km): .001	
Date Received:		28-NOV-19		X: -75.691284	
Previous Site Name:				Y: 45.41679	
Lot/Building Size:					
Additional Info Ordered:					
32	1 of 1	ESE/128.2	72.8 / -1.12	296 Metcalfe Street Ottawa ON K2P 1S2	EHS
Order No:		23111000466		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		15-NOV-23		Search Radius (km): .25	
Date Received:		10-NOV-23		X: -75.6910996	
Previous Site Name:				Y: 45.4151639	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos			
33	1 of 1	W/129.0	75.2 / 1.31	300 Somerset St W Ottawa ON K2P0J6	EHS
Order No:		20130710005		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		16-JUL-13		Search Radius (km): .25	
Date Received:		10-JUL-13		X: -75.693958	
Previous Site Name:				Y: 45.416131	

142 erisinfo.com | Environmental Risk Information Services Order No: 26012600426

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON0375206			Choice of Contact:	
Approval Years:	92,93,94			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	0008
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	EXEMPT				
34	5 of 8	SSW/129.1	74.6 / 0.69	OTTAWA BOARD OF EDUCATION ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	GEN
<u>Generator Info</u>					
Generator No:	ON0375222			Choice of Contact:	
Approval Years:	86,87,88,89			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	8511
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	ELEMT./SECON. EDUC.				
<u>Waste Detail(s)</u>					
Waste Class:	263				
Waste Class Name:	ORGANIC LABORATORY CHEMICALS				
<u>Waste Detail(s)</u>					
Waste Class:	148				
Waste Class Name:	INORGANIC LABORATORY CHEMICALS				
34	6 of 8	SSW/129.1	74.6 / 0.69	OTTAWA (SEE&USE ON1285703) ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST. OTTAWA ON K2P 0P9	GEN
<u>Generator Info</u>					
Generator No:	ON0375222			Choice of Contact:	
Approval Years:	90			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	8511
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	ELEMT./SECON. EDUC.				
34	7 of 8	SSW/129.1	74.6 / 0.69	OTTAWA (SEE&USE ON1285703) 29-129 ECOLE S. CHARLEBOIS, 2525, PROM. ALTA VISTA, C/O 330 GILMOUR ST.	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OTTAWA ON K2P 0P9					
Generator Info					
Generator No:	ON0375222			Choice of Contact:	
Approval Years:	92,93,94,95,96,97			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	8511
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		ELEMT./SECON. EDUC.			
34	8 of 8	SSW/129.1	74.6 / 0.69	1384274 Ontario Incorporated 330 GILMOUR ST ON OTTAWA ON	RSC
RSC No:	59510			X:	-75.69221701209165
RA No:				Y:	45.41499687236812
Status:	FILED			Latitude:	45.41499687
Filing Date:				Longitude:	-75.69221701
Date Ack:				UTM Coordinates:	
Date Returned:				Latitude Longitude:	
Approval Date:	September 3, 2009			Accuracy Estimate:	
Cert Date:				Measurement Method:	
Cert Prop Use No:				Mailing Address:	
Curr Property Use:				Telephone:	
Intended Prop Use:				Fax:	
Restoration Type:				Email:	
Soil Type:				Postal Code:	K2P 2P6
Criteria:				Ministry District:	
Stratified (Y/N):				MOE District:	Ottawa
Audit (Y/N):				SWP Area Name:	Rideau Valley
Entire Leg Prop. (Y/N):				Qual Person Name:	Mark S D'Arcy
CPU Issu Sect 1686:				Consultant:	
Business Name:	1384274 Ontario Incorporated				
Address:	330 GILMOUR ST ON				
Legal Desc:					
Site Pin:	04118-0064 LT				
Asmt Roll No:					
Project Type:	PRE2011				
Approval Type:	RSC based on Phase One ESA				
Applicable Standards:					
PDF Link:	https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=59510				
35	1 of 1	N/129.6	73.9 / 0.00	BRONSON RD AND RAVEN Ottawa ON	WWIS
Well ID:	7337489			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Test Hole			Data Entry Status:	
Use 2nd:	Monitoring			Data Src:	
Final Well Status:	Observation Wells			Date Received:	06/14/2019
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z311181			Contractor:	7241
Tag:	A265336			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:			OTTAWA CITY	Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7337489.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		03/27/2019			
Year Completed:		2019			
Depth (m):		4.88			
Latitude:		45.417083698293			
Longitude:		-75.6924597860351			
Point X:		-75.6924596240478			
Point Y:		45.4170836913987			
Path:		733\7337489.pdf			
Bore Hole Information					
Bore Hole ID:		1007526053		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445821.00
Code OB Desc:				North83:	5029518.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		03/27/2019		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:		1008015434			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		73			
Material 3 Desc:		HARD			
Formation Top Depth:		1.5			
Formation End Depth:		4.880000114440918			
Formation End Depth UOM:		m			
Overburden and Bedrock					
Materials Interval					
Formation ID:		1008015433			
Laver:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008016368			
Layer:		1			
Plug From:		0.0			
Plug To:		0.6100000143051147			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008016369			
Layer:		2			
Plug From:		0.6100000143051147			
Plug To:		3.0999999046325684			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008016370			
Layer:		3			
Plug From:		3.0999999046325684			
Plug To:		4.880000114440918			
Plug Depth UOM:		m			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1008017310			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		D.P.			
 <u>Pipe Information</u>					
Pipe ID:		1008014126			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1008017861			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		3.3499999046325684			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1008018198			
Layer:		1			
Slot:		10			
Screen Top Depth:		3.3499999046325684			
Screen End Depth:		4.880000114440918			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008018797			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
 <u>Hole Diameter</u>					
Hole ID:		1008017007			
Diameter:		8.300000190734863			
Depth From:		0.0			
Depth To:		4.880000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
36	1 of 1	SW/130.4	74.9 / 1.00	OTTAWA CITY - BANK STREET GILMOUR ST./O'CONNOR ST. OTTAWA CITY ON	CA
Certificate #:		3-0369-91-			
Application Year:		91			
Issue Date:		4/16/1991			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Emission Control:					
37	1 of 1	WNW/134.7	74.9 / 1.00	ON	BORE
Borehole ID: 613299				Inclin FLG:	No
OGF ID: 215514600				SP Status:	Initial Entry
Status:				Surv Elev:	No
Type: Borehole				Piezometer:	No
Use:				Primary Name:	
Completion Date: SEP-1933				Municipality:	
Static Water Level: 10.3				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.416483
Total Depth m: -999				Longitude DD:	-75.693862
Depth Ref: Ground Surface				UTM Zone:	18
Depth Elev:				Easting:	445711
Drill Method:				Northing:	5029452
Orig Ground Elev m: 71.3				Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m: 72.1					
Concession:					
Location D:					
Survey D:					
Comments:					
Borehole Geology Stratum					
Geology Stratum ID: 218394567				Mat Consistency:	Compact
Top Depth: 3.4				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color: Grey				Non Geo Mat Type:	
Material 1: Clay				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY. SOFT. SOFT. CLAY. GREY,FIRM. CLAY. GREY,FIRM. TILL. COMPACT. BEDROCK. FOSSILIFER			
		**Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: 218394565				Mat Consistency:	
Top Depth: 0				Material Moisture:	
Bottom Depth: 1.5				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1: Sand				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND.			
Geology Stratum ID: 218394566				Mat Consistency:	Firm
Top Depth: 1.5				Material Moisture:	
Bottom Depth: 3.4				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1: Clay				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY. FIRM.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 058070 NTS_Sheet: 31G05G				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
38	1 of 1	NNW/134.8	74.9 / 1.00	ON	WWIS
Well ID:	72111111			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	11/14/2013
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z096855			Contractor:	6894
Tag:	A152336			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	OTTAWA CITY				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\72111111.pdf				
Additional Detail(s) (Map)					
Well Completed Date:					
Year Completed:					
Depth (m):					
Latitude:	45.4170906839424				
Longitude:	-75.6927921767053				
Point X:	-75.69279201496512				
Point Y:	45.41709067742938				
Path:	721\72111111.pdf				
Bore Hole Information					
Bore Hole ID:	1004633147			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	445795.00
Code OB Desc:				North83:	5029519.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:				UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004895728			
Layer:		1			
Plug From:		57.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004895727			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004895720			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004895724			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004895725			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1004895723			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004895722			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

39	1 of 2	NNE/137.8	73.9 / 0.00	OCSCC # 1049 222 Somerset St. West Ottawa ON K2P 0A7	GEN
--------------------	--------	-----------	-------------	--	-----

Generator Info

Generator No:	ON5718475	Choice of Contact:
Approval Years:	As of Nov 2021	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	331 I
Waste Class Name:	Waste compressed gases including cylinders

Waste Detail(s)

Waste Class:	145 B
Waste Class Name:	Wastes from the use of pigments, coatings and paints

Waste Detail(s)

Waste Class:	145 L
Waste Class Name:	Wastes from the use of pigments, coatings and paints

2021 Generator Info

Gen No:	ON5718475	Choice of Contact:	CO_OFFICIAL
ID:	22898	Phone No Official:	613-410-3760 Ext.
Contaminated Fac:	N	Phone No Admin:	613-237-2425 Ext.202
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	531310	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	OCSCC # 1049		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen Div: The Properties Group Gen Op Name: OCSCC #1049 Gen Op Div: Site Adrs1: 222 Somerset St. West Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Ottawa Province Out: Site Postal Code: K2P 0A7 Site Country: Canada Co Official: Alexander J Robichaud Co Admin: David Romano					
<u>2021 Generator Manifest</u>					
ID:	45273			Sum Received Qty:	615.0
Generator No:	ON5718475			Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES
Receiver Type:	030			Count Manifests:	1
Waste Char:	L			District:	402
Waste Code:	145				
<u>2021 Generator Manifest</u>					
ID:	45274			Sum Received Qty:	205.0
Generator No:	ON5718475			Waste Class Name:	WASTE COMPRESSED GASES
Receiver Type:	030			Count Manifests:	1
Waste Char:	I			District:	402
Waste Code:	331				
39	2 of 2	NNE/137.8	73.9 / 0.00	Air Force Productions Ltd. 222 Somerset St W Ottawa ON K2P 2G3	SCT
Scott S ID:	35772880				
Latitude:					
Longitude:					
<u>Historical Details</u>					
Established:					
Plant Size (ft²):					
Employment:					
<u>Historical Details</u>					
Description:	Social Advocacy Organizations				
SIC/NAICS Code:	813310				
40	1 of 2	ENE/139.3	72.8 / -1.06	222 MacLaren Street Ottawa ON K2P 0L8	EHS
Order No:	20070326023			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	CAN - Custom Report			Client Prov/State:	
Report Date:	4/4/2007			Search Radius (km):	0.25
Date Received:	3/26/2007			X:	-75.690804
Previous Site Name:				Y:	45.416485
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	2 of 2	ENE/139.3	72.8 / -1.06	222 Maclaren St Ottawa ON K2P0L8	EHS
Order No: 20150130070 Status: C Report Type: Custom Report Report Date: 05-FEB-15 Date Received: 30-JAN-15 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.690861 Y: 45.416534					
41	1 of 1	N/143.1	73.8 / -0.08	Timbercreek Communities 222 Metcalfe St Ottawa ON K2P 1R2	GEN
Generator Info					
Generator No: ON9300860 Approval Years: 2016 Status: PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: LESSORS OF RESIDENTIAL BUILDINGS AND DWELLINGS (EXCEPT SOCIAL HOUSING PROJECTS)					
Choice of Contact: CO_OFFICIAL Contaminated Fac: No MHSW Facility: No SIC Code: 531111					
Waste Detail(s)					
Waste Class: 221 Waste Class Name: LIGHT FUELS					
42	1 of 1	W/144.2	75.7 / 1.85	250 O'Connor Street Ottawa ON K2P 1V2	EHS
Order No: 25052700582 Status: C Report Type: Standard Report Report Date: 30-MAY-25 Date Received: 27-MAY-25 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6941431 Y: 45.4156631					
43	1 of 1	S/146.3	73.8 / -0.03	Carleton Condominium Corporation 251 420 Lewis Street Ottawa ON K2P 0S9	GEN
Generator Info					
Generator No: ON4976215 Approval Years: As of Dec 2018 Status: Registered PO Box No:					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country: Canada Co Admin: Phone No Admin: SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class: 252 I Waste Class Name: Waste crankcase oils and lubricants					
<u>2018 Generator Info</u>					
Gen No: ON4976215 ID: 19834 Contaminated Fac: N MHSW Facility: N NAICS Code1: 531310 NAICS Code2: NAICS Code3: Gen Name: Carleton Condominium Corporation 251 Gen Div: Gen Op Name: CCC251 Gen Op Div: Site Adrs1: 420 Lewis Street Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Ottawa Province Out: Site Postal Code: K2P 0S9 Site Country: Canada Co Official: Eileen Boles Co Admin: Tammy Zollinger					
Choice of Contact: CO_OFFICIAL Phone No Official: 6132379519 Ext.313 Phone No Admin: 613.237.9519 Ext.370 County Ont: OTTAWA CARLTON (RM) County Out: District: 402					
<u>2018 Generator Manifest</u>					
ID: 43630 Generator No: ON4976215 Receiver Type: 035 Waste Char: L Waste Code: 251					
Sum Received Qty: 5500.0 Waste Class Name: OIL SKIMMINGS & SLUDGES Count Manifests: 2 District: 402					

44	1 of 1	NNE/147.6	73.9 / 0.00	GTA'S Finest Restoration 236 Somerset Ottawa ON K2P0J4	GEN
--------------------	--------	-----------	-------------	--	-----

Generator Info

Generator No: ON4278311 Approval Years: As of Dec 2018 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:	Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:
--	--

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
<u>2018 Generator Info</u>					
Gen No:	ON4278311			Choice of Contact:	CO_ADMIN
ID:	17061			Phone No Official:	6132946351 Ext.
Contaminated Fac:	N			Phone No Admin:	6132989215 Ext.
MHSW Facility:	N			County Ont:	PRESCOTT & RUSSELL
NAICS Code1:	562910			County Out:	
NAICS Code2:				District:	403
NAICS Code3:					
Gen Name:	GTA'S Finest Restoration				
Gen Div:					
Gen Op Name:	GTA'S Finest Restoration				
Gen Op Div:					
Site Adrs1:	236 Somerset				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P0J4				
Site Country:	Canada				
Co Official:	Benoit Rochon				
Co Admin:	Veronique Benson				
45	1 of 1	SW/148.0	74.9 / 1.00	278-280 O'Connor St and 347 Gilmour St Ottawa ON K2P 1V4	EHS
Order No:	20191112287			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	15-NOV-19			Search Radius (km):	.25
Date Received:	12-NOV-19			X:	-75.693682
Previous Site Name:				Y:	45.414984
Lot/Building Size:					
Additional Info Ordered:					
46	1 of 1	N/148.4	73.9 / 0.00	1578051 Ontario Inc. 237 Somerset Street West Ottawa ON K2P 0J3	PTTW
EBR Registry No:	011-6245			Decision Posted:	
Ministry Ref No:	8482-8TEKE3			Exception Posted:	
Notice Type:	Instrument Proposal			Bulletin Posted:	
Section:				Appeal Posted:	
Notice Stage:				Notice Date:	
Act 1:				Proposal Date:	May 01, 2012
Act 2:				Year:	2012
Site Location Map:					
Instrument Type:	(OWRA s. 34) - Permit to take water				
Off Instrument Name:					
Posted By:					
Company Name:					
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:	237 Somerset Street West Ottawa Ontario Canada K2P 0J3				
Comment Period:					
URL:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Summary:

Site Location Details:

237 Somerset Street West, Ottawa, Ontario CITY OF OTTAWA

47	1 of 1	SW/150.1	74.9 / 1.00	AK Global Management Inc 280-282 O'Connor Street Ottawa ON K2P 1V4	GEN
--------------------	--------	----------	-------------	--	-----

2019 Generator Info

Gen No:	ON6234416	Choice of Contact:	CO_OFFICIAL
ID:	25011	Phone No Official:	613-983-2290 Ext.
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	561799	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	AK Global Management Inc		
Gen Div:			
Gen Op Name:	AK Global Management Inc		
Gen Op Div:			
Site Adrs1:	280-282 O'Connor Street		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K2P 1V4		
Site Country:	Canada		
Co Official:	Tony Kazarian		
Co Admin:			

2019 Generator Manifest

ID:	49632	Sum Received Qty:	650.0
Generator No:	ON6234416	Waste Class Name:	LIGHT FUELS
Receiver Type:	035	Count Manifests:	1
Waste Char:	I	District:	402
Waste Code:	221		

48	1 of 1	N/156.1	73.9 / 0.00	TAGGART CORPORATION 235 SOMERSET STREET WEST OTTAWA ON K2P 0J3	GEN
--------------------	--------	---------	-------------	--	-----

Generator Info

Generator No:	ON2565000	Choice of Contact:	
Approval Years:	00,01,02,03,04	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	9959
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	OTHER SERV. TO BLDG.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:	243				
Waste Class Name:	PCB'S				
49	1 of 1	W/156.9	75.9 / 2.00	331 Maclaren St Ottawa ON K2P0M4	EHS
Order No:	20171030040			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	02-NOV-17			Search Radius (km):	.25
Date Received:	30-OCT-17			X:	-75.694272
Previous Site Name:				Y:	45.415551
Lot/Building Size:	0.32 acres				
Additional Info Ordered:					
50	1 of 1	E/158.0	72.9 / -1.00	246 Gilmour St Ottawa ON K2P 0P6	EHS
Order No:	20200206181			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	11-FEB-20			Search Radius (km):	.25
Date Received:	06-FEB-20			X:	-75.6903236
Previous Site Name:				Y:	45.4158159
Lot/Building Size:	4291 Ft2				
Additional Info Ordered:					
51	1 of 10	S/159.0	74.6 / 0.69	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
<u>Generator Info</u>					
Generator No:	ON8141730			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
51	2 of 10	S/159.0	74.6 / 0.69	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
<u>Generator Info</u>					
Generator No:	ON8141730			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621110
Country:					
Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin:					
SIC Description:		Offices of Physicians			
51	3 of 10	S/159.0	74.6 / 0.69	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON	GEN
Generator Info					
Generator No:		ON8141730		Choice of Contact:	
Approval Years:		2013		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	
Country:				621110	
Co Admin:					
Phone No Admin:					
SIC Description:		OFFICES OF PHYSICIANS			
Waste Detail(s)					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
51	4 of 10	S/159.0	74.6 / 0.69	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
Generator Info					
Generator No:		ON8141730		Choice of Contact:	
Approval Years:		2016		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada		CO_OFFICIAL	
Co Admin:					
Phone No Admin:					
SIC Description:		OFFICES OF PHYSICIANS			
Waste Detail(s)					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
51	5 of 10	S/159.0	74.6 / 0.69	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
Generator Info					
Generator No:		ON8141730		Choice of Contact:	
Approval Years:		2015		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada		621110	
Co Admin:					
Phone No Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		OFFICES OF PHYSICIANS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
51	6 of 10	S/159.0	74.6 / 0.69	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
<u>Generator Info</u>					
Generator No:		ON8141730		Choice of Contact:	CO_OFFICIAL
Approval Years:		2014		Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621110
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:		OFFICES OF PHYSICIANS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
51	7 of 10	S/159.0	74.6 / 0.69	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
<u>Generator Info</u>					
Generator No:		ON8141730		Choice of Contact:	
Approval Years:		As of Dec 2018		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
51	8 of 10	S/159.0	74.6 / 0.69	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
<u>Generator Info</u>					
Generator No:		ON8141730		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:					
MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: Pathological wastes					
51	9 of 10	S/159.0	74.6 / 0.69	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON K2P 1V6	GEN
<u>Generator Info</u>					
Generator No: ON8141730 Approval Years: As of Nov 2021 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: Pathological wastes					
51	10 of 10	S/159.0	74.6 / 0.69	David Jordan Medicine Professional Corporation 301 O'Connor St. Ottawa ON	GEN
<u>Generator Info</u>					
Generator No: ON8141730 Approval Years: As of Oct 2022 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: PATHOLOGICAL WASTES					
<u>Generator Info (as of Dec 2024)</u>					
Generator No: ON8141730 Generator Company Name: David Jordan Medicine Professional Corporation Street: 301 O'Connor St.					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P1V6			
Waste Class:		312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES					
<u>Generator Info (as of Apr 2025)</u>					
Generator Company Name:		David Jordan Medicine Professional Corporation			
Generator Site Address:		301 O'Connor St.			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P1V6			
Waste Class:		312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES					
Waste Characteristic Decoded:					
P - Pathological					
<u>2017 Generator Info</u>					
Gen No:	ON8141730			Choice of Contact:	CO_OFFICIAL
ID:	31842			Phone No Official:	613 563 3800 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	David Jordan Medicne Professional Corporation				
Gen Div:					
Gen Op Name:	David Jordan Medicne Professional Corporation				
Gen Op Div:					
Site Adrs1:	301 O'Connor St.				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1V6				
Site Country:	Canada				
Co Official:	David R Jordan				
Co Admin:					
<u>2017 Generator Manifest</u>					
ID:	59287			Sum Received Qty:	53.6
Generator No:	ON8141730			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	13
Waste Char:	P			District:	402
Waste Code:	312				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2018 Generator Info</u>					
Gen No:	ON8141730			Choice of Contact:	CO_OFFICIAL
ID:	32445			Phone No Official:	613 563 3800 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	David Jordan Medicine Professional Corporation				
Gen Div:					
Gen Op Name:	David Jordan Medicine Professional Corporation				
Gen Op Div:					
Site Adrs1:	301 O'Connor St.				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1V6				
Site Country:	Canada				
Co Official:	David R Jordan				
Co Admin:					
<u>2018 Generator Manifest</u>					
ID:	59534			Sum Received Qty:	51.3
Generator No:	ON8141730			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	12
Waste Char:	P			District:	402
Waste Code:	312				
<u>2018 Generator Manifest</u>					
ID:	59533			Sum Received Qty:	6.4
Generator No:	ON8141730			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	305
Waste Code:	312				
<u>2019 Generator Info</u>					
Gen No:	ON8141730			Choice of Contact:	CO_OFFICIAL
ID:	32822			Phone No Official:	613 563 3800 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	David Jordan Medicine Professional Corporation				
Gen Div:					
Gen Op Name:	David Jordan Medicine Professional Corporation				
Gen Op Div:					
Site Adrs1:	301 O'Connor St.				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Postal Code:		K2P 1V6			
Site Country:		Canada			
Co Official:		David R Jordan			
Co Admin:					
<u>2019 Generator Manifest</u>					
ID:	59520			Sum Received Qty:	52.0
Generator No:	ON8141730			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	13
Waste Char:	P			District:	402
Waste Code:	312				
<u>2020 Generator Info</u>					
Gen No:	ON8141730			Choice of Contact:	CO_OFFICIAL
ID:	32540			Phone No Official:	613 563 3800 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	David Jordan Medicine Professional Corporation				
Gen Div:					
Gen Op Name:	David Jordan Medicine Professional Corporation				
Gen Op Div:					
Site Adrs1:	301 O'Connor St.				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1V6				
Site Country:	Canada				
Co Official:	David R Jordan				
Co Admin:					
<u>2020 Generator Manifest</u>					
ID:	55801			Sum Received Qty:	9.6
Generator No:	ON8141730			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	305
Waste Code:	312				
<u>2020 Generator Manifest</u>					
ID:	55802			Sum Received Qty:	43.96
Generator No:	ON8141730			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	11
Waste Char:	P			District:	402
Waste Code:	312				
<u>2021 Generator Info</u>					
Gen No:	ON8141730			Choice of Contact:	CO_OFFICIAL
ID:	33300			Phone No Official:	613 563 3800 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code3:					
Gen Name:		David Jordan Medicine Professional Corporation			
Gen Div:					
Gen Op Name:		David Jordan Medicine Professional Corporation			
Gen Op Div:					
Site Adrs1:		301 O'Connor St.			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1V6			
Site Country:		Canada			
Co Official:		David R Jordan			
Co Admin:					
2021 Generator Manifest					
ID:	58094			Sum Received Qty:	53.8
Generator No:	ON8141730			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	13
Waste Char:	P			District:	402
Waste Code:	312				
52	1 of 1	W/161.0	75.9 / 2.01	ON	BORE
Borehole ID:	613289			Inclin FLG:	No
OGF ID:	215514590			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	JAN-1973			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.41567
Total Depth m:	15.5			Longitude DD:	-75.694364
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	445671
Drill Method:				Northing:	5029362
Orig Ground Elev m:	71.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	72				
Concession:					
Location D:					
Survey D:					
Comments:					
Borehole Geology Stratum					
Geology Stratum ID:	218394521			Mat Consistency:	Soft
Top Depth:	3.5			Material Moisture:	
Bottom Depth:	5.8			Material Texture:	
Material Color:	Red			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. SOFT TO STIFF,FISSURED.				
Geology Stratum ID:	218394524			Mat Consistency:	Dense

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	14.6			Material Moisture:	
Bottom Depth:	15.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	UNSPECIFIED. 00050 043 00080 058 00115 062 000000620005002400226DENSE. BEDROCK.				
Geology Stratum ID:	218394522			Mat Consistency:	
Top Depth:	5.8			Material Moisture:	
Bottom Depth:	13.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	UNSPECIFIED.				
Geology Stratum ID:	218394519			Mat Consistency:	Hard
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	2.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. BROWN,GREY,HARD.				
Geology Stratum ID:	218394520			Mat Consistency:	Stiff
Top Depth:	2.4			Material Moisture:	
Bottom Depth:	3.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. BROWN,GREY, STIFF TO VERY STIFF.				
Geology Stratum ID:	218394518			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:	Brick fragments			Geologic Group:	
Material 3:	Bedrock			Geologic Period:	
Material 4:	Wood Fragments			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ARTIFICIAL.				
Geology Stratum ID:	218394523			Mat Consistency:	
Top Depth:	13.1			Material Moisture:	
Bottom Depth:	14.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	UNSPECIFIED.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 057970 NTS_Sheet: 31G05G				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
53	1 of 1	ESE/167.4	72.9 / -1.00	301 Metcalfe Street Ottawa ON K2P 1R9	EHS
Order No:	20090218027			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	2/27/2009			Search Radius (km):	0.25
Date Received:	2/18/2009			X:	-75.690546
Previous Site Name:				Y:	45.415096
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
54	1 of 1	ESE/168.0	72.9 / -1.00	301 Metcalfe Street Ottawa ON K2P 1R9	EHS
Order No:	24112100949			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	26-NOV-24			Search Radius (km):	.25
Date Received:	21-NOV-24			X:	-75.6904453
Previous Site Name:				Y:	45.415205
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
55	1 of 1	ESE/169.7	72.9 / -1.00	301 Metcalfe St Ottawa ON K2P1R9	EHS
Order No:	20160513018			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	19-MAY-16			Search Radius (km):	.25
Date Received:	13-MAY-16			X:	-75.690417
Previous Site Name:				Y:	45.415209
Lot/Building Size:					
Additional Info Ordered:					
56	1 of 2	ENE/171.0	72.9 / -1.00	218 maclaren street ottawa ON K2P 0L7	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No:	20060323017			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	3/28/2006			Search Radius (km):	0.25
Date Received:	3/23/2006			X:	-75.690514
Previous Site Name:				Y:	45.416716
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
56	2 of 2	ENE/171.0	72.9 / -1.00	218 MacLaren Street Ottawa ON K2P 0L4	EHS
Order No:	20191128025			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Site Report			Client Prov/State:	ON
Report Date:	29-NOV-19			Search Radius (km):	.001
Date Received:	28-NOV-19			X:	-75.690421
Previous Site Name:				Y:	45.41666
Lot/Building Size:					
Additional Info Ordered:					
57	1 of 1	NW/172.1	74.8 / 0.97	318 Cooper St Ottawa ON	EHS
Order No:	20130502013			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	09-MAY-13			Search Radius (km):	.25
Date Received:	02-MAY-13			X:	0
Previous Site Name:				Y:	0
Lot/Building Size:					
Additional Info Ordered:					
58	1 of 1	N/175.5	73.9 / 0.00	Dr George Wehbi Dentist 229 Metcalfe St Ottawa ON K2P2C2	SCT
Scott S ID:	304120429				
Latitude:	45.4174604				
Longitude:	-75.6925301				
Details					
Bus Type 1:	Educational Services			Employee Count:	5
Bus Type 2:	Health Services			Square Footage:	0
Bus Type 3:	Manufacturer			Estimated Sales:	Under \$1 Million
Product Cat 1:	Dentist			Export Indicator:	
Product Cat 2:				Export Country 1:	
Product Cat 3:				Export Country 2:	
Product Cat 4:				Export Country 3:	
Product Cat 5:				Export Country 4:	
Product Cat 6:				Export Country 5:	
Product Cat 7:				Export Country 6:	
Product Cat 8:				Geocoded by:	Address
Company Name:	Dr George Wehbi Dentist				
Address Line 1:	229 Metcalfe St				
Address Line 2:					
City:	Ottawa				
Province:	ON				
Postal Code:	K2P2C2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Census Division: Ottawa; ON Metro Area: Ottawa/Hull Year Established: Head Office Indicator: Parent Company Nm: Parent Cmpny Addr 1: Parent Cmpny Addr 2: Parent Cmpny City: Parent Cmpny Prov: Parent Cmpy PC: Parent Cmpy Cntry: Head Office Nm: H Office Addr Line 1: H Office Addr Line 2: Head Office City: Head Office Province: Head Office PC: Head Office Cntry: Telephone: 613-232-7880 Fax: Website: http://www.drwehbi.com/ Pri NAICS Desc: 339110-Medical Equipment and Supplies Manufacturing NAICS Code 1: 339110-Medical Equipment and Supplies Manufacturin NAICS Code 2: 611310-Universities NAICS Code 3: 621210-Offices of Dentists NAICS Code 4: 621390-Offices of All Other Health Practitioners NAICS Code 5:					
59	1 of 2	NW/175.6	74.9 / 1.00	PIPELINE HIT 1/2" 310 COOPER ST,,OTTAWA,ON,K2P 0G7,CA ON	PINC
Incident Id: Incident No: 2390424 Incident Reported Dt: 9/5/2018 Type: FS-Pipeline Incident Status Code: Tank Status: Pipeline Damage Reason Est Task No: Spills Action Centre: Fuel Type: Fuel Occurrence Tp: Date of Occurrence: Occurrence Start Dt: Depth: Customer Acct Name: PIPELINE HIT 1/2" Incident Address: 310 COOPER ST,,OTTAWA,ON,K2P 0G7,CA Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:					
Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details:					
59	2 of 2	NW/175.6	74.9 / 1.00	Enbridge Gas Distribution Inc. 310 Cooper St. Ottawa ON	SPL
Ref No: 4103-B4AJEM Year:					
Municipality No: Nature of Damage:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Dt:	2018/09/04			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	2018/09/04			Impact to Health:	0 - No Impact
Dt Document Closed:				Agency Involved:	
Site No:	NA				
MOE Response:	No				
Site County/District:					
Site Geo Ref Meth:					
Site District Office:	Ottawa				
Nearest Watercourse:					
Site Name:	Linestrike location<UNOFFICIAL>				
Site Address:	310 Cooper St.				
Site Region:	Eastern				
Site Municipality:	Ottawa				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:	5029557.71				
Easting:	445744.6				
Entity Operating Name:					
Client Name:	Enbridge Gas Distribution Inc.				
Client Type:	Corporation				
Source Type:	Pipeline/Components				
Incident Cause:					
Incident Preceding Spill:	Leak/Break				
Incident Reason:	Operator/Human Error				
Incident Summary:	TSSA FSB: 1/2" pl IP gas main dmged - made safe				
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:	0 other - see incident description				
Contaminant Qty 1:	0				
Contaminant Unit:	other - see incident description				
Contaminant Code:	35				
Contaminant Name:	NATURAL GAS (METHANE)				
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:	1075				
Receiving Medium:	Air				
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:	Miscellaneous Industrial				
SAC Action Class:	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill				
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					
Source Sector Type:					
Conservtn Auth Name:					
Primary Watershed:					
Quaternary Watershed:					
Offsite Impacts Y N:					
Waterbody Impacted Y N:					
60	1 of 3	WNW/177.4	74.8 / 0.97	320 Cooper Street Ottawa ON K2P 0G7	EHS
Order No:	20070316023			Nearest Intersection:	Cooper Street and Metcalf Street
Status:	C			Municipality:	
Report Type:	CAN - Complete Report			Client Prov/State:	
Report Date:	3/27/2007			Search Radius (km):	0.25
Date Received:	3/16/2007			X:	-75.693881
Previous Site Name:				Y:	45.417111

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: Additional Info Ordered:					
60	2 of 3	WNW/177.4	74.8 / 0.97	320 Cooper St Ottawa ON K2P0G7	EHS
Order No: 20140224059 Status: C Report Type: Custom Report Report Date: 28-FEB-14 Date Received: 24-FEB-14 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.694021 Y: 45.416972			
60	3 of 3	WNW/177.4	74.8 / 0.97	320 Cooper Street Ottawa ON Ottawa ON K2P 0G7	EHS
Order No: 23061300287 Status: C Report Type: Custom Report Report Date: 16-JUN-23 Date Received: 13-JUN-23 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6940461 Y: 45.416969			
61	1 of 1	WSW/178.2	75.9 / 2.00	334 MacLaren Street Ottawa ON K2P 0M6	EHS
Order No: 20100517016 Status: C Report Type: Custom Report Report Date: 5/21/2010 Date Received: 5/17/2010 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.694368 Y: 45.415194			
62	1 of 2	NW/178.3	74.9 / 1.00	HICKS MEDIA 300 Cooper St Suite 30 Ottawa ON K2P 0G7	SCT
Scott S ID: 18735954 Latitude: Longitude:					
Historical Details					
Established: 1985 Plant Size (ft²): 0 Employment: 5					
Historical Details					
Description: Other Publishers SIC/NAICS Code: 511190					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
62	2 of 2	NW/178.3	74.9 / 1.00	Hicks Media - Div. of Gidney News & Publishing Limited 300 Cooper St Suite 30 Ottawa ON K2P 0G7	SCT	
Scott S ID:		18735954				
Latitude:						
Longitude:						
<u>Historical Details</u>						
Established:		1985				
Plant Size (ft²):						
Employment:		5				
63	1 of 1	ESE/178.3	72.9 / -1.00	ON	BORE	
Borehole ID:		613276	Inclin FLG:		No	
OGF ID:		215514577	SP Status:		Initial Entry	
Status:		Surv Elev:		No		
Type:		Borehole	Piezometer:		No	
Use:		Primary Name:				
Completion Date:		Municipality:				
Static Water Level:		Lot:				
Primary Water Use:		Township:				
Sec. Water Use:		Latitude DD:		45.415245		
Total Depth m:		-999	Longitude DD:		-75.690269	
Depth Ref:		Ground Surface	UTM Zone:		18	
Depth Elev:		Easting:		445991		
Drill Method:		Northing:		5029312		
Orig Ground Elev m:		70.1	Location Accuracy:		Not Applicable	
Elev Reliabil Note:		Accuracy:				
DEM Ground Elev m:		70				
Concession:						
Location D:						
Survey D:						
Comments:						
<u>Borehole Geology Stratum</u>						
Geology Stratum ID:		218394459	Mat Consistency:			
Top Depth:		0	Material Moisture:			
Bottom Depth:		1.5	Material Texture:			
Material Color:		Brown	Non Geo Mat Type:			
Material 1:		Sand	Geologic Formation:			
Material 2:		Geologic Group:				
Material 3:		Geologic Period:				
Material 4:		Depositional Gen:				
Gsc Material Description:						
Stratum Description:		SAND. BROWN.				
Geology Stratum ID:		218394460	Mat Consistency:			
Top Depth:		1.5	Material Moisture:			
Bottom Depth:		3.7	Material Texture:			
Material Color:		Brown	Non Geo Mat Type:			
Material 1:		Clay	Geologic Formation:			
Material 2:		Geologic Group:				
Material 3:		Geologic Period:				
Material 4:		Depositional Gen:				
Gsc Material Description:						
Stratum Description:		CLAY. BROWN.FRACTURED.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		2021			
Depth (m):		13.1			
Latitude:		45.4162876088694			
Longitude:		-75.6945972286121			
Point X:		-75.69459706670887			
Point Y:		45.41628760214662			
Path:		739\7391112.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1008704346		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445653.00
Code OB Desc:				North83:	5029431.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		05/26/2021		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009852393			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		2.740000009536743			
Formation End Depth:		3.9600000381469727			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009852392			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		2.740000009536743			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1009852394			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		3.9600000381469727			
Formation End Depth:		10.670000076293945			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009852395			
Layer:		5			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		10.670000076293945			
Formation End Depth:		13.100000381469727			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009852391			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009853455			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1009853456			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		9.75			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009853457			
Layer:		3			
Plug From:		9.75			
Plug To:		13.100000381469727			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1009854837			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009764982			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009855215			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.050000190734863			
Casing Diameter:		5.199999809265137			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1009855611			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.050000190734863			
Screen End Depth:		13.100000381469727			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009856075			
Pump Set At:					
Static Level:					
Final Level After Pumping:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: LPM Water State After Test Code: Water State After Test: Pumping Test Method: 0 Pumping Duration HR: Pumping Duration MIN: Flowing: No					
<u>Hole Diameter</u>					
Hole ID: 1009854396 Diameter: 11.430000305175781 Depth From: 0.0 Depth To: 13.100000381469727 Hole Depth UOM: m Hole Diameter UOM: cm					
65	1 of 1	NNE/182.2	73.7 / -0.14	223 Somerset St W Ottawa ON K2P0J1	EHS
Order No: 20161117139 Status: C Report Type: Standard Report Report Date: 23-NOV-16 Date Received: 17-NOV-16 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.691814 Y: 45.417518					
66	1 of 1	ESE/182.2	72.9 / -1.00	ON	BORE
Borehole ID: 613263 OGF ID: 215514565 Status: Type: Borehole Use: Completion Date: Static Water Level: 13.7 Primary Water Use: Sec. Water Use: Total Depth m: -999 Depth Ref: Ground Surface Depth Elev: Drill Method: Orig Ground Elev m: 69.2 Elev Reliabil Note: DEM Ground Elev m: 69.3 Concession: Location D: Survey D: Comments:					
Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 45.414792 Longitude DD: -75.690647 UTM Zone: 18 Easting: 445961 Northing: 5029262 Location Accuracy: Accuracy: Not Applicable					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218394404 Top Depth: 0 Mat Consistency: Material Moisture:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth:	.9			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND.			
Geology Stratum ID:	218394406			Mat Consistency:	Compact
Top Depth:	21			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILT. WATER STABLE AT 182.0 FEET.. BROWN. CLAY. BROWN,GREY,STIFF. SILT. GREY,COMPACT. SAN **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218394405			Mat Consistency:	Soft
Top Depth:	.9			Material Moisture:	
Bottom Depth:	21			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY. GREY,SOFT.			
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: OTTAWA2.txt RecordID: 057710 NTS_Sheet: 31G05G			
Confiden 1:		Logged by professional. Exact and complete description of material and properties.			
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			
67	1 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board Elgin Street Public School 310 Elgin Street Ottawa ON K2P 1M4	GEN

Generator Info

Generator No:	ON5437731	Choice of Contact:	
Approval Years:	02,03,04	Contaminated Fac:	
Status:		MHSW Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PO Box No: Country: Co Admin: Phone No Admin: SIC Description:				SIC Code:	
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCB'S			
67	2 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board Elgin Street PS 310 Elgin Street Ottawa ON K2P 1M4	GEN
<u>Generator Info</u>					
Generator No:		ON7714391	Choice of Contact:		
Approval Years:		05	Contaminated Fac:		
Status:			MHSW Facility:		
PO Box No:			SIC Code:		
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCB'S			
67	3 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board 310 Elgin St. Ottawa ON K2P 1M4	GEN
<u>Generator Info</u>					
Generator No:		ON6048676	Choice of Contact:		
Approval Years:		06	Contaminated Fac:		
Status:			MHSW Facility:		
PO Box No:			SIC Code: 611110		
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Elementary and Secondary Schools			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
67	4 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board 310 Elgin Street Ottawa ON K2P 1M4	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON3676940			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	611110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
67	5 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board 310 Elgin Street Ottawa ON K2P 1M4	GEN
<u>Generator Info</u>					
Generator No:	ON3676940			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	611110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Elementary and Secondary Schools				
67	6 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board 310 Elgin Street Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:	ON3676940			Choice of Contact:	
Approval Years:	2013			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	611110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	ELEMENTARY AND SECONDARY SCHOOLS				
<u>Waste Detail(s)</u>					
Waste Class:	145				
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES				
<u>Waste Detail(s)</u>					
Waste Class:	213				
Waste Class Name:	PETROLEUM DISTILLATES				
<u>Waste Detail(s)</u>					
Waste Class:	146				
Waste Class Name:	OTHER SPECIFIED INORGANICS				
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: 148 Waste Class Name: INORGANIC LABORATORY CHEMICALS <u>Waste Detail(s)</u> Waste Class: 263 Waste Class Name: ORGANIC LABORATORY CHEMICALS					
67	7 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board 310 Elgin Street Ottawa ON K2P 1M4	GEN
<u>Generator Info</u> Generator No: ON3676940 Approval Years: 2016 Status: PO Box No: Country: Canada Co Admin: Greg Benson Phone No Admin: 613-596-8211 Ext.8549 SIC Description: ELEMENTARY AND SECONDARY SCHOOLS Choice of Contact: CO_OFFICIAL Contaminated Fac: No MHSW Facility: No SIC Code: 611110					
<u>Waste Detail(s)</u> Waste Class: 148 Waste Class Name: INORGANIC LABORATORY CHEMICALS <u>Waste Detail(s)</u> Waste Class: 213 Waste Class Name: PETROLEUM DISTILLATES <u>Waste Detail(s)</u> Waste Class: 145 Waste Class Name: PAINT/PIGMENT/COATING RESIDUES <u>Waste Detail(s)</u> Waste Class: 263 Waste Class Name: ORGANIC LABORATORY CHEMICALS <u>Waste Detail(s)</u> Waste Class: 146 Waste Class Name: OTHER SPECIFIED INORGANICS					
67	8 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board 310 Elgin Street Ottawa ON K2P 1M4	GEN

Generator Info

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON3676940 Approval Years: 2015 Status: PO Box No: Country: Canada Co Admin: Greg Benson Phone No Admin: 613-596-8211 Ext.8549 SIC Description: ELEMENTARY AND SECONDARY SCHOOLS Choice of Contact: CO_OFFICIAL Contaminated Fac: No MHSW Facility: No SIC Code: 611110					
<u>Waste Detail(s)</u>					
Waste Class: 263 Waste Class Name: ORGANIC LABORATORY CHEMICALS					
<u>Waste Detail(s)</u>					
Waste Class: 145 Waste Class Name: PAINT/PIGMENT/COATING RESIDUES					
<u>Waste Detail(s)</u>					
Waste Class: 146 Waste Class Name: OTHER SPECIFIED INORGANICS					
<u>Waste Detail(s)</u>					
Waste Class: 213 Waste Class Name: PETROLEUM DISTILLATES					
<u>Waste Detail(s)</u>					
Waste Class: 148 Waste Class Name: INORGANIC LABORATORY CHEMICALS					

67	9 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board 310 Elgin Street Ottawa ON K2P 1M4	GEN
--------------------	---------	----------------	---------------------	---	------------

Generator Info

Generator No:	ON3676940	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	611110
Country:	Canada		
Co Admin:	Greg Benson		
Phone No Admin:	613-596-8211 Ext.8549		
SIC Description:	ELEMENTARY AND SECONDARY SCHOOLS		

Waste Detail(s)

Waste Class: 148
Waste Class Name: INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class: 213

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		146			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
67	10 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board Health & Safety 310 Elgin Street Ottawa ON K2P 1M4	GEN
<u>Generator Info</u>					
Generator No:		ON3676940		Choice of Contact:	
Approval Years:		As of Dec 2018		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		146 T			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
<u>Waste Detail(s)</u>					
Waste Class:		148 C			
Waste Class Name:		Misc. wastes and inorganic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		213 I			
Waste Class Name:		Petroleum distillates			
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		145 I			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
67	11 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board Health & Safety 310 Elgin Street Ottawa ON K2P 1M4	GEN
<u>Generator Info</u>					
Generator No:		ON3676940		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		145 I			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class:		146 T			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
<u>Waste Detail(s)</u>					
Waste Class:		213 I			
Waste Class Name:		Petroleum distillates			
<u>Waste Detail(s)</u>					
Waste Class:		148 C			
Waste Class Name:		Misc. wastes and inorganic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		Misc. waste organic chemicals			
67	12 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board Health & Safety 310 Elgin Street Ottawa ON K2P 1M4	GEN
<u>Generator Info</u>					
Generator No:		ON3676940		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin: SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		213 I			
Waste Class Name:		Petroleum distillates			
<u>Waste Detail(s)</u>					
Waste Class:		145 I			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		146 T			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
<u>Waste Detail(s)</u>					
Waste Class:		148 C			
Waste Class Name:		Misc. wastes and inorganic chemicals			
<u>67</u>	13 of 13	E/182.6	72.9 / -1.00	Ottawa-Carleton District School Board Elgin Street Public School, 310 Elgin Street Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:	ON3676940			Choice of Contact:	
Approval Years:	As of Oct 2022			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		146 T			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
<u>Waste Detail(s)</u>					
Waste Class:		213 I			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		145 I			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		148 C			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Generator Info (as of Dec 2024)</u>					
Generator No:		ON3676940			
Generator Company Name:		Ottawa-Carleton District School Board			
Street:		Elgin Street Public School, 310 Elgin Street			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P1M4			
Waste Class:		145 I,251 L,148 C,213 I,263 I,146 T,263 B,331 I			
Waste Class Decoded:					
145 - PAINT/PIGMENT/COATING RESIDUES; 251 - OIL SKIMMINGS & SLUDGES; 148 - INORGANIC LABORATORY CHEMICALS; 213 - PETROLEUM DISTILLATES; 263 - ORGANIC LABORATORY CHEMICALS; 146 - OTHER SPECIFIED INORGANICS; 263 - ORGANIC LABORATORY CHEMICALS; 331 - WASTE COMPRESSED GASES					
<u>Generator Info (as of Apr 2025)</u>					
Generator Company Name:		Ottawa-Carleton District School Board			
Generator Site Address:		Elgin Street Public School, 310 Elgin Street			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P1M4			
Waste Class:		251 L, 145 I, 148 C, 213 I, 263 I, 146 T, 263 B, 331 I			
Waste Class Decoded:					
251 - OIL SKIMMINGS & SLUDGES; 145 - PAINT/PIGMENT/COATING RESIDUES; 148 - INORGANIC LABORATORY CHEMICALS; 213 - PETROLEUM DISTILLATES; 263 - ORGANIC LABORATORY CHEMICALS; 146 - OTHER SPECIFIED INORGANICS; 263 - ORGANIC LABORATORY CHEMICALS; 331 - WASTE COMPRESSED GASES					
Waste Characteristic Decoded:					
L - Liquid Industrial Waste; I - Ignitable; C - Corrosive; I - Ignitable; I - Ignitable; T - Leachate Toxic; B - Hazardous Waste Chemical; I - Ignitable					
<u>2017 Generator Info</u>					
Gen No:	ON3676940	Choice of Contact:	CO_OFFICIAL		
ID:	14753	Phone No Official:	613-596-8211 Ext.8495		
Contaminated Fac:	N	Phone No Admin:	613-596-8211 Ext.8549		
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)		
NAICS Code1:	611110	County Out:			
NAICS Code2:		District:	402		
NAICS Code3:					
Gen Name:	Ottawa-Carleton District School Board				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen Div:		Health & Safety			
Gen Op Name:		Ottawa-Carleton District School Board			
Gen Op Div:		Health & Safety			
Site Adrs1:		310 Elgin Street			
Site Bldg:		Elgin Street Public School			
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1M4			
Site Country:		Canada			
Co Official:		Clint Vester			
Co Admin:		Greg Benson			
 <u>2018 Generator Info</u>					
Gen No:	ON3676940			Choice of Contact:	CO_OFFICIAL
ID:	14666			Phone No Official:	613-596-8211 Ext.8495
Contaminated Fac:	N			Phone No Admin:	613-596-8211 Ext.8549
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	611110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Ottawa-Carleton District School Board			
Gen Div:		Health & Safety			
Gen Op Name:		Ottawa-Carleton District School Board			
Gen Op Div:		Health & Safety			
Site Adrs1:		310 Elgin Street			
Site Bldg:		Elgin Street Public School			
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1M4			
Site Country:		Canada			
Co Official:		Clint Vester			
Co Admin:		Greg Benson			
 <u>2018 Generator Manifest</u>					
ID:	37325			Sum Received Qty:	64.0
Generator No:	ON3676940			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	I			District:	201
Waste Code:	263				
 <u>2019 Generator Info</u>					
Gen No:	ON3676940			Choice of Contact:	CO_OFFICIAL
ID:	14485			Phone No Official:	613-596-8211 Ext.8495
Contaminated Fac:	N			Phone No Admin:	613-596-8211 Ext.8549
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	611110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Ottawa-Carleton District School Board			
Gen Div:		Health & Safety			
Gen Op Name:		Ottawa-Carleton District School Board			
Gen Op Div:		Health & Safety			
Site Adrs1:		310 Elgin Street			
Site Bldg:		Elgin Street Public School			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Ottawa Province Out: Site Postal Code: K2P 1M4 Site Country: Canada Co Official: Clint Vester Co Admin: Greg Benson					
<u>2020 Generator Info</u>					
Gen No:	ON3676940			Choice of Contact:	CO_OFFICIAL
ID:	14142			Phone No Official:	613-596-8211 Ext.8495
Contaminated Fac:	N			Phone No Admin:	613-596-8211 Ext.8549
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	611110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Ottawa-Carleton District School Board				
Gen Div:	Health & Safety				
Gen Op Name:	Ottawa-Carleton District School Board				
Gen Op Div:	Health & Safety				
Site Adrs1:	310 Elgin Street				
Site Bldg:	Elgin Street Public School				
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1M4				
Site Country:	Canada				
Co Official:	Clint Vester				
Co Admin:	Greg Benson				
<u>2021 Generator Info</u>					
Gen No:	ON3676940			Choice of Contact:	CO_OFFICIAL
ID:	14039			Phone No Official:	613-596-8211 Ext.8495
Contaminated Fac:	N			Phone No Admin:	613-596-8211 Ext.8549
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	611110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Ottawa-Carleton District School Board				
Gen Div:	Health & Safety				
Gen Op Name:	Ottawa-Carleton District School Board				
Gen Op Div:	Health & Safety				
Site Adrs1:	310 Elgin Street				
Site Bldg:	Elgin Street Public School				
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1M4				
Site Country:	Canada				
Co Official:	Clint Vester				
Co Admin:	Greg Benson				
68	1 of 1	WSW/182.8	75.9 / 2.00	335 MacLaren Street Ottawa ON K2P 0M4	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No: 25031700359 Status: C Report Type: Standard Report Report Date: 20-MAR-25 Date Received: 17-MAR-25 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6945375 Y: 45.4153673					
69	1 of 1	N/183.3	73.9 / 0.00	California Standard Co 233 Metcalfe Ottawa ON	HBAR
Province: ON Year: 1960 Source: Mights					
70	1 of 1	W/184.2	75.9 / 2.00	ON	WWIS
Well ID: 7211110 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z096856 Tag: A152341 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: OTTAWA CITY Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 11/14/2013 Selected Flag: TRUE Abandonment Rec: Yes Contractor: 6894 Form Version: 7 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7211110.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: Year Completed: Depth (m): Latitude: 45.4162783751036 Longitude: -75.6946354577708 Point X: -75.69463529630052 Point Y: 45.416278368040004 Path: 721\7211110.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 1004633069 DP2BR: Spatial Status: Code OB: Code OB Desc:					
Elevation: Elevrc: Zone: 18 East83: 445650.00 North83: 5029430.00					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:			on Water Well Record	Org CS: UTMRC: UTMRC Desc: Location Method:	UTM83 3 margin of error : 10 - 30 m wwr
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004895719			
Layer:		1			
Plug From:		57.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004895718			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004895711			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004895715			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004895716			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID: 1004895714 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft					
Hole Diameter					
Hole ID: 1004895713 Diameter: Depth From: Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch					
71	1 of 1	WSW/184.3	75.9 / 2.00	335 Maclaren St Ottawa ON K2P0M5	EHS
Order No: 20160112021 Status: C Report Type: Custom Report Report Date: 15-JAN-16 Date Received: 12-JAN-16 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.694571 Y: 45.415395					
72	1 of 1	SSW/184.6	74.9 / 1.00	438 LEWIS STREET OTTAWA ON	HINC
External File Num: FS INC 0707-03424 Fuel Occurrence Type: Pipeline Strike Date of Occurrence: 6/28/2007 Fuel Type Involved: Natural Gas Status Desc: Completed - No Action Required Job Type Desc: Incident/Near-Miss Occurrence (FS) Oper. Type Involved: Private Dwelling Service Interruptions: Yes Property Damage: No Fuel Life Cycle Stage: Utilization Root Cause: Reported Details: Fuel Category: Gaseous Fuel Occurrence Type: Incident Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) County Name: Ottawa Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: Environmental Impact:					
73	1 of 1	W/185.0	75.9 / 2.00	311 Somerset St W Ottawa ON	WWIS
Well ID: 7382782 Construction Date: Use 1st: Monitoring and Test Hole Use 2nd:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Observation Wells			Date Received:	03/18/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z338246			Contractor:	7241
Tag:	A302969			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	OTTAWA CITY				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7382782.pdf

Additional Detail(s) (Map)

Well Completed Date: 02/19/2021
Year Completed: 2021
Depth (m): 20
Latitude: 45.416179135269
Longitude: -75.6946725832926
Point X: -75.6946724209724
Point Y: 45.41617912839754
Path: 738\7382782.pdf

Bore Hole Information

Bore Hole ID:	1008639334	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445647.00
Code OB Desc:		North83:	5029419.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	02/19/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1009823458
Layer: 1
Color: 2
General Color: GREY
Material 1: 11
Material 1 Desc: GRAVEL
Material 2:
Material 2 Desc:
Material 3: 73
Material 3 Desc: HARD
Formation Top Depth: 0.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		2.0			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009823460			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		5.0			
Formation End Depth:		9.0			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009823461			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		9.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009823459			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		01			
Material 2 Desc:		FILL			
Material 3:		73			
Material 3 Desc:		HARD			
Formation Top Depth:		2.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1009824634			
Layer:		3			
Plug From:		9.0			
Plug To:		20.0			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009824633			
Layer:		2			
Plug From:		1.0			
Plug To:		9.0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009824632			
Layer:		1			
Plug From:		0.0			
Plug To:		1.0			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1009826068			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009718364			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009826494			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		2.046999931335449			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1009826907			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		20.0			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		2.375			
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method Desc: Pump Test ID: 1009827322 Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: LPM Water State After Test Code: Water State After Test: Pumping Test Method: 0 Pumping Duration HR: Pumping Duration MIN: Flowing:					
Hole Diameter					
Hole ID: 1009825630 Diameter: 4.5 Depth From: 0.0 Depth To: 20.0 Hole Depth UOM: m Hole Diameter UOM: cm					
74	1 of 1	SW/185.3	74.9 / 1.00	350 Gilmour Street Ottawa ON K2P 0R3	EHS
Order No: 25071100531 Status: C Report Type: Standard Report Report Date: 14-JUL-25 Date Received: 11-JUL-25 Previous Site Name: Lot/Building Size: Additional Info Ordered: City Directory					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .2 X: -75.6937196 Y: 45.4145663					
75	1 of 1	WNW/185.7	75.9 / 2.00	KEN RALPH 231 O'CONNOR ST.,OTTAWA,ON,K2P 1T8,CA ON	PINC
Incident Id: Incident No: 1602812 Incident Reported Dt: 3/24/2015 Type: FS-Pipeline Incident Status Code: Tank Status: Pipeline Damage Reason Est Task No: Spills Action Centre: Fuel Type: Fuel Occurrence Tp: Date of Occurrence: Occurrence Start Dt: Depth: Customer Acct Name: KEN RALPH Incident Address: 231 O'CONNOR ST.,OTTAWA,ON,K2P 1T8,CA Operation Type: Pipeline Type: Regulator Type: Summary:					
Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:					
76	1 of 1	ENE/188.9	72.9 / -1.00	Kun Shoulder Rest Inc. 200 MacLaren St Ottawa ON K2P0L4	SCT
Scott S ID:		57063118			
Latitude:		45.4167446			
Longitude:		-75.6902104			
Details					
Bus Type 1:		Manufacturer		Employee Count:	7
Bus Type 2:				Square Footage:	0
Bus Type 3:				Estimated Sales:	\$1-5 Million
Product Cat 1:		Music store		Export Indicator:	Y
Product Cat 2:		Musical instruments		Export Country 1:	Worldwide
Product Cat 3:		Musical instruments: supplies; accessories		Export Country 2:	
Product Cat 4:				Export Country 3:	
Product Cat 5:				Export Country 4:	
Product Cat 6:				Export Country 5:	
Product Cat 7:				Export Country 6:	
Product Cat 8:				Geocoded by:	Address
Company Name:		Kun Shoulder Rest Inc.			
Address Line 1:		200 MacLaren St			
Address Line 2:					
City:		Ottawa			
Province:		ON			
Postal Code:		K2P0L4			
Census Division:		Ottawa; ON			
Metro Area:		Ottawa/Hull			
Year Established:		1971			
Head Office Indicator:		N			
Parent Company Nm:					
Parent Cmpny Addr 1:					
Parent Cmpny Addr 2:					
Parent Cmpny City:					
Parent Cmpny Prov:					
Parent Cmpy PC:					
Parent Cmpy Cntry:					
Head Office Nm:					
H Office Addr Line 1:					
H Office Addr Line 2:					
Head Office City:					
Head Office Province:					
Head Office PC:					
Head Office Cntry:					
Telephone:		613-232-1861			
Fax:		613-232-9771			
Website:		http://www.kunrest.com/			
Pri NAICS Desc:		339990-All Other Miscellaneous Manufacturing			
NAICS Code 1:		339990-All Other Miscellaneous Manufacturing			
NAICS Code 2:					
NAICS Code 3:					
NAICS Code 4:					
NAICS Code 5:					
Historical Details					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Established: Plant Size (ft²): Employment:		01-AUG-75			
<u>Historical Details</u>					
Description: SIC/NAICS Code:		All Other Miscellaneous Manufacturing 339990			
<u>Historical Details</u>					
Description: SIC/NAICS Code:		All Other Miscellaneous Manufacturing 339990			
77	1 of 1	NW/189.5	74.8 / 0.97	318 Cooper Street Ottawa ON Ottawa ON K2P 0G7	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		21121400024 C Standard Report 17-DEC-21 14-DEC-21		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	
				ON .25 -75.6940315 45.4171386	
78	1 of 1	W/189.9	75.9 / 2.00	311 SONERSET Ottawa ON	WWIS
Well ID: Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		7391115 Monitoring and Test Hole Monitoring and Test Hole Z364139 A302952			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Point Y: Path:		45.41637714214935 739\7391115.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1008704355			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445647.00
Code OB Desc:				North83:	5029441.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	05/25/2021			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1009852408				
Layer:	3				
Color:	6				
General Color:	BROWN				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	28				
Material 2 Desc:	SAND				
Material 3:	85				
Material 3 Desc:	SOFT				
Formation Top Depth:	2.740000009536743				
Formation End Depth:	3.3499999046325684				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1009852409				
Layer:	4				
Color:	2				
General Color:	GREY				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	06				
Material 2 Desc:	SILT				
Material 3:	85				
Material 3 Desc:	SOFT				
Formation Top Depth:	3.3499999046325684				
Formation End Depth:	11.279999732971191				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1009852406				
Layer:	1				
Color:	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009852407			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		2.740000009536743			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009852410			
Layer:		5			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		11.279999732971191			
Formation End Depth:		14.9399995803833			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1009853465			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		11.579999923706055			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1009853466			
Layer:		3			
Plug From:		11.579999923706055			
Plug To:		14.9399995803833			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009853464			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1009854840			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009764985			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009855218			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		11.890000343322754			
Casing Diameter:		5.199999809265137			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1009855614			
Layer:		1			
Slot:		10			
Screen Top Depth:		11.890000343322754			
Screen End Depth:		14.9399995803833			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009856078			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM: LPM Water State After Test Code: Water State After Test: Pumping Test Method: 0 Pumping Duration HR: Pumping Duration MIN: Flowing: No					
<u>Hole Diameter</u>					
Hole ID: 1009854399 Diameter: 11.430000305175781 Depth From: 0.0 Depth To: 14.9399995803833 Hole Depth UOM: m Hole Diameter UOM: cm					
79	1 of 36	N/190.2	73.9 / 0.00	ARTEXT (OUT OF BUS) 225 METCALFE STREET, SUITE 710 OTTAWA ON K2P 1P9	GEN
<u>Generator Info</u>					
Generator No: ON0940702 Approval Years: 93,96,97,98 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: PLATEMAKING, ETC.					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 2821					
<u>Waste Detail(s)</u>					
Waste Class: 264 Waste Class Name: PHOTOPROCESSING WASTES					
79	2 of 36	N/190.2	73.9 / 0.00	ARTEXT ELECTRONIC PUBLISHING INC. 225 METCALFE STREET, SUITE 710 OTTAWA ON K2P 1P9	GEN
<u>Generator Info</u>					
Generator No: ON0940702 Approval Years: 94,95 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: PLATEMAKING, ETC.					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 2821					
<u>Waste Detail(s)</u>					
Waste Class: 264 Waste Class Name: PHOTOPROCESSING WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
79	3 of 36	N/190.2	73.9 / 0.00	TAGGART CORPORATION 708-225 Metcalfe Street OTTAWA ON K2P 1P9	GEN

Generator Info

Generator No:	ON2565000	Choice of Contact:	
Approval Years:	07,08	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	531310
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Real Estate Property Managers		

Waste Detail(s)

Waste Class:	243
Waste Class Name:	PCB'S

79	4 of 36	N/190.2	73.9 / 0.00	Drs. John and Micaela Fitzgerald Dentistry Profess 225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	GEN
--------------------	---------	---------	-------------	---	-----

Generator Info

Generator No:	ON9590766	Choice of Contact:	CO_OFFICIAL
Approval Years:	2016	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	621210
Country:	Canada		
Co Admin:	Tracy Hayball		
Phone No Admin:	613-235-9832 Ext.		
SIC Description:	OFFICES OF DENTISTS		

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class:	148
Waste Class Name:	INORGANIC LABORATORY CHEMICALS

79	5 of 36	N/190.2	73.9 / 0.00	Drs. John and Micaela Fitzgerald Dentistry Profess 225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	GEN
--------------------	---------	---------	-------------	---	-----

Generator Info

Generator No:	ON9590766	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PO Box No: Country: Canada Co Admin: Tracy Hayball Phone No Admin: 613-235-9832 Ext. SIC Description: OFFICES OF DENTISTS Waste Detail(s) Waste Class: 148 Waste Class Name: INORGANIC LABORATORY CHEMICALS Waste Detail(s) Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES					
79	6 of 36	N/190.2	73.9 / 0.00	Dr. J. Li Dentistry Professional Corporation 400-225 Metcalfe Street Ottawa ON K2P1P9	GEN
Generator Info Generator No: ON6802303 Approval Years: 2016 Status: PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS Waste Detail(s) Waste Class: 312 Waste Class Name: PATHOLOGICAL WASTES Waste Detail(s) Waste Class: 261 Waste Class Name: PHARMACEUTICALS Waste Detail(s) Waste Class: 148 Waste Class Name: INORGANIC LABORATORY CHEMICALS Waste Detail(s) Waste Class: 264 Waste Class Name: PHOTOPROCESSING WASTES					
79	7 of 36	N/190.2	73.9 / 0.00	dr stanley shiff/dr dana shiff 225 metcalfe st suite 503 ottawa ON K2P1P9	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON3303382			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621210
Country:	Canada				
Co Admin:	dana shiff				
Phone No Admin:	613 232-4436 Ext.				
SIC Description:	OFFICES OF DENTISTS				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
79	8 of 36	N/190.2	73.9 / 0.00	Dr. J. Li Dentistry Professional Corporation 400-225 Metcalfe Street Ottawa ON K2P1P9	GEN
<u>Generator Info</u>					
Generator No:	ON6802303			Choice of Contact:	CO_OFFICIAL
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621390
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:	OFFICES OF ALL OTHER HEALTH PRACTITIONERS				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
79	9 of 36	N/190.2	73.9 / 0.00	Drs. John and Micaela Fitzgerald Dentistry Profess 225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	GEN
<u>Generator Info</u>					
Generator No:	ON9590766			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621210
Country:	Canada				
Co Admin:	Tracy Hayball				
Phone No Admin:	613-235-9832 Ext.				
SIC Description:	OFFICES OF DENTISTS				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
79	10 of 36	N/190.2	73.9 / 0.00	Dr. J. Li Dentistry Professional Corporation 400-225 Metcalfe Street Ottawa ON K2P1P9	GEN
<u>Generator Info</u>					
Generator No:		ON6802303		Choice of Contact:	CO_OFFICIAL
Approval Years:		2014		Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621390
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:		OFFICES OF ALL OTHER HEALTH PRACTITIONERS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
79	11 of 36	N/190.2	73.9 / 0.00	dr stanley shiff/dr dana shiff 225 metcalfe st suite 503 ottawa ON K2P1P9	GEN
<u>Generator Info</u>					
Generator No:		ON3303382		Choice of Contact:	
Approval Years:		As of Dec 2018		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
79	12 of 36	N/190.2	73.9 / 0.00	Drs. John and Micaela Fitzgerald Dentistry Profess 225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	GEN
<u>Generator Info</u>					
Generator No:		ON9590766		Choice of Contact:	
Approval Years:		As of Dec 2018		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country: Canada Co Admin: Phone No Admin: SIC Description: Waste Detail(s) Waste Class: 312 P Waste Class Name: Pathological wastes Waste Detail(s) Waste Class: 148 C Waste Class Name: Misc. wastes and inorganic chemicals					
79	13 of 36	N/190.2	73.9 / 0.00	Dr. J. Li Dentistry Professional Corporation 400-225 Metcalfe Street Ottawa ON K2P1P9	GEN
Generator Info Generator No: ON6802303 Approval Years: As of Dec 2018 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: Waste Detail(s) Waste Class: 264 L Waste Class Name: Photoprocessing wastes Waste Detail(s) Waste Class: 148 B Waste Class Name: Misc. wastes and inorganic chemicals Waste Detail(s) Waste Class: 148 C Waste Class Name: Misc. wastes and inorganic chemicals Waste Detail(s) Waste Class: 261 A Waste Class Name: Pharmaceuticals Waste Detail(s) Waste Class: 264 T Waste Class Name: Photoprocessing wastes Waste Detail(s)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
<u>2017 Generator Info</u>					
Gen No:	ON6802303			Choice of Contact:	CO_OFFICIAL
ID:	26756			Phone No Official:	6132328090 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621390			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Dr. J. Li Dentistry Professional Corporation				
Gen Div:					
Gen Op Name:	Dr. J. Li Dentistry Professional Corporation				
Gen Op Div:					
Site Adrs1:	400-225 Metcalfe Street				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P1P9				
Site Country:	Canada				
Co Official:	Jingjing Li				
Co Admin:					
<u>2017 Generator Manifest</u>					
ID:	52702			Sum Received Qty:	4.1
Generator No:	ON6802303			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	1
Waste Char:	P			District:	402
Waste Code:	312				
<u>2018 Generator Info</u>					
Gen No:	ON6802303			Choice of Contact:	CO_OFFICIAL
ID:	27124			Phone No Official:	6132328090 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621390			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Dr. J. Li Dentistry Professional Corporation				
Gen Div:					
Gen Op Name:	Dr. J. Li Dentistry Professional Corporation				
Gen Op Div:					
Site Adrs1:	400-225 Metcalfe Street				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P1P9				
Site Country:	Canada				
Co Official:	Jingjing Li				
Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2018 Generator Manifest</u>					
ID:	52664			Sum Received Qty:	7.4
Generator No:	ON6802303			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	1
Waste Char:	P			District:	402
Waste Code:	312				
79	14 of 36	N/190.2	73.9 / 0.00	Metcalfe Street Dental 225 Metcalfe Street, Unit 104 Ottawa ON K2P1P9	GEN
<u>Generator Info</u>					
Generator No:	ON6860508			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	Pathological wastes				
79	15 of 36	N/190.2	73.9 / 0.00	dr stanley shiff/dr dana shiff 225 metcalfe st suite 503 ottawa ON K2P1P9	GEN
<u>Generator Info</u>					
Generator No:	ON3303382			Choice of Contact:	
Approval Years:	As of Jul 2020			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	Pathological wastes				
79	16 of 36	N/190.2	73.9 / 0.00	Drs. John and Micaela Fitzgerald Dentistry Profess 225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	GEN
<u>Generator Info</u>					
Generator No:	ON9590766			Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: As of Jul 2020 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:					
Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: Pathological wastes					
<u>Waste Detail(s)</u>					
Waste Class: 148 C Waste Class Name: Misc. wastes and inorganic chemicals					
79	17 of 36	N/190.2	73.9 / 0.00	Metcalf Street Dental 225 Metcalfe Street, Unit 104 Ottawa ON K2P1P9	GEN
<u>Generator Info</u>					
Generator No: ON6860508 Approval Years: As of Oct 2019 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: Pathological wastes					
<u>2018 Generator Info</u>					
Gen No: ON6860508 ID: 27346 Contaminated Fac: N MHSW Facility: N NAICS Code1: 621210 NAICS Code2: NAICS Code3: Gen Name: Metcalfe Street Dental Gen Div: Gen Op Name: Metcalfe Street Dental Gen Op Div: Site Adrs1: 225 Metcalfe Street, Unit 104 Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Ottawa Province Out: Site Postal Code: K2P1P9 Site Country: Canada					
Choice of Contact: CO_OFFICIAL Phone No Official: 6132377177 Ext. Phone No Admin: 6132377177 Ext. County Ont: OTTAWA CARLTON (RM) County Out: District: 402					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Official:		Harris Prehogan			
Co Admin:		Maisoun Al-Syoti			
<u>2019 Generator Info</u>					
Gen No:	ON6860508			Choice of Contact:	CO_OFFICIAL
ID:	27582			Phone No Official:	6132377177 Ext.
Contaminated Fac:	N			Phone No Admin:	6132377177 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Metcalfe Street Dental			
Gen Div:					
Gen Op Name:		Metcalfe Street Dental			
Gen Op Div:					
Site Adrs1:		225 Metcalfe Street, Unit 104			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P1P9			
Site Country:		Canada			
Co Official:		Harris Prehogan			
Co Admin:		Maisoun Al-Syoti			

79	18 of 36	N/190.2	73.9 / 0.00	Metcalfe Street Dental 225 Metcalfe Street Unit 104 Ottawa ON K2P1P9	GEN
--------------------	----------	---------	-------------	--	-----

Generator Info

Generator No:	ON3471838	Choice of Contact:	
Approval Years:	As of Jul 2020	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	Pathological wastes

79	19 of 36	N/190.2	73.9 / 0.00	dr stanley shiff/dr dana shiff 225 metcalfe st suite 503 ottawa ON K2P1P9	GEN
--------------------	----------	---------	-------------	---	-----

Generator Info

Generator No:	ON3303382	Choice of Contact:	
Approval Years:	As of Nov 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Admin: Phone No Admin: SIC Description:					
Waste Detail(s)					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
79	20 of 36	N/190.2	73.9 / 0.00	Drs. John and Micaela Fitzgerald Dentistry Profess 225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	GEN
Generator Info					
Generator No:		ON9590766		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
Waste Detail(s)					
Waste Class:		148 C			
Waste Class Name:		Misc. wastes and inorganic chemicals			
Waste Detail(s)					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
79	21 of 36	N/190.2	73.9 / 0.00	Metcalfe Street Dental 225 Metcalfe Street Unit 104 Ottawa ON K2P1P9	GEN
Generator Info					
Generator No:		ON3471838		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
Waste Detail(s)					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
79	22 of 36	N/190.2	73.9 / 0.00	Capital Dentistry Group Ltd. 225 Metcalfe Street, Unit 104 Ottawa ON	GEN

Generator Info

Generator No:	ON3471838	Choice of Contact:	
Approval Years:	As of Oct 2022	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	PATHOLOGICAL WASTES

Generator Info (as of Dec 2024)

Generator No:	ON3471838
Generator Company Name:	Capital Dentistry Group Ltd.
Street:	225 Metcalfe Street, Unit 104
City:	Ottawa
Province State:	Ontario
Country:	Canada
Postal Code:	K2P1P9
Waste Class:	312 P

Waste Class Decoded:

312 - PATHOLOGICAL WASTES

Generator Info (as of Apr 2025)

Generator Company Name:	Capital Dentistry Group Ltd.
Generator Site Address:	225 Metcalfe Street, Unit 104
City:	Ottawa
Province State:	Ontario
Country:	Canada
Postal Code:	K2P1P9
Waste Class:	312 P

Waste Class Decoded:

312 - PATHOLOGICAL WASTES

Waste Characteristic Decoded:

P - Pathological

2019 Generator Info

Gen No:	ON3471838	Choice of Contact:	CO_OFFICIAL
ID:	13616	Phone No Official:	613-237-7177 Ext.
Contaminated Fac:	N	Phone No Admin:	613-237-7177 Ext.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Metcalf Street Dental			
Gen Div:					
Gen Op Name:		Metcalf Street Dental			
Gen Op Div:					
Site Adrs1:		225 Metcalfe Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Unit 104			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P1P9			
Site Country:		Canada			
Co Official:		Reem Haidar			
Co Admin:		Maisoun Al-Syoti			
<u>2019 Generator Manifest</u>					
ID:	35508			Sum Received Qty:	17.0
Generator No:	ON3471838			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	2
Waste Char:	P			District:	402
Waste Code:	312				
<u>2020 Generator Info</u>					
Gen No:	ON3471838			Choice of Contact:	CO_OFFICIAL
ID:	13282			Phone No Official:	613-237-7177 Ext.
Contaminated Fac:	N			Phone No Admin:	613-237-7177 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Metcalf Street Dental			
Gen Div:					
Gen Op Name:		Metcalf Street Dental			
Gen Op Div:					
Site Adrs1:		225 Metcalfe Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Unit 104			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P1P9			
Site Country:		Canada			
Co Official:		Karen L			
Co Admin:		Maisoun Al-Syoti			
<u>2020 Generator Manifest</u>					
ID:	32696			Sum Received Qty:	3.2
Generator No:	ON3471838			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	1
Waste Char:	P			District:	402
Waste Code:	312				
<u>2021 Generator Info</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen No: ON3471838 ID: 13142 Contaminated Fac: N MHSW Facility: N NAICS Code1: 621210 NAICS Code2: NAICS Code3: Gen Name: Metcalfe Street Dental Gen Div: Gen Op Name: Metcalfe Street Dental Gen Op Div: Site Adrs1: 225 Metcalfe Street Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Unit 104 Site City: Ottawa Province Out: Site Postal Code: K2P1P9 Site Country: Canada Co Official: Karen L Co Admin: Maisoun Al-Syoti Choice of Contact: CO_OFFICIAL Phone No Official: 613-237-7177 Ext. Phone No Admin: 613-237-7177 Ext. County Ont: OTTAWA CARLTON (RM) County Out: District: 402					
<u>2021 Generator Manifest</u>					
ID: 33209 Generator No: ON3471838 Receiver Type: 030 Waste Char: P Waste Code: 312 Sum Received Qty: 6.1 Waste Class Name: PATHOLOGICAL WASTES Count Manifests: 1 District: 402					
79	23 of 36	N/190.2	73.9 / 0.00	Drs. John and Micaela Fitzgerald Dentistry Profess 225 Metcalfe Street Suite 102 Ottawa ON K2P 1P9	GEN
<u>Generator Info</u>					
Generator No: ON9590766 Approval Years: As of Oct 2022 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 148 C Waste Class Name: INORGANIC LABORATORY CHEMICALS					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: PATHOLOGICAL WASTES					
<u>2017 Generator Info</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen No:	ON9590766			Choice of Contact:	CO_OFFICIAL
ID:	37463			Phone No Official:	613-235-9832 Ext.
Contaminated Fac:	N			Phone No Admin:	613-235-9832 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Drs. John and Micaela Fitzgerald Dentistry Profess			
Gen Div:					
Gen Op Name:		Drs. John and Micaela Fitzgerald Dentistry Profess			
Gen Op Div:					
Site Adrs1:		225 Metcalfe Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite 102			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1P9			
Site Country:		Canada			
Co Official:		Micaela Fitzgerald			
Co Admin:		Tracy Hayball			
<u>2017 Generator Manifest</u>					
ID:	66247			Sum Received Qty:	13.8
Generator No:	ON9590766			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	2
Waste Char:	P			District:	402
Waste Code:	312				
<u>2018 Generator Info</u>					
Gen No:	ON9590766			Choice of Contact:	CO_OFFICIAL
ID:	38202			Phone No Official:	613-235-9832 Ext.
Contaminated Fac:	N			Phone No Admin:	613-235-9832 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Drs. John and Micaela Fitzgerald Dentistry Profess			
Gen Div:					
Gen Op Name:		Drs. John and Micaela Fitzgerald Dentistry Profess			
Gen Op Div:					
Site Adrs1:		225 Metcalfe Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite 102			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1P9			
Site Country:		Canada			
Co Official:		Micaela Fitzgerald			
Co Admin:		Tracy Hayball			
<u>2018 Generator Manifest</u>					
ID:	66804			Sum Received Qty:	5.8
Generator No:	ON9590766			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	1
Waste Char:	P			District:	402
Waste Code:	312				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2019 Generator Info</u>					
Gen No:	ON9590766			Choice of Contact:	CO_ADMIN
ID:	38767			Phone No Official:	613-235-9832 Ext.
Contaminated Fac:	N			Phone No Admin:	613-235-9832 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Drs. John and Micaela Fitzgerald Dentistry Profess			
Gen Div:					
Gen Op Name:		Drs. John and Micaela Fitzgerald Dentistry Profess			
Gen Op Div:					
Site Adrs1:		225 Metcalfe Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite 102			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1P9			
Site Country:		Canada			
Co Official:		Micaela Fitzgerald			
Co Admin:		Micaela Fitzgerald			
<u>2019 Generator Manifest</u>					
ID:	66857			Sum Received Qty:	9.0
Generator No:	ON9590766			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	030			Count Manifests:	1
Waste Char:	C			District:	402
Waste Code:	148				
<u>2019 Generator Manifest</u>					
ID:	66856			Sum Received Qty:	11.0
Generator No:	ON9590766			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	C			District:	305
Waste Code:	148				
<u>2020 Generator Info</u>					
Gen No:	ON9590766			Choice of Contact:	CO_ADMIN
ID:	38521			Phone No Official:	613-235-9832 Ext.
Contaminated Fac:	N			Phone No Admin:	613-235-9832 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Drs. John and Micaela Fitzgerald Dentistry Profess			
Gen Div:					
Gen Op Name:		Drs. John and Micaela Fitzgerald Dentistry Profess			
Gen Op Div:					
Site Adrs1:		225 Metcalfe Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite 102			
Site City:		Ottawa			
Province Out:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Postal Code:		K2P 1P9			
Site Country:		Canada			
Co Official:		Micaela Fitzgerald			
Co Admin:		Micaela Fitzgerald			
<u>2021 Generator Info</u>					
Gen No:		ON9590766		Choice of Contact:	CO_ADMIN
ID:		39566		Phone No Official:	613-235-9832 Ext.
Contaminated Fac:		N		Phone No Admin:	613-235-9832 Ext.
MHSW Facility:		N		County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:		621210		County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Drs. John and Micaela Fitzgerald Dentistry Profess			
Gen Div:					
Gen Op Name:		Drs. John and Micaela Fitzgerald Dentistry Profess			
Gen Op Div:					
Site Adrs1:		225 Metcalfe Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Suite 102			
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1P9			
Site Country:		Canada			
Co Official:		Micaela Fitzgerald			
Co Admin:		Micaela Fitzgerald			
79	24 of 36	N/190.2	73.9 / 0.00	Metcalfe and Cooper Family Dentistry 225 Metcalfe St. Unit 507 Ottawa ON K2P 1P9	GEN
<u>Generator Info</u>					
Generator No:		ON6216513		Choice of Contact:	
Approval Years:		As of Oct 2022		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		261 A			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		148 C			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		331 I			
Waste Class Name:		WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class:		263 L			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
79	25 of 36	N/190.2	73.9 / 0.00	Dr. Amar Kuruganti Dentistry Professional Corporat Kenson Downtown Dentistry 225 Metcalfe Street Suite 504 Ottawa ON K2P 1P9	GEN
<u>Generator Info</u>					
Generator No:	ON8020192			Choice of Contact:	
Approval Years:	As of Oct 2022			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		PATHOLOGICAL WASTES			
79	26 of 36	N/190.2	73.9 / 0.00	dr stanley shiff/dr dana shiff 225 metcalfe st suite 503 ottawa ON K2P1P9	GEN
<u>Generator Info</u>					
Generator No:	ON3303382			Choice of Contact:	
Approval Years:	As of Oct 2022			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		312 P			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>2017 Generator Info</u>					
Gen No:	ON3303382			Choice of Contact:	CO_OFFICIAL
ID:	13342			Phone No Official:	613 232-4436 Ext.
Contaminated Fac:	N			Phone No Admin:	613 232-4436 Ext.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		dr stanley shiff/dr dana shiff			
Gen Div:					
Gen Op Name:		dr stanley shiff/ drdana shiff			
Gen Op Div:					
Site Adrs1:		225 metcalfe st suite 503			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		ottawa			
Province Out:					
Site Postal Code:		K2P1P9			
Site Country:		Canada			
Co Official:		stanley S shiff			
Co Admin:		dana shiff			
<u>2017 Generator Manifest</u>					
ID:	35594			Sum Received Qty:	4.0
Generator No:	ON3303382			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	306
Waste Code:	312				
<u>2018 Generator Info</u>					
Gen No:	ON3303382			Choice of Contact:	CO_OFFICIAL
ID:	13185			Phone No Official:	613 232-4436 Ext.
Contaminated Fac:	N			Phone No Admin:	613 232-4436 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		dr stanley shiff/dr dana shiff			
Gen Div:					
Gen Op Name:		dr stanley shiff/ drdana shiff			
Gen Op Div:					
Site Adrs1:		225 metcalfe st suite 503			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		ottawa			
Province Out:					
Site Postal Code:		K2P1P9			
Site Country:		Canada			
Co Official:		stanley S shiff			
Co Admin:		dana shiff			
<u>2018 Generator Manifest</u>					
ID:	35449			Sum Received Qty:	7.0
Generator No:	ON3303382			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	306
Waste Code:	312				
<u>2019 Generator Info</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen No:	ON3303382			Choice of Contact:	CO_OFFICIAL
ID:	12953			Phone No Official:	613 232-4436 Ext.
Contaminated Fac:	N			Phone No Admin:	613 232-4436 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		dr stanley shiff/dr dana shiff			
Gen Div:					
Gen Op Name:		dr stanley shiff/ drdana shiff			
Gen Op Div:					
Site Adrs1:		225 metcalfe st suite 503			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		ottawa			
Province Out:					
Site Postal Code:		K2P1P9			
Site Country:		Canada			
Co Official:		stanley S shiff			
Co Admin:		dana M shiff			
 <u>2019 Generator Manifest</u>					
ID:	34704			Sum Received Qty:	6.0
Generator No:	ON3303382			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	306
Waste Code:	312				
 <u>2020 Generator Info</u>					
Gen No:	ON3303382			Choice of Contact:	CO_OFFICIAL
ID:	12614			Phone No Official:	613 232-4436 Ext.
Contaminated Fac:	N			Phone No Admin:	613 232-4436 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		dr stanley shiff/dr dana shiff			
Gen Div:					
Gen Op Name:		dr stanley shiff/ drdana shiff			
Gen Op Div:					
Site Adrs1:		225 metcalfe st suite 503			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		ottawa			
Province Out:					
Site Postal Code:		K2P1P9			
Site Country:		Canada			
Co Official:		stanley S shiff			
Co Admin:		dana M shiff			
 <u>2020 Generator Manifest</u>					
ID:	31930			Sum Received Qty:	7.0
Generator No:	ON3303382			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	306

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Code:	312				
<u>2021 Generator Info</u>					
Gen No:	ON3303382			Choice of Contact:	CO_OFFICIAL
ID:	12450			Phone No Official:	613 232-4436 Ext.
Contaminated Fac:	N			Phone No Admin:	613 232-4436 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621210			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		dr stanley shiff/dr dana shiff			
Gen Div:					
Gen Op Name:		dr stanley shiff/ drdana shiff			
Gen Op Div:					
Site Adrs1:		225 metcalfe st suite 503			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		ottawa			
Province Out:					
Site Postal Code:		K2P1P9			
Site Country:		Canada			
Co Official:		stanley S shiff			
Co Admin:		dana M shiff			
<u>2021 Generator Manifest</u>					
ID:	32357			Sum Received Qty:	14.0
Generator No:	ON3303382			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	2
Waste Char:	P			District:	306
Waste Code:	312				
79	27 of 36	N/190.2	73.9 / 0.00	Kenson Downtown Dentistry 225 Metcalfe Street, Suite 504 Ottawa ON	GEN

Generator Info (as of Dec 2024)

Generator No: ON8020192
Generator Company Name: Kenson Downtown Dentistry
Street: 225 Metcalfe Street, Suite 504
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K2P1P9
Waste Class: 312 P

Waste Class Decoded:

312 - PATHOLOGICAL WASTES

Generator Info (as of Apr 2025)

Generator Company Name: Kenson Downtown Dentistry
Generator Site Address: 225 Metcalfe Street, Suite 504
City: Ottawa
Province State: Ontario

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country:		Canada			
Postal Code:		K2P1P9			
Waste Class:		312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES					
Waste Characteristic Decoded:					
P - Pathological					
79	28 of 36	N/190.2	73.9 / 0.00	DR STANLEY SHIFF 225 Metcalfe Street Ottawa ON	GEN

Generator Info (as of Dec 2024)

Generator No: ON001061512
Generator Company Name: DR STANLEY SHIFF
Street: 225 Metcalfe Street
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K2P 1P9
Waste Class: 312 P, 148 B, 312 P, 312 P, 263 L, 331 I, 148 C, 263 I, 261 A, 312 P

Waste Class Decoded:

312 - PATHOLOGICAL WASTES; 148 - INORGANIC LABORATORY CHEMICALS; 312 - PATHOLOGICAL WASTES; 312 - PATHOLOGICAL WASTES; 263 - ORGANIC LABORATORY CHEMICALS; 331 - WASTE COMPRESSED GASES; 148 - INORGANIC LABORATORY CHEMICALS; 263 - ORGANIC LABORATORY CHEMICALS; 261 - PHARMACEUTICALS; 312 - PATHOLOGICAL WASTES

Generator Info (as of Dec 2024)

Generator No: ON001061512
Generator Company Name: DR STANLEY SHIFF
Street: 225 Metcalfe Street
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K2P 1P9
Waste Class: 148 B, 312 P, 312 P

Waste Class Decoded:

148 - INORGANIC LABORATORY CHEMICALS; 312 - PATHOLOGICAL WASTES; 312 - PATHOLOGICAL WASTES

Generator Info (as of Apr 2025)

Generator Company Name: DR STANLEY SHIFF
Generator Site Address: 225 Metcalfe Street
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K2P 1P9
Waste Class: 148 B, 312 P

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Decoded:					
148 - INORGANIC LABORATORY CHEMICALS; 312 - PATHOLOGICAL WASTES					
Waste Characteristic Decoded:					
B - Hazardous Waste Chemical; P - Pathological					
79	29 of 36	N/190.2	73.9 / 0.00	Capital Dentistry Group Ltd. 225 Metcalfe Street Ottawa ON	GEN
Generator Info (as of Dec 2024)					
Generator No:		ON6216513			
Generator Company Name:		Capital Dentistry Group Ltd.			
Street:		225 Metcalfe Street			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P 1P9			
Waste Class:		312 P, 148 B, 312 P, 312 P, 263 L, 331 I, 148 C, 263 I, 261 A, 312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES; 148 - INORGANIC LABORATORY CHEMICALS; 312 - PATHOLOGICAL WASTES; 312 - PATHOLOGICAL WASTES; 263 - ORGANIC LABORATORY CHEMICALS; 331 - WASTE COMPRESSED GASES; 148 - INORGANIC LABORATORY CHEMICALS; 263 - ORGANIC LABORATORY CHEMICALS; 261 - PHARMACEUTICALS; 312 - PATHOLOGICAL WASTES					
Generator Info (as of Dec 2024)					
Generator No:		ON6216513			
Generator Company Name:		Capital Dentistry Group Ltd.			
Street:		225 Metcalfe Street			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P 1P9			
Waste Class:		312 P, 263 L, 331 I, 148 C, 263 I, 261 A, 312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES; 263 - ORGANIC LABORATORY CHEMICALS; 331 - WASTE COMPRESSED GASES; 148 - INORGANIC LABORATORY CHEMICALS; 263 - ORGANIC LABORATORY CHEMICALS; 261 - PHARMACEUTICALS; 312 - PATHOLOGICAL WASTES					
Generator Info (as of Apr 2025)					
Generator Company Name:		Capital Dentistry Group Ltd.			
Generator Site Address:		225 Metcalfe Street			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P 1P9			
Waste Class:		312 P, 263 L, 331 I, 148 C, 263 I, 261 A, 312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES; 263 - ORGANIC LABORATORY CHEMICALS; 331 - WASTE COMPRESSED GASES; 148 - INORGANIC					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
LABORATORY CHEMICALS; 263 - ORGANIC LABORATORY CHEMICALS; 261 - PHARMACEUTICALS; 312 - PATHOLOGICAL WASTES					
Waste Characteristic Decoded:					
P - Pathological; L - Liquid Industrial Waste; I - Ignitable; C - Corrosive; I - Ignitable; A - Acutely Hazardous Waste Chem.; P - Pathological					
79	30 of 36	N/190.2	73.9 / 0.00	Capital Dentistry Group Ltd. 225 Metcalfe Street Ottawa ON	GEN
Generator Info (as of Dec 2024)					
Generator No:		ON001055229			
Generator Company Name:		Capital Dentistry Group Ltd.			
Street:		225 Metcalfe Street			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P1P9			
Waste Class:		312 P, 148 B, 312 P, 312 P, 263 L, 331 I, 148 C, 263 I, 261 A, 312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES; 148 - INORGANIC LABORATORY CHEMICALS; 312 - PATHOLOGICAL WASTES; 312 - PATHOLOGICAL WASTES; 263 - ORGANIC LABORATORY CHEMICALS; 331 - WASTE COMPRESSED GASES; 148 - INORGANIC LABORATORY CHEMICALS; 263 - ORGANIC LABORATORY CHEMICALS; 261 - PHARMACEUTICALS; 312 - PATHOLOGICAL WASTES					
Generator Info (as of Dec 2024)					
Generator No:		ON001055229			
Generator Company Name:		Capital Dentistry Group Ltd.			
Street:		225 Metcalfe Street			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P1P9			
Waste Class:		312 P,263 L,331 I,148 C,263 I,261 A,312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES; 263 - ORGANIC LABORATORY CHEMICALS; 331 - WASTE COMPRESSED GASES; 148 - INORGANIC LABORATORY CHEMICALS; 263 - ORGANIC LABORATORY CHEMICALS; 261 - PHARMACEUTICALS; 312 - PATHOLOGICAL WASTES					
Generator Info (as of Apr 2025)					
Generator Company Name:		Capital Dentistry Group Ltd.			
Generator Site Address:		225 Metcalfe Street			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P1P9			
Waste Class:		312 P, 263 L, 331 I, 148 C, 263 I, 261 A, 312 P			
Waste Class Decoded:					
312 - PATHOLOGICAL WASTES; 263 - ORGANIC LABORATORY CHEMICALS; 331 - WASTE COMPRESSED GASES; 148 - INORGANIC LABORATORY CHEMICALS; 263 - ORGANIC LABORATORY CHEMICALS; 261 - PHARMACEUTICALS; 312 - PATHOLOGICAL WASTES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Characteristic Decoded:					
P - Pathological; L - Liquid Industrial Waste; I - Ignitable; C - Corrosive; I - Ignitable; A - Acutely Hazardous Waste Chem.; P - Pathological					
79	31 of 36	N/190.2	73.9 / 0.00	TAGGART CORPORATION 225 METCALFE STREET SUITE 708 OTTAWA ON K2P 1P9	NPCB
Company Code:		F1361			
Industry:		Undefined			
Site Status:		Stored for Disposal			
Transaction Date:		12/30/1995			
Inspection Date:					
--Details--					
Label:					
Serial No.:					
PCB Type/Code:		Askarel/Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for disposal			
Contents:					
79	32 of 36	N/190.2	73.9 / 0.00	TAGGART CORPORATION 225 METCALFE STREET, SUITE 708 OTTAWA ON K2P 1P9	OPCB
Year:		2003			
Site Number:		40294A012			
Name Owner:					
Additional Site Information:					
--Details--					
Quantity:		1.00			
Address Site:					
Description:		Number of Drums of Ballasts with High Level PCBs (>1000 ppm)			
Quantity:		800.00			
Address Site:					
Description:		Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg			
79	33 of 36	N/190.2	73.9 / 0.00	TAGGART CORPORATION 225 METCALFE STREET, SUITE 708 OTTAWA ON K2P 1P9	OPCB
Year:		2004			
Site Number:		40294A012			
Name Owner:					
Additional Site Information:					
--Details--					
Quantity:		1			
Address Site:					
Description:		Number of Drums of Ballasts with High Level PCBs (>1000 ppm)			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Quantity:		800			
Address Site:					
Description:		Weight of Drums of Ballasts with High Level PCBs (>1000 ppm) kg			
79	34 of 36	N/190.2	73.9 / 0.00	F K Dental Lab Ltd 225 Metcalfe St Suite 500 Ottawa ON K2P 1P9	SCT
Scott S ID:		32901185			
Latitude:					
Longitude:					
<u>Historical Details</u>					
Established:					
Plant Size (ft²):					
Employment:					
<u>Historical Details</u>					
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			
79	35 of 36	N/190.2	73.9 / 0.00	Chromatek Dental Laboratories 225 Metcalfe St Suite 500 Ottawa ON K2P 1P9	SCT
Scott S ID:		32901185			
Latitude:					
Longitude:					
<u>Historical Details</u>					
Established:		01-AUG-79			
Plant Size (ft²):					
Employment:					
<u>Historical Details</u>					
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			
<u>Historical Details</u>					
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			
79	36 of 36	N/190.2	73.9 / 0.00	Ottawa Dentistry 225 Metcalfe St Ottawa ON K2P1P9	SCT
Scott S ID:		302479392			
Latitude:		45.4176			
Longitude:		-75.6925			
<u>Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bus Type 1: Health Services Bus Type 2: Manufacturer Bus Type 3: Product Cat 1: Cosmetic dentist Product Cat 2: Dental clinic Product Cat 3: Dental hygienist Product Cat 4: Dental implants provider Product Cat 5: Dentist Product Cat 6: Denture care center Product Cat 7: Emergency dental service Product Cat 8: Oral surgeon Company Name: Ottawa Dentistry Address Line 1: 225 Metcalfe St Address Line 2: City: Ottawa Province: ON Postal Code: K2P1P9 Census Division: Ottawa; ON Metro Area: Ottawa/Hull Year Established: 1991 Head Office Indicator: Parent Company Nm: Parent Cmpny Addr 1: Parent Cmpny Addr 2: Parent Cmpny City: Parent Cmpny Prov: Parent Cmpy PC: Parent Cmpy Cntry: Head Office Nm: H Office Addr Line 1: H Office Addr Line 2: Head Office City: Head Office Province: Head Office PC: Head Office Cntry: Telephone: 613-234-1595 Fax: Website: https://www.ottawadentistry.ca/site/home?utm_source=G Pri NAICS Desc: 621210-Offices of Dentists NAICS Code 1: 339110-Medical Equipment and Supplies Manufacturin NAICS Code 2: 621210-Offices of Dentists NAICS Code 3: NAICS Code 4: NAICS Code 5:					
Employee Count: 8 Square Footage: 0 Estimated Sales: Under \$1 Million Export Indicator: Export Country 1: Export Country 2: Export Country 3: Export Country 4: Export Country 5: Export Country 6: Geocoded by: Address					
80	1 of 1	ESE/190.4	72.9 / -1.00	305 Metcalfe St Ottawa ON K2P1S1	EHS
Order No: 20140918058 Status: C Report Type: Custom Report Report Date: 24-SEP-14 Date Received: 18-SEP-14 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.690162 Y: 45.415061					
81	1 of 1	W/192.4	75.9 / 2.00	324 Somerset Street West Ottawa ON K2P 0J9	EHS
Order No: 20041214013 Status: C Report Type: Custom Report					
Nearest Intersection: Somerset Street West Municipality: Client Prov/State: ON					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Date: 12/16/04 Date Received: 12/14/04 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Search Radius (km): 0.25 X: -75.694783 Y: 45.415917					
82	1 of 1	W/192.8	75.9 / 2.00	322 SOMERSET STREET WEST OTTAWA ON	HINC
External File Num: FS INC 0611-04091 Fuel Occurrence Type: Pipeline Strike Date of Occurrence: 11/27/2006 Fuel Type Involved: Natural Gas Status Desc: Completed - Causal Analysis(End) Job Type Desc: Incident/Near-Miss Occurrence (FS) Oper. Type Involved: Commercial (e.g. restaurant, business unit, etc) Service Interruptions: No Property Damage: No Fuel Life Cycle Stage: Utilization Root Cause: Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:No Training:Yes Management:No Human Factors:No Reported Details: Fuel Category: Gaseous Fuel Occurrence Type: Incident Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) County Name: Ottawa Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: Environmental Impact:					
83	1 of 1	W/193.8	75.9 / 2.00	234 O'connor St Ottawa ON K2P1T9	EHS
Order No: 20150626030 Status: C Report Type: Standard Report Report Date: 06-JUL-15 Date Received: 26-JUN-15 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.694742 Y: 45.416336					
84	1 of 1	W/194.2	75.9 / 2.00	311 Somerset Street West Ottawa ON K2P 0J8	EHS
Order No: 21011400150 Status: C Report Type: Custom Report Report Date: 22-JAN-21 Date Received: 14-JAN-21 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6947834 Y: 45.4162153					
85	1 of 1	SW/194.5	74.9 / 1.00	350-352 Gilmour Street and 453 Lewis Street Ottawa, Ontario Ottawa ON K2P 0R3	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No: 25040900839 Status: C Report Type: Standard Report Report Date: 11-APR-25 Date Received: 09-APR-25 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory					
Nearest Intersection: Municipality: Client Prov/State: AB Search Radius (km): .25 X: -75.6937338 Y: 45.4144722					
86	1 of 2	S/195.7	73.9 / 0.00	CRAIG OFFICE PRODUCTS CORPORATION 329 WAVERLEY STREET OTTAWA ON K2P 0V9	GEN
Generator Info					
Generator No: ON0961400 Approval Years: 86,87,88,89,90 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: *** NOT DEFINED ***					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 0000					
Waste Detail(s)					
Waste Class: 213 Waste Class Name: PETROLEUM DISTILLATES					
86	2 of 2	S/195.7	73.9 / 0.00	CRAIG OFFICE PRODUCTS CORPORATION 11-330 329 WAVERLEY STREET OTTAWA ON K2P 0V9	GEN
Generator Info					
Generator No: ON0961400 Approval Years: 92,93,94,95,96,97,98 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: ELECT. OFFICE, ETC.					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 3362					
Waste Detail(s)					
Waste Class: 213 Waste Class Name: PETROLEUM DISTILLATES					
87	1 of 1	WSW/196.8	75.9 / 2.00	340 MacLaren Street Ottawa ON K2P 0M6	EHS
Order No: 20110825005 Status: C Report Type: Custom Report					
Nearest Intersection: Municipality: Client Prov/State: ON					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Date: 8/31/2011 Date Received: 8/25/2011 9:59:37 AM Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Search Radius (km): 0.25 X: -75.69457 Y: 45.415106					
88	1 of 1	NW/199.0	74.8 / 0.97	320 Cooper Street Ottawa Ottawa ON K2P 0G7	EHS
Order No: 20321400026 Status: C Report Type: Standard Report Report Date: 17-DEC-20 Date Received: 14-DEC-20 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6941526 Y: 45.417175					
89	1 of 2	W/200.7	75.9 / 2.00	326 Somerset St W Ottawa ON K2P0J9	EHS
Order No: 20170203024 Status: C Report Type: Standard Report Report Date: 08-FEB-17 Date Received: 03-FEB-17 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.69486 Y: 45.415713					
89	2 of 2	W/200.7	75.9 / 2.00	EnviroCentre 326 Somerset St. West Ottawa ON K2P 0J9	GEN
Generator Info					
Generator No: ON4708690 Approval Years: As of Nov 2021 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
Waste Detail(s)					
Waste Class: 263 I Waste Class Name: Misc. waste organic chemicals					
Waste Detail(s)					
Waste Class: 263 L Waste Class Name: Misc. waste organic chemicals					
Waste Detail(s)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		331 I			
Waste Class Name:		Waste compressed gases including cylinders			
<u>Waste Detail(s)</u>					
Waste Class:		148 C			
Waste Class Name:		Misc. wastes and inorganic chemicals			
<u>2021 Generator Info</u>					
Gen No:	ON4708690			Choice of Contact:	CO_OFFICIAL
ID:	18572			Phone No Official:	613-894-4121 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	541620			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	EnviroCentre				
Gen Div:					
Gen Op Name:	EnviroCentre				
Gen Op Div:					
Site Adrs1:	326 Somerset St. West				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 0J9				
Site Country:	Canada				
Co Official:	Melanie Johnston				
Co Admin:					
<u>2021 Generator Manifest</u>					
ID:	39879			Sum Received Qty:	240.0
Generator No:	ON4708690			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	I			District:	402
Waste Code:	263				
<u>90</u>	1 of 1	SSE/201.9	72.9 / -1.00	302 Waverley Street Ottawa ON K2P 0W3	EHS
Order No:	20180807167			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Express Report			Client Prov/State:	ON
Report Date:	07-AUG-18			Search Radius (km):	.25
Date Received:	07-AUG-18			X:	-75.691258
Previous Site Name:				Y:	45.414269
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory				
<u>91</u>	1 of 1	W/203.4	75.9 / 2.00	311 SOMERSET Ottawa ON	WWIS
Well ID:	7391113			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:				Data Src:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Monitoring and Test Hole			Date Received:	06/29/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z364081			Contractor:	7241
Tag:	A302973			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	OTTAWA CITY				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/739\7391113.pdf

Additional Detail(s) (Map)

Well Completed Date: 05/26/2021
Year Completed: 2021
Depth (m): 13.1
Latitude: 45.4162588191639
Longitude: -75.6948908336928
Point X: -75.69489067198141
Point Y: 45.416258812091236
Path: 739\7391113.pdf

Bore Hole Information

Bore Hole ID:	1008704349	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	445630.00
Code OB Desc:		North83:	5029428.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	05/26/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1009852396
Layer: 1
Color: 2
General Color: GREY
Material 1: 11
Material 1 Desc: GRAVEL
Material 2: 28
Material 2 Desc: SAND
Material 3: 77
Material 3 Desc: LOOSE
Formation Top Depth: 0.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009852397			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		2.440000057220459			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009852398			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		2.440000057220459			
Formation End Depth:		3.6600000858306885			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009852399			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		3.6600000858306885			
Formation End Depth:		11.279999732971191			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009852400			
Layer:		5			
Color:		2			
General Color:		GREY			
Material 1:		06			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		SILT			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		11.279999732971191			
Formation End Depth:		13.100000381469727			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009853458			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009853459			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:		9.75			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1009853460			
Layer:		3			
Plug From:		9.75			
Plug To:		13.100000381469727			
Plug Depth UOM:		m			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1009854838			
Method Construction Code:		5			
Method Construction:		Air Percussion			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1009764983			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1009855216			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.050000190734863			
Casing Diameter:		5.199999809265137			
Casing Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1009855612			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.050000190734863			
Screen End Depth:		13.100000381469727			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009856076			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Hole Diameter</u>					
Hole ID:		1009854397			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		13.100000381469727			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[92](#)

1 of 3

ENE/205.1

72.9 / -1.00

Dentacraft Dental Studio
190 MacLaren St
Ottawa ON K2P0L6

SCT

Scott S ID: 33903247
Latitude: 45.4169385
Longitude: -75.689774

Details

Bus Type 1:	Manufacturer	Employee Count:	5
Bus Type 2:		Square Footage:	0
Bus Type 3:		Estimated Sales:	Under \$1 Million
Product Cat 1:	Bridges: dental	Export Indicator:	N
Product Cat 2:	Crowns: dental	Export Country 1:	
Product Cat 3:	Dental laboratory	Export Country 2:	
Product Cat 4:	Dentist	Export Country 3:	
Product Cat 5:	Professional services	Export Country 4:	
Product Cat 6:		Export Country 5:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Product Cat 7:			Export Country 6:		
Product Cat 8:			Geocoded by: Address		
Company Name:		Dentacraft Dental Studio			
Address Line 1:		190 MacLaren St			
Address Line 2:					
City:		Ottawa			
Province:		ON			
Postal Code:		K2P0L6			
Census Division:		Ottawa; ON			
Metro Area:		Ottawa/Hull			
Year Established:		1986			
Head Office Indicator:		N			
Parent Company Nm:					
Parent Cmpny Addr 1:					
Parent Cmpny Addr 2:					
Parent Cmpny City:					
Parent Cmpny Prov:					
Parent Cmpy PC:					
Parent Cmpy Cntry:					
Head Office Nm:					
H Office Addr Line 1:					
H Office Addr Line 2:					
Head Office City:					
Head Office Province:					
Head Office PC:					
Head Office Cntry:					
Telephone:		613-233-1551			
Fax:		613-233-1932			
Website:					
Pri NAICS Desc:		339110-Medical Equipment and Supplies Manufacturing			
NAICS Code 1:		339110-Medical Equipment and Supplies Manufacturin			
NAICS Code 2:					
NAICS Code 3:					
NAICS Code 4:					
NAICS Code 5:					
<u>Historical Details</u>					
Established:					
Plant Size (ft²):					
Employment:					
<u>Historical Details</u>					
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			
Historical Details					
Description:		Medical Equipment and Supplies Manufacturing			
SIC/NAICS Code:		339110			
92	3 of 3	ENE/205.1	72.9 / -1.00	UNKNOWN 190 MACLAREN ST. OTTAWA CITY ON K2P 0L6	SPL
Ref No:		28347		Municipality No:	20101
Year:				Nature of Damage:	
Incident Dt:		11/29/1989		Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:		11/29/1989		Impact to Health:	
Dt Document Closed:				Agency Involved:	PUC
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		OTTAWA CITY			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:		UNKNOWN			
Incident Preceding Spill:					
Incident Reason:		UNKNOWN			
Incident Summary:		UNKNOWN QTY GASOLINE SEEPING UP THROUGH WEEPING TILES.			
Environment Impact:		POSSIBLE			
Health Env Consequence:					
Nature of Impact:		Soil contamination			
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:		LAND			
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:					
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					
Source Sector Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Conservtn Auth Name: Primary Watershed: Quaternary Watershed: Offsite Impacts Y N: Waterbody Impacted Y N:					
93	1 of 1	NE/207.1	72.9 / -0.97	ON	WWIS
Well ID: 7134824		Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:		Data Entry Status:			
Use 2nd:		Data Src:			
Final Well Status: Test Hole		Date Received:		11/27/2009	
Water Type:		Selected Flag:		TRUE	
Casing Material:		Abandonment Rec:			
Audit No: 239792		Contractor:		6838	
Tag: A054894		Form Version:		2	
Constructn Method:		Owner:			
Elevation (m):		County:		OTTAWA-CARLETON	
Elevatn Reliabilty:		Lot:			
Depth to Bedrock:		Concession:			
Well Depth:		Concession Name:			
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality: OTTAWA CITY					
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7134824.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 10/27/2009					
Year Completed: 2009					
Depth (m): 6.096					
Latitude: 45.4172487008947					
Longitude: -75.6904807466076					
Point X: -75.69048058491511					
Point Y: 45.41724869450499					
Path: 713\7134824.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 1002851290		Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone:		18	
Code OB:		East83:		445976.00	
Code OB Desc:		North83:		5029535.00	
Open Hole:		Org CS:		UTM83	
Cluster Kind:		UTMRC:		4	
Date Completed: 10/27/2009		UTMRC Desc:		margin of error : 30 m - 100 m	
Remarks:		Location Method:		wwr	
Location Method Desc: on Water Well Record					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003349960			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		27			
Material 1 Desc:		OTHER			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.07999999821186066			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003349961			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.07999999821186066			
Formation End Depth:		2.5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003349962			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.5			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003349963			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:					
Material 3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003349965			
Layer:		1			
Plug From:		0.0			
Plug To:		7.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003349966			
Layer:		2			
Plug From:		7.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003349970			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003349959			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003349968			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:		0.0			
Depth To:		20.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003349969			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		2.0			
<u>Water Details</u>					
Water ID:		1003349967			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		10.600000381469727			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1003349964			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
94	1 of 1	NE/208.6	72.9 / -0.97	ON	WWIS
Well ID:		7134806		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Test Hole		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:		239793		Contractor:	
Tag:		A054894		Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		OTTAWA CITY			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7134806.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/27/2009			
Year Completed:		2009			
Depth (m):		5.0292			
Latitude:		45.4172934721717			
Longitude:		-75.6905196353395			
Point X:		-75.69051947296707			
Point Y:		45.41729346502327			
Path:		713\7134806.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002851147		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	445973.00
Code OB Desc:				North83:	5029540.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/27/2009			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003349947			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		27			
Material 1 Desc:		OTHER			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.25			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003349949			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.5			
Formation End Depth:		5.5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003349948			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.25			
Formation End Depth:		2.5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003349950			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		5.5			
Formation End Depth:		16.5			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003349953			
Layer:		2			
Plug From:		10.0			
Plug To:		16.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003349952			
Layer:		1			
Plug From:		0.0			
Plug To:		10.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003349957			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003349946			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003349955			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		16.5			
Casing Diameter:		2.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003349956			
Layer:		1			
Slot:		10			
Screen Top Depth:		11.5			
Screen End Depth:		16.5			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Water Details</u>					
Water ID:		1003349954			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		10.300000190734863			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1003349951			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>95</u>	1 of 1	WNW/208.6	75.9 / 2.00	340 Cooper street Ottawa ON Ottawa ON K2P 0G7	EHS
Order No:		24050100428		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State:	
Report Date:		06-MAY-24		Search Radius (km):	
Date Received:		01-MAY-24		X:	
Previous Site Name:				Y:	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
<u>96</u>	1 of 1	WSW/209.4	75.9 / 2.00	Aromaflex 340 MacLaren St Ottawa ON K2P0M6	SCT
Scott S ID:		301027927			
Latitude:		45.4149846			
Longitude:		-75.6946186			
<u>Details</u>					
Bus Type 1:		Contract Manufacturing		Employee Count:	
Bus Type 2:		Manufacturer		Square Footage:	
Bus Type 3:		Professional; Scientific & Technical Services		Estimated Sales:	
Product Cat 1:		Holistic medicine practitioner		Export Indicator:	
Product Cat 2:				Export Country 1:	

244 erisinfo.com | Environmental Risk Information Services Order No: 26012600426

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		02/19/2021			
Year Completed:		2021			
Depth (m):		22.5			
Latitude:		45.4165650729785			
Longitude:		-75.6948562475249			
Point X:		-75.69485608593011			
Point Y:		45.41656506610067			
Path:		738\7382859.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1008639565			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445633.00
Code OB Desc:				North83:	5029462.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	02/19/2021			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	www
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1009823648				
Layer:	4				
Color:	2				
General Color:	GREY				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					
Material 2 Desc:					
Material 3:	85				
Material 3 Desc:	SOFT				
Formation Top Depth:	10.0				
Formation End Depth:	22.5				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1009823645				
Layer:	1				
Color:	2				
General Color:	GREY				
Material 1:	11				
Material 1 Desc:	GRAVEL				
Material 2:					
Material 2 Desc:					
Material 3:	66				
Material 3 Desc:	DENSE				
Formation Top Depth:	0.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		2.0			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009823646			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		2.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009823647			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		4.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1009824853			
Layer:		3			
Plug From:		11.5			
Plug To:		22.5			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1009824852			
Layer:		2			
Plug From:		1.0			
Plug To:		11.5			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1009824851			
Layer:		1			
Plug From:		0.0			
Plug To:		1.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1009826151			
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009718441			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009826572			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		12.5			
Casing Diameter:		2.046999931335449			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1009826983			
Layer:		1			
Slot:		10			
Screen Top Depth:		12.5			
Screen End Depth:		22.5			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		2.369999885559082			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009827398			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1009825711			
Diameter:		4.5			
Depth From:		0.0			
Depth To:		22.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
98	1 of 1	SW/210.2	75.9 / 2.00	356 MACLAREN STREET Ottawa ON	WWIS
Well ID:	7218928			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/03/2014
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z163980			Contractor:	1844
Tag:	A136699			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7218928.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/30/2012				
Year Completed:	2012				
Depth (m):	3.51				
Latitude:	45.4145974371379				
Longitude:	-75.694256997179				
Point X:	-75.69425683544122				
Point Y:	45.414597429975764				
Path:	721\7218928.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1004729714			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445678.00
Code OB Desc:				North83:	5029243.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/30/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005133997			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		01			
Material 3 Desc:		FILL			
Formation Top Depth:		0.05000000074505806			
Formation End Depth:		0.5299999713897705			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005133999			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		92			
Material 3 Desc:		WEATHERED			
Formation Top Depth:		1.5199999809265137			
Formation End Depth:		3.509999990463257			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005133996			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.05000000074505806			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005133998			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:					
Annular Space/Abandonment Sealing Record					
Plug ID:					
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
Method of Construction & Well Use					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:					
Pipe Information					
Pipe ID:					
Casing No:					
Comment:					
Alt Name:					
Construction Record - Casing					
Casing ID:					
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:					
Construction Record - Screen					
Screen ID:					
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
Water Details					
Water ID:					
Layer:					
Kind Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind: Water Found Depth: Water Found Depth UOM: m					
Hole Diameter					
Hole ID: 1005134000 Diameter: 16.510000228881836 Depth From: 0.0 Depth To: Hole Depth UOM: m Hole Diameter UOM: cm					
99	1 of 1	WSW/210.3	75.9 / 2.00	371 Gilmour St Ottawa ON K2P0R2	EHS
Order No: 20170404157 Status: C Report Type: Standard Report Report Date: 10-APR-17 Date Received: 04-APR-17 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.694364 Y: 45.414678					
100	1 of 1	WSW/210.8	75.9 / 2.00	371 Gilmour Street Ottawa ON Ottawa ON K2P 0R3	EHS
Order No: 23051000074 Status: C Report Type: Standard Report Report Date: 15-MAY-23 Date Received: 10-MAY-23 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6943224 Y: 45.4146376					
101	1 of 1	W/211.3	75.9 / 2.00	323 Somerset Street West Ottawa ON K2P 0J8	EHS
Order No: 25072800159 Status: C Report Type: Standard Report Report Date: 31-JUL-25 Date Received: 28-JUL-25 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6950277 Y: 45.4160816					
102	1 of 1	SSW/211.6	75.0 / 1.08	Centretown Citizens Ottawa Corporation 345 Waverley Street Ottawa ON	GEN
Generator Info (as of Dec 2024) Generator No: ON001054556 Generator Company Name: Centretown Citizens Ottawa Corporation					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Street: 345 Waverley Street City: Ottawa Province State: Ontario Country: Canada Postal Code: K2P 0W4 Waste Class: 251 L Waste Class Decoded: 251 - OIL SKIMMINGS & SLUDGES					
<u>Generator Info (as of Apr 2025)</u>					
Generator Company Name: Centretown Citizens Ottawa Corporation Generator Site Address: 345 Waverley Street City: Ottawa Province State: Ontario Country: Canada Postal Code: K2P 0W4 Waste Class: 251 L Waste Class Decoded: 251 - OIL SKIMMINGS & SLUDGES					
Waste Characteristic Decoded:					
L - Liquid Industrial Waste					
103	1 of 1	SSE/214.8	73.9 / 0.06	322 Waverly Street Ottawa Ontario Ottawa ON K2P 0W3	EHS
Order No: 20190510179 Status: C Report Type: Standard Report Report Date: 16-MAY-19 Date Received: 10-MAY-19 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.69184 Y: 45.414019					
104	1 of 1	WNW/215.1	75.9 / 2.00	311 SOMERSET Ottawa ON	WWIS
Well ID: 7391114 Construction Date: Use 1st: Monitoring and Test Hole Use 2nd: Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z364138 Tag: A302951 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 06/29/2021 Selected Flag: TRUE Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Clear/Cloudy: Municipality: Site Info:			Zone: UTM Reliability:		
OTTAWA CITY					
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/739\7391114.pdf		
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:			05/25/2021		
Year Completed:			2021		
Depth (m):			14.33		
Latitude:			45.4164743671495		
Longitude:			-75.6949701625181		
Point X:			-75.69497000126127		
Point Y:			45.41647436047882		
Path:			739\7391114.pdf		
<u>Bore Hole Information</u>					
Bore Hole ID:			1008704352		
DP2BR:			Elevation:		
Spatial Status:			Elevrc:		
Code OB:			Zone:		
Code OB Desc:			East83:		
Open Hole:			North83:		
Cluster Kind:			Org CS:		
Date Completed:			UTMRC:		
Remarks:			UTMRC Desc:		
Location Method Desc:			Location Method:		
Elevrc Desc:			18		
Location Source Date:			445624.00		
Improvement Location Source:			5029452.00		
Improvement Location Method:			UTM83		
Source Revision Comment:			4		
Supplier Comment:			margin of error : 30 m - 100 m		
			wwr		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1009852404		
Layer:			4		
Color:			2		
General Color:			GREY		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:			06		
Material 2 Desc:			SILT		
Material 3:			85		
Material 3 Desc:			SOFT		
Formation Top Depth:			3.6600000858306885		
Formation End Depth:			10.359999656677246		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1009852401		
Layer:			1		
Color:			6		
General Color:			BROWN		
Material 1:			02		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		0.3100000023841858			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009852402			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		2.130000114440918			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009852405			
Layer:		5			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		10.359999656677246			
Formation End Depth:		14.329999923706055			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1009852403			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		2.130000114440918			
Formation End Depth:		3.6600000858306885			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID: 1009853461					
Layer: 1					
Plug From: 0.0					
Plug To: 0.3100000023841858					
Plug Depth UOM: m					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1009853462					
Layer: 2					
Plug From: 0.3100000023841858					
Plug To: 10.970000267028809					
Plug Depth UOM: m					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1009853463					
Layer: 3					
Plug From: 10.970000267028809					
Plug To: 14.329999923706055					
Plug Depth UOM: m					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 1009854839					
Method Construction Code: 5					
Method Construction: Air Percussion					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 1009764984					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1009855217					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0.0					
Depth To: 11.279999732971191					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1009855613					
Layer: 1					
Slot: 10					
Screen Top Depth: 11.279999732971191					
Screen End Depth: 14.329999923706055					
Screen Material: 5					
Screen Depth UOM: m					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		cm			
Screen Diameter:		6.03000020980835			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1009856077			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Hole Diameter</u>					
Hole ID:		1009854398			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		2.130000114440918			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>105</u>	1 of 1	N/216.0	73.9 / 0.00	250-254 Cooper St Ottawa ON K2P 0G4	EHS
Order No:		20060929003		Nearest Intersection:	Cooper St & Metcalfe St
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State:	ON
Report Date:		10/6/2006		Search Radius (km):	0.25
Date Received:		9/29/2006		X:	-75.691981
Previous Site Name:				Y:	45.417851
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps And /or Site Plans			
<u>106</u>	1 of 1	NW/217.3	74.9 / 1.00	297 Cooper St Ottawa ON K2P0G5	EHS
Order No:		20160311134		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State:	ON
Report Date:		18-MAR-16		Search Radius (km):	.25
Date Received:		11-MAR-16		X:	-75.693739
Previous Site Name:				Y:	45.417609
Lot/Building Size:					
Additional Info Ordered:		City Directory			
<u>107</u>	1 of 1	SSE/218.3	73.9 / 0.06	322-326 Waverley Street Ottawa ON K2P 0W3	EHS
Order No:		21032600288		Nearest Intersection:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: C Report Type: Standard Report Report Date: 31-MAR-21 Date Received: 26-MAR-21 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Topographic Maps					
Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6919417 Y: 45.4139754					
108	1 of 1	ENE/218.8	72.9 / -1.00	292 Elgin St Ottawa ON K2P1M3	EHS
Order No: 20150119005 Status: C Report Type: Custom Report Report Date: 22-JAN-15 Date Received: 19-JAN-15 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.68975 Y: 45.416667					
109	1 of 6	NW/219.2	74.9 / 0.98	309 Cooper Street Ottawa ON K2P 0G5	EHS
Order No: 20180920045 Status: C Report Type: Standard Report Report Date: 25-SEP-18 Date Received: 20-SEP-18 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.693999 Y: 45.417449					
109	2 of 6	NW/219.2	74.9 / 0.98	DOMUS SOFTWARE LTD 309 COOPER ST UNIT 500 OTTAWA ON K2P 0G5	SCT
Scott S ID: 18523432 Latitude: Longitude:					
<u>Historical Details</u>					
Established: 1983 Plant Size (ft²): 7000 Employment: 100					
<u>Historical Details</u>					
Description: MAGNETIC AND OPTICAL RECORDING MEDIA SIC/NAICS Code: 3695					
109	3 of 6	NW/219.2	74.9 / 0.98	The Canadian Council on Social Development 309 Cooper St Floor 5 Ottawa ON K2P 0G5	SCT
Scott S ID: 34333097 Latitude: Longitude:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Historical Details</u>					
Established:					
Plant Size (ft²):					
Employment:					
 <u>Historical Details</u>					
Description:		Book Publishers			
SIC/NAICS Code:		511130			
109	4 of 6	NW/219.2	74.9 / 0.98	Cdn Council on Social Dev 309 Cooper St Floor 5 Ottawa ON K2P 0G5	SCT
Scott S ID:		35912006			
Latitude:					
Longitude:					
 <u>Historical Details</u>					
Established:		1920			
Plant Size (ft²):					
Employment:		25			
 <u>Historical Details</u>					
Description:		Periodical Publishers			
SIC/NAICS Code:		511120			
 <u>Historical Details</u>					
Description:		Business Associations			
SIC/NAICS Code:		813910			
109	5 of 6	NW/219.2	74.9 / 0.98	The Ottawa XPress 309 Cooper St Suite 401 Ottawa ON K2P 0G5	SCT
Scott S ID:		19409649			
Latitude:					
Longitude:					
 <u>Historical Details</u>					
Established:		01-AUG-92			
Plant Size (ft²):					
Employment:					
 <u>Historical Details</u>					
Description:		Newspaper Publishers			
SIC/NAICS Code:		511110			
109	6 of 6	NW/219.2	74.9 / 0.98	DALE R KENNY 309 COOPER ST.,OTTAWA,ON,K2P 0G5,CA	VAR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ON					
Incident No:	009535852-001			Item Instance:	NULL
Status:	Variance Approved			Incident Type:	FS-Variance
Incident Reported Dt:	4/1/1996			Aband USTs:	Abandon UST
Incident Created On:	7/7/2009				
110	1 of 1	NNE/219.4	72.9 / -1.00	Elevation Elevator Inc. 215 Somerset Street, West Ottawa ON K2P0J3	GEN
<u>Generator Info</u>					
Generator No:	ON5007280			Choice of Contact:	CO_OFFICIAL
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	238291
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:	ELEVATOR AND ESCALATOR INSTALLATION CONTRACTORS				
<u>Waste Detail(s)</u>					
Waste Class:	252				
Waste Class Name:	WASTE OILS & LUBRICANTS				
111	1 of 1	WSW/219.6	75.9 / 2.00	AUBUT & NADEAU SERVICES INC. 342 MCLAREN STREET OTTAWA ON K2P 0M6	GEN
<u>Generator Info</u>					
Generator No:	ON1785700			Choice of Contact:	
Approval Years:	94			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	6571
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	CAMERA/PHOTO. SUPPLY				
<u>Waste Detail(s)</u>					
Waste Class:	264				
Waste Class Name:	PHOTOPROCESSING WASTES				
112	1 of 1	SE/220.7	72.9 / -1.00	330 Metcalfe Street Ottawa ON K2P 1S4	EHS
Order No:	20081006004			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	10/15/2008			Search Radius (km):	0.25
Date Received:	10/6/2008			X:	-75.690344
Previous Site Name:				Y:	45.414515

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
113	1 of 6	E/220.7	72.9 / -1.00	320 Jack Purcell Lane Ottawa ON K2P2J5	EHS
Order No: 20150824006 Status: C Report Type: Standard Report Report Date: 28-AUG-15 Date Received: 24-AUG-15 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: Municipality: Ottawa Client Prov/State: ON Search Radius (km): .25 X: -75.68934 Y: 45.415331			
113	2 of 6	E/220.7	72.9 / -1.00	KONE Inc 320 JACK PURCELL LANE Ottawa ON K2P 2J5	GEN
Generator Info					
Generator No: ON8096604 Approval Years: 2010 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: Elevator and Escalator Installation Contractors		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 238291			
Waste Detail(s)					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
Waste Detail(s)					
Waste Class: 251 Waste Class Name: OIL SKIMMINGS & SLUDGES					
113	3 of 6	E/220.7	72.9 / -1.00	City of Ottawa 320 Jack Purcell Lane Ottawa ON K2P 2J5	GEN
Generator Info					
Generator No: ON3594040 Approval Years: As of Dec 2018 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
113	4 of 6	E/220.7	72.9 / -1.00	City of Ottawa 320 Jack Purcell Lane Ottawa ON K2P 2J5	GEN
<u>Generator Info</u>					
Generator No:		ON3594040		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
113	5 of 6	E/220.7	72.9 / -1.00	City of Ottawa 320 Jack Purcell Lane Ottawa ON K2P 2J5	GEN
<u>Generator Info</u>					
Generator No:		ON3594040		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
113	6 of 6	E/220.7	72.9 / -1.00	City of Ottawa Facility Operations Service 320 Jack Purcell Lane Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:		ON3594040		Choice of Contact:	
Approval Years:		As of Oct 2022		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Admin: Phone No Admin: SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Generator Info (as of Dec 2024)</u>					
Generator No:		ON3594040			
Generator Company Name:		City of Ottawa Facility Operations Service			
Street:		320 Jack Purcell Lane			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P 1M4			
Waste Class:		251 L			
Waste Class Decoded:					
		251 - OIL SKIMMINGS & SLUDGES			
<u>Generator Info (as of Apr 2025)</u>					
Generator Company Name:		City of Ottawa Facility Operations Service			
Generator Site Address:		320 Jack Purcell Lane			
City:		Ottawa			
Province State:		Ontario			
Country:		Canada			
Postal Code:		K2P 1M4			
Waste Class:		251 L			
Waste Class Decoded:					
		251 - OIL SKIMMINGS & SLUDGES			
Waste Characteristic Decoded:					
		L - Liquid Industrial Waste			
<u>2017 Generator Info</u>					
Gen No:	ON3594040		Choice of Contact:	CO_OFFICIAL	
ID:	14439		Phone No Official:	6135802424 Ext.12085	
Contaminated Fac:	N		Phone No Admin:		
MHSW Facility:	N		County Ont:	OTTAWA CARLTON (RM)	
NAICS Code1:	913910		County Out:		
NAICS Code2:			District:	402	
NAICS Code3:					
Gen Name:		City of Ottawa			
Gen Div:					
Gen Op Name:		City of Ottawa			
Gen Op Div:					
Site Adrs1:		320 Jack Purcell Lane			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 2J5			
Site Country:		Canada			
Co Official:		Randy Villeneuve			
Co Admin:					
<u>2018 Generator Info</u>					
Gen No:	ON3594040			Choice of Contact:	CO_OFFICIAL
ID:	14330			Phone No Official:	6135802424 Ext.12085
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	913910			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	City of Ottawa				
Gen Div:					
Gen Op Name:	City of Ottawa				
Gen Op Div:					
Site Adrs1:	320 Jack Purcell Lane				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 2J5				
Site Country:	Canada				
Co Official:	Randy Villeneuve				
Co Admin:					
<u>2019 Generator Info</u>					
Gen No:	ON3594040			Choice of Contact:	CO_OFFICIAL
ID:	14144			Phone No Official:	6135802424 Ext.12085
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	913910			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	City of Ottawa				
Gen Div:					
Gen Op Name:	City of Ottawa				
Gen Op Div:					
Site Adrs1:	320 Jack Purcell Lane				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 2J5				
Site Country:	Canada				
Co Official:	Randy Villeneuve				
Co Admin:					
<u>2020 Generator Info</u>					
Gen No:	ON3594040			Choice of Contact:	CO_OFFICIAL
ID:	13795			Phone No Official:	6135802424 Ext.12085
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code1: NAICS Code2: NAICS Code3: Gen Name: Gen Div: Gen Op Name: Gen Op Div: Site Adrs1: Site Bldg: Site Pobox: Province In: Site Adrs2: Site City: Province Out: Site Postal Code: Site Country: Co Official: Co Admin:	913910	City of Ottawa City of Ottawa 320 Jack Purcell Lane ONTARIO Ottawa K2P 2J5 Canada Randy Villeneuve		County Out: District:	402
<u>2021 Generator Info</u>					
Gen No: ID: Contaminated Fac: MHSW Facility: NAICS Code1: NAICS Code2: NAICS Code3: Gen Name: Gen Div: Gen Op Name: Gen Op Div: Site Adrs1: Site Bldg: Site Pobox: Province In: Site Adrs2: Site City: Province Out: Site Postal Code: Site Country: Co Official: Co Admin:	ON3594040 13676 N N 913910 City of Ottawa City of Ottawa 320 Jack Purcell Lane ONTARIO Ottawa K2P 2J5 Canada Daniel Alves		Choice of Contact: Phone No Official: Phone No Admin: County Ont: County Out: District:	CO_OFFICIAL 6135802424 Ext.12085 OTTAWA CARLTON (RM) 402	
<u>114</u>	1 of 1	WSW/220.9	75.9 / 1.97	341 Maclaren St Ottawa ON K2P2E2	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:	20170203026 C Standard Report 08-FEB-17 03-FEB-17 		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	 ON .25 -75.695005 45.415271	
<u>115</u>	1 of 1	NNW/221.3	74.2 / 0.31	214 Metcalfe Street Ottawa ON K2P 1P7	EHS
Order No: Status: Report Type:	20191128024 C Site Report		Nearest Intersection: Municipality: Client Prov/State:	 ON	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Date: 29-NOV-19 Search Radius (km): .001 Date Received: 28-NOV-19 X: -75.693274 Previous Site Name: Y: 45.4178 Lot/Building Size: Additional Info Ordered:					
116	1 of 5	W/221.5	75.9 / 2.00	338 Somerset Street West Ottawa Ontario Ottawa ON K2P 0J9	EHS
Order No: 20191203166 Nearest Intersection: Status: C Municipality: Report Type: Standard Report Client Prov/State: ON Report Date: 06-DEC-19 Search Radius (km): .25 Date Received: 03-DEC-19 X: -75.695144 Previous Site Name: Y: 45.415602 Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
116	2 of 5	W/221.5	75.9 / 2.00	338 SOMERSET STREET WEST OTTAWA ON	HINC
External File Num: FS INC 0903-01589 Fuel Occurrence Type: Vapour Release Date of Occurrence: 3/27/2009 Fuel Type Involved: Natural Gas Status Desc: Completed - No Action Required Job Type Desc: Incident/Near-Miss Occurrence (FS) Oper. Type Involved: Commercial (e.g. restaurant, business unit, etc) Service Interruptions: No Property Damage: No Fuel Life Cycle Stage: Utilization Root Cause: Reported Details: Service riser damage due to mechanical impact. Fuel Category: Gaseous Fuel Occurrence Type: Incident Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) County Name: Ottawa Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: Environmental Impact:					
116	3 of 5	W/221.5	75.9 / 2.00	CDIA Report Newsletter 338 Somerset St W Unit 4 Ottawa ON K2P 0J9	SCT
Scott S ID: 35657298 Latitude: Longitude:					
<u>Historical Details</u>					
Established: Plant Size (ft²): Employment: 3					
<u>Historical Details</u>					

266 erisinfo.com | Environmental Risk Information Services Order No: 26012600426

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Health Env Consequence: Nature of Impact: Air Pollution; Human Health/Safety Contaminant Qty: Contaminant Qty 1: Contaminant Unit: other - see incident description Contaminant Code: Contaminant Name: NATURAL GAS (METHANE) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Pipeline SAC Action Class: Air Spills - Gases and Vapours Call Report Locatn Geodata: Time Reported: System Facility Address: Source Sector Type: Conservtn Auth Name: Primary Watershed: Quaternary Watershed: Offsite Impacts Y N: Waterbody Impacted Y N:					
117	1 of 7	ENE/222.1	72.9 / -1.00	Elgin Motors 286 Elgin Ottawa ON	HBAR
Province: ON Year: 1941 Source: Rights					
117	2 of 7	ENE/222.1	72.9 / -1.00	Elliott Alex 286 Elgin Ottawa ON	HBAR
Province: ON Year: 1927 Source: Rights					
117	3 of 7	ENE/222.1	72.9 / -1.00	Hillary's Fraser Ltd 286 Elgin Ottawa ON	HBAR
Province: ON Year: 1960 Source: Rights					
117	4 of 7	ENE/222.1	72.9 / -1.00	Hillary's Fraser Ltd 286 Elgin Ottawa ON	HBAR
Province: ON Year: 1955 Source: Rights					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
117	5 of 7	ENE/222.1	72.9 / -1.00	Elgin Motors 286 Elgin Ottawa ON	HBAR
Province:		ON			
Year:		1936			
Source:		Mights			
117	6 of 7	ENE/222.1	72.9 / -1.00	Elgin Motors 286 Elgin Ottawa ON	HBAR
Province:		ON			
Year:		1945			
Source:		Mights			
117	7 of 7	ENE/222.1	72.9 / -1.00	Quigg Victor 286 Elgin Ottawa ON	HBAR
Province:		ON			
Year:		1924			
Source:		Mights			
118	1 of 2	ENE/223.3	72.9 / -1.00	Elgin Motors 296 Elgin Ottawa ON	HBAR
Province:		ON			
Year:		1950			
Source:		Mights			
118	2 of 2	ENE/223.3	72.9 / -1.00	Ottawash Laundry 211 Gilmour Ottawa ON	HBAR
Province:		ON			
Year:		1960			
Source:		Mights			
119	1 of 1	WSW/223.5	75.9 / 2.00	341 MacLaren Street Ottawa ON K2P 2E2	EHS
Order No:		20061030005	Nearest Intersection:		
Status:		C	Municipality:		
Report Type:		Custom Report	Client Prov/State:		
Report Date:		11/7/2006	Search Radius (km):		
Date Received:		10/30/2006	X:		
Previous Site Name:			Y:		
Lot/Building Size:		~ 0.30 acre lot			
Additional Info Ordered:		Fire Insur. Maps And /or Site Plans			
120	1 of 1	NW/224.1	75.3 / 1.46	325 Cooper Street Ottawa ON K2P 0G5	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No: 20200213021 Status: C Report Type: Standard Report Report Date: 19-FEB-20 Date Received: 13-FEB-20 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6944063 Y: 45.4173144					
121	1 of 1	WSW/225.7	75.9 / 2.00	375 Gilmour St Ottawa ON	EHS
Order No: 20130124026 Status: C Report Type: Standard Report Report Date: 04-FEB-13 Date Received: 24-JAN-13 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.694729 Y: 45.414533					
122	1 of 1	SE/225.8	72.9 / -1.00	330 Metcalfe Street Ottawa ON K2P 1S4	EHS
Order No: 23072400745 Status: C Report Type: Standard Report Report Date: 27-JUL-23 Date Received: 24-JUL-23 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6903877 Y: 45.414421					
123	1 of 1	NE/225.9	72.9 / -0.97	ON	WWIS
Well ID: 7134805 Construction Date: Use 1st: Use 2nd: Final Well Status: Test Hole Water Type: Casing Material: Audit No: 239794 Tag: A054894 Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: OTTAWA CITY Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 11/27/2009 Selected Flag: TRUE Abandonment Rec: Contractor: 6838 Form Version: 2 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7134805.pdf					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/27/2009			
Year Completed:		2009			
Depth (m):		8.2296			
Latitude:		45.417455946737			
Longitude:		-75.6904449293894			
Point X:		-75.69044476728239			
Point Y:		45.41745594031351			
Path:		713\7134805.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002851144			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445979.00
Code OB Desc:				North83:	5029558.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/27/2009			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003349935			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		27			
Material 1 Desc:		OTHER			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.20999999344348907			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003349937			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		11			
Material 3 Desc:		GRAVEL			
Formation Top Depth:		4.5			
Formation End Depth:		27.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003349936			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.20999999344348907			
Formation End Depth:		4.5			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003349940			
Layer:		2			
Plug From:		16.0			
Plug To:		25.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003349939			
Layer:		1			
Plug From:		0.0			
Plug To:		16.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003349944			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003349934			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003349942			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		25.260000228881836			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003349943			
Layer:		1			
Slot:		10			
Screen Top Depth:		15.0			
Screen End Depth:		25.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Water Details</u>					
Water ID:		1003349941			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		23.100000381469727			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1003349938			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
124	1 of 2	NNW/226.0	73.9 / 0.00	261 Cooper Street Ottawa ON K2P 0G3	EHS
Order No:	25012301142			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	28-JAN-25			Search Radius (km):	.25
Date Received:	23-JAN-25			X:	-75.6928088
Previous Site Name:				Y:	45.4179268
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
124	2 of 2	NNW/226.0	73.9 / 0.00	Regency Towers Ltd. 261 Cooper Street Ottawa ON K2P 0G3	GEN
<u>Generator Info</u>					
Generator No:	ON4137516			Choice of Contact:	
Approval Years:	As of Nov 2021			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:	251 L				
Waste Class Name:	Waste oils/sludges (petroleum based)				
<u>2021 Generator Info</u>					
Gen No:	ON4137516			Choice of Contact:	CO_OFFICIAL
ID:	16056			Phone No Official:	(613) 234-7000 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	531310			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Regency Towers Ltd.				
Gen Div:					
Gen Op Name:	Taggart Realty Management				
Gen Op Div:					
Site Adrs1:	261 Cooper Street				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 0G3				
Site Country:	Canada				
Co Official:	Jesse Allan				
Co Admin:					
125	1 of 1	SE/226.1	72.9 / -1.00	330 Metcalfe Street Ottawa Ontario Ottawa ON K2P 1S4	EHS
Order No:	20190717034			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	22-JUL-19			Search Radius (km):	.25
Date Received:	17-JUL-19			X:	-75.690449
Previous Site Name:				Y:	45.41438
Lot/Building Size:					
Additional Info Ordered:					
126	1 of 1	W/226.3	75.9 / 2.00	327 Somerset St W Ottawa ON K2P0J8	EHS
Order No:	20151130011			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	03-DEC-15			Search Radius (km):	.25
Date Received:	30-NOV-15			X:	-75.695217
Previous Site Name:				Y:	45.416108
Lot/Building Size:					
Additional Info Ordered:					
127	1 of 1	ENE/227.3	72.5 / -1.33	Blair's Doc B A Station 280 Elgin Ottawa ON	HBAR
Province:	ON				
Year:	1960				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source:		Mights			
128	1 of 1	W/228.1	75.9 / 2.00	ALLAN KWAI 331 SOMERSET ST. W., SWM OTTAWA CITY ON K2P 0J8	CA
Certificate #:		3-1581-97-			
Application Year:		97			
Issue Date:		10/28/1997			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
129	1 of 1	W/228.4	75.9 / 2.00	338 SOMERSET STREET WEST OTTAWA ON	WWIS
Well ID:		7046637		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:		Z74024		Contractor:	
Tag:		A061568		Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		OTTAWA CITY			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/704\7046637.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/22/2007			
Year Completed:		2007			
Depth (m):		8.23			
Latitude:		45.4157256058949			
Longitude:		-75.6952421522528			
Point X:		-75.69524199044142			
Point Y:		45.41572559951513			
Path:		704\7046637.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		23046637		Elevation:	
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	18
Code OB:				East83:	445602.00
Code OB Desc:				North83:	5029369.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:		06/22/2007	UTMRC Desc:		margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		30146637			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:		81			
Material 2 Desc:		SANDY			
Material 3:		11			
Material 3 Desc:		GRAVEL			
Formation Top Depth:		0.0			
Formation End Depth:		0.9100000262260437			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		30346637			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		1.5			
Formation End Depth:		3.6600000858306885			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		30546637			
Layer:		5			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		91			
Material 2 Desc:		WATER-BEARING			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		6.099999904632568			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		8.229999542236328			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		30246637			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		05			
Material 3 Desc:		CLAY			
Formation Top Depth:		0.9100000262260437			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		30446637			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		3.6600000858306885			
Formation End Depth:		6.099999904632568			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		44001303			
Layer:		3			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		44001302			
Layer:		2			
Plug From:		0.3100000023841858			
Plug To:					
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		44001304			
Layer:		1			
Plug From:		0.0			
Plug To:		0.3100000023841858			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		25946637			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		29046637			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		42146637			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.880000114440918			
Casing Diameter:		3.809999942779541			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		43146637			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.880000114440918			
Screen End Depth:		8.2299999542236328			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Hole Diameter</u>					
Hole ID:		46000804			
Diameter:		8.890000343322754			
Depth From:		0.0			
Depth To:		8.2299999542236328			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
130	1 of 1	NE/228.8	72.4 / -1.45	ON	WWIS
Well ID:		7134804		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Test Hole		Date Received:	11/27/2009
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		239796		Contractor:	6838

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A054894			Form Version:	2
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		OTTAWA CITY			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7134804.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/27/2009			
Year Completed:		2009			
Depth (m):		6.7056			
Latitude:		45.4175898741975			
Longitude:		-75.690625496834			
Point X:		-75.69062533487147			
Point Y:		45.41758986726159			
Path:		713\7134804.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002851141		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445965.00
Code OB Desc:				North83:	5029573.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		10/27/2009		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003349924			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		11			
Material 3 Desc:		GRAVEL			
Formation Top Depth:		3.0			
Formation End Depth:		5.5			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003349922			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		27			
Material 1 Desc:		OTHER			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.25			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003349923			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.25			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003349925			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		5.5			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003349927			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1003349928			
Layer:		2			
Plug From:		9.0			
Plug To:		20.34000015258789			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1003349932			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1003349921			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1003349930			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		20.34000015258789			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1003349931			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.34000015258789			
Screen End Depth:		20.34000015258789			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Water Details</u>					
Water ID:		1003349929			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		19.459999084472656			
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1003349926			
Diameter:					
Depth From:					
Depth To:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
131	1 of 1	ENE/229.0	72.5 / -1.33	Fettuccine's 280 Elgin St Ottawa ON K2P 1M2	SCT
Scott S ID:		52783026			
Latitude:					
Longitude:					
<u>Historical Details</u>					
Established:		01-AUG-80			
Plant Size (ft²):		1200			
Employment:					
<u>Historical Details</u>					
Description:		All Other Food Manufacturing			
SIC/NAICS Code:		311990			
132	1 of 1	S/230.2	73.9 / 0.00	TOPIA ENERGY 311 O'CONNOR ST OTTAWA ON K2P 2G9	RST
Headcode:		924800			
Headcode Desc:		Oils-Fuel			
Phone:		6135944777			
List Name:					
Description:		Petroleum Products, Wholesale			
133	1 of 1	WNW/231.5	75.9 / 2.00	331 Cooper St Ottawa ON	WWIS
Well ID:		7334763		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring and Test Hole		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Monitoring and Test Hole		Date Received:	03/08/2019
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		Z298238		Contractor:	7241
Tag:		A257375		Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		NEPEAN TOWNSHIP			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7334763.pdf			
<u>Additional Detail(s) (Map)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		11/14/2018			
Year Completed:		2018			
Depth (m):		5.4864			
Latitude:		45.4172325169397			
Longitude:		-75.6946343758173			
Point X:		-75.69463421374994			
Point Y:		45.41723251004211			
Path:		733\7334763.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	1007475861			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445651.00
Code OB Desc:				North83:	5029536.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	11/14/2018			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007824505				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:	85				
Material 2 Desc:	SOFT				
Material 3:	77				
Material 3 Desc:	LOOSE				
Formation Top Depth:	1.0				
Formation End Depth:	6.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007824506				
Layer:	3				
Color:	2				
General Color:	GREY				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	06				
Material 2 Desc:	SILT				
Material 3:	85				
Material 3 Desc:	SOFT				
Formation Top Depth:	6.0				
Formation End Depth:	18.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007824504			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		27			
Material 2 Desc:		OTHER			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007826024			
Layer:		3			
Plug From:		7.0			
Plug To:		18.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007826022			
Layer:		1			
Plug From:		0.0			
Plug To:		1.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007826023			
Layer:		2			
Plug From:		1.0			
Plug To:		7.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007827610			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		Direct Push			
<u>Pipe Information</u>					
Pipe ID:		1007822322			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1007828288					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0.0					
Depth To: 8.0					
Casing Diameter: 1.3799999952316284					
Casing Diameter UOM: Inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1007828989					
Layer: 1					
Slot: 10					
Screen Top Depth: 8.0					
Screen End Depth: 18.0					
Screen Material: 5					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 1.659999966621399					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID: 1007829783					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method: 0					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1007827265					
Diameter: 2.375					
Depth From: 0.0					
Depth To: 18.0					
Hole Depth UOM: ft					
Hole Diameter UOM: Inch					
134	1 of 1	WNW/232.4	75.9 / 2.00	335 Cooper Street Ottawa ON K2P 0G5	EHS
Order No: 21041400015					
Status: C					
Report Type: Standard Report					
Report Date: 19-APR-21					
Date Received: 14-APR-21					
Previous Site Name:					
Lot/Building Size:					
Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
Nearest Intersection:					
Municipality:					
Client Prov/State: ON					
Search Radius (km): .25					
X: -75.6947608					
Y: 45.4171295					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
135	1 of 1	SE/232.7	72.9 / -1.00	295 frank st Ottawa ON K2P 0X7	EHS
Order No: 21122000838 Status: C Report Type: Standard Report Report Date: 23-DEC-21 Date Received: 20-DEC-21 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans		Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.6906445 Y: 45.4141978			
136	1 of 8	WNW/233.4	75.9 / 2.00	Tartan Land Corporation 331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	CA
Certificate #: 7703-4KFM9J Application Year: 00 Issue Date: 5/19/00 Approval Type: Municipal & Private sewage Status: Approved Application Type: New Certificate of Approval Client Name: South Nepean Development Corporation Client Address: 427 Laurier Ave. W., Unit 300 Client City: Ottawa Client Postal Code: Project Description: Storm and Sanitary Sewers to be constructed in the City of Nepean. Contaminants: Emission Control:					
136	2 of 8	WNW/233.4	75.9 / 2.00	Tartan Land Corporation 331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	CA
Certificate #: 3476-4KFMVT Application Year: 00 Issue Date: 7/13/00 Approval Type: Municipal & Private water Status: Revoked and/or Replaced Application Type: New Certificate of Approval Client Name: South Nepean Development Corporation Client Address: 427 Laurier Ave. W., Unit 300 Client City: Ottawa Client Postal Code: Project Description: Watermains to be constructed in the City of Nepean Contaminants: Emission Control:					
136	3 of 8	WNW/233.4	75.9 / 2.00	Tartan Land Corporation 331 Cooper Street, Suite 400 Ottawa ON K2P 0G5	CA
Certificate #: 3735-4M5HET Application Year: 00 Issue Date: 7/13/00 Approval Type: Municipal & Private water Status: Approved Application Type: Amended CofA					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		South Nepean Development Corporation 427 Laurier Ave. W., Unit 300 Ottawa K1R 7Y2 Amend C/A to correct description of works			
136	4 of 8	WNW/233.4	75.9 / 2.00	South Nepean Development Corporation 331 Cooper Street, Suite 400 Ottawa ON K1R 7Y2	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link: PDF Site Location:		3735-4M5HET 2000-07-13 Approved ECA IDS Rideau Valley ECA-Municipal and Private Water Works Municipal and Private Water Works South Nepean Development Corporation 331 Cooper Street, Suite 400			
		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:			
		Ottawa -75.69465 45.417255			
136	5 of 8	WNW/233.4	75.9 / 2.00	South Nepean Development Corporation 331 Cooper Street, Suite 400 Ottawa ON	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link: PDF Site Location:		7703-4KFM9J 2000-05-19 Approved ECA IDS Rideau Valley ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS South Nepean Development Corporation 331 Cooper Street, Suite 400			
		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:			
		Ottawa -75.69465 45.417255			
		https://www.accessenvironment.ene.gov.on.ca/instruments/3341-4K9RJV-14.pdf			
136	6 of 8	WNW/233.4	75.9 / 2.00	South Nepean Development Corporation 331 Cooper Street, Suite 400 Ottawa ON	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link:		3476-4KFMVT 2000-07-13 Revoked and/or Replaced ECA IDS Rideau Valley ECA-Municipal and Private Water Works Municipal and Private Water Works South Nepean Development Corporation 331 Cooper Street, Suite 400			
		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:			
		Ottawa -75.69465 45.417255			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF Site Location:					
136	7 of 8	WNW/233.4	75.9 / 2.00	PIPELINE HIT 1" 331 COOPER ST,,OTTAWA,ON,K2P 0G5,CA ON	PINC
Incident Id:				Pipe Material:	
Incident No:		2409866		Fuel Category:	
Incident Reported Dt:		10/1/2018		Health Impact:	
Type:		FS-Pipeline Incident		Environment Impact:	
Status Code:				Property Damage:	
Tank Status:		Pipeline Damage Reason Est		Service Interrupt:	
Task No:				Enforce Policy:	
Spills Action Centre:				Public Relation:	
Fuel Type:				Pipeline System:	
Fuel Occurrence Tp:				PSIG:	
Date of Occurrence:				Attribute Category:	
Occurrence Start Dt:				Regulator Location:	
Depth:				Method Details:	
Customer Acct Name:		PIPELINE HIT 1"			
Incident Address:		331 COOPER ST,,OTTAWA,ON,K2P 0G5,CA			
Operation Type:					
Pipeline Type:					
Regulator Type:					
Summary:					
Reported By:					
Affiliation:					
Occurrence Desc:					
Damage Reason:					
Notes:					
136	8 of 8	WNW/233.4	75.9 / 2.00	Enbridge Gas Distribution Inc. 331 Cooper St. Ottawa ON	SPL
Ref No:		2853-B52NE2		Municipality No:	
Year:				Nature of Damage:	
Incident Dt:		2018/09/28		Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:		2018/09/28		Impact to Health:	0 - No Impact
Dt Document Closed:				Agency Involved:	
Site No:		NA			
MOE Response:		No			
Site County/District:					
Site Geo Ref Meth:					
Site District Office:		Ottawa			
Nearest Watercourse:					
Site Name:		1 Inch IP Plastic Service Damage <UNOFFICIAL>			
Site Address:		331 Cooper St.			
Site Region:		Eastern			
Site Municipality:		Ottawa			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:		Enbridge Gas Distribution Inc.			
Client Type:		Corporation			
Source Type:		Valve/Fitting/Piping			
Incident Cause:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Preceding Spill:		Leak/Break			
Incident Reason:		Operator/Human Error			
Incident Summary:		TSSA/FSB: 1" IP Plastic Line Strike - Made Safe			
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:		0 other - see incident description			
Contaminant Qty 1:		0			
Contaminant Unit:		other - see incident description			
Contaminant Code:		35			
Contaminant Name:		NATURAL GAS (METHANE)			
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:		1075			
Receiving Medium:		Air			
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:		Miscellaneous Industrial			
SAC Action Class:		TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill			
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					
Source Sector Type:					
Conservtn Auth Name:					
Primary Watershed:					
Quaternary Watershed:					
Offsite Impacts Y N:					
Waterbody Impacted Y N:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		PHARMACEUTICALS			
Waste Detail(s)					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
137	3 of 5	NE/233.9	72.2 / -1.69	White Cross Dispensary Ottawa 2006 Ltd 264 Elgin Street Ottawa ON K2P 1M2	GEN
Generator Info					
Generator No:		ON9398334		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
Waste Detail(s)					
Waste Class:		261 A			
Waste Class Name:		Pharmaceuticals			
137	4 of 5	NE/233.9	72.2 / -1.69	White Cross Dispensary Ottawa 2006 Ltd 264 Elgin Street Ottawa ON K2P 1M2	GEN
Generator Info					
Generator No:		ON9398334		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
Waste Detail(s)					
Waste Class:		312 P			
Waste Class Name:		Pathological wastes			
Waste Detail(s)					
Waste Class:		261 A			
Waste Class Name:		Pharmaceuticals			
137	5 of 5	NE/233.9	72.2 / -1.69	White Cross Dispensary 264 Elgin Street Ottawa ON	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON9398334			Choice of Contact:	
Approval Years:	As of Oct 2022			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	261 A				
Waste Class Name:	PHARMACEUTICALS				
<u>Waste Detail(s)</u>					
Waste Class:	312 P				
Waste Class Name:	PATHOLOGICAL WASTES				
<u>Generator Info (as of Dec 2024)</u>					
Generator No:	ON9398334				
Generator Company Name:	White Cross Dispensary				
Street:	264 Elgin Street				
City:	Ottawa				
Province State:	Ontario				
Country:	Canada				
Postal Code:	K2P1M2				
Waste Class:	261 A,312 P				
Waste Class Decoded:					
261 - PHARMACEUTICALS; 312 - PATHOLOGICAL WASTES					
<u>Generator Info (as of Apr 2025)</u>					
Generator Company Name:	White Cross Dispensary				
Generator Site Address:	264 Elgin Street				
City:	Ottawa				
Province State:	Ontario				
Country:	Canada				
Postal Code:	K2P1M2				
Waste Class:	261 A, 312 P				
Waste Class Decoded:					
261 - PHARMACEUTICALS; 312 - PATHOLOGICAL WASTES					
Waste Characteristic Decoded:					
A - Acutely Hazardous Waste Chem.; P - Pathological					
<u>2020 Generator Info</u>					
Gen No:	ON9398334			Choice of Contact:	CO_OFFICIAL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ID:	37737			Phone No Official:	6132334029 Ext.34029
Contaminated Fac:	N			Phone No Admin:	6133271056 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		White Cross Dispensary Ottawa 2006 Ltd			
Gen Div:					
Gen Op Name:		White Cross Dispensary			
Gen Op Div:					
Site Adrs1:		264 Elgin Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1M2			
Site Country:		Canada			
Co Official:		Chantal or James Dumont			
Co Admin:		James James Dumont			
<u>2020 Generator Manifest</u>					
ID:	61908			Sum Received Qty:	19.5
Generator No:	ON9398334			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	2
Waste Char:	A			District:	402
Waste Code:	261				
<u>2021 Generator Info</u>					
Gen No:	ON9398334			Choice of Contact:	CO_OFFICIAL
ID:	38722			Phone No Official:	6132334029 Ext.34029
Contaminated Fac:	N			Phone No Admin:	6133271056 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	446110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		White Cross Dispensary Ottawa 2006 Ltd			
Gen Div:					
Gen Op Name:		White Cross Dispensary			
Gen Op Div:					
Site Adrs1:		264 Elgin Street			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2P 1M2			
Site Country:		Canada			
Co Official:		Chantal or James Dumont			
Co Admin:		James James Dumont			
<u>2021 Generator Manifest</u>					
ID:	64729			Sum Received Qty:	30.74
Generator No:	ON9398334			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	1
Waste Char:	A			District:	402
Waste Code:	261				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2021 Generator Manifest</u>					
ID:	64730			Sum Received Qty:	8.2
Generator No:	ON9398334			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	1
Waste Char:	P			District:	402
Waste Code:	312				
138	1 of 1	S/234.7	73.9 / 0.00	CMG 344 Waverley St. Ottawa ON K2P 0W5	GEN
<u>Generator Info</u>					
Generator No:	ON5378833			Choice of Contact:	
Approval Years:	2010			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	531310
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Real Estate Property Managers				
<u>Waste Detail(s)</u>					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				
139	1 of 1	ENE/234.8	72.9 / -1.00	292 Elgin Street Ottawa Ontario Ottawa ON K2P 1M3	EHS
Order No:	22042501257			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	28-APR-22			Search Radius (km):	.25
Date Received:	25-APR-22			X:	-75.6896014
Previous Site Name:				Y:	45.4167895
Lot/Building Size:					
Additional Info Ordered:					
140	1 of 1	WNW/235.7	75.9 / 2.00	ON	BORE
Borehole ID:	613315			Inclin FLG:	No
OGF ID:	215514614			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.417288
Total Depth m:	-999			Longitude DD:	-75.694639
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	445651
Drill Method:				Northing:	5029542
Orig Ground Elev m:	71.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	71.7				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Concession: Location D: Survey D: Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218394619			Mat Consistency:	Dense
Top Depth:	12.3			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK. 0050 043 00080 058 00115 062 000000620005002400226DENSE. BEDROCK.				
Geology Stratum ID:	218394613			Mat Consistency:	Hard
Top Depth:	1.7			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. GREY,HARD.				
Geology Stratum ID:	218394618			Mat Consistency:	Compact
Top Depth:	10.1			Material Moisture:	
Bottom Depth:	12.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TILL. COMPACT.				
Geology Stratum ID:	218394615			Mat Consistency:	Firm
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	7.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY. GREY,FIRM.				
Geology Stratum ID:	218394611			Mat Consistency:	Loose
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND. LOOSE.				
Geology Stratum ID:	218394612			Mat Consistency:	Loose
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	1.7			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color: Material 1: Sand Material 2: Pebbles Material 3: Material 4: Gsc Material Description: Stratum Description: SAND,PEBBLES. LOOSE. Geology Stratum ID: 218394614 Top Depth: 3 Bottom Depth: 6.1 Material Color: Grey Material 1: Clay Material 2: Shells Material 3: Material 4: Gsc Material Description: Stratum Description: CLAY. GREY,SOFT. Geology Stratum ID: 218394617 Top Depth: 9.1 Bottom Depth: 10.1 Material Color: Material 1: Till Material 2: Sand Material 3: Material 4: Gsc Material Description: Stratum Description: TILL. FIRM. Geology Stratum ID: 218394616 Top Depth: 7.6 Bottom Depth: 9.1 Material Color: Material 1: Till Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: TILL. LOOSE. Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: Mat Consistency: Soft Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: Mat Consistency: Firm Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: Mat Consistency: Loose Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Source Source Type: Data Survey Source Orig: Geological Survey of Canada Source Date: 1956-1972 Confidence: H Observatio: Source Name: Urban Geology Automated Information System (UGAIS) Source Details: File: OTTAWA2.txt RecordID: 058230 NTS_Sheet: 31G05G Confiden 1: Logged by professional. Exact and complete description of material and properties. Source Appl: Spatial/Tabular Source Iden: 1 Scale or Res: Varies Horizontal: NAD27 Verticalda: Mean Average Sea Level					
Source List Source Identifier: 1 Source Type: Data Survey Source Date: 1956-1972 Scale or Resolution: Varies Source Name: Urban Geology Automated Information System (UGAIS) Source Originators: Geological Survey of Canada Horizontal Datum: NAD27 Vertical Datum: Mean Average Sea Level Projection Name: Universal Transverse Mercator					
141	1 of 3	NE/235.9	72.5 / -1.33	350807 ONTARIO LTD ELGIN SERVICE CENTRE 280 ELGIN ST	DTNK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OTTAWA ON					
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No:	9826748			Expired Date:	
Status:	EXPIRED			Max Hazard Rank:	
Instance ID:	394383			Facility Location:	
Instance Type:	FS Facility			Facility Type:	
Instance Creation Dt:				Fuel Type 2:	
Instance Install Dt:				Fuel Type 3:	
Item Description:				Panam Related:	
Manufacturer:				Panam Venue Nm:	
Model:				External Identifier:	
Serial No:				Item:	
ULC Standard:				Piping Steel:	
Quantity:				Piping Galvanized:	
Unit of Measure:				Tank Single Wall St:	
Overfill Prot Type:				Piping Underground:	
Creation Date:				Tank Underground:	
Next Periodic Str DT:				Source:	
TSSA Base Sched Cycle 2:					
TSSAMax Hazard Rank 1:					
TSSA Risk Based Periodic Yn:					
TSSA Volume of Directives:					
TSSA Periodic Exempt:					
TSSA Statutory Interval:					
TSSA Recd Insp Interva:					
TSSA Recd Tolerance:					
TSSA Program Area:					
TSSA Program Area 2:					
Description:	FS Gasoline Station - Full Serve				
Original Source:	EXP				
Record Date:	Up to Mar 2012				
141	2 of 3	NE/235.9	72.5 / -1.33	SUNSHINE BICYCLE BOARD & BLADES 280 ELGIN STREET OTTAWA ON K2P 1M2	GEN
<u>Generator Info</u>					
Generator No:	ON1740001			Choice of Contact:	
Approval Years:	94,95,96,97,98,99,00,01			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	6542
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	BICYCLE SHOPS				
<u>Waste Detail(s)</u>					
Waste Class:	213				
Waste Class Name:	PETROLEUM DISTILLATES				
141	3 of 3	NE/235.9	72.5 / -1.33	350807 ONTARIO LTD ELGIN SERVICE CENTRE 280 ELGIN ST OTTAWA ON K2P 1M2	PRT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location ID: Type: Expiry Date: Capacity (L): Licence #:		10935 retail 1994-06-30 8000 0056039001			
142	1 of 4	ENE/236.6	72.9 / -1.00	JUST TYPESETTING 298 ELGIN ST. ST. 105 OTTAWA ON K2P 1M3	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON1014300 88,89,90 PLATEMAKING, ETC.		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:	2821
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		264 PHOTOPROCESSING WASTES			
142	2 of 4	ENE/236.6	72.9 / -1.00	JUST TYPESETTING (OUT OF BUSINESS) 298 ELGIN ST. ST. 105 OTTAWA ON K2P 1M3	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON1014300 92,93,96,97,98 PLATEMAKING, ETC.		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:	2821
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		264 PHOTOPROCESSING WASTES			
142	3 of 4	ENE/236.6	72.9 / -1.00	JUST TYPESETTING 22-281 298 ELGIN ST. ST. 105 OTTAWA ON K2P 1M3	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status:		ON1014300 94,95		Choice of Contact: Contaminated Fac: MHSW Facility:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code 4:		512110-Motion Picture and Video Production			
NAICS Code 5:		518210-Data Processing; Hosting; and Related Servi			

143	1 of 2	ENE/236.8	72.9 / -1.00	BROWNS CLEANERS & TAILORS LTD. 300 ELGIN STREET C/O 6 CHAMPAGNE AVENUE NORTH OTTAWA-CARLTON ON K2P 1M3	GEN
---------------------	--------	-----------	--------------	---	-----

Generator Info

Generator No:	ON0443203	Choice of Contact:	
Approval Years:	88,89,90	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	9721
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	POWER LAUND./CLEANER		

Waste Detail(s)

Waste Class:	241
Waste Class Name:	HALOGENATED SOLVENTS

143	2 of 2	ENE/236.8	72.9 / -1.00	BROWNS CLEANERS & TAILORS LTD. 06-342 300 ELGIN STREET C/O 6 CHAMPAGNE AVENUE NORTH OTTAWA-CARLTON ON K2P 1M3	GEN
---------------------	--------	-----------	--------------	--	-----

Generator Info

Generator No:	ON0443203	Choice of Contact:	
Approval Years:	92,93,94,95,96,97,98	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	9721
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	POWER LAUND./CLEANER		

Waste Detail(s)

Waste Class:	241
Waste Class Name:	HALOGENATED SOLVENTS

144	1 of 1	ENE/240.9	72.9 / -1.00	ENR Abraham 284 Elgin Ottawa ON K2P 1M3	GEN
---------------------	--------	-----------	--------------	---	-----

Generator Info

Generator No:	ON7298698	Choice of Contact:	
Approval Years:	As of Oct 2022	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Admin: Phone No Admin: SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		251 L OIL SKIMMINGS & SLUDGES			
145	1 of 2	NW/241.0	74.8 / 0.88	Danosh construction 325 Cooper St ottawa ON K2P 0G5	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON4032240 As of Jul 2020 Registered Canada		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		221 L Light fuels			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		221 I Light fuels			
145	2 of 2	NW/241.0	74.8 / 0.88	Danosh construction 325 Cooper St ottawa ON K2P 0G5	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON4032240 As of Jan 2021 Registered Canada		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		221 I Light fuels			
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		221 L			
Waste Class Name:		Light fuels			
<u>2020 Generator Info</u>					
Gen No:	ON4032240			Choice of Contact:	CO_ADMIN
ID:	15601			Phone No Official:	9054736883 Ext.
Contaminated Fac:	N			Phone No Admin:	9054736883 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	814110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		Danosh construction			
Gen Div:					
Gen Op Name:		danosh construction			
Gen Op Div:					
Site Adrs1:		325 Cooper St			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		ottawa			
Province Out:					
Site Postal Code:		K2P 0G5			
Site Country:		Canada			
Co Official:		frank kelly			
Co Admin:		Kyla Kroon			
<u>2020 Generator Manifest</u>					
ID:	35377			Sum Received Qty:	660.0
Generator No:	ON4032240			Waste Class Name:	LIGHT FUELS
Receiver Type:	035			Count Manifests:	1
Waste Char:	I			District:	306
Waste Code:	221				
146	1 of 3	NE/241.4	72.2 / -1.69	190 Somerset Street West Ottawa ON K2P0J1	EHS
Order No:	20111216007			Nearest Intersection:	
Status:	C			Municipality:	Ottawa
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	12/29/2011 10:25:44 AM			Search Radius (km):	0.25
Date Received:	12/16/2011 10:25:44 AM			X:	-75.690496
Previous Site Name:				Y:	45.417633
Lot/Building Size:	9390.9800 ft²				
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory				
146	2 of 3	NE/241.4	72.2 / -1.69	190 Somerset St. W. Ottawa ON	EHS
Order No:	20120530036			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	08-JUN-12			Search Radius (km):	.25
Date Received:	30-MAY-12			X:	-75.690504
Previous Site Name:				Y:	45.417617
Lot/Building Size:					
Additional Info Ordered:	Title Searches				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
146	3 of 3	NE/241.4	72.2 / -1.69	DST Consulting 190 somerset west ottawa ON	GEN
<u>Generator Info</u>					
Generator No:	ON8660664			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	236210
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
147	1 of 4	NE/242.6	71.8 / -2.06	AIM Healt Group - Elgin 270 Elgin Street Ottawa ON K2P 1M2	GEN
<u>Generator Info</u>					
Generator No:	ON5048940			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	621110
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
147	2 of 4	NE/242.6	71.8 / -2.06	Saralex Medical Inc. 270 Elgin Street Ottawa ON K2P 1M2	GEN
<u>Generator Info</u>					
Generator No:	ON6000631			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	621110
Country:	Canada				
Co Admin:	Frederika Dana				
Phone No Admin:	613-230-8885 Ext.264				
SIC Description:	OFFICES OF PHYSICIANS				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
147	3 of 4	NE/242.6	71.8 / -2.06	Saralex Medical Inc. 270 Elgin Street Ottawa ON K2P 1M2	GEN
<u>Generator Info</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON6000631 Approval Years: As of Dec 2018 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: Pathological wastes					
147	4 of 4	NE/242.6	71.8 / -2.06	Saralex Medical Inc. 270 Elgin Street Ottawa ON K2P 1M2	GEN
<u>Generator Info</u>					
Generator No: ON6000631 Approval Years: As of Oct 2019 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 312 P Waste Class Name: Pathological wastes					
<u>2017 Generator Info</u>					
Gen No: ON6000631 ID: 23634 Contaminated Fac: N MHSW Facility: N NAICS Code1: 621110 NAICS Code2: NAICS Code3: Gen Name: Saralex Medical Inc. Gen Div: Gen Op Name: Heart of Ottawa Health Centre Gen Op Div: Site Adrs1: 270 Elgin Street Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Ottawa Province Out: Site Postal Code: K2P 1M2 Site Country: Canada Co Official: James Dumont Co Admin: Frederika Dana Choice of Contact: Phone No Official: 613-230-8885 Ext.232 Phone No Admin: 613-230-8885 Ext.264 County Ont: OTTAWA CARLTON (RM) County Out: District: 402					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2017 Generator Manifest</u>					
ID:	48798			Sum Received Qty:	78.5
Generator No:	ON6000631			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	3
Waste Char:	P			District:	305
Waste Code:	312				
<u>2018 Generator Info</u>					
Gen No:	ON6000631			Choice of Contact:	CO_ADMIN
ID:	23890			Phone No Official:	613-230-8885 Ext.232
Contaminated Fac:	N			Phone No Admin:	613-230-8885 Ext.264
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Saralex Medical Inc.				
Gen Div:					
Gen Op Name:	Heart of Ottawa Health Centre				
Gen Op Div:					
Site Adrs1:	270 Elgin Street				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1M2				
Site Country:	Canada				
Co Official:	James Dumont				
Co Admin:	Frederika Hess				
<u>2018 Generator Manifest</u>					
ID:	48669			Sum Received Qty:	26.0
Generator No:	ON6000631			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	1
Waste Char:	P			District:	305
Waste Code:	312				
<u>2019 Generator Info</u>					
Gen No:	ON6000631			Choice of Contact:	CO_OFFICIAL
ID:	24041			Phone No Official:	613-230-8885 Ext.232
Contaminated Fac:	N			Phone No Admin:	613-230-8885 Ext.264
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	621110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Saralex Medical Inc.				
Gen Div:					
Gen Op Name:	Heart of Ottawa Health Centre				
Gen Op Div:					
Site Adrs1:	270 Elgin Street				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2P 1M2				
Site Country:	Canada				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Official:		James Dumont			
Co Admin:		Frederika Hess			
<u>2019 Generator Manifest</u>					
ID:	48479			Sum Received Qty:	61.0
Generator No:	ON6000631			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	2
Waste Char:	P			District:	305
Waste Code:	312				
148	1 of 6	NE/243.7	72.2 / -1.69	SKETCHLEY CLEANING SERVICES LTD. 268 ELGIN ST. OTTAWA ON K2P 1M2	GEN
<u>Generator Info</u>					
Generator No:	ON0240427			Choice of Contact:	
Approval Years:	86,87,88,89			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	9721
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	POWER LAUND./CLEANERS				
<u>Waste Detail(s)</u>					
Waste Class:	241				
Waste Class Name:	HALOGENATED SOLVENTS				
148	2 of 6	NE/243.7	72.2 / -1.69	SKETCHLEY CLEANING SERVICES LTD. 268 ELGIN ST. OTTAWA ON K2P 1M2	GEN
<u>Generator Info</u>					
Generator No:	ON0240427			Choice of Contact:	
Approval Years:	90			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	9721
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	POWER LAUND./CLEANER				
<u>Waste Detail(s)</u>					
Waste Class:	241				
Waste Class Name:	HALOGENATED SOLVENTS				
148	3 of 6	NE/243.7	72.2 / -1.69	SKETCHLEY CLEANING SERVICES LTD. 35-248 268 ELGIN ST. OTTAWA ON K2P 1M2	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON0240427			Choice of Contact:	
Approval Years:	92,93,94,95,96,97			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	9721
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		POWER LAUND./CLEANER			
<u>Waste Detail(s)</u>					
Waste Class:		241			
Waste Class Name:		HALOGENATED SOLVENTS			
148	4 of 6	NE/243.7	72.2 / -1.69	SKETCHLEY CLEANING SERVICES LIMITED 268 ELGIN STREET OTTAWA ON K2P 1M2	GEN
<u>Generator Info</u>					
Generator No:	ON0240427			Choice of Contact:	
Approval Years:	98			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	9721
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		POWER LAUND./CLEANERS			
<u>Waste Detail(s)</u>					
Waste Class:		241			
Waste Class Name:		HALOGENATED SOLVENTS			
148	5 of 6	NE/243.7	72.2 / -1.69	HILLARY CLEANERS(SEE&USEON0240427- SKETCH) 268 ELGIN STREET OTTAWA ON K2P 1M2	GEN
<u>Generator Info</u>					
Generator No:	ON0491104			Choice of Contact:	
Approval Years:	86,87,88,89			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	9721
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		POWER LAUND./CLEANERS			
<u>Waste Detail(s)</u>					
Waste Class:		241			
Waste Class Name:		HALOGENATED SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
148	6 of 6	NE/243.7	72.2 / -1.69	HILLARY (SEE & USE ON0240427) 20-099 268 ELGIN STREET OTTAWA ON K2P 1M2	GEN

Generator Info

Generator No:	ON0491104	Choice of Contact:	
Approval Years:	92,93,94,95,96,97,98	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	9721
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	POWER LAUND./CLEANER		

149	1 of 1	WSW/245.2	75.9 / 2.00	Ottawa Community Housing Corp 379 Gilmour Street Ottawa ON K2P 2M6	GEN
---------------------	--------	-----------	-------------	--	-----

Generator Info

Generator No:	ON6125452	Choice of Contact:	
Approval Years:	As of Jan 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	251 L
Waste Class Name:	Waste oils/sludges (petroleum based)

2020 Generator Info

Gen No:	ON6125452	Choice of Contact:	CO_OFFICIAL
ID:	24288	Phone No Official:	613-731-1182 Ext.3231
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	531310	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	Ottawa Community Housing Corp		
Gen Div:	Ottawa Community Housing Corp		
Gen Op Name:	Ottawa Community Housing Corp		
Gen Op Div:			
Site Adrs1:	379 Gilmour Street		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K2P 2M6		
Site Country:	Canada		
Co Official:	Tom Kasouf		
Co Admin:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2020 Generator Manifest</u>					
ID:	45648			Sum Received Qty:	2300.0
Generator No:	ON6125452			Waste Class Name:	OIL SKIMMINGS & SLUDGES
Receiver Type:	035			Count Manifests:	1
Waste Char:	L			District:	402
Waste Code:	251				
150	1 of 1	WNW/245.7	75.9 / 2.00	ON	WWIS
Well ID:	7471728			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	Yes
Use 2nd:				Data Src:	
Final Well Status:				Date Received:	02/20/2024
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z399974			Contractor:	6964
Tag:	A373405			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	OTTAWA CITY				
Site Info:					
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID:	1010247113			Tag No:	A373405
Depth (m):				Contractor:	6964
Year Completed:	2024			Latitude:	45.4168963067575
Well Completed Dt:	02/12/2024			Longitude:	-75.6951542715185
Audit No:	Z399974			Point Y:	45.416896300230974
Path:				Point X:	-75.69515410998352
<u>Bore Hole Information</u>					
Bore Hole ID:	1010247113			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	445610.00
Code OB Desc:				North83:	5029499.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	02/12/2024			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
151	1 of 1	ESE/246.1	73.0 / -0.92	331 METCALFE STREET OTTAWA ON K2P 1S3	HINC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
External File Num: FS INC 0805-02460 Fuel Occurrence Type: Pipeline Strike Date of Occurrence: 5/28/2008 Fuel Type Involved: Natural Gas Status Desc: Completed - No Action Required Job Type Desc: Incident/Near-Miss Occurrence (FS) Oper. Type Involved: Private Dwelling Service Interruptions: No Property Damage: No Fuel Life Cycle Stage: Utilization Root Cause: Reported Details: Fuel Category: Gaseous Fuel Occurrence Type: Incident Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) County Name: Ottawa Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: Environmental Impact:					
152	1 of 2	S/246.4	73.9 / 0.00	346 Waverley St Ottawa ON K2P 0W5	EHS
Order No: 20121212020 Status: C Report Type: Custom Report Report Date: 18-DEC-12 Date Received: 12-DEC-12 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.692729 Y: 45.413604					
152	2 of 2	S/246.4	73.9 / 0.00	Paramount Gold & Silver Corp. 346 Waverley St Ottawa ON K2P 0W5	SCT
Scott S ID: 73517404 Latitude: Longitude:					
<u>Historical Details</u>					
Established: 01-SEP-06 Plant Size (ft²): Employment:					
<u>Historical Details</u>					
Description: Other Support Activities for Mining SIC/NAICS Code: 213119					
<u>Historical Details</u>					
Description: Gold and Silver Ore Mining SIC/NAICS Code: 212220					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Historical Details</u>					
Description:		All Other Metal Ore Mining			
SIC/NAICS Code:		212299			
153	1 of 1	ENE/248.0	72.6 / -1.24	Langley's 281 Elgin Ottawa ON	HBAR
Province:		ON			
Year:		1927			
Source:		Mights			
154	1 of 1	SE/248.1	72.9 / -1.00	ON	BORE
Borehole ID:		613254	Inclin FLG:		No
OGF ID:		215514556	SP Status:		Initial Entry
Status:			Surv Elev:		No
Type:		Borehole	Piezometer:		No
Use:			Primary Name:		
Completion Date:			Municipality:		
Static Water Level:		15.8	Lot:		
Primary Water Use:			Township:		
Sec. Water Use:			Latitude DD:		45.413981
Total Depth m:		-999	Longitude DD:		-75.690764
Depth Ref:		Ground Surface	UTM Zone:		18
Depth Elev:			Easting:		445951
Drill Method:			Northing:		5029172
Orig Ground Elev m:		69.5	Location Accuracy:		
Elev Reliabil Note:			Accuracy:		Not Applicable
DEM Ground Elev m:		69.5			
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		218394357	Mat Consistency:		Soft
Top Depth:		9.1	Material Moisture:		
Bottom Depth:		22.1	Material Texture:		
Material Color:		Grey	Non Geo Mat Type:		
Material 1:		Clay	Geologic Formation:		
Material 2:		Silt	Geologic Group:		
Material 3:			Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		CLAY. GREY,SOFT.			
Geology Stratum ID:		218394354	Mat Consistency:		
Top Depth:		0	Material Moisture:		
Bottom Depth:		1.5	Material Texture:		
Material Color:			Non Geo Mat Type:		
Material 1:		Sand	Geologic Formation:		
Material 2:			Geologic Group:		
Material 3:			Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		SAND.			
Geology Stratum ID:		218394358	Mat Consistency:		Firm

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth:	22.1			Material Moisture:	
Bottom Depth:	27.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TILL. FIRM, WATER STABLE AT 176.0 FEET.			
Geology Stratum ID:	218394359			Mat Consistency:	
Top Depth:	27.4			Material Moisture:	
Bottom Depth:	29			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Boulders			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TILL.			
Geology Stratum ID:	218394360			Mat Consistency:	
Top Depth:	29			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BEDROCK. BEDROCK. 00010 038 00025 022 00075 060 00320 040 00420 042 0070 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218394355			Mat Consistency:	
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY. GREY.			
Geology Stratum ID:	218394356			Mat Consistency:	Soft
Top Depth:	2.7			Material Moisture:	
Bottom Depth:	9.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY. GREY,SOFT,LAYERED.			
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 057620 NTS_Sheet: 31G05G				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
155	1 of 1	WSW/248.6	75.8 / 1.91	285 MacLaren St	SPL
OTTAWA ON					
Ref No:	1-6IGGCB			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	Dec 14,2023 12:00:00 AM			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	May 06,2024 09:35:30 AM			Impact to Health:	
Dt Document Closed:	May 07,2024 09:44:40 AM			Agency Involved:	
Site No:					
MOE Response:	Desktop Response				
Site County/District:					
Site Geo Ref Meth:					
Site District Office:	Ottawa District Office				
Nearest Watercourse:					
Site Name:	285 MacLaren St				
Site Address:					
Site Region:					
Site Municipality:	OTTAWA				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:	Private Residence				
Source Type:	Container/Drum/Tote				
Incident Cause:					
Incident Preceding Spill:	Leak/Break				
Incident Reason:	Improper operation				
Incident Summary:	TSSA FSB UGST minor leak during removal at private property, clnd				
Environment Impact:					
Health Env Consequence:	Low				
Nature of Impact:					
Contaminant Qty:	0 other - see notes				
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:	FURNACE OIL				
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:	Land				
Activity Preceding Spill:	Other (specify)				
Property 2nd Watershed:	Lower Ottawa				
Property Tertiary Watershed:	02LA-Rideau				
Sector Type:	PRIVATE HOUSEHOLDS				
SAC Action Class:					
Call Report Locatn Geodata:	{"integration_ids":["PR00004338490"],"wks":["POINT (-75.6952204000 45.4149817000)","creation_date":"2024-05-06"}				
Time Reported:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
System Facility Address:		285 MACLAREN ST, OTTAWA, ON K2P 0L9			
Source Sector Type:					
Conservtn Auth Name:					
Primary Watershed:					
Quaternary Watershed:					
Offsite Impacts Y N:					
Waterbody Impacted Y N:					
156	1 of 3	WSW/248.8	75.8 / 1.91	356 MacLaren Street Ottawa ON K2P 0M6	EHS
Order No:		20070412026		Nearest Intersection:	Bank Street
Status:		C		Municipality:	
Report Type:		CAN - Complete Report		Client Prov/State:	
Report Date:		4/20/2007		Search Radius (km):	0.25
Date Received:		4/12/2007		X:	-75.694978
Previous Site Name:				Y:	45.414769
Lot/Building Size:					
Additional Info Ordered:					
156	2 of 3	WSW/248.8	75.8 / 1.91	356 MacLaren Street Ottawa ON K2P 0M6	EHS
Order No:		21070700009		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State:	ON
Report Date:		12-JUL-21		Search Radius (km):	.25
Date Received:		07-JUL-21		X:	-75.6950971
Previous Site Name:				Y:	45.4148082
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
156	3 of 3	WSW/248.8	75.8 / 1.91	AUBUT & NADEAU SERVICES INC. 356 MCLAREN STREET OTTAWA ON K2P 0M6	GEN
<u>Generator Info</u>					
Generator No:		ON1785700		Choice of Contact:	
Approval Years:		93,95,96,97,98,99,00,01		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	6571
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		CAMERA/PHOTO. SUPPLY			
<u>Waste Detail(s)</u>					
Waste Class:		264			
Waste Class Name:		PHOTOPROCESSING WASTES			

Unplottable Summary

Total: 13 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	OTTAWA CITY	COOPER ST.	OTTAWA CITY ON	
CA	City of Ottawa	Somerset St W	Ottawa ON	
CA	City of Ottawa	Somerset St W	Ottawa ON	
CA	R.M. OF OTTAWA-CARLETON	SOMERSET STREET	OTTAWA CITY ON	
CA	City of Ottawa	Gilmour Street (O'Connor to Metcalfe Streets)	Ottawa ON	
CA		Waverley Street	Ottawa ON	
CA		Waverley Street	Ottawa ON	
CA		Waverley Street	Ottawa ON	
CA	R.M. OF OTTAWA-CARLETON	GILMOUR STREET	OTTAWA CITY ON	
CA	CANLANDS DEVELOPMENT CORP.	METCALFE STREET	OTTAWA CITY ON	
ECA	1578051 Ontario Inc., Operating as Tartan Homes		Ottawa ON	
ECA	City of Ottawa	Somerset St W	Ottawa ON	K1P 1J1
ECA	City of Ottawa	Elgin St	Ottawa ON	K2G 6J8

Unplottable Report

Site: OTTAWA CITY
COOPER ST. OTTAWA CITY ON

Database:
CA

Certificate #: 3-1897-88-
Application Year: 88
Issue Date: 10/14/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: City of Ottawa
Somerset St W Ottawa ON

Database:
CA

Certificate #: 0195-8HMLH2
Application Year: 2011
Issue Date: 6/15/2011
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: City of Ottawa
Somerset St W Ottawa ON

Database:
CA

Certificate #: 6180-8JKNNV
Application Year: 2011
Issue Date: 7/22/2011
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF OTTAWA-CARLETON
SOMERSET STREET OTTAWA CITY ON

Database:
CA

Certificate #: 7-0096-88-
Application Year: 88

Issue Date: 2/10/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **City of Ottawa**
Gilmour Street (O'Connor to Metcalfe Streets) Ottawa ON

Database:
CA

Certificate #: 6597-5PZN2S
Application Year: 2003
Issue Date: 8/8/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Waverley Street Ottawa ON**

Database:
CA

Certificate #: 0020-4J3R8L
Application Year: 00
Issue Date: 4/6/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Ottawa-Carleton
Client Address: 111 Lisgar Street
Client City: Ottawa
Client Postal Code: K2P 2L7
Project Description: Watermains
Contaminants:
Emission Control:

Site: **Waverley Street Ottawa ON**

Database:
CA

Certificate #: 5545-57HJZ7
Application Year: 02
Issue Date: 2/19/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: City of Ottawa
Client Address: 110 Laurier Avenue West
Client City: City of Ottawa
Client Postal Code: K1P 1J1
Project Description: This application is for the replacement of combined sewers on Waverley Street from Robert Street to Queen Elizabeth Driveway, in the City of Ottawa.
Contaminants:
Emission Control:

Site: *Waverley Street Ottawa ON* **Database:** *CA*

Certificate #: 2252-4L5L5A
Application Year: 00
Issue Date: 6/14/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the City of Ottawa
Client Address: 111 Sussex Drive, 7th Floor
Client City: Ottawa
Client Postal Code: K1N 5A1
Project Description: Combined Sewers
Contaminants:
Emission Control:

Site: *R.M. OF OTTAWA-CARLETON
GILMOUR STREET OTTAWA CITY ON* **Database:** *CA*

Certificate #: 7-0854-87-
Application Year: 87
Issue Date: 6/19/1987
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *CANLANDS DEVELOPMENT CORP.
METCALFE STREET OTTAWA CITY ON* **Database:** *CA*

Certificate #: 7-0765-89-
Application Year: 89
Issue Date: 5/12/1989
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *1578051 Ontario Inc., Operating as Tartan Homes
Ottawa ON* **Database:** *ECA*

Approval No:	1573-98LNFS	MOE District:
Approval Date:	2013-06-24	City:
Status:	Approved	Longitude:
Record Type:	ECA	Latitude:
Link Source:	IDS	Geometry X:
SWP Area Name:		Geometry Y:
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS	
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS	
Business Name:	1578051 Ontario Inc., Operating as Tartan Homes	
Address:		

Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9856-97AR27-14.pdf>
PDF Site Location:

Site: **City of Ottawa**
Somerset St W **Ottawa ON K1P 1J1**

Database:
ECA

Approval No: 0195-8HMLH2
Approval Date: 2011-06-15
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: City of Ottawa
Address: Somerset St W
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3106-8HFGKN-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **City of Ottawa**
Elgin St **Ottawa ON K2G 6J8**

Database:
ECA

Approval No: 3479-B58MN9
Approval Date: 2018-10-05
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: City of Ottawa
Address: Elgin St
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9153-B4ZNVU-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

[AGR](#)

This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNRF), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active.

Government Publication Date: Up to Oct 2025

Abandoned Mine Information System:

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-May 2025

Anderson's Waste Disposal Sites:

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Apr 30, 2025

Borehole:

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2023

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Apr 30, 2025

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Nov 2025

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Aug 2025

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Nov 30, 2025

Drill Hole Database:

Provincial

[DRL](#)

The Ontario Drill Hole Database (ODHD) is offered by the Province of Ontario's Ministry of Mines. The dataset contains information for over 164,000 percussion, overburden, sonic and diamond-drill holes. The presence of assay results with cutoff values for gold, silver, copper, zinc, lead, nickel and platinum group elements is noted. Drill hole data are compiled from assessment files that have been submitted to the ministry in accordance with the Ontario Mining Act (OMA). Source assessment file numbers are captured for cross reference with the Ontario Assessment File Database (OAFD). Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Jul 2025

Delisted Fuel Tanks:

Provincial

[DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Oct 2023

Environmental Activity and Sector Registry:

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011 - Nov 30, 2025

Environmental Registry:

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Nov 30, 2025

Environmental Compliance Approval:

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011 - Nov 30, 2025

Environmental Effects Monitoring:

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Nov 30, 2025

Environmental Issues Inventory System:

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022

Environmental Offenders Registry:

Federal

EOR

The Environmental Offenders Registry, enforced by Environment and Climate Change Canada and Parks Canada, tracks corporations convicted under specific federal environmental laws. The registry includes corporate convictions resulting from court proceedings. Court prosecutions are one of several enforcement measures used when violations or potential violations are detected. Other measures like tickets, warning letters, or compliance orders may also be employed to restore compliance. Although not affected by the Environmental Enforcement Act, convictions obtained by Environment and Climate Change Canada under the Species at Risk Act and the Pollution Prevention Provisions of the Fisheries Act are also included.

Government Publication Date: Oct 31, 2025

Environmental Penalty Annual Report:

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment, Conservation and Parks (MECP). These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2024

Excess Soil Registry:

Provincial

ESNR

The Excess Soil Registry is made available by the Resource Productivity and Recovery Authority (RPRA). Excess soil is soil dug up mainly during construction and excavation activities that must be removed from the development site because it cannot or will not be reused. The Minister of the Environment, Conservation and Parks directed the RPRA to establish and maintain the Excess Soil Registry, enabling regulated parties to comply with registration and filing notice requirements, the ministry to access data, and the public to view information from those filings. From January 1, 2023, construction and development project leaders, as well as operators and owners of soil Reuse Sites, and Residential Development Soil Depot sites, must file notices detailing how excess soil is reused and disposed of in compliance with Ontario's Excess Soil Regulation.

Government Publication Date: Aug 31, 2025

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Federal Convictions:

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Oct 2025

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: Oct 31, 2021

Fuel Storage Tank:

Provincial

FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. As of January 1, 2023, businesses and institutions subject to the amended Reg. 347: General – Waste Management are required to report their activities and pay fees through Resource Productivity & Recovery Authority (RPRA) online Hazardous Waste Program Registry (HWPR) rather than the Hazardous Waste Information Network (HWIN) system previously operated by the Ministry of the Environment, Conservation and Parks (MECP). Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Mar 31, 2025

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Feb 2025

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Historical Business Activity Risk:

Federal

HIST RISK

Proprietary list of sites identified as potentially having engaged in business activity that poses a higher-than-normal risk of contamination. Records originate from historical city directories, and are included in this list based on broad business categories Potentially Hazardous Chemical Users and Fuel and Automotive, including but not limited to Dry Cleaners and Fuel Stations, Garages, etc. Inclusion in this list does not indicate that there is or ever has been contamination; rather, sites are included in this list due to their potential for having engaged in a business activity presenting an elevated risk of contamination. The list was compiled from various city directories including BC Directories, Hendersons, Mights, Sun Directories, Vernons, and Wrights; spanning roughly 1920s through 1960 depending on information available by city.

This list is currently limited to sites as reported in the following provinces: Alberta, British Columbia, Saskatchewan, Manitoba, New Brunswick, Nova Scotia, Ontario, and Quebec.

Government Publication Date: 1920s - 1960

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 31, 2022

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2025

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment Conservation and Parks (MECP) provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act. MECP publicly releases the Environmental Compliance Report (ECR) on the Ontario Data Catalogue. In Ontario, all facilities with regulated wastewater discharges or air emissions under the Ontario Water Resources Act and the Environmental Protection Act must monitor and report any cases where approved operating limits have been exceeded.

Government Publication Date: Dec 31, 2023

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Nov 2023

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Nov 30, 2025

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

Notice of Contamination List:

Federal

NOC

This dataset contains Notice of Contamination (NOC) submissions reported to the Canada Energy Regulator (CER), including the most recent annual update information where applicable. Regulated companies are required to submit an NOC when contamination is identified or encountered during any phase of a facility's lifecycle and confirmed through analytical sampling, or when contamination resulting from an incident cannot be remediated within 12 weeks of being reported to the CER. Blank values in the Annual Update Year and annual update fields indicate that the site has achieved remediation closure, has been identified as third-party contamination, or was reported recently and does not yet require an annual update.

Government Publication Date: Nov, 2025

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPR2

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

Government Publication Date: Feb 2024

National Pollutant Release Inventory - Historic:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Oct 31, 2025

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the Ministry of Natural Resources (MNR) handed over to the Ontario Oil, Gas and Salt Resources (OGSR) Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERS database includes well owner/operator, location, permit issue date, and well cap date, license number, status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provided for each well record.

Government Publication Date: 1800-May 2025

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Nov 30, 2025

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011 - Nov 30, 2025

Ontario PFAS Spills:

Provincial

PFAS

This specific list of spills includes those incidents where one or more of the listed contaminants are identified in the PFAS Structure List and/or PFAS Chemicals Without Explicit Structure List made available by the United States Environmental Protection Agency (US EPA), is originally sourced from the Ministry of the Environment, Conservation and Parks spills related data. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug 2024; Oct-Nov 2024

NPRI Reporters - PFAS Substances:

Federal

PFCH

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

Government Publication Date: Feb 2024**Potential PFAS Handlers from NPRI:**

Federal

PFHA

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

Government Publication Date: Feb 2024**Pipeline Incidents:**

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021**Potential PFAS Handlers from EASR:**

Provincial

PPHA

The Ontario Environmental Activity and Sector Registry (EASR), described in Ontario Regulation 245/11, allows businesses with less complex operations - and hence not requiring an Environmental Compliance Approval - to register their activities with the Ontario Ministry of the Environment, Conservation and Parks (MECP). This list of potential PFAS handlers includes those EASR facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used.

Government Publication Date: Jun 30, 2024**Private and Retail Fuel Storage Tanks:**

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996***Permit to Take Water:**

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Nov 30, 2025**Ontario Regulation 347 Waste Receivers Summary:**

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2021**Record of Site Condition:**

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

Government Publication Date: 1997-Sept 2001, Oct 2004 - 31 Dec, 2025

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Apr 30, 2025

Scott's Manufacturing Directories:

Private

SCT

Scott's Directories is a data bank containing information on various manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, applicable NAICS Codes, and product categories are included in this database.

Government Publication Date: 1992-Mar 2011; Feb 2025

Ontario Spills:

Provincial

SPL

List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Oct 2025

Wastewater Discharger Registration Database:

Provincial

SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2023

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2024

Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011 - Nov 30, 2025

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Waste Management Site:

Provincial

[WMS](#)

This data contains Waste Disposal Site types collected by the Ministry of Natural Resource (MNR). The new data class brings over data from the Waste Management Information System (WMIS), which is an MS Access based database used by MNR to track Waste Management Sites. This was married with the spatial data from Waste Disposal Sites where possible. Different Waste Disposal Site types collected by the Ministry of Natural Resources include: compost disposal, hazardous waste disposal, household waste disposal, industrial waste disposal, septic drying bed, septic field, sewage disposal, tile bed, and transfer station. The data is currently under development, meaning the data is currently in the process of being created by the MNR.

Government Publication Date: April 30, 2025

Water Well Information System:

Provincial

[WWIS](#)

This database consists of information submitted by well contractors detailing locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table. The database is provided by the Ontario Ministry of Environment, Conservation and Parks.

Government Publication Date: Jul 31, 2025

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX 3

QUALIFICATIONS OF ASSESSORS



PATERSON GROUP

solution oriented engineering



Mark S. D'Arcy, P.Eng., QPESA **Director – Environmental Division**

After receiving his Bachelors of Applied Science from Queen's University in 1991 in Geological Engineering, Mark joined Paterson Group Inc. During the first 10 years of Mark's career, he was heavily involved in all aspects of field work, including drilling boreholes, excavating test pits, conducting phase I site inspections, environmental sampling and analysis and inspection of environmental remediations. During Mark's field experience, he gained invaluable field and office experience, which would prepare Mark to become the Environmental Division Manager. Mark's field experience ranges from Phase I Environmental Site Assessments (ESAs) to on-site soil and groundwater remediations, as well as, environmental/geotechnical borehole investigations. Mark's field experience has provided extensive knowledge of subsurface conditions, contractor relations and project management. These skills would provide Mark with the ability to understand a variety of situations, which has lead Paterson to an extremely successful Environmental Department. Mark became the Environmental Manager in 2001 and has been an integral part in growing the Environmental Division. Mark is the Senior Project Manager for a wide variety of environmental projects within the Eastern Ontario area including Phase I ESAs, Phase II ESAs, remediations for filing Records of Site Condition in the Ontario Ministry of the Environment, Conservation and Parks (MECP) Environmental Site Registry, Brownfield Applications and Landfill Monitoring Programs. As the Senior Project Manager, Mark is responsible for directing project personnel, final report review and overall project success. Mark has proven leadership and ability to manage small to large scale projects within the allotted time and budget.

EDUCATION

B.A.Sc. 1991, Geological Engineering, Queen's University, Kingston, ON

LICENCE/PROFESSIONAL AFFILIATIONS

Professional Engineers of Ontario

ESA Qualified Person with MECP

Ontario Society of Professional Engineers

Consulting Engineers of Ontario

Ontario Environment Industry Association

YEARS OF EXPERIENCE

With Paterson: 35

HEAD OFFICE LOCATION

9 Auriga Drive, Ottawa, Ontario, K2E 7T9

SELECT LIST OF PROJECTS

- 3342 Navan Road, Ottawa, Ontario; (Senior Project Manager: Phase I ESA, Phase II ESA, Landfill Impact Assessment)
- 900 Carling Avenue – New Ottawa Hospital, Ottawa, Ontario; (Senior Project Manager: Phase I ESA, Phase II ESA, Remediation)
- 3-33 Selkirk Street, Ottawa, Ontario; (Senior Project Manager: Phase I ESA, Phase II ESA, Remediation, Oversee CSM and CPU for Risk Assessment)
- Riverview Development – Kingston, Ontario, (Senior Project Manager: Phase I ESA, Phase II ESA, Oversee RA and RSC process)
- Wellington Street West at Huron Avenue, Ottawa, Ontario; (Senior Project Manager: Soil Vapour Intrusion Assessment, Implementation of Vapour Intrusion Mitigation Measures)
- Art's Court Redevelopment, Ottawa, Ontario (Senior Project Manager for Phase I ESA, Phase II ESA, Phase III ESA, Environmental Remediation)
- Visitor Welcome Centre, Phase II and Phase III, Parliament Hill, Ottawa, Ontario (Senior Project Manager for Environmental Remediation)
- Rideau Centre Expansion, Ottawa, Ontario (Senior Project Manager for Phase I & II ESA, Remediation)

PROFESSIONAL EXPERIENCE

2001 to present, Manager of Environmental Division, Paterson Group Inc., Ottawa, Ontario

- Manage all aspects of the environmental division (management of personnel, budgeting, invoicing, scheduling, business development, reporting, marketing, and fieldwork).
- Review day to day operations within the environmental division.
- Design, perform, and lead Phase I, II and Phase III ESAs, Remediation's, Brownfield Applications and Record of Site conditions, fieldwork surveys, excavation, monitoring, laboratory analysis, and interpretation.
- Write, present, and publish reports with methodology and laboratory analysis results, along with recommendations for environmental findings.
- Responsible for ensuring projects meet Ministry of Environment and Climate Change Standards and Guidelines.
- Building and fostering relationships with clients, stakeholders, and Ministry officials.
- Supervise and continuous training of staff in environmental methods (environmental sampling techniques, technical expertise and guidance).
- Applied due diligence in ensuring the health and safety of staff and the public in field locations.

1991 to 2001, Geotechnical and Environmental Engineer, Paterson Group Inc., Ottawa, Ontario

- Provide on-site geotechnical and environmental expertise to various clients.
- Oversee geotechnical and environmental investigations for drilling and test pitting on numerous proposed utility installations, residential and commercial developments.
- Problem solving to help advance or maintain project schedules.
- Complete environmental reports with recommendations to meet environmental standards set by MOE and CCME standards.
- Conduct site inspections, bearing medium evaluations, bearing surface inspections, concrete testing and field density testing.
- Liaising with contractors, consultants and government officials.
- Provide cost estimates for geotechnical and environmental field programs and construction costs.
- Review RFI's, submittals, monthly progress reports and other various construction related work.



Mohammed Ramadan, B.Sc Environmental Scientist

Mohammed joined Paterson Group in 2021 as part of the Environmental Department. Mohammed received his Bachelor of Science in Environmental Science from Carleton University in 2017. Since joining Paterson group in 2021, Mohammed has worked on numerous residential and commercial development projects, predominantly within the National Capital Region as well as various locations within Southeastern Ontario. His scope of work consists of conducting Phase I & II Environmental Site Assessments, field inspections, contaminated soil and groundwater field sampling and supervising the remediation of contaminated sites.

EDUCATION

Bachelor of Science in Environmental Science
2017
Carleton University

YEARS OF EXPERIENCE

With Paterson: 7

OFFICE LOCATION

9 Auriga Drive, Ottawa, Ontario, K2E 7T9

SELECT LIST OF PROJECTS

- RESIDENTIAL DEVELOPMENT: 200 BARIBEAU STREET, OTTAWA, ON (SITE REMEDIATION COORDINATOR & SUPERVISOR).
- RESIDENTIAL DEVELOPMENT: 93-105 NORMAN STREET, OTTAWA, ON (SITE REMEDIATION COORDINATOR & SUPERVISOR)
- COMMERCIAL DEVELOPMENT: TOLLGATE ROAD W, CORNWALL, ON (PHASE I & II ENVIRONMENTAL SITE ASSESSMENT)
- COMMERCIAL DEVELOPMENT: 930 WELLINGTON STREET W, OTTAWA, ON (PHASE I & II ENVIRONMENTAL SITE ASSESSMENT)
- COMMERCIAL DEVELOPMENT: 1405 WELLINGTON STREET W, OTTAWA, ON (PHASE I & II ENVIRONMENTAL SITE ASSESSMENT)
- RESIDENTIAL DEVELOPMENT: 1124 – 1130 BANK STREET, OTTAWA, ON (PHASE I & II ENVIRONMENTAL SITE ASSESSMENT)
- COMMERCIAL DEVELOPMENT: 1802 – 1804 ST. LAURENT BLVD, OTTAWA, ON (PHASE I ENVIRONMENTAL SITE ASSESSMENT)

PROFESSIONAL EXPERIENCE

2021 to present, **Environmental Scientist, Paterson Group, Ottawa, Ontario**

- Conducting Phase I and Phase II Environmental Site Assessments in accordance with CSA standards and O.Reg. 153/04.
- Responsible for the application of environmental, hydrogeological, and/or geotechnical principles and practices in the identification and delineation of soil and groundwater contamination plumes while ensuring compliance with federal, provincial, and/or municipal legal and regulatory requirements.
- Presenting analytical test results, interpretations, assessments, recommendations and/or conclusions in a final technical report.
- Field experience in the supervision of drilling and excavation contractors, inspection of aboveground and underground fuel storage tanks, soil and rock classification, soil and groundwater field sampling, as well as the collection of hazardous building materials and designated substances.
- Coordination and on-site supervision of soil and groundwater remediation activities for contaminated sites.
- Liaising with clients, contractors, consultants, and government officials.
- Coordination of contractors and field staff while directly reporting to senior management and client to ensure completion of project on schedule and within budget;
- Manage excavation contractors to ensure soil quality control; daily reporting to project manager;
- Present analytical test results, interpretations, assessments, recommendation and/or conclusions in a final technical report as well as verbal and written communication with clients.