



- DRAWING NOTES:**
1. SUBMITTALS
 - 1.1. PROVIDE SUBMITTALS IN ACCORDANCE WITH SCOPE OF WORK, SECTION 3, GENERAL PROJECT NOTES.
 - 1.2. PRODUCT DATA:
 - 1.2.1. PROVIDE MANUFACTURER'S PRINTED PRODUCT LITERATURE AND DATASHEETS FOR PIPING AND ADHESIVES, AND INCLUDE PRODUCT CHARACTERISTICS, PERFORMANCE CRITERIA, PHYSICAL SIZE, FINISH AND LIMITATIONS.
 - 1.2.2. PROVIDE TWO COPIES WHMIS MSDS - MATERIAL SAFETY DATA SHEETS
 2. DELIVERY, STORAGE AND HANDLING
 - 2.1. DELIVER MATERIALS TO SITE IN ORIGINAL FACTORY PACKAGING, LABELED WITH MANUFACTURER'S NAME, ADDRESS.
 - 2.2. STORE AT TEMPERATURES AND CONDITIONS RECOMMENDED BY MANUFACTURER.
 3. MATERIAL
 4. PIPING AND FITTINGS
 - 4.1. FOR BURIED DWV PIPING TO:
 - 4.1.1. CAN/CSA B1800.
 5. JOINTS
 - 5.1. SOLVENT WELD FOR PVC: TO ASTM D2564.
 - 5.2. SOLVENT WELD FOR ABS: TO ASTM D2235.
 6. CLEANOUTS
 - 6.1. INSTALL CLEANOUTS WHERE SHOWN ON DRAWINGS AND AS REQUIRED BY OBC.
 - 6.2. EXTEND CLEANOUT OPENING TO GRADE AND PROVIDE A SEALED REMOVABLE COVER RATED FOR VEHICLE TRAFFIC.
 7. TRENCH DRAIN
 - 7.1. PROVIDE AND INSTALL POLYPROPYLENE (CORROSION PROOF) TRENCH DRAIN RATED FOR VEHICLE TRAFFIC AS SHOWN ON DRAWINGS.
 - 7.2. INSTALL TRENCH DRAIN PER MANUFACTURER'S INSTRUCTIONS. WATTS DEAD LEVEL D PRE-SLOPED POLYPROPYLENE TRENCH DRAIN SYSTEM WITH POLYPROPYLENE FRAME OR APPROVED ALTERNATE SHALL BE ACCEPTABLE.



NOTES

ALL INTERIOR WALLS ARE NOT SHOWN DUE TO THE SECURE NATURE OF THE FACILITY.



All dimensions in

REV#	YYYY-MM-DD	SUBMISSION INFORMATION
B	2022-09-16	ISSUED FOR BUILDING PERMIT
A	2022-09-13	ISSUED FOR CLIENT REVIEW

DISCLAIMER:
THIS DRAWING IS PROTECTED BY COPYRIGHT LAW, AND SHOULD NOT BE REPRODUCED IN ANY MANNER, OR FOR ANY PURPOSE, EXCEPT BY WRITTEN PERMISSION OF MORRISON HERSHFIELD. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND REPORT ANY ERRORS AND/OR OMISSIONS TO MORRISON HERSHFIELD.

PROFESSIONAL SEALS



MORRISON HERSHFIELD
Suite 200, 2932 Baseline Road
Ottawa, ON K2H 1B1
Tel: 613 739 2910

PROJECT
**CBN GLADSTONE
NEW LOADING BAY
PHASE 1**

DRAWING
**MECHANICAL
DRAINAGE PLAN**

DESIGN	DATE	SCALE
LCP	2022-09-16	As Shown
DRAWN	PROJECT NO	
LCP	2200108.00	
CHECKED	DRAWING NO	VERSION
BMM	M300	B
APPROVED		
BMM		

X:\Proj\2022\220010800-CBN Gladstone Temp Loading Bay\09_CAD\05_Mechanical\Stage 1\M300 - Drainage Plan.dwg Last Saved: 2022-09-16 10:00 AM by L.Palluch Plotted: 2022-09-16 10:14 AM by Leo Palluch