



**SITE PLAN CONTROL APPLICATION
SITE PLAN APPROVAL REPORT
PLANNING, DEVELOPMENT AND BUILDING SERVICES DEPARTMENT**

Site Location: 2983 Navan Rd (Block 16)

File No.: D07-12-24-0119

Date of Application: November 20, 2024

This SITE PLAN CONTROL application submitted by Madelen Fellows, J.L. Richards & Associates Limited, on behalf of 12714001 Canada Inc, is APPROVED pursuant to the conditions stated in this report

And the following plans are approved:

1. **Site Plan**, SP-A01, prepared by McRobie Architects & Interior Design, dated 12 May 2022, revision 28 dated 2 April 2026.
2. **Landscape Plan**, L.1, prepared by James B Lennox and Associates Inc., dated November 2023, revision 14 dated March 24. 2026.
3. **Site Servicing Plan**, C01, prepared by J.L.Richards, dated 22/12/23, revision 6, dated 15/04/26
4. **Grading and Ponding Plan**, C02, prepared by J.L.Richards, dated 22/12/23, revision 6, dated 15/04/26
5. **Storm and Sanitary Drainage Plan**, C03, prepared by J.L.Richards, dated 22/12/23, revision 6, dated 15/04/26
6. **Erosion and Sediment Control Plan**, C04, prepared by J.L.Richards, dated 22/12/23, revision 6, dated 15/04/26

And as detailed in the following report(s):

1. **Site Servicing Report**, prepared by J.L. Richards and Associates Limited, revision 3, July 16, 2025.
2. **Geotechnical Investigation**, prepared by EXP Services Inc., Dated March 10, 2023, Revision 2, dated September 12, 2024
3. **Tree Conservation Report and Environmental Impact Statement – Updated**, prepared by Muncaster Environmental Planning Inc. revision dated June 12, 2025.
4. **Landslide Hazard Assessment**, prepared by Paterson Group, revision 2, dated January 30, 2025.
5. **Stationary Noise Assessment**, prepared by GradientWind Engineers and Scientists, Dated December 12, 2023

And subject to the following Requirements, General and Special Conditions:

Requirements

1. The Owner shall submit a certificate of insurance in a form satisfactory to the City. The certificate of insurance must be issued in favor of the City of Ottawa in an amount not less than five million dollars per occurrence, must contain an endorsement naming the City as an additional insured and an unconditional thirty days notice of any material change or cancellation of the policy.

General Conditions

1. Lapsing of Approval

The Owner shall enter into this Site Plan Control Agreement including all standard and special conditions, financial and otherwise, as required by the City. In the event that the Owner fails to sign this Agreement, complete the conditions to be satisfied prior to the signing of this Agreement, and have the corresponding building permit(s) issued within three (3) years of Site Plan approval, the approval shall lapse.

2. Barrier Curbs

The Owner acknowledges and agrees that the parking areas and entrances shall have barrier curbs and shall be constructed in accordance with the drawings of a design professional, such drawings to be approved by the General Manager, Planning, Development and Building Services.

3. Water Supply for Fire Fighting

The Owner shall provide adequate water supply for fire fighting for every building. Water supplies may be provided from a public water works system, automatic fire pumps, pressure tanks or gravity tanks.

4. Reinstatement of City Property

The Owner shall reinstate, at its expense and to the satisfaction of the General Manager, Planning, Development and Building Services, any property of the City, including, but not limited to, sidewalks, curbs and boulevards, which is damaged as a result of the subject development.

5. Construction Fencing

The Owner acknowledges and agrees to install construction fencing, at its expense, in such a location as may be determined by the General Manager, Planning, Development and Building Services.

6. Construct Sidewalks

The Owner shall design and construct sidewalk(s) within public rights-of-way or on other City owned lands to provide a pedestrian connection from or to the site as may be determined by the General Manager, Planning, Development and Building Services. Such sidewalk(s) shall be constructed to City Standards.

7. **Extend Internal Walkway**

The Owner shall extend internal walkways beyond the limits of the subject lands to connect to existing or proposed public sidewalks, at the sole expense of the Owner, to the satisfaction of the General Manager, Planning, Development and Building Services.

8. **Completion of Works**

The Owner acknowledges and agrees that no new building will be occupied on the lands until all requirements with respect to completion of the Works as identified in this Agreement have been carried out and received Approval by the General Manager, Planning, Development and Building Services, including the installation of municipal numbering provided in a permanent location visible during both day and night and the installation of any street name sign on relevant streets. Notwithstanding the non-completion of the foregoing Works, occupancy of a lot or structure may otherwise be permitted, if in the sole opinion of the General Manager, Planning, Development and Building Services, the aforesaid Works are proceeding satisfactorily toward completion. The Owner shall obtain the prior consent of the General Manager, Planning, Development and Building Services for such occupancy in writing.

Until all requirements with respect to completion of the Works as identified in this Agreement have been carried out and received Approval by the General Manager, Planning, Development and Building Services, the Owner shall give notice to the City of a proposed conveyance of title to any building at least thirty (30) days prior to any such conveyance. No conveyance of title to any building shall be effective unless the Owner has complied with this provision.

Nothing in this clause shall be construed as prohibiting or preventing the approval of a consent for severance and conveyance for the purposes of obtaining financing.

9. **Development Charges**

The Owner shall pay development charges to the City in accordance with the by-laws of the City.

Special Conditions

10. **Professional Engineering Inspection**

The Owner shall have competent Professional Engineering inspection personnel on-site during the period of construction, to supervise the Works, and the General Manager, Planning, Development and Building Services Department, shall have the right at all times to inspect the installation of the Works. The Owner acknowledges and agrees that should it be found in the sole opinion of the General Manager, Planning, Development and Building Services Department, that such personnel are not on-site or are incompetent in the performance of their duties, or that the said Works are not being carried out in accordance with the approved plans or specifications and in accordance with good engineering practice, then the General Manager, Planning, Development and Building Services Department, may order all Work in the project to be stopped, altered, retested or changed to the satisfaction

of the General Manager, Planning, Development and Building Services Department.

11. **Private Access Detail**

The Owner agrees that all private access, including temporary construction access to the subject lands, shall be designed and located in accordance with and shall comply with the City's Access By-Law (2026-139), as amended, and shall be subject to approval of the General Manager, Planning, Development and Building Services.

The Owner acknowledges and agrees that all private approaches serving the proposed development shall be designed and constructed, at the sole expense of the Owner, in accordance with the City's "Curb Return Entrances – Uncontrolled Intersections" Plan, Drawing No. SC7.1, dated March 2007 and revised March 2021, and the Owner shall comply with the City's Access By-law, (2026-139), as amended.

12. **Noise Control Attenuation Measures**

The Owner covenants and agrees that it shall retain the services of a professional engineer or licensed engineer (LEP) with experience in acoustical engineering and noise studies licensed in the Province of Ontario to ensure that the recommendations of the Stationary Noise Assessment (dated December 12, 2023), referenced in Schedule "E" herein, are fully implemented. The Owner further acknowledges and agrees that it shall provide the General Manager, Planning, Development and Building Services with confirmation issued by the professional engineer that the Owner has complied with all recommendations and provisions of the Stationary Noise Assessment (dated December 12, 2023), prior to first security reduction request, which confirmation shall be to the satisfaction of the General Manager, Planning, Development and Building Services.

13. **Geotechnical Investigation**

The Owner acknowledges and agrees that it shall retain the services of a geotechnical engineer, licensed in the Province of Ontario, to ensure that the recommendations of the Geotechnical Investigation prepared by EXP (the "Report"), referenced in Schedule "E" herein, are fully implemented. The Owner further acknowledges and agrees that it shall provide the General Manager, Planning, Development and Building Services with confirmation issued by the geotechnical engineer that the Owner has complied with all recommendations and provisions of the Report, prior to construction of the foundation and at the completion of the Works, which confirmation shall be to the satisfaction of the General Manager, Planning, Development and Building Services.

14. **Spill Contingency and Pollution Prevention Plan**

The Owner shall, within six (6) months of signing this Agreement, develop and implement a spill contingency and pollution prevention plan, which plan, at a minimum, will include a set of written procedures describing how to prevent and/or mitigate the impacts of a spill within the area serviced by the Works:

- (a) the name, job title and location (address) of the Owner, person in charge, management or person(s) in control of the buildings;
- (b) the name, job title and 24-hour telephone number of the person(s) responsible for activating the spill contingency and pollution prevention plan;
- (c) a site plan drawn to scale showing the facility, nearby buildings, streets, catch basins and manholes, drainage patterns (including direction of flow in storm sewers), and receiving water course that could potentially be significantly impacted by a spill and any features which need to be taken into account in terms of potential impacts on access and response (including physical obstructions and location of response and clean-up equipment);
- (d) steps to be taken to report, contain, clean up and dispose of contaminants following a spill;
- (e) a listing of telephone numbers for local clean-up companies who may be called upon to assist in responding to spills, local emergency responders including health institution(s), and the Ministry of the Environment, Conservation and Parks Spills Action Centre;
- (f) Materials Safety Data Sheets (MSDS) for each hazardous material which may be transported or stored in the said building;
- (g) the means (internal corporate procedures) by which the spill contingency and pollution prevention plan is activated;
- (h) a description of the spill response training provided to employees assigned to work in the said building, the date(s) on which the training was provided and by whom;
- (i) an inventory of response and clean-up equipment available to implement the spill contingency and pollution prevention plan, location and date of maintenance/replacement if warranted; and
- (j) the dates on which the spill contingency and pollution prevention plan was prepared and subsequently, amended.

The Owner covenants and agrees to maintain the spill contingency and pollution prevention plan up to date through revisions undertaken from time to time as required by changes to the general operations of the site. The Owner further covenants and agrees to retain a copy of the spill contingency and pollution prevention plan in a conspicuous, readily accessible location on-site such that it can be used as a reference by employees assigned to work in the said building. The Owner further covenants and agrees that it will make available, for inspection and copying by City personnel, the spill contingency and pollution prevention plan.

15. **Re-Grading and Maintenance of Ditch**

The Owner acknowledges and agrees it shall be responsible for various grading and maintenance measures along Navan Road, which include the following:

- (a) Re-grade the shoulders of the ditch within the road allowance(s) of Navan Road abutting the subject lands, to the satisfaction of the General Manager, Planning, Development and Building Services Department;
- (b) Obtain utility clearances prior to the re-grading of any ditch;
- (c) Obtain approval from the City's Roads Services Branch of the Public Works Department if the grade of any ditch bottom is to change; and
- (d) Maintain a grass cover within the road allowance(s) of Navan Road abutting the subject lands, to the satisfaction of the General Manager, Planning, Development and Building Services Department.

16. **Stormwater Works Certification**

Upon completion of all stormwater management Works, the Owner acknowledges and agrees to retain the services of a Professional Engineer, licensed in the Province of Ontario, to ensure that all measures have been implemented in conformity with the approved Plans and Reports, referenced in Schedule "E" herein. The Owner further acknowledges and agrees to provide the General Manager, Planning, Development and Building Services with certificates of compliance issued by a Professional

Engineer, licensed in the Province of Ontario, confirming that all recommendations and provisions have been implemented in accordance with the approved Plans and Reports referenced in Schedule "E" herein.

17. **Inlet Control Devices (ICDs)**

The Owner acknowledges and agrees to install and maintain in good working order the required in-ground stormwater inlet control devices, as recommended in the approved Site Servicing Report prepared by J.L.Richards, referenced in Schedule "E" herein. The Owner further acknowledges and agrees it shall assume all maintenance and replacement responsibilities in perpetuity. The Owner shall keep all records of inspection and maintenance in perpetuity, and shall provide said records to the City upon its request.

18. **Water Demand for Fire Fighting**

The Owner acknowledges and agrees that the City's boundary conditions were provided for the subject development site setting out the available municipal water supply. The Owner further acknowledges and agrees that prior to building permit issuance, a letter shall be prepared by a qualified Building Code professional, licensed in the Province of Ontario, and provided to the General Manager, Planning, Development and Building Services confirming the plans submitted for building permit issuance have incorporated any and all requirements of the Fire Underwriters Survey, 2020, or as amended, to achieve the low construction coefficient used within the proposed building design.

19. **Water Plant**

The Owner acknowledges and agrees that the water plant within the lands is a private watermain. The Owner further acknowledges and agrees that the private watermain and appurtenances thereto are to be maintained by the Owner at its own expense, in perpetuity. The Owner performing maintenance on critical infrastructure, such as private watermains and private fire hydrants, shall maintain adequate records as proof of having done so in accordance with applicable regulations, and that the records shall be retained for review by the City and or the Ottawa Fire Services when requested.

20. **Site Lighting Certificate**

- (a) In addition to the requirements contained in Clause 19 of Schedule “C” hereto, the Owner acknowledges and agrees, prior to the issuance of a building permit, to provide the City with a certificate from an acceptable professional engineer, licensed in the Province of Ontario, which certificate shall state that the exterior site lighting has been designed to meet the following criteria:
 - (i) it must be designed using only fixtures that meet the criteria for full cut-off (sharp cut-off) classification, as recognized by the Illuminating Engineering Society of North America (IESNA or IES); and
 - (ii) it must result in minimal light spillage onto adjacent properties. As a guideline, 0.5 fc is normally the maximum allowable spillage.
- (b) The Owner acknowledges and agrees that, upon completion of the lighting Works and prior to the City releasing any associated securities, the Owner shall provide certification satisfactory to the General Manager, Planning, Development and Building Services, from a Professional Engineer, licensed in the Province of Ontario, that the site lighting has been constructed in accordance with the Owner’s approved design plan.

21. **Waste Collection**

The Owner acknowledges and agrees that garbage, recycling, and organic waste collection will not be provided by the City and it shall make appropriate arrangements with a private contractor for garbage, recycling, and organic waste collection at the Owner’s sole expense. The Owner shall consult a private contractor regarding any access requirements for garbage and/or recycling and organic waste collection.

22. **Street Name and Signs**

- (a) The Owner acknowledges and agrees it shall provide for, install and maintain, at its own expense, all regulatory traffic signage, in accordance with the City’s Municipal Addressing By-law 2014-78, as amended, for any private road within the area controlled by this Agreement and as shown on the approved Site Plan, referenced in Schedule “E” herein.

23. **Rideau Valley Conservation Authority**

The Owner acknowledges and agrees to obtain any required approvals and/or permits from the Rideau Valley Conservation Authority prior to the commencement of site works. The Owner acknowledges and agrees to file copies of such approvals and/or permits with the General Manager, Planning, Development and Building Services.



August 6, 2026

Date

John Sevigny
Manager, Development Review East,
Planning, Development and Building
Services Department

Enclosure: Site Plan Control Application approval – Supporting Information

SITE PLAN CONTROL APPROVAL APPLICATION SUPPORTING INFORMATION

File Number: D07-12-24-0119

SITE LOCATION

2983 Navan Rd (Block 16) is located in the east corner of the Navan Road and Brian Coburn Boulevard intersection, and as shown on Document 1.

SYNOPSIS OF APPLICATION

The property is a large vacant site with approximately 32 metres of frontage on Navan Road and another 71 metres on Brian Coburn Boulevard. To the south of the property are a row of existing houses on larger lots. The lands to the east are part of a new subdivision with two blocks adjacent to the site with future apartments and townhouse to be constructed. To the north on the north side of Brian Coburn Blvd is the City's Chapel Hill Park n Ride station.

There will be three primary structures on the site: the store/restaurant, car wash and canopy over the fuel pumps. There are two queuing lanes, one for the drive-through and one for the car wash. Parking will be located around the perimeter with drive aisles from the accesses around the buildings and to the pumps. Pedestrian routes through the site connect the restaurant with the sidewalks on the street and there is a pedestrian walkway to the residential street to the east.

The infrastructure is connected to municipal services and sufficient capacity is available. The layout and uses represents good planning at this location.

Related Applications

The following applications are related to this proposed development:

- Zoning Amendments – D02-02-21-0090 and D02-02-26-0010
- Plan of Subdivision – D07-12-21-0027

DECISION AND RATIONALE

This application is approved for the following reasons:

- The proposal has incorporated many of the Urban Design Guidelines for Gas Stations.
- The recent minor rezoning application (D02-02-26-0010) addressed some setback issues. The by-law was approved with all opportunities of appeals exhausted on May 21, 2026.

- The conditions of approval were drawn from the standard approved conditions based on the planning and engineering requirements.
- The proposed gas station, restaurant and car wash has been designed with the Urban Design Guidelines and conforms with the zoning by-law as amended and represents good planning.

PARKLAND DEDICATION

Parkland dedication, in accordance with By-law 2022-280, was previously satisfied through the related plan of subdivision approval.

URBAN DESIGN REVIEW PANEL

The Site Plan Control application was not subject to the Urban Design Review Panel process.

CONSULTATION DETAILS

Councillor's Comments

Councillor Catherine Kitts was aware of the application related to this report.

Public Comments

This application was subject to public circulation under the Public Notification and Consultation Policy. There were public comments received online and staff considered these comments.

Technical Agency/Public Body Comments

Summary of Comments – Technical

N/A

Advisory Committee Comments

Summary of Comments – Advisory Committees

N/A

APPLICATION PROCESS TIMELINE STATUS

This Site Plan application was not processed by the On Time Decision Date as the application had to wait for the registration of the Subdivision to create the land parcel.

Contact: Steve Belan Tel: 613-580-2424, ext. 27591 or e-mail: Steve.Belan@ottawa.ca

Document 1 – Location Map



D07-12-24-0119

24-1167-R

I:\CO\2024\Site\Navan_2983

©Parcel data is owned by Terranet Enterprises Inc. and its suppliers.
All rights reserved. May not be produced without permission.
THIS IS NOT A PLAN OF SURVEY

©Les données de parcelles appartiennent à Terranet Enterprises Inc. et
à ses fournisseurs. Tous droits réservés. Ne peut être reproduit sans
autorisation. CECI N'EST PAS UN PLAN D'ARPENTAGE

REVISION / RÉVISION - 2024 / 10 / 17

LOCATION MAP / PLAN DE LOCALISATION
SITE PLAN / PLAN D'EMPLACEMENT



**2983 ch. Navan Rd. (2130 boul. Brian Coburn Blvd.)
Blocks/ilots 16, Plan 4M-XXXX**



NOT TO SCALE