

HYDROGEOLOGICAL ASSESSMENT

145 WALGREEN ROAD, CARP, ON



Project No: CCO-25-1370

Prepared for:

Miller Waste
145 Walgreen Road
Ottawa, ON
K0A 1G0

Prepared by:

Egis Canada Ltd
115 Walgreen Road
Carp, ON
K0A 1L0

Draft: December 20, 2024

Final: March 6, 2025



Table of Contents

EXECUTIVE SUMMARY	III
1.0 INTRODUCTION	1
1.1 Consultation	1
2.0 BACKGROUND	2
2.1 Site Setting	2
2.2 Neighbouring Properties and Land Uses	2
2.3 Hydrology	2
2.4 Geology and Hydrogeology	2
2.4.1 Recharge and Discharge Areas	3
2.4.2 Potential Sources of Contamination and Potential Impacts to Hydrogeological Conditions at the Site	3
2.4.3 Water Well Record Review	4
3.0 METHODOLOGY – HYDROGEOLOGICAL ASSESSMENT	5
3.1 Additional Sampling	6
4.0 RESULTS	7
4.1 Static Conditions	7
4.2 Data Logger Information	7
4.3 Pumping Test	7
4.3.1 Test Well 1 (TW1) Pumping Test Specifics	7
4.3.2 Well Yield	8
4.4 Calculations	8
4.4.1 Storativity	8
4.4.2 Transmissivity	8
4.4.3 Hydraulic Conductivity	9
4.4.4 Long Term Yield	9
4.5 Water Quality	10

115 Walgreen Road, R.R.3. Carp, ON K0A 1L0 | T. 613-836-2184 | F. 613-836-3742

info.north-america@egis-group.com | www.egis-group.com

4.5.1	Groundwater Quality Results	10
4.5.2	Additional Groundwater Sampling	12
4.5.3	Groundwater quality and potential impacts.....	12
4.5.4	Water Treatment.....	13
5.0	CONCLUSIONS.....	14
5.1.1	Groundwater Evaluation	14
5.2	Recommendations.....	17
6.0	LIMITATIONS	19
7.0	CLOSURE.....	20
8.0	REFERENCES.....	21

TABLES

Table 1	Summary of Field Parameters (TW1)
Table 2	Summary of Laboratory Data

FIGURES

Figure 1	Site Location
Figure 2	Site Layout
Figure 3	MECP Water Well Information System Summary

APPENDICES

Appendix A	MECP Well Records
Appendix B	Well Records (TW1)
Appendix C	Certificate of Calibration
Appendix D	Water Level Data and Pumping Test Analyses
Appendix E	Laboratory Certificates of Analysis
Appendix F	Data Logger and Baro Logger Data
Appendix G	Transmissivity, Farvolden and Moell Method Calculations
Appendix H	Langelier Saturation Index (LSI) and Ryznar Stability Index (RSI) Calculations
Appendix I	MECP Written Consent
Appendix J	Manganese and Strontium in Drinking Water Fact Sheets

EXECUTIVE SUMMARY

Egis Canada Ltd ('Egis') was retained by the Miller Waste ('the Client') to conduct a Hydrogeological Assessment in support of a Site Plan Application at 145 Walgreen Road, Carp, Ontario ('the Site'). It is our understanding that the Site Plan Application is for a proposed building addition, which triggers this Hydrogeological Assessment requirement from the City of Ottawa. Due to the quality of groundwater observed in the on-site drilled well, the groundwater at the Site is to be used as a non-potable use as the drinking water standards are not met.

This report has been prepared using data collected by Egis staff on August 28, 2024, from an existing on-Site well ('TW1') located at the Site. Hydrogeological data from this well is considered representative of the Site.

Egis conducted an eight-hour pumping test at TW1 on August 28, 2024. Groundwater was pumped directly from the well using the existing domestic water well pump. A follow up sample was collected on December 11, 2024.

All analytical results were compared to the Ontario Drinking Water Standards, Objectives, and Guidelines (ODWSOG) and MECP Procedure D-5-5 Maximum Concentration Considered Reasonably Treatable (MCCRT). Based on the analytical results from samples collected from TW1, the following exceedances of ODWSOG were noted:

- **Total Coliforms** (Maximum Allowable Concentration (MAC)) of 0 ct/100ml: TW1-1: 25 ct/100ml and TW1-3 (10 ct/100ml). Total Coliforms has both an ODWSOG of 0 ct/100ml and a MAC of 0 ct/100ml under the Guidelines for Canadian Drinking Water Quality;
- **Colour** (AO of 5 TCU): TW1-1 (15 TCU), TW1-2 (25 TCU) and TW1-3 (10 TCU). Additionally, colour is above the MCCRT of 7 TCU;
- **Hardness** (operational guideline (OG) range of 80-100 mg/L): TW1-1 (1,240 mg/L), TW1-2 (1,290 mg/L), and TW1-3 (1,250 mg/L). As per the ODWSOG, hardness above 300 mg/L is considered very hard. Hardness in excess of 500 mg/L is considered unacceptable for most domestic supply purposes but there is no MCCRT value;
- **Total dissolved solids** (AO of 500 mg/L): TW1-1 (2,920 mg/L), TW1-2 (2,920 mg/L) and TW1-3 (3,150 mg/L);
- **Turbidity** (ODWSOG of 1 and 5 NTU and MCCRT of 5 NTU): Laboratory-reported values for TW1-1 (20.3 NTU), TW1-2 (12.6 NTU) and TW1-3 (14.2 NTU), above the ODWSOG of 1.0 and 5.0 NTU and the MCCRT of 5 NTU as per MECP D-5-5. Laboratory results of turbidity are typically higher due to the precipitation of iron and other metals with changes in temperature and exposure to oxygen, resulting in a turbidity increase not present in raw groundwater. As such, field measurements of turbidity were treated as a more accurate indicator of water quality. Field measurements of TW1-1 are 14.7 NTU and decreased to 0.0 NTU at the end of

- the test (TW1-2). Additionally, field measurements of turbidity were 0.96 NTU at the time of sampling TW1-3;
- **Chloride** (aesthetic objective (AO) of 250 mg/L): TW1-1 (1,200 mg/L), TW1-2 (1,190 mg/L), and TW1-3 (1,440 mg/L). Chloride also exceeds the MCCRT limit of 250 mg/L in all samples;
 - **Nitrite** (N-NO₂) (MAC of 1.0 mg/L under both the ODWSOG and the Guidelines for Canadian Drinking Water Quality): TW1-1 (<2.5 mg/L) and TW1-2 (<2.5 mg/L). It is important to note that the minimum detection limit was raised to 2.5 mg/L, which is above the MAC of 1.0 mg/L for nitrite. Follow-up sampling for nitrite (TW1-3) indicated a lower concentration of <0.10 mg/L;
 - **Iron** (Fe) (AO of 0.3 mg/L): TW1-1 (2.17 mg/L), TW1-2 (1.73 mg/L) and TW1-3 (1.63 mg/L);
 - **Manganese** (Mn) (ODWSOG AO of 0.05 mg/L and the Canadian Drinking Water Guideline AO of 0.02 mg/L): TW1-1 (0.07 mg/L), TW1-2 (0.06 mg/L), and TW1-3 (0.06 mg/L). Manganese in samples TW1-1, TW1-2 and TW1-3 are below the MCCRT of 1.0 mg/L and the Canadian Drinking water Guideline MAC of 0.12 mg/L;
 - **Sodium** (medical alert limit of 20 mg/L and AO of 200 mg/L): TW1-1 (479 mg/L), TW1-2 (482 mg/L), and TW1-3 (556 mg/L). Additionally, the MCCRT for sodium of 200 mg/L is exceeded in samples TW1-1, TW1-2, and TW1-3; and
 - **Strontium** (MAC of 7 mg/L under the Guidelines for Canadian Drinking Water Quality): TW1-1 (16.2 mg/L), TW1-2 (17.3 mg/L) and TW1-3 (20.7 mg/L).

The groundwater quality at the Site is considered to be mineralized, due to excess of 500 mg/L of chloride. Additionally, sodium concentrations exceed the MAC.

Total Coliform exceedances above the ODWS and Canadian Drinking Water Guideline MAC of 0 ct/100ml were observed in TW1-1 and TW1-3. On January 24, 2025, TW1 was shocked/disinfected by a licensed well driller. Two (2) follow up microbial re-samples were collected on January 27 (TW1-4) and February 3 (TW1-5). No further microbial exceedances were observed and there was no residual chlorine measured in the well (a colorimeter was used).

It is noted that the proposed Site development is not fundamentally changing the ongoing use of the property. The addition to the existing on-site structure will be to support additional storage of vehicles. **Currently, groundwater is not used for potable purposes at the Site and will not be used for potable water purposes in the future, due to the water quality exceedances.**

Based on the analyses performed for this hydrogeological assessment, Egis is of the opinion that the aquifer which the test well intersects can adequately supply the proposed development in terms of quantity and should be suitable for the non-potable purposes currently utilized at the property. Consent not to abandon a water supply well that produces mineralized water has been provided by the MECP and included within Appendix I. The conditions within this letter must be followed at the Site.

It is recommended that signage remain posted on all faucets such that the groundwater is not consumed by persons at the Site. Bottled water should be provided on-Site for drinking purposes.

1.0 INTRODUCTION

Egis Canada Ltd ('Egis') was retained by Miller Waste ('the Client') to conduct a Hydrogeological Assessment in support of a Site Plan Application located at 145 Walgreen Road, Carp Ontario ('the Site'). It is our understanding that the Site Plan Application is for a proposed building addition, which triggers the Hydrogeological Assessment requirement from the City of Ottawa.

The Site location is shown on Figure 1 (Site Location) and an outline of the Site showing the neighbouring properties and an aerial photograph with the proposed severances is presented on Figure 2 (Site Layout).

This report has been prepared using data collected by Egis staff on August 28, 2024, from an existing well located at 145 Walgreen Road. Hydrogeological data from this well is considered representative of the proposed development.

This Hydrogeological Evaluation addresses the following:

- Well Record search and evaluation;
- Background hydrogeological evaluation;
- Installation of a data logger 1-week advance of the pumping test, and 1-week following the pumping test;
- Oversight of an eight-hour pumping test (TW1);
- Water level and flow monitoring, field water quality analyses;
- Sampling and analysis – includes two (2) samples analyzed for the 'Subdivision Supply Suite' of parameters (including trace metals), one (1) follow-up sample and two (2) microbial re-samples; and
- Data Evaluation and Report.

1.1 Consultation

On August 7, 2024, Egis completed a pre-consultation with the City of Ottawa Peer Reviewer to outline the subject investigation's methodology, and to discuss any known hydrogeological issues for the investigation area. Groundwater quality within the area was discussed, as it is our understanding that the groundwater may be mineralized due to elevated chlorides from either salt-related or naturally occurring impacts.

Following the receipt of the analytical results from the pumping test completed on August 28, 2024 a follow up meeting was completed with the City of Ottawa Peer Reviewer on September 15, 2024 to discuss the mineralized groundwater on-Site. At this meeting, the City of Ottawa noted that the MECP's consent to utilize a mineralized well may be required at this Site.

2.0 BACKGROUND

2.1 Site Setting

The Site is located within the City of Ottawa (Figure 1). The Site building consists of a two-storey office building and an existing slab on grade shop which services Miller Waste garbage trucks. Grassed landscape is located to the north of the Site building, fronting on Walgreen Road. A mixed paved and gravel parking area is located to the west of the Site building.

Based on a review of aerial photos, it appears that the existing Site Building has been present since at least 2012. It is Egis' understanding that groundwater is not used for potable purposes at the Site.

2.2 Neighbouring Properties and Land Uses

Land uses within 500 m of the proposed severances consists primarily of industrial and commercial properties. Wooded lands are observed to the southeast of the Site. The Site has frontage on Walgreen Road, located to the north.

While MECP Water Well Information System (WWIS) records for the area do not provide the detailed locations of most wells, it appears there is a mix of privately serviced properties, and properties connected to municipal services. The terminus of the municipal water supply is located to the east of the Site, to the closest fire hydrant along 145 Walgreen.

Figure 3 (MECP Wells Record Summary) presents the MECP Well Tag numbers and approximate well locations, where available, for wells within approximately 500 m of the Site.

2.3 Hydrology

Topography was reviewed on the Ministry of Natural Resources topographic website. The Site elevation is approximately 128 metres above sea level (m asl). Ground surface at the Site is generally flat.

Surface drainage is interpreted to reflect surface topography and is likely controlled via areas of permeable ground surface. Shallow groundwater and surface water will likely drain to the ditch along the north of the Site, fronting Walgreen Road, or the wetland area to the south of the Site.

On a regional scale, groundwater is inferred to flow northeast towards the Ottawa River. It is noted that the Site is located within the Carp River Watershed.

2.4 Geology and Hydrogeology

Geological maps of the area classify the overburden at the Site as organic deposits consisting of peat, muck and marl.

On-Site bedrock is generally characterized as limestone, dolostone, shale, arkose and sandstone, of the Ottawa Group, Simcoe Group and Shadow Lake Formation. Based on well records within 500 m of the Site, the depth to bedrock is approximately 3.5 m on average.

Review of a map on karst topography indicates that the Site is located within an area identified as potential karst formation. No karst topography was observed on-site at the time of the pumping test.

Based on surrounding topography, regional bedrock groundwater flow is interpreted to have a northeastern component, towards the Ottawa River.

2.4.1 Recharge and Discharge Areas

Based on a review of topographic data, geological maps, and Site visits, the property is generally flat. The entirety of the Site is mapped as an unnamed, unevaluated wetland, however the operational areas of the property would not be reasonably classified as a wetland. A wetland area is located immediately south of the Site, within the wooded area.

Based on a review of the subsurface soil presented in Egis' 2024 Geotechnical Investigation for the Site, the majority of the subsurface is predominantly silt. Limestone bedrock was encountered 1.4 – 3.56 m bgs. Additionally, based on the well record at the Site, the driller reported that 0 – 1.52 m bgs consisted of sand/clay, underlain by clay/till to a depth of 5.49 m where limestone or shale bedrock was encountered. Given the low permeability of overburden materials, the underlying aquifer is considered to be reasonably protected.

The closest water body to the Site is located 450 m north of the Site, at the Westbrook Snow Dump. It is noted that this is an artificial body of water (presumably with a liner), with controlled discharge to a nearby wetland.

2.4.2 Potential Sources of Contamination and Potential Impacts to Hydrogeological Conditions at the Site

A windshield survey of the surrounding area was conducted in combination with a site walkthrough and review of maps and zoning information. The Site is located in a predominantly commercial and industrial area. The current industrial use of the property usage does not appear to pose any significant environmental risk to the proposed addition. The nearby Westbrook Snow Dump is considered a potentially source of salt contamination, however it is a relatively new facility with a controlled meltwater discharge system, and is unlikely to pose a significant environmental risk to the proposed addition.

Although the Site is not connected to municipal services, many properties in the vicinity of the Site are municipally connected. However, it is likely that there are private sewage systems in the area.

2.4.3 Water Well Record Review

The MECP's WWIS database indicated 58 water wells that are located within 500 m of the Site. Thirty-nine (39) of these wells are listed for domestic purposes, one (1) for livestock, nine (9) test holes/monitoring wells, six (6) for commercial, one (1) as an injection well, one (1) for irrigation, and one (1) industrial. MECP WWIS records are shown on Figure 3, and data are summarized in Appendix A.

All water supply wells were completed in bedrock at final depths ranging from 6.1 (the industrial well) – 198.1 m below ground surface (bgs). The average depth to bedrock was reported to be 3.5 m bgs. Driller-reported static groundwater levels ranged from 0.9 – 16.8 m bgs.

Well yields reported on Well Records ranged from 15.14 – 204.41 L/min.

TW1, located at 145 Walgreen Road, was used as part of the water supply assessment. Based on the Well Record, TW1 was constructed with 6.41 m of casing, with a total well depth of 28.08 m. The depth to bedrock was reported as 5.49 m. The well yield was reported as 54 L/min.

3.0 METHODOLOGY – HYDROGEOLOGICAL ASSESSMENT

Egis conducted a hydrogeological investigation at the Site to assess the feasibility of servicing the proposed addition at the Site. The work generally followed the guidance of MECP Procedure D-5-5: Technical Guideline for Private Wells: Water Supply Assessment; and the City of Ottawa “Hydrogeological and Terrain Analysis Guidelines” dated March 2021 (HTAG), as well as guidance provided by the City of Ottawa’s reviewer in the pre-consultation.

Egis tested an existing well (Test Well 1 (TW1 – A080995)). The Well Record is presented in Appendix B. Based on the well record, the existing well (TW1) meets the construction requirements of O. Reg 903. An eight-hour pumping test was conducted by Egis staff on August 28, 2024. The test well was disconnected from the pressure tank, and the pump was configured to run constantly for the duration of the eight-hour test. The groundwater was pumped directly away from the well utilizing the existing domestic water well pump via a hose attached to the pitless adapter. In this case, the pressure tank was bypassed for the entire duration of the pumping test, such that the pump/pressure tank was not cycling on and off throughout the test.

During the testing period, water levels in the test well were measured using an electronic water level tape and a data logger. Water quality (pH, temperature, conductivity, turbidity, dissolved oxygen, total dissolved solids, residual chlorine) was also monitored and recorded in the field during the test using calibrated instruments (general parameters – Horiba U-52 Multimeter, residual chlorine - Hach DR900). A Certificate of Calibration has been included in Appendix C. Additional visual and olfactory water quality observations of colour and odour were made and are presented in Table 1 appended to this report. Field groundwater chemistry parameters had stabilized prior to collecting samples of the groundwater.

Two (2) samples were collected for laboratory analysis; one (1) near the first hour of the pump test (e.g. TW1-1) and the second one (1) near the seven and a half hour (e.g. TW1-2). These samples were analyzed for the full suite of parameters list in the HTAG (City of Ottawa, 2021), including Volatile Organic Compounds (VOCs).

The chlorine residual for the well water was measured using a Hach DR900 colorimeter; the Hach DR900 was zero standardized prior to collecting samples. The instrument was zero standardized prior to reading each sample. Based on instrument calibration and specifications, the value of “0.02 mg/L” is the minimum detection limit for this instrumentation.

All groundwater samples were collected unfiltered and unchlorinated, directly into clean bottles supplied by the analytical laboratories (Eurofins, Ottawa, ON). The samples were kept on ice and dropped off to Eurofins under strict chain-of-custody procedures. All samples were received by the laboratory within 24 hours of collection. Eurofins is fully accredited by the Standards Council of Canada/Canadian Association for Laboratory Accreditation (SCC/CALA).

During the pumping test, water level monitoring consisted of manual readings with an electronic water level tape and a data logger. Drawdown was measured in the pumped well and measurements were made until at least 95% recovery were achieved, or 24 hours had passed (whichever came first). An observation well was not available at the time of the pumping test.

Drawdown and recovery data from the pumping tests were plotted and analyzed using the Cooper-Jacob solution. The hydraulic conductivity (K , m/s) and transmissivity (T , m²/d) and long-term yield (Farvolden and Moell Method) of the aquifer were estimated.

3.1 Additional Sampling

Additional groundwater samples TW1-3, TW1-4 and TW1-5 were purged utilizing existing plumbing. A hose was connected from the tap on the pressure tank and groundwater was discharged outside the building. Field chemistry parameters were collected and stabilized prior to collecting sample each sample. Additionally, prior to sampling, the tap was disinfected with bleach. Similar to Section 3.0 above, the chlorine residual for the well water was measured using a Hach DR900 colorimeter. Residual chlorine was measured to be 0.02 mg/L.

As noted above, all groundwater samples were collected unfiltered and unchlorinated, directly into clean bottles supplied by the analytical laboratories (Eurofins, Ottawa, ON). The samples were kept on ice and dropped off to Eurofins under strict chain-of-custody procedures. All samples were received by the laboratory within 24 hours of collection. Eurofins is fully accredited by the Standards Council of Canada/Canadian Association for Laboratory Accreditation (SCC/CALA).

Additional details regarding TW1-3, TW1-4 and TW1-5 are included in Section 4.5.2.

4.0 RESULTS

The drawdown curves and tabular data from the pumping tests conducted at the Site are presented in Appendix D. A summary of groundwater quality data and the official Laboratory Certificates of Analysis are presented in Tables 1 and 2 and Appendix E, respectively.

4.1 Static Conditions

Prior to the initiation of pumping, water levels were measured in the well. The static groundwater level was recorded at each test well in metres below top of casing (m btoc) at the time of the pumping test commencement ($t=0$). Assigning an arbitrary site benchmark of 100.00 m (local) to the top of the casing, the static water elevation in the well was 97.945 m above datum (ad).

According to the MECP Well Record for TW1, the recommended pump depth was reported as 12.2 m.

Standing water or evidence of groundwater discharge was not observed anywhere near TW1 at the time of the pumping test.

4.2 Data Logger Information

As per the HTAG (City of Ottawa, 2021), data loggers are to be used for all pumping tests. The data logger was installed one (1) week in advance of the pumping test (August 22, 2024) and was utilized during the pumping test (August 28, 2024) and one (1) week following the pumping test (retrieved on September 5, 2024). Additionally, a barometric pressure logger was installed to collect atmospheric pressure variations. These data are included within the pumping test analysis (Appendix D) and Appendix F and were used to confirm and interpolate between manual measurements collected during the pumping test.

4.3 Pumping Test

The 8-hour pumping test was conducted at TW1 under the supervision of Egis staff on August 28, 2024.

4.3.1 Test Well 1 (TW1) Pumping Test Specifics

At 8:07 AM, the pump at TW1 was turned on and the flow rate was recorded using a bucket and stopwatch to be approximately 42 L/min. The pumping rate stabilized at this rate for the remainder of the test. The groundwater level ranged between 2.055 – 3.05 m btoc, with a maximum drawdown of 0.995 m observed. At the end of the test, approximately 24.957 m of the available water column remained. The pumping test was conducted for a period of 8 hours (480 minutes).

Following the pump shut off, the level logger was left in the well to record the recovery data. Based on the level logger data collected, 95% recovery was achieved at 847 minutes (366.5 minutes following

pump shut off. A manual measurement was collected the following day at 1448 minutes (1,008 minutes total of recovery) and confirmed more than 95% recovery was achieved.

Additionally, the pumping rate of 42 L/min exceeds the maximum daily demand of 0.18 L/sec (10.8 L/min) as per Table 1 of the Site Servicing & Stormwater Management report, completed by Egis.

All water level measurement data are presented in Appendix D, appended to this report.

4.3.2 Well Yield

The pumping test undertaken by Egis provides a reasonable indication of the yield of the tested well. During the pumping test, approximately 20,160 L of water was pumped from this well.

4.4 Calculations

A summary of the well and hydrogeological properties determined during the testing work at the Site are presented in Appendix D. The calculations for Transmissivity are presented in Appendix E.

4.4.1 Storativity

Storativity (S) could not be calculated as no observation wells were available for water level measurement at the time of the pumping test.

4.4.2 Transmissivity

The transmissivity was calculated following the Cooper-Jacob method. The calculations for Transmissivity are presented in Appendix G. Transmissivity was calculated using the following equation:

$$T = \frac{2.3 Q}{4 \pi \Delta s}$$

Where:

- T is the transmissivity (m²/day);
- Q is the pumping rate during the pumping test (L/min); and,
- Δs is the differential for residual drawdown for one log cycle (m).

Using drawdown and recovery data, the transmissivity values were calculated to be approximately 32 m²/day. This indicates that the aquifer has a suitable supply of groundwater through a small radial influence.

4.4.3 Hydraulic Conductivity

Assuming an aquifer thickness corresponding to the interval between the bottom of the casing and the bottom of the well, the screened formation of each test well was calculated using the following equation:

$$K = \frac{T}{b}$$

Where:

- T is the transmissivity (m²/day);
- B is the aquifer thickness (m); and,
- K is the hydraulic conductivity (m/s).

Using the aquifer thickness and both the drawdown and recovery data, the test well was calculated to have a hydraulic conductivity of 1.7×10^{-5} m/s.

The hydraulic conductivity values are generally consistent with the standard values for limestone published by Freeze and Cherry (10^{-9} to 10^{-5} m/s).

4.4.4 Long Term Yield

The theoretical long-term safe yield was calculated using both the Farvolden and Moell methods. Recovery data was used for TW1 as they are likely more representative of aquifer conditions.

Farvolden Equation

The long-term yield (Q_{20}) was calculated using the following Farvolden equation:

$$Q_{20} = 0.68 T H_a S_f$$

Where:

- Q_{20} is the 20-year safe yield;
- T is the transmissivity (using an average between drawdown and recovery data);
- H_a is the available water column height (above the pump); and
- S_f is a safety factor (0.7).

Based on the Farvolden Method, calculations indicate that a twenty-year safe yield is in the order of 154 L/min. This means that the test wells could theoretically sustain continuous pumping for 20 years at this rate.

Moell Method

The Moell Method was also used to calculate the theoretical long-term safe yield for the pumping well. The long-term yield (Q_{20}) was calculated using the following Moell equation:

$$(Q_{20}) = (Q \text{ Ha } S_f) / (s100 + 5 \Delta s)$$

Where:

- Q_{20} is the twenty-year safe yield (m^3/day);
- Ha is the available water column height (m);
- S_f is a safety factor (0.7);
- $s100$ is the drawdown at 100 minutes (semi-log long-term graph);
- Δs is the change in hydraulic head over one log cycle (drawdown vs. log time, see Appendix D); and
- Q is the pumping rate during the pumping test (L/min).

Using the Moell Method, calculations indicate that a twenty-year safe yield for the well is in the order of 170 L/min.

Accordingly, Egis is of the opinion that the aquifer of TW1 is readily capable of supplying water in support of the proposed addition at the Site.

The calculations for the Farvolden and Moell method are presented in Appendix H.

4.5 Water Quality

Laboratory Certificates of Analysis for on-site groundwater testing are presented in Appendix E. A summary of field and laboratory results from TW1 are presented in Table 1 and Table 2. Samples were taken twice during the eight-hour pumping test at TW1. The samples were tested for residual chlorine with a Hach DR900 colorimeter calibrated to detect chlorine residual (free chlorine). Prior to usage, the Hach DR900 was zero calibrated according to the manufacturer's printed instructions.

Samples from TW1 were taken directly from the hose attached to the pump into laboratory-supplied containers. The first and second samples from TW1 were labelled 'TW1-1' and 'TW1-2', respectively. Prior to collection of the first sample, residual chlorine was measured to be <0.02 mg/L (non-detectable).

4.5.1 Groundwater Quality Results

All analytical results were compared to the Ontario Drinking Water Standards, Objectives, and Guidelines (ODWSOG) and MECP Procedure D-5-5 Maximum Concentration Considered Reasonably Treatable (MCCRT). Based on the analytical results from samples collected during the tests at TW1, the following exceedances of ODWSOG were noted:

- **Total Coliforms** (Maximum Allowable Concentration (MAC)) of 0 ct/100ml: TW1-1: 25 ct/100ml and TW1-3 (10 ct/100ml). Total Coliforms has both an ODWSOG of 0 ct/100ml and a MAC of 0 ct/100ml under the Guidelines for Canadian Drinking Water Quality;
- **Colour** (AO of 5 TCU): TW1-1 (15 TCU), TW1-2 (25 TCU) and TW1-3 (10 TCU). Additionally, colour is above the MCCRT of 7 TCU;
- **Hardness** (operational guideline (OG) range of 80-100 mg/L): TW1-1 (1,240 mg/L), TW1-2 (1,290 mg/L), and TW1-3 (1,250 mg/L). As per the ODWSOG, hardness above 300 mg/L is considered very hard. Hardness in excess of 500 mg/L is considered unacceptable for most domestic supply purposes but there is no MCCRT value;
- **Total dissolved solids** (AO of 500 mg/L): TW1-1 (2,920 mg/L), TW1-2 (2,920 mg/L) and TW1-3 (3,150 mg/L);
- **Turbidity** (ODWSOG of 1 and 5 NTU and MCCRT of 5 NTU): Laboratory-reported values for TW1-1 (20.3 NTU), TW1-2 (12.6 NTU) and TW1-3 (14.2 NTU), above the ODWSOG of 1.0 and 5.0 NTU and the MCCRT of 5 NTU as per MECP D-5-5. Laboratory results of turbidity are typically higher due to the precipitation of iron and other metals with changes in temperature and exposure to oxygen, resulting in a turbidity increase not present in raw groundwater. As such, field measurements of turbidity were treated as a more accurate indicator of water quality. Field measurements of TW1-1 are 14.7 NTU and decreased to 0.0 NTU at the end of the test (TW1-2). Additionally, field measurements of turbidity were 0.96 NTU at the time of sampling TW1-3;
- **Chloride** (aesthetic objective (AO) of 250 mg/L): TW1-1 (1,200 mg/L), TW1-2 (1,190 mg/L), and TW1-3 (1,440 mg/L). Chloride also exceeds the MCCRT limit of 250 mg/L in all samples;
- **Nitrite** (N-NO₂) (MAC of 1.0 mg/L under both the ODWSOG and the Guidelines for Canadian Drinking Water Quality): TW1-1 (<2.5 mg/L) and TW1-2 (<2.5 mg/L). It is important to note that the minimum detection limit was raised to 2.5 mg/L, which is above the MAC of 1.0 mg/L for nitrite. Follow-up sampling for nitrite (TW1-3) indicated a lower concentration of <0.10 mg/L;
- **Iron** (Fe) (AO of 0.3 mg/L): TW1-1 (2.17 mg/L), TW1-2 (1.73 mg/L) and TW1-3 (1.63 mg/L);
- **Manganese** (Mn) (ODWSOG AO of 0.05 mg/L and the Canadian Drinking Water Guideline AO of 0.02 mg/L): TW1-1 (0.07 mg/L), TW1-2 (0.06 mg/L), and TW1-3 (0.06 mg/L). Manganese in samples TW1-1, TW1-2 and TW1-3 are below the MCCRT of 1.0 mg/L and the Canadian Drinking water Guideline MAC of 0.12 mg/L;
- **Sodium** (medical alert limit of 20 mg/L and AO of 200 mg/L): TW1-1 (479 mg/L), TW1-2 (482 mg/L), and TW1-3 (556 mg/L). Additionally, the MCCRT for sodium of 200 mg/L is exceeded in samples TW1-1, TW1-2, and TW1-3; and
- **Strontium** (MAC of 7 mg/L under the Guidelines for Canadian Drinking Water Quality): TW1-1 (16.2 mg/L), TW1-2 (17.3 mg/L) and TW1-3 (20.7 mg/L).

The Langelier Saturation Index (LSI) and Ryznar Stability Index (RSI) were calculated for TW1 (Appendix H). These results indicate that there is limited potential for scale to form on pipes, but that changes in water temperature may result in some scaling. There are no data to suggest that steel corrosion will be an issue. (LSI=0.39, RSI=6.29).

4.5.2 Additional Groundwater Sampling

An additional groundwater sample (TW1-3) was collected on December 11, 2024, due to the elevated method detection limits (MDL) of nitrate and nitrite parameters within samples TW1-1 and TW1-2. Prior to the sample collection, approximately 400 L of groundwater was purged from the pressure tank to allow for the influx of fresh formation water.

While nitrate and nitrite were observed to be within an acceptable range, Total Coliform exceedances above the ODWS MAC of 0 ct/100ml were observed in TW1-3. Therefore, on December 24, 2025, the on-Site well (TW1) was shocked/disinfected by a licensed well technician. Egis collected follow-up microbial samples, one (1) week apart on January 27, 2025 (TW1-4) and February 3, 2025 (TW1-5).

On January 27, 2025, more than three (3) well volumes were purged from TW1 (5,460 L total). A hose was connected from the tap on the pressure tank and groundwater was discharged outside the building. Field chemistry parameters were collected and stabilized prior to collecting sample TW1-4. Additionally, prior to sampling, the tap was disinfected with bleach. Similar to Section 3.0 above, the chlorine residual for the well water was measured using a Hach DR900 colorimeter. Residual chlorine was measured to be 0.02 mg/L. Microbial sample TW1-4 was collected, kept on ice and submitted to Eurofins for laboratory analysis within 24 hours of collection.

One (1) week later, two (2) well volumes were purged from the tap on the pressure tank at TW1 until the field chemistry parameters stabilized. Prior to collecting sample TW1-5, the tap was disinfected with bleach. Residual chlorine was measured to be 0.02 mg/L. Microbial sample TW1-4 was collected, kept on ice and submitted to Eurofins for laboratory analysis, kept on ice and submitted to Eurofins for laboratory analysis within 24 hours of collection.

Microbial exceedances were not observed in the follow-up samples TW1-4 and TW1-5 (Table 1).

4.5.3 Groundwater quality and potential impacts

As per Ontario Regulation 903: Wells (O.Reg 903), mineralized water is indicated where water contains in excess of 500 mg/L of chlorides. Concentrations of chlorides in samples TW1-1 and TW1-2 were 1,200 mg/ and 1,190 mg/L, respectively, therefore the groundwater is considered to be mineralized. Written authorization is required by the MECP to utilize a mineralized well, as indicated in Section 5.2.6 of the HTAG.

It is important to note that the existing on-site operation does not use groundwater for potable purposes; water coolers are provided for drinking, and use of well water is limited to non-potable activities. This is not expected to change with the proposed addition, and signs will be installed at all faucets and plumbing fixtures indicating that the water is not potable. The Site is privately owned and will not be used as a publicly-accessible space. As such, there are no anticipated negative impacts associated with keeping the well in-use.

On January 30, 2025, the MECP provided consent to not abandon the water supply well (A379014) that produces mineralized well. All recommendations of this report and conditions provided by the MECP within the letter of consent must be followed (Appendix I).

4.5.4 Water Treatment

As outlined in Sections 4.5.1, 4.5.2 and 4.5.3 above, there are ODWSOG and CDWS exceedances within the groundwater at the Site. Parameters including sodium, chloride and colour are additionally above the MCCRT. Therefore, the groundwater at the Site is not suitable for potable use at the Site.

The colour exceedances noted in both samples are considered aesthetic in nature and are likely related to flocculation of dissolved solids in the sample as temperature and pH changed prior to laboratory analysis (hardness was also noted to be elevated in these samples). These exceedances are not expected to generate any significant impacts to water quality and will not impact the non-potable use of the groundwater at the Site.

Hardness is elevated in both samples, compared to the ODWSOG. There is no maximum concentration treatability limit for hardness values. Hard water can impact the efficiency and lifespan of appliances. Treatment options to address hardness may include a conventional water softener which uses sodium chloride ion exchange process. As sodium concentrations within the groundwater are elevated, an ion exchange utilizing potassium salts (i.e., KCl) is recommended. Utilizing a water softener will reduce scale as it may impact build up inside pipes.

Iron is above the ODWS AO of 0.3 mg/L in samples TW1-1, TW1-2 and TW1-3. Manganese is also above the ODWS AO of 0.05 mg/L and the Canadian Drinking Water Guideline AO of 0.02 mg/L in samples TW1-1, TW1-2 and TW1-3. Iron and manganese exceedances may cause staining to plumbing fixtures and laundry. Otherwise, both of these parameters do not impact the non-potable use of the groundwater at the Site. It is important to note that both iron and manganese are within MCCRT. Ion exchange filters (water softeners) are known to be effective to treat the exceeding concentrations of both iron and manganese. Additionally, manganese greensand filters can be used as a treatment option for both. For further information regarding manganese in drinking water, please refer to the City and Ottawa Public Health report titled "*Manganese in Drinking Water Fact Sheet*", dated September 12, 2024 included in Appendix J.

The AO for sodium (200 mg/L) was exceeded in both samples collected at TW1. It is recommended that the local Medical Officer of Health be notified of the sodium concentration exceeding this medical alert limit. As noted above, the well water is not proposed to be used for potable purposes.

Strontium in all samples (TW1-1, TW1-2, and TW1-3) exceed the Guideline for Canadian Drinking Water Quality. Although there is currently no provincial drinking water standard for strontium, a notice on title of the strontium exceedances will be required to inform all future potential owners. For further information regarding strontium in drinking water, please refer to the City and Ottawa Public Health report titled *"Strontium in Drinking Water Fact Sheet", dated September 12, 2024* included in Appendix J. Strontium concentrations are not anticipated to impact the groundwater at the Site as it is not used as a potable source.

Due to the low field turbidity observed in the fully developed test wells, a UV system may be used as a precaution against bacteriological impacts.

5.0 CONCLUSIONS

Based on the analyses performed for this hydrogeological assessment, Egis is of the opinion that the aquifer which the test well intersects can adequately supply the Site and proposed addition in terms of quantity. Due to the highly specific and industrial use of the Site, it is our opinion that the groundwater quality, despite being mineralized, is satisfactory in support of the proposed addition on-Site. Due to the generally poor groundwater quality at the Site, groundwater should only be used for non-potable purposes, as drinking water standards (outlined in Section 4.5) are not met. It is further noted that the proposed development will have no adverse impact on the reasonable use of groundwater on existing and future adjacent properties, given that no material change in on-site groundwater use is proposed. Should Site operations change in the future, or should additional concerns with groundwater quality or quantity be noted by users of the Site, Egis should be notified and a modification to report may be necessary.

5.1.1 Groundwater Evaluation

5.1.1.1 Well Yield

Egis conducted an eight-hour pumping test at TW1 on August 28, 2024. The test well was disconnected from the pressure tank, and the pump was configured to run constantly for the duration of the eight-hour test. The groundwater was pumped directly away from the well utilizing the existing domestic water well pump via a hose attached to the pitless adapter. In this case, the pressure tank was bypassed for the entire duration of the pumping test, such that the pump/pressure tank was not cycling on and off throughout the test.

The pumping rate of 42 L/min was maintained for a total of 8 hours. During the pumping test, approximately 20,160 L litres of groundwater was pumped from the well. The maximum drawdown during the six-hour pumping test was 0.995 m.

Following pump shut off, drawdown was recorded at 0.035 m (2.09 m btoc, 97.91 m ad), representing greater than 95% recovery at 1448 minutes (1007.5 minutes of recovery).

Calculations for long term yield indicated values of 154 L/min (Farvolden method) and 170 L/min (Moell method).

Based on the pumping test and the yield of the groundwater, it is the opinion of Egis that the current existing well has sufficient yield to supply the Site and the proposed building addition.

5.1.1.2 Water Quality and Treatment

All analytical results were compared to the Ontario Drinking Water Standards, Objectives, and Guidelines (ODWSOG) and MECP Procedure D-5-5 Maximum Concentration Considered Reasonably Treatable (MCCRT). Based on the analytical results from samples collected during the tests at TW1, the following exceedances of ODWSOG were noted:

- **Total Coliforms** (Maximum Allowable Concentration (MAC)) of 0 ct/100ml: TW1-1: 25 ct/100ml and TW1-3 (10 ct/100ml). Total Coliforms has both an ODWSOG of 0 ct/100ml and a MAC of 0 ct/100ml under the Guidelines for Canadian Drinking Water Quality;
- **Colour** (AO of 5 TCU): TW1-1 (15 TCU), TW1-2 (25 TCU) and TW1-3 (10 TCU). Additionally, colour is above the MCCRT of 7 TCU;
- **Hardness** (operational guideline (OG) range of 80-100 mg/L): TW1-1 (1,240 mg/L), TW1-2 (1,290 mg/L), and TW1-3 (1,250 mg/L). As per the ODWSOG, hardness above 300 mg/L is considered very hard. Hardness in excess of 500 mg/L is considered unacceptable for most domestic supply purposes but there is no MCCRT value;
- **Total dissolved solids** (AO of 500 mg/L): TW1-1 (2,920 mg/L), TW1-2 (2,920 mg/L) and TW1-3 (3,150 mg/L);
- **Turbidity** (ODWSOG of 1 and 5 NTU and MCCRT of 5 NTU): Laboratory-reported values for TW1-1 (20.3 NTU), TW1-2 (12.6 NTU) and TW1-3 (14.2 NTU), above the ODWSOG of 1.0 and 5.0 NTU and the MCCRT of 5 NTU as per MECP D-5-5. Laboratory results of turbidity are typically higher due to the precipitation of iron and other metals with changes in temperature and exposure to oxygen, resulting in a turbidity increase not present in raw groundwater. As such, field measurements of turbidity were treated as a more accurate indicator of water quality. Field measurements of TW1-1 are 14.7 NTU and decreased to 0.0 NTU at the end of the test (TW1-2). Additionally, field measurements of turbidity were 0.96 NTU at the time of sampling TW1-3;

- **Chloride** (aesthetic objective (AO) of 250 mg/L): TW1-1 (1,200 mg/L), TW1-2 (1,190 mg/L), and TW1-3 (1,440 mg/L). Chloride also exceeds the MCCRT limit of 250 mg/L in all samples;
- **Nitrite** (N-NO₂) (MAC of 1.0 mg/L under both the ODWSOG and the Guidelines for Canadian Drinking Water Quality): TW1-1 (<2.5 mg/L) and TW1-2 (<2.5 mg/L). It is important to note that the minimum detection limit was raised to 2.5 mg/L, which is above the MAC of 1.0 mg/L for nitrite. Follow-up sampling for nitrite (TW1-3) indicated a lower concentration of <0.10 mg/L;
- **Iron** (Fe) (AO of 0.3 mg/L): TW1-1 (2.17 mg/L), TW1-2 (1.73 mg/L) and TW1-3 (1.63 mg/L);
- **Manganese** (Mn) (ODWSOG AO of 0.05 mg/L and the Canadian Drinking Water Guideline AO of 0.02 mg/L): TW1-1 (0.07 mg/L), TW1-2 (0.06 mg/L), and TW1-3 (0.06 mg/L). Manganese in samples TW1-1, TW1-2 and TW1-3 are below the MCCRT of 1.0 mg/L and the Canadian Drinking water Guideline MAC of 0.12 mg/L;
- **Sodium** (medical alert limit of 20 mg/L and AO of 200 mg/L): TW1-1 (479 mg/L), TW1-2 (482 mg/L), and TW1-3 (556 mg/L). Additionally, the MCCRT for sodium of 200 mg/L is exceeded in samples TW1-1, TW1-2, and TW1-3; and
- **Strontium** (MAC of 7 mg/L under the Guidelines for Canadian Drinking Water Quality): TW1-1 (16.2 mg/L), TW1-2 (17.3 mg/L) and TW1-3 (20.7 mg/L).

The groundwater on-Site is mineralized, due to the excess of 500 mg/L of chlorides.

Both colour and hardness can be treated using water softening. As sodium concentrations within the groundwater are elevated, an ion exchange utilizing potassium salts (i.e., KCl) is recommended.

The medical alert limit for sodium of 20 mg/L (only for persons on sodium-restricted diets) and the AO was exceeded in both samples collected at TW1. It is recommended that the local Medical Officer of Health be notified of the sodium concentration exceeding this medical alert limit.

The Langelier Saturation Index (LSI) and Ryznar Stability Index (RSI) were calculated for TW1 (Appendix H). These results indicate that there is limited potential for scale to form on pipes, and that any calcium carbonate formation is not likely to form a protective corrosion inhibitor film (LSI=0.39, RSI=6.29).

Groundwater at the Site currently services the existing building. Signage is posted at taps such that employees are instructed to not drink the water. Additionally, water coolers and/or bottled water is available for drinking purposes. All other conditions provided in the consent letter from the MECP must be followed (Appendix I). Given that the proposed addition does not propose any changes of water use that currently exist, it is Egis' opinion that the groundwater quality is sufficient to support the proposed building addition.

5.2 Recommendations

Overall, this assessment indicates that the local aquifer is able to support the proposed addition in terms of water quantity and quality, in that the well has sufficient yield and will not be used for potable purposes. The proposed development is not expected to have an adverse impact on the reasonable use of groundwater on existing and future adjacent properties, as groundwater use is not materially changing at the Site.

The following recommendations should be followed to ensure effective development of the Site with the existing well (TW1 – A080995):

- Best Management Practices (BMP) for the construction of wells should be followed, per O.Reg. 903: Wells and the MECP document entitled *"Water Supply Wells: Requirements and Best Practices."*
- The groundwater from TW1 is considered mineralized, due to the excess of 500 mg/L of chlorides. It is recommended that signage remain posted on all faucets and fixtures indicating that groundwater cannot be consumed or used for any potable purposes.
- As per Section 7.7.2 of Ontario Regulation 332/12: Building Code (O.Reg 33/12), the following recommendations must be met:
 - 7.7.2.1 (1) *Non-potable water piping shall be identified by markings that are permanent, distinct and easily recognized.*
 - 7.7.2.1 (2) *Non-potable water system for re-use purposes shall be marked in accordance with Section 12 of CAN/CSA-B128.1, "Design and Installation of Non-Potable Water Systems."*
 - 7.7.2.1 (3) *A sign containing the words Non-Potable Water, Do Not Drink shall be in letters at least 25 mm high with a 5 mm stroke and posted immediately above a fixture that is permitted to receive non-potable water.*
- Bottled water should be provided on-Site for drinking purposes.
- The City of Ottawa should include a note on-file regarding the groundwater quality at the Site, to inform any future prospective buyers of the Site of the known ODWSOG exceedances and associated Site use constraints.
- Any other recommendations mandated by the MECP (associated with not abandoning the mineralized well) must be followed (Appendix I). Additionally, the MECP consent to not abandon the Well, along with the conditions, will be registered on title.
- The notice of groundwater quality will be required to be registered on title (Provincial – Land Registry Office) as a condition of the site plan agreement.
- Should treatment be installed at the Site, Egis recommends the following:
 - Hardness can be treated using a conventional water softener. As sodium concentrations are elevated, it is recommended to utilize an ion exchange utilizing potassium salts (i.e., KCl).

- Ion exchange filters (water softeners) are known to be effective to treat the exceeding concentrations of both iron and manganese. Additionally, manganese greensand filters can be used as a treatment option for both.
 - Colour can also be treated through water softening, or physical filtration (ie. carbon filter treatment system). Exceedances of colour are not expected to generate any significant impacts to the water quality.
- For further information regarding manganese and strontium in drinking water, please refer to the City and Ottawa Public Health reports titled "*Manganese in Drinking Water Fact Sheet*", dated September 12, 2024" and "*Strontium in Drinking Water Fact Sheet*" dated September 12, 2024, both included in Appendix J.
- It is important to note that the groundwater at the Site is not used for drinking water purposes, therefore human health should not be impacted by the poor groundwater quality.
- The medical alert limit for sodium was exceeded in both samples collected at TW1. It is recommended that the Clients notify the local Medical Officer of Health of the sodium concentration exceeding the medical alert limit

6.0 LIMITATIONS

This report has been prepared, and the work referred to in this report has been undertaken by Egis for the Client. It is intended for the sole, and exclusive use of the Client with respect to the stated purpose of the work carried out by Egis.

The report may not be relied upon by any other person or entity without the express written consent of Egis. Any use which a third party makes of this report, or any reliance on decisions made based on it, without a Reliance Letter, are the responsibility of such third parties. Egis accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report or the information contained within it.

The investigation undertaken by Egis with respect to this report and any conclusions or recommendations made in this report reflect Egis's judgment based on the Site conditions observed at the time of the Site investigations, inspections, and/or sampling on the date(s) set out in this report, and on information available at the time of the preparation of this report. Conditions such as ground cover, weather, physical obstructions, etc. may influence conclusions or recommendations made in this report. Egis does not certify or warrant the environmental status of the property.

This report has been prepared for specific application to this Site and it may be based, in part, upon visual observation of the Site, subsurface investigation at discrete locations and depths, and/or specific analysis of specific chemical parameters and materials during a specific time interval, all as described in this report. Unless otherwise stated, the findings cannot be extended to previous or future Site conditions, portions of the Site which were unavailable for direct investigation, Site locations, subsurface or otherwise, which were not investigated directly, or chemical parameters, materials, or analysis which were not addressed or performed. Substances other than those addressed by the investigation described in this report may exist at the Site, substances addressed by the investigation may exist in areas of the Site not investigated, and concentrations of substances addressed which are different than those reported may exist in areas other than the locations from which samples were taken.


If Site conditions or applicable standards change, or if any additional information becomes available at a future date, modifications to the findings, conclusions and recommendations in this report may be necessary.

7.0 CLOSURE


We trust that this information is satisfactory for your present requirements. Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Respectfully submitted for informational review purposes only,

Egis



Monica Black, B.Sc.
Practice Area Lead, Groundwater
monica.black@egis-group.com



Jordan Bowman, P.Geo.
Manager, Geo-Environmental
Jordan.bowman@egis-group.com

Ref.: \\mcintoshperry.local\share\Ottawa\01 Project - Proposals\2025 Jobs\CCO\CCO-25-1370-01 White Owl Group_SPC
Amendment_145 Walgreen Road\Hydro G\Report\03 Final Report\CCO-25-1370 Hydro G Report_6March25.docx

8.0 REFERENCES

MECP, 1995. Procedure D-5-4 Technical Guideline for Individual On-site Sewage Systems: Water Quality Impact Risk Assessment.

MECP, 1996. Procedure D-5-5 Technical Guideline for Private Wells: Water Supply Assessment.

MECP, 2021. Water Supply Wells: Requirements and Best Practices. (online)

MECP (Ontario Ministry of the Environment, Conservation and Parks). 2023. MECP Water Well Record Database (queried July 2024).

OGS Earth, 2019. Ontario Ministry of Northern Development, Mines and Forestry, - Ontario Geological Survey Earth – for Google Earth. Overburden classification data for Eastern Ontario.

OGS Earth, 2010. Ontario Ministry of Northern Development, Mines and Forestry, - Ontario Geological Survey Earth – for Google Earth. Bedrock classification data for Eastern Ontario.


OGS Earth, 2021. Ontario Ministry of Northern Development, Mines and Forestry, - Ontario Geological Survey Earth – for Google Earth. Karst Study for Southern Ontario.

HYDROGEOLOGICAL ASSESSMENT

145 WALGREEN ROAD, CARP ON



FIGURES




LEGEND

-  Site Location
-  Local Road
-  Major Road
-  Watercourse
-  Waterbody
-  Wooded Area

REFERENCE

GIS data provided by the Ontario Ministry of Natural Resources and Forestry, 2024.



CLIENT:		MILLER WASTE	
PROJECT:		HYDROGEOLOGICAL ASSESSMENT 145 WALGREEN ROAD	
TITLE:		SITE LOCATION	
 115 Walgreen Road, RR3, Carp, ON K0A1L0 Tel: 613-836-2184 Fax: 613-836-3742		PROJECT NO: CCO-25-1370	FIGURE:
		Date	Nov., 07, 2024
		GIS	AH
		Checked By	MB
		1	

C:\Users\hamed.MCINTOSH\PERY\1\EGIS Group\GIS - Documents\Projects\2025\COO\COO-25-1370-01 - 145 Walgreen Rd Addition\aprx\Environmental\COO-25-1370_HydroG.aprx




LEGEND

- TW1
- Property Boundary
- Unevaluated Wetland


REFERENCE

GIS data provided by the Ontario Ministry of Natural Resources and Forestry, 2024.



CLIENT:	MILLER WASTE		
PROJECT:	HYDROGEOLOGICAL ASSESSMENT 145 WALGREEN ROAD		
TITLE:	SITE LAYOUT		
 115 Walgreen Road, RR3, Carp, ON K0A1L0 Tel: 613-836-2184 Fax: 613-836-3742	PROJECT NO: CCO-25-1370		FIGURE:
	Date	Nov., 07, 2024	2
	GIS	AH	
	Checked By	MB	

C:\Users\hamed.MCINTOSH\PERY\1EGIS Group\GIS - Documents\Projects\2025\CCO\CCO-25-1370-01 - 145 Walgreen Rd Addition\aprx\Environmental\CCO-25-1370_HydroG.aprx




LEGEND

- MECP Well Location
- Property Boundary
- 500m Buffer
- Local Road
- Major Road
- Waterbody
- Watercourse
- Unevaluated Wetland

REFERENCE

GIS data provided by the Ontario Ministry of Natural Resources and Forestry, 2024.



CLIENT:	MILLER WASTE		
PROJECT:	HYDROGEOLOGICAL ASSESSMENT 145 WALGREEN ROAD		
TITLE:	MECP WATER WELL INFORMATION SYSTEM SUMMARY		
 115 Walgreen Road, RR3, Carp, ON K0A1L0 Tel: 613-836-2184 Fax: 613-836-3742	PROJECT NO: CCO-25-1370		FIGURE:
	Date	Nov., 07, 2024	3
	GIS	AH	
	Checked By	MB	

HYDROGEOLOGICAL ASSESSMENT

145 WALGREEN ROAD, CARP ON



TABLES

Table 1
Summary of Field Water Quality Parameters

Pumping Test at:	Test Well 1 (TW1): 145 Walgreen			Date:	28-Aug-24					
Time Elapsed (min)	Temperature (°C)	pH	ORP (ORPmv)	Conductivity (mS/cm)	Turbidity (NTU)	TDS (g/L)	Colour	Odour	Residual Chlorine (mg/L)	Flow Rate (L/min)
13	11.77	7.71	-122	5.44	34.5	3.44	brown, cloudy	none	-	42
18	11.24	7.28	-83	5.24	38	3.31	brown, cloudy	none	-	42
35	11.27	7.00	-58	5.04	22.4	3.16	brown, cloudy	none	-	-
45	11.15	6.97	-68	4.99	21.8	3.19	brown, cloudy	none	-	-
55	11.14	7.21	-79	5.11	15.8	3.22	brown, cloudy	none	-	-
70	-	-	-	-	-	-	-	-	0.04	-
77	11.15	7.12	-78	5.13	14.7	3.23	clear	none	-	-
110	11.14	7.08	-81	5.15	10.5	3.25	clear	none	-	-
140	11.15	7.07	-82	5.18	6.6	3.26	clear	none	-	-
160	11.14	7.07	-83	5.2	6.6	3.27	clear	none	-	-
198	11.22	7.08	-84	5.23	3.4	3.29	clear	none	-	42
225	11.23	7.08	-85	5.24	5.9	3.3	clear	none	-	-
245	11.23	7.09	-83	5.27	2.4	3.32	clear	none	-	-
287	11.23	7.08	-88	5.25	1.6	3.34	clear	none	-	-
300	11.29	7.09	-89	5.29	2.2	3.33	clear	none	-	42
396	11.23	7.07	-97	5.09	0.2	3.21	clear	none	-	-
435	11.25	7.09	-94	5.23	0.3	3.29	clear	none	-	-
450	11.33	7.12	-86	5.35	0.9	3.37	clear	none	<0.02	-
470	11.40	7.14	-80	5.35	0.8	3.35	clear	none	-	-
480	11.24	7.13	-85	5.35	0.6	3.37	clear	none	-	-
Notes:	Flow rate measured bucket and stop watch									

Follow up Sample	Test Well 1 (TW1): 145 Walgreen			Date:	11-Dec-24					
Volume Purged (L)	Temperature (°C)	pH	ORP (ORPmv)	Conductivity (mS/cm)	Turbidity (NTU)	TDS (g/L)	Colour	Odour	Residual Chlorine (mg/L)	Flow Rate (L/min)
40	15.6	7.81	-	-	1.37	-	clear	none	-	-
80	16.8	7.81	-	-	1.87	-	clear	none	-	-
140	17.4	7.83	-	-	1.22	-	clear	none	-	-
200	17.4	7.83	-	-	1.22	-	clear	none	-	-
260	17.5	7.86	-	-	0.97	-	clear	none	-	-
340	16.7	7.83	-	-	1.39	-	clear	none	-	-
400	16.0	7.83	-	-	0.96	-	clear	none	<0.02	-

Table 1
Summary of Field Water Quality Parameters

Microbial Re-Sample 1	Test Well 1 (TW1): 145 Walgreen			Date:	27-Jan-25					
Time Elapsed (min)	Temperature (°C)	pH	ORP (ORPmv)	Conductivity (mS/cm)	Turbidity (NTU)	TDS (g/L)	Colour	Odour	Residual Chlorine (mg/L)	Flow Rate (L/min)
0	11.86	7.46	-7	5.02	0.0	3.16	clear	none	-	42
10	8.43	7.35	2	5.39	2.0	3.4	clear	none	-	-
20	9.45	7.34	3	5.03	1.0	3.7	clear	none	-	-
30	9.13	7.36	2	4.87	3.2	3.12	clear	none	-	-
40	8.82	7.39	5	4.86	3.5	3.11	clear	none	-	-
50	8.86	7.36	6	4.85	3.6	3.11	clear	none	-	-
60	9.10	7.34	7	4.91	4.9	3.15	clear	none	-	-
70	8.87	7.34	1	4.77	3.5	3.06	clear	none	-	-
80	9.49	7.29	6	4.74	3.8	3.08	clear	none	-	-
90	9.58	7.29	6	4.74	1.9	3.03	clear	none	-	-
100	9.56	7.29	9	4.76	3.5	3.05	clear	none	-	-
110	9.92	7.27	7	4.73	0.5	3.03	clear	none	-	-
120	10.10	7.26	8	4.73	0.4	3.03	clear	none	-	-
130	9.77	7.36	-1	4.73	0.4	3.03	clear	none	0.02	42

Microbial Re-Sample 2	Test Well 1 (TW1): 145 Walgreen			Date:	03-Feb-25					
Volume Purged (L)	Temperature (°C)	pH	ORP (ORPmv)	Conductivity (mS/cm)	Turbidity (NTU)	TDS (g/L)	Colour	Odour	Residual Chlorine (mg/L)	Flow Rate (L/min)
30	12.42	8.05	-11	3.71	0.0	2.42	clear	none	-	-
120	11.15	7.78	-18	4.34	0.0	2.77	clear	none	-	-
210	10.91	7.63	-18	4.66	0.0	2.98	clear	none	-	-
300	10.80	7.61	-20	4.61	0.1	2.95	clear	none	-	-
420	10.80	7.59	-21	4.7	0.0	3.01	clear	none	-	-
480	10.78	7.59	-21	4.74	0.0	3.03	clear	none	-	-
600	10.72	7.61	-27	4.66	0.0	2.98	clear	none	-	-
765	10.78	7.57	-22	4.71	0.0	3.04	clear	none	-	-
965	10.78	7.57	-24	-24	0.0	3.98	clear	none	0.02	-

NOTES:

min	Minutes
NTU	Nephelometric Turbidity Units
mS/cm	Millisiemens per centimetre
uS/cm	Microsiemens per centimetre
(°C)	Degrees celsius
g/L	Grams per litre
ppm	Parts per million
L/min	Litres per minute
ORPmV	ORP millivolts
-	Not analyzed

Table 2
Summary of Laboratory Water Quality Results

Sample ID						TW1-1	TW1-2	TW1-3	TW1-4	TW1-5
Sample Date						24-Aug-28	11-Dec-24	27-Jan-25	03-Feb-25	
Location	Units	MDL	ODWSOG	Canadian Drinking Water Guideline	Limit Type	145 Walgreen Road				
Parameter										
Microbiological Parameters										
E. Coli	cf/100mL	0	0	-	MAC	0	0	0	0	0
Fecal Coliforms	cf/100mL	0	-	-	-	0	0	0	0	0
Total Coliforms	cf/100mL	0	0	0	MAC	25	0	10	0	0
General Inorganics										
Alkalinity, total	mg/L	5	30-500	-	OG	330	328	337	-	-
Ammonia as N	mg/L	0.02	-	-	-	0.311	0.338	0.441	-	-
Dissolved Organic Carbon	mg/L	0.5	5	-	AO	3.6	3.3	3.4	-	-
Colour	TCU	2	-	-	AO	15	25	10	-	-
Conductivity	uS/cm	5	-	-	-	4490	4490	4840	-	-
Hardness	mg/L	1	80-100	-	OG	1240	1290	1250	-	-
pH	pH Units	1	6.5-8.5	-	-	7.64	7.59	7.51	-	-
Phenolics	mg/L	0.001	-	-	-	<0.001	<0.001	<0.001	-	-
Total Dissolved Solids	mg/L	1	500	-	AO	2920	2920	3150	-	-
Sulphide	mg/L	0.01	-	-	AO	<0.05	<0.01	<0.01	-	-
Tannin & Lignin	mg/L	0.1	-	-	-	0.2	0.3	0.3	-	-
Total Kjeldahl Nitrogen	mg/L	0.1	-	-	-	0.516	0.373	0.622	-	-
Turbidity	NTU	0.1	5	-	AO	20.3	12.6	14.2	-	-
Anions										
Chloride	mg/L	1	250	-	AO	1200	1190	1440	-	-
Fluoride	mg/L	0.1	15	-	MAC	0.56	0.57	0.58	-	-
Nitrate as N	mg/L	2.5	10	-	IMAC	<2.5	<2.5	<10	-	-
Nitrite as N	mg/L	2.5	1	1	MAC	<2.5	<2.5	<10	-	-
Sulphate	mg/L	1	500	-	AO 500	187	180	212	-	-
Metals										
Mercury	mg/L	0.0001	0.001	-	MAC	<0.0001	<0.0001	<0.0001	-	-
Aluminum	mg/L	0.01	0.10	-	OG	<0.01	<0.01	<0.01	-	-
Antimony	mg/L	0.0005	0.01	-	MAC	<0.0005	<0.0005	<0.0005	-	-
Arsenic	mg/L	0.001	0.01	-	IMAC	<0.001	<0.001	<0.001	-	-
Barium	mg/L	0.01	1.00	-	MAC	0.11	0.12	0.11	-	-
Beryllium	mg/L	0.0005	-	-	-	<0.0005	<0.0005	<0.0005	-	-
Boron	mg/L	0.01	5.00	-	IMAC	0.16	0.17	0.19	-	-
Cadmium	mg/L	0.0001	0.01	-	MAC	<0.0001	<0.0001	<0.0001	-	-
Calcium	mg/L	1	-	-	-	297	312	304	-	-
Chromium	mg/L	0.001	0.05	-	MAC	<0.001	<0.001	<0.001	-	-
Cobalt	mg/L	0.0002	-	-	MAC	<0.0002	<0.0002	<0.0002	-	-
Copper	mg/L	0.001	1.00	-	AO	0.003	<0.001	0.011	-	-
Iron	mg/L	0.03	0.30	-	AO	2.17	1.73	1.63	-	-
Lead	mg/L	0.001	0.10	-	MAC	<0.001	<0.001	0.001	-	-
Magnesium	mg/L	1	-	-	-	122	124	119	-	-
Manganese	mg/L	0.01	0.05	0.02	AO	0.07	0.06	0.06	-	-
Molybdenum	mg/L	0.005	-	-	MAC	<0.005	<0.005	<0.005	-	-
Nickel	mg/L	0.005	-	-	-	0.005	0.005	0.001	-	-
Potassium	mg/L	1	-	-	-	13	13	13	-	-
Selenium	mg/L	0.001	0.05	-	MAC	<0.001	<0.001	<0.001	-	-
Silver	mg/L	0.0001	-	-	-	<0.0001	<0.0001	<0.0001	-	-
Sodium	mg/L	1	20	-	AO	479	482	556	-	-
Strontium	mg/L	0.002	-	-	MAC	16.2	17.3	20.7	-	-
Thallium	mg/L	0.0001	-	7	-	<0.0001	<0.0001	<0.0001	-	-
Tin	mg/L	0.01	-	-	-	<0.01	<0.01	<0.01	-	-
Titanium	mg/L	0.01	-	-	-	<0.01	<0.01	<0.01	-	-
Tungsten	mg/L	0.002	-	-	-	<0.002	<0.002	<0.002	-	-
Uranium	mg/L	0.001	0.02	-	MAC	<0.001	<0.001	<0.001	-	-
Vanadium	mg/L	0.001	-	-	-	<0.001	<0.001	<0.001	-	-
Zinc	mg/L	0.01	5	-	AO	<0.01	<0.01	<0.01	-	-
Volatile Organic Compounds										
1,1,1,2-tetrachloroethane	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
1,1,1-trichloroethane	ug/L	0.4	-	-	-	<0.4	<0.4	-	-	-
1,1,2,2-tetrachloroethane	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
1,1,2-trichloroethane	ug/L	0.4	-	-	-	<0.4	<0.4	-	-	-
1,1-dichloroethane	ug/L	0.4	-	-	-	<0.4	<0.4	-	-	-
1,1-dichloroethylene	ug/L	0.5	14 (0.014 mg/L)	-	MAC	<0.5	<0.5	-	-	-
1,2-dichlorobenzene	ug/L	0.4	200 (0.2 mg/L)	-	MAC	<0.4	<0.4	-	-	-
1,2-dichloroethane	ug/L	0.5	5	-	IMAC	<0.5	<0.5	-	-	-
1,2-dichloropropane	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
1,3,5-trimethylbenzene	ug/L	0.3	-	-	-	<0.3	<0.3	-	-	-
1,3-dichlorobenzene	ug/L	0.4	-	-	-	<0.4	<0.4	-	-	-
1,3-Dichloropropylene (cis+trans)	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
1,4-dichlorobenzene	ug/L	0.4	5 (0.005 mg/L)	-	MAC	<0.4	<0.4	-	-	-
Acetone	ug/L	5	-	-	-	<5	<5	-	-	-
Benzene	ug/L	0.5	1 (0.001 mg/L)	-	MAC	<0.5	<0.5	-	-	-
Bromodichloromethane	ug/L	0.3	-	-	-	<0.3	<0.3	-	-	-
Bromoform	ug/L	0.4	-	-	-	<0.4	<0.4	-	-	-
Bromomethane	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
c-1,2-Dichloroethylene	ug/L	0.4	-	-	-	<0.4	<0.4	-	-	-
c-1,3-Dichloropropylene	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
Carbon Tetrachloride	ug/L	0.2	2 (0.002 mg/L)	-	MAC	<0.2	<0.2	-	-	-
Chloroethane	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
Chloroform	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
Dibromochloromethane	ug/L	0.3	-	-	-	<0.3	<0.3	-	-	-
Dichlorodifluoromethane	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
Dichloromethane	ug/L	4	50 (0.05 mg/L)	-	MAC	<4.0	<4.0	-	-	-
Ethylbenzene	ug/L	0.5	150 (0.15 mg/L)	-	MAC	<0.5	<0.5	-	-	-
Ethylene Dibromide	ug/L	0.2	-	-	-	<0.2	<0.2	-	-	-
Hexane	ug/L	5	-	-	-	<5	<5	-	-	-
m/p-xylene	ug/L	0.4	-	-	-	<0.4	<0.4	-	-	-
Methyl Ethyl Ketone (MEK)	ug/L	2	-	-	-	<2	<2	-	-	-
Methyl Isobutyl Ketone (MIBK)	ug/L	5	-	-	-	<5	<5	-	-	-
Methyl Tert Butyl Ether (MTBE)	ug/L	2	15 (0.015 mg/L)	-	AO	<2	<2	-	-	-
Monochlorobenzene	ug/L	0.5	80 (0.080 mg/L)	-	MAC	<0.5	<0.5	-	-	-
p-xylene	ug/L	0.4	-	-	-	<0.4	<0.4	-	-	-
Styrene	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
t-1,2-Dichloroethylene	ug/L	0.4	-	-	-	<0.4	<0.4	-	-	-
t-1,3-Dichloropropylene	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
Tetrachloroethylene	ug/L	0.3	10 (0.01 mg/L)	-	MAC	<0.3	<0.3	-	-	-
Toluene	ug/L	0.4	60 (0.06 mg/L)	-	MAC	<0.4	<0.4	-	-	-
Trichloroethylene	ug/L	0.3	5 (0.005 mg/L)	-	MAC	<0.3	<0.3	-	-	-
Trichlorofluoromethane	ug/L	0.5	-	-	-	<0.5	<0.5	-	-	-
Vinyl Chloride	ug/L	0.2	1 (0.001 mg/L)	-	MAC	<0.2	<0.2	-	-	-
Xylene: total	ug/L	0.5	90 (0.090 mg/L)	-	MAC	<0.5	<0.5	-	-	-
Notes:										
	Exceeds Ontario Drinking Water Standards, Objectives, and Guidelines									
	Exceeds health warning limit for sodium (20, 000 ug/L, 20 mg/L)									
	Exceeds a Maximum Allowable Concentration (MAC)									
MDL	Method Detection Limit									
ODWSOG	Ontario Drinking Water Standards, Objectives, and Guidelines (MOECC, 2003 rev. 2006, PIBs 4449e01)									
AO	Aesthetic Objective									
MAC	Maximum Allowable Concentration (Health-Related Parameter)									
OG	Operational Guideline									
IMAC	Interim Maximum Acceptable Concentration									
ND	Non detectable (below MDL)									
ug/L	Micrograms per litre									
mg/L	Milligrams per litre									
TCU	True Colour Units									
uS/cm	Microsiemens per centimeter									
NTU	Nephelometric Turbidity Units									
CF/100 mL	count per 100 mL									

HYDROGEOLOGICAL ASSESSMENT

145 WALGREEN ROAD, CARP ON



APPENDIX A: MECP WELL RECORDS

WELL ID	COMPLETED	WELL DEPTH (m)	STATIC WATER LEVEL (m)	DEPTH TO BEDROCK (m)	FINAL STATUS	USE1	GEOLOGY	COLOR	FORMATION TOP DEPTH	FORMATION END DEPTH	UNITS OF MEASUREMENT
1513812	25-Aug-73	29	1.8	0.6	Water Supply	Domestic	LIMESTONE,	GREY	13	89	ft
1513812	25-Aug-73	29	1.8	0.6	Water Supply	Domestic	ROCK SAND,	BROWN	2	13	ft
1513812	25-Aug-73	29	1.8	0.6	Water Supply	Domestic	SAND, STONES,	BROWN	0	2	ft
1513812	25-Aug-73	29	1.8	0.6	Water Supply	Domestic	LIMESTONE, SAND,	GREY	89	95	ft
1513517	10-Sep-73	29	5.2	0.9	Water Supply	Domestic	SAND,	GREY	79	95	ft
1513517	10-Sep-73	29	5.2	0.9	Water Supply	Domestic	LIMESTONE,	GREY	3	81	ft
1513517	10-Sep-73	29	5.2	0.9	Water Supply	Domestic	LIMESTONE,	GREY	8	79	ft
1513517	10-Sep-73	29	5.2	0.9	Water Supply	Domestic	SAND, STONES,	BROWN	0	3	ft
1514625	25-Apr-75	35.7	0.9	3	Water Supply	Domestic	SANDSTONE,	GREY	30	40	ft
1514625	25-Apr-75	35.7	0.9	3	Water Supply	Domestic	LIMESTONE,	GREY	115	115	ft
1514625	25-Apr-75	35.7	0.9	3	Water Supply	Domestic	LIMESTONE,	GREY	10	30	ft
1514625	25-Apr-75	35.7	0.9	3	Water Supply	Domestic	SAND, BOULDERS, PACKED	GREY	0	10	ft
1514625	25-Apr-75	35.7	0.9	3	Water Supply	Domestic	LIMESTONE,	GREY	115	117	ft
151980	18-Jul-85	53.3	6.1	6.7	Water Supply	Domestic	SAND, LIGHT COLOURED,	BROWN	0	12	ft
151980	18-Jul-85	53.3	6.1	6.7	Water Supply	Domestic	SAND, STONES,	GREY	12	22	ft
151980	18-Jul-85	53.3	6.1	6.7	Water Supply	Domestic	LIMESTONE,	GREY	22	175	ft
1520130	10-Aug-85	12.2	1.2	6.4	Water Supply	Domestic	CLAY, PACKED,	GREY	0	5	ft
1520130	10-Aug-85	12.2	1.2	6.4	Water Supply	Domestic	STONES, SILT, PACKED	GREY	5	11	ft
1520130	10-Aug-85	12.2	1.2	6.4	Water Supply	Domestic	GRAVEL, SILT, PACKED	GREY	11	13	ft
1520130	10-Aug-85	12.2	1.2	6.4	Water Supply	Domestic	STONES, SILT, PACKED	GREY	13	15	ft
1520130	10-Aug-85	12.2	1.2	6.4	Water Supply	Domestic	GRAVEL, SILT, DENSE	GREY	15	21	ft
1520130	10-Aug-85	12.2	1.2	6.4	Water Supply	Domestic	LIMESTONE, HARD,	GREY	21	40	ft
1520189	18-Oct-85	9.1	1.5	5.5	Water Supply	Domestic	GRAVEL, LOOSE,	GREY	15	18	ft
1520189	18-Oct-85	9.1	1.5	5.5	Water Supply	Domestic	LIMESTONE, SOFT,	GREY	18	30	ft
1520189	18-Oct-85	9.1	1.5	5.5	Water Supply	Domestic	SAND, LOOSE,	BROWN	0	3	ft
1520189	18-Oct-85	9.1	1.5	5.5	Water Supply	Domestic	CLAY, STONES, PACKED	GREY	3	15	ft
1520281	04-Sep-85	21.9	3	9.1	Water Supply	Domestic	SAND, GRAVEL, BOULDERS	BROWN	0	18	ft
1520281	04-Sep-85	21.9	3	9.1	Water Supply	Domestic	HARDPAN,,	GREY	8	30	ft
1520281	04-Sep-85	21.9	3	9.1	Water Supply	Domestic	LIMESTONE, MEDIUM-GRAINED, SOFT	GREY	30	50	ft
1520281	04-Sep-85	21.9	3	9.1	Water Supply	Domestic	LIMESTONE, FRACTURED,	GREY	50	72	ft
1520287	06-Sep-85	22.9	3.7	8.8	Water Supply	Commercial	SAND, GRAVEL, PACKED	GREY	7	29	ft
1520287	06-Sep-85	22.9	3.7	8.8	Water Supply	Commercial	LIMESTONE, MEDIUM-GRAINED,	GREY	29	75	ft
1520287	06-Sep-85	22.9	3.7	8.8	Water Supply	Commercial	SAND, PACKED,	BROWN	0	7	ft
1520296	17-Dec-85	45.7	9.1	4.6	Water Supply	Domestic	SAND, WATER-BEARING,	BROWN	3	10	ft
1520296	17-Dec-85	45.7	9.1	4.6	Water Supply	Domestic	SAND,,	GREY	10	15	ft
1520296	17-Dec-85	45.7	9.1	4.6	Water Supply	Domestic	LIMESTONE, MEDIUM-GRAINED,	GREY	15	150	ft
1520296	17-Dec-85	45.7	9.1	4.6	Water Supply	Domestic	TOPSOIL, STONES, FILL	BROWN	0	3	ft
1520299	20-Dec-85	53.3	9.1	4.9	Water Supply	Domestic	CLAY, SANDY, BOULDERS	BROWN	1	13	ft
1520299	20-Dec-85	53.3	9.1	4.9	Water Supply	Domestic	GRAVEL, PACKED,	GREY	13	16	ft
1520299	20-Dec-85	53.3	9.1	4.9	Water Supply	Domestic	STONES,	GREY	0	1	ft
1520299	20-Dec-85	53.3	9.1	4.9	Water Supply	Domestic	LIMESTONE,	GREY	16	175	ft
1520803	17-Mar-85	30.5	3.7	6.1	Water Supply	Domestic	SAND, PACKED,	BROWN	0	9	ft
1520803	17-Mar-85	30.5	3.7	6.1	Water Supply	Domestic	SAND, GRAVEL, PACKED	BROWN	9	20	ft
1520803	17-Mar-85	30.5	3.7	6.1	Water Supply	Domestic	LIMESTONE, MEDIUM-GRAINED,	GREY	20	100	ft
1521053	08-Oct-86	11.6	3.4	0	Water Supply	Domestic	TOPSOIL, SAND, PACKED	BROWN	0	1	ft
1521053	08-Oct-86	11.6	3.4	0	Water Supply	Domestic	CLAY, PACKED,	GREY	1	16	ft
1521053	08-Oct-86	11.6	3.4	0	Water Supply	Domestic	SAND, GRAVEL, LOOSE	BROWN	16	38	ft
1521158	25-Nov-86	30.5	3	4.9	Water Supply	Domestic	SAND, GRAVEL, WATER-BEARING	BROWN	0	8	ft
1521158	25-Nov-86	30.5	3	4.9	Water Supply	Domestic	HARDPAN, BOULDERS,	BROWN	8	16	ft
1521158	25-Nov-86	30.5	3	4.9	Water Supply	Domestic	LIMESTONE, MEDIUM-GRAINED,	GREY	16	100	ft
1521180	30-Sep-86	45.7	4.6	4.6	Water Supply	Commercial	TOPSOIL, STONES, WATER-BEARING	BROWN	0	6	ft
1521180	30-Sep-86	45.7	4.6	4.6	Water Supply	Commercial	LIMESTONE, MEDIUM-GRAINED,	GREY	15	150	ft
1521180	30-Sep-86	45.7	4.6	4.6	Water Supply	Commercial	CLAY, SANDY,	GREY	6	15	ft
1522407	19-Dec-87	56.4	3.7	3.7	Water Supply	Commercial	SAND, GRAVEL, PACKED	BROWN	0	9	ft
1522407	19-Dec-87	56.4	3.7	3.7	Water Supply	Commercial	HARDPAN,,	GREY	9	12	ft
1522407	19-Dec-87	56.4	3.7	3.7	Water Supply	Commercial	LIMESTONE, MUCK, SOFT	GREY	12	162	ft
1522407	19-Dec-87	56.4	3.7	3.7	Water Supply	Commercial	LIMESTONE, QUARTZ, MUCK	GREY	100	185	ft
1522535	19-Jul-88	45.1	6.7	0	Recharge Well	Cooling And A/C	LIMESTONE, SHALE,	GREY	0	148	ft
1522536	18-Jul-88	45.1	6.7	0	Water Supply	Commercial	LIMESTONE, SHALES, SILT	GREY	0	148	ft
1522745	07-Sep-88	45.7	9.1	0	Water Supply	Domestic	LIMESTONE, SOFT, MEDIUM-GRAINED	GREY	0	150	ft
1523229	23-Dec-88	45.7	9.1	0	Water Supply	Domestic	STONES, FRACTURED, ROCK	GREY	0	3	ft
1523229	23-Dec-88	45.7	9.1	0	Water Supply	Domestic	LIMESTONE, MEDIUM GRAVEL, SOFT	GREY	3	150	ft
1523365	31-Mar-89	68.6	6.1	0.6	Water Supply	Domestic	LIMESTONE,	GREY	2	225	ft
1523365	31-Mar-89	68.6	6.1	0.6	Water Supply	Domestic	TOPSOIL,,	BROWN	0	2	ft
1523388	28-Apr-89	68.6	4.9	2.7	Water Supply	Domestic	SAND, GRAVEL,	BROWN	0	9	ft
1523388	28-Apr-89	68.6	4.9	2.7	Water Supply	Domestic	LIMESTONE, SOFT, MEDIUM-GRAINED	GREY	9	225	ft
1523562	05-Jun-89	42.7	5.5	1.8	Water Supply	Domestic	LIMESTONE, POROUS,	GREY	90	140	ft
1523562	05-Jun-89	42.7	5.5	1.8	Water Supply	Domestic	SAND, STONES, LOOSE	GREY	0	6	ft
1523562	05-Jun-89	42.7	5.5	1.8	Water Supply	Domestic	LIMESTONE, HARD,	GREY	6	90	ft
1523782	18-Aug-89	45.7	4.9	0.9	Water Supply	Domestic	GRAVEL, SANDY, FILL	BROWN	0	75	ft
1523782	18-Aug-89	45.7	4.9	0.9	Water Supply	Domestic	LIMESTONE, MEDIUM-GRAINED,	GREY	3	150	ft
1524090	09-Nov-89	198.1	3	4.3	Water Supply	Domestic	SAND, GRAVEL, BOULDERS	BROWN	0	14	ft
1524090	09-Nov-89	198.1	3	4.3	Water Supply	Domestic	LIMESTONE, MEDIUM-GRAINED,	GREY	14	580	ft
1524090	09-Nov-89	198.1	3	4.3	Water Supply	Domestic	SANDSTONE, HARD, MEDIUM-GRAINED	GREY	580	630	ft
1524090	09-Nov-89	198.1	3	4.3	Water Supply	Domestic	GRANITE, HARD, MEDIUM-GRAINED	WHITE	630	650	ft
1524091	08-Nov-89	74.7	6.1	0.3	Water Supply	Domestic	SAND, STONES,	BROWN	0	1	ft
1524091	08-Nov-89	74.7	6.1	0.3	Water Supply	Domestic	LIMESTONE,,	GREY	1	245	ft
1524636	22-Aug-90	43.6	6.1	2.1	Water Supply	Domestic	CLAY, GRAVEL,	GREY	0	7	ft
1524636	22-Aug-90	43.6	6.1	2.1	Water Supply	Domestic	LIMESTONE,	GREY	7	143	ft
1525623	30-Jul-91	61	9.8	0	Water Supply	Domestic	LIMESTONE, FRACTURED,	GREY	0	9	ft
1525623	30-Jul-91	61	9.8	0	Water Supply	Domestic	LIMESTONE, MEDIUM-GRAINED,	GREY	9	200	ft
1525624	02-Jul-91	47.2	16.8	2.1	Water Supply	Domestic	SAND, STONES,	BROWN	0	7	ft
1525624	02-Jul-91	47.2	16.8	2.1	Water Supply	Domestic	LIMESTONE, MEDIUM-GRAINED,	GREY	7	155	ft
1528205	07-Sep-94	22.9	4	2.4	Water Supply	Domestic	TOPSOIL, STONES,	BROWN	0	8	ft
1528205	07-Sep-94	22.9	4	2.4	Water Supply	Domestic	LIMESTONE, MEDIUM-GRAINED,	GREY	8	75	ft
1528504	10-May-85	22.9	1.5	5.2	Water Supply	Domestic	TOPSOIL, STONES,	BROWN	0	5	ft
1528504	10-May-85	22.9	1.5	5.2	Water Supply	Domestic	CLAY, SANDY, BOULDERS	BROWN	5	17	ft
1528504	10-May-85	22.9	1.5	5.2	Water Supply	Domestic	LIMESTONE,	GREY	17	75	ft
1529618	11-Sep-97	76.2	1.5	2.7	Water Supply	Commercial	TOPSOIL, SANDY, STONES	BROWN	0	9	ft
1529618	11-Sep-97	76.2	1.5	2.7	Water Supply	Commercial	LIMESTONE, LAYERED, HARD	GREY	9	250	ft
1530339	27-Oct-98	42.7	7.6	2.1	Observation Wells	Livestock	TOPSOIL, STONES, PACKED	BROWN	0	7	ft
1530339	27-Oct-98	42.7	7.6	2.1	Observation Wells	Livestock	LIMESTONE,	GREY	7	140	ft
1530489	24-Feb-99	43.3	11.6	0	Water Supply	Domestic	LIMESTONE, LAYERED,	GREY	0	132	ft
1530489	24-Feb-99	43.3	11.6	0	Water Supply	Domestic	LIMESTONE, HARD,	WHITE	132	138	ft
1530489	24-Feb-99	43.3	11.6	0	Water Supply	Domestic	LIMESTONE, LAYERED,	GREY	138	142	ft
1531069	17-Mar-00	45.7	8.2	1.2	Water Supply	Domestic	TOPSOIL, STONES,	BROWN	0	4	ft
1531069	17-Mar-00	45.7	8.2	1.2	Water Supply	Domestic	LIMESTONE, HARD,	GREY	4	150	ft
1531133	25-Apr-00	6.1	1.2	1.2	Observation Wells	Industrial	TOPSOIL, STONES,	BROWN	0	4	ft
1531133	25-Apr-00	6.1	1.2	1.2	Observation Wells	Industrial	LIMESTONE, HARD,	GREY	4	20	ft
1531138	05-May-00	30.5	2.4	6.7	Water Supply	Domestic	SAND,,	BROWN	0	4	ft
1531138	05-May-00	30.5	2.4	6.7	Water Supply	Domestic	CLAY, SANDY,	GREY	4	13	ft
1531138	05-May-00	30.5	2.4	6.7	Water Supply	Domestic	SAND, GRAVEL, BOULDERS	GREY	13	22	ft
1531138	05-May-00	30.5	2.4	6.7	Water Supply	Domestic	LIMESTONE,,	GREY	22	100	ft
1534196	08-Sep-03	83.2	3.7	6.7	Water Supply	Domestic	TOPSOIL, SANDY, STONES	BROWN	0	12	ft
1534196	08-Sep-03	83.2	3.7	6.7	Water Supply	Domestic	HARDPAN,,	GREY	22	75	ft
1534196	08-Sep-03	83.2	3.7	6.7	Water Supply	Domestic	LIMESTONE,,	GREY	22	273	ft
1535168	21-Oct-04	91.4	15	0.6	Water Supply	Domestic	FILL,,	GREY	0	0.609	m
1535168	21-Oct-04	91.4	15	0.6	Water Supply	Domestic	LIMESTONE,,	GREY	0.609	91.43	m
7118468	05-Nov-08	67.1	4.6	1.83	Water Supply	Domestic	SAND,,	GREY	0	6	ft
7118468	05-Nov-08	67.1	4.6	1.83	Water Supply	Domestic	LIMESTONE,,	GREY	6	220	ft
7139838	19-Nov-09	45.1	4.7	1.52	Water Supply	Domestic	TOPSOIL, STONES,	BROWN	0	1.52	m
7139838	19-Nov-09	45.1	4.7	1.52	Water Supply	Domestic	LIMESTONE,, MEDIUM-GRAINED	GREY	1.52	45.1	m
7173863	28-Oct-11	18.6	3.7	6.1	Water Supply	Domestic	CLAY, GRAVEL, SANDY	GREY	0	20	ft
7173863	28-Oct-11	18.6	3.7	6.1	Water Supply	Domestic	LIMESTONE,,	GREY	20	37	ft
7173863	28-Oct-11	18.6	3.7	6.1	Water Supply	Domestic	LIMESTONE,,	GREY	37	48	ft
7173863	28-Oct-11	18.6	3.7	6.1	Water Supply	Domestic	LIMESTONE,,	GREY	48	62	ft
7181192	28-Mar-12	61	7.1	3.05	Water Supply	Domestic	SAND, CLAY,	GREY	0	10	ft
7181192	28-Mar-12	61	7.1	3.05	Water Supply	Domestic	LIMESTONE,,	GREY	10	121	ft
7181192	28										

7284233	21-Mar-17	33.5	4.5	2.44	Water Supply	Domestic	LIMESTONE,	GREY	8	110 ft
7218083	25-Jun-18	61.9	3.3	9.14	Water Supply	Domestic	SAND,CLAY GRAVEL		0	30 ft
7218083	25-Jun-18	61.9	3.3	9.14	Water Supply	Domestic	LIMESTONE,	GREY	30	233 ft
7344121	10-Sep-19	54.9	11.2	2.13	Water Supply	Domestic	SAND,BOULDERS,		0	7 ft
7344121	10-Sep-19	54.9	11.2	2.13	Water Supply	Domestic	LIMESTONE,	GREY	7	120 ft
7344121	10-Sep-19	54.9	11.2	2.13	Water Supply	Domestic	LIMESTONE,	GREY	120	174 ft
7344121	10-Sep-19	54.9	11.2	2.13	Water Supply	Domestic	LIMESTONE,	GREY	174	180 ft
MAX.		198.1	16.8	9.144						
MIN.		6.1	0.9	0						
AVG.		48.1	5.5	3.5						

HYDROGEOLOGICAL ASSESSMENT

145 WALGREEN ROAD, CARP ON



APPENDIX B: WELL RECORD (TW1)

Measurements recorded in: ☒ Metric ☐ Imperial

Page 1 of 1

Well Owner's Information

First Name USCHER Last Name / Organization CONSTRUCTION INC. (MEYKNECHT-USCHER CONTRACTORS INC.) E-mail Address ☐ Well Constructed by Well Owner

Mailing Address (Street Number/Name) 119 NALGREEN ROAD Municipality CARP Province ON Postal Code K0A 1K0 Telephone No. (inc. area code) (613) 831-3232

Well Location

Address of Well Location (Street Number/Name) 145 NALGREEN ROAD Township HUNTLEY Lot 2 Concession 3

County/District/Municipality OTTAWA-CARLETON City/Town/Village CARP Province Ontario Postal Code K0A 1K0

UTM Coordinates Zone 18 Easting 424006 Northing 5013358 Municipal Plan and Sublot Number Other

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
From	To			From To
BROWN	SAND/CLAY			0.00 1.52
GRAY	CLAY/TILL	BOULDERS, GRAVEL		1.52 5.49
GRAY	LIMESTONE	SAND	*HEAVILY FRACTURED BEDROCK* (20.7m - 23.4m)	5.49 28.06

Annular Space		
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
From To		
0.00 6.41	Bentonite Holeplug grout / Slurry	0.18

Method of Construction		Well Use	
☐ Cable Tool	☐ Diamond	☐ Public	☒ Commercial
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Not used
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Dewatering
☐ Boring	☐ Digging	☐ Irrigation	☐ Test Hole
☒ Air percussion		☐ Industrial	☐ Cooling & Air Conditioning
☐ Other, specify		☐ Other, specify	

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)	From To	
15.88	Steel A589	0.48	40.5	6.41	

Construction Record - Screen				Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	From To	
			N/A		

Water Details		Hole Diameter	
Water found at Depth (m/ft)	Kind of Water: ☐ Fresh ☒ Untested	Depth (m/ft)	Diameter (cm/in)
		From To	
		6.41 28.06	15.24

Well Contractor and Well Technician Information

Business Name of Well Contractor STANTON DRILLING INC Well Contractor's Licence No. 4075


Business Address (Street Number/Name) BOX 219, 157 FIVE ARCHES DRIVE Municipality PAKENHAM

Province ON Postal Code K0A 2X0 Business E-mail Address stantondrilling@yahoo.ca

Bus. Telephone No. (inc. area code) (613) 624-5622 Name of Well Technician (Last Name, First Name) SPIDEN, PETER

Well Technician's Licence No. 0086 Signature of Technician and/or Contractor [Signature] Date Submitted 20090530

Results of Well Yield Testing					
After test of well yield, water was: ☒ Clear and sand free ☐ Other, specify _____		Draw Down		Recovery	
		Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason: <u>N/A</u>		Static Level	<u>2.57.</u>		
Pump intake set at (m/ft) <u>12.2m (40')</u>		1	<u>2.70</u>	1	<u>3.01</u>
Pumping rate (l/min / GPM) <u>54lpm (12gpm)</u>		2	<u>2.74</u>	2	<u>2.97</u>
Duration of pumping <u>1</u> hrs + <u>0</u> min		3	<u>2.78</u>	3	<u>2.93</u>
Final water level end of pumping (m/ft) <u>3.4m</u>		4	<u>2.79</u>	4	<u>2.91</u>
If flowing give rate (l/min / GPM) <u>N/A.</u>		5	<u>2.82</u>	5	<u>2.88</u>
Recommended pump depth (m/ft) <u>(40')</u>		10	<u>2.90</u>	10	<u>2.80</u>
Recommended pump rate (l/min / GPM) <u>54lpm (12gpm)</u>		15	<u>2.96</u>	15	<u>2.74</u>
Well production (l/min / GPM) <u>>> 54lpm</u>		20	<u>2.99</u>	20	<u>2.72</u>
Disinfected? ☒ Yes ☐ No		25	<u>3.02</u>	25	<u>2.70</u>
		30	<u>3.06</u>	30	<u>2.66</u>
		40	<u>3.10</u>	40	<u>2.64</u>
		50	<u>3.12</u>	50	<u>2.63</u>
		60	<u>3.14</u>	60	<u>2.62</u>



Comments:

Well owner's information package delivered ☒ Yes ☐ No

Date Package Delivered 20090530

Date Work Completed 20090530

Ministry Use Only

Audit No. 91937

JUL 14 2009

HYDROGEOLOGICAL ASSESSMENT

145 WALGREEN ROAD, CARP ON



APPENDIX C: CERTIFICATE OF CALIBRATION



CERTIFICATE OF CALIBRATION

The HORIBA Instrument listed below has been inspected and calibrated following the Manufacturer's specifications and methods.

Instrument Model: **HORIBA U-52** Serial Number: **7HJE02KD** Calibration Date: **August 26, 2024**

<u>2-POINT pH</u>	<u>CONDUCTIVITY</u>	<u>TURBIDITY</u>	<u>DISSOLVED OXYGEN</u>	<u>OXIDIZATION-REDUCTION POTENTIAL</u>	<u>TEMPERATURE</u>
4.00 pH, 7.00 pH	4.49mS/cm ZERO CHECKED	0 & 100 NTU	8.64 mg/L @ 22.5 DegC SODIUM SULFITE ZERO	240mV	Fisher Scientific s/n 230606647
AutoCal 4.00 pH Solution LOT # 3GE0924	AutoCal Solution LOT # 3GH0985	AutoCal Solution LOT# 3GH0985	Oakton Zero Solution LOT# 803313	Hanna ORP LOT # 8976	
Expiry Date: August 1, 2024	Expiry Date: August 1, 2024	Expiry Date: August 1, 2024	Expiry Date: January 1, 2025	Expiry Date: May 1, 2028	
pH 7.00 LOT # 4GB0027	@25 DegC LOT # 3GH0985	Turb. 100 NTU LOT # A3312			
Expiry Date: February 1, 2026		Expiry Date: November 1, 2025			

The calibration standard used is considered to be a certified standard and is traceable to the National Institute of Standards and Technology (NIST). Certificate of Analysis is available upon request.

The instrument indicated above is now certified to be operating within the Manufacturer's specifications. This does not eliminate the requirement for regular maintenance and pre-use sensor response checks in order to ensure continued complete and accurate operating condition.

Certified By: Vincent Marin

MAXIM Environmental and Safety Inc.

sales@maximenvironmental.com
www.maximenvironmental.com



9 - 170 Ambassador Dr., Mississauga, ON L5T 2H9
(905)670-1304 | Toll Free (888)285-2324

9 - 148 Colonnade Rd., Ottawa, ON K2E 7R4
(613)224-4747 | Toll Free (888)285-2324

HYDROGEOLOGICAL ASSESSMENT 145 WALGREEN ROAD, CARP ON



APPENDIX D: WATER LEVEL DATA AND PUMPING TEST ANALYSES

Summary of Water Level Data (Manual Measurements)
Pumping Test - TW1

TOC Elevation (assumed)
Static Water Level
Static Water Elevation
95% Recovery

100 m AD (Above Datum)
2.055 m BTOC
97.945 m AD (Above Datum)
2.104 m BTOC
97.896 m AD (Above Datum)

Well depth
Pump Depth

28 m BTOC
18.29 m BTOC

Elapsed Time (minutes)	Water Level (m BTOC)	Elapsed time after pump shut off (min)	T/t'	Water Level (m Datum)	Drawdown (m)	Water Column Remaining (m)	% Utilization	Notes
0	2.055			97.945	0	25.945	0.0%	Pump on @8:07
1	2.215			97.785	0.16	25.785	0.6%	Flow rate = 42 L/min (11 GPM)
2	2.26			97.74	0.205	25.74	0.7%	
3	2.295			97.705	0.24	25.705	0.9%	
4.25	2.33			97.67	0.275	25.67	1.0%	
5	2.35			97.65	0.295	25.65	1.1%	
6	2.36			97.64	0.305	25.64	1.1%	
7	2.385			97.615	0.33	25.615	1.2%	
8	2.395			97.605	0.34	25.605	1.2%	
9	2.41			97.59	0.355	25.59	1.3%	
10	2.43			97.57	0.375	25.57	1.3%	
13.5	2.464			97.536	0.409	25.536	1.5%	
17	2.495			97.505	0.44	25.505	1.6%	
20.5	2.523			97.477	0.468	25.477	1.7%	
26	2.556			97.444	0.501	25.444	1.8%	
32.75	2.6			97.4	0.545	25.4	1.9%	
36.75	2.62			97.38	0.565	25.38	2.0%	
44.5	2.65			97.35	0.595	25.35	2.1%	
50	2.67			97.33	0.615	25.33	2.2%	
55.75	2.692			97.308	0.637	25.308	2.3%	
70	2.733			97.267	0.678	25.267	2.4%	
82	2.76			97.24	0.705	25.24	2.5%	
96.5	2.795			97.205	0.74	25.205	2.6%	
110	2.815			97.185	0.76	25.185	2.7%	
133	2.886			97.114	0.831	25.114	3.0%	
139	2.883			97.117	0.828	25.117	3.0%	
160	2.89			97.11	0.835	25.11	3.0%	
174	2.906			97.094	0.851	25.094	3.0%	
193.5	2.931			97.069	0.876	25.069	3.1%	
212	2.942			97.058	0.887	25.058	3.2%	
224	2.95			97.05	0.895	25.05	3.2%	
230	2.955			97.045	0.9	25.045	3.2%	
245	2.965			97.035	0.91	25.035	3.2%	
263	2.973			97.027	0.918	25.027	3.3%	
287	2.983			97.017	0.928	25.017	3.3%	
300	2.984			97.016	0.929	25.016	3.3%	
310	2.99			97.01	0.935	25.01	3.3%	
330	3.005			96.995	0.95	24.995	3.4%	
353	3.01			96.99	0.955	24.99	3.4%	
366.5	3.015			96.985	0.96	24.985	3.4%	
387.5	3.02			96.98	0.965	24.98	3.4%	
418	3.035			96.965	0.98	24.965	3.5%	
428	3.05			96.95	0.995	24.95	3.6%	
440	3.046			96.954	0.991	24.954	3.5%	
460	3.04			96.96	0.985	24.96	3.5%	
468	3.04			96.96	0.985	24.96	3.5%	
480	3.043			96.957	0.988	24.957	3.5%	
481	2.945	0.5	962.00	97.055	0.89	25.055	3.2%	
482	2.89	1.5	321.33	97.11	0.835	25.11	3.0%	
483	2.855	2.5	193.20	97.145	0.8	25.145	2.9%	
483.5	2.785	3	161.17	97.215	0.73	25.215	2.6%	
487	2.764	6.5	74.92	97.236	0.709	25.236	2.5%	
488.75	2.74	8.25	59.24	97.26	0.685	25.26	2.4%	
493.33	2.675	12.83	38.45	97.325	0.62	25.325	2.2%	
497	2.645	16.5	30.12	97.355	0.59	25.355	2.1%	
500.75	2.604	20.25	24.73	97.396	0.549	25.396	2.0%	
504	2.58	23.5	21.45	97.42	0.525	25.42	1.9%	
507.75	2.55	27.25	18.63	97.45	0.495	25.45	1.8%	
515	2.51	34.5	14.93	97.49	0.455	25.49	1.6%	
525	2.468	44.5	11.80	97.532	0.413	25.532	1.5%	
538	2.42	57.5	9.36	97.58	0.365	25.58	1.3%	
1488	2.09	1007.5	1.48	97.91	0.035	25.91	0.1%	2024-08-29 8:55

Summary of Water Level Data (Data Logger Measurements)
Pumping Test - TW1

Static Water Level
95% Recovery

100 m AD (Above Datum)
2.055 m BTOC
97.945 m AD (Above Datum)
2.097 m BTOC
97.9028 m AD (Above Datum)

Well depth
Pump Depth

28 m BTOC
18.29 m BTOC

Elapsed Time (minutes)	Water Level (m BTOC)	Elapsed time after pump shut off (min)	T/t'	Water Level (m Datum)	Drawdown (m)	Water Column Remaining (m)	% Utilization	Notes
0	2.055			97.945	0	25.945	0.0%	Pump on @8:07
1	2.0554			97.9446	0.0004	25.9446	0.0%	Flow rate = 42 L/min (11 GPM)
2	2.0546			97.9454	-0.0004	25.9454	0.0%	
3	2.0534			97.9466	-0.0016	25.9466	0.0%	
4	2.2074			97.7926	0.1524	25.7926	0.5%	
5	2.2529			97.7471	0.1979	25.7471	0.7%	
6	2.2875			97.7125	0.2325	25.7125	0.8%	
7	2.3231			97.6769	0.2681	25.6769	1.0%	
8	2.3467			97.6533	0.2917	25.6533	1.0%	
9	2.3655			97.6345	0.3105	25.6345	1.1%	
10	2.3872			97.6128	0.3322	25.6128	1.2%	
11	2.4044			97.5956	0.3494	25.5956	1.2%	
12	2.4169			97.5831	0.3619	25.5831	1.3%	
13	2.4318			97.5682	0.3768	25.5682	1.3%	
14	2.4437			97.5563	0.3887	25.5563	1.4%	
15	2.4546			97.5454	0.3996	25.5454	1.4%	
16	2.4672			97.5328	0.4122	25.5328	1.5%	
17	2.4784			97.5216	0.4234	25.5216	1.5%	
18	2.4866			97.5134	0.4316	25.5134	1.5%	
19	2.4953			97.5047	0.4403	25.5047	1.6%	
20	2.5058			97.4942	0.4508	25.4942	1.6%	
21	2.5142			97.4858	0.4592	25.4858	1.6%	
22	2.5223			97.4777	0.4673	25.4777	1.7%	
23	2.531			97.469	0.476	25.469	1.7%	
24	2.5357			97.4643	0.4807	25.4643	1.7%	
25	2.5457			97.4543	0.4907	25.4543	1.8%	
26	2.5495			97.4505	0.4945	25.4505	1.8%	
27	2.5577			97.4423	0.5027	25.4423	1.8%	
28	2.5647			97.4353	0.5097	25.4353	1.8%	
29	2.567			97.433	0.512	25.433	1.8%	
30	2.5791			97.4209	0.5241	25.4209	1.9%	
31	2.5775			97.4225	0.5225	25.4225	1.9%	
32	2.5901			97.4099	0.5351	25.4099	1.9%	
33	2.591			97.409	0.536	25.409	1.9%	
34	2.6047			97.3953	0.5497	25.3953	2.0%	
35	2.6039			97.3961	0.5489	25.3961	2.0%	
36	2.6079			97.3921	0.5529	25.3921	2.0%	
37	2.616			97.384	0.561	25.384	2.0%	
38	2.6175			97.3825	0.5625	25.3825	2.0%	
39	2.6249			97.3751	0.5699	25.3751	2.0%	
40	2.6283			97.3717	0.5733	25.3717	2.0%	
41	2.6339			97.3661	0.5789	25.3661	2.1%	
42	2.6383			97.3617	0.5833	25.3617	2.1%	
43	2.6394			97.3606	0.5844	25.3606	2.1%	
44	2.639			97.361	0.584	25.361	2.1%	
45	2.6463			97.3537	0.5913	25.3537	2.1%	
46	2.6502			97.3498	0.5952	25.3498	2.1%	
47	2.6553			97.3447	0.6003	25.3447	2.1%	
48	2.6574			97.3426	0.6024	25.3426	2.2%	
49	2.6597			97.3403	0.6047	25.3403	2.2%	
50	2.6679			97.3321	0.6129	25.3321	2.2%	
51	2.6629			97.3371	0.6079	25.3371	2.2%	
52	2.6704			97.3296	0.6154	25.3296	2.2%	
53	2.6738			97.3262	0.6188	25.3262	2.2%	
54	2.6811			97.3189	0.6261	25.3189	2.2%	
55	2.686			97.314	0.631	25.314	2.3%	
56	2.6892			97.3108	0.6342	25.3108	2.3%	
57	2.6933			97.3067	0.6383	25.3067	2.3%	
58	2.6928			97.3072	0.6378	25.3072	2.3%	
59	2.6978			97.3022	0.6428	25.3022	2.3%	
60	2.7029			97.2971	0.6479	25.2971	2.3%	
61	2.7062			97.2938	0.6512	25.2938	2.3%	
62	2.7097			97.2903	0.6547	25.2903	2.3%	
63	2.712			97.288	0.657	25.288	2.3%	
64	2.7158			97.2842	0.6608	25.2842	2.4%	
65	2.7166			97.2834	0.6616	25.2834	2.4%	

66	2.7172			97.2828	0.6622	25.2828	2.4%	
67	2.721			97.279	0.666	25.279	2.4%	
68	2.7235			97.2765	0.6685	25.2765	2.4%	
69	2.7291			97.2709	0.6741	25.2709	2.4%	
70	2.733			97.267	0.678	25.267	2.4%	
71	2.7327			97.2673	0.6777	25.2673	2.4%	
72	2.7362			97.2638	0.6812	25.2638	2.4%	
73	2.7333			97.2667	0.6783	25.2667	2.4%	
74	2.7374			97.2626	0.6824	25.2626	2.4%	
75	2.7427			97.2573	0.6877	25.2573	2.5%	
76	2.744			97.256	0.689	25.256	2.5%	
77	2.7422			97.2578	0.6872	25.2578	2.5%	
78	2.7516			97.2484	0.6966	25.2484	2.5%	
79	2.7502			97.2498	0.6952	25.2498	2.5%	
80	2.7555			97.2445	0.7005	25.2445	2.5%	
81	2.7495			97.2505	0.6945	25.2505	2.5%	
82	2.7626			97.2374	0.7076	25.2374	2.5%	
83	2.7677			97.2323	0.7127	25.2323	2.5%	
84	2.7688			97.2312	0.7138	25.2312	2.5%	
85	2.7649			97.2351	0.7099	25.2351	2.5%	
86	2.7645			97.2355	0.7095	25.2355	2.5%	
87	2.7691			97.2309	0.7141	25.2309	2.6%	
88	2.7733			97.2267	0.7183	25.2267	2.6%	
89	2.7724			97.2276	0.7174	25.2276	2.6%	
90	2.7804			97.2196	0.7254	25.2196	2.6%	
91	2.7843			97.2157	0.7293	25.2157	2.6%	
92	2.7844			97.2156	0.7294	25.2156	2.6%	
93	2.7838			97.2162	0.7288	25.2162	2.6%	
94	2.7831			97.2169	0.7281	25.2169	2.6%	
95	2.7857			97.2143	0.7307	25.2143	2.6%	
96	2.7943			97.2057	0.7393	25.2057	2.6%	
97	2.7978			97.2022	0.7428	25.2022	2.7%	
98	2.7998			97.2002	0.7448	25.2002	2.7%	
99	2.8019			97.1981	0.7469	25.1981	2.7%	
100	2.8033			97.1967	0.7483	25.1967	2.7%	
101	2.8078			97.1922	0.7528	25.1922	2.7%	
102	2.8038			97.1962	0.7488	25.1962	2.7%	
103	2.8102			97.1898	0.7552	25.1898	2.7%	
104	2.8114			97.1886	0.7564	25.1886	2.7%	
105	2.8151			97.1849	0.7601	25.1849	2.7%	
106	2.813			97.187	0.758	25.187	2.7%	
107	2.8135			97.1865	0.7585	25.1865	2.7%	
108	2.8148			97.1852	0.7598	25.1852	2.7%	
109	2.8178			97.1822	0.7628	25.1822	2.7%	
110	2.8167			97.1833	0.7617	25.1833	2.7%	
111	2.8228			97.1772	0.7678	25.1772	2.7%	
112	2.823			97.177	0.768	25.177	2.7%	
113	2.8272			97.1728	0.7722	25.1728	2.8%	
114	2.8282			97.1718	0.7732	25.1718	2.8%	
115	2.8369			97.1631	0.7819	25.1631	2.8%	
116	2.8352			97.1648	0.7802	25.1648	2.8%	
117	2.8287			97.1713	0.7737	25.1713	2.8%	
118	2.8354			97.1646	0.7804	25.1646	2.8%	
119	2.8412			97.1588	0.7862	25.1588	2.8%	
120	2.841			97.159	0.786	25.159	2.8%	
121	2.8428			97.1572	0.7878	25.1572	2.8%	
122	2.8442			97.1558	0.7892	25.1558	2.8%	
123	2.8459			97.1541	0.7909	25.1541	2.8%	
124	2.8472			97.1528	0.7922	25.1528	2.8%	
125	2.8518			97.1482	0.7968	25.1482	2.8%	
126	2.854			97.146	0.799	25.146	2.9%	
127	2.8477			97.1523	0.7927	25.1523	2.8%	
128	2.8511			97.1489	0.7961	25.1489	2.8%	
129	2.8549			97.1451	0.7999	25.1451	2.9%	
130	2.8538			97.1462	0.7988	25.1462	2.9%	
131	2.8564			97.1436	0.8014	25.1436	2.9%	
132	2.8562			97.1438	0.8012	25.1438	2.9%	
133	2.8562			97.1438	0.8012	25.1438	2.9%	
134	2.8602			97.1398	0.8052	25.1398	2.9%	
135	2.8624			97.1376	0.8074	25.1376	2.9%	
136	2.8673			97.1327	0.8123	25.1327	2.9%	
137	2.8952			97.1048	0.8402	25.1048	3.0%	
138	2.892			97.108	0.837	25.108	3.0%	
139	2.8911			97.1089	0.8361	25.1089	3.0%	
140	2.8933			97.1067	0.8383	25.1067	3.0%	
141	2.8856			97.1144	0.8306	25.1144	3.0%	
142	2.8855			97.1145	0.8305	25.1145	3.0%	
143	2.8891			97.1109	0.8341	25.1109	3.0%	
144	2.8897			97.1103	0.8347	25.1103	3.0%	
145	2.8854			97.1146	0.8304	25.1146	3.0%	
146	2.8858			97.1142	0.8308	25.1142	3.0%	
147	2.8826			97.1174	0.8276	25.1174	3.0%	
148	2.8832			97.1168	0.8282	25.1168	3.0%	

149	2.889			97.111	0.834	25.111	3.0%	
150	2.8915			97.1085	0.8365	25.1085	3.0%	
151	2.8874			97.1126	0.8324	25.1126	3.0%	
152	2.8898			97.1102	0.8348	25.1102	3.0%	
153	2.8929			97.1071	0.8379	25.1071	3.0%	
154	2.8892			97.1108	0.8342	25.1108	3.0%	
155	2.8914			97.1086	0.8364	25.1086	3.0%	
156	2.899			97.101	0.844	25.101	3.0%	
157	2.8942			97.1058	0.8392	25.1058	3.0%	
158	2.8935			97.1065	0.8385	25.1065	3.0%	
159	2.895			97.105	0.84	25.105	3.0%	
160	2.8975			97.1025	0.8425	25.1025	3.0%	
161	2.8981			97.1019	0.8431	25.1019	3.0%	
162	2.899			97.101	0.844	25.101	3.0%	
163	2.8941			97.1059	0.8391	25.1059	3.0%	
164	2.8984			97.1016	0.8434	25.1016	3.0%	
165	2.8999			97.1001	0.8449	25.1001	3.0%	
166	2.8965			97.1035	0.8415	25.1035	3.0%	
167	2.9038			97.0962	0.8488	25.0962	3.0%	
168	2.9041			97.0959	0.8491	25.0959	3.0%	
169	2.9017			97.0983	0.8467	25.0983	3.0%	
170	2.9012			97.0988	0.8462	25.0988	3.0%	
171	2.9059			97.0941	0.8509	25.0941	3.0%	
172	2.9082			97.0918	0.8532	25.0918	3.0%	
173	2.9053			97.0947	0.8503	25.0947	3.0%	
174	2.9026			97.0974	0.8476	25.0974	3.0%	
175	2.912			97.088	0.857	25.088	3.1%	
176	2.9074			97.0926	0.8524	25.0926	3.0%	
177	2.9104			97.0896	0.8554	25.0896	3.1%	
178	2.9058			97.0942	0.8508	25.0942	3.0%	
179	2.9133			97.0867	0.8583	25.0867	3.1%	
180	2.9182			97.0818	0.8632	25.0818	3.1%	
181	2.9192			97.0808	0.8642	25.0808	3.1%	
182	2.9222			97.0778	0.8672	25.0778	3.1%	
183	2.9194			97.0806	0.8644	25.0806	3.1%	
184	2.9174			97.0826	0.8624	25.0826	3.1%	
185	2.9208			97.0792	0.8658	25.0792	3.1%	
186	2.9524			97.0476	0.8974	25.0476	3.2%	
187	2.9474			97.0526	0.8924	25.0526	3.2%	
188	2.9451			97.0549	0.8901	25.0549	3.2%	
189	2.9445			97.0555	0.8895	25.0555	3.2%	
190	2.9418			97.0582	0.8868	25.0582	3.2%	
191	2.9364			97.0636	0.8814	25.0636	3.1%	
192	2.9422			97.0578	0.8872	25.0578	3.2%	
193	2.9416			97.0584	0.8866	25.0584	3.2%	
194	2.9356			97.0644	0.8806	25.0644	3.1%	
195	2.9411			97.0589	0.8861	25.0589	3.2%	
196	2.9384			97.0616	0.8834	25.0616	3.2%	
197	2.9392			97.0608	0.8842	25.0608	3.2%	
198	2.9394			97.0606	0.8844	25.0606	3.2%	
199	2.9421			97.0579	0.8871	25.0579	3.2%	
200	2.9412			97.0588	0.8862	25.0588	3.2%	
201	2.9438			97.0562	0.8888	25.0562	3.2%	
202	2.937			97.063	0.882	25.063	3.1%	
203	2.9412			97.0588	0.8862	25.0588	3.2%	
204	2.9457			97.0543	0.8907	25.0543	3.2%	
205	2.9476			97.0524	0.8926	25.0524	3.2%	
206	2.946			97.054	0.891	25.054	3.2%	
207	2.9443			97.0557	0.8893	25.0557	3.2%	
208	2.944			97.056	0.889	25.056	3.2%	
209	2.9492			97.0508	0.8942	25.0508	3.2%	
210	2.9431			97.0569	0.8881	25.0569	3.2%	
211	2.9503			97.0497	0.8953	25.0497	3.2%	
212	2.9481			97.0519	0.8931	25.0519	3.2%	
213	2.9464			97.0536	0.8914	25.0536	3.2%	
214	2.9509			97.0491	0.8959	25.0491	3.2%	
215	2.9537			97.0463	0.8987	25.0463	3.2%	
216	2.9509			97.0491	0.8959	25.0491	3.2%	
217	2.9513			97.0487	0.8963	25.0487	3.2%	
218	2.9467			97.0533	0.8917	25.0533	3.2%	
219	2.954			97.046	0.899	25.046	3.2%	
220	2.9542			97.0458	0.8992	25.0458	3.2%	
221	2.9495			97.0505	0.8945	25.0505	3.2%	
222	2.957			97.043	0.902	25.043	3.2%	
223	2.9518			97.0482	0.8968	25.0482	3.2%	
224	2.9581			97.0419	0.9031	25.0419	3.2%	
225	2.9536			97.0464	0.8986	25.0464	3.2%	
226	2.9593			97.0407	0.9043	25.0407	3.2%	
227	2.9555			97.0445	0.9005	25.0445	3.2%	
228	2.959			97.041	0.904	25.041	3.2%	
229	2.9622			97.0378	0.9072	25.0378	3.2%	
230	2.9666			97.0334	0.9116	25.0334	3.3%	
231	2.9653			97.0347	0.9103	25.0347	3.3%	

232	2.9637			97.0363	0.9087	25.0363	3.2%	
233	2.9657			97.0343	0.9107	25.0343	3.3%	
234	2.9646			97.0354	0.9096	25.0354	3.2%	
235	2.9681			97.0319	0.9131	25.0319	3.3%	
236	2.9628			97.0372	0.9078	25.0372	3.2%	
237	2.9659			97.0341	0.9109	25.0341	3.3%	
238	2.9673			97.0327	0.9123	25.0327	3.3%	
239	2.9722			97.0278	0.9172	25.0278	3.3%	
240	2.9679			97.0321	0.9129	25.0321	3.3%	
241	2.9685			97.0315	0.9135	25.0315	3.3%	
242	2.9767			97.0233	0.9217	25.0233	3.3%	
243	2.9755			97.0245	0.9205	25.0245	3.3%	
244	2.9677			97.0323	0.9127	25.0323	3.3%	
245	2.974			97.026	0.919	25.026	3.3%	
246	2.9745			97.0255	0.9195	25.0255	3.3%	
247	2.9755			97.0245	0.9205	25.0245	3.3%	
248	2.9766			97.0234	0.9216	25.0234	3.3%	
249	2.9766			97.0234	0.9216	25.0234	3.3%	
250	2.9741			97.0259	0.9191	25.0259	3.3%	
251	2.9768			97.0232	0.9218	25.0232	3.3%	
252	2.9739			97.0261	0.9189	25.0261	3.3%	
253	2.9803			97.0197	0.9253	25.0197	3.3%	
254	2.9793			97.0207	0.9243	25.0207	3.3%	
255	2.972			97.028	0.917	25.028	3.3%	
256	2.9759			97.0241	0.9209	25.0241	3.3%	
257	2.9782			97.0218	0.9232	25.0218	3.3%	
258	2.9799			97.0201	0.9249	25.0201	3.3%	
259	2.9791			97.0209	0.9241	25.0209	3.3%	
260	2.9832			97.0168	0.9282	25.0168	3.3%	
261	2.9837			97.0163	0.9287	25.0163	3.3%	
262	2.983			97.017	0.928	25.017	3.3%	
263	2.9786			97.0214	0.9236	25.0214	3.3%	
264	2.983			97.017	0.928	25.017	3.3%	
265	2.9826			97.0174	0.9276	25.0174	3.3%	
266	2.9825			97.0175	0.9275	25.0175	3.3%	
267	2.9836			97.0164	0.9286	25.0164	3.3%	
268	2.9807			97.0193	0.9257	25.0193	3.3%	
269	2.983			97.017	0.928	25.017	3.3%	
270	2.9817			97.0183	0.9267	25.0183	3.3%	
271	2.9805			97.0195	0.9255	25.0195	3.3%	
272	2.9861			97.0139	0.9311	25.0139	3.3%	
273	2.9862			97.0138	0.9312	25.0138	3.3%	
274	2.985			97.015	0.93	25.015	3.3%	
275	2.9851			97.0149	0.9301	25.0149	3.3%	
276	2.9779			97.0221	0.9229	25.0221	3.3%	
277	2.9914			97.0086	0.9364	25.0086	3.3%	
278	2.986			97.014	0.931	25.014	3.3%	
279	2.9842			97.0158	0.9292	25.0158	3.3%	
280	2.9812			97.0188	0.9262	25.0188	3.3%	
281	2.9851			97.0149	0.9301	25.0149	3.3%	
282	2.9832			97.0168	0.9282	25.0168	3.3%	
283	2.9864			97.0136	0.9314	25.0136	3.3%	
284	2.9881			97.0119	0.9331	25.0119	3.3%	
285	2.9882			97.0118	0.9332	25.0118	3.3%	
286	2.9843			97.0157	0.9293	25.0157	3.3%	
287	2.9851			97.0149	0.9301	25.0149	3.3%	
288	2.9921			97.0079	0.9371	25.0079	3.3%	
289	2.9895			97.0105	0.9345	25.0105	3.3%	
290	2.9932			97.0068	0.9382	25.0068	3.4%	
291	2.9863			97.0137	0.9313	25.0137	3.3%	
292	2.9919			97.0081	0.9369	25.0081	3.3%	
293	2.9914			97.0086	0.9364	25.0086	3.3%	
294	2.9936			97.0064	0.9386	25.0064	3.4%	
295	2.9969			97.0031	0.9419	25.0031	3.4%	
296	2.9944			97.0056	0.9394	25.0056	3.4%	
297	2.9955			97.0045	0.9405	25.0045	3.4%	
298	3.0013			96.9987	0.9463	24.9987	3.4%	
299	2.995			97.005	0.94	25.005	3.4%	
300	2.998			97.002	0.943	25.002	3.4%	
301	2.9976			97.0024	0.9426	25.0024	3.4%	
302	2.9982			97.0018	0.9432	25.0018	3.4%	
303	2.9952			97.0048	0.9402	25.0048	3.4%	
304	2.9967			97.0033	0.9417	25.0033	3.4%	
305	2.9977			97.0023	0.9427	25.0023	3.4%	
306	2.996			97.004	0.941	25.004	3.4%	
307	2.9992			97.0008	0.9442	25.0008	3.4%	
308	2.9986			97.0014	0.9436	25.0014	3.4%	
309	3.0043			96.9957	0.9493	24.9957	3.4%	
310	2.9998			97.0002	0.9448	25.0002	3.4%	
311	2.9999			97.0001	0.9449	25.0001	3.4%	
312	3.0053			96.9947	0.9503	24.9947	3.4%	
313	3.0019			96.9981	0.9469	24.9981	3.4%	
314	3.0019			96.9981	0.9469	24.9981	3.4%	

315	3.0043			96.9957	0.9493	24.9957	3.4%	
316	3.0083			96.9917	0.9533	24.9917	3.4%	
317	3.0047			96.9953	0.9497	24.9953	3.4%	
318	3.0015			96.9985	0.9465	24.9985	3.4%	
319	3.0076			96.9924	0.9526	24.9924	3.4%	
320	3.0036			96.9964	0.9486	24.9964	3.4%	
321	3.0062			96.9938	0.9512	24.9938	3.4%	
322	3.0039			96.9961	0.9489	24.9961	3.4%	
323	3.0062			96.9938	0.9512	24.9938	3.4%	
324	3.0064			96.9936	0.9514	24.9936	3.4%	
325	3.008			96.992	0.953	24.992	3.4%	
326	3.0039			96.9961	0.9489	24.9961	3.4%	
327	3.0053			96.9947	0.9503	24.9947	3.4%	
328	3.0112			96.9888	0.9562	24.9888	3.4%	
329	3.0099			96.9901	0.9549	24.9901	3.4%	
330	3.006			96.994	0.951	24.994	3.4%	
331	3.0073			96.9927	0.9523	24.9927	3.4%	
332	3.0077			96.9923	0.9527	24.9923	3.4%	
333	3.0058			96.9942	0.9508	24.9942	3.4%	
334	3.0109			96.9891	0.9559	24.9891	3.4%	
335	3.0137			96.9863	0.9587	24.9863	3.4%	
336	3.0128			96.9872	0.9578	24.9872	3.4%	
337	3.0102			96.9898	0.9552	24.9898	3.4%	
338	3.0074			96.9926	0.9524	24.9926	3.4%	
339	3.0133			96.9867	0.9583	24.9867	3.4%	
340	3.0115			96.9885	0.9565	24.9885	3.4%	
341	3.0121			96.9879	0.9571	24.9879	3.4%	
342	3.0134			96.9866	0.9584	24.9866	3.4%	
343	3.0129			96.9871	0.9579	24.9871	3.4%	
344	3.0153			96.9847	0.9603	24.9847	3.4%	
345	3.014			96.986	0.959	24.986	3.4%	
346	3.0115			96.9885	0.9565	24.9885	3.4%	
347	3.0137			96.9863	0.9587	24.9863	3.4%	
348	3.0119			96.9881	0.9569	24.9881	3.4%	
349	3.0121			96.9879	0.9571	24.9879	3.4%	
350	3.0136			96.9864	0.9586	24.9864	3.4%	
351	3.0177			96.9823	0.9627	24.9823	3.4%	
352	3.0134			96.9866	0.9584	24.9866	3.4%	
353	3.0158			96.9842	0.9608	24.9842	3.4%	
354	3.0108			96.9892	0.9558	24.9892	3.4%	
355	3.015			96.985	0.96	24.985	3.4%	
356	3.014			96.986	0.959	24.986	3.4%	
357	3.0155			96.9845	0.9605	24.9845	3.4%	
358	3.0137			96.9863	0.9587	24.9863	3.4%	
359	3.0146			96.9854	0.9596	24.9854	3.4%	
360	3.016			96.984	0.961	24.984	3.4%	
361	3.0171			96.9829	0.9621	24.9829	3.4%	
362	3.0157			96.9843	0.9607	24.9843	3.4%	
363	3.0179			96.9821	0.9629	24.9821	3.4%	
364	3.0163			96.9837	0.9613	24.9837	3.4%	
365	3.014			96.986	0.959	24.986	3.4%	
366	3.022			96.978	0.967	24.978	3.5%	
367	3.0233			96.9767	0.9683	24.9767	3.5%	
368	3.0202			96.9798	0.9652	24.9798	3.4%	
369	3.0186			96.9814	0.9636	24.9814	3.4%	
370	3.0263			96.9737	0.9713	24.9737	3.5%	
371	3.0241			96.9759	0.9691	24.9759	3.5%	
372	3.019			96.981	0.964	24.981	3.4%	
373	3.0232			96.9768	0.9682	24.9768	3.5%	
374	3.0264			96.9736	0.9714	24.9736	3.5%	
375	3.0225			96.9775	0.9675	24.9775	3.5%	
376	3.0262			96.9738	0.9712	24.9738	3.5%	
377	3.025			96.975	0.97	24.975	3.5%	
378	3.0208			96.9792	0.9658	24.9792	3.4%	
379	3.0182			96.9818	0.9632	24.9818	3.4%	
380	3.0205			96.9795	0.9655	24.9795	3.4%	
381	3.022			96.978	0.967	24.978	3.5%	
382	3.0242			96.9758	0.9692	24.9758	3.5%	
383	3.0244			96.9756	0.9694	24.9756	3.5%	
384	3.03			96.97	0.975	24.97	3.5%	
385	3.0236			96.9764	0.9686	24.9764	3.5%	
386	3.0241			96.9759	0.9691	24.9759	3.5%	
387	3.0227			96.9773	0.9677	24.9773	3.5%	
388	3.0247			96.9753	0.9697	24.9753	3.5%	
389	3.0272			96.9728	0.9722	24.9728	3.5%	
390	3.0283			96.9717	0.9733	24.9717	3.5%	
391	3.0279			96.9721	0.9729	24.9721	3.5%	
392	3.0274			96.9726	0.9724	24.9726	3.5%	
393	3.0291			96.9709	0.9741	24.9709	3.5%	
394	3.0263			96.9737	0.9713	24.9737	3.5%	
395	3.0293			96.9707	0.9743	24.9707	3.5%	
396	3.0304			96.9696	0.9754	24.9696	3.5%	
397	3.0323			96.9677	0.9773	24.9677	3.5%	

398	3.0291			96.9709	0.9741	24.9709	3.5%	
399	3.0268			96.9732	0.9718	24.9732	3.5%	
400	3.0287			96.9713	0.9737	24.9713	3.5%	
401	3.0378			96.9622	0.9828	24.9622	3.5%	
402	3.0268			96.9732	0.9718	24.9732	3.5%	
403	3.0413			96.9587	0.9863	24.9587	3.5%	
404	3.0578			96.9422	1.0028	24.9422	3.6%	
405	3.0597			96.9403	1.0047	24.9403	3.6%	
406	3.0573			96.9427	1.0023	24.9427	3.6%	
407	3.0523			96.9477	0.9973	24.9477	3.6%	
408	3.0471			96.9529	0.9921	24.9529	3.5%	
409	3.0476			96.9524	0.9926	24.9524	3.5%	
410	3.0445			96.9555	0.9895	24.9555	3.5%	
411	3.0463			96.9537	0.9913	24.9537	3.5%	
412	3.0437			96.9563	0.9887	24.9563	3.5%	
413	3.0508			96.9492	0.9958	24.9492	3.6%	
414	3.0449			96.9551	0.9899	24.9551	3.5%	
415	3.0503			96.9497	0.9953	24.9497	3.6%	
416	3.0448			96.9552	0.9898	24.9552	3.5%	
417	3.044			96.956	0.989	24.956	3.5%	
418	3.0466			96.9534	0.9916	24.9534	3.5%	
419	3.0517			96.9483	0.9967	24.9483	3.6%	
420	3.0469			96.9531	0.9919	24.9531	3.5%	
421	3.0467			96.9533	0.9917	24.9533	3.5%	
422	3.0476			96.9524	0.9926	24.9524	3.5%	
423	3.0468			96.9532	0.9918	24.9532	3.5%	
424	3.0472			96.9528	0.9922	24.9528	3.5%	
425	3.0419			96.9581	0.9869	24.9581	3.5%	
426	3.0409			96.9591	0.9859	24.9591	3.5%	
427	3.0416			96.9584	0.9866	24.9584	3.5%	
428	3.0452			96.9548	0.9902	24.9548	3.5%	
429	3.0763			96.9237	1.0213	24.9237	3.6%	
430	3.0692			96.9308	1.0142	24.9308	3.6%	
431	3.0636			96.9364	1.0086	24.9364	3.6%	
432	3.0589			96.9411	1.0039	24.9411	3.6%	
433	3.0617			96.9383	1.0067	24.9383	3.6%	
434	3.055			96.945	1	24.945	3.6%	
435	3.0571			96.9429	1.0021	24.9429	3.6%	
436	3.0601			96.9399	1.0051	24.9399	3.6%	
437	3.0537			96.9463	0.9987	24.9463	3.6%	
438	3.0521			96.9479	0.9971	24.9479	3.6%	
439	3.0524			96.9476	0.9974	24.9476	3.6%	
440	3.0533			96.9467	0.9983	24.9467	3.6%	
441	3.0505			96.9495	0.9955	24.9495	3.6%	
442	3.0514			96.9486	0.9964	24.9486	3.6%	
443	3.0519			96.9481	0.9969	24.9481	3.6%	
444	3.0521			96.9479	0.9971	24.9479	3.6%	
445	3.0537			96.9463	0.9987	24.9463	3.6%	
446	3.0517			96.9483	0.9967	24.9483	3.6%	
447	3.0505			96.9495	0.9955	24.9495	3.6%	
448	3.0514			96.9486	0.9964	24.9486	3.6%	
449	3.053			96.947	0.998	24.947	3.6%	
450	3.0542			96.9458	0.9992	24.9458	3.6%	
451	3.0537			96.9463	0.9987	24.9463	3.6%	
452	3.0522			96.9478	0.9972	24.9478	3.6%	
453	3.0538			96.9462	0.9988	24.9462	3.6%	
454	3.0522			96.9478	0.9972	24.9478	3.6%	
455	3.0498			96.9502	0.9948	24.9502	3.6%	
456	3.0496			96.9504	0.9946	24.9504	3.6%	
457	3.0465			96.9535	0.9915	24.9535	3.5%	
458	3.0499			96.9501	0.9949	24.9501	3.6%	
459	3.0538			96.9462	0.9988	24.9462	3.6%	
460	3.0491			96.9509	0.9941	24.9509	3.6%	
461	3.0519			96.9481	0.9969	24.9481	3.6%	
462	3.0512			96.9488	0.9962	24.9488	3.6%	
463	3.0464			96.9536	0.9914	24.9536	3.5%	
464	3.0492			96.9508	0.9942	24.9508	3.6%	
465	3.0547			96.9453	0.9997	24.9453	3.6%	
466	3.0506			96.9494	0.9956	24.9494	3.6%	
467	3.0489			96.9511	0.9939	24.9511	3.5%	
468	3.0495			96.9505	0.9945	24.9505	3.6%	
469	3.0544			96.9456	0.9994	24.9456	3.6%	
470	3.0478			96.9522	0.9928	24.9522	3.5%	
471	3.0517			96.9483	0.9967	24.9483	3.6%	
472	3.0469			96.9531	0.9919	24.9531	3.5%	
473	3.0483			96.9517	0.9933	24.9517	3.5%	
474	3.0524			96.9476	0.9974	24.9476	3.6%	
475	3.053			96.947	0.998	24.947	3.6%	
476	3.0461			96.9539	0.9911	24.9539	3.5%	
477	3.0469			96.9531	0.9919	24.9531	3.5%	
478	3.053			96.947	0.998	24.947	3.6%	
479	3.0486			96.9514	0.9936	24.9514	3.5%	
480	3.0475			96.9525	0.9925	24.9525	3.5%	

481	3.0484			96.9516	0.9934	24.9516	3.5%	Pump off at 480.5 min
482	3.0465	1.5	321.33	96.9535	0.9915	24.9535	3.5%	
483	3.047	2.5	193.20	96.953	0.992	24.953	3.5%	
484	2.9597	3.5	138.29	97.0403	0.9047	25.0403	3.2%	
485	2.9034	4.5	107.78	97.0966	0.8484	25.0966	3.0%	
486	2.8651	5.5	88.36	97.1349	0.8101	25.1349	2.9%	
487	2.836	6.5	74.92	97.164	0.781	25.164	2.8%	
488	2.8124	7.5	65.07	97.1876	0.7574	25.1876	2.7%	
489	2.7919	8.5	57.53	97.2081	0.7369	25.2081	2.6%	
490	2.773	9.5	51.58	97.227	0.718	25.227	2.6%	
491	2.7576	10.5	46.76	97.2424	0.7026	25.2424	2.5%	
492	2.7425	11.5	42.78	97.2575	0.6875	25.2575	2.5%	
493	2.729	12.5	39.44	97.271	0.674	25.271	2.4%	
494	2.7143	13.5	36.59	97.2857	0.6593	25.2857	2.4%	
495	2.7029	14.5	34.14	97.2971	0.6479	25.2971	2.3%	
496	2.6915	15.5	32.00	97.3085	0.6365	25.3085	2.3%	
497	2.6793	16.5	30.12	97.3207	0.6243	25.3207	2.2%	
498	2.6698	17.5	28.46	97.3302	0.6148	25.3302	2.2%	
499	2.6595	18.5	26.97	97.3405	0.6045	25.3405	2.2%	
500	2.6497	19.5	25.64	97.3503	0.5947	25.3503	2.1%	
501	2.6408	20.5	24.44	97.3592	0.5858	25.3592	2.1%	
502	2.6322	21.5	23.35	97.3678	0.5772	25.3678	2.1%	
503	2.6238	22.5	22.36	97.3762	0.5688	25.3762	2.0%	
504	2.6155	23.5	21.45	97.3845	0.5605	25.3845	2.0%	
505	2.6062	24.5	20.61	97.3938	0.5512	25.3938	2.0%	
506	2.6	25.5	19.84	97.4	0.545	25.4	1.9%	
507	2.593	26.5	19.13	97.407	0.538	25.407	1.9%	
508	2.5855	27.5	18.47	97.4145	0.5305	25.4145	1.9%	
509	2.5791	28.5	17.86	97.4209	0.5241	25.4209	1.9%	
510	2.5727	29.5	17.29	97.4273	0.5177	25.4273	1.8%	
511	2.5663	30.5	16.75	97.4337	0.5113	25.4337	1.8%	
512	2.56	31.5	16.25	97.44	0.505	25.44	1.8%	
513	2.5537	32.5	15.78	97.4463	0.4987	25.4463	1.8%	
514	2.5486	33.5	15.34	97.4514	0.4936	25.4514	1.8%	
515	2.5424	34.5	14.93	97.4576	0.4874	25.4576	1.7%	
516	2.5377	35.5	14.54	97.4623	0.4827	25.4623	1.7%	
517	2.5321	36.5	14.16	97.4679	0.4771	25.4679	1.7%	
518	2.5267	37.5	13.81	97.4733	0.4717	25.4733	1.7%	
519	2.5218	38.5	13.48	97.4782	0.4668	25.4782	1.7%	
520	2.5163	39.5	13.16	97.4837	0.4613	25.4837	1.6%	
521	2.5111	40.5	12.86	97.4889	0.4561	25.4889	1.6%	
522	2.5067	41.5	12.58	97.4933	0.4517	25.4933	1.6%	
523	2.5017	42.5	12.31	97.4983	0.4467	25.4983	1.6%	
524	2.4975	43.5	12.05	97.5025	0.4425	25.5025	1.6%	
525	2.4933	44.5	11.80	97.5067	0.4383	25.5067	1.6%	
526	2.4888	45.5	11.56	97.5112	0.4338	25.5112	1.5%	
527	2.4852	46.5	11.33	97.5148	0.4302	25.5148	1.5%	
528	2.4809	47.5	11.12	97.5191	0.4259	25.5191	1.5%	
529	2.4769	48.5	10.91	97.5231	0.4219	25.5231	1.5%	
530	2.4736	49.5	10.71	97.5264	0.4186	25.5264	1.5%	
531	2.4697	50.5	10.51	97.5303	0.4147	25.5303	1.5%	
532	2.4654	51.5	10.33	97.5346	0.4104	25.5346	1.5%	
533	2.462	52.5	10.15	97.538	0.407	25.538	1.5%	
534	2.4581	53.5	9.98	97.5419	0.4031	25.5419	1.4%	
535	2.4539	54.5	9.82	97.5461	0.3989	25.5461	1.4%	
536	2.4507	55.5	9.66	97.5493	0.3957	25.5493	1.4%	
537	2.4472	56.5	9.50	97.5528	0.3922	25.5528	1.4%	
538	2.4433	57.5	9.36	97.5567	0.3883	25.5567	1.4%	
539	2.4402	58.5	9.21	97.5598	0.3852	25.5598	1.4%	
540	2.4372	59.5	9.08	97.5628	0.3822	25.5628	1.4%	
541	2.4397	60.5	8.94	97.5603	0.3847	25.5603	1.4%	
542	2.4284	61.5	8.81	97.5716	0.3734	25.5716	1.3%	
543	2.425	62.5	8.69	97.575	0.37	25.575	1.3%	
544	2.4224	63.5	8.57	97.5776	0.3674	25.5776	1.3%	
545	2.4193	64.5	8.45	97.5807	0.3643	25.5807	1.3%	
546	2.4158	65.5	8.34	97.5842	0.3608	25.5842	1.3%	
547	2.4133	66.5	8.23	97.5867	0.3583	25.5867	1.3%	
548	2.4098	67.5	8.12	97.5902	0.3548	25.5902	1.3%	
549	2.407	68.5	8.01	97.593	0.352	25.593	1.3%	
550	2.4041	69.5	7.91	97.5959	0.3491	25.5959	1.2%	
551	2.4019	70.5	7.82	97.5981	0.3469	25.5981	1.2%	
552	2.3985	71.5	7.72	97.6015	0.3435	25.6015	1.2%	
553	2.3957	72.5	7.63	97.6043	0.3407	25.6043	1.2%	
554	2.393	73.5	7.54	97.607	0.338	25.607	1.2%	
555	2.39	74.5	7.45	97.61	0.335	25.61	1.2%	
556	2.388	75.5	7.36	97.612	0.333	25.612	1.2%	
557	2.3852	76.5	7.28	97.6148	0.3302	25.6148	1.2%	
558	2.3823	77.5	7.20	97.6177	0.3273	25.6177	1.2%	
559	2.38	78.5	7.12	97.62	0.325	25.62	1.2%	
560	2.3764	79.5	7.04	97.6236	0.3214	25.6236	1.1%	
561	2.3744	80.5	6.97	97.6256	0.3194	25.6256	1.1%	
562	2.3729	81.5	6.90	97.6271	0.3179	25.6271	1.1%	
563	2.3704	82.5	6.82	97.6296	0.3154	25.6296	1.1%	

564	2.3678	83.5	6.75	97.6322	0.3128	25.6322	1.1%
565	2.3654	84.5	6.69	97.6346	0.3104	25.6346	1.1%
566	2.3629	85.5	6.62	97.6371	0.3079	25.6371	1.1%
567	2.3605	86.5	6.55	97.6395	0.3055	25.6395	1.1%
568	2.3586	87.5	6.49	97.6414	0.3036	25.6414	1.1%
569	2.3565	88.5	6.43	97.6435	0.3015	25.6435	1.1%
570	2.3544	89.5	6.37	97.6456	0.2994	25.6456	1.1%
571	2.3514	90.5	6.31	97.6486	0.2964	25.6486	1.1%
572	2.3497	91.5	6.25	97.6503	0.2947	25.6503	1.1%
573	2.3473	92.5	6.19	97.6527	0.2923	25.6527	1.0%
574	2.3454	93.5	6.14	97.6546	0.2904	25.6546	1.0%
575	2.3431	94.5	6.08	97.6569	0.2881	25.6569	1.0%
576	2.341	95.5	6.03	97.659	0.286	25.659	1.0%
577	2.3394	96.5	5.98	97.6606	0.2844	25.6606	1.0%
578	2.3372	97.5	5.93	97.6628	0.2822	25.6628	1.0%
579	2.335	98.5	5.88	97.665	0.28	25.665	1.0%
580	2.3331	99.5	5.83	97.6669	0.2781	25.6669	1.0%
581	2.3313	100.5	5.78	97.6687	0.2763	25.6687	1.0%
582	2.3291	101.5	5.73	97.6709	0.2741	25.6709	1.0%
583	2.3273	102.5	5.69	97.6727	0.2723	25.6727	1.0%
584	2.3255	103.5	5.64	97.6745	0.2705	25.6745	1.0%
585	2.3241	104.5	5.60	97.6759	0.2691	25.6759	1.0%
586	2.3223	105.5	5.55	97.6777	0.2673	25.6777	1.0%
587	2.3204	106.5	5.51	97.6796	0.2654	25.6796	0.9%
588	2.3187	107.5	5.47	97.6813	0.2637	25.6813	0.9%
589	2.3169	108.5	5.43	97.6831	0.2619	25.6831	0.9%
590	2.3153	109.5	5.39	97.6847	0.2603	25.6847	0.9%
591	2.314	110.5	5.35	97.686	0.259	25.686	0.9%
592	2.3114	111.5	5.31	97.6886	0.2564	25.6886	0.9%
593	2.3096	112.5	5.27	97.6904	0.2546	25.6904	0.9%
594	2.3076	113.5	5.23	97.6924	0.2526	25.6924	0.9%
595	2.3064	114.5	5.20	97.6936	0.2514	25.6936	0.9%
596	2.3045	115.5	5.16	97.6955	0.2495	25.6955	0.9%
597	2.3025	116.5	5.12	97.6975	0.2475	25.6975	0.9%
598	2.301	117.5	5.09	97.699	0.246	25.699	0.9%
599	2.2995	118.5	5.05	97.7005	0.2445	25.7005	0.9%
600	2.2974	119.5	5.02	97.7026	0.2424	25.7026	0.9%
601	2.2956	120.5	4.99	97.7044	0.2406	25.7044	0.9%
602	2.2943	121.5	4.95	97.7057	0.2393	25.7057	0.9%
603	2.2925	122.5	4.92	97.7075	0.2375	25.7075	0.8%
604	2.2911	123.5	4.89	97.7089	0.2361	25.7089	0.8%
605	2.2893	124.5	4.86	97.7107	0.2343	25.7107	0.8%
606	2.2878	125.5	4.83	97.7122	0.2328	25.7122	0.8%
607	2.2862	126.5	4.80	97.7138	0.2312	25.7138	0.8%
608	2.285	127.5	4.77	97.715	0.23	25.715	0.8%
609	2.284	128.5	4.74	97.716	0.229	25.716	0.8%
610	2.282	129.5	4.71	97.718	0.227	25.718	0.8%
611	2.2806	130.5	4.68	97.7194	0.2256	25.7194	0.8%
612	2.2796	131.5	4.65	97.7204	0.2246	25.7204	0.8%
613	2.2779	132.5	4.63	97.7221	0.2229	25.7221	0.8%
614	2.2768	133.5	4.60	97.7232	0.2218	25.7232	0.8%
615	2.275	134.5	4.57	97.725	0.22	25.725	0.8%
616	2.2735	135.5	4.55	97.7265	0.2185	25.7265	0.8%
617	2.2728	136.5	4.52	97.7272	0.2178	25.7272	0.8%
618	2.2712	137.5	4.49	97.7288	0.2162	25.7288	0.8%
619	2.2697	138.5	4.47	97.7303	0.2147	25.7303	0.8%
620	2.2687	139.5	4.44	97.7313	0.2137	25.7313	0.8%
621	2.2681	140.5	4.42	97.7319	0.2131	25.7319	0.8%
622	2.2664	141.5	4.40	97.7336	0.2114	25.7336	0.8%
623	2.2653	142.5	4.37	97.7347	0.2103	25.7347	0.8%
624	2.2633	143.5	4.35	97.7367	0.2083	25.7367	0.7%
625	2.2626	144.5	4.33	97.7374	0.2076	25.7374	0.7%
626	2.2611	145.5	4.30	97.7389	0.2061	25.7389	0.7%
627	2.2602	146.5	4.28	97.7398	0.2052	25.7398	0.7%
628	2.2596	147.5	4.26	97.7404	0.2046	25.7404	0.7%
629	2.2578	148.5	4.24	97.7422	0.2028	25.7422	0.7%
630	2.2561	149.5	4.21	97.7439	0.2011	25.7439	0.7%
631	2.255	150.5	4.19	97.745	0.2	25.745	0.7%
632	2.2542	151.5	4.17	97.7458	0.1992	25.7458	0.7%
633	2.2532	152.5	4.15	97.7468	0.1982	25.7468	0.7%
634	2.2515	153.5	4.13	97.7485	0.1965	25.7485	0.7%
635	2.2503	154.5	4.11	97.7497	0.1953	25.7497	0.7%
636	2.2496	155.5	4.09	97.7504	0.1946	25.7504	0.7%
637	2.2494	156.5	4.07	97.7506	0.1944	25.7506	0.7%
638	2.2489	157.5	4.05	97.7511	0.1939	25.7511	0.7%
639	2.2479	158.5	4.03	97.7521	0.1929	25.7521	0.7%
640	2.2468	159.5	4.01	97.7532	0.1918	25.7532	0.7%
641	2.2453	160.5	3.99	97.7547	0.1903	25.7547	0.7%
642	2.2443	161.5	3.98	97.7557	0.1893	25.7557	0.7%
643	2.2432	162.5	3.96	97.7568	0.1882	25.7568	0.7%
644	2.242	163.5	3.94	97.758	0.187	25.758	0.7%
645	2.241	164.5	3.92	97.759	0.186	25.759	0.7%
646	2.2397	165.5	3.90	97.7603	0.1847	25.7603	0.7%

647	2.2387	166.5	3.89	97.7613	0.1837	25.7613	0.7%
648	2.2371	167.5	3.87	97.7629	0.1821	25.7629	0.7%
649	2.2362	168.5	3.85	97.7638	0.1812	25.7638	0.6%
650	2.2349	169.5	3.83	97.7651	0.1799	25.7651	0.6%
651	2.2338	170.5	3.82	97.7662	0.1788	25.7662	0.6%
652	2.2328	171.5	3.80	97.7672	0.1778	25.7672	0.6%
653	2.2319	172.5	3.79	97.7681	0.1769	25.7681	0.6%
654	2.2305	173.5	3.77	97.7695	0.1755	25.7695	0.6%
655	2.2294	174.5	3.75	97.7706	0.1744	25.7706	0.6%
656	2.2286	175.5	3.74	97.7714	0.1736	25.7714	0.6%
657	2.2272	176.5	3.72	97.7728	0.1722	25.7728	0.6%
658	2.2264	177.5	3.71	97.7736	0.1714	25.7736	0.6%
659	2.2252	178.5	3.69	97.7748	0.1702	25.7748	0.6%
660	2.2238	179.5	3.68	97.7762	0.1688	25.7762	0.6%
661	2.2235	180.5	3.66	97.7765	0.1685	25.7765	0.6%
662	2.2223	181.5	3.65	97.7777	0.1673	25.7777	0.6%
663	2.2209	182.5	3.63	97.7791	0.1659	25.7791	0.6%
664	2.2202	183.5	3.62	97.7798	0.1652	25.7798	0.6%
665	2.2193	184.5	3.60	97.7807	0.1643	25.7807	0.6%
666	2.2181	185.5	3.59	97.7819	0.1631	25.7819	0.6%
667	2.2171	186.5	3.58	97.7829	0.1621	25.7829	0.6%
668	2.216	187.5	3.56	97.784	0.161	25.784	0.6%
669	2.215	188.5	3.55	97.785	0.16	25.785	0.6%
670	2.2137	189.5	3.54	97.7863	0.1587	25.7863	0.6%
671	2.2128	190.5	3.52	97.7872	0.1578	25.7872	0.6%
672	2.2121	191.5	3.51	97.7879	0.1571	25.7879	0.6%
673	2.2111	192.5	3.50	97.7889	0.1561	25.7889	0.6%
674	2.21	193.5	3.48	97.79	0.155	25.79	0.6%
675	2.2088	194.5	3.47	97.7912	0.1538	25.7912	0.5%
676	2.208	195.5	3.46	97.792	0.153	25.792	0.5%
677	2.2073	196.5	3.45	97.7927	0.1523	25.7927	0.5%
678	2.2062	197.5	3.43	97.7938	0.1512	25.7938	0.5%
679	2.2054	198.5	3.42	97.7946	0.1504	25.7946	0.5%
680	2.2037	199.5	3.41	97.7963	0.1487	25.7963	0.5%
681	2.2029	200.5	3.40	97.7971	0.1479	25.7971	0.5%
682	2.2019	201.5	3.38	97.7981	0.1469	25.7981	0.5%
683	2.2011	202.5	3.37	97.7989	0.1461	25.7989	0.5%
684	2.2008	203.5	3.36	97.7992	0.1458	25.7992	0.5%
685	2.2001	204.5	3.35	97.7999	0.1451	25.7999	0.5%
686	2.1993	205.5	3.34	97.8007	0.1443	25.8007	0.5%
687	2.1983	206.5	3.33	97.8017	0.1433	25.8017	0.5%
688	2.1976	207.5	3.32	97.8024	0.1426	25.8024	0.5%
689	2.1967	208.5	3.30	97.8033	0.1417	25.8033	0.5%
690	2.1957	209.5	3.29	97.8043	0.1407	25.8043	0.5%
691	2.1947	210.5	3.28	97.8053	0.1397	25.8053	0.5%
692	2.1935	211.5	3.27	97.8065	0.1385	25.8065	0.5%
693	2.1929	212.5	3.26	97.8071	0.1379	25.8071	0.5%
694	2.192	213.5	3.25	97.808	0.137	25.808	0.5%
695	2.1914	214.5	3.24	97.8086	0.1364	25.8086	0.5%
696	2.1902	215.5	3.23	97.8098	0.1352	25.8098	0.5%
697	2.1891	216.5	3.22	97.8109	0.1341	25.8109	0.5%
698	2.1882	217.5	3.21	97.8118	0.1332	25.8118	0.5%
699	2.1879	218.5	3.20	97.8121	0.1329	25.8121	0.5%
700	2.1869	219.5	3.19	97.8131	0.1319	25.8131	0.5%
701	2.186	220.5	3.18	97.814	0.131	25.814	0.5%
702	2.1847	221.5	3.17	97.8153	0.1297	25.8153	0.5%
703	2.1838	222.5	3.16	97.8162	0.1288	25.8162	0.5%
704	2.1834	223.5	3.15	97.8166	0.1284	25.8166	0.5%
705	2.1828	224.5	3.14	97.8172	0.1278	25.8172	0.5%
706	2.1824	225.5	3.13	97.8176	0.1274	25.8176	0.5%
707	2.1818	226.5	3.12	97.8182	0.1268	25.8182	0.5%
708	2.1814	227.5	3.11	97.8186	0.1264	25.8186	0.5%
709	2.1808	228.5	3.10	97.8192	0.1258	25.8192	0.4%
710	2.1801	229.5	3.09	97.8199	0.1251	25.8199	0.4%
711	2.1795	230.5	3.08	97.8205	0.1245	25.8205	0.4%
712	2.1792	231.5	3.08	97.8208	0.1242	25.8208	0.4%
713	2.1785	232.5	3.07	97.8215	0.1235	25.8215	0.4%
714	2.1783	233.5	3.06	97.8217	0.1233	25.8217	0.4%
715	2.1778	234.5	3.05	97.8222	0.1228	25.8222	0.4%
716	2.1774	235.5	3.04	97.8226	0.1224	25.8226	0.4%
717	2.1767	236.5	3.03	97.8233	0.1217	25.8233	0.4%
718	2.1766	237.5	3.02	97.8234	0.1216	25.8234	0.4%
719	2.1763	238.5	3.01	97.8237	0.1213	25.8237	0.4%
720	2.1757	239.5	3.01	97.8243	0.1207	25.8243	0.4%
721	2.1754	240.5	3.00	97.8246	0.1204	25.8246	0.4%
722	2.175	241.5	2.99	97.825	0.12	25.825	0.4%
723	2.1744	242.5	2.98	97.8256	0.1194	25.8256	0.4%
724	2.174	243.5	2.97	97.826	0.119	25.826	0.4%
725	2.1734	244.5	2.97	97.8266	0.1184	25.8266	0.4%
726	2.1731	245.5	2.96	97.8269	0.1181	25.8269	0.4%
727	2.1731	246.5	2.95	97.8269	0.1181	25.8269	0.4%
728	2.1726	247.5	2.94	97.8274	0.1176	25.8274	0.4%
729	2.1721	248.5	2.93	97.8279	0.1171	25.8279	0.4%

730	2.1716	249.5	2.93	97.8284	0.1166	25.8284	0.4%
731	2.1719	250.5	2.92	97.8281	0.1169	25.8281	0.4%
732	2.1713	251.5	2.91	97.8287	0.1163	25.8287	0.4%
733	2.1714	252.5	2.90	97.8286	0.1164	25.8286	0.4%
734	2.1711	253.5	2.90	97.8289	0.1161	25.8289	0.4%
735	2.1709	254.5	2.89	97.8291	0.1159	25.8291	0.4%
736	2.1709	255.5	2.88	97.8291	0.1159	25.8291	0.4%
737	2.1704	256.5	2.87	97.8296	0.1154	25.8296	0.4%
738	2.1701	257.5	2.87	97.8299	0.1151	25.8299	0.4%
739	2.1697	258.5	2.86	97.8303	0.1147	25.8303	0.4%
740	2.1689	259.5	2.85	97.8311	0.1139	25.8311	0.4%
741	2.1683	260.5	2.84	97.8317	0.1133	25.8317	0.4%
742	2.1665	261.5	2.84	97.8335	0.1115	25.8335	0.4%
743	2.1672	262.5	2.83	97.8328	0.1122	25.8328	0.4%
744	2.1667	263.5	2.82	97.8333	0.1117	25.8333	0.4%
745	2.1669	264.5	2.82	97.8331	0.1119	25.8331	0.4%
746	2.1657	265.5	2.81	97.8343	0.1107	25.8343	0.4%
747	2.1656	266.5	2.80	97.8344	0.1106	25.8344	0.4%
748	2.1648	267.5	2.80	97.8352	0.1098	25.8352	0.4%
749	2.1643	268.5	2.79	97.8357	0.1093	25.8357	0.4%
750	2.164	269.5	2.78	97.836	0.109	25.836	0.4%
751	2.1629	270.5	2.78	97.8371	0.1079	25.8371	0.4%
752	2.1626	271.5	2.77	97.8374	0.1076	25.8374	0.4%
753	2.1619	272.5	2.76	97.8381	0.1069	25.8381	0.4%
754	2.1617	273.5	2.76	97.8383	0.1067	25.8383	0.4%
755	2.161	274.5	2.75	97.839	0.106	25.839	0.4%
756	2.1601	275.5	2.74	97.8399	0.1051	25.8399	0.4%
757	2.1595	276.5	2.74	97.8405	0.1045	25.8405	0.4%
758	2.1587	277.5	2.73	97.8413	0.1037	25.8413	0.4%
759	2.158	278.5	2.73	97.842	0.103	25.842	0.4%
760	2.1576	279.5	2.72	97.8424	0.1026	25.8424	0.4%
761	2.157	280.5	2.71	97.843	0.102	25.843	0.4%
762	2.1564	281.5	2.71	97.8436	0.1014	25.8436	0.4%
763	2.1558	282.5	2.70	97.8442	0.1008	25.8442	0.4%
764	2.1552	283.5	2.69	97.8448	0.1002	25.8448	0.4%
765	2.1548	284.5	2.69	97.8452	0.0998	25.8452	0.4%
766	2.1541	285.5	2.68	97.8459	0.0991	25.8459	0.4%
767	2.1534	286.5	2.68	97.8466	0.0984	25.8466	0.4%
768	2.1528	287.5	2.67	97.8472	0.0978	25.8472	0.3%
769	2.1521	288.5	2.67	97.8479	0.0971	25.8479	0.3%
770	2.152	289.5	2.66	97.848	0.097	25.848	0.3%
771	2.151	290.5	2.65	97.849	0.096	25.849	0.3%
772	2.1502	291.5	2.65	97.8498	0.0952	25.8498	0.3%
773	2.1497	292.5	2.64	97.8503	0.0947	25.8503	0.3%
774	2.1493	293.5	2.64	97.8507	0.0943	25.8507	0.3%
775	2.1485	294.5	2.63	97.8515	0.0935	25.8515	0.3%
776	2.1478	295.5	2.63	97.8522	0.0928	25.8522	0.3%
777	2.1473	296.5	2.62	97.8527	0.0923	25.8527	0.3%
778	2.1469	297.5	2.62	97.8531	0.0919	25.8531	0.3%
779	2.1459	298.5	2.61	97.8541	0.0909	25.8541	0.3%
780	2.1456	299.5	2.60	97.8544	0.0906	25.8544	0.3%
781	2.1448	300.5	2.60	97.8552	0.0898	25.8552	0.3%
782	2.1442	301.5	2.59	97.8558	0.0892	25.8558	0.3%
783	2.1435	302.5	2.59	97.8565	0.0885	25.8565	0.3%
784	2.1431	303.5	2.58	97.8569	0.0881	25.8569	0.3%
785	2.1425	304.5	2.58	97.8575	0.0875	25.8575	0.3%
786	2.1416	305.5	2.57	97.8584	0.0866	25.8584	0.3%
787	2.1411	306.5	2.57	97.8589	0.0861	25.8589	0.3%
788	2.1404	307.5	2.56	97.8596	0.0854	25.8596	0.3%
789	2.1399	308.5	2.56	97.8601	0.0849	25.8601	0.3%
790	2.1394	309.5	2.55	97.8606	0.0844	25.8606	0.3%
791	2.1388	310.5	2.55	97.8612	0.0838	25.8612	0.3%
792	2.1382	311.5	2.54	97.8618	0.0832	25.8618	0.3%
793	2.1375	312.5	2.54	97.8625	0.0825	25.8625	0.3%
794	2.1371	313.5	2.53	97.8629	0.0821	25.8629	0.3%
795	2.1363	314.5	2.53	97.8637	0.0813	25.8637	0.3%
796	2.1357	315.5	2.52	97.8643	0.0807	25.8643	0.3%
797	2.1353	316.5	2.52	97.8647	0.0803	25.8647	0.3%
798	2.1347	317.5	2.51	97.8653	0.0797	25.8653	0.3%
799	2.1337	318.5	2.51	97.8663	0.0787	25.8663	0.3%
800	2.1333	319.5	2.50	97.8667	0.0783	25.8667	0.3%
801	2.1323	320.5	2.50	97.8677	0.0773	25.8677	0.3%
802	2.1319	321.5	2.49	97.8681	0.0769	25.8681	0.3%
803	2.1313	322.5	2.49	97.8687	0.0763	25.8687	0.3%
804	2.1305	323.5	2.49	97.8695	0.0755	25.8695	0.3%
805	2.1302	324.5	2.48	97.8698	0.0752	25.8698	0.3%
806	2.1297	325.5	2.48	97.8703	0.0747	25.8703	0.3%
807	2.1294	326.5	2.47	97.8706	0.0744	25.8706	0.3%
808	2.1289	327.5	2.47	97.8711	0.0739	25.8711	0.3%
809	2.1279	328.5	2.46	97.8721	0.0729	25.8721	0.3%
810	2.1274	329.5	2.46	97.8726	0.0724	25.8726	0.3%
811	2.127	330.5	2.45	97.873	0.072	25.873	0.3%
812	2.1263	331.5	2.45	97.8737	0.0713	25.8737	0.3%

813	2.1258	332.5	2.45	97.8742	0.0708	25.8742	0.3%
814	2.125	333.5	2.44	97.875	0.07	25.875	0.2%
815	2.1242	334.5	2.44	97.8758	0.0692	25.8758	0.2%
816	2.1239	335.5	2.43	97.8761	0.0689	25.8761	0.2%
817	2.1231	336.5	2.43	97.8769	0.0681	25.8769	0.2%
818	2.122	337.5	2.42	97.878	0.067	25.878	0.2%
819	2.1217	338.5	2.42	97.8783	0.0667	25.8783	0.2%
820	2.1212	339.5	2.42	97.8788	0.0662	25.8788	0.2%
821	2.1207	340.5	2.41	97.8793	0.0657	25.8793	0.2%
822	2.1203	341.5	2.41	97.8797	0.0653	25.8797	0.2%
823	2.1198	342.5	2.40	97.8802	0.0648	25.8802	0.2%
824	2.1195	343.5	2.40	97.8805	0.0645	25.8805	0.2%
825	2.1186	344.5	2.39	97.8814	0.0636	25.8814	0.2%
826	2.1184	345.5	2.39	97.8816	0.0634	25.8816	0.2%
827	2.118	346.5	2.39	97.882	0.063	25.882	0.2%
828	2.1171	347.5	2.38	97.8829	0.0621	25.8829	0.2%
829	2.1167	348.5	2.38	97.8833	0.0617	25.8833	0.2%
830	2.116	349.5	2.37	97.884	0.061	25.884	0.2%
831	2.1154	350.5	2.37	97.8846	0.0604	25.8846	0.2%
832	2.1148	351.5	2.37	97.8852	0.0598	25.8852	0.2%
833	2.1141	352.5	2.36	97.8859	0.0591	25.8859	0.2%
834	2.1135	353.5	2.36	97.8865	0.0585	25.8865	0.2%
835	2.1129	354.5	2.36	97.8871	0.0579	25.8871	0.2%
836	2.112	355.5	2.35	97.888	0.057	25.888	0.2%
837	2.1115	356.5	2.35	97.8885	0.0565	25.8885	0.2%
838	2.1114	357.5	2.34	97.8886	0.0564	25.8886	0.2%
839	2.1103	358.5	2.34	97.8897	0.0553	25.8897	0.2%
840	2.1098	359.5	2.34	97.8902	0.0548	25.8902	0.2%
841	2.1091	360.5	2.33	97.8909	0.0541	25.8909	0.2%
842	2.1088	361.5	2.33	97.8912	0.0538	25.8912	0.2%
843	2.1083	362.5	2.33	97.8917	0.0533	25.8917	0.2%
844	2.1076	363.5	2.32	97.8924	0.0526	25.8924	0.2%
845	2.1069	364.5	2.32	97.8931	0.0519	25.8931	0.2%
846	2.1061	365.5	2.31	97.8939	0.0511	25.8939	0.2%
847	2.1058	366.5	2.31	97.8942	0.0508	25.8942	0.2%
848	2.1051	367.5	2.31	97.8949	0.0501	25.8949	0.2%
849	2.1047	368.5	2.30	97.8953	0.0497	25.8953	0.2%
850	2.1045	369.5	2.30	97.8955	0.0495	25.8955	0.2%
851	2.1035	370.5	2.30	97.8965	0.0485	25.8965	0.2%
852	2.1031	371.5	2.29	97.8969	0.0481	25.8969	0.2%
853	2.1025	372.5	2.29	97.8975	0.0475	25.8975	0.2%
854	2.102	373.5	2.29	97.898	0.047	25.898	0.2%
855	2.1017	374.5	2.28	97.8983	0.0467	25.8983	0.2%
856	2.1013	375.5	2.28	97.8987	0.0463	25.8987	0.2%
857	2.1008	376.5	2.28	97.8992	0.0458	25.8992	0.2%
858	2.1005	377.5	2.27	97.8995	0.0455	25.8995	0.2%
859	2.0998	378.5	2.27	97.9002	0.0448	25.9002	0.2%
860	2.0995	379.5	2.27	97.9005	0.0445	25.9005	0.2%
861	2.0991	380.5	2.26	97.9009	0.0441	25.9009	0.2%
862	2.0986	381.5	2.26	97.9014	0.0436	25.9014	0.2%
863	2.0983	382.5	2.26	97.9017	0.0433	25.9017	0.2%
864	2.0974	383.5	2.25	97.9026	0.0424	25.9026	0.2%
865	2.097	384.5	2.25	97.903	0.042	25.903	0.2%
866	2.0963	385.5	2.25	97.9037	0.0413	25.9037	0.1%
867	2.0956	386.5	2.24	97.9044	0.0406	25.9044	0.1%
868	2.0951	387.5	2.24	97.9049	0.0401	25.9049	0.1%
869	2.0945	388.5	2.24	97.9055	0.0395	25.9055	0.1%
870	2.0943	389.5	2.23	97.9057	0.0393	25.9057	0.1%
871	2.0938	390.5	2.23	97.9062	0.0388	25.9062	0.1%
872	2.0927	391.5	2.23	97.9073	0.0377	25.9073	0.1%
873	2.0924	392.5	2.22	97.9076	0.0374	25.9076	0.1%
874	2.0916	393.5	2.22	97.9084	0.0366	25.9084	0.1%
875	2.0912	394.5	2.22	97.9088	0.0362	25.9088	0.1%
876	2.0911	395.5	2.21	97.9089	0.0361	25.9089	0.1%
877	2.0903	396.5	2.21	97.9097	0.0353	25.9097	0.1%
878	2.0899	397.5	2.21	97.9101	0.0349	25.9101	0.1%
879	2.0895	398.5	2.21	97.9105	0.0345	25.9105	0.1%
880	2.0893	399.5	2.20	97.9107	0.0343	25.9107	0.1%
881	2.0883	400.5	2.20	97.9117	0.0333	25.9117	0.1%
882	2.0873	401.5	2.20	97.9127	0.0323	25.9127	0.1%
883	2.0873	402.5	2.19	97.9127	0.0323	25.9127	0.1%
884	2.0868	403.5	2.19	97.9132	0.0318	25.9132	0.1%
885	2.0861	404.5	2.19	97.9139	0.0311	25.9139	0.1%
886	2.0857	405.5	2.18	97.9143	0.0307	25.9143	0.1%
887	2.0857	406.5	2.18	97.9143	0.0307	25.9143	0.1%
888	2.0846	407.5	2.18	97.9154	0.0296	25.9154	0.1%
889	2.0839	408.5	2.18	97.9161	0.0289	25.9161	0.1%
890	2.0836	409.5	2.17	97.9164	0.0286	25.9164	0.1%
891	2.0827	410.5	2.17	97.9173	0.0277	25.9173	0.1%
892	2.0826	411.5	2.17	97.9174	0.0276	25.9174	0.1%
893	2.0822	412.5	2.16	97.9178	0.0272	25.9178	0.1%
894	2.081	413.5	2.16	97.919	0.026	25.919	0.1%
895	2.0809	414.5	2.16	97.9191	0.0259	25.9191	0.1%

896	2.0807	415.5	2.16	97.9193	0.0257	25.9193	0.1%
897	2.0805	416.5	2.15	97.9195	0.0255	25.9195	0.1%
898	2.0798	417.5	2.15	97.9202	0.0248	25.9202	0.1%
899	2.0792	418.5	2.15	97.9208	0.0242	25.9208	0.1%
900	2.0794	419.5	2.15	97.9206	0.0244	25.9206	0.1%
901	2.0803	420.5	2.14	97.9197	0.0253	25.9197	0.1%
902	2.0812	421.5	2.14	97.9188	0.0262	25.9188	0.1%
903	2.0828	422.5	2.14	97.9172	0.0278	25.9172	0.1%
904	2.0839	423.5	2.13	97.9161	0.0289	25.9161	0.1%
905	2.0852	424.5	2.13	97.9148	0.0302	25.9148	0.1%
906	2.0869	425.5	2.13	97.9131	0.0319	25.9131	0.1%
907	2.0885	426.5	2.13	97.9115	0.0335	25.9115	0.1%
908	2.0901	427.5	2.12	97.9099	0.0351	25.9099	0.1%
909	2.0921	428.5	2.12	97.9079	0.0371	25.9079	0.1%
910	2.0931	429.5	2.12	97.9069	0.0381	25.9069	0.1%
911	2.0945	430.5	2.12	97.9055	0.0395	25.9055	0.1%
912	2.0951	431.5	2.11	97.9049	0.0401	25.9049	0.1%
913	2.0962	432.5	2.11	97.9038	0.0412	25.9038	0.1%
914	2.0974	433.5	2.11	97.9026	0.0424	25.9026	0.2%
915	2.0984	434.5	2.11	97.9016	0.0434	25.9016	0.2%
916	2.0993	435.5	2.10	97.9007	0.0443	25.9007	0.2%
917	2.1006	436.5	2.10	97.8994	0.0456	25.8994	0.2%
918	2.1015	437.5	2.10	97.8985	0.0465	25.8985	0.2%
919	2.1021	438.5	2.10	97.8979	0.0471	25.8979	0.2%
920	2.1029	439.5	2.09	97.8971	0.0479	25.8971	0.2%
921	2.104	440.5	2.09	97.896	0.049	25.896	0.2%
922	2.105	441.5	2.09	97.895	0.05	25.895	0.2%
923	2.1056	442.5	2.09	97.8944	0.0506	25.8944	0.2%
924	2.106	443.5	2.08	97.894	0.051	25.894	0.2%
925	2.1067	444.5	2.08	97.8933	0.0517	25.8933	0.2%
926	2.1073	445.5	2.08	97.8927	0.0523	25.8927	0.2%
927	2.1077	446.5	2.08	97.8923	0.0527	25.8923	0.2%
928	2.1078	447.5	2.07	97.8922	0.0528	25.8922	0.2%
929	2.1075	448.5	2.07	97.8925	0.0525	25.8925	0.2%
930	2.1077	449.5	2.07	97.8923	0.0527	25.8923	0.2%
931	2.1082	450.5	2.07	97.8918	0.0532	25.8918	0.2%
932	2.1077	451.5	2.06	97.8923	0.0527	25.8923	0.2%
933	2.1081	452.5	2.06	97.8919	0.0531	25.8919	0.2%
934	2.1078	453.5	2.06	97.8922	0.0528	25.8922	0.2%
935	2.1079	454.5	2.06	97.8921	0.0529	25.8921	0.2%
936	2.1072	455.5	2.05	97.8928	0.0522	25.8928	0.2%
937	2.1075	456.5	2.05	97.8925	0.0525	25.8925	0.2%
938	2.107	457.5	2.05	97.893	0.052	25.893	0.2%
939	2.107	458.5	2.05	97.893	0.052	25.893	0.2%
940	2.1065	459.5	2.05	97.8935	0.0515	25.8935	0.2%
941	2.1065	460.5	2.04	97.8935	0.0515	25.8935	0.2%
942	2.1055	461.5	2.04	97.8945	0.0505	25.8945	0.2%
943	2.1061	462.5	2.04	97.8939	0.0511	25.8939	0.2%
944	2.1055	463.5	2.04	97.8945	0.0505	25.8945	0.2%
945	2.1049	464.5	2.03	97.8951	0.0499	25.8951	0.2%
946	2.1043	465.5	2.03	97.8957	0.0493	25.8957	0.2%
947	2.104	466.5	2.03	97.896	0.049	25.896	0.2%
948	2.1038	467.5	2.03	97.8962	0.0488	25.8962	0.2%
949	2.1029	468.5	2.03	97.8971	0.0479	25.8971	0.2%
950	2.1027	469.5	2.02	97.8973	0.0477	25.8973	0.2%
951	2.1023	470.5	2.02	97.8977	0.0473	25.8977	0.2%
952	2.1019	471.5	2.02	97.8981	0.0469	25.8981	0.2%
953	2.1018	472.5	2.02	97.8982	0.0468	25.8982	0.2%
954	2.101	473.5	2.01	97.899	0.046	25.899	0.2%
955	2.1006	474.5	2.01	97.8994	0.0456	25.8994	0.2%
956	2.1	475.5	2.01	97.9	0.045	25.9	0.2%
957	2.0991	476.5	2.01	97.9009	0.0441	25.9009	0.2%
958	2.1001	477.5	2.01	97.8999	0.0451	25.8999	0.2%
959	2.1011	478.5	2.00	97.8989	0.0461	25.8989	0.2%
960	2.1032	479.5	2.00	97.8968	0.0482	25.8968	0.2%
961	2.1042	480.5	2.00	97.8958	0.0492	25.8958	0.2%
962	2.1062	481.5	2.00	97.8938	0.0512	25.8938	0.2%
963	2.1084	482.5	2.00	97.8916	0.0534	25.8916	0.2%
964	2.1108	483.5	1.99	97.8892	0.0558	25.8892	0.2%
965	2.1125	484.5	1.99	97.8875	0.0575	25.8875	0.2%
966	2.1147	485.5	1.99	97.8853	0.0597	25.8853	0.2%
967	2.1164	486.5	1.99	97.8836	0.0614	25.8836	0.2%
968	2.1184	487.5	1.99	97.8816	0.0634	25.8816	0.2%
969	2.1206	488.5	1.98	97.8794	0.0656	25.8794	0.2%
970	2.123	489.5	1.98	97.877	0.068	25.877	0.2%
971	2.1253	490.5	1.98	97.8747	0.0703	25.8747	0.3%
972	2.127	491.5	1.98	97.873	0.072	25.873	0.3%
973	2.1283	492.5	1.98	97.8717	0.0733	25.8717	0.3%
974	2.129	493.5	1.97	97.871	0.074	25.871	0.3%
975	2.1291	494.5	1.97	97.8709	0.0741	25.8709	0.3%
976	2.1288	495.5	1.97	97.8712	0.0738	25.8712	0.3%
977	2.1281	496.5	1.97	97.8719	0.0731	25.8719	0.3%
978	2.1269	497.5	1.97	97.8731	0.0719	25.8731	0.3%

979	2.1261	498.5	1.96	97.8739	0.0711	25.8739	0.3%
980	2.1252	499.5	1.96	97.8748	0.0702	25.8748	0.3%
981	2.124	500.5	1.96	97.876	0.069	25.876	0.2%
982	2.123	501.5	1.96	97.877	0.068	25.877	0.2%
983	2.1218	502.5	1.96	97.8782	0.0668	25.8782	0.2%
984	2.1204	503.5	1.95	97.8796	0.0654	25.8796	0.2%
985	2.1194	504.5	1.95	97.8806	0.0644	25.8806	0.2%
986	2.1181	505.5	1.95	97.8819	0.0631	25.8819	0.2%
987	2.117	506.5	1.95	97.883	0.062	25.883	0.2%
988	2.1166	507.5	1.95	97.8834	0.0616	25.8834	0.2%
989	2.1151	508.5	1.94	97.8849	0.0601	25.8849	0.2%
990	2.1144	509.5	1.94	97.8856	0.0594	25.8856	0.2%
991	2.1131	510.5	1.94	97.8869	0.0581	25.8869	0.2%
992	2.1119	511.5	1.94	97.8881	0.0569	25.8881	0.2%
993	2.1111	512.5	1.94	97.8889	0.0561	25.8889	0.2%
994	2.1099	513.5	1.94	97.8901	0.0549	25.8901	0.2%
995	2.1091	514.5	1.93	97.8909	0.0541	25.8909	0.2%
996	2.1077	515.5	1.93	97.8923	0.0527	25.8923	0.2%
997	2.1067	516.5	1.93	97.8933	0.0517	25.8933	0.2%
998	2.1056	517.5	1.93	97.8944	0.0506	25.8944	0.2%
999	2.1047	518.5	1.93	97.8953	0.0497	25.8953	0.2%
1000	2.1036	519.5	1.92	97.8964	0.0486	25.8964	0.2%
1001	2.1031	520.5	1.92	97.8969	0.0481	25.8969	0.2%
1002	2.1019	521.5	1.92	97.8981	0.0469	25.8981	0.2%
1003	2.1017	522.5	1.92	97.8983	0.0467	25.8983	0.2%
1004	2.1017	523.5	1.92	97.8983	0.0467	25.8983	0.2%
1005	2.101	524.5	1.92	97.899	0.046	25.899	0.2%
1006	2.1001	525.5	1.91	97.8999	0.0451	25.8999	0.2%
1007	2.0994	526.5	1.91	97.9006	0.0444	25.9006	0.2%
1008	2.0987	527.5	1.91	97.9013	0.0437	25.9013	0.2%
1009	2.0975	528.5	1.91	97.9025	0.0425	25.9025	0.2%
1010	2.0969	529.5	1.91	97.9031	0.0419	25.9031	0.1%
1011	2.0961	530.5	1.91	97.9039	0.0411	25.9039	0.1%
1012	2.0949	531.5	1.90	97.9051	0.0399	25.9051	0.1%
1013	2.0943	532.5	1.90	97.9057	0.0393	25.9057	0.1%
1014	2.0932	533.5	1.90	97.9068	0.0382	25.9068	0.1%
1015	2.0928	534.5	1.90	97.9072	0.0378	25.9072	0.1%
1016	2.0918	535.5	1.90	97.9082	0.0368	25.9082	0.1%
1017	2.0908	536.5	1.90	97.9092	0.0358	25.9092	0.1%
1018	2.0902	537.5	1.89	97.9098	0.0352	25.9098	0.1%
1019	2.089	538.5	1.89	97.911	0.034	25.911	0.1%
1020	2.0884	539.5	1.89	97.9116	0.0334	25.9116	0.1%
1021	2.0872	540.5	1.89	97.9128	0.0322	25.9128	0.1%
1022	2.0865	541.5	1.89	97.9135	0.0315	25.9135	0.1%
1023	2.0854	542.5	1.89	97.9146	0.0304	25.9146	0.1%
1024	2.0849	543.5	1.88	97.9151	0.0299	25.9151	0.1%
1025	2.0846	544.5	1.88	97.9154	0.0296	25.9154	0.1%
1026	2.0832	545.5	1.88	97.9168	0.0282	25.9168	0.1%
1027	2.0826	546.5	1.88	97.9174	0.0276	25.9174	0.1%
1028	2.0815	547.5	1.88	97.9185	0.0265	25.9185	0.1%
1029	2.0812	548.5	1.88	97.9188	0.0262	25.9188	0.1%
1030	2.0802	549.5	1.87	97.9198	0.0252	25.9198	0.1%
1031	2.0799	550.5	1.87	97.9201	0.0249	25.9201	0.1%
1032	2.0791	551.5	1.87	97.9209	0.0241	25.9209	0.1%
1033	2.0791	552.5	1.87	97.9209	0.0241	25.9209	0.1%
1034	2.0788	553.5	1.87	97.9212	0.0238	25.9212	0.1%
1035	2.0789	554.5	1.87	97.9211	0.0239	25.9211	0.1%
1036	2.0789	555.5	1.86	97.9211	0.0239	25.9211	0.1%
1037	2.078	556.5	1.86	97.922	0.023	25.922	0.1%
1038	2.0772	557.5	1.86	97.9228	0.0222	25.9228	0.1%
1039	2.077	558.5	1.86	97.923	0.022	25.923	0.1%
1040	2.076	559.5	1.86	97.924	0.021	25.924	0.1%
1041	2.0756	560.5	1.86	97.9244	0.0206	25.9244	0.1%
1042	2.0746	561.5	1.86	97.9254	0.0196	25.9254	0.1%
1043	2.0741	562.5	1.85	97.9259	0.0191	25.9259	0.1%
1044	2.0735	563.5	1.85	97.9265	0.0185	25.9265	0.1%
1045	2.073	564.5	1.85	97.927	0.018	25.927	0.1%
1046	2.0721	565.5	1.85	97.9279	0.0171	25.9279	0.1%
1047	2.0715	566.5	1.85	97.9285	0.0165	25.9285	0.1%
1048	2.0717	567.5	1.85	97.9283	0.0167	25.9283	0.1%
1049	2.0719	568.5	1.85	97.9281	0.0169	25.9281	0.1%
1050	2.0715	569.5	1.84	97.9285	0.0165	25.9285	0.1%
1051	2.0711	570.5	1.84	97.9289	0.0161	25.9289	0.1%
1052	2.0708	571.5	1.84	97.9292	0.0158	25.9292	0.1%
1053	2.0704	572.5	1.84	97.9296	0.0154	25.9296	0.1%
1054	2.0697	573.5	1.84	97.9303	0.0147	25.9303	0.1%
1055	2.0692	574.5	1.84	97.9308	0.0142	25.9308	0.1%
1056	2.0688	575.5	1.83	97.9312	0.0138	25.9312	0.0%
1057	2.068	576.5	1.83	97.932	0.013	25.932	0.0%
1058	2.0671	577.5	1.83	97.9329	0.0121	25.9329	0.0%
1059	2.0668	578.5	1.83	97.9332	0.0118	25.9332	0.0%
1060	2.0658	579.5	1.83	97.9342	0.0108	25.9342	0.0%
1061	2.0657	580.5	1.83	97.9343	0.0107	25.9343	0.0%

1062	2.0646	581.5	1.83	97.9354	0.0096	25.9354	0.0%
1063	2.0645	582.5	1.82	97.9355	0.0095	25.9355	0.0%
1064	2.0633	583.5	1.82	97.9367	0.0083	25.9367	0.0%
1065	2.063	584.5	1.82	97.937	0.008	25.937	0.0%
1066	2.0622	585.5	1.82	97.9378	0.0072	25.9378	0.0%
1067	2.062	586.5	1.82	97.938	0.007	25.938	0.0%
1068	2.0617	587.5	1.82	97.9383	0.0067	25.9383	0.0%
1069	2.0607	588.5	1.82	97.9393	0.0057	25.9393	0.0%
1070	2.0602	589.5	1.82	97.9398	0.0052	25.9398	0.0%
1071	2.059	590.5	1.81	97.941	0.004	25.941	0.0%
1072	2.0587	591.5	1.81	97.9413	0.0037	25.9413	0.0%
1073	2.0583	592.5	1.81	97.9417	0.0033	25.9417	0.0%
1074	2.0577	593.5	1.81	97.9423	0.0027	25.9423	0.0%
1075	2.0571	594.5	1.81	97.9429	0.0021	25.9429	0.0%
1076	2.0568	595.5	1.81	97.9432	0.0018	25.9432	0.0%
1077	2.056	596.5	1.81	97.944	0.001	25.944	0.0%
1078	2.0556	597.5	1.80	97.9444	0.0006	25.9444	0.0%
1079	2.0555	598.5	1.80	97.9445	0.0005	25.9445	0.0%
1080	2.0549	599.5	1.80	97.9451	-0.0001	25.9451	0.0%
1081	2.0542	600.5	1.80	97.9458	-0.0008	25.9458	0.0%
1082	2.0536	601.5	1.80	97.9464	-0.0014	25.9464	0.0%
1083	2.0533	602.5	1.80	97.9467	-0.0017	25.9467	0.0%
1084	2.0523	603.5	1.80	97.9477	-0.0027	25.9477	0.0%
1085	2.052	604.5	1.79	97.948	-0.003	25.948	0.0%
1086	2.0514	605.5	1.79	97.9486	-0.0036	25.9486	0.0%
1087	2.0513	606.5	1.79	97.9487	-0.0037	25.9487	0.0%
1088	2.0505	607.5	1.79	97.9495	-0.0045	25.9495	0.0%
1089	2.0502	608.5	1.79	97.9498	-0.0048	25.9498	0.0%
1090	2.0494	609.5	1.79	97.9506	-0.0056	25.9506	0.0%
1091	2.0488	610.5	1.79	97.9512	-0.0062	25.9512	0.0%
1092	2.0482	611.5	1.79	97.9518	-0.0068	25.9518	0.0%
1093	2.0481	612.5	1.78	97.9519	-0.0069	25.9519	0.0%
1094	2.0476	613.5	1.78	97.9524	-0.0074	25.9524	0.0%
1095	2.0472	614.5	1.78	97.9528	-0.0078	25.9528	0.0%
1096	2.0466	615.5	1.78	97.9534	-0.0084	25.9534	0.0%
1097	2.0461	616.5	1.78	97.9539	-0.0089	25.9539	0.0%
1098	2.0457	617.5	1.78	97.9543	-0.0093	25.9543	0.0%
1099	2.0454	618.5	1.78	97.9546	-0.0096	25.9546	0.0%
1100	2.0448	619.5	1.78	97.9552	-0.0102	25.9552	0.0%
1101	2.0444	620.5	1.77	97.9556	-0.0106	25.9556	0.0%
1102	2.044	621.5	1.77	97.956	-0.011	25.956	0.0%
1103	2.0435	622.5	1.77	97.9565	-0.0115	25.9565	0.0%
1104	2.0432	623.5	1.77	97.9568	-0.0118	25.9568	0.0%
1105	2.0428	624.5	1.77	97.9572	-0.0122	25.9572	0.0%
1106	2.0423	625.5	1.77	97.9577	-0.0127	25.9577	0.0%
1107	2.0415	626.5	1.77	97.9585	-0.0135	25.9585	0.0%
1108	2.0411	627.5	1.77	97.9589	-0.0139	25.9589	0.0%
1109	2.0408	628.5	1.76	97.9592	-0.0142	25.9592	-0.1%
1110	2.0405	629.5	1.76	97.9595	-0.0145	25.9595	-0.1%
1111	2.0401	630.5	1.76	97.9599	-0.0149	25.9599	-0.1%
1112	2.0392	631.5	1.76	97.9608	-0.0158	25.9608	-0.1%
1113	2.0391	632.5	1.76	97.9609	-0.0159	25.9609	-0.1%
1114	2.0383	633.5	1.76	97.9617	-0.0167	25.9617	-0.1%
1115	2.0375	634.5	1.76	97.9625	-0.0175	25.9625	-0.1%
1116	2.0378	635.5	1.76	97.9622	-0.0172	25.9622	-0.1%
1117	2.0376	636.5	1.75	97.9624	-0.0174	25.9624	-0.1%
1118	2.037	637.5	1.75	97.963	-0.018	25.963	-0.1%
1119	2.0371	638.5	1.75	97.9629	-0.0179	25.9629	-0.1%
1120	2.0368	639.5	1.75	97.9632	-0.0182	25.9632	-0.1%
1121	2.0365	640.5	1.75	97.9635	-0.0185	25.9635	-0.1%
1122	2.0365	641.5	1.75	97.9635	-0.0185	25.9635	-0.1%
1123	2.0356	642.5	1.75	97.9644	-0.0194	25.9644	-0.1%
1124	2.0337	643.5	1.75	97.9663	-0.0213	25.9663	-0.1%
1125	2.0337	644.5	1.75	97.9663	-0.0213	25.9663	-0.1%
1126	2.0369	645.5	1.74	97.9631	-0.0181	25.9631	-0.1%
1127	2.0351	646.5	1.74	97.9649	-0.0199	25.9649	-0.1%
1128	2.0347	647.5	1.74	97.9653	-0.0203	25.9653	-0.1%
1129	2.0341	648.5	1.74	97.9659	-0.0209	25.9659	-0.1%
1130	2.0335	649.5	1.74	97.9665	-0.0215	25.9665	-0.1%
1131	2.033	650.5	1.74	97.967	-0.022	25.967	-0.1%
1132	2.0325	651.5	1.74	97.9675	-0.0225	25.9675	-0.1%
1133	2.0323	652.5	1.74	97.9677	-0.0227	25.9677	-0.1%
1134	2.0318	653.5	1.74	97.9682	-0.0232	25.9682	-0.1%
1135	2.0316	654.5	1.73	97.9684	-0.0234	25.9684	-0.1%
1136	2.031	655.5	1.73	97.969	-0.024	25.969	-0.1%
1137	2.0306	656.5	1.73	97.9694	-0.0244	25.9694	-0.1%
1138	2.0303	657.5	1.73	97.9697	-0.0247	25.9697	-0.1%
1139	2.03	658.5	1.73	97.97	-0.025	25.97	-0.1%
1140	2.0296	659.5	1.73	97.9704	-0.0254	25.9704	-0.1%
1141	2.0298	660.5	1.73	97.9702	-0.0252	25.9702	-0.1%
1142	2.0294	661.5	1.73	97.9706	-0.0256	25.9706	-0.1%
1143	2.029	662.5	1.73	97.971	-0.026	25.971	-0.1%
1144	2.0286	663.5	1.72	97.9714	-0.0264	25.9714	-0.1%

1145	2.0283	664.5	1.72	97.9717	-0.0267	25.9717	-0.1%	
1146	2.0277	665.5	1.72	97.9723	-0.0273	25.9723	-0.1%	
1147	2.0275	666.5	1.72	97.9725	-0.0275	25.9725	-0.1%	
1148	2.0269	667.5	1.72	97.9731	-0.0281	25.9731	-0.1%	
1149	2.0267	668.5	1.72	97.9733	-0.0283	25.9733	-0.1%	
1150	2.0263	669.5	1.72	97.9737	-0.0287	25.9737	-0.1%	
1151	2.0259	670.5	1.72	97.9741	-0.0291	25.9741	-0.1%	
1152	2.0252	671.5	1.72	97.9748	-0.0298	25.9748	-0.1%	
1153	2.025	672.5	1.71	97.975	-0.03	25.975	-0.1%	
1154	2.0244	673.5	1.71	97.9756	-0.0306	25.9756	-0.1%	
1155	2.0245	674.5	1.71	97.9755	-0.0305	25.9755	-0.1%	
1156	2.0241	675.5	1.71	97.9759	-0.0309	25.9759	-0.1%	
1157	2.0238	676.5	1.71	97.9762	-0.0312	25.9762	-0.1%	
1158	2.0233	677.5	1.71	97.9767	-0.0317	25.9767	-0.1%	
1159	2.0233	678.5	1.71	97.9767	-0.0317	25.9767	-0.1%	
1160	2.0228	679.5	1.71	97.9772	-0.0322	25.9772	-0.1%	
1161	2.0223	680.5	1.71	97.9777	-0.0327	25.9777	-0.1%	
1162	2.0224	681.5	1.71	97.9776	-0.0326	25.9776	-0.1%	
1163	2.0219	682.5	1.70	97.9781	-0.0331	25.9781	-0.1%	
1164	2.0212	683.5	1.70	97.9788	-0.0338	25.9788	-0.1%	
1165	2.0212	684.5	1.70	97.9788	-0.0338	25.9788	-0.1%	
1166	2.0209	685.5	1.70	97.9791	-0.0341	25.9791	-0.1%	
1167	2.0204	686.5	1.70	97.9796	-0.0346	25.9796	-0.1%	
1168	2.0201	687.5	1.70	97.9799	-0.0349	25.9799	-0.1%	
1169	2.0196	688.5	1.70	97.9804	-0.0354	25.9804	-0.1%	
1170	2.0191	689.5	1.70	97.9809	-0.0359	25.9809	-0.1%	
1171	2.0195	690.5	1.70	97.9805	-0.0355	25.9805	-0.1%	
1172	2.0189	691.5	1.69	97.9811	-0.0361	25.9811	-0.1%	
1173	2.0187	692.5	1.69	97.9813	-0.0363	25.9813	-0.1%	
1174	2.0185	693.5	1.69	97.9815	-0.0365	25.9815	-0.1%	
1175	2.0174	694.5	1.69	97.9826	-0.0376	25.9826	-0.1%	
1176	2.0177	695.5	1.69	97.9823	-0.0373	25.9823	-0.1%	
1177	2.0176	696.5	1.69	97.9824	-0.0374	25.9824	-0.1%	
1178	2.0169	697.5	1.69	97.9831	-0.0381	25.9831	-0.1%	
1179	2.0167	698.5	1.69	97.9833	-0.0383	25.9833	-0.1%	
1180	2.0161	699.5	1.69	97.9839	-0.0389	25.9839	-0.1%	
1181	2.0157	700.5	1.69	97.9843	-0.0393	25.9843	-0.1%	
1182	2.0156	701.5	1.68	97.9844	-0.0394	25.9844	-0.1%	
1183	2.0153	702.5	1.68	97.9847	-0.0397	25.9847	-0.1%	
1184	2.0154	703.5	1.68	97.9846	-0.0396	25.9846	-0.1%	
1185	2.0147	704.5	1.68	97.9853	-0.0403	25.9853	-0.1%	
1186	2.0142	705.5	1.68	97.9858	-0.0408	25.9858	-0.1%	
1187	2.0119	706.5	1.68	97.9881	-0.0431	25.9881	-0.2%	
1188	2.0123	707.5	1.68	97.9877	-0.0427	25.9877	-0.2%	
1189	2.014	708.5	1.68	97.986	-0.041	25.986	-0.1%	
1190	2.0137	709.5	1.68	97.9863	-0.0413	25.9863	-0.1%	
1191	2.0133	710.5	1.68	97.9867	-0.0417	25.9867	-0.1%	
1192	2.0127	711.5	1.68	97.9873	-0.0423	25.9873	-0.2%	
1193	2.0121	712.5	1.67	97.9879	-0.0429	25.9879	-0.2%	
1194	2.0116	713.5	1.67	97.9884	-0.0434	25.9884	-0.2%	
1195	2.0113	714.5	1.67	97.9887	-0.0437	25.9887	-0.2%	
1196	2.0108	715.5	1.67	97.9892	-0.0442	25.9892	-0.2%	
1197	2.0108	716.5	1.67	97.9892	-0.0442	25.9892	-0.2%	
1198	2.0103	717.5	1.67	97.9897	-0.0447	25.9897	-0.2%	
1199	2.0103	718.5	1.67	97.9897	-0.0447	25.9897	-0.2%	
1200	2.0096	719.5	1.67	97.9904	-0.0454	25.9904	-0.2%	
1201	2.0094	720.5	1.67	97.9906	-0.0456	25.9906	-0.2%	
1202	2.0086	721.5	1.67	97.9914	-0.0464	25.9914	-0.2%	
1203	2.0093	722.5	1.67	97.9907	-0.0457	25.9907	-0.2%	
1204	2.009	723.5	1.66	97.991	-0.046	25.991	-0.2%	
1205	2.0088	724.5	1.66	97.9912	-0.0462	25.9912	-0.2%	
1206	2.0083	725.5	1.66	97.9917	-0.0467	25.9917	-0.2%	
1207	2.0079	726.5	1.66	97.9921	-0.0471	25.9921	-0.2%	
1208	2.0076	727.5	1.66	97.9924	-0.0474	25.9924	-0.2%	
1209	2.0079	728.5	1.66	97.9921	-0.0471	25.9921	-0.2%	
1210	2.0072	729.5	1.66	97.9928	-0.0478	25.9928	-0.2%	
1211	2.0074	730.5	1.66	97.9926	-0.0476	25.9926	-0.2%	
1212	2.0068	731.5	1.66	97.9932	-0.0482	25.9932	-0.2%	
1213	2.0068	732.5	1.66	97.9932	-0.0482	25.9932	-0.2%	
1214	2.0067	733.5	1.66	97.9933	-0.0483	25.9933	-0.2%	
1215	2.0068	734.5	1.65	97.9932	-0.0482	25.9932	-0.2%	
1216	2.0062	735.5	1.65	97.9938	-0.0488	25.9938	-0.2%	
1217	2.0065	736.5	1.65	97.9935	-0.0485	25.9935	-0.2%	
1218	2.0066	737.5	1.65	97.9934	-0.0484	25.9934	-0.2%	
1219	2.0067	738.5	1.65	97.9933	-0.0483	25.9933	-0.2%	
1220	2.0067	739.5	1.65	97.9933	-0.0483	25.9933	-0.2%	
1221	2.0062	740.5	1.65	97.9938	-0.0488	25.9938	-0.2%	
1222	2.0079	741.5	1.65	97.9921	-0.0471	25.9921	-0.2%	
1223	2.0078	742.5	1.65	97.9922	-0.0472	25.9922	-0.2%	
1224	2.0079	743.5	1.65	97.9921	-0.0471	25.9921	-0.2%	
1225	2.0083	744.5	1.65	97.9917	-0.0467	25.9917	-0.2%	
1226	2.0085	745.5	1.64	97.9915	-0.0465	25.9915	-0.2%	
1227	2.0091	746.5	1.64	97.9909	-0.0459	25.9909	-0.2%	


1228	2.0096	747.5	1.64	97.9904	-0.0454	25.9904	-0.2%
1229	2.0101	748.5	1.64	97.9899	-0.0449	25.9899	-0.2%
1230	2.0103	749.5	1.64	97.9897	-0.0447	25.9897	-0.2%
1231	2.0101	750.5	1.64	97.9899	-0.0449	25.9899	-0.2%
1232	2.0102	751.5	1.64	97.9898	-0.0448	25.9898	-0.2%
1233	2.0108	752.5	1.64	97.9892	-0.0442	25.9892	-0.2%
1234	2.011	753.5	1.64	97.989	-0.044	25.989	-0.2%
1235	2.0107	754.5	1.64	97.9893	-0.0443	25.9893	-0.2%
1236	2.011	755.5	1.64	97.989	-0.044	25.989	-0.2%
1237	2.0108	756.5	1.64	97.9892	-0.0442	25.9892	-0.2%
1238	2.0106	757.5	1.63	97.9894	-0.0444	25.9894	-0.2%
1239	2.0105	758.5	1.63	97.9895	-0.0445	25.9895	-0.2%
1240	2.0105	759.5	1.63	97.9895	-0.0445	25.9895	-0.2%
1241	2.0104	760.5	1.63	97.9896	-0.0446	25.9896	-0.2%
1242	2.0102	761.5	1.63	97.9898	-0.0448	25.9898	-0.2%
1243	2.0103	762.5	1.63	97.9897	-0.0447	25.9897	-0.2%
1244	2.0103	763.5	1.63	97.9897	-0.0447	25.9897	-0.2%
1245	2.0099	764.5	1.63	97.9901	-0.0451	25.9901	-0.2%
1246	2.0095	765.5	1.63	97.9905	-0.0455	25.9905	-0.2%
1247	2.0096	766.5	1.63	97.9904	-0.0454	25.9904	-0.2%
1248	2.0094	767.5	1.63	97.9906	-0.0456	25.9906	-0.2%
1249	2.0089	768.5	1.63	97.9911	-0.0461	25.9911	-0.2%
1250	2.0089	769.5	1.62	97.9911	-0.0461	25.9911	-0.2%
1251	2.0089	770.5	1.62	97.9911	-0.0461	25.9911	-0.2%
1252	2.0083	771.5	1.62	97.9917	-0.0467	25.9917	-0.2%
1253	2.0077	772.5	1.62	97.9923	-0.0473	25.9923	-0.2%
1254	2.0075	773.5	1.62	97.9925	-0.0475	25.9925	-0.2%
1255	2.007	774.5	1.62	97.993	-0.048	25.993	-0.2%
1256	2.0071	775.5	1.62	97.9929	-0.0479	25.9929	-0.2%
1257	2.0067	776.5	1.62	97.9933	-0.0483	25.9933	-0.2%
1258	2.0063	777.5	1.62	97.9937	-0.0487	25.9937	-0.2%
1259	2.0067	778.5	1.62	97.9933	-0.0483	25.9933	-0.2%
1260	2.0064	779.5	1.62	97.9936	-0.0486	25.9936	-0.2%
1261	2.0063	780.5	1.62	97.9937	-0.0487	25.9937	-0.2%
1262	2.0062	781.5	1.61	97.9938	-0.0488	25.9938	-0.2%
1263	2.0058	782.5	1.61	97.9942	-0.0492	25.9942	-0.2%
1264	2.006	783.5	1.61	97.994	-0.049	25.994	-0.2%
1265	2.0057	784.5	1.61	97.9943	-0.0493	25.9943	-0.2%
1266	2.0059	785.5	1.61	97.9941	-0.0491	25.9941	-0.2%
1267	2.0058	786.5	1.61	97.9942	-0.0492	25.9942	-0.2%
1268	2.0061	787.5	1.61	97.9939	-0.0489	25.9939	-0.2%
1269	2.0068	788.5	1.61	97.9932	-0.0482	25.9932	-0.2%
1270	2.0068	789.5	1.61	97.9932	-0.0482	25.9932	-0.2%
1271	2.007	790.5	1.61	97.993	-0.048	25.993	-0.2%
1272	2.0072	791.5	1.61	97.9928	-0.0478	25.9928	-0.2%
1273	2.0071	792.5	1.61	97.9929	-0.0479	25.9929	-0.2%
1274	2.0075	793.5	1.61	97.9925	-0.0475	25.9925	-0.2%
1275	2.0073	794.5	1.60	97.9927	-0.0477	25.9927	-0.2%
1276	2.0074	795.5	1.60	97.9926	-0.0476	25.9926	-0.2%
1277	2.0073	796.5	1.60	97.9927	-0.0477	25.9927	-0.2%
1278	2.0074	797.5	1.60	97.9926	-0.0476	25.9926	-0.2%
1279	2.0071	798.5	1.60	97.9929	-0.0479	25.9929	-0.2%
1280	2.0074	799.5	1.60	97.9926	-0.0476	25.9926	-0.2%
1281	2.0076	800.5	1.60	97.9924	-0.0474	25.9924	-0.2%
1282	2.0077	801.5	1.60	97.9923	-0.0473	25.9923	-0.2%
1283	2.0072	802.5	1.60	97.9928	-0.0478	25.9928	-0.2%
1284	2.0075	803.5	1.60	97.9925	-0.0475	25.9925	-0.2%
1285	2.0075	804.5	1.60	97.9925	-0.0475	25.9925	-0.2%
1286	2.0079	805.5	1.60	97.9921	-0.0471	25.9921	-0.2%
1287	2.0077	806.5	1.60	97.9923	-0.0473	25.9923	-0.2%
1288	2.0082	807.5	1.60	97.9918	-0.0468	25.9918	-0.2%
1289	2.0079	808.5	1.59	97.9921	-0.0471	25.9921	-0.2%
1290	2.0081	809.5	1.59	97.9919	-0.0469	25.9919	-0.2%
1291	2.0081	810.5	1.59	97.9919	-0.0469	25.9919	-0.2%
1292	2.0083	811.5	1.59	97.9917	-0.0467	25.9917	-0.2%
1293	2.0076	812.5	1.59	97.9924	-0.0474	25.9924	-0.2%
1294	2.0082	813.5	1.59	97.9918	-0.0468	25.9918	-0.2%
1295	2.0084	814.5	1.59	97.9916	-0.0466	25.9916	-0.2%
1296	2.0084	815.5	1.59	97.9916	-0.0466	25.9916	-0.2%
1297	2.0084	816.5	1.59	97.9916	-0.0466	25.9916	-0.2%
1298	2.0081	817.5	1.59	97.9919	-0.0469	25.9919	-0.2%
1299	2.0076	818.5	1.59	97.9924	-0.0474	25.9924	-0.2%
1300	2.0076	819.5	1.59	97.9924	-0.0474	25.9924	-0.2%
1301	2.0077	820.5	1.59	97.9923	-0.0473	25.9923	-0.2%
1302	2.0077	821.5	1.58	97.9923	-0.0473	25.9923	-0.2%
1303	2.0122	822.5	1.58	97.9878	-0.0428	25.9878	-0.2%
1304	2.0407	823.5	1.58	97.9593	-0.0143	25.9593	-0.1%
1305	2.0358	824.5	1.58	97.9642	-0.0192	25.9642	-0.1%
1306	2.0322	825.5	1.58	97.9678	-0.0228	25.9678	-0.1%
1307	2.0294	826.5	1.58	97.9706	-0.0256	25.9706	-0.1%
1308	2.027	827.5	1.58	97.973	-0.028	25.973	-0.1%
1309	2.0257	828.5	1.58	97.9743	-0.0293	25.9743	-0.1%
1310	2.0249	829.5	1.58	97.9751	-0.0301	25.9751	-0.1%

1311	2.0247	830.5	1.58	97.9753	-0.0303	25.9753	-0.1%
1312	2.0237	831.5	1.58	97.9763	-0.0313	25.9763	-0.1%
1313	2.0233	832.5	1.58	97.9767	-0.0317	25.9767	-0.1%
1314	2.0222	833.5	1.58	97.9778	-0.0328	25.9778	-0.1%
1315	2.022	834.5	1.58	97.978	-0.033	25.978	-0.1%
1316	2.0218	835.5	1.58	97.9782	-0.0332	25.9782	-0.1%
1317	2.0213	836.5	1.57	97.9787	-0.0337	25.9787	-0.1%
1318	2.0204	837.5	1.57	97.9796	-0.0346	25.9796	-0.1%
1319	2.0203	838.5	1.57	97.9797	-0.0347	25.9797	-0.1%
1320	2.0201	839.5	1.57	97.9799	-0.0349	25.9799	-0.1%
1321	2.0195	840.5	1.57	97.9805	-0.0355	25.9805	-0.1%
1322	2.0193	841.5	1.57	97.9807	-0.0357	25.9807	-0.1%
1323	2.0187	842.5	1.57	97.9813	-0.0363	25.9813	-0.1%
1324	2.0183	843.5	1.57	97.9817	-0.0367	25.9817	-0.1%
1325	2.0184	844.5	1.57	97.9816	-0.0366	25.9816	-0.1%
1326	2.0181	845.5	1.57	97.9819	-0.0369	25.9819	-0.1%
1327	2.0184	846.5	1.57	97.9816	-0.0366	25.9816	-0.1%
1328	2.018	847.5	1.57	97.982	-0.037	25.982	-0.1%
1329	2.0176	848.5	1.57	97.9824	-0.0374	25.9824	-0.1%
1330	2.017	849.5	1.57	97.983	-0.038	25.983	-0.1%
1331	2.0176	850.5	1.56	97.9824	-0.0374	25.9824	-0.1%
1332	2.0177	851.5	1.56	97.9823	-0.0373	25.9823	-0.1%
1333	2.0169	852.5	1.56	97.9831	-0.0381	25.9831	-0.1%
1334	2.0174	853.5	1.56	97.9826	-0.0376	25.9826	-0.1%
1335	2.0175	854.5	1.56	97.9825	-0.0375	25.9825	-0.1%
1336	2.0176	855.5	1.56	97.9824	-0.0374	25.9824	-0.1%
1337	2.0177	856.5	1.56	97.9823	-0.0373	25.9823	-0.1%
1338	2.0175	857.5	1.56	97.9825	-0.0375	25.9825	-0.1%
1339	2.0171	858.5	1.56	97.9829	-0.0379	25.9829	-0.1%
1340	2.0167	859.5	1.56	97.9833	-0.0383	25.9833	-0.1%
1341	2.0167	860.5	1.56	97.9833	-0.0383	25.9833	-0.1%
1342	2.0164	861.5	1.56	97.9836	-0.0386	25.9836	-0.1%
1343	2.0167	862.5	1.56	97.9833	-0.0383	25.9833	-0.1%
1344	2.0171	863.5	1.56	97.9829	-0.0379	25.9829	-0.1%
1345	2.0168	864.5	1.56	97.9832	-0.0382	25.9832	-0.1%
1346	2.0161	865.5	1.56	97.9839	-0.0389	25.9839	-0.1%
1347	2.0158	866.5	1.55	97.9842	-0.0392	25.9842	-0.1%
1348	2.0158	867.5	1.55	97.9842	-0.0392	25.9842	-0.1%
1349	2.0164	868.5	1.55	97.9836	-0.0386	25.9836	-0.1%
1350	2.0161	869.5	1.55	97.9839	-0.0389	25.9839	-0.1%
1351	2.0156	870.5	1.55	97.9844	-0.0394	25.9844	-0.1%
1352	2.0145	871.5	1.55	97.9855	-0.0405	25.9855	-0.1%
1353	2.0153	872.5	1.55	97.9847	-0.0397	25.9847	-0.1%
1354	2.0145	873.5	1.55	97.9855	-0.0405	25.9855	-0.1%
1355	2.0153	874.5	1.55	97.9847	-0.0397	25.9847	-0.1%
1356	2.0144	875.5	1.55	97.9856	-0.0406	25.9856	-0.1%
1357	2.0143	876.5	1.55	97.9857	-0.0407	25.9857	-0.1%
1358	2.0136	877.5	1.55	97.9864	-0.0414	25.9864	-0.1%
1359	2.0144	878.5	1.55	97.9856	-0.0406	25.9856	-0.1%
1360	2.0136	879.5	1.55	97.9864	-0.0414	25.9864	-0.1%
1361	2.0138	880.5	1.55	97.9862	-0.0412	25.9862	-0.1%
1362	2.0139	881.5	1.55	97.9861	-0.0411	25.9861	-0.1%
1363	2.0136	882.5	1.54	97.9864	-0.0414	25.9864	-0.1%
1364	2.0135	883.5	1.54	97.9865	-0.0415	25.9865	-0.1%
1365	2.0126	884.5	1.54	97.9874	-0.0424	25.9874	-0.2%
1366	2.0122	885.5	1.54	97.9878	-0.0428	25.9878	-0.2%
1367	2.0108	886.5	1.54	97.9892	-0.0442	25.9892	-0.2%
1368	2.009	887.5	1.54	97.991	-0.046	25.991	-0.2%
1369	2.0119	888.5	1.54	97.9881	-0.0431	25.9881	-0.2%
1370	2.0106	889.5	1.54	97.9894	-0.0444	25.9894	-0.2%
1371	2.0106	890.5	1.54	97.9894	-0.0444	25.9894	-0.2%
1372	2.0096	891.5	1.54	97.9904	-0.0454	25.9904	-0.2%
1373	2.0091	892.5	1.54	97.9909	-0.0459	25.9909	-0.2%
1374	2.0086	893.5	1.54	97.9914	-0.0464	25.9914	-0.2%
1375	2.0086	894.5	1.54	97.9914	-0.0464	25.9914	-0.2%
1376	2.0085	895.5	1.54	97.9915	-0.0465	25.9915	-0.2%
1377	2.0076	896.5	1.54	97.9924	-0.0474	25.9924	-0.2%
1378	2.0079	897.5	1.54	97.9921	-0.0471	25.9921	-0.2%
1379	2.0077	898.5	1.53	97.9923	-0.0473	25.9923	-0.2%
1380	2.0071	899.5	1.53	97.9929	-0.0479	25.9929	-0.2%
1381	2.0069	900.5	1.53	97.9931	-0.0481	25.9931	-0.2%
1382	2.0066	901.5	1.53	97.9934	-0.0484	25.9934	-0.2%
1383	2.0062	902.5	1.53	97.9938	-0.0488	25.9938	-0.2%
1384	2.0061	903.5	1.53	97.9939	-0.0489	25.9939	-0.2%
1385	2.006	904.5	1.53	97.994	-0.049	25.994	-0.2%
1386	2.0051	905.5	1.53	97.9949	-0.0499	25.9949	-0.2%
1387	2.0052	906.5	1.53	97.9948	-0.0498	25.9948	-0.2%
1388	2.005	907.5	1.53	97.995	-0.05	25.995	-0.2%
1389	2.0062	908.5	1.53	97.9938	-0.0488	25.9938	-0.2%
1390	2.0339	909.5	1.53	97.9661	-0.0211	25.9661	-0.1%
1391	2.0299	910.5	1.53	97.9701	-0.0251	25.9701	-0.1%
1392	2.0252	911.5	1.53	97.9748	-0.0298	25.9748	-0.1%
1393	2.0226	912.5	1.53	97.9774	-0.0324	25.9774	-0.1%


1394	2.0202	913.5	1.53	97.9798	-0.0348	25.9798	-0.1%	
1395	2.0182	914.5	1.53	97.9818	-0.0368	25.9818	-0.1%	
1396	2.0166	915.5	1.52	97.9834	-0.0384	25.9834	-0.1%	
1397	2.0151	916.5	1.52	97.9849	-0.0399	25.9849	-0.1%	
1398	2.0142	917.5	1.52	97.9858	-0.0408	25.9858	-0.1%	
1399	2.0131	918.5	1.52	97.9869	-0.0419	25.9869	-0.1%	
1400	2.0119	919.5	1.52	97.9881	-0.0431	25.9881	-0.2%	
1401	2.0113	920.5	1.52	97.9887	-0.0437	25.9887	-0.2%	
1402	2.0105	921.5	1.52	97.9895	-0.0445	25.9895	-0.2%	
1403	2.0097	922.5	1.52	97.9903	-0.0453	25.9903	-0.2%	
1404	2.0091	923.5	1.52	97.9909	-0.0459	25.9909	-0.2%	
1405	2.0081	924.5	1.52	97.9919	-0.0469	25.9919	-0.2%	
1406	2.0081	925.5	1.52	97.9919	-0.0469	25.9919	-0.2%	
1407	2.0077	926.5	1.52	97.9923	-0.0473	25.9923	-0.2%	
1408	2.0072	927.5	1.52	97.9928	-0.0478	25.9928	-0.2%	
1409	2.0065	928.5	1.52	97.9935	-0.0485	25.9935	-0.2%	
1410	2.0055	929.5	1.52	97.9945	-0.0495	25.9945	-0.2%	
1411	2.0057	930.5	1.52	97.9943	-0.0493	25.9943	-0.2%	
1412	2.0052	931.5	1.52	97.9948	-0.0498	25.9948	-0.2%	
1413	2.0047	932.5	1.52	97.9953	-0.0503	25.9953	-0.2%	
1414	2.0042	933.5	1.51	97.9958	-0.0508	25.9958	-0.2%	
1415	2.0039	934.5	1.51	97.9961	-0.0511	25.9961	-0.2%	
1416	2.0039	935.5	1.51	97.9961	-0.0511	25.9961	-0.2%	
1417	2.0042	936.5	1.51	97.9958	-0.0508	25.9958	-0.2%	
1418	2.0039	937.5	1.51	97.9961	-0.0511	25.9961	-0.2%	
1419	2.0032	938.5	1.51	97.9968	-0.0518	25.9968	-0.2%	
1420	2.0029	939.5	1.51	97.9971	-0.0521	25.9971	-0.2%	
1421	2.0024	940.5	1.51	97.9976	-0.0526	25.9976	-0.2%	
1422	2.0024	941.5	1.51	97.9976	-0.0526	25.9976	-0.2%	
1423	2.0023	942.5	1.51	97.9977	-0.0527	25.9977	-0.2%	
1424	2.0024	943.5	1.51	97.9976	-0.0526	25.9976	-0.2%	
1425	2.0023	944.5	1.51	97.9977	-0.0527	25.9977	-0.2%	
1426	2.0016	945.5	1.51	97.9984	-0.0534	25.9984	-0.2%	
1427	2.0022	946.5	1.51	97.9978	-0.0528	25.9978	-0.2%	
1428	2.0021	947.5	1.51	97.9979	-0.0529	25.9979	-0.2%	
1429	2.002	948.5	1.51	97.998	-0.053	25.998	-0.2%	
1430	2.0024	949.5	1.51	97.9976	-0.0526	25.9976	-0.2%	
1431	2.0023	950.5	1.51	97.9977	-0.0527	25.9977	-0.2%	
1432	2.0023	951.5	1.50	97.9977	-0.0527	25.9977	-0.2%	
1433	2.0027	952.5	1.50	97.9973	-0.0523	25.9973	-0.2%	
1434	2.0021	953.5	1.50	97.9979	-0.0529	25.9979	-0.2%	
1435	2.0026	954.5	1.50	97.9974	-0.0524	25.9974	-0.2%	
1436	2.0039	955.5	1.50	97.9961	-0.0511	25.9961	-0.2%	
1437	2.0044	956.5	1.50	97.9956	-0.0506	25.9956	-0.2%	
1438	2.0053	957.5	1.50	97.9947	-0.0497	25.9947	-0.2%	
1439	2.005	958.5	1.50	97.995	-0.05	25.995	-0.2%	
1440	2.006	959.5	1.50	97.994	-0.049	25.994	-0.2%	
1441	2.0068	960.5	1.50	97.9932	-0.0482	25.9932	-0.2%	
1442	2.007	961.5	1.50	97.993	-0.048	25.993	-0.2%	
1443	2.0072	962.5	1.50	97.9928	-0.0478	25.9928	-0.2%	
1444	2.0079	963.5	1.50	97.9921	-0.0471	25.9921	-0.2%	
1445	2.0085	964.5	1.50	97.9915	-0.0465	25.9915	-0.2%	
1446	2.0089	965.5	1.50	97.9911	-0.0461	25.9911	-0.2%	
1447	2.0088	966.5	1.50	97.9912	-0.0462	25.9912	-0.2%	
1448	2.0098	967.5	1.50	97.9902	-0.0452	25.9902	-0.2%	
1449	2.0099	968.5	1.50	97.9901	-0.0451	25.9901	-0.2%	
1450	2.0104	969.5	1.50	97.9896	-0.0446	25.9896	-0.2%	
1451	2.0107	970.5	1.50	97.9893	-0.0443	25.9893	-0.2%	
1452	2.011	971.5	1.49	97.989	-0.044	25.989	-0.2%	
1453	2.0115	972.5	1.49	97.9885	-0.0435	25.9885	-0.2%	
1454	2.0117	973.5	1.49	97.9883	-0.0433	25.9883	-0.2%	
1455	2.0123	974.5	1.49	97.9877	-0.0427	25.9877	-0.2%	
1456	2.0123	975.5	1.49	97.9877	-0.0427	25.9877	-0.2%	
1457	2.012	976.5	1.49	97.988	-0.043	25.988	-0.2%	
1458	2.0128	977.5	1.49	97.9872	-0.0422	25.9872	-0.2%	
1459	2.0136	978.5	1.49	97.9864	-0.0414	25.9864	-0.1%	
1460	2.0144	979.5	1.49	97.9856	-0.0406	25.9856	-0.1%	
1461	2.0154	980.5	1.49	97.9846	-0.0396	25.9846	-0.1%	
1462	2.0157	981.5	1.49	97.9843	-0.0393	25.9843	-0.1%	
1463	2.0157	982.5	1.49	97.9843	-0.0393	25.9843	-0.1%	
1464	2.0167	983.5	1.49	97.9833	-0.0383	25.9833	-0.1%	
1465	2.0171	984.5	1.49	97.9829	-0.0379	25.9829	-0.1%	
1466	2.0166	985.5	1.49	97.9834	-0.0384	25.9834	-0.1%	
1467	2.017	986.5	1.49	97.983	-0.038	25.983	-0.1%	
1468	2.0173	987.5	1.49	97.9827	-0.0377	25.9827	-0.1%	
1469	2.0176	988.5	1.49	97.9824	-0.0374	25.9824	-0.1%	
1470	2.0177	989.5	1.49	97.9823	-0.0373	25.9823	-0.1%	
1471	2.018	990.5	1.49	97.982	-0.037	25.982	-0.1%	
1472	2.0338	991.5	1.48	97.9662	-0.0212	25.9662	-0.1%	
1473	2.051	992.5	1.48	97.949	-0.004	25.949	0.0%	
1474	2.0467	993.5	1.48	97.9533	-0.0083	25.9533	0.0%	
1475	2.0505	994.5	1.48	97.9495	-0.0045	25.9495	0.0%	
1476	2.0723	995.5	1.48	97.9277	0.0173	25.9277	0.1%	

1477	2.0661	996.5	1.48	97.9339	0.0111	25.9339	0.0%	
1478	2.0603	997.5	1.48	97.9397	0.0053	25.9397	0.0%	
1479	2.0562	998.5	1.48	97.9438	0.0012	25.9438	0.0%	
1480	2.0654	999.5	1.48	97.9346	0.0104	25.9346	0.0%	
1481	2.0835	1000.5	1.48	97.9165	0.0285	25.9165	0.1%	
1482	2.0764	1001.5	1.48	97.9236	0.0214	25.9236	0.1%	
1483	2.0711	1002.5	1.48	97.9289	0.0161	25.9289	0.1%	
1484	2.0987	1003.5	1.48	97.9013	0.0437	25.9013	0.2%	
1485	2.0943	1004.5	1.48	97.9057	0.0393	25.9057	0.1%	
1486	2.0874	1005.5	1.48	97.9126	0.0324	25.9126	0.1%	
1487	2.1111	1006.5	1.48	97.8889	0.0561	25.8889	0.2%	
1488	2.107	1007.5	1.48	97.893	0.052	25.893	0.2%	
1489	2.0992	1008.5	1.48	97.9008	0.0442	25.9008	0.2%	


Water Level Elevation vs Time
Pumping Test (Drawdown and Recovery)




Drawdown vs Log Time
Pumping Test (Drawdown)



Drawdown vs Log Time
Pumping Test (Recovery)



Drawdown vs Log Time
Pumping Test (Long-Term)



HYDROGEOLOGICAL ASSESSMENT

145 WALGREEN ROAD, CARP ON



APPENDIX E: LABORATORY CERTIFICATE OF ANALYSIS

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

Page 1 of 14

Dear Monica Black:**Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).**

Report Comments:



Emma-Dawn Ferguson
2024.09.06 15:24:19
-04'00'

APPROVAL:

Emma-Dawn Ferguson, Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise indicated.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at: <https://directory.cala.ca/>.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is licensed by the Ontario Ministry of the Environment, Conservation, and Parks (MECP) for specific tests in drinking water (license #2318). A copy of the license is available upon request.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is accredited by the Ontario Ministry of Agriculture, Food, and Rural Affairs for specific tests in agricultural soils.

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline values listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official provincial or federal guideline as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

					Lab I.D. Sample Matrix Sample Type Sampling Date Sample I.D.	1741228 GW 2024-08-28 TW1-1	1741229 GW 2024-08-28 TW1-2
Group	Analyte	MRL	Units	Guideline			
Anions	Cl	1	mg/L	AO 250	1200*	1190*	
	F	0.10	mg/L	MAC 1.5	0.56	0.57	
	N-NO2	2.5	mg/L	MAC 1.0	<2.5*	<2.5*	
	N-NO3	2.5	mg/L	MAC 10.0	<2.5	<2.5	
	SO4	1	mg/L	AO 500	187	180	
General Chemistry	Alkalinity as CaCO3	5	mg/L	OG 30-500	330	328	
	Colour (Apparent)	2	TCU	AO 5	15*	25*	
	Conductivity	5	uS/cm		4490	4490	
	DOC	0.5	mg/L	AO 5	3.6	3.3	
	pH	1.00		6.5-8.5	7.64	7.59	
	Phenols	0.001	mg/L		<0.001	<0.001	
	S2-	0.01	mg/L	AO 0.05		<0.01	
		0.05	mg/L	AO 0.05	<0.05		
	Tannin & Lignin	0.1	mg/L		0.2	0.3	
	TDS (COND - CALC)	1	mg/L	AO 500	2920*	2920*	
	Turbidity	0.1	NTU	AO 5	20.3*	12.6*	
Hardness	Hardness as CaCO3	1	mg/L	OG 80-100	1240*	1290*	
Indices/Calc	Ion Balance	0.01			1.04	1.07	
Metals	Ag	0.0001	mg/L		<0.0001	<0.0001	
	Al	0.01	mg/L	OG 0.1	<0.01	<0.01	
	As	0.001	mg/L	IMAC 0.01	<0.001	<0.001	
	B	0.01	mg/L	IMAC 5.0	0.16	0.17	
	Ba	0.01	mg/L	MAC 1.0	0.11	0.12	
	Be	0.0005	mg/L		<0.0005	<0.0005	
	Ca	1	mg/L		297	312	

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

					Lab I.D. Sample Matrix Sample Type Sampling Date Sample I.D.	1741228 GW 2024-08-28 TW1-1	1741229 GW 2024-08-28 TW1-2
Group	Analyte	MRL	Units	Guideline			
Metals	Cd	0.0001	mg/L	MAC 0.005		<0.0001	<0.0001
	Co	0.0002	mg/L			<0.0002	<0.0002
	Cr	0.001	mg/L	MAC 0.05		<0.001	<0.001
	Cu	0.001	mg/L	AO 1		0.003	<0.001
	Fe	0.03	mg/L	AO 0.3		2.17*	1.73*
	Hg	0.0001	mg/L	MAC 0.001		<0.0001	<0.0001
	K	1	mg/L			13	13
	Mg	1	mg/L			122	124
	Mn	0.01	mg/L	AO 0.05		0.07*	0.06*
	Mo	0.005	mg/L			<0.005	<0.005
	Na	1	mg/L	AO 200		479*	482*
	Ni	0.005	mg/L			0.005	0.005
	Pb	0.001	mg/L	MAC 0.010		<0.001	<0.001
	Sb	0.0005	mg/L	IMAC 0.006		<0.0005	<0.0005
	Se	0.001	mg/L	MAC 0.05		<0.001	<0.001
	Sn	0.01	mg/L			<0.01	<0.01
	Sr	0.002	mg/L			16.2	17.3
	Ti	0.01	mg/L			<0.01	<0.01
	Tl	0.0001	mg/L			<0.0001	<0.0001
	U	0.001	mg/L	MAC 0.02		<0.001	<0.001
	V	0.001	mg/L			<0.001	<0.001
	W	0.002	mg/L			<0.002	<0.002
	Zn	0.01	mg/L	AO 5		<0.01	<0.01
Microbiology	Escherichia Coli	0	ct/100mL	MAC 0		0	0
	Faecal Coliforms	0	ct/100mL			0	0

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

					Lab I.D. Sample Matrix Sample Type Sampling Date Sample I.D.	1741228 GW 2024-08-28 TW1-1	1741229 GW 2024-08-28 TW1-2
Group	Analyte	MRL	Units	Guideline			
Microbiology	Total Coliforms	0	ct/100mL	MAC 0		25*	0
Nutrients	N-NH3	0.020	mg/L			0.311	0.338
	Total Kjeldahl Nitrogen	0.100	mg/L			0.516	0.373
VOCs Surrogates	1,2-dichloroethane-d4	0	%			127	128
	4-bromofluorobenzene	0	%			76	75
	Toluene-d8	0	%			96	96
Volatiles	1,1,1,2-tetrachloroethane	0.5	ug/L			<0.5	<0.5
	1,1,1-trichloroethane	0.4	ug/L			<0.4	<0.4
	1,1,2,2-tetrachloroethane	0.5	ug/L			<0.5	<0.5
	1,1,2-trichloroethane	0.4	ug/L			<0.4	<0.4
	1,1-dichloroethane	0.4	ug/L			<0.4	<0.4
	1,1-dichloroethylene	0.5	ug/L	MAC 14		<0.5	<0.5
	1,2-dichlorobenzene	0.4	ug/L	MAC 200		<0.4	<0.4
	1,2-dichloroethane	0.5	ug/L	IMAC 5		<0.5	<0.5
	1,2-dichloropropane	0.5	ug/L			<0.5	<0.5
	1,3,5-trimethylbenzene	0.3	ug/L			<0.3	<0.3
	1,3-dichlorobenzene	0.4	ug/L			<0.4	<0.4
	1,3-Dichloropropylene (cis+trans)	0.5	ug/L			<0.5	<0.5
	1,4-dichlorobenzene	0.4	ug/L	MAC 5		<0.4	<0.4
	Acetone	5	ug/L			<5	<5
	Benzene	0.5	ug/L	MAC 1		<0.5	<0.5
	Bromodichloromethane	0.3	ug/L			<0.3	<0.3
	Bromoform	0.4	ug/L			<0.4	<0.4
	Bromomethane	0.5	ug/L			<0.5	<0.5
	c-1,2-Dichloroethylene	0.4	ug/L			<0.4	<0.4

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

					Lab I.D. Sample Matrix Sample Type Sampling Date Sample I.D.	1741228 GW 2024-08-28 TW1-1	1741229 GW 2024-08-28 TW1-2
Group	Analyte	MRL	Units	Guideline			
Volatiles	c-1,3-Dichloropropylene	0.5	ug/L			<0.5	<0.5
	Carbon Tetrachloride	0.2	ug/L	MAC 2		<0.2	<0.2
	Chloroethane	0.5	ug/L			<0.5	<0.5
	Chloroform	0.5	ug/L			<0.5	<0.5
	Dibromochloromethane	0.3	ug/L			<0.3	<0.3
	Dichlorodifluoromethane	0.5	ug/L			<0.5	<0.5
	Dichloromethane	4.0	ug/L	MAC 50		<4.0	<4.0
	Ethylbenzene	0.5	ug/L	MAC 140		<0.5	<0.5
	Ethylene Dibromide	0.2	ug/L			<0.2	<0.2
	Hexane	5	ug/L			<5	<5
	m/p-xylene	0.4	ug/L			<0.4	<0.4
	Methyl Ethyl Ketone (MEK)	2	ug/L			<2	<2
	Methyl Isobutyl Ketone (MIBK)	5	ug/L			<5	<5
	Methyl Tert Butyl Ether (MTBE)	2	ug/L	AO 15		<2	<2
	Monochlorobenzene	0.5	ug/L	MAC 80		<0.5	<0.5
	o-xylene	0.4	ug/L			<0.4	<0.4
	Styrene	0.5	ug/L			<0.5	<0.5
	t-1,2-Dichloroethylene	0.4	ug/L			<0.4	<0.4
	t-1,3-Dichloropropylene	0.5	ug/L			<0.5	<0.5
	Tetrachloroethylene	0.3	ug/L	MAC 10		<0.3	<0.3
	Toluene	0.4	ug/L	MAC 60		<0.4	<0.4
	Trichloroethylene	0.3	ug/L	MAC 5		<0.3	<0.3
	Trichlorofluoromethane	0.5	ug/L			<0.5	<0.5
	Vinyl Chloride	0.2	ug/L	MAC 1		<0.2	<0.2
	Xylene; total	0.5	ug/L	MAC 90		<0.5	<0.5

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Run No 465106 Analysis/Extraction Date 2024-08-30 Analyst DRA Method AMBCOLM1			
Escherichia Coli			
Faecal Coliforms			
Total Coliforms			
Run No 465114 Analysis/Extraction Date 2024-08-30 Analyst AnK Method C SM2130B			
Turbidity	<0.1 NTU	104	70-130
Run No 465119 Analysis/Extraction Date 2024-09-03 Analyst IP Method SM5530D/EPA420.2			
Phenols	<0.001 mg/L	102	50-120
Run No 465238 Analysis/Extraction Date 2024-08-30 Analyst AaN Method EPA 200.8			
Silver	<0.0001 mg/L	93	80-120
Aluminum	<0.01 mg/L	114	80-120
Arsenic	<0.001 mg/L	97	80-120
Boron (total)	<0.01 mg/L	95	80-120
Barium	<0.01 mg/L	99	80-120
Beryllium	<0.0005 mg/L	103	80-120

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Cadmium	<0.0001 mg/L	102	80-120
Cobalt	<0.0002 mg/L	105	80-120
Chromium Total	<0.001 mg/L	107	80-120
Copper	<0.001 mg/L	107	80-120
Iron	<0.03 mg/L	100	80-120
Mercury	<0.0001 mg/L	102	80-120
Manganese	<0.01 mg/L	104	80-120
Molybdenum	<0.005 mg/L	93	80-120
Nickel	<0.005 mg/L	106	80-120
Lead	<0.001 mg/L	107	80-120
Antimony	<0.0005 mg/L	85	80-120
Selenium	<0.001 mg/L	98	80-120
Sn	<0.01 mg/L	91	80-120
Titanium	<0.01 mg/L	100	80-120
Thallium	<0.0001 mg/L	106	80-120
Uranium	<0.001 mg/L	96	80-120
Vanadium	<0.001 mg/L	102	80-120
W	<0.002 mg/L	99	80-120

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Zinc	<0.01 mg/L	107	80-120
Run No 465239 Analysis/Extraction Date 2024-09-03 Analyst AsA Method C SM2120C			
Colour (Apparent)	<2 TCU	111	90-110
Run No 465273 Analysis/Extraction Date 2024-08-31 Analyst ZhL Method EPA 8260			
Tetrachloroethane, 1,1,1,2-	<0.5 ug/L	91	60-130
Trichloroethane, 1,1,1-	<0.4 ug/L	101	60-130
Tetrachloroethane, 1,1,2,2-	<0.5 ug/L	92	60-130
Trichloroethane, 1,1,2-	<0.4 ug/L	94	60-130
Dichloroethane, 1,1-	<0.4 ug/L	99	60-130
Dichloroethylene, 1,1-	<0.5 ug/L	100	60-130
Dichlorobenzene, 1,2-	<0.4 ug/L	95	60-130
Dichloroethane, 1,2-	<0.5 ug/L	105	60-130
Dichloropropane, 1,2-	<0.5 ug/L	91	60-130
1,3,5-trimethylbenzene	<0.3 ug/L	92	60-130
Dichlorobenzene, 1,3-	<0.4 ug/L	93	60-130
Dichlorobenzene, 1,4-	<0.4 ug/L	93	60-130

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Acetone	<5 ug/L	99	60-130
Benzene	<0.5 ug/L	96	60-130
Bromodichloromethane	<0.3 ug/L	94	60-130
Bromoform	<0.4 ug/L	86	60-130
Bromomethane	<0.5 ug/L	107	60-130
Dichloroethylene, 1,2-cis-	<0.4 ug/L	92	60-130
Dichloropropene, 1,3-cis-	<0.5 ug/L	92	60-130
Carbon Tetrachloride	<0.2 ug/L	100	60-130
Chloroethane	<0.5 ug/L	104	60-130
Chloroform	<0.5 ug/L	102	60-130
Dibromochloromethane	<0.3 ug/L	93	60-130
Dichlorodifluoromethane	<0.5 ug/L	91	60-130
Methylene Chloride	<4.0 ug/L	106	60-130
Ethylbenzene	<0.5 ug/L	92	60-130
Ethylene dibromide	<0.2 ug/L	92	60-130
Hexane (n)	<5 ug/L	91	60-130
m/p-xylene	<0.4 ug/L	98	60-130
Methyl Ethyl Ketone	<2 ug/L	97	60-130

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Methyl Isobutyl Ketone	<5 ug/L	97	60-130
Methyl tert-Butyl Ether (MTBE)	<2 ug/L	93	60-130
Chlorobenzene	<0.5 ug/L	94	60-130
o-xylene	<0.4 ug/L	92	60-130
Styrene	<0.5 ug/L	95	60-130
Dichloroethylene, 1,2-trans-	<0.4 ug/L	95	60-130
Dichloropropene, 1,3-trans-	<0.5 ug/L	93	60-130
Tetrachloroethylene	<0.3 ug/L	97	60-130
Toluene	<0.4 ug/L	94	60-130
Trichloroethylene	<0.3 ug/L	91	60-130
Trichlorofluoromethane	<0.5 ug/L	92	60-130
Vinyl Chloride	<0.2 ug/L	97	60-130
Run No 465275 Analysis/Extraction Date 2024-09-03 Analyst ZhL Method EPA 8260			
Xylene Mixture			
Run No 465276 Analysis/Extraction Date 2024-09-03 Analyst AaN Method EPA 200.8			
Strontium	<0.002 mg/L	92	80-120

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Run No 465277 Analysis/Extraction Date 2024-09-03 Analyst ZhL Method EPA 8260			
Dichloropropene, 1,3-			
Run No 465300 Analysis/Extraction Date 2024-09-04 Analyst IP Method SM 4110			
Chloride	<1 mg/L	100	90-110
N-NO ₂	<0.10 mg/L	93	90-110
N-NO ₃	<0.10 mg/L	104	90-110
SO ₄	<1 mg/L	95	90-110
Run No 465302 Analysis/Extraction Date 2024-09-03 Analyst AsA Method SM2320,2510,4500H/F			
Alkalinity (CaCO ₃)	<5 mg/L	96	90-110
Conductivity	<5 uS/cm	100	90-110
F	<0.10 mg/L	93	90-110
pH		100	90-110
Run No 465315 Analysis/Extraction Date 2024-09-03 Analyst AsA Method SM 5310B			
DOC	<0.5 mg/L	101	80-120

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Run No 465326 Analysis/Extraction Date 2024-09-04 Analyst Z S Method M SM3120B-3500C			
Calcium	<1 mg/L	104	90-110
Potassium	<1 mg/L	111	87-113
Magnesium	<1 mg/L	100	76-124
Sodium	<1 mg/L	109	82-118
Run No 465349 Analysis/Extraction Date 2024-09-04 Analyst AsA Method C SM5550B			
Tannin & Lignin	<0.1 mg/L	90	80-120
Run No 465364 Analysis/Extraction Date 2024-09-05 Analyst SKH Method C SM2340B			
Hardness as CaCO ₃			
Ion Balance			
TDS (COND - CALC)			
Run No 465396 Analysis/Extraction Date 2024-09-05 Analyst AsA Method C SM4500-S2-D			
S2-	<0.01 mg/L	102	80-120
Run No 465406 Analysis/Extraction Date 2024-09-05 Analyst SKH Method EPA 350.1			

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

QC Summary

Analyte	Blank	QC % Rec	QC Limits
N-NH3	<0.020 mg/L	97	80-120
Run No 465409 Analysis/Extraction Date 2024-09-05 Analyst SKH Method EPA 351.2			
Total Kjeldahl Nitrogen	<0.100 mg/L	88	70-130
Run No 465426 Analysis/Extraction Date 2024-09-06 Analyst Z S Method M SM3120B-3500C			
Calcium	<1 mg/L	102	90-110
Sodium	<1 mg/L	105	82-118
Run No 465430 Analysis/Extraction Date 2024-09-06 Analyst Z S Method C SM2340B			
Hardness as CaCO3			
Ion Balance			
TDS (COND - CALC)			

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3010578
Date Submitted: 2024-08-29
Date Reported: 2024-09-06
Project: 25-1370
COC #: 916489

Sample Comment Summary

Sample ID: 1741228	TW1-1	S2-, N-NO2 and N-NO3 MRL elevated due to matrix interference (dilution was done). N-NH3 was analyzed past the holding time.
Sample ID: 1741229	TW1-2	N-NO2 and N-NO3 MRL elevated due to matrix interference (dilution was done). N-NH3 was analyzed past the holding time.

Guideline = ODWSOG

*** = Guideline Exceedence**

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3013225
Date Submitted: 2024-12-11
Date Reported: 2024-12-18
Project: 25-1370
COC #: 918226

Page 1 of 9

Dear Monica Black:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Report Comments:



Patrick Jacques
2024.12.18
15:14:06 -05'00'

APPROVAL:

Patrick Jacques, Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise indicated.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at: <https://directory.cala.ca/>.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is licensed by the Ontario Ministry of the Environment, Conservation, and Parks (MECP) for specific tests in drinking water (license #2318). A copy of the license is available upon request.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is accredited by the Ontario Ministry of Agriculture, Food, and Rural Affairs for specific tests in agricultural soils.

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline values listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official provincial or federal guideline as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Eurofins_multisample(L)44.rpt

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3013225
Date Submitted: 2024-12-11
Date Reported: 2024-12-18
Project: 25-1370
COC #: 918226

					Lab I.D. Sample Matrix Sample Type Sampling Date Sample I.D.
					1754064 GW 2024-12-11 TW1-3
Group	Analyte	MRL	Units	Guideline	
Anions	Cl	1	mg/L	AO 250	1440*
	F	0.10	mg/L	MAC 1.5	0.58
	SO4	1	mg/L	AO 500	212
General Chemistry	Alkalinity as CaCO3	5	mg/L	OG 30-500	337
	Colour (Apparent)	2	TCU	AO 5	10*
	Conductivity	5	uS/cm		4840
	DOC	0.5	mg/L	AO 5	3.4
	pH	1.00		6.5-8.5	7.51
	Phenols	0.001	mg/L		<0.001
	S2-	0.01	mg/L	AO 0.05	<0.01
	Tannin & Lignin	0.1	mg/L		0.3
	TDS (COND - CALC)	1	mg/L	AO 500	3150*
	Turbidity	0.1	NTU	AO 5	14.2*
Hardness	Hardness as CaCO3	1	mg/L	OG 80-100	1250*
Indices/Calc	Ion Balance	0.01			0.96
Metals	Ag	0.0001	mg/L		<0.0001
	Al	0.01	mg/L	OG 0.1	<0.01
	As	0.001	mg/L	IMAC 0.01	<0.001
	B	0.01	mg/L	IMAC 5.0	0.19
	Ba	0.01	mg/L	MAC 1.0	0.11
	Be	0.0005	mg/L		<0.0005
	Ca	1	mg/L		304
	Cd	0.0001	mg/L	MAC 0.005	<0.0001
	Co	0.0002	mg/L		<0.0002
	Cr	0.001	mg/L	MAC 0.05	<0.001

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3013225
Date Submitted: 2024-12-11
Date Reported: 2024-12-18
Project: 25-1370
COC #: 918226

					Lab I.D. Sample Matrix Sample Type Sampling Date Sample I.D.
					1754064 GW 2024-12-11 TW1-3
Group	Analyte	MRL	Units	Guideline	
Metals	Cu	0.001	mg/L	AO 1	0.011
	Fe	0.03	mg/L	AO 0.3	1.63*
	Hg	0.0001	mg/L	MAC 0.001	<0.0001
	K	1	mg/L		13
	Mg	1	mg/L		119
	Mn	0.01	mg/L	AO 0.05	0.06*
	Mo	0.005	mg/L		<0.005
	Na	1	mg/L	AO 200	556*
	Ni	0.005	mg/L		0.005
	Pb	0.001	mg/L	MAC 0.010	0.001
	Sb	0.0005	mg/L	IMAC 0.006	<0.0005
	Se	0.001	mg/L	MAC 0.05	<0.001
	Sn	0.01	mg/L		<0.01
	Sr	0.001	mg/L		20.7
	Ti	0.01	mg/L		<0.01
	Tl	0.0001	mg/L		<0.0001
	U	0.001	mg/L	MAC 0.02	<0.001
	V	0.001	mg/L		<0.001
	W	0.002	mg/L		<0.002
	Zn	0.01	mg/L	AO 5	0.02
Microbiology	Escherichia Coli	0	ct/100mL	MAC 0	0
	Faecal Coliforms	0	ct/100mL		0
	Total Coliforms	0	ct/100mL	MAC 0	10*
Nutrients	N-NH3	0.020	mg/L		0.441
	Total Kjeldahl Nitrogen	0.100	mg/L		0.622

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3013225
Date Submitted: 2024-12-11
Date Reported: 2024-12-18
Project: 25-1370
COC #: 918226

					Lab I.D. Sample Matrix Sample Type Sampling Date Sample I.D.
					1754064 GW 2024-12-11 TW1-3
Group	Analyte	MRL	Units	Guideline	
Others	N-NO2	0.10	mg/L	MAC 1.0	<0.10
	N-NO3	0.10	mg/L	MAC 10.0	<0.10

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3013225
Date Submitted: 2024-12-11
Date Reported: 2024-12-18
Project: 25-1370
COC #: 918226

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Run No 470004 Analysis/Extraction Date 2024-12-12 Analyst DRA Method AMBCOLM1			
Escherichia Coli			
Faecal Coliforms			
Total Coliforms			
Run No 470014 Analysis/Extraction Date 2024-12-12 Analyst AsA Method C SM4500-S2-D			
S2-	<0.01 mg/L	87	80-120
Run No 470031 Analysis/Extraction Date 2024-12-12 Analyst M_B Method C SM2130B			
Turbidity	<0.1 NTU	103	70-130
Run No 470035 Analysis/Extraction Date 2024-12-12 Analyst AaN Method EPA 200.8			
Silver	<0.0001 mg/L	105	80-120
Aluminum	<0.01 mg/L	105	80-120
Arsenic	<0.001 mg/L	97	80-120
Boron (total)	<0.01 mg/L	100	80-120
Barium	<0.01 mg/L	95	80-120
Beryllium	<0.0005 mg/L	103	80-120

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3013225
Date Submitted: 2024-12-11
Date Reported: 2024-12-18
Project: 25-1370
COC #: 918226

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Cadmium	<0.0001 mg/L	101	80-120
Cobalt	<0.0002 mg/L	105	80-120
Chromium Total	<0.001 mg/L	109	80-120
Copper	<0.001 mg/L	109	80-120
Iron	<0.03 mg/L	97	80-120
Mercury	<0.0001 mg/L	100	80-120
Manganese	<0.01 mg/L	103	80-120
Molybdenum	<0.005 mg/L	91	80-120
Nickel	<0.005 mg/L	105	80-120
Lead	<0.001 mg/L	106	80-120
Antimony	<0.0005 mg/L	95	80-120
Selenium	<0.001 mg/L	96	80-120
Sn	<0.01 mg/L	93	80-120
Strontium	<0.001 mg/L	96	80-120
Titanium	<0.01 mg/L	99	80-120
Thallium	<0.0001 mg/L	105	80-120
Uranium	<0.001 mg/L	94	80-120
Vanadium	<0.001 mg/L	101	80-120

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3013225
Date Submitted: 2024-12-11
Date Reported: 2024-12-18
Project: 25-1370
COC #: 918226

QC Summary

Analyte	Blank	QC % Rec	QC Limits
W	<0.002 mg/L	89	80-120
Zinc	<0.01 mg/L	106	80-120
Run No 470040 Analysis/Extraction Date 2024-12-12 Analyst SKH Method C SM4500-NO3-F			
N-NO2	<0.10 mg/L	99	80-120
N-NO3	<0.10 mg/L	107	80-120
Run No 470058 Analysis/Extraction Date 2024-12-12 Analyst AsA Method SM 5310B			
DOC	<0.5 mg/L	99	80-120
Run No 470061 Analysis/Extraction Date 2024-12-12 Analyst SKH Method EPA 351.2			
Total Kjeldahl Nitrogen	<0.100 mg/L	95	70-130
Run No 470091 Analysis/Extraction Date 2024-12-13 Analyst SKH Method EPA 350.1			
N-NH3	<0.020 mg/L	107	80-120
Run No 470113 Analysis/Extraction Date 2024-12-13 Analyst AsA Method SM2320,2510,4500H/F			
Alkalinity (CaCO3)	<5 mg/L	99	90-110
Conductivity	<5 uS/cm	100	90-110

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3013225
Date Submitted: 2024-12-11
Date Reported: 2024-12-18
Project: 25-1370
COC #: 918226

QC Summary

Analyte	Blank	QC % Rec	QC Limits
F	<0.10 mg/L	106	90-110
pH		101	90-110
Run No 470125 Analysis/Extraction Date 2024-12-16 Analyst AsA Method C SM5550B			
Tannin & Lignin	<0.1 mg/L	100	80-120
Run No 470130 Analysis/Extraction Date 2024-12-16 Analyst Z_S Method M SM3120B-3500C			
Calcium	<1 mg/L	99	90-110
Potassium	<1 mg/L	106	87-113
Magnesium	<1 mg/L	97	76-124
Sodium	<1 mg/L	102	82-118
Run No 470173 Analysis/Extraction Date 2024-12-17 Analyst IP Method SM 4110			
SO4	<1 mg/L	100	90-110
Run No 470185 Analysis/Extraction Date 2024-12-17 Analyst IP Method SM5530D/EPA420.2			
Phenols	<0.001 mg/L	117	50-120
Run No 470227 Analysis/Extraction Date 2024-12-18 Analyst AsA Method C SM2120C			

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#:
Invoice to: EGIS Canada Ltd.

Report Number: 3013225
Date Submitted: 2024-12-11
Date Reported: 2024-12-18
Project: 25-1370
COC #: 918226

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Colour (Apparent)	<2 TCU	95	90-110
Run No 470236 Analysis/Extraction Date 2024-12-18 Analyst IP Method SM 4110			
Chloride	<1 mg/L	100	90-110
Run No 470254 Analysis/Extraction Date 2024-12-18 Analyst AET Method C SM2340B			
Hardness as CaCO ₃			
Ion Balance			
TDS (COND - CALC)			

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#: 25-1370-01
Invoice to: EGIS Canada Ltd.

Report Number: 3013843
Date Submitted: 2025-01-27
Date Reported: 2025-01-30
Project: 25-1370-01
COC #: 918599

Page 1 of 2

Dear Monica Black:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Report Comments:



Patrick Jacques
2025.01.30
10:50:23 -05'00'

APPROVAL:

Patrick Jacques, Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise indicated.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at: <https://directory.cala.ca/>.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is licensed by the Ontario Ministry of the Environment, Conservation, and Parks (MECP) for specific tests in drinking water (license #2318). A copy of the license is available upon request.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is accredited by the Ontario Ministry of Agriculture, Food, and Rural Affairs for specific tests in agricultural soils.

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline values listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official provincial or federal guideline as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Additional QA/QC, method, and analytical run information is available upon request.

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#: 25-1370-01
Invoice to: EGIS Canada Ltd.

Report Number: 3013843
Date Submitted: 2025-01-27
Date Reported: 2025-01-30
Project: 25-1370-01
COC #: 918599

					Lab I.D. Sample Matrix Sample Type Sampling Date Sample I.D.
					1756263 GW 2025-01-27 TW1-4
Group	Analyte	MRL	Units	Guideline	
Microbiology	Escherichia Coli	0	ct/100mL	MAC 0	0
	Faecal Coliforms	0	ct/100mL		0
	Heterotrophic Plate Count	0	ct/1mL		0
	Total Coliforms	0	ct/100mL	MAC 0	0

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.

Analytical Method: AMBCOLM1

Additional QA/QC, method, and analytical run information is available upon request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#: 25-1370-01
Invoice to: EGIS Canada Ltd.

Report Number: 3013967
Date Submitted: 2025-02-03
Date Reported: 2025-02-06
Project: 25-1370-01
COC #: 918641

Page 1 of 2

Dear Monica Black:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Report Comments:



Patrick Jacques
2025.02.06
12:40:58
-05'00'

APPROVAL:

Patrick Jacques, Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise indicated.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at: <https://directory.cala.ca/>.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is licensed by the Ontario Ministry of the Environment, Conservation, and Parks (MECP) for specific tests in drinking water (license #2318). A copy of the license is available upon request.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is accredited by the Ontario Ministry of Agriculture, Food, and Rural Affairs for specific tests in agricultural soils.

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline values listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official provincial or federal guideline as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Additional QA/QC, method, and analytical run information is available upon request.

Client: Egis Canada Ltd.
115 Walgreen Rd., R.R. #3
Carp, ON
K0A 1L0
Attention: Ms. Monica Black
PO#: 25-1370-01
Invoice to: EGIS Canada Ltd.

Report Number: 3013967
Date Submitted: 2025-02-03
Date Reported: 2025-02-06
Project: 25-1370-01
COC #: 918641

Lab I.D.
Sample Matrix
Sample Type
Sampling Date
Sample I.D.

1756713
GW
2025-02-03
TW1-5

Group	Analyte	MRL	Units	Guideline	
Microbiology	Escherichia Coli	0	ct/100mL	MAC 0	0
	Faecal Coliforms	0	ct/100mL		0
	Heterotrophic Plate Count	0	ct/1mL		1
	Total Coliforms	0	ct/100mL	MAC 0	0

Guideline = ODWSOG

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.

Analytical Method: AMBCOLM1

Additional QA/QC, method, and analytical run information is available upon request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

HYDROGEOLOGICAL ASSESSMENT

145 WALGREEN ROAD, CARP ON




APPENDIX F: DATA LOGGER AND BARO LOGGER DATA

Pumping Test (Data Logger and Baro Logger)

Date	Time	LEVEL
2024-08-28	7:08:40 AM	10.1957
2024-08-28	7:09:40 AM	10.1851
2024-08-28	7:10:40 AM	10.1863
2024-08-28	7:11:40 AM	10.187
2024-08-28	7:12:40 AM	10.1866
2024-08-28	7:13:40 AM	10.1858
2024-08-28	7:14:40 AM	10.1852
2024-08-28	7:15:40 AM	10.1843
2024-08-28	7:16:40 AM	10.184
2024-08-28	7:17:40 AM	10.1834
2024-08-28	7:18:40 AM	10.1827
2024-08-28	7:19:40 AM	10.1823
2024-08-28	7:20:40 AM	10.182
2024-08-28	7:21:40 AM	10.1813
2024-08-28	7:22:40 AM	10.1806
2024-08-28	7:23:40 AM	10.1798
2024-08-28	7:24:40 AM	10.179
2024-08-28	7:25:40 AM	10.1919
2024-08-28	7:26:40 AM	10.192
2024-08-28	7:27:40 AM	10.1918
2024-08-28	7:28:40 AM	10.1918
2024-08-28	7:29:40 AM	10.1915
2024-08-28	7:30:40 AM	10.1919
2024-08-28	7:31:40 AM	10.1921
2024-08-28	7:32:40 AM	10.1925
2024-08-28	7:33:40 AM	11.011
2024-08-28	7:34:40 AM	17.688
2024-08-28	7:35:40 AM	17.6788
2024-08-28	7:36:40 AM	17.6786
2024-08-28	7:37:40 AM	17.6811
2024-08-28	7:38:40 AM	17.6836
2024-08-28	7:39:40 AM	17.6858
2024-08-28	7:40:40 AM	17.6883
2024-08-28	7:41:40 AM	17.6904
2024-08-28	7:42:40 AM	17.6915
2024-08-28	7:43:40 AM	17.6939
2024-08-28	7:44:40 AM	17.6955
2024-08-28	7:45:40 AM	17.6966
2024-08-28	7:46:40 AM	17.6982
2024-08-28	7:47:40 AM	17.6992
2024-08-28	7:48:40 AM	17.701
2024-08-28	7:49:40 AM	17.7018
2024-08-28	7:50:40 AM	17.7028
2024-08-28	7:51:40 AM	17.7034
2024-08-28	7:52:40 AM	17.7051
2024-08-28	7:53:40 AM	17.7064
2024-08-28	7:54:40 AM	17.7078
2024-08-28	7:55:40 AM	17.7092
2024-08-28	7:56:40 AM	17.7098
2024-08-28	7:57:40 AM	17.7114
2024-08-28	7:58:40 AM	17.7122
2024-08-28	7:59:40 AM	17.7131
2024-08-28	8:00:40 AM	17.7137
2024-08-28	8:01:40 AM	17.7151
2024-08-28	8:02:40 AM	17.7157
2024-08-28	8:03:40 AM	17.7165

Pumping Test (Data Logger and Baro Logger)



		Time (minutes)	Level Logger	Baro Logger	Adjusted		Manual Static WL	Adjusted WL
2024-08-28	8:04:40 AM	0.00	17.7176	0.6833	17.0343	0	2.055	2.055
2024-08-28	8:05:40 AM	1.00	17.7184	0.6845	17.0339	0.0004	2.0546	2.0554
2024-08-28	8:06:40 AM	2.00	17.7193	0.6846	17.0347	-0.0004	2.0554	2.0546
2024-08-28	8:07:40 AM	3.00	17.7209	0.685	17.0359	-0.0016	2.0566	2.0534
2024-08-28	8:08:40 AM	4.00	17.5675	0.6856	16.8819	0.1524	1.9026	2.2074
2024-08-28	8:09:40 AM	5.00	17.5224	0.686	16.8364	0.1979	1.8571	2.2529
2024-08-28	8:10:40 AM	6.00	17.4886	0.6868	16.8018	0.2325	1.8225	2.2875
2024-08-28	8:11:40 AM	7.00	17.4535	0.6873	16.7662	0.2681	1.7869	2.3231
2024-08-28	8:12:40 AM	8.00	17.4308	0.6882	16.7426	0.2917	1.7633	2.3467
2024-08-28	8:13:40 AM	9.00	17.4115	0.6877	16.7238	0.3105	1.7445	2.3655
2024-08-28	8:14:40 AM	10.00	17.3899	0.6878	16.7021	0.3322	1.7228	2.3872
2024-08-28	8:15:40 AM	11.00	17.3719	0.687	16.6849	0.3494	1.7056	2.4044
2024-08-28	8:16:40 AM	12.00	17.3606	0.6882	16.6724	0.3619	1.6931	2.4169
2024-08-28	8:17:40 AM	13.00	17.3457	0.6882	16.6575	0.3768	1.6782	2.4318
2024-08-28	8:18:40 AM	14.00	17.3339	0.6883	16.6456	0.3887	1.6663	2.4437
2024-08-28	8:19:40 AM	15.00	17.3228	0.6881	16.6347	0.3996	1.6554	2.4546
2024-08-28	8:20:40 AM	16.00	17.3105	0.6884	16.6221	0.4122	1.6428	2.4672
2024-08-28	8:21:40 AM	17.00	17.2993	0.6884	16.6109	0.4234	1.6316	2.4784
2024-08-28	8:22:40 AM	18.00	17.2913	0.6886	16.6027	0.4316	1.6234	2.4866
2024-08-28	8:23:40 AM	19.00	17.2827	0.6887	16.594	0.4403	1.6147	2.4953
2024-08-28	8:24:40 AM	20.00	17.2725	0.689	16.5835	0.4508	1.6042	2.5058
2024-08-28	8:25:40 AM	21.00	17.2638	0.6887	16.5751	0.4592	1.5958	2.5142
2024-08-28	8:26:40 AM	22.00	17.2561	0.6891	16.567	0.4673	1.5877	2.5223
2024-08-28	8:27:40 AM	23.00	17.2471	0.6888	16.5583	0.476	1.579	2.531
2024-08-28	8:28:40 AM	24.00	17.2427	0.6891	16.5536	0.4807	1.5743	2.5357
2024-08-28	8:29:40 AM	25.00	17.2326	0.689	16.5436	0.4907	1.5643	2.5457
2024-08-28	8:30:40 AM	26.00	17.229	0.6892	16.5398	0.4945	1.5605	2.5495
2024-08-28	8:31:40 AM	27.00	17.221	0.6894	16.5316	0.5027	1.5523	2.5577
2024-08-28	8:32:40 AM	28.00	17.2143	0.6897	16.5246	0.5097	1.5453	2.5647
2024-08-28	8:33:40 AM	29.00	17.2118	0.6895	16.5223	0.512	1.543	2.567
2024-08-28	8:34:40 AM	30.00	17.2002	0.69	16.5102	0.5241	1.5309	2.5791
2024-08-28	8:35:40 AM	31.00	17.2023	0.6905	16.5118	0.5225	1.5325	2.5775
2024-08-28	8:36:40 AM	32.00	17.1896	0.6904	16.4992	0.5351	1.5199	2.5901
2024-08-28	8:37:40 AM	33.00	17.189	0.6907	16.4983	0.536	1.519	2.591
2024-08-28	8:38:40 AM	34.00	17.1755	0.6909	16.4846	0.5497	1.5053	2.6047
2024-08-28	8:39:40 AM	35.00	17.1765	0.6911	16.4854	0.5489	1.5061	2.6039
2024-08-28	8:40:40 AM	36.00	17.1724	0.691	16.4814	0.5529	1.5021	2.6079
2024-08-28	8:41:40 AM	37.00	17.1642	0.6909	16.4733	0.561	1.494	2.616
2024-08-28	8:42:40 AM	38.00	17.1626	0.6908	16.4718	0.5625	1.4925	2.6175
2024-08-28	8:43:40 AM	39.00	17.1553	0.6909	16.4644	0.5699	1.4851	2.6249
2024-08-28	8:44:40 AM	40.00	17.1519	0.6909	16.461	0.5733	1.4817	2.6283
2024-08-28	8:45:40 AM	41.00	17.1461	0.6907	16.4554	0.5789	1.4761	2.6339
2024-08-28	8:46:40 AM	42.00	17.1424	0.6914	16.451	0.5833	1.4717	2.6383
2024-08-28	8:47:40 AM	43.00	17.1416	0.6917	16.4499	0.5844	1.4706	2.6394
2024-08-28	8:48:40 AM	44.00	17.1427	0.6924	16.4503	0.584	1.471	2.639
2024-08-28	8:49:40 AM	45.00	17.1356	0.6926	16.443	0.5913	1.4637	2.6463
2024-08-28	8:50:40 AM	46.00	17.1321	0.693	16.4391	0.5952	1.4598	2.6502
2024-08-28	8:51:40 AM	47.00	17.128	0.694	16.434	0.6003	1.4547	2.6553
2024-08-28	8:52:40 AM	48.00	17.1261	0.6942	16.4319	0.6024	1.4526	2.6574

Pumping Test (Data Logger and Baro Logger)

2024-08-28	8:53:40 AM	49.00	17.1235	0.6939	16.4296	0.6047	1.4503	2.6597
2024-08-28	8:54:40 AM	50.00	17.1162	0.6948	16.4214	0.6129	1.4421	2.6679
2024-08-28	8:55:40 AM	51.00	17.1213	0.6949	16.4264	0.6079	1.4471	2.6629
2024-08-28	8:56:40 AM	52.00	17.114	0.6951	16.4189	0.6154	1.4396	2.6704
2024-08-28	8:57:40 AM	53.00	17.1112	0.6957	16.4155	0.6188	1.4362	2.6738
2024-08-28	8:58:40 AM	54.00	17.1046	0.6964	16.4082	0.6261	1.4289	2.6811
2024-08-28	8:59:40 AM	55.00	17.0999	0.6966	16.4033	0.631	1.424	2.686
2024-08-28	9:00:40 AM	56.00	17.0966	0.6965	16.4001	0.6342	1.4208	2.6892
2024-08-28	9:01:40 AM	57.00	17.093	0.697	16.396	0.6383	1.4167	2.6933
2024-08-28	9:02:40 AM	58.00	17.094	0.6975	16.3965	0.6378	1.4172	2.6928
2024-08-28	9:03:40 AM	59.00	17.0888	0.6973	16.3915	0.6428	1.4122	2.6978
2024-08-28	9:04:40 AM	60.00	17.0839	0.6975	16.3864	0.6479	1.4071	2.7029
2024-08-28	9:05:40 AM	61.00	17.0806	0.6975	16.3831	0.6512	1.4038	2.7062
2024-08-28	9:06:40 AM	62.00	17.077	0.6974	16.3796	0.6547	1.4003	2.7097
2024-08-28	9:07:40 AM	63.00	17.0744	0.6971	16.3773	0.657	1.398	2.712
2024-08-28	9:08:40 AM	64.00	17.0705	0.697	16.3735	0.6608	1.3942	2.7158
2024-08-28	9:09:40 AM	65.00	17.0699	0.6972	16.3727	0.6616	1.3934	2.7166
2024-08-28	9:10:40 AM	66.00	17.0696	0.6975	16.3721	0.6622	1.3928	2.7172
2024-08-28	9:11:40 AM	67.00	17.0663	0.698	16.3683	0.666	1.389	2.721
2024-08-28	9:12:40 AM	68.00	17.0637	0.6979	16.3658	0.6685	1.3865	2.7235
2024-08-28	9:13:40 AM	69.00	17.0586	0.6984	16.3602	0.6741	1.3809	2.7291
2024-08-28	9:14:40 AM	70.00	17.0542	0.6979	16.3563	0.678	1.377	2.733
2024-08-28	9:15:40 AM	71.00	17.0541	0.6975	16.3566	0.6777	1.3773	2.7327
2024-08-28	9:16:40 AM	72.00	17.0505	0.6974	16.3531	0.6812	1.3738	2.7362
2024-08-28	9:17:40 AM	73.00	17.0528	0.6968	16.356	0.6783	1.3767	2.7333
2024-08-28	9:18:40 AM	74.00	17.0489	0.697	16.3519	0.6824	1.3726	2.7374
2024-08-28	9:19:40 AM	75.00	17.0437	0.6971	16.3466	0.6877	1.3673	2.7427
2024-08-28	9:20:40 AM	76.00	17.043	0.6977	16.3453	0.689	1.366	2.744
2024-08-28	9:21:40 AM	77.00	17.0451	0.698	16.3471	0.6872	1.3678	2.7422
2024-08-28	9:22:40 AM	78.00	17.0359	0.6982	16.3377	0.6966	1.3584	2.7516
2024-08-28	9:23:40 AM	79.00	17.0374	0.6983	16.3391	0.6952	1.3598	2.7502
2024-08-28	9:24:40 AM	80.00	17.0323	0.6985	16.3338	0.7005	1.3545	2.7555
2024-08-28	9:25:40 AM	81.00	17.0373	0.6975	16.3398	0.6945	1.3605	2.7495
2024-08-28	9:26:40 AM	82.00	17.0251	0.6984	16.3267	0.7076	1.3474	2.7626
2024-08-28	9:27:40 AM	83.00	17.0201	0.6985	16.3216	0.7127	1.3423	2.7677
2024-08-28	9:28:40 AM	84.00	17.0189	0.6984	16.3205	0.7138	1.3412	2.7688
2024-08-28	9:29:40 AM	85.00	17.0224	0.698	16.3244	0.7099	1.3451	2.7649
2024-08-28	9:30:40 AM	86.00	17.0223	0.6975	16.3248	0.7095	1.3455	2.7645
2024-08-28	9:31:40 AM	87.00	17.0184	0.6982	16.3202	0.7141	1.3409	2.7691
2024-08-28	9:32:40 AM	88.00	17.0143	0.6983	16.316	0.7183	1.3367	2.7733
2024-08-28	9:33:40 AM	89.00	17.0154	0.6985	16.3169	0.7174	1.3376	2.7724
2024-08-28	9:34:40 AM	90.00	17.0073	0.6984	16.3089	0.7254	1.3296	2.7804
2024-08-28	9:35:40 AM	91.00	17.0037	0.6987	16.305	0.7293	1.3257	2.7843
2024-08-28	9:36:40 AM	92.00	17.0045	0.6996	16.3049	0.7294	1.3256	2.7844
2024-08-28	9:37:40 AM	93.00	17.0047	0.6992	16.3055	0.7288	1.3262	2.7838
2024-08-28	9:38:40 AM	94.00	17.0055	0.6993	16.3062	0.7281	1.3269	2.7831
2024-08-28	9:39:40 AM	95.00	17.0032	0.6996	16.3036	0.7307	1.3243	2.7857
2024-08-28	9:40:40 AM	96.00	16.9948	0.6998	16.295	0.7393	1.3157	2.7943
2024-08-28	9:41:40 AM	97.00	16.9914	0.6999	16.2915	0.7428	1.3122	2.7978
2024-08-28	9:42:40 AM	98.00	16.9902	0.7007	16.2895	0.7448	1.3102	2.7998
2024-08-28	9:43:40 AM	99.00	16.9882	0.7008	16.2874	0.7469	1.3081	2.8019
2024-08-28	9:44:40 AM	100.00	16.9874	0.7014	16.286	0.7483	1.3067	2.8033
2024-08-28	9:45:40 AM	101.00	16.9837	0.7022	16.2815	0.7528	1.3022	2.8078
2024-08-28	9:46:40 AM	102.00	16.9882	0.7027	16.2855	0.7488	1.3062	2.8038
2024-08-28	9:47:40 AM	103.00	16.9816	0.7025	16.2791	0.7552	1.2998	2.8102
2024-08-28	9:48:40 AM	104.00	16.9808	0.7029	16.2779	0.7564	1.2986	2.8114
2024-08-28	9:49:40 AM	105.00	16.9774	0.7032	16.2742	0.7601	1.2949	2.8151
2024-08-28	9:50:40 AM	106.00	16.9796	0.7033	16.2763	0.758	1.297	2.813
2024-08-28	9:51:40 AM	107.00	16.9787	0.7029	16.2758	0.7585	1.2965	2.8135
2024-08-28	9:52:40 AM	108.00	16.9772	0.7027	16.2745	0.7598	1.2952	2.8148
2024-08-28	9:53:40 AM	109.00	16.9739	0.7024	16.2715	0.7628	1.2922	2.8178
2024-08-28	9:54:40 AM	110.00	16.9749	0.7023	16.2726	0.7617	1.2933	2.8167
2024-08-28	9:55:40 AM	111.00	16.9689	0.7024	16.2665	0.7678	1.2872	2.8228
2024-08-28	9:56:40 AM	112.00	16.9682	0.7019	16.2663	0.768	1.287	2.823
2024-08-28	9:57:40 AM	113.00	16.9641	0.702	16.2621	0.7722	1.2828	2.8272
2024-08-28	9:58:40 AM	114.00	16.9634	0.7023	16.2611	0.7732	1.2818	2.8282
2024-08-28	9:59:40 AM	115.00	16.9545	0.7021	16.2524	0.7819	1.2731	2.8369
2024-08-28	10:00:40 AM	116.00	16.9562	0.7021	16.2541	0.7802	1.2748	2.8352
2024-08-28	10:01:40 AM	117.00	16.9627	0.7021	16.2606	0.7737	1.2813	2.8287

Pumping Test (Data Logger and Baro Logger)

2024-08-28	10:02:40 AM	118.00	16.9561	0.7022	16.2539	0.7804	1.2746	2.8354
2024-08-28	10:03:40 AM	119.00	16.9505	0.7024	16.2481	0.7862	1.2688	2.8412
2024-08-28	10:04:40 AM	120.00	16.9509	0.7026	16.2483	0.786	1.269	2.841
2024-08-28	10:05:40 AM	121.00	16.9494	0.7029	16.2465	0.7878	1.2672	2.8428
2024-08-28	10:06:40 AM	122.00	16.9482	0.7031	16.2451	0.7892	1.2658	2.8442
2024-08-28	10:07:40 AM	123.00	16.9463	0.7029	16.2434	0.7909	1.2641	2.8459
2024-08-28	10:08:40 AM	124.00	16.9451	0.703	16.2421	0.7922	1.2628	2.8472
2024-08-28	10:09:40 AM	125.00	16.9404	0.7029	16.2375	0.7968	1.2582	2.8518
2024-08-28	10:10:40 AM	126.00	16.9383	0.703	16.2353	0.799	1.256	2.854
2024-08-28	10:11:40 AM	127.00	16.9449	0.7033	16.2416	0.7927	1.2623	2.8477
2024-08-28	10:12:40 AM	128.00	16.9417	0.7035	16.2382	0.7961	1.2589	2.8511
2024-08-28	10:13:40 AM	129.00	16.938	0.7036	16.2344	0.7999	1.2551	2.8549
2024-08-28	10:14:40 AM	130.00	16.9393	0.7038	16.2355	0.7988	1.2562	2.8538
2024-08-28	10:15:40 AM	131.00	16.9365	0.7036	16.2329	0.8014	1.2536	2.8564
2024-08-28	10:16:40 AM	132.00	16.9368	0.7037	16.2331	0.8012	1.2538	2.8562
2024-08-28	10:17:40 AM	133.00	16.9367	0.7036	16.2331	0.8012	1.2538	2.8562
2024-08-28	10:18:40 AM	134.00	16.9331	0.704	16.2291	0.8052	1.2498	2.8602
2024-08-28	10:19:40 AM	135.00	16.9312	0.7043	16.2269	0.8074	1.2476	2.8624
2024-08-28	10:20:40 AM	136.00	16.9265	0.7045	16.222	0.8123	1.2427	2.8673
2024-08-28	10:21:40 AM	137.00	16.8989	0.7048	16.1941	0.8402	1.2148	2.8952
2024-08-28	10:22:40 AM	138.00	16.9021	0.7048	16.1973	0.837	1.218	2.892
2024-08-28	10:23:40 AM	139.00	16.9031	0.7049	16.1982	0.8361	1.2189	2.8911
2024-08-28	10:24:40 AM	140.00	16.9009	0.7049	16.196	0.8383	1.2167	2.8933
2024-08-28	10:25:40 AM	141.00	16.9083	0.7046	16.2037	0.8306	1.2244	2.8856
2024-08-28	10:26:40 AM	142.00	16.9086	0.7048	16.2038	0.8305	1.2245	2.8855
2024-08-28	10:27:40 AM	143.00	16.9051	0.7049	16.2002	0.8341	1.2209	2.8891
2024-08-28	10:28:40 AM	144.00	16.9047	0.7051	16.1996	0.8347	1.2203	2.8897
2024-08-28	10:29:40 AM	145.00	16.9088	0.7049	16.2039	0.8304	1.2246	2.8854
2024-08-28	10:30:40 AM	146.00	16.9085	0.705	16.2035	0.8308	1.2242	2.8858
2024-08-28	10:31:40 AM	147.00	16.9115	0.7048	16.2067	0.8276	1.2274	2.8826
2024-08-28	10:32:40 AM	148.00	16.9108	0.7047	16.2061	0.8282	1.2268	2.8832
2024-08-28	10:33:40 AM	149.00	16.9044	0.7041	16.2003	0.834	1.221	2.889
2024-08-28	10:34:40 AM	150.00	16.902	0.7042	16.1978	0.8365	1.2185	2.8915
2024-08-28	10:35:40 AM	151.00	16.907	0.7051	16.2019	0.8324	1.2226	2.8874
2024-08-28	10:36:40 AM	152.00	16.9048	0.7053	16.1995	0.8348	1.2202	2.8898
2024-08-28	10:37:40 AM	153.00	16.902	0.7056	16.1964	0.8379	1.2171	2.8929
2024-08-28	10:38:40 AM	154.00	16.9058	0.7057	16.2001	0.8342	1.2208	2.8892
2024-08-28	10:39:40 AM	155.00	16.904	0.7061	16.1979	0.8364	1.2186	2.8914
2024-08-28	10:40:40 AM	156.00	16.8966	0.7063	16.1903	0.844	1.211	2.899
2024-08-28	10:41:40 AM	157.00	16.9018	0.7067	16.1951	0.8392	1.2158	2.8942
2024-08-28	10:42:40 AM	158.00	16.9028	0.707	16.1958	0.8385	1.2165	2.8935
2024-08-28	10:43:40 AM	159.00	16.9011	0.7068	16.1943	0.84	1.215	2.895
2024-08-28	10:44:40 AM	160.00	16.8984	0.7066	16.1918	0.8425	1.2125	2.8975
2024-08-28	10:45:40 AM	161.00	16.8972	0.706	16.1912	0.8431	1.2119	2.8981
2024-08-28	10:46:40 AM	162.00	16.8965	0.7062	16.1903	0.844	1.211	2.899
2024-08-28	10:47:40 AM	163.00	16.9012	0.706	16.1952	0.8391	1.2159	2.8941
2024-08-28	10:48:40 AM	164.00	16.8971	0.7062	16.1909	0.8434	1.2116	2.8984
2024-08-28	10:49:40 AM	165.00	16.8957	0.7063	16.1894	0.8449	1.2101	2.8999
2024-08-28	10:50:40 AM	166.00	16.8982	0.7054	16.1928	0.8415	1.2135	2.8965
2024-08-28	10:51:40 AM	167.00	16.8914	0.7059	16.1855	0.8488	1.2062	2.9038
2024-08-28	10:52:40 AM	168.00	16.8912	0.706	16.1852	0.8491	1.2059	2.9041
2024-08-28	10:53:40 AM	169.00	16.894	0.7064	16.1876	0.8467	1.2083	2.9017
2024-08-28	10:54:40 AM	170.00	16.8945	0.7064	16.1881	0.8462	1.2088	2.9012
2024-08-28	10:55:40 AM	171.00	16.89	0.7066	16.1834	0.8509	1.2041	2.9059
2024-08-28	10:56:40 AM	172.00	16.8879	0.7068	16.1811	0.8532	1.2018	2.9082
2024-08-28	10:57:40 AM	173.00	16.8903	0.7063	16.184	0.8503	1.2047	2.9053
2024-08-28	10:58:40 AM	174.00	16.8936	0.7069	16.1867	0.8476	1.2074	2.9026
2024-08-28	10:59:40 AM	175.00	16.8838	0.7065	16.1773	0.857	1.198	2.912
2024-08-28	11:00:40 AM	176.00	16.8883	0.7064	16.1819	0.8524	1.2026	2.9074
2024-08-28	11:01:40 AM	177.00	16.885	0.7061	16.1789	0.8554	1.1996	2.9104
2024-08-28	11:02:40 AM	178.00	16.8895	0.706	16.1835	0.8508	1.2042	2.9058
2024-08-28	11:03:40 AM	179.00	16.8817	0.7057	16.176	0.8583	1.1967	2.9133
2024-08-28	11:04:40 AM	180.00	16.8773	0.7062	16.1711	0.8632	1.1918	2.9182
2024-08-28	11:05:40 AM	181.00	16.8766	0.7065	16.1701	0.8642	1.1908	2.9192
2024-08-28	11:06:40 AM	182.00	16.8738	0.7067	16.1671	0.8672	1.1878	2.9222
2024-08-28	11:07:40 AM	183.00	16.8768	0.7069	16.1699	0.8644	1.1906	2.9194
2024-08-28	11:08:40 AM	184.00	16.8791	0.7072	16.1719	0.8624	1.1926	2.9174
2024-08-28	11:09:40 AM	185.00	16.8761	0.7076	16.1685	0.8658	1.1892	2.9208
2024-08-28	11:10:40 AM	186.00	16.8446	0.7077	16.1369	0.8974	1.1576	2.9524

Pumping Test (Data Logger and Baro Logger)

2024-08-28	11:11:40 AM	187.00	16.8496	0.7077	16.1419	0.8924	1.1626	2.9474
2024-08-28	11:12:40 AM	188.00	16.8526	0.7084	16.1442	0.8901	1.1649	2.9451
2024-08-28	11:13:40 AM	189.00	16.8529	0.7081	16.1448	0.8895	1.1655	2.9445
2024-08-28	11:14:40 AM	190.00	16.8557	0.7082	16.1475	0.8868	1.1682	2.9418
2024-08-28	11:15:40 AM	191.00	16.8614	0.7085	16.1529	0.8814	1.1736	2.9364
2024-08-28	11:16:40 AM	192.00	16.8558	0.7087	16.1471	0.8872	1.1678	2.9422
2024-08-28	11:17:40 AM	193.00	16.857	0.7093	16.1477	0.8866	1.1684	2.9416
2024-08-28	11:18:40 AM	194.00	16.8634	0.7097	16.1537	0.8806	1.1744	2.9356
2024-08-28	11:19:40 AM	195.00	16.8587	0.7105	16.1482	0.8861	1.1689	2.9411
2024-08-28	11:20:40 AM	196.00	16.8614	0.7105	16.1509	0.8834	1.1716	2.9384
2024-08-28	11:21:40 AM	197.00	16.8612	0.7111	16.1501	0.8842	1.1708	2.9392
2024-08-28	11:22:40 AM	198.00	16.8612	0.7113	16.1499	0.8844	1.1706	2.9394
2024-08-28	11:23:40 AM	199.00	16.8584	0.7112	16.1472	0.8871	1.1679	2.9421
2024-08-28	11:24:40 AM	200.00	16.8592	0.7111	16.1481	0.8862	1.1688	2.9412
2024-08-28	11:25:40 AM	201.00	16.8567	0.7112	16.1455	0.8888	1.1662	2.9438
2024-08-28	11:26:40 AM	202.00	16.8634	0.7111	16.1523	0.882	1.173	2.937
2024-08-28	11:27:40 AM	203.00	16.8595	0.7114	16.1481	0.8862	1.1688	2.9412
2024-08-28	11:28:40 AM	204.00	16.855	0.7114	16.1436	0.8907	1.1643	2.9457
2024-08-28	11:29:40 AM	205.00	16.8532	0.7115	16.1417	0.8926	1.1624	2.9476
2024-08-28	11:30:40 AM	206.00	16.8555	0.7122	16.1433	0.891	1.164	2.946
2024-08-28	11:31:40 AM	207.00	16.8572	0.7122	16.145	0.8893	1.1657	2.9443
2024-08-28	11:32:40 AM	208.00	16.8574	0.7121	16.1453	0.889	1.166	2.944
2024-08-28	11:33:40 AM	209.00	16.8526	0.7125	16.1401	0.8942	1.1608	2.9492
2024-08-28	11:34:40 AM	210.00	16.8586	0.7124	16.1462	0.8881	1.1669	2.9431
2024-08-28	11:35:40 AM	211.00	16.8513	0.7123	16.139	0.8953	1.1597	2.9503
2024-08-28	11:36:40 AM	212.00	16.8538	0.7126	16.1412	0.8931	1.1619	2.9481
2024-08-28	11:37:40 AM	213.00	16.8556	0.7127	16.1429	0.8914	1.1636	2.9464
2024-08-28	11:38:40 AM	214.00	16.8513	0.7129	16.1384	0.8959	1.1591	2.9509
2024-08-28	11:39:40 AM	215.00	16.849	0.7134	16.1356	0.8987	1.1563	2.9537
2024-08-28	11:40:40 AM	216.00	16.8521	0.7137	16.1384	0.8959	1.1591	2.9509
2024-08-28	11:41:40 AM	217.00	16.852	0.714	16.138	0.8963	1.1587	2.9513
2024-08-28	11:42:40 AM	218.00	16.8569	0.7143	16.1426	0.8917	1.1633	2.9467
2024-08-28	11:43:40 AM	219.00	16.8494	0.7141	16.1353	0.899	1.156	2.954
2024-08-28	11:44:40 AM	220.00	16.8491	0.714	16.1351	0.8992	1.1558	2.9542
2024-08-28	11:45:40 AM	221.00	16.8541	0.7143	16.1398	0.8945	1.1605	2.9495
2024-08-28	11:46:40 AM	222.00	16.8468	0.7145	16.1323	0.902	1.153	2.957
2024-08-28	11:47:40 AM	223.00	16.852	0.7145	16.1375	0.8968	1.1582	2.9518
2024-08-28	11:48:40 AM	224.00	16.8459	0.7147	16.1312	0.9031	1.1519	2.9581
2024-08-28	11:49:40 AM	225.00	16.8506	0.7149	16.1357	0.8986	1.1564	2.9536
2024-08-28	11:50:40 AM	226.00	16.8448	0.7148	16.13	0.9043	1.1507	2.9593
2024-08-28	11:51:40 AM	227.00	16.8485	0.7147	16.1338	0.9005	1.1545	2.9555
2024-08-28	11:52:40 AM	228.00	16.8446	0.7143	16.1303	0.904	1.151	2.959
2024-08-28	11:53:40 AM	229.00	16.8409	0.7138	16.1271	0.9072	1.1478	2.9622
2024-08-28	11:54:40 AM	230.00	16.8361	0.7134	16.1227	0.9116	1.1434	2.9666
2024-08-28	11:55:40 AM	231.00	16.8376	0.7136	16.124	0.9103	1.1447	2.9653
2024-08-28	11:56:40 AM	232.00	16.8391	0.7135	16.1256	0.9087	1.1463	2.9637
2024-08-28	11:57:40 AM	233.00	16.837	0.7134	16.1236	0.9107	1.1443	2.9657
2024-08-28	11:58:40 AM	234.00	16.838	0.7133	16.1247	0.9096	1.1454	2.9646
2024-08-28	11:59:40 AM	235.00	16.8349	0.7137	16.1212	0.9131	1.1419	2.9681
2024-08-28	12:00:40 PM	236.00	16.84	0.7135	16.1265	0.9078	1.1472	2.9628
2024-08-28	12:01:40 PM	237.00	16.8371	0.7137	16.1234	0.9109	1.1441	2.9659
2024-08-28	12:02:40 PM	238.00	16.8362	0.7142	16.122	0.9123	1.1427	2.9673
2024-08-28	12:03:40 PM	239.00	16.831	0.7139	16.1171	0.9172	1.1378	2.9722
2024-08-28	12:04:40 PM	240.00	16.8351	0.7137	16.1214	0.9129	1.1421	2.9679
2024-08-28	12:05:40 PM	241.00	16.834	0.7132	16.1208	0.9135	1.1415	2.9685
2024-08-28	12:06:40 PM	242.00	16.8249	0.7123	16.1126	0.9217	1.1333	2.9767
2024-08-28	12:07:40 PM	243.00	16.8254	0.7116	16.1138	0.9205	1.1345	2.9755
2024-08-28	12:08:40 PM	244.00	16.8328	0.7112	16.1216	0.9127	1.1423	2.9677
2024-08-28	12:09:40 PM	245.00	16.8265	0.7112	16.1153	0.919	1.136	2.974
2024-08-28	12:10:40 PM	246.00	16.8259	0.7111	16.1148	0.9195	1.1355	2.9745
2024-08-28	12:11:40 PM	247.00	16.8247	0.7109	16.1138	0.9205	1.1345	2.9755
2024-08-28	12:12:40 PM	248.00	16.824	0.7113	16.1127	0.9216	1.1334	2.9766
2024-08-28	12:13:40 PM	249.00	16.8242	0.7115	16.1127	0.9216	1.1334	2.9766
2024-08-28	12:14:40 PM	250.00	16.8273	0.7121	16.1152	0.9191	1.1359	2.9741
2024-08-28	12:15:40 PM	251.00	16.8251	0.7126	16.1125	0.9218	1.1332	2.9768
2024-08-28	12:16:40 PM	252.00	16.8282	0.7128	16.1154	0.9189	1.1361	2.9739
2024-08-28	12:17:40 PM	253.00	16.8222	0.7132	16.109	0.9253	1.1297	2.9803
2024-08-28	12:18:40 PM	254.00	16.8234	0.7134	16.11	0.9243	1.1307	2.9793
2024-08-28	12:19:40 PM	255.00	16.8306	0.7133	16.1173	0.917	1.138	2.972

Pumping Test (Data Logger and Baro Logger)

2024-08-28	12:20:40 PM	256.00	16.8267	0.7133	16.1134	0.9209	1.1341	2.9759
2024-08-28	12:21:40 PM	257.00	16.8243	0.7132	16.1111	0.9232	1.1318	2.9782
2024-08-28	12:22:40 PM	258.00	16.8231	0.7137	16.1094	0.9249	1.1301	2.9799
2024-08-28	12:23:40 PM	259.00	16.8241	0.7139	16.1102	0.9241	1.1309	2.9791
2024-08-28	12:24:40 PM	260.00	16.8197	0.7136	16.1061	0.9282	1.1268	2.9832
2024-08-28	12:25:40 PM	261.00	16.8196	0.714	16.1056	0.9287	1.1263	2.9837
2024-08-28	12:26:40 PM	262.00	16.8208	0.7145	16.1063	0.928	1.127	2.983
2024-08-28	12:27:40 PM	263.00	16.8253	0.7146	16.1107	0.9236	1.1314	2.9786
2024-08-28	12:28:40 PM	264.00	16.8212	0.7149	16.1063	0.928	1.127	2.983
2024-08-28	12:29:40 PM	265.00	16.821	0.7143	16.1067	0.9276	1.1274	2.9826
2024-08-28	12:30:40 PM	266.00	16.821	0.7142	16.1068	0.9275	1.1275	2.9825
2024-08-28	12:31:40 PM	267.00	16.8197	0.714	16.1057	0.9286	1.1264	2.9836
2024-08-28	12:32:40 PM	268.00	16.8229	0.7143	16.1086	0.9257	1.1293	2.9807
2024-08-28	12:33:40 PM	269.00	16.8209	0.7146	16.1063	0.928	1.127	2.983
2024-08-28	12:34:40 PM	270.00	16.8219	0.7143	16.1076	0.9267	1.1283	2.9817
2024-08-28	12:35:40 PM	271.00	16.8233	0.7145	16.1088	0.9255	1.1295	2.9805
2024-08-28	12:36:40 PM	272.00	16.8172	0.714	16.1032	0.9311	1.1239	2.9861
2024-08-28	12:37:40 PM	273.00	16.8168	0.7137	16.1031	0.9312	1.1238	2.9862
2024-08-28	12:38:40 PM	274.00	16.8177	0.7134	16.1043	0.93	1.125	2.985
2024-08-28	12:39:40 PM	275.00	16.8171	0.7129	16.1042	0.9301	1.1249	2.9851
2024-08-28	12:40:40 PM	276.00	16.8243	0.7129	16.1114	0.9229	1.1321	2.9779
2024-08-28	12:41:40 PM	277.00	16.8105	0.7126	16.0979	0.9364	1.1186	2.9914
2024-08-28	12:42:40 PM	278.00	16.8161	0.7128	16.1033	0.931	1.124	2.986
2024-08-28	12:43:40 PM	279.00	16.8175	0.7124	16.1051	0.9292	1.1258	2.9842
2024-08-28	12:44:40 PM	280.00	16.8204	0.7123	16.1081	0.9262	1.1288	2.9812
2024-08-28	12:45:40 PM	281.00	16.8166	0.7124	16.1042	0.9301	1.1249	2.9851
2024-08-28	12:46:40 PM	282.00	16.8179	0.7118	16.1061	0.9282	1.1268	2.9832
2024-08-28	12:47:40 PM	283.00	16.8148	0.7119	16.1029	0.9314	1.1236	2.9864
2024-08-28	12:48:40 PM	284.00	16.8127	0.7115	16.1012	0.9331	1.1219	2.9881
2024-08-28	12:49:40 PM	285.00	16.8133	0.7122	16.1011	0.9332	1.1218	2.9882
2024-08-28	12:50:40 PM	286.00	16.817	0.712	16.105	0.9293	1.1257	2.9843
2024-08-28	12:51:40 PM	287.00	16.8159	0.7117	16.1042	0.9301	1.1249	2.9851
2024-08-28	12:52:40 PM	288.00	16.8093	0.7121	16.0972	0.9371	1.1179	2.9921
2024-08-28	12:53:40 PM	289.00	16.8114	0.7116	16.0998	0.9345	1.1205	2.9895
2024-08-28	12:54:40 PM	290.00	16.8082	0.7121	16.0961	0.9382	1.1168	2.9932
2024-08-28	12:55:40 PM	291.00	16.8155	0.7125	16.103	0.9313	1.1237	2.9863
2024-08-28	12:56:40 PM	292.00	16.8095	0.7121	16.0974	0.9369	1.1181	2.9919
2024-08-28	12:57:40 PM	293.00	16.8099	0.712	16.0979	0.9364	1.1186	2.9914
2024-08-28	12:58:40 PM	294.00	16.8075	0.7118	16.0957	0.9386	1.1164	2.9936
2024-08-28	12:59:40 PM	295.00	16.8043	0.7119	16.0924	0.9419	1.1131	2.9969
2024-08-28	1:00:40 PM	296.00	16.8065	0.7116	16.0949	0.9394	1.1156	2.9944
2024-08-28	1:01:40 PM	297.00	16.8051	0.7113	16.0938	0.9405	1.1145	2.9955
2024-08-28	1:02:40 PM	298.00	16.7992	0.7112	16.088	0.9463	1.1087	3.0013
2024-08-28	1:03:40 PM	299.00	16.8057	0.7114	16.0943	0.94	1.115	2.995
2024-08-28	1:04:40 PM	300.00	16.8022	0.7109	16.0913	0.943	1.112	2.998
2024-08-28	1:05:40 PM	301.00	16.8028	0.7111	16.0917	0.9426	1.1124	2.9976
2024-08-28	1:06:40 PM	302.00	16.8025	0.7114	16.0911	0.9432	1.1118	2.9982
2024-08-28	1:07:40 PM	303.00	16.8061	0.712	16.0941	0.9402	1.1148	2.9952
2024-08-28	1:08:40 PM	304.00	16.8045	0.7119	16.0926	0.9417	1.1133	2.9967
2024-08-28	1:09:40 PM	305.00	16.8038	0.7122	16.0916	0.9427	1.1123	2.9977
2024-08-28	1:10:40 PM	306.00	16.8063	0.713	16.0933	0.941	1.114	2.996
2024-08-28	1:11:40 PM	307.00	16.8035	0.7134	16.0901	0.9442	1.1108	2.9992
2024-08-28	1:12:40 PM	308.00	16.8041	0.7134	16.0907	0.9436	1.1114	2.9986
2024-08-28	1:13:40 PM	309.00	16.7985	0.7135	16.085	0.9493	1.1057	3.0043
2024-08-28	1:14:40 PM	310.00	16.8029	0.7134	16.0895	0.9448	1.1102	2.9998
2024-08-28	1:15:40 PM	311.00	16.8032	0.7138	16.0894	0.9449	1.1101	2.9999
2024-08-28	1:16:40 PM	312.00	16.7978	0.7138	16.084	0.9503	1.1047	3.0053
2024-08-28	1:17:40 PM	313.00	16.8019	0.7145	16.0874	0.9469	1.1081	3.0019
2024-08-28	1:18:40 PM	314.00	16.802	0.7146	16.0874	0.9469	1.1081	3.0019
2024-08-28	1:19:40 PM	315.00	16.8	0.715	16.085	0.9493	1.1057	3.0043
2024-08-28	1:20:40 PM	316.00	16.7964	0.7154	16.081	0.9533	1.1017	3.0083
2024-08-28	1:21:40 PM	317.00	16.7999	0.7153	16.0846	0.9497	1.1053	3.0047
2024-08-28	1:22:40 PM	318.00	16.8032	0.7154	16.0878	0.9465	1.1085	3.0015
2024-08-28	1:23:40 PM	319.00	16.7971	0.7154	16.0817	0.9526	1.1024	3.0076
2024-08-28	1:24:40 PM	320.00	16.8011	0.7154	16.0857	0.9486	1.1064	3.0036
2024-08-28	1:25:40 PM	321.00	16.7983	0.7152	16.0831	0.9512	1.1038	3.0062
2024-08-28	1:26:40 PM	322.00	16.8006	0.7152	16.0854	0.9489	1.1061	3.0039
2024-08-28	1:27:40 PM	323.00	16.7985	0.7154	16.0831	0.9512	1.1038	3.0062
2024-08-28	1:28:40 PM	324.00	16.7983	0.7154	16.0829	0.9514	1.1036	3.0064

Pumping Test (Data Logger and Baro Logger)

2024-08-28	1:29:40 PM	325.00	16.7969	0.7156	16.0813	0.953	1.102	3.008
2024-08-28	1:30:40 PM	326.00	16.8009	0.7155	16.0854	0.9489	1.1061	3.0039
2024-08-28	1:31:40 PM	327.00	16.8	0.716	16.084	0.9503	1.1047	3.0053
2024-08-28	1:32:40 PM	328.00	16.794	0.7159	16.0781	0.9562	1.0988	3.0112
2024-08-28	1:33:40 PM	329.00	16.7955	0.7161	16.0794	0.9549	1.1001	3.0099
2024-08-28	1:34:40 PM	330.00	16.7991	0.7158	16.0833	0.951	1.104	3.006
2024-08-28	1:35:40 PM	331.00	16.7977	0.7157	16.082	0.9523	1.1027	3.0073
2024-08-28	1:36:40 PM	332.00	16.7971	0.7155	16.0816	0.9527	1.1023	3.0077
2024-08-28	1:37:40 PM	333.00	16.7994	0.7159	16.0835	0.9508	1.1042	3.0058
2024-08-28	1:38:40 PM	334.00	16.7942	0.7158	16.0784	0.9559	1.0991	3.0109
2024-08-28	1:39:40 PM	335.00	16.7914	0.7158	16.0756	0.9587	1.0963	3.0137
2024-08-28	1:40:40 PM	336.00	16.7923	0.7158	16.0765	0.9578	1.0972	3.0128
2024-08-28	1:41:40 PM	337.00	16.7949	0.7158	16.0791	0.9552	1.0998	3.0102
2024-08-28	1:42:40 PM	338.00	16.7978	0.7159	16.0819	0.9524	1.1026	3.0074
2024-08-28	1:43:40 PM	339.00	16.7918	0.7158	16.076	0.9583	1.0967	3.0133
2024-08-28	1:44:40 PM	340.00	16.7935	0.7157	16.0778	0.9565	1.0985	3.0115
2024-08-28	1:45:40 PM	341.00	16.7929	0.7157	16.0772	0.9571	1.0979	3.0121
2024-08-28	1:46:40 PM	342.00	16.7917	0.7158	16.0759	0.9584	1.0966	3.0134
2024-08-28	1:47:40 PM	343.00	16.7918	0.7154	16.0764	0.9579	1.0971	3.0129
2024-08-28	1:48:40 PM	344.00	16.7895	0.7155	16.074	0.9603	1.0947	3.0153
2024-08-28	1:49:40 PM	345.00	16.7905	0.7152	16.0753	0.959	1.096	3.014
2024-08-28	1:50:40 PM	346.00	16.7931	0.7153	16.0778	0.9565	1.0985	3.0115
2024-08-28	1:51:40 PM	347.00	16.7909	0.7153	16.0756	0.9587	1.0963	3.0137
2024-08-28	1:52:40 PM	348.00	16.7931	0.7157	16.0774	0.9569	1.0981	3.0119
2024-08-28	1:53:40 PM	349.00	16.793	0.7158	16.0772	0.9571	1.0979	3.0121
2024-08-28	1:54:40 PM	350.00	16.7916	0.7159	16.0757	0.9586	1.0964	3.0136
2024-08-28	1:55:40 PM	351.00	16.7877	0.7161	16.0716	0.9627	1.0923	3.0177
2024-08-28	1:56:40 PM	352.00	16.7921	0.7162	16.0759	0.9584	1.0966	3.0134
2024-08-28	1:57:40 PM	353.00	16.7895	0.716	16.0735	0.9608	1.0942	3.0158
2024-08-28	1:58:40 PM	354.00	16.7946	0.7161	16.0785	0.9558	1.0992	3.0108
2024-08-28	1:59:40 PM	355.00	16.7903	0.716	16.0743	0.96	1.095	3.015
2024-08-28	2:00:40 PM	356.00	16.791	0.7157	16.0753	0.959	1.096	3.014
2024-08-28	2:01:40 PM	357.00	16.7896	0.7158	16.0738	0.9605	1.0945	3.0155
2024-08-28	2:02:40 PM	358.00	16.7913	0.7157	16.0756	0.9587	1.0963	3.0137
2024-08-28	2:03:40 PM	359.00	16.7908	0.7161	16.0747	0.9596	1.0954	3.0146
2024-08-28	2:04:40 PM	360.00	16.7898	0.7165	16.0733	0.961	1.094	3.016
2024-08-28	2:05:40 PM	361.00	16.7886	0.7164	16.0722	0.9621	1.0929	3.0171
2024-08-28	2:06:40 PM	362.00	16.7898	0.7162	16.0736	0.9607	1.0943	3.0157
2024-08-28	2:07:40 PM	363.00	16.7874	0.716	16.0714	0.9629	1.0921	3.0179
2024-08-28	2:08:40 PM	364.00	16.7888	0.7158	16.073	0.9613	1.0937	3.0163
2024-08-28	2:09:40 PM	365.00	16.7907	0.7154	16.0753	0.959	1.096	3.014
2024-08-28	2:10:40 PM	366.00	16.7831	0.7158	16.0673	0.967	1.088	3.022
2024-08-28	2:11:40 PM	367.00	16.7818	0.7158	16.066	0.9683	1.0867	3.0233
2024-08-28	2:12:40 PM	368.00	16.7845	0.7154	16.0691	0.9652	1.0898	3.0202
2024-08-28	2:13:40 PM	369.00	16.7866	0.7159	16.0707	0.9636	1.0914	3.0186
2024-08-28	2:14:40 PM	370.00	16.7789	0.7159	16.063	0.9713	1.0837	3.0263
2024-08-28	2:15:40 PM	371.00	16.7811	0.7159	16.0652	0.9691	1.0859	3.0241
2024-08-28	2:16:40 PM	372.00	16.7864	0.7161	16.0703	0.964	1.091	3.019
2024-08-28	2:17:40 PM	373.00	16.782	0.7159	16.0661	0.9682	1.0868	3.0232
2024-08-28	2:18:40 PM	374.00	16.7781	0.7152	16.0629	0.9714	1.0836	3.0264
2024-08-28	2:19:40 PM	375.00	16.7818	0.715	16.0668	0.9675	1.0875	3.0225
2024-08-28	2:20:40 PM	376.00	16.7781	0.715	16.0631	0.9712	1.0838	3.0262
2024-08-28	2:21:40 PM	377.00	16.7795	0.7152	16.0643	0.97	1.085	3.025
2024-08-28	2:22:40 PM	378.00	16.7838	0.7153	16.0685	0.9658	1.0892	3.0208
2024-08-28	2:23:40 PM	379.00	16.7865	0.7154	16.0711	0.9632	1.0918	3.0182
2024-08-28	2:24:40 PM	380.00	16.7844	0.7156	16.0688	0.9655	1.0895	3.0205
2024-08-28	2:25:40 PM	381.00	16.7831	0.7158	16.0673	0.967	1.088	3.022
2024-08-28	2:26:40 PM	382.00	16.7808	0.7157	16.0651	0.9692	1.0858	3.0242
2024-08-28	2:27:40 PM	383.00	16.7807	0.7158	16.0649	0.9694	1.0856	3.0244
2024-08-28	2:28:40 PM	384.00	16.7749	0.7156	16.0593	0.975	1.08	3.03
2024-08-28	2:29:40 PM	385.00	16.781	0.7153	16.0657	0.9686	1.0864	3.0236
2024-08-28	2:30:40 PM	386.00	16.7803	0.7151	16.0652	0.9691	1.0859	3.0241
2024-08-28	2:31:40 PM	387.00	16.7815	0.7149	16.0666	0.9677	1.0873	3.0227
2024-08-28	2:32:40 PM	388.00	16.7798	0.7152	16.0646	0.9697	1.0853	3.0247
2024-08-28	2:33:40 PM	389.00	16.7775	0.7154	16.0621	0.9722	1.0828	3.0272
2024-08-28	2:34:40 PM	390.00	16.7765	0.7155	16.061	0.9733	1.0817	3.0283
2024-08-28	2:35:40 PM	391.00	16.7776	0.7162	16.0614	0.9729	1.0821	3.0279
2024-08-28	2:36:40 PM	392.00	16.7781	0.7162	16.0619	0.9724	1.0826	3.0274
2024-08-28	2:37:40 PM	393.00	16.7761	0.7159	16.0602	0.9741	1.0809	3.0291

Pumping Test (Data Logger and Baro Logger)

2024-08-28	2:38:40 PM	394.00	16.7794	0.7164	16.063	0.9713	1.0837	3.0263
2024-08-28	2:39:40 PM	395.00	16.7766	0.7166	16.06	0.9743	1.0807	3.0293
2024-08-28	2:40:40 PM	396.00	16.7759	0.717	16.0589	0.9754	1.0796	3.0304
2024-08-28	2:41:40 PM	397.00	16.7738	0.7168	16.057	0.9773	1.0777	3.0323
2024-08-28	2:42:40 PM	398.00	16.7772	0.717	16.0602	0.9741	1.0809	3.0291
2024-08-28	2:43:40 PM	399.00	16.7796	0.7171	16.0625	0.9718	1.0832	3.0268
2024-08-28	2:44:40 PM	400.00	16.7779	0.7173	16.0606	0.9737	1.0813	3.0287
2024-08-28	2:45:40 PM	401.00	16.769	0.7175	16.0515	0.9828	1.0722	3.0378
2024-08-28	2:46:40 PM	402.00	16.7799	0.7174	16.0625	0.9718	1.0832	3.0268
2024-08-28	2:47:40 PM	403.00	16.7654	0.7174	16.048	0.9863	1.0687	3.0413
2024-08-28	2:48:40 PM	404.00	16.7487	0.7172	16.0315	1.0028	1.0522	3.0578
2024-08-28	2:49:40 PM	405.00	16.7467	0.7171	16.0296	1.0047	1.0503	3.0597
2024-08-28	2:50:40 PM	406.00	16.7497	0.7177	16.032	1.0023	1.0527	3.0573
2024-08-28	2:51:40 PM	407.00	16.7552	0.7182	16.037	0.9973	1.0577	3.0523
2024-08-28	2:52:40 PM	408.00	16.7603	0.7181	16.0422	0.9921	1.0629	3.0471
2024-08-28	2:53:40 PM	409.00	16.7594	0.7177	16.0417	0.9926	1.0624	3.0476
2024-08-28	2:54:40 PM	410.00	16.7619	0.7171	16.0448	0.9895	1.0655	3.0445
2024-08-28	2:55:40 PM	411.00	16.7595	0.7165	16.043	0.9913	1.0637	3.0463
2024-08-28	2:56:40 PM	412.00	16.7623	0.7167	16.0456	0.9887	1.0663	3.0437
2024-08-28	2:57:40 PM	413.00	16.7555	0.717	16.0385	0.9958	1.0592	3.0508
2024-08-28	2:58:40 PM	414.00	16.7621	0.7177	16.0444	0.9899	1.0651	3.0449
2024-08-28	2:59:40 PM	415.00	16.7563	0.7173	16.039	0.9953	1.0597	3.0503
2024-08-28	3:00:40 PM	416.00	16.7627	0.7182	16.0445	0.9898	1.0652	3.0448
2024-08-28	3:01:40 PM	417.00	16.7632	0.7179	16.0453	0.989	1.066	3.044
2024-08-28	3:02:40 PM	418.00	16.7604	0.7177	16.0427	0.9916	1.0634	3.0466
2024-08-28	3:03:40 PM	419.00	16.7549	0.7173	16.0376	0.9967	1.0583	3.0517
2024-08-28	3:04:40 PM	420.00	16.7596	0.7172	16.0424	0.9919	1.0631	3.0469
2024-08-28	3:05:40 PM	421.00	16.7596	0.717	16.0426	0.9917	1.0633	3.0467
2024-08-28	3:06:40 PM	422.00	16.7589	0.7172	16.0417	0.9926	1.0624	3.0476
2024-08-28	3:07:40 PM	423.00	16.7599	0.7174	16.0425	0.9918	1.0632	3.0468
2024-08-28	3:08:40 PM	424.00	16.7595	0.7174	16.0421	0.9922	1.0628	3.0472
2024-08-28	3:09:40 PM	425.00	16.7646	0.7172	16.0474	0.9869	1.0681	3.0419
2024-08-28	3:10:40 PM	426.00	16.7656	0.7172	16.0484	0.9859	1.0691	3.0409
2024-08-28	3:11:40 PM	427.00	16.7646	0.7169	16.0477	0.9866	1.0684	3.0416
2024-08-28	3:12:40 PM	428.00	16.7608	0.7167	16.0441	0.9902	1.0648	3.0452
2024-08-28	3:13:40 PM	429.00	16.7301	0.7171	16.013	1.0213	1.0337	3.0763
2024-08-28	3:14:40 PM	430.00	16.7371	0.717	16.0201	1.0142	1.0408	3.0692
2024-08-28	3:15:40 PM	431.00	16.7426	0.7169	16.0257	1.0086	1.0464	3.0636
2024-08-28	3:16:40 PM	432.00	16.7469	0.7165	16.0304	1.0039	1.0511	3.0589
2024-08-28	3:17:40 PM	433.00	16.7445	0.7169	16.0276	1.0067	1.0483	3.0617
2024-08-28	3:18:40 PM	434.00	16.7509	0.7166	16.0343	1	1.055	3.055
2024-08-28	3:19:40 PM	435.00	16.7489	0.7167	16.0322	1.0021	1.0529	3.0571
2024-08-28	3:20:40 PM	436.00	16.7459	0.7167	16.0292	1.0051	1.0499	3.0601
2024-08-28	3:21:40 PM	437.00	16.7525	0.7169	16.0356	0.9987	1.0563	3.0537
2024-08-28	3:22:40 PM	438.00	16.7539	0.7167	16.0372	0.9971	1.0579	3.0521
2024-08-28	3:23:40 PM	439.00	16.7533	0.7164	16.0369	0.9974	1.0576	3.0524
2024-08-28	3:24:40 PM	440.00	16.7524	0.7164	16.036	0.9983	1.0567	3.0533
2024-08-28	3:25:40 PM	441.00	16.7555	0.7167	16.0388	0.9955	1.0595	3.0505
2024-08-28	3:26:40 PM	442.00	16.7546	0.7167	16.0379	0.9964	1.0586	3.0514
2024-08-28	3:27:40 PM	443.00	16.7542	0.7168	16.0374	0.9969	1.0581	3.0519
2024-08-28	3:28:40 PM	444.00	16.7536	0.7164	16.0372	0.9971	1.0579	3.0521
2024-08-28	3:29:40 PM	445.00	16.7521	0.7165	16.0356	0.9987	1.0563	3.0537
2024-08-28	3:30:40 PM	446.00	16.7537	0.7161	16.0376	0.9967	1.0583	3.0517
2024-08-28	3:31:40 PM	447.00	16.7549	0.7161	16.0388	0.9955	1.0595	3.0505
2024-08-28	3:32:40 PM	448.00	16.7539	0.716	16.0379	0.9964	1.0586	3.0514
2024-08-28	3:33:40 PM	449.00	16.7524	0.7161	16.0363	0.998	1.057	3.053
2024-08-28	3:34:40 PM	450.00	16.7507	0.7156	16.0351	0.9992	1.0558	3.0542
2024-08-28	3:35:40 PM	451.00	16.7517	0.7161	16.0356	0.9987	1.0563	3.0537
2024-08-28	3:36:40 PM	452.00	16.7528	0.7157	16.0371	0.9972	1.0578	3.0522
2024-08-28	3:37:40 PM	453.00	16.751	0.7155	16.0355	0.9988	1.0562	3.0538
2024-08-28	3:38:40 PM	454.00	16.7527	0.7156	16.0371	0.9972	1.0578	3.0522
2024-08-28	3:39:40 PM	455.00	16.7553	0.7158	16.0395	0.9948	1.0602	3.0498
2024-08-28	3:40:40 PM	456.00	16.755	0.7153	16.0397	0.9946	1.0604	3.0496
2024-08-28	3:41:40 PM	457.00	16.758	0.7152	16.0428	0.9915	1.0635	3.0465
2024-08-28	3:42:40 PM	458.00	16.755	0.7156	16.0394	0.9949	1.0601	3.0499
2024-08-28	3:43:40 PM	459.00	16.7513	0.7158	16.0355	0.9988	1.0562	3.0538
2024-08-28	3:44:40 PM	460.00	16.756	0.7158	16.0402	0.9941	1.0609	3.0491
2024-08-28	3:45:40 PM	461.00	16.7528	0.7154	16.0374	0.9969	1.0581	3.0519
2024-08-28	3:46:40 PM	462.00	16.7537	0.7156	16.0381	0.9962	1.0588	3.0512

Pumping Test (Data Logger and Baro Logger)

2024-08-28	3:47:40 PM	463.00	16.7582	0.7153	16.0429	0.9914	1.0636	3.0464
2024-08-28	3:48:40 PM	464.00	16.755	0.7149	16.0401	0.9942	1.0608	3.0492
2024-08-28	3:49:40 PM	465.00	16.75	0.7154	16.0346	0.9997	1.0553	3.0547
2024-08-28	3:50:40 PM	466.00	16.7537	0.715	16.0387	0.9956	1.0594	3.0506
2024-08-28	3:51:40 PM	467.00	16.7553	0.7149	16.0404	0.9939	1.0611	3.0489
2024-08-28	3:52:40 PM	468.00	16.7551	0.7153	16.0398	0.9945	1.0605	3.0495
2024-08-28	3:53:40 PM	469.00	16.7503	0.7154	16.0349	0.9994	1.0556	3.0544
2024-08-28	3:54:40 PM	470.00	16.7568	0.7153	16.0415	0.9928	1.0622	3.0478
2024-08-28	3:55:40 PM	471.00	16.7528	0.7152	16.0376	0.9967	1.0583	3.0517
2024-08-28	3:56:40 PM	472.00	16.7579	0.7155	16.0424	0.9919	1.0631	3.0469
2024-08-28	3:57:40 PM	473.00	16.7565	0.7155	16.041	0.9933	1.0617	3.0483
2024-08-28	3:58:40 PM	474.00	16.7526	0.7157	16.0369	0.9974	1.0576	3.0524
2024-08-28	3:59:40 PM	475.00	16.7521	0.7158	16.0363	0.998	1.057	3.053
2024-08-28	4:00:40 PM	476.00	16.7589	0.7157	16.0432	0.9911	1.0639	3.0461
2024-08-28	4:01:40 PM	477.00	16.7584	0.716	16.0424	0.9919	1.0631	3.0469
2024-08-28	4:02:40 PM	478.00	16.7521	0.7158	16.0363	0.998	1.057	3.053
2024-08-28	4:03:40 PM	479.00	16.7562	0.7155	16.0407	0.9936	1.0614	3.0486
2024-08-28	4:04:40 PM	480.00	16.7574	0.7156	16.0418	0.9925	1.0625	3.0475
2024-08-28	4:05:40 PM	481.00	16.7565	0.7156	16.0409	0.9934	1.0616	3.0484
2024-08-28	4:06:40 PM	482.00	16.7584	0.7156	16.0428	0.9915	1.0635	3.0465
2024-08-28	4:07:40 PM	483.00	16.7581	0.7158	16.0423	0.992	1.063	3.047
2024-08-28	4:08:40 PM	484.00	16.8458	0.7162	16.1296	0.9047	1.1503	2.9597
2024-08-28	4:09:40 PM	485.00	16.9024	0.7165	16.1859	0.8484	1.2066	2.9034
2024-08-28	4:10:40 PM	486.00	16.9413	0.7171	16.2242	0.8101	1.2449	2.8651
2024-08-28	4:11:40 PM	487.00	16.9705	0.7172	16.2533	0.781	1.274	2.836
2024-08-28	4:12:40 PM	488.00	16.9939	0.717	16.2769	0.7574	1.2976	2.8124
2024-08-28	4:13:40 PM	489.00	17.0146	0.7172	16.2974	0.7369	1.3181	2.7919
2024-08-28	4:14:40 PM	490.00	17.0334	0.7171	16.3163	0.718	1.337	2.773
2024-08-28	4:15:40 PM	491.00	17.0493	0.7176	16.3317	0.7026	1.3524	2.7576
2024-08-28	4:16:40 PM	492.00	17.0646	0.7178	16.3468	0.6875	1.3675	2.7425
2024-08-28	4:17:40 PM	493.00	17.0782	0.7179	16.3603	0.674	1.381	2.729
2024-08-28	4:18:40 PM	494.00	17.093	0.718	16.375	0.6593	1.3957	2.7143
2024-08-28	4:19:40 PM	495.00	17.1044	0.718	16.3864	0.6479	1.4071	2.7029
2024-08-28	4:20:40 PM	496.00	17.116	0.7182	16.3978	0.6365	1.4185	2.6915
2024-08-28	4:21:40 PM	497.00	17.1284	0.7184	16.41	0.6243	1.4307	2.6793
2024-08-28	4:22:40 PM	498.00	17.138	0.7185	16.4195	0.6148	1.4402	2.6698
2024-08-28	4:23:40 PM	499.00	17.1481	0.7183	16.4298	0.6045	1.4505	2.6595
2024-08-28	4:24:40 PM	500.00	17.158	0.7184	16.4396	0.5947	1.4603	2.6497
2024-08-28	4:25:40 PM	501.00	17.1667	0.7182	16.4485	0.5858	1.4692	2.6408
2024-08-28	4:26:40 PM	502.00	17.1755	0.7184	16.4571	0.5772	1.4778	2.6322
2024-08-28	4:27:40 PM	503.00	17.184	0.7185	16.4655	0.5688	1.4862	2.6238
2024-08-28	4:28:40 PM	504.00	17.1923	0.7185	16.4738	0.5605	1.4945	2.6155
2024-08-28	4:29:40 PM	505.00	17.2014	0.7183	16.4831	0.5512	1.5038	2.6062
2024-08-28	4:30:40 PM	506.00	17.2076	0.7183	16.4893	0.545	1.51	2.6
2024-08-28	4:31:40 PM	507.00	17.2145	0.7182	16.4963	0.538	1.517	2.593
2024-08-28	4:32:40 PM	508.00	17.222	0.7182	16.5038	0.5305	1.5245	2.5855
2024-08-28	4:33:40 PM	509.00	17.2283	0.7181	16.5102	0.5241	1.5309	2.5791
2024-08-28	4:34:40 PM	510.00	17.2351	0.7185	16.5166	0.5177	1.5373	2.5727
2024-08-28	4:35:40 PM	511.00	17.2417	0.7187	16.523	0.5113	1.5437	2.5663
2024-08-28	4:36:40 PM	512.00	17.2478	0.7185	16.5293	0.505	1.55	2.56
2024-08-28	4:37:40 PM	513.00	17.2539	0.7183	16.5356	0.4987	1.5563	2.5537
2024-08-28	4:38:40 PM	514.00	17.2591	0.7184	16.5407	0.4936	1.5614	2.5486
2024-08-28	4:39:40 PM	515.00	17.2649	0.718	16.5469	0.4874	1.5676	2.5424
2024-08-28	4:40:40 PM	516.00	17.2699	0.7183	16.5516	0.4827	1.5723	2.5377
2024-08-28	4:41:40 PM	517.00	17.2757	0.7185	16.5572	0.4771	1.5779	2.5321
2024-08-28	4:42:40 PM	518.00	17.2809	0.7183	16.5626	0.4717	1.5833	2.5267
2024-08-28	4:43:40 PM	519.00	17.2855	0.718	16.5675	0.4668	1.5882	2.5218
2024-08-28	4:44:40 PM	520.00	17.2907	0.7177	16.573	0.4613	1.5937	2.5163
2024-08-28	4:45:40 PM	521.00	17.2952	0.717	16.5782	0.4561	1.5989	2.5111
2024-08-28	4:46:40 PM	522.00	17.2998	0.7172	16.5826	0.4517	1.6033	2.5067
2024-08-28	4:47:40 PM	523.00	17.3047	0.7171	16.5876	0.4467	1.6083	2.5017
2024-08-28	4:48:40 PM	524.00	17.3086	0.7168	16.5918	0.4425	1.6125	2.4975
2024-08-28	4:49:40 PM	525.00	17.3131	0.7171	16.596	0.4383	1.6167	2.4933
2024-08-28	4:50:40 PM	526.00	17.3176	0.7171	16.6005	0.4338	1.6212	2.4888
2024-08-28	4:51:40 PM	527.00	17.3212	0.7171	16.6041	0.4302	1.6248	2.4852
2024-08-28	4:52:40 PM	528.00	17.3254	0.717	16.6084	0.4259	1.6291	2.4809
2024-08-28	4:53:40 PM	529.00	17.3296	0.7172	16.6124	0.4219	1.6331	2.4769
2024-08-28	4:54:40 PM	530.00	17.3336	0.7179	16.6157	0.4186	1.6364	2.4736
2024-08-28	4:55:40 PM	531.00	17.3379	0.7183	16.6196	0.4147	1.6403	2.4697

Pumping Test (Data Logger and Baro Logger)

2024-08-28	4:56:40 PM	532.00	17.3422	0.7183	16.6239	0.4104	1.6446	2.4654
2024-08-28	4:57:40 PM	533.00	17.3461	0.7188	16.6273	0.407	1.648	2.462
2024-08-28	4:58:40 PM	534.00	17.3501	0.7189	16.6312	0.4031	1.6519	2.4581
2024-08-28	4:59:40 PM	535.00	17.3542	0.7188	16.6354	0.3989	1.6561	2.4539
2024-08-28	5:00:40 PM	536.00	17.3577	0.7191	16.6386	0.3957	1.6593	2.4507
2024-08-28	5:01:40 PM	537.00	17.3612	0.7191	16.6421	0.3922	1.6628	2.4472
2024-08-28	5:02:40 PM	538.00	17.365	0.719	16.646	0.3883	1.6667	2.4433
2024-08-28	5:03:40 PM	539.00	17.3683	0.7192	16.6491	0.3852	1.6698	2.4402
2024-08-28	5:04:40 PM	540.00	17.3713	0.7192	16.6521	0.3822	1.6728	2.4372
2024-08-28	5:05:40 PM	541.00	17.3688	0.7192	16.6496	0.3847	1.6703	2.4397
2024-08-28	5:06:40 PM	542.00	17.3801	0.7192	16.6609	0.3734	1.6816	2.4284
2024-08-28	5:07:40 PM	543.00	17.383	0.7187	16.6643	0.37	1.685	2.425
2024-08-28	5:08:40 PM	544.00	17.386	0.7191	16.6669	0.3674	1.6876	2.4224
2024-08-28	5:09:40 PM	545.00	17.3893	0.7193	16.67	0.3643	1.6907	2.4193
2024-08-28	5:10:40 PM	546.00	17.3928	0.7193	16.6735	0.3608	1.6942	2.4158
2024-08-28	5:11:40 PM	547.00	17.3955	0.7195	16.676	0.3583	1.6967	2.4133
2024-08-28	5:12:40 PM	548.00	17.399	0.7195	16.6795	0.3548	1.7002	2.4098
2024-08-28	5:13:40 PM	549.00	17.4019	0.7196	16.6823	0.352	1.703	2.407
2024-08-28	5:14:40 PM	550.00	17.4051	0.7199	16.6852	0.3491	1.7059	2.4041
2024-08-28	5:15:40 PM	551.00	17.4075	0.7201	16.6874	0.3469	1.7081	2.4019
2024-08-28	5:16:40 PM	552.00	17.4109	0.7201	16.6908	0.3435	1.7115	2.3985
2024-08-28	5:17:40 PM	553.00	17.4141	0.7205	16.6936	0.3407	1.7143	2.3957
2024-08-28	5:18:40 PM	554.00	17.4168	0.7205	16.6963	0.338	1.717	2.393
2024-08-28	5:19:40 PM	555.00	17.4199	0.7206	16.6993	0.335	1.72	2.39
2024-08-28	5:20:40 PM	556.00	17.4219	0.7206	16.7013	0.333	1.722	2.388
2024-08-28	5:21:40 PM	557.00	17.425	0.7209	16.7041	0.3302	1.7248	2.3852
2024-08-28	5:22:40 PM	558.00	17.4276	0.7206	16.707	0.3273	1.7277	2.3823
2024-08-28	5:23:40 PM	559.00	17.4301	0.7208	16.7093	0.325	1.73	2.38
2024-08-28	5:24:40 PM	560.00	17.4334	0.7205	16.7129	0.3214	1.7336	2.3764
2024-08-28	5:25:40 PM	561.00	17.4352	0.7203	16.7149	0.3194	1.7356	2.3744
2024-08-28	5:26:40 PM	562.00	17.4372	0.7208	16.7164	0.3179	1.7371	2.3729
2024-08-28	5:27:40 PM	563.00	17.4401	0.7212	16.7189	0.3154	1.7396	2.3704
2024-08-28	5:28:40 PM	564.00	17.4425	0.721	16.7215	0.3128	1.7422	2.3678
2024-08-28	5:29:40 PM	565.00	17.445	0.7211	16.7239	0.3104	1.7446	2.3654
2024-08-28	5:30:40 PM	566.00	17.4475	0.7211	16.7264	0.3079	1.7471	2.3629
2024-08-28	5:31:40 PM	567.00	17.4497	0.7209	16.7288	0.3055	1.7495	2.3605
2024-08-28	5:32:40 PM	568.00	17.4514	0.7207	16.7307	0.3036	1.7514	2.3586
2024-08-28	5:33:40 PM	569.00	17.4534	0.7206	16.7328	0.3015	1.7535	2.3565
2024-08-28	5:34:40 PM	570.00	17.4554	0.7205	16.7349	0.2994	1.7556	2.3544
2024-08-28	5:35:40 PM	571.00	17.4581	0.7202	16.7379	0.2964	1.7586	2.3514
2024-08-28	5:36:40 PM	572.00	17.46	0.7204	16.7396	0.2947	1.7603	2.3497
2024-08-28	5:37:40 PM	573.00	17.4621	0.7201	16.742	0.2923	1.7627	2.3473
2024-08-28	5:38:40 PM	574.00	17.464	0.7201	16.7439	0.2904	1.7646	2.3454
2024-08-28	5:39:40 PM	575.00	17.466	0.7198	16.7462	0.2881	1.7669	2.3431
2024-08-28	5:40:40 PM	576.00	17.4683	0.72	16.7483	0.286	1.769	2.341
2024-08-28	5:41:40 PM	577.00	17.4697	0.7198	16.7499	0.2844	1.7706	2.3394
2024-08-28	5:42:40 PM	578.00	17.4721	0.72	16.7521	0.2822	1.7728	2.3372
2024-08-28	5:43:40 PM	579.00	17.4743	0.72	16.7543	0.28	1.775	2.335
2024-08-28	5:44:40 PM	580.00	17.4765	0.7203	16.7562	0.2781	1.7769	2.3331
2024-08-28	5:45:40 PM	581.00	17.4784	0.7204	16.758	0.2763	1.7787	2.3313
2024-08-28	5:46:40 PM	582.00	17.4805	0.7203	16.7602	0.2741	1.7809	2.3291
2024-08-28	5:47:40 PM	583.00	17.4822	0.7202	16.762	0.2723	1.7827	2.3273
2024-08-28	5:48:40 PM	584.00	17.4842	0.7204	16.7638	0.2705	1.7845	2.3255
2024-08-28	5:49:40 PM	585.00	17.4855	0.7203	16.7652	0.2691	1.7859	2.3241
2024-08-28	5:50:40 PM	586.00	17.4874	0.7204	16.767	0.2673	1.7877	2.3223
2024-08-28	5:51:40 PM	587.00	17.4892	0.7203	16.7689	0.2654	1.7896	2.3204
2024-08-28	5:52:40 PM	588.00	17.491	0.7204	16.7706	0.2637	1.7913	2.3187
2024-08-28	5:53:40 PM	589.00	17.493	0.7206	16.7724	0.2619	1.7931	2.3169
2024-08-28	5:54:40 PM	590.00	17.4949	0.7209	16.774	0.2603	1.7947	2.3153
2024-08-28	5:55:40 PM	591.00	17.4965	0.7212	16.7753	0.259	1.796	2.314
2024-08-28	5:56:40 PM	592.00	17.4992	0.7213	16.7779	0.2564	1.7986	2.3114
2024-08-28	5:57:40 PM	593.00	17.501	0.7213	16.7797	0.2546	1.8004	2.3096
2024-08-28	5:58:40 PM	594.00	17.503	0.7213	16.7817	0.2526	1.8024	2.3076
2024-08-28	5:59:40 PM	595.00	17.5046	0.7217	16.7829	0.2514	1.8036	2.3064
2024-08-28	6:00:40 PM	596.00	17.5066	0.7218	16.7848	0.2495	1.8055	2.3045
2024-08-28	6:01:40 PM	597.00	17.5089	0.7221	16.7868	0.2475	1.8075	2.3025
2024-08-28	6:02:40 PM	598.00	17.5105	0.7222	16.7883	0.246	1.809	2.301
2024-08-28	6:03:40 PM	599.00	17.5126	0.7228	16.7898	0.2445	1.8105	2.2995
2024-08-28	6:04:40 PM	600.00	17.5145	0.7226	16.7919	0.2424	1.8126	2.2974

Pumping Test (Data Logger and Baro Logger)

2024-08-28	6:05:40 PM	601.00	17.5162	0.7225	16.7937	0.2406	1.8144	2.2956
2024-08-28	6:06:40 PM	602.00	17.5175	0.7225	16.795	0.2393	1.8157	2.2943
2024-08-28	6:07:40 PM	603.00	17.519	0.7222	16.7968	0.2375	1.8175	2.2925
2024-08-28	6:08:40 PM	604.00	17.5207	0.7225	16.7982	0.2361	1.8189	2.2911
2024-08-28	6:09:40 PM	605.00	17.5221	0.7221	16.8	0.2343	1.8207	2.2893
2024-08-28	6:10:40 PM	606.00	17.5237	0.7222	16.8015	0.2328	1.8222	2.2878
2024-08-28	6:11:40 PM	607.00	17.5253	0.7222	16.8031	0.2312	1.8238	2.2862
2024-08-28	6:12:40 PM	608.00	17.5262	0.7219	16.8043	0.23	1.825	2.285
2024-08-28	6:13:40 PM	609.00	17.5275	0.7222	16.8053	0.229	1.826	2.284
2024-08-28	6:14:40 PM	610.00	17.5292	0.7219	16.8073	0.227	1.828	2.282
2024-08-28	6:15:40 PM	611.00	17.5305	0.7218	16.8087	0.2256	1.8294	2.2806
2024-08-28	6:16:40 PM	612.00	17.5321	0.7224	16.8097	0.2246	1.8304	2.2796
2024-08-28	6:17:40 PM	613.00	17.5338	0.7224	16.8114	0.2229	1.8321	2.2779
2024-08-28	6:18:40 PM	614.00	17.5351	0.7226	16.8125	0.2218	1.8332	2.2768
2024-08-28	6:19:40 PM	615.00	17.5367	0.7224	16.8143	0.22	1.835	2.275
2024-08-28	6:20:40 PM	616.00	17.538	0.7222	16.8158	0.2185	1.8365	2.2735
2024-08-28	6:21:40 PM	617.00	17.5389	0.7224	16.8165	0.2178	1.8372	2.2728
2024-08-28	6:22:40 PM	618.00	17.5407	0.7226	16.8181	0.2162	1.8388	2.2712
2024-08-28	6:23:40 PM	619.00	17.5419	0.7223	16.8196	0.2147	1.8403	2.2697
2024-08-28	6:24:40 PM	620.00	17.5431	0.7225	16.8206	0.2137	1.8413	2.2687
2024-08-28	6:25:40 PM	621.00	17.5437	0.7225	16.8212	0.2131	1.8419	2.2681
2024-08-28	6:26:40 PM	622.00	17.5455	0.7226	16.8229	0.2114	1.8436	2.2664
2024-08-28	6:27:40 PM	623.00	17.5466	0.7226	16.824	0.2103	1.8447	2.2653
2024-08-28	6:28:40 PM	624.00	17.5484	0.7224	16.826	0.2083	1.8467	2.2633
2024-08-28	6:29:40 PM	625.00	17.5491	0.7224	16.8267	0.2076	1.8474	2.2626
2024-08-28	6:30:40 PM	626.00	17.5502	0.722	16.8282	0.2061	1.8489	2.2611
2024-08-28	6:31:40 PM	627.00	17.5515	0.7224	16.8291	0.2052	1.8498	2.2602
2024-08-28	6:32:40 PM	628.00	17.5524	0.7227	16.8297	0.2046	1.8504	2.2596
2024-08-28	6:33:40 PM	629.00	17.5542	0.7227	16.8315	0.2028	1.8522	2.2578
2024-08-28	6:34:40 PM	630.00	17.5557	0.7225	16.8332	0.2011	1.8539	2.2561
2024-08-28	6:35:40 PM	631.00	17.5569	0.7226	16.8343	0.2	1.855	2.255
2024-08-28	6:36:40 PM	632.00	17.5578	0.7227	16.8351	0.1992	1.8558	2.2542
2024-08-28	6:37:40 PM	633.00	17.559	0.7229	16.8361	0.1982	1.8568	2.2532
2024-08-28	6:38:40 PM	634.00	17.5606	0.7228	16.8378	0.1965	1.8585	2.2515
2024-08-28	6:39:40 PM	635.00	17.5617	0.7227	16.839	0.1953	1.8597	2.2503
2024-08-28	6:40:40 PM	636.00	17.5621	0.7224	16.8397	0.1946	1.8604	2.2496
2024-08-28	6:41:40 PM	637.00	17.5624	0.7225	16.8399	0.1944	1.8606	2.2494
2024-08-28	6:42:40 PM	638.00	17.5633	0.7229	16.8404	0.1939	1.8611	2.2489
2024-08-28	6:43:40 PM	639.00	17.5644	0.723	16.8414	0.1929	1.8621	2.2479
2024-08-28	6:44:40 PM	640.00	17.5655	0.723	16.8425	0.1918	1.8632	2.2468
2024-08-28	6:45:40 PM	641.00	17.567	0.723	16.844	0.1903	1.8647	2.2453
2024-08-28	6:46:40 PM	642.00	17.5679	0.7229	16.845	0.1893	1.8657	2.2443
2024-08-28	6:47:40 PM	643.00	17.569	0.7229	16.8461	0.1882	1.8668	2.2432
2024-08-28	6:48:40 PM	644.00	17.5702	0.7229	16.8473	0.187	1.868	2.242
2024-08-28	6:49:40 PM	645.00	17.5716	0.7233	16.8483	0.186	1.869	2.241
2024-08-28	6:50:40 PM	646.00	17.5731	0.7235	16.8496	0.1847	1.8703	2.2397
2024-08-28	6:51:40 PM	647.00	17.5741	0.7235	16.8506	0.1837	1.8713	2.2387
2024-08-28	6:52:40 PM	648.00	17.5756	0.7234	16.8522	0.1821	1.8729	2.2371
2024-08-28	6:53:40 PM	649.00	17.5764	0.7233	16.8531	0.1812	1.8738	2.2362
2024-08-28	6:54:40 PM	650.00	17.5774	0.723	16.8544	0.1799	1.8751	2.2349
2024-08-28	6:55:40 PM	651.00	17.5785	0.723	16.8555	0.1788	1.8762	2.2338
2024-08-28	6:56:40 PM	652.00	17.5796	0.7231	16.8565	0.1778	1.8772	2.2328
2024-08-28	6:57:40 PM	653.00	17.5804	0.723	16.8574	0.1769	1.8781	2.2319
2024-08-28	6:58:40 PM	654.00	17.5818	0.723	16.8588	0.1755	1.8795	2.2305
2024-08-28	6:59:40 PM	655.00	17.5828	0.7229	16.8599	0.1744	1.8806	2.2294
2024-08-28	7:00:40 PM	656.00	17.5836	0.7229	16.8607	0.1736	1.8814	2.2286
2024-08-28	7:01:40 PM	657.00	17.585	0.7229	16.8621	0.1722	1.8828	2.2272
2024-08-28	7:02:40 PM	658.00	17.5856	0.7227	16.8629	0.1714	1.8836	2.2264
2024-08-28	7:03:40 PM	659.00	17.5868	0.7227	16.8641	0.1702	1.8848	2.2252
2024-08-28	7:04:40 PM	660.00	17.588	0.7225	16.8655	0.1688	1.8862	2.2238
2024-08-28	7:05:40 PM	661.00	17.5886	0.7228	16.8658	0.1685	1.8865	2.2235
2024-08-28	7:06:40 PM	662.00	17.59	0.723	16.867	0.1673	1.8877	2.2223
2024-08-28	7:07:40 PM	663.00	17.5914	0.723	16.8684	0.1659	1.8891	2.2209
2024-08-28	7:08:40 PM	664.00	17.5925	0.7234	16.8691	0.1652	1.8898	2.2202
2024-08-28	7:09:40 PM	665.00	17.5936	0.7236	16.87	0.1643	1.8907	2.2193
2024-08-28	7:10:40 PM	666.00	17.5948	0.7236	16.8712	0.1631	1.8919	2.2181
2024-08-28	7:11:40 PM	667.00	17.5957	0.7235	16.8722	0.1621	1.8929	2.2171
2024-08-28	7:12:40 PM	668.00	17.5968	0.7235	16.8733	0.161	1.894	2.216
2024-08-28	7:13:40 PM	669.00	17.5978	0.7235	16.8743	0.16	1.895	2.215

Pumping Test (Data Logger and Baro Logger)

2024-08-28	7:14:40 PM	670.00	17.599	0.7234	16.8756	0.1587	1.8963	2.2137
2024-08-28	7:15:40 PM	671.00	17.5998	0.7233	16.8765	0.1578	1.8972	2.2128
2024-08-28	7:16:40 PM	672.00	17.6005	0.7233	16.8772	0.1571	1.8979	2.2121
2024-08-28	7:17:40 PM	673.00	17.6016	0.7234	16.8782	0.1561	1.8989	2.2111
2024-08-28	7:18:40 PM	674.00	17.6029	0.7236	16.8793	0.155	1.9	2.21
2024-08-28	7:19:40 PM	675.00	17.604	0.7235	16.8805	0.1538	1.9012	2.2088
2024-08-28	7:20:40 PM	676.00	17.6048	0.7235	16.8813	0.153	1.902	2.208
2024-08-28	7:21:40 PM	677.00	17.6057	0.7237	16.882	0.1523	1.9027	2.2073
2024-08-28	7:22:40 PM	678.00	17.6068	0.7237	16.8831	0.1512	1.9038	2.2062
2024-08-28	7:23:40 PM	679.00	17.6078	0.7239	16.8839	0.1504	1.9046	2.2054
2024-08-28	7:24:40 PM	680.00	17.6093	0.7237	16.8856	0.1487	1.9063	2.2037
2024-08-28	7:25:40 PM	681.00	17.61	0.7236	16.8864	0.1479	1.9071	2.2029
2024-08-28	7:26:40 PM	682.00	17.6109	0.7235	16.8874	0.1469	1.9081	2.2019
2024-08-28	7:27:40 PM	683.00	17.6113	0.7231	16.8882	0.1461	1.9089	2.2011
2024-08-28	7:28:40 PM	684.00	17.6116	0.7231	16.8885	0.1458	1.9092	2.2008
2024-08-28	7:29:40 PM	685.00	17.6123	0.7231	16.8892	0.1451	1.9099	2.2001
2024-08-28	7:30:40 PM	686.00	17.6132	0.7232	16.89	0.1443	1.9107	2.1993
2024-08-28	7:31:40 PM	687.00	17.6141	0.7231	16.891	0.1433	1.9117	2.1983
2024-08-28	7:32:40 PM	688.00	17.6151	0.7234	16.8917	0.1426	1.9124	2.1976
2024-08-28	7:33:40 PM	689.00	17.6161	0.7235	16.8926	0.1417	1.9133	2.1967
2024-08-28	7:34:40 PM	690.00	17.6174	0.7238	16.8936	0.1407	1.9143	2.1957
2024-08-28	7:35:40 PM	691.00	17.6184	0.7238	16.8946	0.1397	1.9153	2.1947
2024-08-28	7:36:40 PM	692.00	17.6199	0.7241	16.8958	0.1385	1.9165	2.1935
2024-08-28	7:37:40 PM	693.00	17.6205	0.7241	16.8964	0.1379	1.9171	2.1929
2024-08-28	7:38:40 PM	694.00	17.6216	0.7243	16.8973	0.137	1.918	2.192
2024-08-28	7:39:40 PM	695.00	17.6225	0.7246	16.8979	0.1364	1.9186	2.1914
2024-08-28	7:40:40 PM	696.00	17.6239	0.7248	16.8991	0.1352	1.9198	2.1902
2024-08-28	7:41:40 PM	697.00	17.6251	0.7249	16.9002	0.1341	1.9209	2.1891
2024-08-28	7:42:40 PM	698.00	17.6262	0.7251	16.9011	0.1332	1.9218	2.1882
2024-08-28	7:43:40 PM	699.00	17.6265	0.7251	16.9014	0.1329	1.9221	2.1879
2024-08-28	7:44:40 PM	700.00	17.6276	0.7252	16.9024	0.1319	1.9231	2.1869
2024-08-28	7:45:40 PM	701.00	17.6284	0.7251	16.9033	0.131	1.924	2.186
2024-08-28	7:46:40 PM	702.00	17.6298	0.7252	16.9046	0.1297	1.9253	2.1847
2024-08-28	7:47:40 PM	703.00	17.6306	0.7251	16.9055	0.1288	1.9262	2.1838
2024-08-28	7:48:40 PM	704.00	17.631	0.7251	16.9059	0.1284	1.9266	2.1834
2024-08-28	7:49:40 PM	705.00	17.6318	0.7253	16.9065	0.1278	1.9272	2.1828
2024-08-28	7:50:40 PM	706.00	17.6321	0.7252	16.9069	0.1274	1.9276	2.1824
2024-08-28	7:51:40 PM	707.00	17.6329	0.7254	16.9075	0.1268	1.9282	2.1818
2024-08-28	7:52:40 PM	708.00	17.6334	0.7255	16.9079	0.1264	1.9286	2.1814
2024-08-28	7:53:40 PM	709.00	17.6341	0.7256	16.9085	0.1258	1.9292	2.1808
2024-08-28	7:54:40 PM	710.00	17.6347	0.7255	16.9092	0.1251	1.9299	2.1801
2024-08-28	7:55:40 PM	711.00	17.6355	0.7257	16.9098	0.1245	1.9305	2.1795
2024-08-28	7:56:40 PM	712.00	17.6356	0.7255	16.9101	0.1242	1.9308	2.1792
2024-08-28	7:57:40 PM	713.00	17.6364	0.7256	16.9108	0.1235	1.9315	2.1785
2024-08-28	7:58:40 PM	714.00	17.6365	0.7255	16.911	0.1233	1.9317	2.1783
2024-08-28	7:59:40 PM	715.00	17.637	0.7255	16.9115	0.1228	1.9322	2.1778
2024-08-28	8:00:40 PM	716.00	17.6375	0.7256	16.9119	0.1224	1.9326	2.1774
2024-08-28	8:01:40 PM	717.00	17.6381	0.7255	16.9126	0.1217	1.9333	2.1767
2024-08-28	8:02:40 PM	718.00	17.6384	0.7257	16.9127	0.1216	1.9334	2.1766
2024-08-28	8:03:40 PM	719.00	17.6388	0.7258	16.913	0.1213	1.9337	2.1763
2024-08-28	8:04:40 PM	720.00	17.6394	0.7258	16.9136	0.1207	1.9343	2.1757
2024-08-28	8:05:40 PM	721.00	17.6399	0.726	16.9139	0.1204	1.9346	2.1754
2024-08-28	8:06:40 PM	722.00	17.6403	0.726	16.9143	0.12	1.935	2.175
2024-08-28	8:07:40 PM	723.00	17.6407	0.7258	16.9149	0.1194	1.9356	2.1744
2024-08-28	8:08:40 PM	724.00	17.6411	0.7258	16.9153	0.119	1.936	2.174
2024-08-28	8:09:40 PM	725.00	17.6417	0.7258	16.9159	0.1184	1.9366	2.1734
2024-08-28	8:10:40 PM	726.00	17.642	0.7258	16.9162	0.1181	1.9369	2.1731
2024-08-28	8:11:40 PM	727.00	17.6421	0.7259	16.9162	0.1181	1.9369	2.1731
2024-08-28	8:12:40 PM	728.00	17.6426	0.7259	16.9167	0.1176	1.9374	2.1726
2024-08-28	8:13:40 PM	729.00	17.643	0.7258	16.9172	0.1171	1.9379	2.1721
2024-08-28	8:14:40 PM	730.00	17.6434	0.7257	16.9177	0.1166	1.9384	2.1716
2024-08-28	8:15:40 PM	731.00	17.6434	0.726	16.9174	0.1169	1.9381	2.1719
2024-08-28	8:16:40 PM	732.00	17.6438	0.7258	16.918	0.1163	1.9387	2.1713
2024-08-28	8:17:40 PM	733.00	17.6441	0.7262	16.9179	0.1164	1.9386	2.1714
2024-08-28	8:18:40 PM	734.00	17.6445	0.7263	16.9182	0.1161	1.9389	2.1711
2024-08-28	8:19:40 PM	735.00	17.6449	0.7265	16.9184	0.1159	1.9391	2.1709
2024-08-28	8:20:40 PM	736.00	17.6451	0.7267	16.9184	0.1159	1.9391	2.1709
2024-08-28	8:21:40 PM	737.00	17.646	0.7271	16.9189	0.1154	1.9396	2.1704
2024-08-28	8:22:40 PM	738.00	17.6462	0.727	16.9192	0.1151	1.9399	2.1701

Pumping Test (Data Logger and Baro Logger)

2024-08-28	8:23:40 PM	739.00	17.6469	0.7273	16.9196	0.1147	1.9403	2.1697
2024-08-28	8:24:40 PM	740.00	17.6476	0.7272	16.9204	0.1139	1.9411	2.1689
2024-08-28	8:25:40 PM	741.00	17.6486	0.7276	16.921	0.1133	1.9417	2.1683
2024-08-28	8:26:40 PM	742.00	17.6504	0.7276	16.9228	0.1115	1.9435	2.1665
2024-08-28	8:27:40 PM	743.00	17.6497	0.7276	16.9221	0.1122	1.9428	2.1672
2024-08-28	8:28:40 PM	744.00	17.6504	0.7278	16.9226	0.1117	1.9433	2.1667
2024-08-28	8:29:40 PM	745.00	17.6505	0.7281	16.9224	0.1119	1.9431	2.1669
2024-08-28	8:30:40 PM	746.00	17.6518	0.7282	16.9236	0.1107	1.9443	2.1657
2024-08-28	8:31:40 PM	747.00	17.6521	0.7284	16.9237	0.1106	1.9444	2.1656
2024-08-28	8:32:40 PM	748.00	17.6528	0.7283	16.9245	0.1098	1.9452	2.1648
2024-08-28	8:33:40 PM	749.00	17.6536	0.7286	16.925	0.1093	1.9457	2.1643
2024-08-28	8:34:40 PM	750.00	17.654	0.7287	16.9253	0.109	1.946	2.164
2024-08-28	8:35:40 PM	751.00	17.6551	0.7287	16.9264	0.1079	1.9471	2.1629
2024-08-28	8:36:40 PM	752.00	17.6556	0.7289	16.9267	0.1076	1.9474	2.1626
2024-08-28	8:37:40 PM	753.00	17.6564	0.729	16.9274	0.1069	1.9481	2.1619
2024-08-28	8:38:40 PM	754.00	17.6568	0.7292	16.9276	0.1067	1.9483	2.1617
2024-08-28	8:39:40 PM	755.00	17.6576	0.7293	16.9283	0.106	1.949	2.161
2024-08-28	8:40:40 PM	756.00	17.6585	0.7293	16.9292	0.1051	1.9499	2.1601
2024-08-28	8:41:40 PM	757.00	17.6591	0.7293	16.9298	0.1045	1.9505	2.1595
2024-08-28	8:42:40 PM	758.00	17.6599	0.7293	16.9306	0.1037	1.9513	2.1587
2024-08-28	8:43:40 PM	759.00	17.6605	0.7292	16.9313	0.103	1.952	2.158
2024-08-28	8:44:40 PM	760.00	17.661	0.7293	16.9317	0.1026	1.9524	2.1576
2024-08-28	8:45:40 PM	761.00	17.6618	0.7295	16.9323	0.102	1.953	2.157
2024-08-28	8:46:40 PM	762.00	17.6625	0.7296	16.9329	0.1014	1.9536	2.1564
2024-08-28	8:47:40 PM	763.00	17.6633	0.7298	16.9335	0.1008	1.9542	2.1558
2024-08-28	8:48:40 PM	764.00	17.6641	0.73	16.9341	0.1002	1.9548	2.1552
2024-08-28	8:49:40 PM	765.00	17.6647	0.7302	16.9345	0.0998	1.9552	2.1548
2024-08-28	8:50:40 PM	766.00	17.6654	0.7302	16.9352	0.0991	1.9559	2.1541
2024-08-28	8:51:40 PM	767.00	17.6662	0.7303	16.9359	0.0984	1.9566	2.1534
2024-08-28	8:52:40 PM	768.00	17.6671	0.7306	16.9365	0.0978	1.9572	2.1528
2024-08-28	8:53:40 PM	769.00	17.6677	0.7305	16.9372	0.0971	1.9579	2.1521
2024-08-28	8:54:40 PM	770.00	17.6681	0.7308	16.9373	0.097	1.958	2.152
2024-08-28	8:55:40 PM	771.00	17.6691	0.7308	16.9383	0.096	1.959	2.151
2024-08-28	8:56:40 PM	772.00	17.6701	0.731	16.9391	0.0952	1.9598	2.1502
2024-08-28	8:57:40 PM	773.00	17.6706	0.731	16.9396	0.0947	1.9603	2.1497
2024-08-28	8:58:40 PM	774.00	17.6713	0.7313	16.94	0.0943	1.9607	2.1493
2024-08-28	8:59:40 PM	775.00	17.6721	0.7313	16.9408	0.0935	1.9615	2.1485
2024-08-28	9:00:40 PM	776.00	17.6728	0.7313	16.9415	0.0928	1.9622	2.1478
2024-08-28	9:01:40 PM	777.00	17.6733	0.7313	16.942	0.0923	1.9627	2.1473
2024-08-28	9:02:40 PM	778.00	17.6738	0.7314	16.9424	0.0919	1.9631	2.1469
2024-08-28	9:03:40 PM	779.00	17.6748	0.7314	16.9434	0.0909	1.9641	2.1459
2024-08-28	9:04:40 PM	780.00	17.6751	0.7314	16.9437	0.0906	1.9644	2.1456
2024-08-28	9:05:40 PM	781.00	17.6758	0.7313	16.9445	0.0898	1.9652	2.1448
2024-08-28	9:06:40 PM	782.00	17.6764	0.7313	16.9451	0.0892	1.9658	2.1442
2024-08-28	9:07:40 PM	783.00	17.6772	0.7314	16.9458	0.0885	1.9665	2.1435
2024-08-28	9:08:40 PM	784.00	17.6777	0.7315	16.9462	0.0881	1.9669	2.1431
2024-08-28	9:09:40 PM	785.00	17.6783	0.7315	16.9468	0.0875	1.9675	2.1425
2024-08-28	9:10:40 PM	786.00	17.679	0.7313	16.9477	0.0866	1.9684	2.1416
2024-08-28	9:11:40 PM	787.00	17.6796	0.7314	16.9482	0.0861	1.9689	2.1411
2024-08-28	9:12:40 PM	788.00	17.6801	0.7312	16.9489	0.0854	1.9696	2.1404
2024-08-28	9:13:40 PM	789.00	17.6806	0.7312	16.9494	0.0849	1.9701	2.1399
2024-08-28	9:14:40 PM	790.00	17.6812	0.7313	16.9499	0.0844	1.9706	2.1394
2024-08-28	9:15:40 PM	791.00	17.682	0.7315	16.9505	0.0838	1.9712	2.1388
2024-08-28	9:16:40 PM	792.00	17.6827	0.7316	16.9511	0.0832	1.9718	2.1382
2024-08-28	9:17:40 PM	793.00	17.6835	0.7317	16.9518	0.0825	1.9725	2.1375
2024-08-28	9:18:40 PM	794.00	17.6842	0.732	16.9522	0.0821	1.9729	2.1371
2024-08-28	9:19:40 PM	795.00	17.6851	0.7321	16.953	0.0813	1.9737	2.1363
2024-08-28	9:20:40 PM	796.00	17.6857	0.7321	16.9536	0.0807	1.9743	2.1357
2024-08-28	9:21:40 PM	797.00	17.6863	0.7323	16.954	0.0803	1.9747	2.1353
2024-08-28	9:22:40 PM	798.00	17.6871	0.7325	16.9546	0.0797	1.9753	2.1347
2024-08-28	9:23:40 PM	799.00	17.688	0.7324	16.9556	0.0787	1.9763	2.1337
2024-08-28	9:24:40 PM	800.00	17.6887	0.7327	16.956	0.0783	1.9767	2.1333
2024-08-28	9:25:40 PM	801.00	17.6896	0.7326	16.957	0.0773	1.9777	2.1323
2024-08-28	9:26:40 PM	802.00	17.6901	0.7327	16.9574	0.0769	1.9781	2.1319
2024-08-28	9:27:40 PM	803.00	17.6907	0.7327	16.958	0.0763	1.9787	2.1313
2024-08-28	9:28:40 PM	804.00	17.6914	0.7326	16.9588	0.0755	1.9795	2.1305
2024-08-28	9:29:40 PM	805.00	17.6917	0.7326	16.9591	0.0752	1.9798	2.1302
2024-08-28	9:30:40 PM	806.00	17.6924	0.7328	16.9596	0.0747	1.9803	2.1297
2024-08-28	9:31:40 PM	807.00	17.6929	0.733	16.9599	0.0744	1.9806	2.1294

Pumping Test (Data Logger and Baro Logger)

2024-08-28	9:32:40 PM	808.00	17.6938	0.7334	16.9604	0.0739	1.9811	2.1289
2024-08-28	9:33:40 PM	809.00	17.6948	0.7334	16.9614	0.0729	1.9821	2.1279
2024-08-28	9:34:40 PM	810.00	17.6956	0.7337	16.9619	0.0724	1.9826	2.1274
2024-08-28	9:35:40 PM	811.00	17.6962	0.7339	16.9623	0.072	1.983	2.127
2024-08-28	9:36:40 PM	812.00	17.697	0.734	16.963	0.0713	1.9837	2.1263
2024-08-28	9:37:40 PM	813.00	17.6977	0.7342	16.9635	0.0708	1.9842	2.1258
2024-08-28	9:38:40 PM	814.00	17.6984	0.7341	16.9643	0.07	1.985	2.125
2024-08-28	9:39:40 PM	815.00	17.6991	0.734	16.9651	0.0692	1.9858	2.1242
2024-08-28	9:40:40 PM	816.00	17.6997	0.7343	16.9654	0.0689	1.9861	2.1239
2024-08-28	9:41:40 PM	817.00	17.7003	0.7341	16.9662	0.0681	1.9869	2.1231
2024-08-28	9:42:40 PM	818.00	17.7011	0.7338	16.9673	0.067	1.988	2.122
2024-08-28	9:43:40 PM	819.00	17.7013	0.7337	16.9676	0.0667	1.9883	2.1217
2024-08-28	9:44:40 PM	820.00	17.7016	0.7335	16.9681	0.0662	1.9888	2.1212
2024-08-28	9:45:40 PM	821.00	17.7022	0.7336	16.9686	0.0657	1.9893	2.1207
2024-08-28	9:46:40 PM	822.00	17.7027	0.7337	16.969	0.0653	1.9897	2.1203
2024-08-28	9:47:40 PM	823.00	17.7036	0.7341	16.9695	0.0648	1.9902	2.1198
2024-08-28	9:48:40 PM	824.00	17.7044	0.7346	16.9698	0.0645	1.9905	2.1195
2024-08-28	9:49:40 PM	825.00	17.7053	0.7346	16.9707	0.0636	1.9914	2.1186
2024-08-28	9:50:40 PM	826.00	17.706	0.7351	16.9709	0.0634	1.9916	2.1184
2024-08-28	9:51:40 PM	827.00	17.7068	0.7355	16.9713	0.063	1.992	2.118
2024-08-28	9:52:40 PM	828.00	17.7078	0.7356	16.9722	0.0621	1.9929	2.1171
2024-08-28	9:53:40 PM	829.00	17.7085	0.7359	16.9726	0.0617	1.9933	2.1167
2024-08-28	9:54:40 PM	830.00	17.7095	0.7362	16.9733	0.061	1.994	2.116
2024-08-28	9:55:40 PM	831.00	17.7102	0.7363	16.9739	0.0604	1.9946	2.1154
2024-08-28	9:56:40 PM	832.00	17.7111	0.7366	16.9745	0.0598	1.9952	2.1148
2024-08-28	9:57:40 PM	833.00	17.7117	0.7365	16.9752	0.0591	1.9959	2.1141
2024-08-28	9:58:40 PM	834.00	17.7123	0.7365	16.9758	0.0585	1.9965	2.1135
2024-08-28	9:59:40 PM	835.00	17.7128	0.7364	16.9764	0.0579	1.9971	2.1129
2024-08-28	10:00:40 PM	836.00	17.7137	0.7364	16.9773	0.057	1.998	2.112
2024-08-28	10:01:40 PM	837.00	17.7143	0.7365	16.9778	0.0565	1.9985	2.1115
2024-08-28	10:02:40 PM	838.00	17.7145	0.7366	16.9779	0.0564	1.9986	2.1114
2024-08-28	10:03:40 PM	839.00	17.7152	0.7362	16.979	0.0553	1.9997	2.1103
2024-08-28	10:04:40 PM	840.00	17.7157	0.7362	16.9795	0.0548	2.0002	2.1098
2024-08-28	10:05:40 PM	841.00	17.7161	0.7359	16.9802	0.0541	2.0009	2.1091
2024-08-28	10:06:40 PM	842.00	17.7164	0.7359	16.9805	0.0538	2.0012	2.1088
2024-08-28	10:07:40 PM	843.00	17.7166	0.7356	16.981	0.0533	2.0017	2.1083
2024-08-28	10:08:40 PM	844.00	17.717	0.7353	16.9817	0.0526	2.0024	2.1076
2024-08-28	10:09:40 PM	845.00	17.7177	0.7353	16.9824	0.0519	2.0031	2.1069
2024-08-28	10:10:40 PM	846.00	17.7183	0.7351	16.9832	0.0511	2.0039	2.1061
2024-08-28	10:11:40 PM	847.00	17.7185	0.735	16.9835	0.0508	2.0042	2.1058
2024-08-28	10:12:40 PM	848.00	17.7189	0.7347	16.9842	0.0501	2.0049	2.1051
2024-08-28	10:13:40 PM	849.00	17.7193	0.7347	16.9846	0.0497	2.0053	2.1047
2024-08-28	10:14:40 PM	850.00	17.7196	0.7348	16.9848	0.0495	2.0055	2.1045
2024-08-28	10:15:40 PM	851.00	17.7205	0.7347	16.9858	0.0485	2.0065	2.1035
2024-08-28	10:16:40 PM	852.00	17.7209	0.7347	16.9862	0.0481	2.0069	2.1031
2024-08-28	10:17:40 PM	853.00	17.7214	0.7346	16.9868	0.0475	2.0075	2.1025
2024-08-28	10:18:40 PM	854.00	17.7219	0.7346	16.9873	0.047	2.008	2.102
2024-08-28	10:19:40 PM	855.00	17.7224	0.7348	16.9876	0.0467	2.0083	2.1017
2024-08-28	10:20:40 PM	856.00	17.7228	0.7348	16.988	0.0463	2.0087	2.1013
2024-08-28	10:21:40 PM	857.00	17.7234	0.7349	16.9885	0.0458	2.0092	2.1008
2024-08-28	10:22:40 PM	858.00	17.7237	0.7349	16.9888	0.0455	2.0095	2.1005
2024-08-28	10:23:40 PM	859.00	17.7243	0.7348	16.9895	0.0448	2.0102	2.0998
2024-08-28	10:24:40 PM	860.00	17.7246	0.7348	16.9898	0.0445	2.0105	2.0995
2024-08-28	10:25:40 PM	861.00	17.7252	0.735	16.9902	0.0441	2.0109	2.0991
2024-08-28	10:26:40 PM	862.00	17.7256	0.7349	16.9907	0.0436	2.0114	2.0986
2024-08-28	10:27:40 PM	863.00	17.726	0.735	16.991	0.0433	2.0117	2.0983
2024-08-28	10:28:40 PM	864.00	17.7269	0.735	16.9919	0.0424	2.0126	2.0974
2024-08-28	10:29:40 PM	865.00	17.7274	0.7351	16.9923	0.042	2.013	2.097
2024-08-28	10:30:40 PM	866.00	17.728	0.735	16.993	0.0413	2.0137	2.0963
2024-08-28	10:31:40 PM	867.00	17.7286	0.7349	16.9937	0.0406	2.0144	2.0956
2024-08-28	10:32:40 PM	868.00	17.7289	0.7347	16.9942	0.0401	2.0149	2.0951
2024-08-28	10:33:40 PM	869.00	17.7293	0.7345	16.9948	0.0395	2.0155	2.0945
2024-08-28	10:34:40 PM	870.00	17.7295	0.7345	16.995	0.0393	2.0157	2.0943
2024-08-28	10:35:40 PM	871.00	17.73	0.7345	16.9955	0.0388	2.0162	2.0938
2024-08-28	10:36:40 PM	872.00	17.7307	0.7341	16.9966	0.0377	2.0173	2.0927
2024-08-28	10:37:40 PM	873.00	17.7309	0.734	16.9969	0.0374	2.0176	2.0924
2024-08-28	10:38:40 PM	874.00	17.7315	0.7338	16.9977	0.0366	2.0184	2.0916
2024-08-28	10:39:40 PM	875.00	17.7318	0.7337	16.9981	0.0362	2.0188	2.0912
2024-08-28	10:40:40 PM	876.00	17.732	0.7338	16.9982	0.0361	2.0189	2.0911

Pumping Test (Data Logger and Baro Logger)

2024-08-28	10:41:40 PM	877.00	17.7327	0.7337	16.999	0.0353	2.0197	2.0903
2024-08-28	10:42:40 PM	878.00	17.733	0.7336	16.9994	0.0349	2.0201	2.0899
2024-08-28	10:43:40 PM	879.00	17.7339	0.7341	16.9998	0.0345	2.0205	2.0895
2024-08-28	10:44:40 PM	880.00	17.7341	0.7341	17	0.0343	2.0207	2.0893
2024-08-28	10:45:40 PM	881.00	17.7349	0.7339	17.001	0.0333	2.0217	2.0883
2024-08-28	10:46:40 PM	882.00	17.7357	0.7337	17.002	0.0323	2.0227	2.0873
2024-08-28	10:47:40 PM	883.00	17.7357	0.7337	17.002	0.0323	2.0227	2.0873
2024-08-28	10:48:40 PM	884.00	17.736	0.7335	17.0025	0.0318	2.0232	2.0868
2024-08-28	10:49:40 PM	885.00	17.7366	0.7334	17.0032	0.0311	2.0239	2.0861
2024-08-28	10:50:40 PM	886.00	17.7372	0.7336	17.0036	0.0307	2.0243	2.0857
2024-08-28	10:51:40 PM	887.00	17.7376	0.734	17.0036	0.0307	2.0243	2.0857
2024-08-28	10:52:40 PM	888.00	17.7387	0.734	17.0047	0.0296	2.0254	2.0846
2024-08-28	10:53:40 PM	889.00	17.7393	0.7339	17.0054	0.0289	2.0261	2.0839
2024-08-28	10:54:40 PM	890.00	17.7399	0.7342	17.0057	0.0286	2.0264	2.0836
2024-08-28	10:55:40 PM	891.00	17.7405	0.7339	17.0066	0.0277	2.0273	2.0827
2024-08-28	10:56:40 PM	892.00	17.7408	0.7341	17.0067	0.0276	2.0274	2.0826
2024-08-28	10:57:40 PM	893.00	17.7411	0.734	17.0071	0.0272	2.0278	2.0822
2024-08-28	10:58:40 PM	894.00	17.7421	0.7338	17.0083	0.026	2.029	2.081
2024-08-28	10:59:40 PM	895.00	17.7425	0.7341	17.0084	0.0259	2.0291	2.0809
2024-08-28	11:00:40 PM	896.00	17.743	0.7344	17.0086	0.0257	2.0293	2.0807
2024-08-28	11:01:40 PM	897.00	17.7434	0.7346	17.0088	0.0255	2.0295	2.0805
2024-08-28	11:02:40 PM	898.00	17.7443	0.7348	17.0095	0.0248	2.0302	2.0798
2024-08-28	11:03:40 PM	899.00	17.7451	0.735	17.0101	0.0242	2.0308	2.0792
2024-08-28	11:04:40 PM	900.00	17.7451	0.7352	17.0099	0.0244	2.0306	2.0794
2024-08-28	11:05:40 PM	901.00	17.7443	0.7353	17.009	0.0253	2.0297	2.0803
2024-08-28	11:06:40 PM	902.00	17.7433	0.7352	17.0081	0.0262	2.0288	2.0812
2024-08-28	11:07:40 PM	903.00	17.7418	0.7353	17.0065	0.0278	2.0272	2.0828
2024-08-28	11:08:40 PM	904.00	17.7408	0.7354	17.0054	0.0289	2.0261	2.0839
2024-08-28	11:09:40 PM	905.00	17.7395	0.7354	17.0041	0.0302	2.0248	2.0852
2024-08-28	11:10:40 PM	906.00	17.7378	0.7354	17.0024	0.0319	2.0231	2.0869
2024-08-28	11:11:40 PM	907.00	17.736	0.7352	17.0008	0.0335	2.0215	2.0885
2024-08-28	11:12:40 PM	908.00	17.7349	0.7357	16.9992	0.0351	2.0199	2.0901
2024-08-28	11:13:40 PM	909.00	17.7332	0.736	16.9972	0.0371	2.0179	2.0921
2024-08-28	11:14:40 PM	910.00	17.7321	0.7359	16.9962	0.0381	2.0169	2.0931
2024-08-28	11:15:40 PM	911.00	17.731	0.7362	16.9948	0.0395	2.0155	2.0945
2024-08-28	11:16:40 PM	912.00	17.7302	0.736	16.9942	0.0401	2.0149	2.0951
2024-08-28	11:17:40 PM	913.00	17.729	0.7359	16.9931	0.0412	2.0138	2.0962
2024-08-28	11:18:40 PM	914.00	17.7279	0.736	16.9919	0.0424	2.0126	2.0974
2024-08-28	11:19:40 PM	915.00	17.727	0.7361	16.9909	0.0434	2.0116	2.0984
2024-08-28	11:20:40 PM	916.00	17.7261	0.7361	16.99	0.0443	2.0107	2.0993
2024-08-28	11:21:40 PM	917.00	17.7248	0.7361	16.9887	0.0456	2.0094	2.1006
2024-08-28	11:22:40 PM	918.00	17.7242	0.7364	16.9878	0.0465	2.0085	2.1015
2024-08-28	11:23:40 PM	919.00	17.7235	0.7363	16.9872	0.0471	2.0079	2.1021
2024-08-28	11:24:40 PM	920.00	17.7227	0.7363	16.9864	0.0479	2.0071	2.1029
2024-08-28	11:25:40 PM	921.00	17.7216	0.7363	16.9853	0.049	2.006	2.104
2024-08-28	11:26:40 PM	922.00	17.7205	0.7362	16.9843	0.05	2.005	2.105
2024-08-28	11:27:40 PM	923.00	17.72	0.7363	16.9837	0.0506	2.0044	2.1056
2024-08-28	11:28:40 PM	924.00	17.7196	0.7363	16.9833	0.051	2.004	2.106
2024-08-28	11:29:40 PM	925.00	17.7189	0.7363	16.9826	0.0517	2.0033	2.1067
2024-08-28	11:30:40 PM	926.00	17.7184	0.7364	16.982	0.0523	2.0027	2.1073
2024-08-28	11:31:40 PM	927.00	17.7179	0.7363	16.9816	0.0527	2.0023	2.1077
2024-08-28	11:32:40 PM	928.00	17.718	0.7365	16.9815	0.0528	2.0022	2.1078
2024-08-28	11:33:40 PM	929.00	17.7182	0.7364	16.9818	0.0525	2.0025	2.1075
2024-08-28	11:34:40 PM	930.00	17.718	0.7364	16.9816	0.0527	2.0023	2.1077
2024-08-28	11:35:40 PM	931.00	17.7173	0.7362	16.9811	0.0532	2.0018	2.1082
2024-08-28	11:36:40 PM	932.00	17.718	0.7364	16.9816	0.0527	2.0023	2.1077
2024-08-28	11:37:40 PM	933.00	17.7175	0.7363	16.9812	0.0531	2.0019	2.1081
2024-08-28	11:38:40 PM	934.00	17.718	0.7365	16.9815	0.0528	2.0022	2.1078
2024-08-28	11:39:40 PM	935.00	17.718	0.7366	16.9814	0.0529	2.0021	2.1079
2024-08-28	11:40:40 PM	936.00	17.7187	0.7366	16.9821	0.0522	2.0028	2.1072
2024-08-28	11:41:40 PM	937.00	17.7184	0.7366	16.9818	0.0525	2.0025	2.1075
2024-08-28	11:42:40 PM	938.00	17.7191	0.7368	16.9823	0.052	2.003	2.107
2024-08-28	11:43:40 PM	939.00	17.7191	0.7368	16.9823	0.052	2.003	2.107
2024-08-28	11:44:40 PM	940.00	17.7195	0.7367	16.9828	0.0515	2.0035	2.1065
2024-08-28	11:45:40 PM	941.00	17.7196	0.7368	16.9828	0.0515	2.0035	2.1065
2024-08-28	11:46:40 PM	942.00	17.7202	0.7364	16.9838	0.0505	2.0045	2.1055
2024-08-28	11:47:40 PM	943.00	17.7201	0.7369	16.9832	0.0511	2.0039	2.1061
2024-08-28	11:48:40 PM	944.00	17.7207	0.7369	16.9838	0.0505	2.0045	2.1055
2024-08-28	11:49:40 PM	945.00	17.7212	0.7368	16.9844	0.0499	2.0051	2.1049

Pumping Test (Data Logger and Baro Logger)

2024-08-28	11:50:40 PM	946.00	17.7216	0.7366	16.985	0.0493	2.0057	2.1043
2024-08-28	11:51:40 PM	947.00	17.7219	0.7366	16.9853	0.049	2.006	2.104
2024-08-28	11:52:40 PM	948.00	17.7221	0.7366	16.9855	0.0488	2.0062	2.1038
2024-08-28	11:53:40 PM	949.00	17.7229	0.7365	16.9864	0.0479	2.0071	2.1029
2024-08-28	11:54:40 PM	950.00	17.7232	0.7366	16.9866	0.0477	2.0073	2.1027
2024-08-28	11:55:40 PM	951.00	17.7235	0.7365	16.987	0.0473	2.0077	2.1023
2024-08-28	11:56:40 PM	952.00	17.7238	0.7364	16.9874	0.0469	2.0081	2.1019
2024-08-28	11:57:40 PM	953.00	17.7241	0.7366	16.9875	0.0468	2.0082	2.1018
2024-08-28	11:58:40 PM	954.00	17.7247	0.7364	16.9883	0.046	2.009	2.101
2024-08-28	11:59:40 PM	955.00	17.7253	0.7366	16.9887	0.0456	2.0094	2.1006
2024-08-29	12:00:40 AM	956.00	17.7262	0.7369	16.9893	0.045	2.01	2.1
2024-08-29	12:01:40 AM	957.00	17.7272	0.737	16.9902	0.0441	2.0109	2.0991
2024-08-29	12:02:40 AM	958.00	17.7264	0.7372	16.9892	0.0451	2.0099	2.1001
2024-08-29	12:03:40 AM	959.00	17.7253	0.7371	16.9882	0.0461	2.0089	2.1011
2024-08-29	12:04:40 AM	960.00	17.7234	0.7373	16.9861	0.0482	2.0068	2.1032
2024-08-29	12:05:40 AM	961.00	17.722	0.7369	16.9851	0.0492	2.0058	2.1042
2024-08-29	12:06:40 AM	962.00	17.7203	0.7372	16.9831	0.0512	2.0038	2.1062
2024-08-29	12:07:40 AM	963.00	17.7181	0.7372	16.9809	0.0534	2.0016	2.1084
2024-08-29	12:08:40 AM	964.00	17.7159	0.7374	16.9785	0.0558	1.9992	2.1108
2024-08-29	12:09:40 AM	965.00	17.7143	0.7375	16.9768	0.0575	1.9975	2.1125
2024-08-29	12:10:40 AM	966.00	17.712	0.7374	16.9746	0.0597	1.9953	2.1147
2024-08-29	12:11:40 AM	967.00	17.7103	0.7374	16.9729	0.0614	1.9936	2.1164
2024-08-29	12:12:40 AM	968.00	17.7086	0.7377	16.9709	0.0634	1.9916	2.1184
2024-08-29	12:13:40 AM	969.00	17.7067	0.738	16.9687	0.0656	1.9894	2.1206
2024-08-29	12:14:40 AM	970.00	17.7047	0.7384	16.9663	0.068	1.987	2.123
2024-08-29	12:15:40 AM	971.00	17.7025	0.7385	16.964	0.0703	1.9847	2.1253
2024-08-29	12:16:40 AM	972.00	17.7007	0.7384	16.9623	0.072	1.983	2.127
2024-08-29	12:17:40 AM	973.00	17.6993	0.7383	16.961	0.0733	1.9817	2.1283
2024-08-29	12:18:40 AM	974.00	17.6986	0.7383	16.9603	0.074	1.981	2.129
2024-08-29	12:19:40 AM	975.00	17.6986	0.7384	16.9602	0.0741	1.9809	2.1291
2024-08-29	12:20:40 AM	976.00	17.699	0.7385	16.9605	0.0738	1.9812	2.1288
2024-08-29	12:21:40 AM	977.00	17.6999	0.7387	16.9612	0.0731	1.9819	2.1281
2024-08-29	12:22:40 AM	978.00	17.7013	0.7389	16.9624	0.0719	1.9831	2.1269
2024-08-29	12:23:40 AM	979.00	17.7023	0.7391	16.9632	0.0711	1.9839	2.1261
2024-08-29	12:24:40 AM	980.00	17.7035	0.7394	16.9641	0.0702	1.9848	2.1252
2024-08-29	12:25:40 AM	981.00	17.7048	0.7395	16.9653	0.069	1.986	2.124
2024-08-29	12:26:40 AM	982.00	17.706	0.7397	16.9663	0.068	1.987	2.123
2024-08-29	12:27:40 AM	983.00	17.7072	0.7397	16.9675	0.0668	1.9882	2.1218
2024-08-29	12:28:40 AM	984.00	17.7086	0.7397	16.9689	0.0654	1.9896	2.1204
2024-08-29	12:29:40 AM	985.00	17.7098	0.7399	16.9699	0.0644	1.9906	2.1194
2024-08-29	12:30:40 AM	986.00	17.711	0.7398	16.9712	0.0631	1.9919	2.1181
2024-08-29	12:31:40 AM	987.00	17.7122	0.7399	16.9723	0.062	1.993	2.117
2024-08-29	12:32:40 AM	988.00	17.7128	0.7401	16.9727	0.0616	1.9934	2.1166
2024-08-29	12:33:40 AM	989.00	17.7146	0.7404	16.9742	0.0601	1.9949	2.1151
2024-08-29	12:34:40 AM	990.00	17.7156	0.7407	16.9749	0.0594	1.9956	2.1144
2024-08-29	12:35:40 AM	991.00	17.717	0.7408	16.9762	0.0581	1.9969	2.1131
2024-08-29	12:36:40 AM	992.00	17.7183	0.7409	16.9774	0.0569	1.9981	2.1119
2024-08-29	12:37:40 AM	993.00	17.7195	0.7413	16.9782	0.0561	1.9989	2.1111
2024-08-29	12:38:40 AM	994.00	17.7208	0.7414	16.9794	0.0549	2.0001	2.1099
2024-08-29	12:39:40 AM	995.00	17.7217	0.7415	16.9802	0.0541	2.0009	2.1091
2024-08-29	12:40:40 AM	996.00	17.723	0.7414	16.9816	0.0527	2.0023	2.1077
2024-08-29	12:41:40 AM	997.00	17.724	0.7414	16.9826	0.0517	2.0033	2.1067
2024-08-29	12:42:40 AM	998.00	17.725	0.7413	16.9837	0.0506	2.0044	2.1056
2024-08-29	12:43:40 AM	999.00	17.7257	0.7411	16.9846	0.0497	2.0053	2.1047
2024-08-29	12:44:40 AM	1000.00	17.7269	0.7412	16.9857	0.0486	2.0064	2.1036
2024-08-29	12:45:40 AM	1001.00	17.7276	0.7414	16.9862	0.0481	2.0069	2.1031
2024-08-29	12:46:40 AM	1002.00	17.7283	0.7409	16.9874	0.0469	2.0081	2.1019
2024-08-29	12:47:40 AM	1003.00	17.7288	0.7412	16.9876	0.0467	2.0083	2.1017
2024-08-29	12:48:40 AM	1004.00	17.7289	0.7413	16.9876	0.0467	2.0083	2.1017
2024-08-29	12:49:40 AM	1005.00	17.7293	0.741	16.9883	0.046	2.009	2.101
2024-08-29	12:50:40 AM	1006.00	17.7303	0.7411	16.9892	0.0451	2.0099	2.1001
2024-08-29	12:51:40 AM	1007.00	17.7311	0.7412	16.9899	0.0444	2.0106	2.0994
2024-08-29	12:52:40 AM	1008.00	17.7319	0.7413	16.9906	0.0437	2.0113	2.0987
2024-08-29	12:53:40 AM	1009.00	17.733	0.7412	16.9918	0.0425	2.0125	2.0975
2024-08-29	12:54:40 AM	1010.00	17.7339	0.7415	16.9924	0.0419	2.0131	2.0969
2024-08-29	12:55:40 AM	1011.00	17.7349	0.7417	16.9932	0.0411	2.0139	2.0961
2024-08-29	12:56:40 AM	1012.00	17.736	0.7416	16.9944	0.0399	2.0151	2.0949
2024-08-29	12:57:40 AM	1013.00	17.737	0.742	16.995	0.0393	2.0157	2.0943
2024-08-29	12:58:40 AM	1014.00	17.738	0.7419	16.9961	0.0382	2.0168	2.0932

Pumping Test (Data Logger and Baro Logger)

2024-08-29	12:59:40 AM	1015.00	17.7385	0.742	16.9965	0.0378	2.0172	2.0928
2024-08-29	1:00:40 AM	1016.00	17.7395	0.742	16.9975	0.0368	2.0182	2.0918
2024-08-29	1:01:40 AM	1017.00	17.7409	0.7424	16.9985	0.0358	2.0192	2.0908
2024-08-29	1:02:40 AM	1018.00	17.7416	0.7425	16.9991	0.0352	2.0198	2.0902
2024-08-29	1:03:40 AM	1019.00	17.7429	0.7426	17.0003	0.034	2.021	2.089
2024-08-29	1:04:40 AM	1020.00	17.7437	0.7428	17.0009	0.0334	2.0216	2.0884
2024-08-29	1:05:40 AM	1021.00	17.7448	0.7427	17.0021	0.0322	2.0228	2.0872
2024-08-29	1:06:40 AM	1022.00	17.7454	0.7426	17.0028	0.0315	2.0235	2.0865
2024-08-29	1:07:40 AM	1023.00	17.7466	0.7427	17.0039	0.0304	2.0246	2.0854
2024-08-29	1:08:40 AM	1024.00	17.7471	0.7427	17.0044	0.0299	2.0251	2.0849
2024-08-29	1:09:40 AM	1025.00	17.7479	0.7432	17.0047	0.0296	2.0254	2.0846
2024-08-29	1:10:40 AM	1026.00	17.7491	0.743	17.0061	0.0282	2.0268	2.0832
2024-08-29	1:11:40 AM	1027.00	17.7497	0.743	17.0067	0.0276	2.0274	2.0826
2024-08-29	1:12:40 AM	1028.00	17.7508	0.743	17.0078	0.0265	2.0285	2.0815
2024-08-29	1:13:40 AM	1029.00	17.7511	0.743	17.0081	0.0262	2.0288	2.0812
2024-08-29	1:14:40 AM	1030.00	17.7521	0.743	17.0091	0.0252	2.0298	2.0802
2024-08-29	1:15:40 AM	1031.00	17.7526	0.7432	17.0094	0.0249	2.0301	2.0799
2024-08-29	1:16:40 AM	1032.00	17.7532	0.743	17.0102	0.0241	2.0309	2.0791
2024-08-29	1:17:40 AM	1033.00	17.7533	0.7431	17.0102	0.0241	2.0309	2.0791
2024-08-29	1:18:40 AM	1034.00	17.7537	0.7432	17.0105	0.0238	2.0312	2.0788
2024-08-29	1:19:40 AM	1035.00	17.7536	0.7432	17.0104	0.0239	2.0311	2.0789
2024-08-29	1:20:40 AM	1036.00	17.754	0.7436	17.0104	0.0239	2.0311	2.0789
2024-08-29	1:21:40 AM	1037.00	17.7551	0.7438	17.0113	0.023	2.032	2.078
2024-08-29	1:22:40 AM	1038.00	17.7558	0.7437	17.0121	0.0222	2.0328	2.0772
2024-08-29	1:23:40 AM	1039.00	17.7562	0.7439	17.0123	0.022	2.033	2.077
2024-08-29	1:24:40 AM	1040.00	17.7571	0.7438	17.0133	0.021	2.034	2.076
2024-08-29	1:25:40 AM	1041.00	17.7578	0.7441	17.0137	0.0206	2.0344	2.0756
2024-08-29	1:26:40 AM	1042.00	17.7587	0.744	17.0147	0.0196	2.0354	2.0746
2024-08-29	1:27:40 AM	1043.00	17.7596	0.7444	17.0152	0.0191	2.0359	2.0741
2024-08-29	1:28:40 AM	1044.00	17.7603	0.7445	17.0158	0.0185	2.0365	2.0735
2024-08-29	1:29:40 AM	1045.00	17.761	0.7447	17.0163	0.018	2.037	2.073
2024-08-29	1:30:40 AM	1046.00	17.7621	0.7449	17.0172	0.0171	2.0379	2.0721
2024-08-29	1:31:40 AM	1047.00	17.7627	0.7449	17.0178	0.0165	2.0385	2.0715
2024-08-29	1:32:40 AM	1048.00	17.7628	0.7452	17.0176	0.0167	2.0383	2.0717
2024-08-29	1:33:40 AM	1049.00	17.7628	0.7454	17.0174	0.0169	2.0381	2.0719
2024-08-29	1:34:40 AM	1050.00	17.7633	0.7455	17.0178	0.0165	2.0385	2.0715
2024-08-29	1:35:40 AM	1051.00	17.7639	0.7457	17.0182	0.0161	2.0389	2.0711
2024-08-29	1:36:40 AM	1052.00	17.7643	0.7458	17.0185	0.0158	2.0392	2.0708
2024-08-29	1:37:40 AM	1053.00	17.7648	0.7459	17.0189	0.0154	2.0396	2.0704
2024-08-29	1:38:40 AM	1054.00	17.7656	0.746	17.0196	0.0147	2.0403	2.0697
2024-08-29	1:39:40 AM	1055.00	17.7664	0.7463	17.0201	0.0142	2.0408	2.0692
2024-08-29	1:40:40 AM	1056.00	17.7667	0.7462	17.0205	0.0138	2.0412	2.0688
2024-08-29	1:41:40 AM	1057.00	17.7677	0.7464	17.0213	0.013	2.042	2.068
2024-08-29	1:42:40 AM	1058.00	17.7687	0.7465	17.0222	0.0121	2.0429	2.0671
2024-08-29	1:43:40 AM	1059.00	17.7691	0.7466	17.0225	0.0118	2.0432	2.0668
2024-08-29	1:44:40 AM	1060.00	17.7702	0.7467	17.0235	0.0108	2.0442	2.0658
2024-08-29	1:45:40 AM	1061.00	17.7705	0.7469	17.0236	0.0107	2.0443	2.0657
2024-08-29	1:46:40 AM	1062.00	17.7716	0.7469	17.0247	0.0096	2.0454	2.0646
2024-08-29	1:47:40 AM	1063.00	17.7721	0.7473	17.0248	0.0095	2.0455	2.0645
2024-08-29	1:48:40 AM	1064.00	17.7729	0.7469	17.026	0.0083	2.0467	2.0633
2024-08-29	1:49:40 AM	1065.00	17.7735	0.7472	17.0263	0.008	2.047	2.063
2024-08-29	1:50:40 AM	1066.00	17.7742	0.7471	17.0271	0.0072	2.0478	2.0622
2024-08-29	1:51:40 AM	1067.00	17.7747	0.7474	17.0273	0.007	2.048	2.062
2024-08-29	1:52:40 AM	1068.00	17.7754	0.7478	17.0276	0.0067	2.0483	2.0617
2024-08-29	1:53:40 AM	1069.00	17.7764	0.7478	17.0286	0.0057	2.0493	2.0607
2024-08-29	1:54:40 AM	1070.00	17.777	0.7479	17.0291	0.0052	2.0498	2.0602
2024-08-29	1:55:40 AM	1071.00	17.7784	0.7481	17.0303	0.004	2.051	2.059
2024-08-29	1:56:40 AM	1072.00	17.7787	0.7481	17.0306	0.0037	2.0513	2.0587
2024-08-29	1:57:40 AM	1073.00	17.7793	0.7483	17.031	0.0033	2.0517	2.0583
2024-08-29	1:58:40 AM	1074.00	17.7799	0.7483	17.0316	0.0027	2.0523	2.0577
2024-08-29	1:59:40 AM	1075.00	17.7804	0.7482	17.0322	0.0021	2.0529	2.0571
2024-08-29	2:00:40 AM	1076.00	17.781	0.7485	17.0325	0.0018	2.0532	2.0568
2024-08-29	2:01:40 AM	1077.00	17.7817	0.7484	17.0333	0.001	2.054	2.056
2024-08-29	2:02:40 AM	1078.00	17.7823	0.7486	17.0337	0.0006	2.0544	2.0556
2024-08-29	2:03:40 AM	1079.00	17.7827	0.7489	17.0338	0.0005	2.0545	2.0555
2024-08-29	2:04:40 AM	1080.00	17.7833	0.7489	17.0344	-1E-04	2.0551	2.0549
2024-08-29	2:05:40 AM	1081.00	17.7841	0.749	17.0351	-0.0008	2.0558	2.0542
2024-08-29	2:06:40 AM	1082.00	17.7846	0.7489	17.0357	-0.0014	2.0564	2.0536
2024-08-29	2:07:40 AM	1083.00	17.7851	0.7491	17.036	-0.0017	2.0567	2.0533

Pumping Test (Data Logger and Baro Logger)

2024-08-29	2:08:40 AM	1084.00	17.7861	0.7491	17.037	-0.0027	2.0577	2.0523
2024-08-29	2:09:40 AM	1085.00	17.7867	0.7494	17.0373	-0.003	2.058	2.052
2024-08-29	2:10:40 AM	1086.00	17.7872	0.7493	17.0379	-0.0036	2.0586	2.0514
2024-08-29	2:11:40 AM	1087.00	17.7874	0.7494	17.038	-0.0037	2.0587	2.0513
2024-08-29	2:12:40 AM	1088.00	17.7881	0.7493	17.0388	-0.0045	2.0595	2.0505
2024-08-29	2:13:40 AM	1089.00	17.7886	0.7495	17.0391	-0.0048	2.0598	2.0502
2024-08-29	2:14:40 AM	1090.00	17.7893	0.7494	17.0399	-0.0056	2.0606	2.0494
2024-08-29	2:15:40 AM	1091.00	17.7896	0.7491	17.0405	-0.0062	2.0612	2.0488
2024-08-29	2:16:40 AM	1092.00	17.7903	0.7492	17.0411	-0.0068	2.0618	2.0482
2024-08-29	2:17:40 AM	1093.00	17.7906	0.7494	17.0412	-0.0069	2.0619	2.0481
2024-08-29	2:18:40 AM	1094.00	17.791	0.7493	17.0417	-0.0074	2.0624	2.0476
2024-08-29	2:19:40 AM	1095.00	17.7917	0.7496	17.0421	-0.0078	2.0628	2.0472
2024-08-29	2:20:40 AM	1096.00	17.7925	0.7498	17.0427	-0.0084	2.0634	2.0466
2024-08-29	2:21:40 AM	1097.00	17.7929	0.7497	17.0432	-0.0089	2.0639	2.0461
2024-08-29	2:22:40 AM	1098.00	17.7935	0.7499	17.0436	-0.0093	2.0643	2.0457
2024-08-29	2:23:40 AM	1099.00	17.7937	0.7498	17.0439	-0.0096	2.0646	2.0454
2024-08-29	2:24:40 AM	1100.00	17.7943	0.7498	17.0445	-0.0102	2.0652	2.0448
2024-08-29	2:25:40 AM	1101.00	17.7948	0.7499	17.0449	-0.0106	2.0656	2.0444
2024-08-29	2:26:40 AM	1102.00	17.7952	0.7499	17.0453	-0.011	2.066	2.044
2024-08-29	2:27:40 AM	1103.00	17.7959	0.7501	17.0458	-0.0115	2.0665	2.0435
2024-08-29	2:28:40 AM	1104.00	17.7961	0.75	17.0461	-0.0118	2.0668	2.0432
2024-08-29	2:29:40 AM	1105.00	17.7966	0.7501	17.0465	-0.0122	2.0672	2.0428
2024-08-29	2:30:40 AM	1106.00	17.7969	0.7499	17.047	-0.0127	2.0677	2.0423
2024-08-29	2:31:40 AM	1107.00	17.7978	0.75	17.0478	-0.0135	2.0685	2.0415
2024-08-29	2:32:40 AM	1108.00	17.7983	0.7501	17.0482	-0.0139	2.0689	2.0411
2024-08-29	2:33:40 AM	1109.00	17.7986	0.7501	17.0485	-0.0142	2.0692	2.0408
2024-08-29	2:34:40 AM	1110.00	17.7989	0.7501	17.0488	-0.0145	2.0695	2.0405
2024-08-29	2:35:40 AM	1111.00	17.7997	0.7505	17.0492	-0.0149	2.0699	2.0401
2024-08-29	2:36:40 AM	1112.00	17.8005	0.7504	17.0501	-0.0158	2.0708	2.0392
2024-08-29	2:37:40 AM	1113.00	17.8009	0.7507	17.0502	-0.0159	2.0709	2.0391
2024-08-29	2:38:40 AM	1114.00	17.8014	0.7504	17.051	-0.0167	2.0717	2.0383
2024-08-29	2:39:40 AM	1115.00	17.8021	0.7503	17.0518	-0.0175	2.0725	2.0375
2024-08-29	2:40:40 AM	1116.00	17.8019	0.7504	17.0515	-0.0172	2.0722	2.0378
2024-08-29	2:41:40 AM	1117.00	17.8024	0.7507	17.0517	-0.0174	2.0724	2.0376
2024-08-29	2:42:40 AM	1118.00	17.803	0.7507	17.0523	-0.018	2.073	2.037
2024-08-29	2:43:40 AM	1119.00	17.8031	0.7509	17.0522	-0.0179	2.0729	2.0371
2024-08-29	2:44:40 AM	1120.00	17.8033	0.7508	17.0525	-0.0182	2.0732	2.0368
2024-08-29	2:45:40 AM	1121.00	17.8037	0.7509	17.0528	-0.0185	2.0735	2.0365
2024-08-29	2:46:40 AM	1122.00	17.8036	0.7508	17.0528	-0.0185	2.0735	2.0365
2024-08-29	2:47:40 AM	1123.00	17.8045	0.7508	17.0537	-0.0194	2.0744	2.0356
2024-08-29	2:48:40 AM	1124.00	17.8069	0.7513	17.0556	-0.0213	2.0763	2.0337
2024-08-29	2:49:40 AM	1125.00	17.8071	0.7515	17.0556	-0.0213	2.0763	2.0337
2024-08-29	2:50:40 AM	1126.00	17.8041	0.7517	17.0524	-0.0181	2.0731	2.0369
2024-08-29	2:51:40 AM	1127.00	17.8059	0.7517	17.0542	-0.0199	2.0749	2.0351
2024-08-29	2:52:40 AM	1128.00	17.8064	0.7518	17.0546	-0.0203	2.0753	2.0347
2024-08-29	2:53:40 AM	1129.00	17.807	0.7518	17.0552	-0.0209	2.0759	2.0341
2024-08-29	2:54:40 AM	1130.00	17.8075	0.7517	17.0558	-0.0215	2.0765	2.0335
2024-08-29	2:55:40 AM	1131.00	17.8081	0.7518	17.0563	-0.022	2.077	2.033
2024-08-29	2:56:40 AM	1132.00	17.8086	0.7518	17.0568	-0.0225	2.0775	2.0325
2024-08-29	2:57:40 AM	1133.00	17.809	0.752	17.057	-0.0227	2.0777	2.0323
2024-08-29	2:58:40 AM	1134.00	17.8094	0.7519	17.0575	-0.0232	2.0782	2.0318
2024-08-29	2:59:40 AM	1135.00	17.8095	0.7518	17.0577	-0.0234	2.0784	2.0316
2024-08-29	3:00:40 AM	1136.00	17.8102	0.7519	17.0583	-0.024	2.079	2.031
2024-08-29	3:01:40 AM	1137.00	17.8105	0.7518	17.0587	-0.0244	2.0794	2.0306
2024-08-29	3:02:40 AM	1138.00	17.8108	0.7518	17.059	-0.0247	2.0797	2.0303
2024-08-29	3:03:40 AM	1139.00	17.8111	0.7518	17.0593	-0.025	2.08	2.03
2024-08-29	3:04:40 AM	1140.00	17.8115	0.7518	17.0597	-0.0254	2.0804	2.0296
2024-08-29	3:05:40 AM	1141.00	17.8117	0.7522	17.0595	-0.0252	2.0802	2.0298
2024-08-29	3:06:40 AM	1142.00	17.8124	0.7525	17.0599	-0.0256	2.0806	2.0294
2024-08-29	3:07:40 AM	1143.00	17.8128	0.7525	17.0603	-0.026	2.081	2.029
2024-08-29	3:08:40 AM	1144.00	17.8135	0.7528	17.0607	-0.0264	2.0814	2.0286
2024-08-29	3:09:40 AM	1145.00	17.814	0.753	17.061	-0.0267	2.0817	2.0283
2024-08-29	3:10:40 AM	1146.00	17.8147	0.7531	17.0616	-0.0273	2.0823	2.0277
2024-08-29	3:11:40 AM	1147.00	17.815	0.7532	17.0618	-0.0275	2.0825	2.0275
2024-08-29	3:12:40 AM	1148.00	17.8157	0.7533	17.0624	-0.0281	2.0831	2.0269
2024-08-29	3:13:40 AM	1149.00	17.8161	0.7535	17.0626	-0.0283	2.0833	2.0267
2024-08-29	3:14:40 AM	1150.00	17.8165	0.7535	17.063	-0.0287	2.0837	2.0263
2024-08-29	3:15:40 AM	1151.00	17.8171	0.7537	17.0634	-0.0291	2.0841	2.0259
2024-08-29	3:16:40 AM	1152.00	17.8177	0.7536	17.0641	-0.0298	2.0848	2.0252

Pumping Test (Data Logger and Baro Logger)

2024-08-29	3:17:40 AM	1153.00	17.818	0.7537	17.0643	-0.03	2.085	2.025
2024-08-29	3:18:40 AM	1154.00	17.8186	0.7537	17.0649	-0.0306	2.0856	2.0244
2024-08-29	3:19:40 AM	1155.00	17.819	0.7542	17.0648	-0.0305	2.0855	2.0245
2024-08-29	3:20:40 AM	1156.00	17.8192	0.754	17.0652	-0.0309	2.0859	2.0241
2024-08-29	3:21:40 AM	1157.00	17.8195	0.754	17.0655	-0.0312	2.0862	2.0238
2024-08-29	3:22:40 AM	1158.00	17.8201	0.7541	17.066	-0.0317	2.0867	2.0233
2024-08-29	3:23:40 AM	1159.00	17.8202	0.7542	17.066	-0.0317	2.0867	2.0233
2024-08-29	3:24:40 AM	1160.00	17.8205	0.754	17.0665	-0.0322	2.0872	2.0228
2024-08-29	3:25:40 AM	1161.00	17.8208	0.7538	17.067	-0.0327	2.0877	2.0223
2024-08-29	3:26:40 AM	1162.00	17.8208	0.7539	17.0669	-0.0326	2.0876	2.0224
2024-08-29	3:27:40 AM	1163.00	17.8211	0.7537	17.0674	-0.0331	2.0881	2.0219
2024-08-29	3:28:40 AM	1164.00	17.8218	0.7537	17.0681	-0.0338	2.0888	2.0212
2024-08-29	3:29:40 AM	1165.00	17.8217	0.7536	17.0681	-0.0338	2.0888	2.0212
2024-08-29	3:30:40 AM	1166.00	17.822	0.7536	17.0684	-0.0341	2.0891	2.0209
2024-08-29	3:31:40 AM	1167.00	17.8225	0.7536	17.0689	-0.0346	2.0896	2.0204
2024-08-29	3:32:40 AM	1168.00	17.8229	0.7537	17.0692	-0.0349	2.0899	2.0201
2024-08-29	3:33:40 AM	1169.00	17.8234	0.7537	17.0697	-0.0354	2.0904	2.0196
2024-08-29	3:34:40 AM	1170.00	17.8236	0.7534	17.0702	-0.0359	2.0909	2.0191
2024-08-29	3:35:40 AM	1171.00	17.8236	0.7538	17.0698	-0.0355	2.0905	2.0195
2024-08-29	3:36:40 AM	1172.00	17.8241	0.7537	17.0704	-0.0361	2.0911	2.0189
2024-08-29	3:37:40 AM	1173.00	17.8246	0.754	17.0706	-0.0363	2.0913	2.0187
2024-08-29	3:38:40 AM	1174.00	17.8253	0.7545	17.0708	-0.0365	2.0915	2.0185
2024-08-29	3:39:40 AM	1175.00	17.826	0.7541	17.0719	-0.0376	2.0926	2.0174
2024-08-29	3:40:40 AM	1176.00	17.826	0.7544	17.0716	-0.0373	2.0923	2.0177
2024-08-29	3:41:40 AM	1177.00	17.8262	0.7545	17.0717	-0.0374	2.0924	2.0176
2024-08-29	3:42:40 AM	1178.00	17.827	0.7546	17.0724	-0.0381	2.0931	2.0169
2024-08-29	3:43:40 AM	1179.00	17.8274	0.7548	17.0726	-0.0383	2.0933	2.0167
2024-08-29	3:44:40 AM	1180.00	17.8281	0.7549	17.0732	-0.0389	2.0939	2.0161
2024-08-29	3:45:40 AM	1181.00	17.8285	0.7549	17.0736	-0.0393	2.0943	2.0157
2024-08-29	3:46:40 AM	1182.00	17.8287	0.755	17.0737	-0.0394	2.0944	2.0156
2024-08-29	3:47:40 AM	1183.00	17.829	0.755	17.074	-0.0397	2.0947	2.0153
2024-08-29	3:48:40 AM	1184.00	17.8291	0.7552	17.0739	-0.0396	2.0946	2.0154
2024-08-29	3:49:40 AM	1185.00	17.8298	0.7552	17.0746	-0.0403	2.0953	2.0147
2024-08-29	3:50:40 AM	1186.00	17.8305	0.7554	17.0751	-0.0408	2.0958	2.0142
2024-08-29	3:51:40 AM	1187.00	17.8331	0.7557	17.0774	-0.0431	2.0981	2.0119
2024-08-29	3:52:40 AM	1188.00	17.8327	0.7557	17.077	-0.0427	2.0977	2.0123
2024-08-29	3:53:40 AM	1189.00	17.8312	0.7559	17.0753	-0.041	2.096	2.014
2024-08-29	3:54:40 AM	1190.00	17.8315	0.7559	17.0756	-0.0413	2.0963	2.0137
2024-08-29	3:55:40 AM	1191.00	17.832	0.756	17.076	-0.0417	2.0967	2.0133
2024-08-29	3:56:40 AM	1192.00	17.8324	0.7558	17.0766	-0.0423	2.0973	2.0127
2024-08-29	3:57:40 AM	1193.00	17.833	0.7558	17.0772	-0.0429	2.0979	2.0121
2024-08-29	3:58:40 AM	1194.00	17.8332	0.7555	17.0777	-0.0434	2.0984	2.0116
2024-08-29	3:59:40 AM	1195.00	17.8334	0.7554	17.078	-0.0437	2.0987	2.0113
2024-08-29	4:00:40 AM	1196.00	17.8339	0.7554	17.0785	-0.0442	2.0992	2.0108
2024-08-29	4:01:40 AM	1197.00	17.8337	0.7552	17.0785	-0.0442	2.0992	2.0108
2024-08-29	4:02:40 AM	1198.00	17.8343	0.7553	17.079	-0.0447	2.0997	2.0103
2024-08-29	4:03:40 AM	1199.00	17.8344	0.7554	17.079	-0.0447	2.0997	2.0103
2024-08-29	4:04:40 AM	1200.00	17.8349	0.7552	17.0797	-0.0454	2.1004	2.0096
2024-08-29	4:05:40 AM	1201.00	17.8352	0.7553	17.0799	-0.0456	2.1006	2.0094
2024-08-29	4:06:40 AM	1202.00	17.836	0.7553	17.0807	-0.0464	2.1014	2.0086
2024-08-29	4:07:40 AM	1203.00	17.8356	0.7556	17.08	-0.0457	2.1007	2.0093
2024-08-29	4:08:40 AM	1204.00	17.836	0.7557	17.0803	-0.046	2.101	2.009
2024-08-29	4:09:40 AM	1205.00	17.8362	0.7557	17.0805	-0.0462	2.1012	2.0088
2024-08-29	4:10:40 AM	1206.00	17.8369	0.7559	17.081	-0.0467	2.1017	2.0083
2024-08-29	4:11:40 AM	1207.00	17.8372	0.7558	17.0814	-0.0471	2.1021	2.0079
2024-08-29	4:12:40 AM	1208.00	17.8376	0.7559	17.0817	-0.0474	2.1024	2.0076
2024-08-29	4:13:40 AM	1209.00	17.8373	0.7559	17.0814	-0.0471	2.1021	2.0079
2024-08-29	4:14:40 AM	1210.00	17.838	0.7559	17.0821	-0.0478	2.1028	2.0072
2024-08-29	4:15:40 AM	1211.00	17.8381	0.7562	17.0819	-0.0476	2.1026	2.0074
2024-08-29	4:16:40 AM	1212.00	17.8386	0.7561	17.0825	-0.0482	2.1032	2.0068
2024-08-29	4:17:40 AM	1213.00	17.8386	0.7561	17.0825	-0.0482	2.1032	2.0068
2024-08-29	4:18:40 AM	1214.00	17.8385	0.7559	17.0826	-0.0483	2.1033	2.0067
2024-08-29	4:19:40 AM	1215.00	17.8385	0.756	17.0825	-0.0482	2.1032	2.0068
2024-08-29	4:20:40 AM	1216.00	17.839	0.7559	17.0831	-0.0488	2.1038	2.0062
2024-08-29	4:21:40 AM	1217.00	17.8386	0.7558	17.0828	-0.0485	2.1035	2.0065
2024-08-29	4:22:40 AM	1218.00	17.8386	0.7559	17.0827	-0.0484	2.1034	2.0066
2024-08-29	4:23:40 AM	1219.00	17.8385	0.7559	17.0826	-0.0483	2.1033	2.0067
2024-08-29	4:24:40 AM	1220.00	17.8386	0.756	17.0826	-0.0483	2.1033	2.0067
2024-08-29	4:25:40 AM	1221.00	17.839	0.7559	17.0831	-0.0488	2.1038	2.0062

Pumping Test (Data Logger and Baro Logger)

2024-08-29	4:26:40 AM	1222.00	17.8375	0.7561	17.0814	-0.0471	2.1021	2.0079
2024-08-29	4:27:40 AM	1223.00	17.8375	0.756	17.0815	-0.0472	2.1022	2.0078
2024-08-29	4:28:40 AM	1224.00	17.8373	0.7559	17.0814	-0.0471	2.1021	2.0079
2024-08-29	4:29:40 AM	1225.00	17.8368	0.7558	17.081	-0.0467	2.1017	2.0083
2024-08-29	4:30:40 AM	1226.00	17.8364	0.7556	17.0808	-0.0465	2.1015	2.0085
2024-08-29	4:31:40 AM	1227.00	17.836	0.7558	17.0802	-0.0459	2.1009	2.0091
2024-08-29	4:32:40 AM	1228.00	17.8355	0.7558	17.0797	-0.0454	2.1004	2.0096
2024-08-29	4:33:40 AM	1229.00	17.8351	0.7559	17.0792	-0.0449	2.0999	2.0101
2024-08-29	4:34:40 AM	1230.00	17.8352	0.7562	17.079	-0.0447	2.0997	2.0103
2024-08-29	4:35:40 AM	1231.00	17.8353	0.7561	17.0792	-0.0449	2.0999	2.0101
2024-08-29	4:36:40 AM	1232.00	17.8353	0.7562	17.0791	-0.0448	2.0998	2.0102
2024-08-29	4:37:40 AM	1233.00	17.8349	0.7564	17.0785	-0.0442	2.0992	2.0108
2024-08-29	4:38:40 AM	1234.00	17.8351	0.7568	17.0783	-0.044	2.099	2.011
2024-08-29	4:39:40 AM	1235.00	17.8355	0.7569	17.0786	-0.0443	2.0993	2.0107
2024-08-29	4:40:40 AM	1236.00	17.8354	0.7571	17.0783	-0.044	2.099	2.011
2024-08-29	4:41:40 AM	1237.00	17.8355	0.757	17.0785	-0.0442	2.0992	2.0108
2024-08-29	4:42:40 AM	1238.00	17.8359	0.7572	17.0787	-0.0444	2.0994	2.0106
2024-08-29	4:43:40 AM	1239.00	17.8361	0.7573	17.0788	-0.0445	2.0995	2.0105
2024-08-29	4:44:40 AM	1240.00	17.836	0.7572	17.0788	-0.0445	2.0995	2.0105
2024-08-29	4:45:40 AM	1241.00	17.8362	0.7573	17.0789	-0.0446	2.0996	2.0104
2024-08-29	4:46:40 AM	1242.00	17.8366	0.7575	17.0791	-0.0448	2.0998	2.0102
2024-08-29	4:47:40 AM	1243.00	17.8368	0.7578	17.079	-0.0447	2.0997	2.0103
2024-08-29	4:48:40 AM	1244.00	17.8368	0.7578	17.079	-0.0447	2.0997	2.0103
2024-08-29	4:49:40 AM	1245.00	17.8372	0.7578	17.0794	-0.0451	2.1001	2.0099
2024-08-29	4:50:40 AM	1246.00	17.8376	0.7578	17.0798	-0.0455	2.1005	2.0095
2024-08-29	4:51:40 AM	1247.00	17.8376	0.7579	17.0797	-0.0454	2.1004	2.0096
2024-08-29	4:52:40 AM	1248.00	17.8381	0.7582	17.0799	-0.0456	2.1006	2.0094
2024-08-29	4:53:40 AM	1249.00	17.8386	0.7582	17.0804	-0.0461	2.1011	2.0089
2024-08-29	4:54:40 AM	1250.00	17.8386	0.7582	17.0804	-0.0461	2.1011	2.0089
2024-08-29	4:55:40 AM	1251.00	17.8391	0.7587	17.0804	-0.0461	2.1011	2.0089
2024-08-29	4:56:40 AM	1252.00	17.8396	0.7586	17.081	-0.0467	2.1017	2.0083
2024-08-29	4:57:40 AM	1253.00	17.8405	0.7589	17.0816	-0.0473	2.1023	2.0077
2024-08-29	4:58:40 AM	1254.00	17.8406	0.7588	17.0818	-0.0475	2.1025	2.0075
2024-08-29	4:59:40 AM	1255.00	17.841	0.7587	17.0823	-0.048	2.103	2.007
2024-08-29	5:00:40 AM	1256.00	17.8409	0.7587	17.0822	-0.0479	2.1029	2.0071
2024-08-29	5:01:40 AM	1257.00	17.8413	0.7587	17.0826	-0.0483	2.1033	2.0067
2024-08-29	5:02:40 AM	1258.00	17.8418	0.7588	17.083	-0.0487	2.1037	2.0063
2024-08-29	5:03:40 AM	1259.00	17.8416	0.759	17.0826	-0.0483	2.1033	2.0067
2024-08-29	5:04:40 AM	1260.00	17.842	0.7591	17.0829	-0.0486	2.1036	2.0064
2024-08-29	5:05:40 AM	1261.00	17.8423	0.7593	17.083	-0.0487	2.1037	2.0063
2024-08-29	5:06:40 AM	1262.00	17.8423	0.7592	17.0831	-0.0488	2.1038	2.0062
2024-08-29	5:07:40 AM	1263.00	17.8426	0.7591	17.0835	-0.0492	2.1042	2.0058
2024-08-29	5:08:40 AM	1264.00	17.8424	0.7591	17.0833	-0.049	2.104	2.006
2024-08-29	5:09:40 AM	1265.00	17.8427	0.7591	17.0836	-0.0493	2.1043	2.0057
2024-08-29	5:10:40 AM	1266.00	17.8425	0.7591	17.0834	-0.0491	2.1041	2.0059
2024-08-29	5:11:40 AM	1267.00	17.8426	0.7591	17.0835	-0.0492	2.1042	2.0058
2024-08-29	5:12:40 AM	1268.00	17.8425	0.7593	17.0832	-0.0489	2.1039	2.0061
2024-08-29	5:13:40 AM	1269.00	17.842	0.7595	17.0825	-0.0482	2.1032	2.0068
2024-08-29	5:14:40 AM	1270.00	17.8421	0.7596	17.0825	-0.0482	2.1032	2.0068
2024-08-29	5:15:40 AM	1271.00	17.8418	0.7595	17.0823	-0.048	2.103	2.007
2024-08-29	5:16:40 AM	1272.00	17.8419	0.7598	17.0821	-0.0478	2.1028	2.0072
2024-08-29	5:17:40 AM	1273.00	17.8421	0.7599	17.0822	-0.0479	2.1029	2.0071
2024-08-29	5:18:40 AM	1274.00	17.842	0.7602	17.0818	-0.0475	2.1025	2.0075
2024-08-29	5:19:40 AM	1275.00	17.8421	0.7601	17.082	-0.0477	2.1027	2.0073
2024-08-29	5:20:40 AM	1276.00	17.8421	0.7602	17.0819	-0.0476	2.1026	2.0074
2024-08-29	5:21:40 AM	1277.00	17.8422	0.7602	17.082	-0.0477	2.1027	2.0073
2024-08-29	5:22:40 AM	1278.00	17.8422	0.7603	17.0819	-0.0476	2.1026	2.0074
2024-08-29	5:23:40 AM	1279.00	17.8424	0.7602	17.0822	-0.0479	2.1029	2.0071
2024-08-29	5:24:40 AM	1280.00	17.8425	0.7606	17.0819	-0.0476	2.1026	2.0074
2024-08-29	5:25:40 AM	1281.00	17.8424	0.7607	17.0817	-0.0474	2.1024	2.0076
2024-08-29	5:26:40 AM	1282.00	17.8423	0.7607	17.0816	-0.0473	2.1023	2.0077
2024-08-29	5:27:40 AM	1283.00	17.8428	0.7607	17.0821	-0.0478	2.1028	2.0072
2024-08-29	5:28:40 AM	1284.00	17.8426	0.7608	17.0818	-0.0475	2.1025	2.0075
2024-08-29	5:29:40 AM	1285.00	17.8424	0.7606	17.0818	-0.0475	2.1025	2.0075
2024-08-29	5:30:40 AM	1286.00	17.8421	0.7607	17.0814	-0.0471	2.1021	2.0079
2024-08-29	5:31:40 AM	1287.00	17.8423	0.7607	17.0816	-0.0473	2.1023	2.0077
2024-08-29	5:32:40 AM	1288.00	17.8418	0.7607	17.0811	-0.0468	2.1018	2.0082
2024-08-29	5:33:40 AM	1289.00	17.8421	0.7607	17.0814	-0.0471	2.1021	2.0079
2024-08-29	5:34:40 AM	1290.00	17.842	0.7608	17.0812	-0.0469	2.1019	2.0081

Pumping Test (Data Logger and Baro Logger)

2024-08-29	5:35:40 AM	1291.00	17.8421	0.7609	17.0812	-0.0469	2.1019	2.0081
2024-08-29	5:36:40 AM	1292.00	17.842	0.761	17.081	-0.0467	2.1017	2.0083
2024-08-29	5:37:40 AM	1293.00	17.8426	0.7609	17.0817	-0.0474	2.1024	2.0076
2024-08-29	5:38:40 AM	1294.00	17.8422	0.7611	17.0811	-0.0468	2.1018	2.0082
2024-08-29	5:39:40 AM	1295.00	17.8421	0.7612	17.0809	-0.0466	2.1016	2.0084
2024-08-29	5:40:40 AM	1296.00	17.8422	0.7613	17.0809	-0.0466	2.1016	2.0084
2024-08-29	5:41:40 AM	1297.00	17.8423	0.7614	17.0809	-0.0466	2.1016	2.0084
2024-08-29	5:42:40 AM	1298.00	17.8426	0.7614	17.0812	-0.0469	2.1019	2.0081
2024-08-29	5:43:40 AM	1299.00	17.8432	0.7615	17.0817	-0.0474	2.1024	2.0076
2024-08-29	5:44:40 AM	1300.00	17.8433	0.7616	17.0817	-0.0474	2.1024	2.0076
2024-08-29	5:45:40 AM	1301.00	17.8433	0.7617	17.0816	-0.0473	2.1023	2.0077
2024-08-29	5:46:40 AM	1302.00	17.8434	0.7618	17.0816	-0.0473	2.1023	2.0077
2024-08-29	5:47:40 AM	1303.00	17.8391	0.762	17.0771	-0.0428	2.0978	2.0122
2024-08-29	5:48:40 AM	1304.00	17.8106	0.762	17.0486	-0.0143	2.0693	2.0407
2024-08-29	5:49:40 AM	1305.00	17.8155	0.762	17.0535	-0.0192	2.0742	2.0358
2024-08-29	5:50:40 AM	1306.00	17.8192	0.7621	17.0571	-0.0228	2.0778	2.0322
2024-08-29	5:51:40 AM	1307.00	17.8219	0.762	17.0599	-0.0256	2.0806	2.0294
2024-08-29	5:52:40 AM	1308.00	17.8243	0.762	17.0623	-0.028	2.083	2.027
2024-08-29	5:53:40 AM	1309.00	17.8259	0.7623	17.0636	-0.0293	2.0843	2.0257
2024-08-29	5:54:40 AM	1310.00	17.8266	0.7622	17.0644	-0.0301	2.0851	2.0249
2024-08-29	5:55:40 AM	1311.00	17.8266	0.762	17.0646	-0.0303	2.0853	2.0247
2024-08-29	5:56:40 AM	1312.00	17.8276	0.762	17.0656	-0.0313	2.0863	2.0237
2024-08-29	5:57:40 AM	1313.00	17.8281	0.7621	17.066	-0.0317	2.0867	2.0233
2024-08-29	5:58:40 AM	1314.00	17.829	0.7619	17.0671	-0.0328	2.0878	2.0222
2024-08-29	5:59:40 AM	1315.00	17.8292	0.7619	17.0673	-0.033	2.088	2.022
2024-08-29	6:00:40 AM	1316.00	17.8291	0.7616	17.0675	-0.0332	2.0882	2.0218
2024-08-29	6:01:40 AM	1317.00	17.8296	0.7616	17.068	-0.0337	2.0887	2.0213
2024-08-29	6:02:40 AM	1318.00	17.8306	0.7617	17.0689	-0.0346	2.0896	2.0204
2024-08-29	6:03:40 AM	1319.00	17.831	0.762	17.069	-0.0347	2.0897	2.0203
2024-08-29	6:04:40 AM	1320.00	17.8313	0.7621	17.0692	-0.0349	2.0899	2.0201
2024-08-29	6:05:40 AM	1321.00	17.8319	0.7621	17.0698	-0.0355	2.0905	2.0195
2024-08-29	6:06:40 AM	1322.00	17.8323	0.7623	17.07	-0.0357	2.0907	2.0193
2024-08-29	6:07:40 AM	1323.00	17.8329	0.7623	17.0706	-0.0363	2.0913	2.0187
2024-08-29	6:08:40 AM	1324.00	17.8333	0.7623	17.071	-0.0367	2.0917	2.0183
2024-08-29	6:09:40 AM	1325.00	17.833	0.7621	17.0709	-0.0366	2.0916	2.0184
2024-08-29	6:10:40 AM	1326.00	17.8335	0.7623	17.0712	-0.0369	2.0919	2.0181
2024-08-29	6:11:40 AM	1327.00	17.8331	0.7622	17.0709	-0.0366	2.0916	2.0184
2024-08-29	6:12:40 AM	1328.00	17.8336	0.7623	17.0713	-0.037	2.092	2.018
2024-08-29	6:13:40 AM	1329.00	17.8339	0.7622	17.0717	-0.0374	2.0924	2.0176
2024-08-29	6:14:40 AM	1330.00	17.8343	0.762	17.0723	-0.038	2.093	2.017
2024-08-29	6:15:40 AM	1331.00	17.8339	0.7622	17.0717	-0.0374	2.0924	2.0176
2024-08-29	6:16:40 AM	1332.00	17.8337	0.7621	17.0716	-0.0373	2.0923	2.0177
2024-08-29	6:17:40 AM	1333.00	17.8344	0.762	17.0724	-0.0381	2.0931	2.0169
2024-08-29	6:18:40 AM	1334.00	17.8339	0.762	17.0719	-0.0376	2.0926	2.0174
2024-08-29	6:19:40 AM	1335.00	17.8338	0.762	17.0718	-0.0375	2.0925	2.0175
2024-08-29	6:20:40 AM	1336.00	17.8336	0.7619	17.0717	-0.0374	2.0924	2.0176
2024-08-29	6:21:40 AM	1337.00	17.8338	0.7622	17.0716	-0.0373	2.0923	2.0177
2024-08-29	6:22:40 AM	1338.00	17.8343	0.7625	17.0718	-0.0375	2.0925	2.0175
2024-08-29	6:23:40 AM	1339.00	17.835	0.7628	17.0722	-0.0379	2.0929	2.0171
2024-08-29	6:24:40 AM	1340.00	17.8354	0.7628	17.0726	-0.0383	2.0933	2.0167
2024-08-29	6:25:40 AM	1341.00	17.8355	0.7629	17.0726	-0.0383	2.0933	2.0167
2024-08-29	6:26:40 AM	1342.00	17.8361	0.7632	17.0729	-0.0386	2.0936	2.0164
2024-08-29	6:27:40 AM	1343.00	17.8358	0.7632	17.0726	-0.0383	2.0933	2.0167
2024-08-29	6:28:40 AM	1344.00	17.8356	0.7634	17.0722	-0.0379	2.0929	2.0171
2024-08-29	6:29:40 AM	1345.00	17.8361	0.7636	17.0725	-0.0382	2.0932	2.0168
2024-08-29	6:30:40 AM	1346.00	17.8368	0.7636	17.0732	-0.0389	2.0939	2.0161
2024-08-29	6:31:40 AM	1347.00	17.8369	0.7634	17.0735	-0.0392	2.0942	2.0158
2024-08-29	6:32:40 AM	1348.00	17.8373	0.7638	17.0735	-0.0392	2.0942	2.0158
2024-08-29	6:33:40 AM	1349.00	17.837	0.7641	17.0729	-0.0386	2.0936	2.0164
2024-08-29	6:34:40 AM	1350.00	17.8375	0.7643	17.0732	-0.0389	2.0939	2.0161
2024-08-29	6:35:40 AM	1351.00	17.8381	0.7644	17.0737	-0.0394	2.0944	2.0156
2024-08-29	6:36:40 AM	1352.00	17.8394	0.7646	17.0748	-0.0405	2.0955	2.0145
2024-08-29	6:37:40 AM	1353.00	17.8386	0.7646	17.074	-0.0397	2.0947	2.0153
2024-08-29	6:38:40 AM	1354.00	17.8397	0.7649	17.0748	-0.0405	2.0955	2.0145
2024-08-29	6:39:40 AM	1355.00	17.8391	0.7651	17.074	-0.0397	2.0947	2.0153
2024-08-29	6:40:40 AM	1356.00	17.8399	0.765	17.0749	-0.0406	2.0956	2.0144
2024-08-29	6:41:40 AM	1357.00	17.8401	0.7651	17.075	-0.0407	2.0957	2.0143
2024-08-29	6:42:40 AM	1358.00	17.8409	0.7652	17.0757	-0.0414	2.0964	2.0136
2024-08-29	6:43:40 AM	1359.00	17.8401	0.7652	17.0749	-0.0406	2.0956	2.0144

Pumping Test (Data Logger and Baro Logger)

2024-08-29	6:44:40 AM	1360.00	17.8409	0.7652	17.0757	-0.0414	2.0964	2.0136
2024-08-29	6:45:40 AM	1361.00	17.8409	0.7654	17.0755	-0.0412	2.0962	2.0138
2024-08-29	6:46:40 AM	1362.00	17.8411	0.7657	17.0754	-0.0411	2.0961	2.0139
2024-08-29	6:47:40 AM	1363.00	17.8416	0.7659	17.0757	-0.0414	2.0964	2.0136
2024-08-29	6:48:40 AM	1364.00	17.842	0.7662	17.0758	-0.0415	2.0965	2.0135
2024-08-29	6:49:40 AM	1365.00	17.843	0.7663	17.0767	-0.0424	2.0974	2.0126
2024-08-29	6:50:40 AM	1366.00	17.8433	0.7662	17.0771	-0.0428	2.0978	2.0122
2024-08-29	6:51:40 AM	1367.00	17.8449	0.7664	17.0785	-0.0442	2.0992	2.0108
2024-08-29	6:52:40 AM	1368.00	17.8466	0.7663	17.0803	-0.046	2.101	2.009
2024-08-29	6:53:40 AM	1369.00	17.8439	0.7665	17.0774	-0.0431	2.0981	2.0119
2024-08-29	6:54:40 AM	1370.00	17.8451	0.7664	17.0787	-0.0444	2.0994	2.0106
2024-08-29	6:55:40 AM	1371.00	17.845	0.7663	17.0787	-0.0444	2.0994	2.0106
2024-08-29	6:56:40 AM	1372.00	17.8456	0.7659	17.0797	-0.0454	2.1004	2.0096
2024-08-29	6:57:40 AM	1373.00	17.8462	0.766	17.0802	-0.0459	2.1009	2.0091
2024-08-29	6:58:40 AM	1374.00	17.8468	0.7661	17.0807	-0.0464	2.1014	2.0086
2024-08-29	6:59:40 AM	1375.00	17.847	0.7663	17.0807	-0.0464	2.1014	2.0086
2024-08-29	7:00:40 AM	1376.00	17.8471	0.7663	17.0808	-0.0465	2.1015	2.0085
2024-08-29	7:01:40 AM	1377.00	17.8482	0.7665	17.0817	-0.0474	2.1024	2.0076
2024-08-29	7:02:40 AM	1378.00	17.8478	0.7664	17.0814	-0.0471	2.1021	2.0079
2024-08-29	7:03:40 AM	1379.00	17.8479	0.7663	17.0816	-0.0473	2.1023	2.0077
2024-08-29	7:04:40 AM	1380.00	17.8485	0.7663	17.0822	-0.0479	2.1029	2.0071
2024-08-29	7:05:40 AM	1381.00	17.8486	0.7662	17.0824	-0.0481	2.1031	2.0069
2024-08-29	7:06:40 AM	1382.00	17.8489	0.7662	17.0827	-0.0484	2.1034	2.0066
2024-08-29	7:07:40 AM	1383.00	17.8493	0.7662	17.0831	-0.0488	2.1038	2.0062
2024-08-29	7:08:40 AM	1384.00	17.8497	0.7665	17.0832	-0.0489	2.1039	2.0061
2024-08-29	7:09:40 AM	1385.00	17.8497	0.7664	17.0833	-0.049	2.104	2.006
2024-08-29	7:10:40 AM	1386.00	17.8508	0.7666	17.0842	-0.0499	2.1049	2.0051
2024-08-29	7:11:40 AM	1387.00	17.8509	0.7668	17.0841	-0.0498	2.1048	2.0052
2024-08-29	7:12:40 AM	1388.00	17.8511	0.7668	17.0843	-0.05	2.105	2.005
2024-08-29	7:13:40 AM	1389.00	17.8498	0.7667	17.0831	-0.0488	2.1038	2.0062
2024-08-29	7:14:40 AM	1390.00	17.8222	0.7668	17.0554	-0.0211	2.0761	2.0339
2024-08-29	7:15:40 AM	1391.00	17.8264	0.767	17.0594	-0.0251	2.0801	2.0299
2024-08-29	7:16:40 AM	1392.00	17.8313	0.7672	17.0641	-0.0298	2.0848	2.0252
2024-08-29	7:17:40 AM	1393.00	17.8341	0.7674	17.0667	-0.0324	2.0874	2.0226
2024-08-29	7:18:40 AM	1394.00	17.8366	0.7675	17.0691	-0.0348	2.0898	2.0202
2024-08-29	7:19:40 AM	1395.00	17.8385	0.7674	17.0711	-0.0368	2.0918	2.0182
2024-08-29	7:20:40 AM	1396.00	17.8403	0.7676	17.0727	-0.0384	2.0934	2.0166
2024-08-29	7:21:40 AM	1397.00	17.8417	0.7675	17.0742	-0.0399	2.0949	2.0151
2024-08-29	7:22:40 AM	1398.00	17.8427	0.7676	17.0751	-0.0408	2.0958	2.0142
2024-08-29	7:23:40 AM	1399.00	17.844	0.7678	17.0762	-0.0419	2.0969	2.0131
2024-08-29	7:24:40 AM	1400.00	17.8451	0.7677	17.0774	-0.0431	2.0981	2.0119
2024-08-29	7:25:40 AM	1401.00	17.8458	0.7678	17.078	-0.0437	2.0987	2.0113
2024-08-29	7:26:40 AM	1402.00	17.8467	0.7679	17.0788	-0.0445	2.0995	2.0105
2024-08-29	7:27:40 AM	1403.00	17.8479	0.7683	17.0796	-0.0453	2.1003	2.0097
2024-08-29	7:28:40 AM	1404.00	17.8485	0.7683	17.0802	-0.0459	2.1009	2.0091
2024-08-29	7:29:40 AM	1405.00	17.8496	0.7684	17.0812	-0.0469	2.1019	2.0081
2024-08-29	7:30:40 AM	1406.00	17.8498	0.7686	17.0812	-0.0469	2.1019	2.0081
2024-08-29	7:31:40 AM	1407.00	17.8507	0.7691	17.0816	-0.0473	2.1023	2.0077
2024-08-29	7:32:40 AM	1408.00	17.8515	0.7694	17.0821	-0.0478	2.1028	2.0072
2024-08-29	7:33:40 AM	1409.00	17.8523	0.7695	17.0828	-0.0485	2.1035	2.0065
2024-08-29	7:34:40 AM	1410.00	17.8535	0.7697	17.0838	-0.0495	2.1045	2.0055
2024-08-29	7:35:40 AM	1411.00	17.8535	0.7699	17.0836	-0.0493	2.1043	2.0057
2024-08-29	7:36:40 AM	1412.00	17.8543	0.7702	17.0841	-0.0498	2.1048	2.0052
2024-08-29	7:37:40 AM	1413.00	17.855	0.7704	17.0846	-0.0503	2.1053	2.0047
2024-08-29	7:38:40 AM	1414.00	17.8555	0.7704	17.0851	-0.0508	2.1058	2.0042
2024-08-29	7:39:40 AM	1415.00	17.8558	0.7704	17.0854	-0.0511	2.1061	2.0039
2024-08-29	7:40:40 AM	1416.00	17.8561	0.7707	17.0854	-0.0511	2.1061	2.0039
2024-08-29	7:41:40 AM	1417.00	17.8562	0.7711	17.0851	-0.0508	2.1058	2.0042
2024-08-29	7:42:40 AM	1418.00	17.8564	0.771	17.0854	-0.0511	2.1061	2.0039
2024-08-29	7:43:40 AM	1419.00	17.8572	0.7711	17.0861	-0.0518	2.1068	2.0032
2024-08-29	7:44:40 AM	1420.00	17.8577	0.7713	17.0864	-0.0521	2.1071	2.0029
2024-08-29	7:45:40 AM	1421.00	17.8583	0.7714	17.0869	-0.0526	2.1076	2.0024
2024-08-29	7:46:40 AM	1422.00	17.8579	0.771	17.0869	-0.0526	2.1076	2.0024
2024-08-29	7:47:40 AM	1423.00	17.8582	0.7712	17.087	-0.0527	2.1077	2.0023
2024-08-29	7:48:40 AM	1424.00	17.8584	0.7715	17.0869	-0.0526	2.1076	2.0024
2024-08-29	7:49:40 AM	1425.00	17.8584	0.7714	17.087	-0.0527	2.1077	2.0023
2024-08-29	7:50:40 AM	1426.00	17.8592	0.7715	17.0877	-0.0534	2.1084	2.0016
2024-08-29	7:51:40 AM	1427.00	17.8589	0.7718	17.0871	-0.0528	2.1078	2.0022
2024-08-29	7:52:40 AM	1428.00	17.8591	0.7719	17.0872	-0.0529	2.1079	2.0021

Pumping Test (Data Logger and Baro Logger)

2024-08-29	7:53:40 AM	1429.00	17.8593	0.772	17.0873	-0.053	2.108	2.002
2024-08-29	7:54:40 AM	1430.00	17.8593	0.7724	17.0869	-0.0526	2.1076	2.0024
2024-08-29	7:55:40 AM	1431.00	17.8596	0.7726	17.087	-0.0527	2.1077	2.0023
2024-08-29	7:56:40 AM	1432.00	17.8599	0.7729	17.087	-0.0527	2.1077	2.0023
2024-08-29	7:57:40 AM	1433.00	17.8598	0.7732	17.0866	-0.0523	2.1073	2.0027
2024-08-29	7:58:40 AM	1434.00	17.8605	0.7733	17.0872	-0.0529	2.1079	2.0021
2024-08-29	7:59:40 AM	1435.00	17.8603	0.7736	17.0867	-0.0524	2.1074	2.0026
2024-08-29	8:00:40 AM	1436.00	17.8595	0.7741	17.0854	-0.0511	2.1061	2.0039
2024-08-29	8:01:40 AM	1437.00	17.8592	0.7743	17.0849	-0.0506	2.1056	2.0044
2024-08-29	8:02:40 AM	1438.00	17.8584	0.7744	17.084	-0.0497	2.1047	2.0053
2024-08-29	8:03:40 AM	1439.00	17.8588	0.7745	17.0843	-0.05	2.105	2.005
2024-08-29	8:04:40 AM	1440.00	17.8582	0.7749	17.0833	-0.049	2.104	2.006
2024-08-29	8:05:40 AM	1441.00	17.8575	0.775	17.0825	-0.0482	2.1032	2.0068
2024-08-29	8:06:40 AM	1442.00	17.8577	0.7754	17.0823	-0.048	2.103	2.007
2024-08-29	8:07:40 AM	1443.00	17.8576	0.7755	17.0821	-0.0478	2.1028	2.0072
2024-08-29	8:08:40 AM	1444.00	17.8575	0.7761	17.0814	-0.0471	2.1021	2.0079
2024-08-29	8:09:40 AM	1445.00	17.8568	0.776	17.0808	-0.0465	2.1015	2.0085
2024-08-29	8:10:40 AM	1446.00	17.8566	0.7762	17.0804	-0.0461	2.1011	2.0089
2024-08-29	8:11:40 AM	1447.00	17.8571	0.7766	17.0805	-0.0462	2.1012	2.0088
2024-08-29	8:12:40 AM	1448.00	17.8563	0.7768	17.0795	-0.0452	2.1002	2.0098
2024-08-29	8:13:40 AM	1449.00	17.8563	0.7769	17.0794	-0.0451	2.1001	2.0099
2024-08-29	8:14:40 AM	1450.00	17.8561	0.7772	17.0789	-0.0446	2.0996	2.0104
2024-08-29	8:15:40 AM	1451.00	17.8559	0.7773	17.0786	-0.0443	2.0993	2.0107
2024-08-29	8:16:40 AM	1452.00	17.8559	0.7776	17.0783	-0.044	2.099	2.011
2024-08-29	8:17:40 AM	1453.00	17.8558	0.778	17.0778	-0.0435	2.0985	2.0115
2024-08-29	8:18:40 AM	1454.00	17.8556	0.778	17.0776	-0.0433	2.0983	2.0117
2024-08-29	8:19:40 AM	1455.00	17.8552	0.7782	17.077	-0.0427	2.0977	2.0123
2024-08-29	8:20:40 AM	1456.00	17.8551	0.7781	17.077	-0.0427	2.0977	2.0123
2024-08-29	8:21:40 AM	1457.00	17.8551	0.7778	17.0773	-0.043	2.098	2.012
2024-08-29	8:22:40 AM	1458.00	17.855	0.7785	17.0765	-0.0422	2.0972	2.0128
2024-08-29	8:23:40 AM	1459.00	17.8546	0.7789	17.0757	-0.0414	2.0964	2.0136
2024-08-29	8:24:40 AM	1460.00	17.854	0.7791	17.0749	-0.0406	2.0956	2.0144
2024-08-29	8:25:40 AM	1461.00	17.8531	0.7792	17.0739	-0.0396	2.0946	2.0154
2024-08-29	8:26:40 AM	1462.00	17.8527	0.7791	17.0736	-0.0393	2.0943	2.0157
2024-08-29	8:27:40 AM	1463.00	17.8529	0.7793	17.0736	-0.0393	2.0943	2.0157
2024-08-29	8:28:40 AM	1464.00	17.8525	0.7799	17.0726	-0.0383	2.0933	2.0167
2024-08-29	8:29:40 AM	1465.00	17.8526	0.7804	17.0722	-0.0379	2.0929	2.0171
2024-08-29	8:30:40 AM	1466.00	17.8528	0.7801	17.0727	-0.0384	2.0934	2.0166
2024-08-29	8:31:40 AM	1467.00	17.8528	0.7805	17.0723	-0.038	2.093	2.017
2024-08-29	8:32:40 AM	1468.00	17.8526	0.7806	17.072	-0.0377	2.0927	2.0173
2024-08-29	8:33:40 AM	1469.00	17.8527	0.781	17.0717	-0.0374	2.0924	2.0176
2024-08-29	8:34:40 AM	1470.00	17.8529	0.7813	17.0716	-0.0373	2.0923	2.0177
2024-08-29	8:35:40 AM	1471.00	17.8529	0.7816	17.0713	-0.037	2.092	2.018
2024-08-29	8:36:40 AM	1472.00	17.8373	0.7818	17.0555	-0.0212	2.0762	2.0338
2024-08-29	8:37:40 AM	1473.00	17.8203	0.782	17.0383	-0.004	2.059	2.051
2024-08-29	8:38:40 AM	1474.00	17.8249	0.7823	17.0426	-0.0083	2.0633	2.0467
2024-08-29	8:39:40 AM	1475.00	17.8211	0.7823	17.0388	-0.0045	2.0595	2.0505
2024-08-29	8:40:40 AM	1476.00	17.7991	0.7821	17.017	0.0173	2.0377	2.0723
2024-08-29	8:41:40 AM	1477.00	17.806	0.7828	17.0232	0.0111	2.0439	2.0661
2024-08-29	8:42:40 AM	1478.00	17.8118	0.7828	17.029	0.0053	2.0497	2.0603
2024-08-29	8:43:40 AM	1479.00	17.816	0.7829	17.0331	0.0012	2.0538	2.0562
2024-08-29	8:44:40 AM	1480.00	17.8072	0.7833	17.0239	0.0104	2.0446	2.0654
2024-08-29	8:45:40 AM	1481.00	17.7894	0.7836	17.0058	0.0285	2.0265	2.0835
2024-08-29	8:46:40 AM	1482.00	17.7967	0.7838	17.0129	0.0214	2.0336	2.0764
2024-08-29	8:47:40 AM	1483.00	17.8019	0.7837	17.0182	0.0161	2.0389	2.0711
2024-08-29	8:48:40 AM	1484.00	17.7751	0.7845	16.9906	0.0437	2.0113	2.0987
2024-08-29	8:49:40 AM	1485.00	17.7797	0.7847	16.995	0.0393	2.0157	2.0943
2024-08-29	8:50:40 AM	1486.00	17.7877	0.7858	17.0019	0.0324	2.0226	2.0874
2024-08-29	8:51:40 AM	1487.00	17.7634	0.7852	16.9782	0.0561	1.9989	2.1111
2024-08-29	8:52:40 AM	1488.00	17.768	0.7857	16.9823	0.052	2.003	2.107
2024-08-29	8:53:40 AM	1489.00	17.7762	0.7861	16.9901	0.0442	2.0108	2.0992
2024-08-29	8:54:40 AM	1490.00	17.7828	0.786	16.9968	0.0375	2.0175	2.0925
2024-08-29	8:55:40 AM	1491.00	17.7554	0.7862	16.9692	0.0651	1.9899	2.1201
2024-08-29	8:56:40 AM	1492.00	17.7621	0.7861	16.976	0.0583	1.9967	2.1133
2024-08-29	8:57:40 AM	1493.00	17.7703	0.7865	16.9838	0.0505	2.0045	2.1055
2024-08-29	8:58:40 AM	1494.00	17.7683	0.7862	16.9821	0.0522	2.0028	2.1072
2024-08-29	8:59:40 AM	1495.00	17.7498	0.7861	16.9637	0.0706	1.9844	2.1256
2024-08-29	9:00:40 AM	1496.00	17.7583	0.7861	16.9722	0.0621	1.9929	2.1171

Pumping Test (Data Logger and Baro Logger)

2024-08-29	9:01:40 AM	17.7663
2024-08-29	9:02:40 AM	17.7424
2024-08-29	9:03:40 AM	17.75
2024-08-29	9:04:40 AM	17.7582
2024-08-29	9:05:40 AM	17.7648
2024-08-29	9:06:40 AM	17.7702
2024-08-29	9:07:40 AM	17.775
2024-08-29	9:08:40 AM	17.7793
2024-08-29	9:09:40 AM	17.782
2024-08-29	9:10:40 AM	17.7854
2024-08-29	9:11:40 AM	17.7874
2024-08-29	9:12:40 AM	17.7901
2024-08-29	9:13:40 AM	17.7923
2024-08-29	9:14:40 AM	17.7944
2024-08-29	9:15:40 AM	17.7961
2024-08-29	9:16:40 AM	17.7976
2024-08-29	9:17:40 AM	17.7989
2024-08-29	9:18:40 AM	17.8007
2024-08-29	9:19:40 AM	17.8019
2024-08-29	9:20:40 AM	17.8031
2024-08-29	9:21:40 AM	17.8043
2024-08-29	9:22:40 AM	17.8049
2024-08-29	9:23:40 AM	17.8061
2024-08-29	9:24:40 AM	17.8088
2024-08-29	9:25:40 AM	17.8076
2024-08-29	9:26:40 AM	17.8086
2024-08-29	9:27:40 AM	17.8091
2024-08-29	9:28:40 AM	17.81
2024-08-29	9:29:40 AM	17.8112
2024-08-29	9:30:40 AM	17.8116
2024-08-29	9:31:40 AM	17.8118
2024-08-29	9:32:40 AM	17.8126
2024-08-29	9:33:40 AM	17.8132
2024-08-29	9:34:40 AM	17.8133
2024-08-29	9:35:40 AM	17.8127
2024-08-29	9:36:40 AM	17.812
2024-08-29	9:37:40 AM	17.8116
2024-08-29	9:38:40 AM	10.2776
2024-08-29	9:39:40 AM	10.2813
2024-08-29	9:40:40 AM	10.283
2024-08-29	9:41:40 AM	10.2833
2024-08-29	9:42:40 AM	10.2845
2024-08-29	9:43:40 AM	10.284
2024-08-29	9:44:40 AM	10.2855
2024-08-29	9:45:40 AM	10.2854
2024-08-29	9:46:40 AM	10.2851
2024-08-29	9:47:40 AM	10.2852
2024-08-29	9:48:40 AM	10.286
2024-08-29	9:49:40 AM	10.2862
2024-08-29	9:50:40 AM	10.287
2024-08-29	9:51:40 AM	10.2875
2024-08-29	9:52:40 AM	10.2881
2024-08-29	9:53:40 AM	10.2883
2024-08-29	9:54:40 AM	10.2884
2024-08-29	9:55:40 AM	10.2885
2024-08-29	9:56:40 AM	10.2886
2024-08-29	9:57:40 AM	10.2863
2024-08-29	9:58:40 AM	10.288
2024-08-29	9:59:40 AM	10.2846
2024-08-29	10:00:40 AM	10.2859
2024-08-29	10:01:40 AM	10.2857
2024-08-29	10:02:40 AM	10.2839
2024-08-29	10:03:40 AM	10.2986
2024-08-29	10:04:40 AM	10.2962
2024-08-29	10:05:40 AM	10.295
2024-08-29	10:06:40 AM	10.2948
2024-08-29	10:07:40 AM	10.2935
2024-08-29	10:08:40 AM	10.2934
2024-08-29	10:09:40 AM	10.2927

Pumping Test (Data Logger and Baro Logger)

2024-08-29	10:10:40 AM	10.2928
2024-08-29	10:11:40 AM	10.2918
2024-08-29	10:12:40 AM	10.291
2024-08-29	10:13:40 AM	10.2913
2024-08-29	10:14:40 AM	10.2921
2024-08-29	10:15:40 AM	10.2942
2024-08-29	10:16:40 AM	10.293
2024-08-29	10:17:40 AM	10.2931
2024-08-29	10:18:40 AM	11.7891
2024-08-29	10:19:40 AM	17.7661
2024-08-29	10:20:40 AM	17.7128
2024-08-29	10:21:40 AM	17.7192
2024-08-29	10:22:40 AM	17.7204
2024-08-29	10:23:40 AM	17.7133
2024-08-29	10:24:40 AM	17.7198
2024-08-29	10:25:40 AM	17.7244
2024-08-29	10:26:40 AM	17.7188
2024-08-29	10:27:40 AM	17.7265
2024-08-29	10:28:40 AM	17.73
2024-08-29	10:29:40 AM	17.7267
2024-08-29	10:30:40 AM	17.7323
2024-08-29	10:31:40 AM	17.7217
2024-08-29	10:32:40 AM	17.7341
2024-08-29	10:33:40 AM	17.736
2024-08-29	10:34:40 AM	17.7301
2024-08-29	10:35:40 AM	17.7378
2024-08-29	10:36:40 AM	17.7418
2024-08-29	10:37:40 AM	17.737
2024-08-29	10:38:40 AM	17.7415
2024-08-29	10:39:40 AM	17.7321
2024-08-29	10:40:40 AM	17.7416
2024-08-29	10:41:40 AM	17.7349
2024-08-29	10:42:40 AM	17.7246
2024-08-29	10:43:40 AM	17.6884
2024-08-29	10:44:40 AM	17.7214
2024-08-29	10:45:40 AM	17.694
2024-08-29	10:46:40 AM	17.7286
2024-08-29	10:47:40 AM	17.7115
2024-08-29	10:48:40 AM	17.6857
2024-08-29	10:49:40 AM	17.7076
2024-08-29	10:50:40 AM	17.722
2024-08-29	10:51:40 AM	17.7287
2024-08-29	10:52:40 AM	17.7249
2024-08-29	10:53:40 AM	17.7328
2024-08-29	10:54:40 AM	17.7109
2024-08-29	10:55:40 AM	17.7334
2024-08-29	10:56:40 AM	17.7386
2024-08-29	10:57:40 AM	17.729
2024-08-29	10:58:40 AM	17.7394
2024-08-29	10:59:40 AM	17.7424
2024-08-29	11:00:40 AM	17.7386
2024-08-29	11:01:40 AM	17.7431
2024-08-29	11:02:40 AM	17.7354
2024-08-29	11:03:40 AM	17.7426
2024-08-29	11:04:40 AM	17.7455
2024-08-29	11:05:40 AM	17.7421
2024-08-29	11:06:40 AM	17.746
2024-08-29	11:07:40 AM	17.7485
2024-08-29	11:08:40 AM	17.7438
2024-08-29	11:09:40 AM	17.7485
2024-08-29	11:10:40 AM	17.7332
2024-08-29	11:11:40 AM	17.7468
2024-08-29	11:12:40 AM	17.7508
2024-08-29	11:13:40 AM	17.7477
2024-08-29	11:14:40 AM	17.7502
2024-08-29	11:15:40 AM	17.7531
2024-08-29	11:16:40 AM	17.7504
2024-08-29	11:17:40 AM	17.754
2024-08-29	11:18:40 AM	17.7514

Pumping Test (Data Logger and Baro Logger)

2024-08-29	11:19:40 AM	17.7268
2024-08-29	11:20:40 AM	17.7423
2024-08-29	11:21:40 AM	17.7504
2024-08-29	11:22:40 AM	17.7137
2024-08-29	11:23:40 AM	17.7504
2024-08-29	11:24:40 AM	17.7541
2024-08-29	11:25:40 AM	17.7493
2024-08-29	11:26:40 AM	17.7536
2024-08-29	11:27:40 AM	17.7465
2024-08-29	11:28:40 AM	17.7533
2024-08-29	11:29:40 AM	17.7305
2024-08-29	11:30:40 AM	17.7517
2024-08-29	11:31:40 AM	17.7553
2024-08-29	11:32:40 AM	17.7502
2024-08-29	11:33:40 AM	17.7541
2024-08-29	11:34:40 AM	17.7571
2024-08-29	11:35:40 AM	17.7503
2024-08-29	11:36:40 AM	17.7322
2024-08-29	11:37:40 AM	17.7401
2024-08-29	11:38:40 AM	17.7514
2024-08-29	11:39:40 AM	17.7455
2024-08-29	11:40:40 AM	17.7501
2024-08-29	11:41:40 AM	17.7534
2024-08-29	11:42:40 AM	17.7469
2024-08-29	11:43:40 AM	17.7443
2024-08-29	11:44:40 AM	17.753
2024-08-29	11:45:40 AM	17.7479
2024-08-29	11:46:40 AM	17.7524
2024-08-29	11:47:40 AM	17.7446
2024-08-29	11:48:40 AM	17.7518
2024-08-29	11:49:40 AM	17.7246
2024-08-29	11:50:40 AM	17.7493
2024-08-29	11:51:40 AM	17.7521
2024-08-29	11:52:40 AM	17.7473
2024-08-29	11:53:40 AM	17.751
2024-08-29	11:54:40 AM	17.7534
2024-08-29	11:55:40 AM	17.7481
2024-08-29	11:56:40 AM	17.7525
2024-08-29	11:57:40 AM	17.7237
2024-08-29	11:58:40 AM	17.7489
2024-08-29	11:59:40 AM	17.7513
2024-08-29	12:00:40 PM	17.7449
2024-08-29	12:01:40 PM	17.7494
2024-08-29	12:02:40 PM	17.7513
2024-08-29	12:03:40 PM	17.7446
2024-08-29	12:04:40 PM	17.7485
2024-08-29	12:05:40 PM	17.7358
2024-08-29	12:06:40 PM	17.7455
2024-08-29	12:07:40 PM	17.7481
2024-08-29	12:08:40 PM	17.7176
2024-08-29	12:09:40 PM	17.7363
2024-08-29	12:10:40 PM	17.7309
2024-08-29	12:11:40 PM	17.729
2024-08-29	12:12:40 PM	17.7402
2024-08-29	12:13:40 PM	17.7375
2024-08-29	12:14:40 PM	17.7421
2024-08-29	12:15:40 PM	17.7393
2024-08-29	12:16:40 PM	17.7048
2024-08-29	12:17:40 PM	17.7209
2024-08-29	12:18:40 PM	17.7019
2024-08-29	12:19:40 PM	17.6782
2024-08-29	12:20:40 PM	17.6821
2024-08-29	12:21:40 PM	17.7039
2024-08-29	12:22:40 PM	17.667
2024-08-29	12:23:40 PM	17.6809
2024-08-29	12:24:40 PM	17.6919
2024-08-29	12:25:40 PM	17.7005
2024-08-29	12:26:40 PM	17.6997
2024-08-29	12:27:40 PM	17.6682

Pumping Test (Data Logger and Baro Logger)

2024-08-29	12:28:40 PM	17.6989
2024-08-29	12:29:40 PM	17.7082
2024-08-29	12:30:40 PM	17.7031
2024-08-29	12:31:40 PM	17.7136
2024-08-29	12:32:40 PM	17.7067
2024-08-29	12:33:40 PM	17.717
2024-08-29	12:34:40 PM	17.708
2024-08-29	12:35:40 PM	17.7196
2024-08-29	12:36:40 PM	17.7033
2024-08-29	12:37:40 PM	17.7201
2024-08-29	12:38:40 PM	17.7243
2024-08-29	12:39:40 PM	17.7209
2024-08-29	12:40:40 PM	17.7248
2024-08-29	12:41:40 PM	17.7281
2024-08-29	12:42:40 PM	17.7227
2024-08-29	12:43:40 PM	17.7148
2024-08-29	12:44:40 PM	17.7213
2024-08-29	12:45:40 PM	17.7267
2024-08-29	12:46:40 PM	17.7202
2024-08-29	12:47:40 PM	17.7268
2024-08-29	12:48:40 PM	17.7018
2024-08-29	12:49:40 PM	17.7273
2024-08-29	12:50:40 PM	17.7192
2024-08-29	12:51:40 PM	17.7272
2024-08-29	12:52:40 PM	17.7304
2024-08-29	12:53:40 PM	17.7275
2024-08-29	12:54:40 PM	17.7314
2024-08-29	12:55:40 PM	17.7285
2024-08-29	12:56:40 PM	17.7321
2024-08-29	12:57:40 PM	17.7289
2024-08-29	12:58:40 PM	17.7325
2024-08-29	12:59:40 PM	17.7292
2024-08-29	1:00:40 PM	17.733
2024-08-29	1:01:40 PM	17.7297
2024-08-29	1:02:40 PM	17.7335
2024-08-29	1:03:40 PM	17.7301
2024-08-29	1:04:40 PM	17.7338
2024-08-29	1:05:40 PM	17.7302
2024-08-29	1:06:40 PM	17.7229
2024-08-29	1:07:40 PM	17.7205
2024-08-29	1:08:40 PM	17.7281
2024-08-29	1:09:40 PM	17.7206
2024-08-29	1:10:40 PM	17.727
2024-08-29	1:11:40 PM	17.7302
2024-08-29	1:12:40 PM	17.7223
2024-08-29	1:13:40 PM	17.7286
2024-08-29	1:14:40 PM	17.7209
2024-08-29	1:15:40 PM	17.7261
2024-08-29	1:16:40 PM	17.7299
2024-08-29	1:17:40 PM	17.7244
2024-08-29	1:18:40 PM	17.727
2024-08-29	1:19:40 PM	17.7103
2024-08-29	1:20:40 PM	17.7231
2024-08-29	1:21:40 PM	17.6958
2024-08-29	1:22:40 PM	17.7257
2024-08-29	1:23:40 PM	17.7024
2024-08-29	1:24:40 PM	17.7279
2024-08-29	1:25:40 PM	17.7089
2024-08-29	1:26:40 PM	17.729
2024-08-29	1:27:40 PM	17.722
2024-08-29	1:28:40 PM	17.7293
2024-08-29	1:29:40 PM	17.726
2024-08-29	1:30:40 PM	17.7301
2024-08-29	1:31:40 PM	17.7254
2024-08-29	1:32:40 PM	17.7302
2024-08-29	1:33:40 PM	17.7237
2024-08-29	1:34:40 PM	17.7281
2024-08-29	1:35:40 PM	17.7303
2024-08-29	1:36:40 PM	17.723

Pumping Test (Data Logger and Baro Logger)

2024-08-29	1:37:40 PM	17.6983
2024-08-29	1:38:40 PM	17.6959
2024-08-29	1:39:40 PM	17.7148
2024-08-29	1:40:40 PM	17.7104
2024-08-29	1:41:40 PM	17.7188
2024-08-29	1:42:40 PM	17.6906
2024-08-29	1:43:40 PM	17.719
2024-08-29	1:44:40 PM	17.6895
2024-08-29	1:45:40 PM	17.7203
2024-08-29	1:46:40 PM	17.7021
2024-08-29	1:47:40 PM	17.7213
2024-08-29	1:48:40 PM	17.7082
2024-08-29	1:49:40 PM	17.7089
2024-08-29	1:50:40 PM	17.7172
2024-08-29	1:51:40 PM	17.7162
2024-08-29	1:52:40 PM	17.7204
2024-08-29	1:53:40 PM	17.719
2024-08-29	1:54:40 PM	17.7227
2024-08-29	1:55:40 PM	17.7166
2024-08-29	1:56:40 PM	17.7228
2024-08-29	1:57:40 PM	17.6947
2024-08-29	1:58:40 PM	17.7227
2024-08-29	1:59:40 PM	17.6897
2024-08-29	2:00:40 PM	17.7231
2024-08-29	2:01:40 PM	17.6983
2024-08-29	2:02:40 PM	17.7229
2024-08-29	2:03:40 PM	17.7141
2024-08-29	2:04:40 PM	17.7235
2024-08-29	2:05:40 PM	17.7152
2024-08-29	2:06:40 PM	17.7231
2024-08-29	2:07:40 PM	17.715
2024-08-29	2:08:40 PM	17.723
2024-08-29	2:09:40 PM	17.7158
2024-08-29	2:10:40 PM	17.7231
2024-08-29	2:11:40 PM	17.717
2024-08-29	2:12:40 PM	17.7232
2024-08-29	2:13:40 PM	17.7178
2024-08-29	2:14:40 PM	17.7227
2024-08-29	2:15:40 PM	17.7168
2024-08-29	2:16:40 PM	17.7214
2024-08-29	2:17:40 PM	17.7165
2024-08-29	2:18:40 PM	17.7215
2024-08-29	2:19:40 PM	17.7169
2024-08-29	2:20:40 PM	17.7217
2024-08-29	2:21:40 PM	17.7176
2024-08-29	2:22:40 PM	17.7216
2024-08-29	2:23:40 PM	17.7036
2024-08-29	2:24:40 PM	17.7205
2024-08-29	2:25:40 PM	17.7227
2024-08-29	2:26:40 PM	17.7201
2024-08-29	2:27:40 PM	17.7227
2024-08-29	2:28:40 PM	17.7201
2024-08-29	2:29:40 PM	17.7149
2024-08-29	2:30:40 PM	17.7198
2024-08-29	2:31:40 PM	17.6966
2024-08-29	2:32:40 PM	17.7186
2024-08-29	2:33:40 PM	17.6892
2024-08-29	2:34:40 PM	17.719
2024-08-29	2:35:40 PM	17.7081
2024-08-29	2:36:40 PM	17.7187
2024-08-29	2:37:40 PM	17.7107
2024-08-29	2:38:40 PM	17.7196
2024-08-29	2:39:40 PM	17.712
2024-08-29	2:40:40 PM	17.7194
2024-08-29	2:41:40 PM	17.7121
2024-08-29	2:42:40 PM	17.7193
2024-08-29	2:43:40 PM	17.7144
2024-08-29	2:44:40 PM	17.7177
2024-08-29	2:45:40 PM	17.7201

Pumping Test (Data Logger and Baro Logger)

2024-08-29	2:46:40 PM	17.7058
2024-08-29	2:47:40 PM	17.7134
2024-08-29	2:48:40 PM	17.693
2024-08-29	2:49:40 PM	17.7068
2024-08-29	2:50:40 PM	17.7112
2024-08-29	2:51:40 PM	17.7062
2024-08-29	2:52:40 PM	17.7107
2024-08-29	2:53:40 PM	17.7069
2024-08-29	2:54:40 PM	17.7105
2024-08-29	2:55:40 PM	17.7075
2024-08-29	2:56:40 PM	17.7111
2024-08-29	2:57:40 PM	17.7081
2024-08-29	2:58:40 PM	17.7117
2024-08-29	2:59:40 PM	17.7092
2024-08-29	3:00:40 PM	17.7116
2024-08-29	3:01:40 PM	17.7088
2024-08-29	3:02:40 PM	17.7113
2024-08-29	3:03:40 PM	17.7082
2024-08-29	3:04:40 PM	17.7114
2024-08-29	3:05:40 PM	17.7091
2024-08-29	3:06:40 PM	17.7065
2024-08-29	3:07:40 PM	17.7103
2024-08-29	3:08:40 PM	17.7071
2024-08-29	3:09:40 PM	17.711
2024-08-29	3:10:40 PM	17.7077
2024-08-29	3:11:40 PM	17.7116
2024-08-29	3:12:40 PM	17.7091
2024-08-29	3:13:40 PM	17.7124
2024-08-29	3:14:40 PM	17.7094
2024-08-29	3:15:40 PM	17.7125
2024-08-29	3:16:40 PM	17.7098
2024-08-29	3:17:40 PM	17.7093
2024-08-29	3:18:40 PM	17.7104
2024-08-29	3:19:40 PM	17.6887
2024-08-29	3:20:40 PM	17.6808
2024-08-29	3:21:40 PM	17.6575
2024-08-29	3:22:40 PM	17.687
2024-08-29	3:23:40 PM	17.6806
2024-08-29	3:24:40 PM	17.6936
2024-08-29	3:25:40 PM	17.6601
2024-08-29	3:26:40 PM	17.6552
2024-08-29	3:27:40 PM	17.6746
2024-08-29	3:28:40 PM	17.6847
2024-08-29	3:29:40 PM	17.6853
2024-08-29	3:30:40 PM	17.6906
2024-08-29	3:31:40 PM	17.6896
2024-08-29	3:32:40 PM	17.6935
2024-08-29	3:33:40 PM	17.6919
2024-08-29	3:34:40 PM	17.6952
2024-08-29	3:35:40 PM	17.6938
2024-08-29	3:36:40 PM	17.6892
2024-08-29	3:37:40 PM	17.6953
2024-08-29	3:38:40 PM	17.6722
2024-08-29	3:39:40 PM	17.6957
2024-08-29	3:40:40 PM	17.6869
2024-08-29	3:41:40 PM	17.6961
2024-08-29	3:42:40 PM	17.69
2024-08-29	3:43:40 PM	17.6962
2024-08-29	3:44:40 PM	17.6917
2024-08-29	3:45:40 PM	17.6964
2024-08-29	3:46:40 PM	17.6922
2024-08-29	3:47:40 PM	17.6966
2024-08-29	3:48:40 PM	17.6936
2024-08-29	3:49:40 PM	17.697
2024-08-29	3:50:40 PM	17.6942
2024-08-29	3:51:40 PM	17.6976
2024-08-29	3:52:40 PM	17.6954
2024-08-29	3:53:40 PM	17.6994
2024-08-29	3:54:40 PM	17.6964

Pumping Test (Data Logger and Baro Logger)

2024-08-29	3:55:40 PM	17.6991
2024-08-29	3:56:40 PM	17.6972
2024-08-29	3:57:40 PM	17.6989
2024-08-29	3:58:40 PM	17.696
2024-08-29	3:59:40 PM	17.6642
2024-08-29	4:00:40 PM	17.6956
2024-08-29	4:01:40 PM	17.687
2024-08-29	4:02:40 PM	17.6958
2024-08-29	4:03:40 PM	17.6893
2024-08-29	4:04:40 PM	17.6967
2024-08-29	4:05:40 PM	17.6919
2024-08-29	4:06:40 PM	17.6972
2024-08-29	4:07:40 PM	17.679
2024-08-29	4:08:40 PM	17.692
2024-08-29	4:09:40 PM	17.6918
2024-08-29	4:10:40 PM	17.6947
2024-08-29	4:11:40 PM	17.6933
2024-08-29	4:12:40 PM	17.6957
2024-08-29	4:13:40 PM	17.6935
2024-08-29	4:14:40 PM	17.671
2024-08-29	4:15:40 PM	17.6934
2024-08-29	4:16:40 PM	17.6731
2024-08-29	4:17:40 PM	17.693
2024-08-29	4:18:40 PM	17.6855
2024-08-29	4:19:40 PM	17.693
2024-08-29	4:20:40 PM	17.6883
2024-08-29	4:21:40 PM	17.6934
2024-08-29	4:22:40 PM	17.6894
2024-08-29	4:23:40 PM	17.6928
2024-08-29	4:24:40 PM	17.6897
2024-08-29	4:25:40 PM	17.6933
2024-08-29	4:26:40 PM	17.6902
2024-08-29	4:27:40 PM	17.6931
2024-08-29	4:28:40 PM	17.6902
2024-08-29	4:29:40 PM	17.6939
2024-08-29	4:30:40 PM	17.6908
2024-08-29	4:31:40 PM	17.6625
2024-08-29	4:32:40 PM	17.6911
2024-08-29	4:33:40 PM	17.6819
2024-08-29	4:34:40 PM	17.6914
2024-08-29	4:35:40 PM	17.686
2024-08-29	4:36:40 PM	17.692
2024-08-29	4:37:40 PM	17.6878
2024-08-29	4:38:40 PM	17.6795
2024-08-29	4:39:40 PM	17.679
2024-08-29	4:40:40 PM	17.6856
2024-08-29	4:41:40 PM	17.6812
2024-08-29	4:42:40 PM	17.6869
2024-08-29	4:43:40 PM	17.6831
2024-08-29	4:44:40 PM	17.6877
2024-08-29	4:45:40 PM	17.6847
2024-08-29	4:46:40 PM	17.6881
2024-08-29	4:47:40 PM	17.6861
2024-08-29	4:48:40 PM	17.689
2024-08-29	4:49:40 PM	17.6863
2024-08-29	4:50:40 PM	17.6892
2024-08-29	4:51:40 PM	17.6876
2024-08-29	4:52:40 PM	17.6582
2024-08-29	4:53:40 PM	17.688
2024-08-29	4:54:40 PM	17.6798
2024-08-29	4:55:40 PM	17.6885
2024-08-29	4:56:40 PM	17.6824
2024-08-29	4:57:40 PM	17.6892
2024-08-29	4:58:40 PM	17.685
2024-08-29	4:59:40 PM	17.6899
2024-08-29	5:00:40 PM	17.6871
2024-08-29	5:01:40 PM	17.691
2024-08-29	5:02:40 PM	17.6879
2024-08-29	5:03:40 PM	17.6911

Pumping Test (Data Logger and Baro Logger)

2024-08-29	5:04:40 PM	17.6887
2024-08-29	5:05:40 PM	17.6915
2024-08-29	5:06:40 PM	17.6893
2024-08-29	5:07:40 PM	17.6609
2024-08-29	5:08:40 PM	17.689
2024-08-29	5:09:40 PM	17.6811
2024-08-29	5:10:40 PM	17.6893
2024-08-29	5:11:40 PM	17.6844
2024-08-29	5:12:40 PM	17.6914
2024-08-29	5:13:40 PM	17.6856
2024-08-29	5:14:40 PM	17.6895
2024-08-29	5:15:40 PM	17.6867
2024-08-29	5:16:40 PM	17.6898
2024-08-29	5:17:40 PM	17.6875
2024-08-29	5:18:40 PM	17.6906
2024-08-29	5:19:40 PM	17.6888
2024-08-29	5:20:40 PM	17.6591
2024-08-29	5:21:40 PM	17.689
2024-08-29	5:22:40 PM	17.6812
2024-08-29	5:23:40 PM	17.6895
2024-08-29	5:24:40 PM	17.6846
2024-08-29	5:25:40 PM	17.6901
2024-08-29	5:26:40 PM	17.687
2024-08-29	5:27:40 PM	17.6914
2024-08-29	5:28:40 PM	17.6887
2024-08-29	5:29:40 PM	17.692
2024-08-29	5:30:40 PM	17.6899
2024-08-29	5:31:40 PM	17.6932
2024-08-29	5:32:40 PM	17.6909
2024-08-29	5:33:40 PM	17.665
2024-08-29	5:34:40 PM	17.6525
2024-08-29	5:35:40 PM	17.6818
2024-08-29	5:36:40 PM	17.6874
2024-08-29	5:37:40 PM	17.6846
2024-08-29	5:38:40 PM	17.6512
2024-08-29	5:39:40 PM	17.6712
2024-08-29	5:40:40 PM	17.6795
2024-08-29	5:41:40 PM	17.6777
2024-08-29	5:42:40 PM	17.6836
2024-08-29	5:43:40 PM	17.6816
2024-08-29	5:44:40 PM	17.6864
2024-08-29	5:45:40 PM	17.6842
2024-08-29	5:46:40 PM	17.6881
2024-08-29	5:47:40 PM	17.6861
2024-08-29	5:48:40 PM	17.6896
2024-08-29	5:49:40 PM	17.688
2024-08-29	5:50:40 PM	17.6812
2024-08-29	5:51:40 PM	17.6891
2024-08-29	5:52:40 PM	17.6713
2024-08-29	5:53:40 PM	17.6911
2024-08-29	5:54:40 PM	17.6845
2024-08-29	5:55:40 PM	17.6917
2024-08-29	5:56:40 PM	17.6875
2024-08-29	5:57:40 PM	17.6925
2024-08-29	5:58:40 PM	17.6893
2024-08-29	5:59:40 PM	17.6929
2024-08-29	6:00:40 PM	17.6902
2024-08-29	6:01:40 PM	17.6933
2024-08-29	6:02:40 PM	17.6909
2024-08-29	6:03:40 PM	17.6945
2024-08-29	6:04:40 PM	17.6934
2024-08-29	6:05:40 PM	17.6691
2024-08-29	6:06:40 PM	17.6933
2024-08-29	6:07:40 PM	17.6855
2024-08-29	6:08:40 PM	17.6944
2024-08-29	6:09:40 PM	17.6891
2024-08-29	6:10:40 PM	17.6946
2024-08-29	6:11:40 PM	17.691
2024-08-29	6:12:40 PM	17.6953

Pumping Test (Data Logger and Baro Logger)

2024-08-29	6:13:40 PM	17.6928
2024-08-29	6:14:40 PM	17.6963
2024-08-29	6:15:40 PM	17.6937
2024-08-29	6:16:40 PM	17.6972
2024-08-29	6:17:40 PM	17.6949
2024-08-29	6:18:40 PM	17.6973
2024-08-29	6:19:40 PM	17.6957
2024-08-29	6:20:40 PM	17.6857
2024-08-29	6:21:40 PM	17.6964
2024-08-29	6:22:40 PM	17.6913
2024-08-29	6:23:40 PM	17.6972
2024-08-29	6:24:40 PM	17.6938
2024-08-29	6:25:40 PM	17.6983
2024-08-29	6:26:40 PM	17.6955
2024-08-29	6:27:40 PM	17.6991
2024-08-29	6:28:40 PM	17.6971
2024-08-29	6:29:40 PM	17.7
2024-08-29	6:30:40 PM	17.6977
2024-08-29	6:31:40 PM	17.666
2024-08-29	6:32:40 PM	17.6985
2024-08-29	6:33:40 PM	17.6903
2024-08-29	6:34:40 PM	17.6989
2024-08-29	6:35:40 PM	17.6935
2024-08-29	6:36:40 PM	17.6984
2024-08-29	6:37:40 PM	17.695
2024-08-29	6:38:40 PM	17.6995
2024-08-29	6:39:40 PM	17.6965
2024-08-29	6:40:40 PM	17.6999
2024-08-29	6:41:40 PM	17.698
2024-08-29	6:42:40 PM	17.6873
2024-08-29	6:43:40 PM	17.695
2024-08-29	6:44:40 PM	17.699
2024-08-29	6:45:40 PM	17.6977
2024-08-29	6:46:40 PM	17.6661
2024-08-29	6:47:40 PM	17.6987
2024-08-29	6:48:40 PM	17.6915
2024-08-29	6:49:40 PM	17.6996
2024-08-29	6:50:40 PM	17.6952
2024-08-29	6:51:40 PM	17.7007
2024-08-29	6:52:40 PM	17.6978
2024-08-29	6:53:40 PM	17.7014
2024-08-29	6:54:40 PM	17.6991
2024-08-29	6:55:40 PM	17.7023
2024-08-29	6:56:40 PM	17.676
2024-08-29	6:57:40 PM	17.7001
2024-08-29	6:58:40 PM	17.6901
2024-08-29	6:59:40 PM	17.7013
2024-08-29	7:00:40 PM	17.6957
2024-08-29	7:01:40 PM	17.7026
2024-08-29	7:02:40 PM	17.6986
2024-08-29	7:03:40 PM	17.7032
2024-08-29	7:04:40 PM	17.7006
2024-08-29	7:05:40 PM	17.7042
2024-08-29	7:06:40 PM	17.702
2024-08-29	7:07:40 PM	17.7048
2024-08-29	7:08:40 PM	17.7032
2024-08-29	7:09:40 PM	17.6965
2024-08-29	7:10:40 PM	17.7044
2024-08-29	7:11:40 PM	17.7001
2024-08-29	7:12:40 PM	17.7054
2024-08-29	7:13:40 PM	17.702
2024-08-29	7:14:40 PM	17.7057
2024-08-29	7:15:40 PM	17.703
2024-08-29	7:16:40 PM	17.7065
2024-08-29	7:17:40 PM	17.7042
2024-08-29	7:18:40 PM	17.672
2024-08-29	7:19:40 PM	17.7043
2024-08-29	7:20:40 PM	17.6976
2024-08-29	7:21:40 PM	17.7049

Pumping Test (Data Logger and Baro Logger)

2024-08-29	7:22:40 PM	17.701
2024-08-29	7:23:40 PM	17.7048
2024-08-29	7:24:40 PM	17.7019
2024-08-29	7:25:40 PM	17.705
2024-08-29	7:26:40 PM	17.703
2024-08-29	7:27:40 PM	17.679
2024-08-29	7:28:40 PM	17.7037
2024-08-29	7:29:40 PM	17.6969
2024-08-29	7:30:40 PM	17.7039
2024-08-29	7:31:40 PM	17.7007
2024-08-29	7:32:40 PM	17.7047
2024-08-29	7:33:40 PM	17.7016
2024-08-29	7:34:40 PM	17.7047
2024-08-29	7:35:40 PM	17.7026
2024-08-29	7:36:40 PM	17.6746
2024-08-29	7:37:40 PM	17.7026
2024-08-29	7:38:40 PM	17.697
2024-08-29	7:39:40 PM	17.7029
2024-08-29	7:40:40 PM	17.6991
2024-08-29	7:41:40 PM	17.7028
2024-08-29	7:42:40 PM	17.6997
2024-08-29	7:43:40 PM	17.7028
2024-08-29	7:44:40 PM	17.7002
2024-08-29	7:45:40 PM	17.6676
2024-08-29	7:46:40 PM	17.7006
2024-08-29	7:47:40 PM	17.6945
2024-08-29	7:48:40 PM	17.7007
2024-08-29	7:49:40 PM	17.6972
2024-08-29	7:50:40 PM	17.7008
2024-08-29	7:51:40 PM	17.6975
2024-08-29	7:52:40 PM	17.7
2024-08-29	7:53:40 PM	17.6973
2024-08-29	7:54:40 PM	17.6904
2024-08-29	7:55:40 PM	17.6974
2024-08-29	7:56:40 PM	17.6924
2024-08-29	7:57:40 PM	17.6975
2024-08-29	7:58:40 PM	17.6941
2024-08-29	7:59:40 PM	17.6977
2024-08-29	8:00:40 PM	17.6949
2024-08-29	8:01:40 PM	17.6973
2024-08-29	8:02:40 PM	17.6956
2024-08-29	8:03:40 PM	17.6876
2024-08-29	8:04:40 PM	17.6958
2024-08-29	8:05:40 PM	17.6922
2024-08-29	8:06:40 PM	17.6962
2024-08-29	8:07:40 PM	17.6937
2024-08-29	8:08:40 PM	17.6965
2024-08-29	8:09:40 PM	17.6944
2024-08-29	8:10:40 PM	17.6651
2024-08-29	8:11:40 PM	17.6948
2024-08-29	8:12:40 PM	17.6897
2024-08-29	8:13:40 PM	17.695
2024-08-29	8:14:40 PM	17.692
2024-08-29	8:15:40 PM	17.6954
2024-08-29	8:16:40 PM	17.6934
2024-08-29	8:17:40 PM	17.6927
2024-08-29	8:18:40 PM	17.6945
2024-08-29	8:19:40 PM	17.6867
2024-08-29	8:20:40 PM	17.6951
2024-08-29	8:21:40 PM	17.6913
2024-08-29	8:22:40 PM	17.6953
2024-08-29	8:23:40 PM	17.693
2024-08-29	8:24:40 PM	17.6958
2024-08-29	8:25:40 PM	17.6934
2024-08-29	8:26:40 PM	17.6802
2024-08-29	8:27:40 PM	17.6937
2024-08-29	8:28:40 PM	17.6893
2024-08-29	8:29:40 PM	17.694
2024-08-29	8:30:40 PM	17.6915

Pumping Test (Data Logger and Baro Logger)

2024-08-29	8:31:40 PM	17.6944
2024-08-29	8:32:40 PM	17.6929
2024-08-29	8:33:40 PM	17.6595
2024-08-29	8:34:40 PM	17.6942
2024-08-29	8:35:40 PM	17.6901
2024-08-29	8:36:40 PM	17.6958
2024-08-29	8:37:40 PM	17.6924
2024-08-29	8:38:40 PM	17.6956
2024-08-29	8:39:40 PM	17.6932
2024-08-29	8:40:40 PM	17.6782
2024-08-29	8:41:40 PM	17.6944
2024-08-29	8:42:40 PM	17.6889
2024-08-29	8:43:40 PM	17.6956
2024-08-29	8:44:40 PM	17.6928
2024-08-29	8:45:40 PM	17.6968
2024-08-29	8:46:40 PM	17.6945
2024-08-29	8:47:40 PM	17.6926
2024-08-29	8:48:40 PM	17.6966
2024-08-29	8:49:40 PM	17.6948
2024-08-29	8:50:40 PM	17.6815
2024-08-29	8:51:40 PM	17.6963
2024-08-29	8:52:40 PM	17.6889
2024-08-29	8:53:40 PM	17.6977
2024-08-29	8:54:40 PM	17.6947
2024-08-29	8:55:40 PM	17.6994
2024-08-29	8:56:40 PM	17.6968
2024-08-29	8:57:40 PM	17.7003
2024-08-29	8:58:40 PM	17.6986
2024-08-29	8:59:40 PM	17.6694
2024-08-29	9:00:40 PM	17.7
2024-08-29	9:01:40 PM	17.6954
2024-08-29	9:02:40 PM	17.7009
2024-08-29	9:03:40 PM	17.6983
2024-08-29	9:04:40 PM	17.7021
2024-08-29	9:05:40 PM	17.6999
2024-08-29	9:06:40 PM	17.7029
2024-08-29	9:07:40 PM	17.7017
2024-08-29	9:08:40 PM	17.6946
2024-08-29	9:09:40 PM	17.703
2024-08-29	9:10:40 PM	17.6991
2024-08-29	9:11:40 PM	17.7044
2024-08-29	9:12:40 PM	17.7017
2024-08-29	9:13:40 PM	17.7053
2024-08-29	9:14:40 PM	17.7038
2024-08-29	9:15:40 PM	17.6926
2024-08-29	9:16:40 PM	17.7054
2024-08-29	9:17:40 PM	17.6989
2024-08-29	9:18:40 PM	17.7073
2024-08-29	9:19:40 PM	17.704
2024-08-29	9:20:40 PM	17.7083
2024-08-29	9:21:40 PM	17.7061
2024-08-29	9:22:40 PM	17.7092
2024-08-29	9:23:40 PM	17.7077
2024-08-29	9:24:40 PM	17.686
2024-08-29	9:25:40 PM	17.7094
2024-08-29	9:26:40 PM	17.7055
2024-08-29	9:27:40 PM	17.7109
2024-08-29	9:28:40 PM	17.7082
2024-08-29	9:29:40 PM	17.7123
2024-08-29	9:30:40 PM	17.6969
2024-08-29	9:31:40 PM	17.706
2024-08-29	9:32:40 PM	17.6993
2024-08-29	9:33:40 PM	17.7091
2024-08-29	9:34:40 PM	17.7029
2024-08-29	9:35:40 PM	17.7107
2024-08-29	9:36:40 PM	17.7081
2024-08-29	9:37:40 PM	17.7122
2024-08-29	9:38:40 PM	17.7097
2024-08-29	9:39:40 PM	17.7131

Pumping Test (Data Logger and Baro Logger)

2024-08-29	9:40:40 PM	17.7113
2024-08-29	9:41:40 PM	17.683
2024-08-29	9:42:40 PM	17.7129
2024-08-29	9:43:40 PM	17.708
2024-08-29	9:44:40 PM	17.7142
2024-08-29	9:45:40 PM	17.7112
2024-08-29	9:46:40 PM	17.7148
2024-08-29	9:47:40 PM	17.7129
2024-08-29	9:48:40 PM	17.6935
2024-08-29	9:49:40 PM	17.7142
2024-08-29	9:50:40 PM	17.7088
2024-08-29	9:51:40 PM	17.7156
2024-08-29	9:52:40 PM	17.7127
2024-08-29	9:53:40 PM	17.7161
2024-08-29	9:54:40 PM	17.714
2024-08-29	9:55:40 PM	17.6995
2024-08-29	9:56:40 PM	17.7155
2024-08-29	9:57:40 PM	17.7095
2024-08-29	9:58:40 PM	17.7168
2024-08-29	9:59:40 PM	17.7147
2024-08-29	10:00:40 PM	17.7185
2024-08-29	10:01:40 PM	17.7167
2024-08-29	10:02:40 PM	17.7196
2024-08-29	10:03:40 PM	17.7183
2024-08-29	10:04:40 PM	17.7111
2024-08-29	10:05:40 PM	17.7198
2024-08-29	10:06:40 PM	17.7167
2024-08-29	10:07:40 PM	17.7209
2024-08-29	10:08:40 PM	17.7191
2024-08-29	10:09:40 PM	17.7225
2024-08-29	10:10:40 PM	17.7208
2024-08-29	10:11:40 PM	17.7108
2024-08-29	10:12:40 PM	17.7221
2024-08-29	10:13:40 PM	17.7184
2024-08-29	10:14:40 PM	17.7233
2024-08-29	10:15:40 PM	17.7215
2024-08-29	10:16:40 PM	17.7244
2024-08-29	10:17:40 PM	17.7227
2024-08-29	10:18:40 PM	17.7177
2024-08-29	10:19:40 PM	17.7242
2024-08-29	10:20:40 PM	17.7209
2024-08-29	10:21:40 PM	17.7254
2024-08-29	10:22:40 PM	17.7235
2024-08-29	10:23:40 PM	17.7266
2024-08-29	10:24:40 PM	17.7252
2024-08-29	10:25:40 PM	17.719
2024-08-29	10:26:40 PM	17.7269
2024-08-29	10:27:40 PM	17.7242
2024-08-29	10:28:40 PM	17.7286
2024-08-29	10:29:40 PM	17.7272
2024-08-29	10:30:40 PM	17.7162
2024-08-29	10:31:40 PM	17.7292
2024-08-29	10:32:40 PM	17.7251
2024-08-29	10:33:40 PM	17.7311
2024-08-29	10:34:40 PM	17.7289
2024-08-29	10:35:40 PM	17.7325
2024-08-29	10:36:40 PM	17.7311
2024-08-29	10:37:40 PM	17.7051
2024-08-29	10:38:40 PM	17.7331
2024-08-29	10:39:40 PM	17.7293
2024-08-29	10:40:40 PM	17.734
2024-08-29	10:41:40 PM	17.7321
2024-08-29	10:42:40 PM	17.7355
2024-08-29	10:43:40 PM	17.734
2024-08-29	10:44:40 PM	17.7273
2024-08-29	10:45:40 PM	17.7356
2024-08-29	10:46:40 PM	17.7326
2024-08-29	10:47:40 PM	17.7365
2024-08-29	10:48:40 PM	17.7348

Pumping Test (Data Logger and Baro Logger)

2024-08-29	10:49:40 PM	17.7197
2024-08-29	10:50:40 PM	17.7361
2024-08-29	10:51:40 PM	17.7323
2024-08-29	10:52:40 PM	17.7373
2024-08-29	10:53:40 PM	17.7358
2024-08-29	10:54:40 PM	17.7391
2024-08-29	10:55:40 PM	17.7375
2024-08-29	10:56:40 PM	17.7307
2024-08-29	10:57:40 PM	17.7389
2024-08-29	10:58:40 PM	17.7361
2024-08-29	10:59:40 PM	17.7403
2024-08-29	11:00:40 PM	17.7384
2024-08-29	11:01:40 PM	17.7154
2024-08-29	11:02:40 PM	17.7404
2024-08-29	11:03:40 PM	17.7373
2024-08-29	11:04:40 PM	17.7419
2024-08-29	11:05:40 PM	17.7402
2024-08-29	11:06:40 PM	17.7435
2024-08-29	11:07:40 PM	17.7422
2024-08-29	11:08:40 PM	17.7361
2024-08-29	11:09:40 PM	17.7435
2024-08-29	11:10:40 PM	17.7412
2024-08-29	11:11:40 PM	17.7449
2024-08-29	11:12:40 PM	17.7432
2024-08-29	11:13:40 PM	17.7361
2024-08-29	11:14:40 PM	17.7452
2024-08-29	11:15:40 PM	17.7422
2024-08-29	11:16:40 PM	17.7469
2024-08-29	11:17:40 PM	17.7037
2024-08-29	11:18:40 PM	17.7421
2024-08-29	11:19:40 PM	17.7467
2024-08-29	11:20:40 PM	17.7454
2024-08-29	11:21:40 PM	17.73
2024-08-29	11:22:40 PM	17.7474
2024-08-29	11:23:40 PM	17.7444
2024-08-29	11:24:40 PM	17.7495
2024-08-29	11:25:40 PM	17.7474
2024-08-29	11:26:40 PM	17.726
2024-08-29	11:27:40 PM	17.7493
2024-08-29	11:28:40 PM	17.7456
2024-08-29	11:29:40 PM	17.7506
2024-08-29	11:30:40 PM	17.7487
2024-08-29	11:31:40 PM	17.7519
2024-08-29	11:32:40 PM	17.7503
2024-08-29	11:33:40 PM	17.7462
2024-08-29	11:34:40 PM	17.7518
2024-08-29	11:35:40 PM	17.7499
2024-08-29	11:36:40 PM	17.7532
2024-08-29	11:37:40 PM	17.7519
2024-08-29	11:38:40 PM	17.745
2024-08-29	11:39:40 PM	17.7536
2024-08-29	11:40:40 PM	17.7512
2024-08-29	11:41:40 PM	17.7553
2024-08-29	11:42:40 PM	17.7535
2024-08-29	11:43:40 PM	17.7489
2024-08-29	11:44:40 PM	17.7553
2024-08-29	11:45:40 PM	17.753
2024-08-29	11:46:40 PM	17.757
2024-08-29	11:47:40 PM	17.7555
2024-08-29	11:48:40 PM	17.7378
2024-08-29	11:49:40 PM	17.7582
2024-08-29	11:50:40 PM	17.7553
2024-08-29	11:51:40 PM	17.7595
2024-08-29	11:52:40 PM	17.758
2024-08-29	11:53:40 PM	17.7291
2024-08-29	11:54:40 PM	17.7595
2024-08-29	11:55:40 PM	17.7545
2024-08-29	11:56:40 PM	17.7576
2024-08-29	11:57:40 PM	17.7527

Pumping Test (Data Logger and Baro Logger)

2024-08-29	11:58:40 PM	17.7305
2024-08-29	11:59:40 PM	17.7469
2024-08-30	12:00:40 AM	17.7387
2024-08-30	12:01:40 AM	17.7396
2024-08-30	12:02:40 AM	17.7333
2024-08-30	12:03:40 AM	17.7291
2024-08-30	12:04:40 AM	17.7242
2024-08-30	12:05:40 AM	17.7156
2024-08-30	12:06:40 AM	17.667
2024-08-30	12:07:40 AM	17.6486
2024-08-30	12:08:40 AM	17.6284
2024-08-30	12:09:40 AM	17.6564
2024-08-30	12:10:40 AM	17.6096
2024-08-30	12:11:40 AM	17.646
2024-08-30	12:12:40 AM	17.6526
2024-08-30	12:13:40 AM	17.6495
2024-08-30	12:14:40 AM	17.6506
2024-08-30	12:15:40 AM	17.6459
2024-08-30	12:16:40 AM	17.6378
2024-08-30	12:17:40 AM	17.6397
2024-08-30	12:18:40 AM	17.6335
2024-08-30	12:19:40 AM	17.6325
2024-08-30	12:20:40 AM	17.6267
2024-08-30	12:21:40 AM	17.6182
2024-08-30	12:22:40 AM	17.619
2024-08-30	12:23:40 AM	17.6127
2024-08-30	12:24:40 AM	17.5871
2024-08-30	12:25:40 AM	17.6047
2024-08-30	12:26:40 AM	17.5965
2024-08-30	12:27:40 AM	17.5963
2024-08-30	12:28:40 AM	17.5898
2024-08-30	12:29:40 AM	17.5607
2024-08-30	12:30:40 AM	17.5816
2024-08-30	12:31:40 AM	17.5739
2024-08-30	12:32:40 AM	17.5726
2024-08-30	12:33:40 AM	17.5663
2024-08-30	12:34:40 AM	17.5555
2024-08-30	12:35:40 AM	17.5573
2024-08-30	12:36:40 AM	17.5502
2024-08-30	12:37:40 AM	17.5485
2024-08-30	12:38:40 AM	17.5421
2024-08-30	12:39:40 AM	17.534
2024-08-30	12:40:40 AM	17.5342
2024-08-30	12:41:40 AM	17.5272
2024-08-30	12:42:40 AM	17.4996
2024-08-30	12:43:40 AM	17.5191
2024-08-30	12:44:40 AM	17.5116
2024-08-30	12:45:40 AM	17.5105
2024-08-30	12:46:40 AM	17.5039
2024-08-30	12:47:40 AM	17.4927
2024-08-30	12:48:40 AM	17.495
2024-08-30	12:49:40 AM	17.4882
2024-08-30	12:50:40 AM	17.4718
2024-08-30	12:51:40 AM	17.481
2024-08-30	12:52:40 AM	17.474
2024-08-30	12:53:40 AM	17.4738
2024-08-30	12:54:40 AM	17.468
2024-08-30	12:55:40 AM	17.4578
2024-08-30	12:56:40 AM	17.4615
2024-08-30	12:57:40 AM	17.4551
2024-08-30	12:58:40 AM	17.4433
2024-08-30	12:59:40 AM	17.4489
2024-08-30	1:00:40 AM	17.4418
2024-08-30	1:01:40 AM	17.4419
2024-08-30	1:02:40 AM	17.436
2024-08-30	1:03:40 AM	17.4253
2024-08-30	1:04:40 AM	17.4291
2024-08-30	1:05:40 AM	17.4231
2024-08-30	1:06:40 AM	17.4229

Pumping Test (Data Logger and Baro Logger)

2024-08-30	1:07:40 AM	17.4164
2024-08-30	1:08:40 AM	17.4093
2024-08-30	1:09:40 AM	17.4096
2024-08-30	1:10:40 AM	17.4039
2024-08-30	1:11:40 AM	17.3932
2024-08-30	1:12:40 AM	17.397
2024-08-30	1:13:40 AM	17.3908
2024-08-30	1:14:40 AM	17.39
2024-08-30	1:15:40 AM	17.3844
2024-08-30	1:16:40 AM	17.378
2024-08-30	1:17:40 AM	17.3783
2024-08-30	1:18:40 AM	17.3731
2024-08-30	1:19:40 AM	17.3626
2024-08-30	1:20:40 AM	17.3675
2024-08-30	1:21:40 AM	17.3622
2024-08-30	1:22:40 AM	17.3328
2024-08-30	1:23:40 AM	17.357
2024-08-30	1:24:40 AM	17.3509
2024-08-30	1:25:40 AM	17.3513
2024-08-30	1:26:40 AM	17.3464
2024-08-30	1:27:40 AM	17.3383
2024-08-30	1:28:40 AM	17.3409
2024-08-30	1:29:40 AM	17.3361
2024-08-30	1:30:40 AM	17.3095
2024-08-30	1:31:40 AM	17.3309
2024-08-30	1:32:40 AM	17.3251
2024-08-30	1:33:40 AM	17.3254
2024-08-30	1:34:40 AM	17.3206
2024-08-30	1:35:40 AM	17.3138
2024-08-30	1:36:40 AM	17.315
2024-08-30	1:37:40 AM	17.3099
2024-08-30	1:38:40 AM	17.2976
2024-08-30	1:39:40 AM	17.3049
2024-08-30	1:40:40 AM	17.2996
2024-08-30	1:41:40 AM	17.2998
2024-08-30	1:42:40 AM	17.2955
2024-08-30	1:43:40 AM	17.2896
2024-08-30	1:44:40 AM	17.2908
2024-08-30	1:45:40 AM	17.2863
2024-08-30	1:46:40 AM	17.2774
2024-08-30	1:47:40 AM	17.2823
2024-08-30	1:48:40 AM	17.2774
2024-08-30	1:49:40 AM	17.2507
2024-08-30	1:50:40 AM	17.2726
2024-08-30	1:51:40 AM	17.2674
2024-08-30	1:52:40 AM	17.268
2024-08-30	1:53:40 AM	17.2634
2024-08-30	1:54:40 AM	17.2571
2024-08-30	1:55:40 AM	17.2586
2024-08-30	1:56:40 AM	17.2539
2024-08-30	1:57:40 AM	17.2457
2024-08-30	1:58:40 AM	17.2493
2024-08-30	1:59:40 AM	17.2446
2024-08-30	2:00:40 AM	17.2269
2024-08-30	2:01:40 AM	17.2413
2024-08-30	2:02:40 AM	17.2363
2024-08-30	2:03:40 AM	17.2381
2024-08-30	2:04:40 AM	17.2344
2024-08-30	2:05:40 AM	17.2289
2024-08-30	2:06:40 AM	17.2313
2024-08-30	2:07:40 AM	17.2274
2024-08-30	2:08:40 AM	17.2198
2024-08-30	2:09:40 AM	17.2243
2024-08-30	2:10:40 AM	17.2199
2024-08-30	2:11:40 AM	17.1947
2024-08-30	2:12:40 AM	17.2174
2024-08-30	2:13:40 AM	17.2128
2024-08-30	2:14:40 AM	17.2142
2024-08-30	2:15:40 AM	17.2101

Pumping Test (Data Logger and Baro Logger)

2024-08-30	2:16:40 AM	17.2047
2024-08-30	2:17:40 AM	17.2072
2024-08-30	2:18:40 AM	17.203
2024-08-30	2:19:40 AM	17.1946
2024-08-30	2:20:40 AM	17.1996
2024-08-30	2:21:40 AM	17.1949
2024-08-30	2:22:40 AM	17.1688
2024-08-30	2:23:40 AM	17.1917
2024-08-30	2:24:40 AM	17.1871
2024-08-30	2:25:40 AM	17.187
2024-08-30	2:26:40 AM	17.1844
2024-08-30	2:27:40 AM	17.1794
2024-08-30	2:28:40 AM	17.1815
2024-08-30	2:29:40 AM	17.1778
2024-08-30	2:30:40 AM	17.1717
2024-08-30	2:31:40 AM	17.1752
2024-08-30	2:32:40 AM	17.1714
2024-08-30	2:33:40 AM	17.1638
2024-08-30	2:34:40 AM	17.169
2024-08-30	2:35:40 AM	17.1651
2024-08-30	2:36:40 AM	17.1344
2024-08-30	2:37:40 AM	17.1627
2024-08-30	2:38:40 AM	17.1585
2024-08-30	2:39:40 AM	17.1602
2024-08-30	2:40:40 AM	17.1568
2024-08-30	2:41:40 AM	17.152
2024-08-30	2:42:40 AM	17.1546
2024-08-30	2:43:40 AM	17.1512
2024-08-30	2:44:40 AM	17.1448
2024-08-30	2:45:40 AM	17.1489
2024-08-30	2:46:40 AM	17.1456
2024-08-30	2:47:40 AM	17.1355
2024-08-30	2:48:40 AM	17.143
2024-08-30	2:49:40 AM	17.1392
2024-08-30	2:50:40 AM	17.1148
2024-08-30	2:51:40 AM	17.1368
2024-08-30	2:52:40 AM	17.1327
2024-08-30	2:53:40 AM	17.1344
2024-08-30	2:54:40 AM	17.1311
2024-08-30	2:55:40 AM	17.1265
2024-08-30	2:56:40 AM	17.1288
2024-08-30	2:57:40 AM	17.1254
2024-08-30	2:58:40 AM	17.1198
2024-08-30	2:59:40 AM	17.1235
2024-08-30	3:00:40 AM	17.1196
2024-08-30	3:01:40 AM	17.1099
2024-08-30	3:02:40 AM	17.1174
2024-08-30	3:03:40 AM	17.1138
2024-08-30	3:04:40 AM	17.0823
2024-08-30	3:05:40 AM	17.1116
2024-08-30	3:06:40 AM	17.1077
2024-08-30	3:07:40 AM	17.1094
2024-08-30	3:08:40 AM	17.1057
2024-08-30	3:09:40 AM	17.1016
2024-08-30	3:10:40 AM	17.1038
2024-08-30	3:11:40 AM	17.1008
2024-08-30	3:12:40 AM	17.096
2024-08-30	3:13:40 AM	17.0988
2024-08-30	3:14:40 AM	17.0959
2024-08-30	3:15:40 AM	17.0904
2024-08-30	3:16:40 AM	17.0939
2024-08-30	3:17:40 AM	17.0906
2024-08-30	3:18:40 AM	17.0825
2024-08-30	3:19:40 AM	17.0885
2024-08-30	3:20:40 AM	17.0847
2024-08-30	3:21:40 AM	17.0859
2024-08-30	3:22:40 AM	17.0824
2024-08-30	3:23:40 AM	17.078
2024-08-30	3:24:40 AM	17.0805

Pumping Test (Data Logger and Baro Logger)

2024-08-30	3:25:40 AM	17.0773
2024-08-30	3:26:40 AM	17.0734
2024-08-30	3:27:40 AM	17.0762
2024-08-30	3:28:40 AM	17.0733
2024-08-30	3:29:40 AM	17.0683
2024-08-30	3:30:40 AM	17.0721
2024-08-30	3:31:40 AM	17.0693
2024-08-30	3:32:40 AM	17.0622
2024-08-30	3:33:40 AM	17.0684
2024-08-30	3:34:40 AM	17.0657
2024-08-30	3:35:40 AM	17.0572
2024-08-30	3:36:40 AM	17.0659
2024-08-30	3:37:40 AM	17.0612
2024-08-30	3:38:40 AM	17.0471
2024-08-30	3:39:40 AM	17.06
2024-08-30	3:40:40 AM	17.0565
2024-08-30	3:41:40 AM	17.0325
2024-08-30	3:42:40 AM	17.0555
2024-08-30	3:43:40 AM	17.0488
2024-08-30	3:44:40 AM	17.0533
2024-08-30	3:45:40 AM	17.0503
2024-08-30	3:46:40 AM	17.0204
2024-08-30	3:47:40 AM	17.05
2024-08-30	3:48:40 AM	17.0465
2024-08-30	3:49:40 AM	17.0489
2024-08-30	3:50:40 AM	17.0465
2024-08-30	3:51:40 AM	17.0428
2024-08-30	3:52:40 AM	17.0454
2024-08-30	3:53:40 AM	17.0429
2024-08-30	3:54:40 AM	17.0389
2024-08-30	3:55:40 AM	17.0419
2024-08-30	3:56:40 AM	17.0392
2024-08-30	3:57:40 AM	17.035
2024-08-30	3:58:40 AM	17.0381
2024-08-30	3:59:40 AM	17.0351
2024-08-30	4:00:40 AM	17.0305
2024-08-30	4:01:40 AM	17.0338
2024-08-30	4:02:40 AM	17.0322
2024-08-30	4:03:40 AM	17.0261
2024-08-30	4:04:40 AM	17.03
2024-08-30	4:05:40 AM	17.0255
2024-08-30	4:06:40 AM	17.0277
2024-08-30	4:07:40 AM	17.0247
2024-08-30	4:08:40 AM	17.0183
2024-08-30	4:09:40 AM	17.0227
2024-08-30	4:10:40 AM	17.0189
2024-08-30	4:11:40 AM	17.021
2024-08-30	4:12:40 AM	17.0176
2024-08-30	4:13:40 AM	17.0108
2024-08-30	4:14:40 AM	17.0161
2024-08-30	4:15:40 AM	17.0125
2024-08-30	4:16:40 AM	17.0145
2024-08-30	4:17:40 AM	17.0112
2024-08-30	4:18:40 AM	16.9918
2024-08-30	4:19:40 AM	17.0108
2024-08-30	4:20:40 AM	17.0078
2024-08-30	4:21:40 AM	17.0013
2024-08-30	4:22:40 AM	17.0076
2024-08-30	4:23:40 AM	17.004
2024-08-30	4:24:40 AM	17.0061
2024-08-30	4:25:40 AM	17.0032
2024-08-30	4:26:40 AM	16.9933
2024-08-30	4:27:40 AM	17.0023
2024-08-30	4:28:40 AM	16.9975
2024-08-30	4:29:40 AM	17.0007
2024-08-30	4:30:40 AM	16.9976
2024-08-30	4:31:40 AM	16.986
2024-08-30	4:32:40 AM	16.9967
2024-08-30	4:33:40 AM	16.9918

Pumping Test (Data Logger and Baro Logger)

2024-08-30	4:34:40 AM	16.9961
2024-08-30	4:35:40 AM	16.9923
2024-08-30	4:36:40 AM	16.9952
2024-08-30	4:37:40 AM	16.9924
2024-08-30	4:38:40 AM	16.9677
2024-08-30	4:39:40 AM	16.9924
2024-08-30	4:40:40 AM	16.9889
2024-08-30	4:41:40 AM	16.9635
2024-08-30	4:42:40 AM	16.965
2024-08-30	4:43:40 AM	16.9471
2024-08-30	4:44:40 AM	16.9708
2024-08-30	4:45:40 AM	16.9667
2024-08-30	4:46:40 AM	16.9735
2024-08-30	4:47:40 AM	16.9715
2024-08-30	4:48:40 AM	16.9746
2024-08-30	4:49:40 AM	16.9729
2024-08-30	4:50:40 AM	16.9629
2024-08-30	4:51:40 AM	16.9733
2024-08-30	4:52:40 AM	16.97
2024-08-30	4:53:40 AM	16.9733
2024-08-30	4:54:40 AM	16.9703
2024-08-30	4:55:40 AM	16.9456
2024-08-30	4:56:40 AM	16.9704
2024-08-30	4:57:40 AM	16.9644
2024-08-30	4:58:40 AM	16.9684
2024-08-30	4:59:40 AM	16.9651
2024-08-30	5:00:40 AM	16.9673
2024-08-30	5:01:40 AM	16.9648
2024-08-30	5:02:40 AM	16.9596
2024-08-30	5:03:40 AM	16.9636
2024-08-30	5:04:40 AM	16.9608
2024-08-30	5:05:40 AM	16.9492
2024-08-30	5:06:40 AM	16.9598
2024-08-30	5:07:40 AM	16.9556
2024-08-30	5:08:40 AM	16.9588
2024-08-30	5:09:40 AM	16.956
2024-08-30	5:10:40 AM	16.9426
2024-08-30	5:11:40 AM	16.9558
2024-08-30	5:12:40 AM	16.9513
2024-08-30	5:13:40 AM	16.9546
2024-08-30	5:14:40 AM	16.9513
2024-08-30	5:15:40 AM	16.9534
2024-08-30	5:16:40 AM	16.9504
2024-08-30	5:17:40 AM	16.9456
2024-08-30	5:18:40 AM	16.9493
2024-08-30	5:19:40 AM	16.9461
2024-08-30	5:20:40 AM	16.9484
2024-08-30	5:21:40 AM	16.9458
2024-08-30	5:22:40 AM	16.939
2024-08-30	5:23:40 AM	16.9441
2024-08-30	5:24:40 AM	16.9409
2024-08-30	5:25:40 AM	16.9435
2024-08-30	5:26:40 AM	16.9406
2024-08-30	5:27:40 AM	16.935
2024-08-30	5:28:40 AM	16.9397
2024-08-30	5:29:40 AM	16.9363
2024-08-30	5:30:40 AM	16.9253
2024-08-30	5:31:40 AM	16.9356
2024-08-30	5:32:40 AM	16.9299
2024-08-30	5:33:40 AM	16.935
2024-08-30	5:34:40 AM	16.9317
2024-08-30	5:35:40 AM	16.934
2024-08-30	5:36:40 AM	16.9316
2024-08-30	5:37:40 AM	16.9265
2024-08-30	5:38:40 AM	16.9314
2024-08-30	5:39:40 AM	16.928
2024-08-30	5:40:40 AM	16.9236
2024-08-30	5:41:40 AM	16.9276
2024-08-30	5:42:40 AM	16.9288

Pumping Test (Data Logger and Baro Logger)

2024-08-30	5:43:40 AM	16.9221
2024-08-30	5:44:40 AM	16.9255
2024-08-30	5:45:40 AM	16.9232
2024-08-30	5:46:40 AM	16.9192
2024-08-30	5:47:40 AM	16.9227
2024-08-30	5:48:40 AM	16.9195
2024-08-30	5:49:40 AM	16.904
2024-08-30	5:50:40 AM	16.9178
2024-08-30	5:51:40 AM	16.9144
2024-08-30	5:52:40 AM	16.9163
2024-08-30	5:53:40 AM	16.914
2024-08-30	5:54:40 AM	16.9082
2024-08-30	5:55:40 AM	16.9128
2024-08-30	5:56:40 AM	16.91
2024-08-30	5:57:40 AM	16.9024
2024-08-30	5:58:40 AM	16.9103
2024-08-30	5:59:40 AM	16.9077
2024-08-30	6:00:40 AM	16.9007
2024-08-30	6:01:40 AM	16.9074
2024-08-30	6:02:40 AM	16.9048
2024-08-30	6:03:40 AM	16.8973
2024-08-30	6:04:40 AM	16.9041
2024-08-30	6:05:40 AM	16.9012
2024-08-30	6:06:40 AM	16.8444
2024-08-30	6:07:40 AM	16.868
2024-08-30	6:08:40 AM	16.8767
2024-08-30	6:09:40 AM	16.8781
2024-08-30	6:10:40 AM	16.8767
2024-08-30	6:11:40 AM	16.882
2024-08-30	6:12:40 AM	16.8812
2024-08-30	6:13:40 AM	16.8763
2024-08-30	6:14:40 AM	16.8831
2024-08-30	6:15:40 AM	16.8817
2024-08-30	6:16:40 AM	16.8762
2024-08-30	6:17:40 AM	16.883
2024-08-30	6:18:40 AM	16.881
2024-08-30	6:19:40 AM	16.8605
2024-08-30	6:20:40 AM	16.8833
2024-08-30	6:21:40 AM	16.8816
2024-08-30	6:22:40 AM	16.8676
2024-08-30	6:23:40 AM	16.8832
2024-08-30	6:24:40 AM	16.8817
2024-08-30	6:25:40 AM	16.8747
2024-08-30	6:26:40 AM	16.8828
2024-08-30	6:27:40 AM	16.8811
2024-08-30	6:28:40 AM	16.8762
2024-08-30	6:29:40 AM	16.8823
2024-08-30	6:30:40 AM	16.8806
2024-08-30	6:31:40 AM	16.8762
2024-08-30	6:32:40 AM	16.8813
2024-08-30	6:33:40 AM	16.8643
2024-08-30	6:34:40 AM	16.8748
2024-08-30	6:35:40 AM	16.8748
2024-08-30	6:36:40 AM	16.8639
2024-08-30	6:37:40 AM	16.8766
2024-08-30	6:38:40 AM	16.8749
2024-08-30	6:39:40 AM	16.86
2024-08-30	6:40:40 AM	16.8756
2024-08-30	6:41:40 AM	16.8733
2024-08-30	6:42:40 AM	16.8665
2024-08-30	6:43:40 AM	16.8748
2024-08-30	6:44:40 AM	16.8732
2024-08-30	6:45:40 AM	16.869
2024-08-30	6:46:40 AM	16.8744
2024-08-30	6:47:40 AM	16.8728
2024-08-30	6:48:40 AM	16.8688
2024-08-30	6:49:40 AM	16.8755
2024-08-30	6:50:40 AM	16.872
2024-08-30	6:51:40 AM	16.8688

Pumping Test (Data Logger and Baro Logger)

2024-08-30	6:52:40 AM	16.8732
2024-08-30	6:53:40 AM	16.8706
2024-08-30	6:54:40 AM	16.8678
2024-08-30	6:55:40 AM	16.872
2024-08-30	6:56:40 AM	16.8696
2024-08-30	6:57:40 AM	16.8597
2024-08-30	6:58:40 AM	16.8707
2024-08-30	6:59:40 AM	16.8693
2024-08-30	7:00:40 AM	16.8657
2024-08-30	7:01:40 AM	16.8712
2024-08-30	7:02:40 AM	16.8704
2024-08-30	7:03:40 AM	16.8677
2024-08-30	7:04:40 AM	16.8718
2024-08-30	7:05:40 AM	16.8703
2024-08-30	7:06:40 AM	16.8678
2024-08-30	7:07:40 AM	16.8519
2024-08-30	7:08:40 AM	16.8697
2024-08-30	7:09:40 AM	16.8677
2024-08-30	7:10:40 AM	16.8587
2024-08-30	7:11:40 AM	16.8694
2024-08-30	7:12:40 AM	16.8675
2024-08-30	7:13:40 AM	16.8619
2024-08-30	7:14:40 AM	16.8678
2024-08-30	7:15:40 AM	16.8662
2024-08-30	7:16:40 AM	16.8624
2024-08-30	7:17:40 AM	16.8675
2024-08-30	7:18:40 AM	16.8661
2024-08-30	7:19:40 AM	16.8639
2024-08-30	7:20:40 AM	16.8676
2024-08-30	7:21:40 AM	16.8668
2024-08-30	7:22:40 AM	16.8648
2024-08-30	7:23:40 AM	16.8336
2024-08-30	7:24:40 AM	16.8541
2024-08-30	7:25:40 AM	16.861
2024-08-30	7:26:40 AM	16.8606
2024-08-30	7:27:40 AM	16.8379
2024-08-30	7:28:40 AM	16.826
2024-08-30	7:29:40 AM	16.8083
2024-08-30	7:30:40 AM	16.8227
2024-08-30	7:31:40 AM	16.8033
2024-08-30	7:32:40 AM	16.8103
2024-08-30	7:33:40 AM	16.7897
2024-08-30	7:34:40 AM	16.7834
2024-08-30	7:35:40 AM	16.7759
2024-08-30	7:36:40 AM	16.7805
2024-08-30	7:37:40 AM	16.8086
2024-08-30	7:38:40 AM	16.7527
2024-08-30	7:39:40 AM	16.7462
2024-08-30	7:40:40 AM	16.745
2024-08-30	7:41:40 AM	16.721
2024-08-30	7:42:40 AM	16.7181
2024-08-30	7:43:40 AM	16.7165
2024-08-30	7:44:40 AM	16.7178
2024-08-30	7:45:40 AM	16.6754
2024-08-30	7:46:40 AM	16.6923
2024-08-30	7:47:40 AM	16.6987
2024-08-30	7:48:40 AM	16.6682
2024-08-30	7:49:40 AM	16.6636
2024-08-30	7:50:40 AM	16.6673
2024-08-30	7:51:40 AM	16.6843
2024-08-30	7:52:40 AM	16.6951
2024-08-30	7:53:40 AM	16.7214
2024-08-30	7:54:40 AM	16.709
2024-08-30	7:55:40 AM	16.6679
2024-08-30	7:56:40 AM	16.6704
2024-08-30	7:57:40 AM	16.669
2024-08-30	7:58:40 AM	16.6529
2024-08-30	7:59:40 AM	16.667
2024-08-30	8:00:40 AM	16.7058

Pumping Test (Data Logger and Baro Logger)

2024-08-30	8:01:40 AM	16.7193
2024-08-30	8:02:40 AM	16.7274
2024-08-30	8:03:40 AM	16.7224
2024-08-30	8:04:40 AM	16.7458
2024-08-30	8:05:40 AM	16.7499
2024-08-30	8:06:40 AM	16.7512
2024-08-30	8:07:40 AM	16.7608
2024-08-30	8:08:40 AM	16.7629
2024-08-30	8:09:40 AM	16.7639
2024-08-30	8:10:40 AM	16.7575
2024-08-30	8:11:40 AM	16.7722
2024-08-30	8:12:40 AM	16.7733
2024-08-30	8:13:40 AM	16.7729
2024-08-30	8:14:40 AM	16.7797
2024-08-30	8:15:40 AM	16.781
2024-08-30	8:16:40 AM	16.7813
2024-08-30	8:17:40 AM	16.7744
2024-08-30	8:18:40 AM	16.787
2024-08-30	8:19:40 AM	16.7878
2024-08-30	8:20:40 AM	16.7883
2024-08-30	8:21:40 AM	16.7598
2024-08-30	8:22:40 AM	16.7453
2024-08-30	8:23:40 AM	16.7433
2024-08-30	8:24:40 AM	16.7196
2024-08-30	8:25:40 AM	16.732
2024-08-30	8:26:40 AM	16.7225
2024-08-30	8:27:40 AM	16.7223
2024-08-30	8:28:40 AM	16.7447
2024-08-30	8:29:40 AM	16.7142
2024-08-30	8:30:40 AM	16.7059
2024-08-30	8:31:40 AM	16.7234
2024-08-30	8:32:40 AM	16.7127
2024-08-30	8:33:40 AM	16.7222
2024-08-30	8:34:40 AM	16.6926
2024-08-30	8:35:40 AM	16.6924
2024-08-30	8:36:40 AM	16.6873
2024-08-30	8:37:40 AM	16.6891
2024-08-30	8:38:40 AM	16.7043
2024-08-30	8:39:40 AM	16.7215
2024-08-30	8:40:40 AM	16.6723
2024-08-30	8:41:40 AM	16.6797
2024-08-30	8:42:40 AM	16.6528
2024-08-30	8:43:40 AM	16.6943
2024-08-30	8:44:40 AM	16.7064
2024-08-30	8:45:40 AM	16.7096
2024-08-30	8:46:40 AM	16.7257
2024-08-30	8:47:40 AM	16.7299
2024-08-30	8:48:40 AM	16.7312
2024-08-30	8:49:40 AM	16.7398
2024-08-30	8:50:40 AM	16.7418
2024-08-30	8:51:40 AM	16.7435
2024-08-30	8:52:40 AM	16.7429
2024-08-30	8:53:40 AM	16.7395
2024-08-30	8:54:40 AM	16.7507
2024-08-30	8:55:40 AM	16.751
2024-08-30	8:56:40 AM	16.7501
2024-08-30	8:57:40 AM	16.7468
2024-08-30	8:58:40 AM	16.7564
2024-08-30	8:59:40 AM	16.7565
2024-08-30	9:00:40 AM	16.7549
2024-08-30	9:01:40 AM	16.7482
2024-08-30	9:02:40 AM	16.7598
2024-08-30	9:03:40 AM	16.7593
2024-08-30	9:04:40 AM	16.7567
2024-08-30	9:05:40 AM	16.7283
2024-08-30	9:06:40 AM	16.7202
2024-08-30	9:07:40 AM	16.7121
2024-08-30	9:08:40 AM	16.7083
2024-08-30	9:09:40 AM	16.7166

Pumping Test (Data Logger and Baro Logger)

2024-08-30	9:10:40 AM	16.6994
2024-08-30	9:11:40 AM	16.7135
2024-08-30	9:12:40 AM	16.7258
2024-08-30	9:13:40 AM	16.7294
2024-08-30	9:14:40 AM	16.7055
2024-08-30	9:15:40 AM	16.717
2024-08-30	9:16:40 AM	16.6889
2024-08-30	9:17:40 AM	16.6905
2024-08-30	9:18:40 AM	16.6817
2024-08-30	9:19:40 AM	16.6916
2024-08-30	9:20:40 AM	16.678
2024-08-30	9:21:40 AM	16.6706
2024-08-30	9:22:40 AM	16.6691
2024-08-30	9:23:40 AM	16.6928
2024-08-30	9:24:40 AM	16.6769
2024-08-30	9:25:40 AM	16.6793
2024-08-30	9:26:40 AM	16.6653
2024-08-30	9:27:40 AM	16.6871
2024-08-30	9:28:40 AM	16.7031
2024-08-30	9:29:40 AM	16.7098
2024-08-30	9:30:40 AM	16.6962
2024-08-30	9:31:40 AM	16.6762
2024-08-30	9:32:40 AM	16.6964
2024-08-30	9:33:40 AM	16.7062
2024-08-30	9:34:40 AM	16.7045
2024-08-30	9:35:40 AM	16.7109
2024-08-30	9:36:40 AM	16.7138
2024-08-30	9:37:40 AM	16.7137
2024-08-30	9:38:40 AM	16.7198
2024-08-30	9:39:40 AM	16.7183
2024-08-30	9:40:40 AM	16.7071
2024-08-30	9:41:40 AM	16.6846
2024-08-30	9:42:40 AM	16.7196
2024-08-30	9:43:40 AM	16.7198
2024-08-30	9:44:40 AM	16.7135
2024-08-30	9:45:40 AM	16.6924
2024-08-30	9:46:40 AM	16.7199
2024-08-30	9:47:40 AM	16.7212
2024-08-30	9:48:40 AM	16.7114
2024-08-30	9:49:40 AM	16.7294
2024-08-30	9:50:40 AM	16.7304
2024-08-30	9:51:40 AM	16.7303
2024-08-30	9:52:40 AM	16.7281
2024-08-30	9:53:40 AM	16.701
2024-08-30	9:54:40 AM	16.7
2024-08-30	9:55:40 AM	16.6905
2024-08-30	9:56:40 AM	16.6866
2024-08-30	9:57:40 AM	16.6743
2024-08-30	9:58:40 AM	16.6584
2024-08-30	9:59:40 AM	16.6697
2024-08-30	10:00:40 AM	16.6976
2024-08-30	10:01:40 AM	16.7046
2024-08-30	10:02:40 AM	16.7082
2024-08-30	10:03:40 AM	16.7113
2024-08-30	10:04:40 AM	16.7116
2024-08-30	10:05:40 AM	16.6974
2024-08-30	10:06:40 AM	16.6826
2024-08-30	10:07:40 AM	16.6799
2024-08-30	10:08:40 AM	16.6899
2024-08-30	10:09:40 AM	16.6766
2024-08-30	10:10:40 AM	16.6847
2024-08-30	10:11:40 AM	16.701
2024-08-30	10:12:40 AM	16.7051
2024-08-30	10:13:40 AM	16.7073
2024-08-30	10:14:40 AM	16.7393
2024-08-30	10:15:40 AM	16.719
2024-08-30	10:16:40 AM	16.7159
2024-08-30	10:17:40 AM	16.7146
2024-08-30	10:18:40 AM	16.7209

Pumping Test (Data Logger and Baro Logger)

2024-08-30	10:19:40 AM	16.7345
2024-08-30	10:20:40 AM	16.739
2024-08-30	10:21:40 AM	16.7426
2024-08-30	10:22:40 AM	16.7333
2024-08-30	10:23:40 AM	16.7523
2024-08-30	10:24:40 AM	16.7632
2024-08-30	10:25:40 AM	16.7683
2024-08-30	10:26:40 AM	16.7736
2024-08-30	10:27:40 AM	16.778
2024-08-30	10:28:40 AM	16.7698
2024-08-30	10:29:40 AM	16.7948
2024-08-30	10:30:40 AM	16.8002
2024-08-30	10:31:40 AM	16.8044
2024-08-30	10:32:40 AM	16.8071
2024-08-30	10:33:40 AM	16.8187
2024-08-30	10:34:40 AM	16.8236
2024-08-30	10:35:40 AM	16.8283
2024-08-30	10:36:40 AM	16.8329
2024-08-30	10:37:40 AM	16.8337
2024-08-30	10:38:40 AM	16.8473
2024-08-30	10:39:40 AM	16.8524
2024-08-30	10:40:40 AM	16.8566
2024-08-30	10:41:40 AM	16.8608
2024-08-30	10:42:40 AM	16.857
2024-08-30	10:43:40 AM	16.8756
2024-08-30	10:44:40 AM	16.8614
2024-08-30	10:45:40 AM	16.8842
2024-08-30	10:46:40 AM	16.8604
2024-08-30	10:47:40 AM	16.8695
2024-08-30	10:48:40 AM	16.8766
2024-08-30	10:49:40 AM	16.89
2024-08-30	10:50:40 AM	16.8974
2024-08-30	10:51:40 AM	16.9034
2024-08-30	10:52:40 AM	16.9083
2024-08-30	10:53:40 AM	16.9082
2024-08-30	10:54:40 AM	16.9227
2024-08-30	10:55:40 AM	16.8877
2024-08-30	10:56:40 AM	16.9012
2024-08-30	10:57:40 AM	16.9041
2024-08-30	10:58:40 AM	16.935
2024-08-30	10:59:40 AM	16.9413
2024-08-30	11:00:40 AM	16.9466
2024-08-30	11:01:40 AM	16.95
2024-08-30	11:02:40 AM	16.9386
2024-08-30	11:03:40 AM	16.9645
2024-08-30	11:04:40 AM	16.9682
2024-08-30	11:05:40 AM	16.9716
2024-08-30	11:06:40 AM	16.974
2024-08-30	11:07:40 AM	16.9758
2024-08-30	11:08:40 AM	16.9885
2024-08-30	11:09:40 AM	16.9928
2024-08-30	11:10:40 AM	16.9962
2024-08-30	11:11:40 AM	16.9966
2024-08-30	11:12:40 AM	17.0088
2024-08-30	11:13:40 AM	17.0127
2024-08-30	11:14:40 AM	17.0163
2024-08-30	11:15:40 AM	17.02
2024-08-30	11:16:40 AM	17.0138
2024-08-30	11:17:40 AM	17.0311
2024-08-30	11:18:40 AM	17.035
2024-08-30	11:19:40 AM	17.0382
2024-08-30	11:20:40 AM	17.0406
2024-08-30	11:21:40 AM	17.0437
2024-08-30	11:22:40 AM	17.0534
2024-08-30	11:23:40 AM	17.0568
2024-08-30	11:24:40 AM	17.0596
2024-08-30	11:25:40 AM	17.062
2024-08-30	11:26:40 AM	17.0573
2024-08-30	11:27:40 AM	17.0713

Pumping Test (Data Logger and Baro Logger)

2024-08-30	11:28:40 AM	17.074
2024-08-30	11:29:40 AM	17.0773
2024-08-30	11:30:40 AM	17.0798
2024-08-30	11:31:40 AM	17.0735
2024-08-30	11:32:40 AM	17.0907
2024-08-30	11:33:40 AM	17.0936
2024-08-30	11:34:40 AM	17.0959
2024-08-30	11:35:40 AM	17.0969
2024-08-30	11:36:40 AM	17.101
2024-08-30	11:37:40 AM	17.1088
2024-08-30	11:38:40 AM	17.1113
2024-08-30	11:39:40 AM	17.1129
2024-08-30	11:40:40 AM	17.1104
2024-08-30	11:41:40 AM	17.1212
2024-08-30	11:42:40 AM	17.1234
2024-08-30	11:43:40 AM	17.1247
2024-08-30	11:44:40 AM	17.1248
2024-08-30	11:45:40 AM	17.1219
2024-08-30	11:46:40 AM	17.1336
2024-08-30	11:47:40 AM	17.1361
2024-08-30	11:48:40 AM	17.1386
2024-08-30	11:49:40 AM	17.1397
2024-08-30	11:50:40 AM	17.1296
2024-08-30	11:51:40 AM	17.1487
2024-08-30	11:52:40 AM	17.151
2024-08-30	11:53:40 AM	17.153
2024-08-30	11:54:40 AM	17.154
2024-08-30	11:55:40 AM	17.127
2024-08-30	11:56:40 AM	17.1636
2024-08-30	11:57:40 AM	17.1661
2024-08-30	11:58:40 AM	17.1678
2024-08-30	11:59:40 AM	17.1679
2024-08-30	12:00:40 PM	17.1723
2024-08-30	12:01:40 PM	17.1749
2024-08-30	12:02:40 PM	17.1772
2024-08-30	12:03:40 PM	17.1778
2024-08-30	12:04:40 PM	17.1752
2024-08-30	12:05:40 PM	17.1882
2024-08-30	12:06:40 PM	17.1901
2024-08-30	12:07:40 PM	17.1914
2024-08-30	12:08:40 PM	17.1909
2024-08-30	12:09:40 PM	17.199
2024-08-30	12:10:40 PM	17.2007
2024-08-30	12:11:40 PM	17.2024
2024-08-30	12:12:40 PM	17.2033
2024-08-30	12:13:40 PM	17.2023
2024-08-30	12:14:40 PM	17.2115
2024-08-30	12:15:40 PM	17.2137
2024-08-30	12:16:40 PM	17.1834
2024-08-30	12:17:40 PM	17.2114
2024-08-30	12:18:40 PM	17.2123
2024-08-30	12:19:40 PM	17.2132
2024-08-30	12:20:40 PM	17.2233
2024-08-30	12:21:40 PM	17.2253
2024-08-30	12:22:40 PM	17.2279
2024-08-30	12:23:40 PM	17.2242
2024-08-30	12:24:40 PM	17.2348
2024-08-30	12:25:40 PM	17.2368
2024-08-30	12:26:40 PM	17.2381
2024-08-30	12:27:40 PM	17.2263
2024-08-30	12:28:40 PM	17.238
2024-08-30	12:29:40 PM	17.2405
2024-08-30	12:30:40 PM	17.2409
2024-08-30	12:31:40 PM	17.2258
2024-08-30	12:32:40 PM	17.2457
2024-08-30	12:33:40 PM	17.2292
2024-08-30	12:34:40 PM	17.2339
2024-08-30	12:35:40 PM	17.2299
2024-08-30	12:36:40 PM	17.2516

Pumping Test (Data Logger and Baro Logger)

2024-08-30	12:37:40 PM	17.2548
2024-08-30	12:38:40 PM	17.2574
2024-08-30	12:39:40 PM	17.2591
2024-08-30	12:40:40 PM	17.2525
2024-08-30	12:41:40 PM	17.263
2024-08-30	12:42:40 PM	17.2254
2024-08-30	12:43:40 PM	17.251
2024-08-30	12:44:40 PM	17.251
2024-08-30	12:45:40 PM	17.2427
2024-08-30	12:46:40 PM	17.2584
2024-08-30	12:47:40 PM	17.2531
2024-08-30	12:48:40 PM	17.2631
2024-08-30	12:49:40 PM	17.2663
2024-08-30	12:50:40 PM	17.2678
2024-08-30	12:51:40 PM	17.2681
2024-08-30	12:52:40 PM	17.2772
2024-08-30	12:53:40 PM	17.2792
2024-08-30	12:54:40 PM	17.282
2024-08-30	12:55:40 PM	17.2803
2024-08-30	12:56:40 PM	17.2744
2024-08-30	12:57:40 PM	17.2896
2024-08-30	12:58:40 PM	17.2912
2024-08-30	12:59:40 PM	17.2918
2024-08-30	1:00:40 PM	17.2907
2024-08-30	1:01:40 PM	17.299
2024-08-30	1:02:40 PM	17.3004
2024-08-30	1:03:40 PM	17.3013
2024-08-30	1:04:40 PM	17.3011
2024-08-30	1:05:40 PM	17.2947
2024-08-30	1:06:40 PM	17.3077
2024-08-30	1:07:40 PM	17.3085
2024-08-30	1:08:40 PM	17.3088
2024-08-30	1:09:40 PM	17.3074
2024-08-30	1:10:40 PM	17.3149
2024-08-30	1:11:40 PM	17.3152
2024-08-30	1:12:40 PM	17.3159
2024-08-30	1:13:40 PM	17.3152
2024-08-30	1:14:40 PM	17.3004
2024-08-30	1:15:40 PM	17.3212
2024-08-30	1:16:40 PM	17.3215
2024-08-30	1:17:40 PM	17.2915
2024-08-30	1:18:40 PM	17.2939
2024-08-30	1:19:40 PM	17.3008
2024-08-30	1:20:40 PM	17.3007
2024-08-30	1:21:40 PM	17.2871
2024-08-30	1:22:40 PM	17.2905
2024-08-30	1:23:40 PM	17.3065
2024-08-30	1:24:40 PM	17.3114
2024-08-30	1:25:40 PM	17.3137
2024-08-30	1:26:40 PM	17.3153
2024-08-30	1:27:40 PM	17.3152
2024-08-30	1:28:40 PM	17.3206
2024-08-30	1:29:40 PM	17.3248
2024-08-30	1:30:40 PM	17.3254
2024-08-30	1:31:40 PM	17.3277
2024-08-30	1:32:40 PM	17.3153
2024-08-30	1:33:40 PM	17.3333
2024-08-30	1:34:40 PM	17.3338
2024-08-30	1:35:40 PM	17.3344
2024-08-30	1:36:40 PM	17.333
2024-08-30	1:37:40 PM	17.3393
2024-08-30	1:38:40 PM	17.3409
2024-08-30	1:39:40 PM	17.308
2024-08-30	1:40:40 PM	17.3283
2024-08-30	1:41:40 PM	17.3332
2024-08-30	1:42:40 PM	17.3354
2024-08-30	1:43:40 PM	17.3231
2024-08-30	1:44:40 PM	17.3439
2024-08-30	1:45:40 PM	17.3453

Pumping Test (Data Logger and Baro Logger)

2024-08-30	1:46:40 PM	17.3459
2024-08-30	1:47:40 PM	17.3448
2024-08-30	1:48:40 PM	17.3307
2024-08-30	1:49:40 PM	17.3507
2024-08-30	1:50:40 PM	17.3511
2024-08-30	1:51:40 PM	17.3508
2024-08-30	1:52:40 PM	17.3485
2024-08-30	1:53:40 PM	17.3564
2024-08-30	1:54:40 PM	17.3571
2024-08-30	1:55:40 PM	17.3576
2024-08-30	1:56:40 PM	17.3577
2024-08-30	1:57:40 PM	17.3553
2024-08-30	1:58:40 PM	17.3635
2024-08-30	1:59:40 PM	17.3638
2024-08-30	2:00:40 PM	17.3636
2024-08-30	2:01:40 PM	17.3625
2024-08-30	2:02:40 PM	17.3521
2024-08-30	2:03:40 PM	17.3693
2024-08-30	2:04:40 PM	17.3693
2024-08-30	2:05:40 PM	17.3688
2024-08-30	2:06:40 PM	17.3662
2024-08-30	2:07:40 PM	17.3745
2024-08-30	2:08:40 PM	17.3749
2024-08-30	2:09:40 PM	17.3757
2024-08-30	2:10:40 PM	17.3754
2024-08-30	2:11:40 PM	17.3686
2024-08-30	2:12:40 PM	17.3817
2024-08-30	2:13:40 PM	17.3819
2024-08-30	2:14:40 PM	17.3819
2024-08-30	2:15:40 PM	17.3803
2024-08-30	2:16:40 PM	17.3749
2024-08-30	2:17:40 PM	17.3873
2024-08-30	2:18:40 PM	17.3873
2024-08-30	2:19:40 PM	17.3867
2024-08-30	2:20:40 PM	17.3807
2024-08-30	2:21:40 PM	17.3918
2024-08-30	2:22:40 PM	17.3921
2024-08-30	2:23:40 PM	17.3921
2024-08-30	2:24:40 PM	17.3908
2024-08-30	2:25:40 PM	17.3858
2024-08-30	2:26:40 PM	17.3975
2024-08-30	2:27:40 PM	17.3973
2024-08-30	2:28:40 PM	17.3977
2024-08-30	2:29:40 PM	17.3902
2024-08-30	2:30:40 PM	17.4019
2024-08-30	2:31:40 PM	17.4026
2024-08-30	2:32:40 PM	17.4022
2024-08-30	2:33:40 PM	17.4015
2024-08-30	2:34:40 PM	17.3888
2024-08-30	2:35:40 PM	17.4064
2024-08-30	2:36:40 PM	17.4064
2024-08-30	2:37:40 PM	17.4061
2024-08-30	2:38:40 PM	17.4043
2024-08-30	2:39:40 PM	17.3994
2024-08-30	2:40:40 PM	17.4108
2024-08-30	2:41:40 PM	17.4106
2024-08-30	2:42:40 PM	17.4104
2024-08-30	2:43:40 PM	17.4064
2024-08-30	2:44:40 PM	17.4157
2024-08-30	2:45:40 PM	17.4159
2024-08-30	2:46:40 PM	17.4156
2024-08-30	2:47:40 PM	17.4138
2024-08-30	2:48:40 PM	17.4055
2024-08-30	2:49:40 PM	17.4201
2024-08-30	2:50:40 PM	17.42
2024-08-30	2:51:40 PM	17.4191
2024-08-30	2:52:40 PM	17.409
2024-08-30	2:53:40 PM	17.4234
2024-08-30	2:54:40 PM	17.4231

Pumping Test (Data Logger and Baro Logger)

2024-08-30	2:55:40 PM	17.4224
2024-08-30	2:56:40 PM	17.4211
2024-08-30	2:57:40 PM	17.4089
2024-08-30	2:58:40 PM	17.4257
2024-08-30	2:59:40 PM	17.4252
2024-08-30	3:00:40 PM	17.424
2024-08-30	3:01:40 PM	17.4213
2024-08-30	3:02:40 PM	17.4284
2024-08-30	3:03:40 PM	17.4265
2024-08-30	3:04:40 PM	17.4059
2024-08-30	3:05:40 PM	17.3873
2024-08-30	3:06:40 PM	17.4208
2024-08-30	3:07:40 PM	17.4215
2024-08-30	3:08:40 PM	17.4212
2024-08-30	3:09:40 PM	17.4129
2024-08-30	3:10:40 PM	17.4257
2024-08-30	3:11:40 PM	17.426
2024-08-30	3:12:40 PM	17.4254
2024-08-30	3:13:40 PM	17.4236
2024-08-30	3:14:40 PM	17.4294
2024-08-30	3:15:40 PM	17.4287
2024-08-30	3:16:40 PM	17.4284
2024-08-30	3:17:40 PM	17.427
2024-08-30	3:18:40 PM	17.4223
2024-08-30	3:19:40 PM	17.4309
2024-08-30	3:20:40 PM	17.4305
2024-08-30	3:21:40 PM	17.4294
2024-08-30	3:22:40 PM	17.4279
2024-08-30	3:23:40 PM	17.4084
2024-08-30	3:24:40 PM	17.4318
2024-08-30	3:25:40 PM	17.4312
2024-08-30	3:26:40 PM	17.4303
2024-08-30	3:27:40 PM	17.4219
2024-08-30	3:28:40 PM	17.4297
2024-08-30	3:29:40 PM	17.4298
2024-08-30	3:30:40 PM	17.4291
2024-08-30	3:31:40 PM	17.427
2024-08-30	3:32:40 PM	17.4229
2024-08-30	3:33:40 PM	17.4026
2024-08-30	3:34:40 PM	17.4054
2024-08-30	3:35:40 PM	17.4077
2024-08-30	3:36:40 PM	17.4051
2024-08-30	3:37:40 PM	17.4164
2024-08-30	3:38:40 PM	17.4174
2024-08-30	3:39:40 PM	17.4179
2024-08-30	3:40:40 PM	17.4171
2024-08-30	3:41:40 PM	17.4075
2024-08-30	3:42:40 PM	17.423
2024-08-30	3:43:40 PM	17.423
2024-08-30	3:44:40 PM	17.4219
2024-08-30	3:45:40 PM	17.4195
2024-08-30	3:46:40 PM	17.4257
2024-08-30	3:47:40 PM	17.4259
2024-08-30	3:48:40 PM	17.4248
2024-08-30	3:49:40 PM	17.4235
2024-08-30	3:50:40 PM	17.4249
2024-08-30	3:51:40 PM	17.4272
2024-08-30	3:52:40 PM	17.427
2024-08-30	3:53:40 PM	17.4258
2024-08-30	3:54:40 PM	17.4233
2024-08-30	3:55:40 PM	17.4299
2024-08-30	3:56:40 PM	17.4288
2024-08-30	3:57:40 PM	17.428
2024-08-30	3:58:40 PM	17.4259
2024-08-30	3:59:40 PM	17.4169
2024-08-30	4:00:40 PM	17.4297
2024-08-30	4:01:40 PM	17.4289
2024-08-30	4:02:40 PM	17.4278
2024-08-30	4:03:40 PM	17.4259

Pumping Test (Data Logger and Baro Logger)

2024-08-30	4:04:40 PM	17.4145
2024-08-30	4:05:40 PM	17.4311
2024-08-30	4:06:40 PM	17.4297
2024-08-30	4:07:40 PM	17.4284
2024-08-30	4:08:40 PM	17.4252
2024-08-30	4:09:40 PM	17.4315
2024-08-30	4:10:40 PM	17.4311
2024-08-30	4:11:40 PM	17.4309
2024-08-30	4:12:40 PM	17.4295
2024-08-30	4:13:40 PM	17.4157
2024-08-30	4:14:40 PM	17.4337
2024-08-30	4:15:40 PM	17.4331
2024-08-30	4:16:40 PM	17.4327
2024-08-30	4:17:40 PM	17.4305
2024-08-30	4:18:40 PM	17.4189
2024-08-30	4:19:40 PM	17.4351
2024-08-30	4:20:40 PM	17.4348
2024-08-30	4:21:40 PM	17.4332
2024-08-30	4:22:40 PM	17.424
2024-08-30	4:23:40 PM	17.4367
2024-08-30	4:24:40 PM	17.436
2024-08-30	4:25:40 PM	17.4349
2024-08-30	4:26:40 PM	17.4334
2024-08-30	4:27:40 PM	17.4218
2024-08-30	4:28:40 PM	17.4362
2024-08-30	4:29:40 PM	17.4347
2024-08-30	4:30:40 PM	17.4329
2024-08-30	4:31:40 PM	17.4303
2024-08-30	4:32:40 PM	17.4187
2024-08-30	4:33:40 PM	17.4349
2024-08-30	4:34:40 PM	17.4343
2024-08-30	4:35:40 PM	17.4344
2024-08-30	4:36:40 PM	17.409
2024-08-30	4:37:40 PM	17.3917
2024-08-30	4:38:40 PM	17.3876
2024-08-30	4:39:40 PM	17.3755
2024-08-30	4:40:40 PM	17.3833
2024-08-30	4:41:40 PM	17.367
2024-08-30	4:42:40 PM	17.386
2024-08-30	4:43:40 PM	17.3899
2024-08-30	4:44:40 PM	17.4085
2024-08-30	4:45:40 PM	17.3961
2024-08-30	4:46:40 PM	17.4089
2024-08-30	4:47:40 PM	17.4116
2024-08-30	4:48:40 PM	17.4211
2024-08-30	4:49:40 PM	17.4235
2024-08-30	4:50:40 PM	17.4254
2024-08-30	4:51:40 PM	17.4262
2024-08-30	4:52:40 PM	17.4222
2024-08-30	4:53:40 PM	17.421
2024-08-30	4:54:40 PM	17.4346
2024-08-30	4:55:40 PM	17.4353
2024-08-30	4:56:40 PM	17.4173
2024-08-30	4:57:40 PM	17.4062
2024-08-30	4:58:40 PM	17.3866
2024-08-30	4:59:40 PM	17.3826
2024-08-30	5:00:40 PM	17.3743
2024-08-30	5:01:40 PM	17.3985
2024-08-30	5:02:40 PM	17.3716
2024-08-30	5:03:40 PM	17.3693
2024-08-30	5:04:40 PM	17.398
2024-08-30	5:05:40 PM	17.4067
2024-08-30	5:06:40 PM	17.412
2024-08-30	5:07:40 PM	17.4102
2024-08-30	5:08:40 PM	17.4234
2024-08-30	5:09:40 PM	17.4265
2024-08-30	5:10:40 PM	17.4193
2024-08-30	5:11:40 PM	17.4287
2024-08-30	5:12:40 PM	17.4318

Pumping Test (Data Logger and Baro Logger)

2024-08-30	5:13:40 PM	17.434
2024-08-30	5:14:40 PM	17.4348
2024-08-30	5:15:40 PM	17.4335
2024-08-30	5:16:40 PM	17.4229
2024-08-30	5:17:40 PM	17.4286
2024-08-30	5:18:40 PM	17.4325
2024-08-30	5:19:40 PM	17.4404
2024-08-30	5:20:40 PM	17.4428
2024-08-30	5:21:40 PM	17.4441
2024-08-30	5:22:40 PM	17.4451
2024-08-30	5:23:40 PM	17.4364
2024-08-30	5:24:40 PM	17.4515
2024-08-30	5:25:40 PM	17.4524
2024-08-30	5:26:40 PM	17.4534
2024-08-30	5:27:40 PM	17.4534
2024-08-30	5:28:40 PM	17.4524
2024-08-30	5:29:40 PM	17.4597
2024-08-30	5:30:40 PM	17.4601
2024-08-30	5:31:40 PM	17.46
2024-08-30	5:32:40 PM	17.4598
2024-08-30	5:33:40 PM	17.453
2024-08-30	5:34:40 PM	17.465
2024-08-30	5:35:40 PM	17.4472
2024-08-30	5:36:40 PM	17.4587
2024-08-30	5:37:40 PM	17.4608
2024-08-30	5:38:40 PM	17.4567
2024-08-30	5:39:40 PM	17.4599
2024-08-30	5:40:40 PM	17.4596
2024-08-30	5:41:40 PM	17.4436
2024-08-30	5:42:40 PM	17.4621
2024-08-30	5:43:40 PM	17.4641
2024-08-30	5:44:40 PM	17.4645
2024-08-30	5:45:40 PM	17.4502
2024-08-30	5:46:40 PM	17.4719
2024-08-30	5:47:40 PM	17.4528
2024-08-30	5:48:40 PM	17.4695
2024-08-30	5:49:40 PM	17.4708
2024-08-30	5:50:40 PM	17.4716
2024-08-30	5:51:40 PM	17.4702
2024-08-30	5:52:40 PM	17.4644
2024-08-30	5:53:40 PM	17.4701
2024-08-30	5:54:40 PM	17.4581
2024-08-30	5:55:40 PM	17.4785
2024-08-30	5:56:40 PM	17.4796
2024-08-30	5:57:40 PM	17.4799
2024-08-30	5:58:40 PM	17.4677
2024-08-30	5:59:40 PM	17.4624
2024-08-30	6:00:40 PM	17.4751
2024-08-30	6:01:40 PM	17.4748
2024-08-30	6:02:40 PM	17.4838
2024-08-30	6:03:40 PM	17.4842
2024-08-30	6:04:40 PM	17.4846
2024-08-30	6:05:40 PM	17.4839
2024-08-30	6:06:40 PM	17.4638
2024-08-30	6:07:40 PM	17.4807
2024-08-30	6:08:40 PM	17.4684
2024-08-30	6:09:40 PM	17.4888
2024-08-30	6:10:40 PM	17.4902
2024-08-30	6:11:40 PM	17.4895
2024-08-30	6:12:40 PM	17.4879
2024-08-30	6:13:40 PM	17.4785
2024-08-30	6:14:40 PM	17.4939
2024-08-30	6:15:40 PM	17.4942
2024-08-30	6:16:40 PM	17.4935
2024-08-30	6:17:40 PM	17.4916
2024-08-30	6:18:40 PM	17.4986
2024-08-30	6:19:40 PM	17.4991
2024-08-30	6:20:40 PM	17.4991
2024-08-30	6:21:40 PM	17.4986

Pumping Test (Data Logger and Baro Logger)

2024-08-30	6:22:40 PM	17.4808
2024-08-30	6:23:40 PM	17.4934
2024-08-30	6:24:40 PM	17.4827
2024-08-30	6:25:40 PM	17.5008
2024-08-30	6:26:40 PM	17.5018
2024-08-30	6:27:40 PM	17.5018
2024-08-30	6:28:40 PM	17.5004
2024-08-30	6:29:40 PM	17.4917
2024-08-30	6:30:40 PM	17.5067
2024-08-30	6:31:40 PM	17.5067
2024-08-30	6:32:40 PM	17.5063
2024-08-30	6:33:40 PM	17.5033
2024-08-30	6:34:40 PM	17.5105
2024-08-30	6:35:40 PM	17.4822
2024-08-30	6:36:40 PM	17.5038
2024-08-30	6:37:40 PM	17.5043
2024-08-30	6:38:40 PM	17.5021
2024-08-30	6:39:40 PM	17.5107
2024-08-30	6:40:40 PM	17.5107
2024-08-30	6:41:40 PM	17.511
2024-08-30	6:42:40 PM	17.5095
2024-08-30	6:43:40 PM	17.4951
2024-08-30	6:44:40 PM	17.5156
2024-08-30	6:45:40 PM	17.4778
2024-08-30	6:46:40 PM	17.5059
2024-08-30	6:47:40 PM	17.5075
2024-08-30	6:48:40 PM	17.4948
2024-08-30	6:49:40 PM	17.5145
2024-08-30	6:50:40 PM	17.5147
2024-08-30	6:51:40 PM	17.5148
2024-08-30	6:52:40 PM	17.513
2024-08-30	6:53:40 PM	17.5201
2024-08-30	6:54:40 PM	17.521
2024-08-30	6:55:40 PM	17.5205
2024-08-30	6:56:40 PM	17.5201
2024-08-30	6:57:40 PM	17.5111
2024-08-30	6:58:40 PM	17.5257
2024-08-30	6:59:40 PM	17.5259
2024-08-30	7:00:40 PM	17.526
2024-08-30	7:01:40 PM	17.5249
2024-08-30	7:02:40 PM	17.5123
2024-08-30	7:03:40 PM	17.53
2024-08-30	7:04:40 PM	17.5297
2024-08-30	7:05:40 PM	17.5298
2024-08-30	7:06:40 PM	17.5272
2024-08-30	7:07:40 PM	17.5336
2024-08-30	7:08:40 PM	17.5332
2024-08-30	7:09:40 PM	17.5327
2024-08-30	7:10:40 PM	17.5317
2024-08-30	7:11:40 PM	17.5219
2024-08-30	7:12:40 PM	17.5362
2024-08-30	7:13:40 PM	17.5362
2024-08-30	7:14:40 PM	17.5358
2024-08-30	7:15:40 PM	17.5339
2024-08-30	7:16:40 PM	17.52
2024-08-30	7:17:40 PM	17.5393
2024-08-30	7:18:40 PM	17.5389
2024-08-30	7:19:40 PM	17.5385
2024-08-30	7:20:40 PM	17.5365
2024-08-30	7:21:40 PM	17.5427
2024-08-30	7:22:40 PM	17.5429
2024-08-30	7:23:40 PM	17.5429
2024-08-30	7:24:40 PM	17.5417
2024-08-30	7:25:40 PM	17.5422
2024-08-30	7:26:40 PM	17.5461
2024-08-30	7:27:40 PM	17.5457
2024-08-30	7:28:40 PM	17.5457
2024-08-30	7:29:40 PM	17.5439
2024-08-30	7:30:40 PM	17.5354

Pumping Test (Data Logger and Baro Logger)

2024-08-30	7:31:40 PM	17.5495
2024-08-30	7:32:40 PM	17.5494
2024-08-30	7:33:40 PM	17.5484
2024-08-30	7:34:40 PM	17.5418
2024-08-30	7:35:40 PM	17.5531
2024-08-30	7:36:40 PM	17.5532
2024-08-30	7:37:40 PM	17.5526
2024-08-30	7:38:40 PM	17.5515
2024-08-30	7:39:40 PM	17.5592
2024-08-30	7:40:40 PM	17.5558
2024-08-30	7:41:40 PM	17.5555
2024-08-30	7:42:40 PM	17.5547
2024-08-30	7:43:40 PM	17.5529
2024-08-30	7:44:40 PM	17.5262
2024-08-30	7:45:40 PM	17.5584
2024-08-30	7:46:40 PM	17.5583
2024-08-30	7:47:40 PM	17.5575
2024-08-30	7:48:40 PM	17.5557
2024-08-30	7:49:40 PM	17.5614
2024-08-30	7:50:40 PM	17.5615
2024-08-30	7:51:40 PM	17.5613
2024-08-30	7:52:40 PM	17.5603
2024-08-30	7:53:40 PM	17.574
2024-08-30	7:54:40 PM	17.5648
2024-08-30	7:55:40 PM	17.565
2024-08-30	7:56:40 PM	17.5644
2024-08-30	7:57:40 PM	17.5626
2024-08-30	7:58:40 PM	17.5683
2024-08-30	7:59:40 PM	17.568
2024-08-30	8:00:40 PM	17.5676
2024-08-30	8:01:40 PM	17.5668
2024-08-30	8:02:40 PM	17.5617
2024-08-30	8:03:40 PM	17.571
2024-08-30	8:04:40 PM	17.5709
2024-08-30	8:05:40 PM	17.5702
2024-08-30	8:06:40 PM	17.5696
2024-08-30	8:07:40 PM	17.5608
2024-08-30	8:08:40 PM	17.5741
2024-08-30	8:09:40 PM	17.5739
2024-08-30	8:10:40 PM	17.5733
2024-08-30	8:11:40 PM	17.5705
2024-08-30	8:12:40 PM	17.5771
2024-08-30	8:13:40 PM	17.5764
2024-08-30	8:14:40 PM	17.5763
2024-08-30	8:15:40 PM	17.5752
2024-08-30	8:16:40 PM	17.5733
2024-08-30	8:17:40 PM	17.5797
2024-08-30	8:18:40 PM	17.5797
2024-08-30	8:19:40 PM	17.5795
2024-08-30	8:20:40 PM	17.5775
2024-08-30	8:21:40 PM	17.5685
2024-08-30	8:22:40 PM	17.5837
2024-08-30	8:23:40 PM	17.5837
2024-08-30	8:24:40 PM	17.5828
2024-08-30	8:25:40 PM	17.5806
2024-08-30	8:26:40 PM	17.5859
2024-08-30	8:27:40 PM	17.5863
2024-08-30	8:28:40 PM	17.5856
2024-08-30	8:29:40 PM	17.5841
2024-08-30	8:30:40 PM	17.5817
2024-08-30	8:31:40 PM	17.5878
2024-08-30	8:32:40 PM	17.5874
2024-08-30	8:33:40 PM	17.5868
2024-08-30	8:34:40 PM	17.5846
2024-08-30	8:35:40 PM	17.5657
2024-08-30	8:36:40 PM	17.5894
2024-08-30	8:37:40 PM	17.5882
2024-08-30	8:38:40 PM	17.5864
2024-08-30	8:39:40 PM	17.5811

Pumping Test (Data Logger and Baro Logger)

2024-08-30	8:40:40 PM	17.5891
2024-08-30	8:41:40 PM	17.5887
2024-08-30	8:42:40 PM	17.5879
2024-08-30	8:43:40 PM	17.5863
2024-08-30	8:44:40 PM	17.5761
2024-08-30	8:45:40 PM	17.5902
2024-08-30	8:46:40 PM	17.5894
2024-08-30	8:47:40 PM	17.5886
2024-08-30	8:48:40 PM	17.586
2024-08-30	8:49:40 PM	17.5828
2024-08-30	8:50:40 PM	17.5906
2024-08-30	8:51:40 PM	17.5897
2024-08-30	8:52:40 PM	17.589
2024-08-30	8:53:40 PM	17.5851
2024-08-30	8:54:40 PM	17.5929
2024-08-30	8:55:40 PM	17.593
2024-08-30	8:56:40 PM	17.5921
2024-08-30	8:57:40 PM	17.5902
2024-08-30	8:58:40 PM	17.5726
2024-08-30	8:59:40 PM	17.5929
2024-08-30	9:00:40 PM	17.5917
2024-08-30	9:01:40 PM	17.5903
2024-08-30	9:02:40 PM	17.5856
2024-08-30	9:03:40 PM	17.5929
2024-08-30	9:04:40 PM	17.5924
2024-08-30	9:05:40 PM	17.5918
2024-08-30	9:06:40 PM	17.5903
2024-08-30	9:07:40 PM	17.5828
2024-08-30	9:08:40 PM	17.5939
2024-08-30	9:09:40 PM	17.5931
2024-08-30	9:10:40 PM	17.5921
2024-08-30	9:11:40 PM	17.5905
2024-08-30	9:12:40 PM	17.572
2024-08-30	9:13:40 PM	17.5939
2024-08-30	9:14:40 PM	17.5933
2024-08-30	9:15:40 PM	17.5916
2024-08-30	9:16:40 PM	17.589
2024-08-30	9:17:40 PM	17.594
2024-08-30	9:18:40 PM	17.5935
2024-08-30	9:19:40 PM	17.5926
2024-08-30	9:20:40 PM	17.591
2024-08-30	9:21:40 PM	17.5845
2024-08-30	9:22:40 PM	17.5947
2024-08-30	9:23:40 PM	17.5936
2024-08-30	9:24:40 PM	17.5926
2024-08-30	9:25:40 PM	17.5903
2024-08-30	9:26:40 PM	17.563
2024-08-30	9:27:40 PM	17.5943
2024-08-30	9:28:40 PM	17.5935
2024-08-30	9:29:40 PM	17.592
2024-08-30	9:30:40 PM	17.5893
2024-08-30	9:31:40 PM	17.5853
2024-08-30	9:32:40 PM	17.594
2024-08-30	9:33:40 PM	17.5933
2024-08-30	9:34:40 PM	17.5923
2024-08-30	9:35:40 PM	17.5855
2024-08-30	9:36:40 PM	17.5957
2024-08-30	9:37:40 PM	17.5951
2024-08-30	9:38:40 PM	17.5946
2024-08-30	9:39:40 PM	17.592
2024-08-30	9:40:40 PM	17.5817
2024-08-30	9:41:40 PM	17.5972
2024-08-30	9:42:40 PM	17.5968
2024-08-30	9:43:40 PM	17.5958
2024-08-30	9:44:40 PM	17.5905
2024-08-30	9:45:40 PM	17.5995
2024-08-30	9:46:40 PM	17.5993
2024-08-30	9:47:40 PM	17.5988
2024-08-30	9:48:40 PM	17.5973

Pumping Test (Data Logger and Baro Logger)

2024-08-30	9:49:40 PM	17.592
2024-08-30	9:50:40 PM	17.6014
2024-08-30	9:51:40 PM	17.601
2024-08-30	9:52:40 PM	17.6005
2024-08-30	9:53:40 PM	17.5987
2024-08-30	9:54:40 PM	17.5803
2024-08-30	9:55:40 PM	17.6015
2024-08-30	9:56:40 PM	17.6008
2024-08-30	9:57:40 PM	17.5997
2024-08-30	9:58:40 PM	17.5971
2024-08-30	9:59:40 PM	17.6022
2024-08-30	10:00:40 PM	17.6025
2024-08-30	10:01:40 PM	17.6022
2024-08-30	10:02:40 PM	17.6004
2024-08-30	10:03:40 PM	17.6022
2024-08-30	10:04:40 PM	17.6036
2024-08-30	10:05:40 PM	17.603
2024-08-30	10:06:40 PM	17.6024
2024-08-30	10:07:40 PM	17.6006
2024-08-30	10:08:40 PM	17.5857
2024-08-30	10:09:40 PM	17.6059
2024-08-30	10:10:40 PM	17.6053
2024-08-30	10:11:40 PM	17.6048
2024-08-30	10:12:40 PM	17.6027
2024-08-30	10:13:40 PM	17.6088
2024-08-30	10:14:40 PM	17.6081
2024-08-30	10:15:40 PM	17.6079
2024-08-30	10:16:40 PM	17.6059
2024-08-30	10:17:40 PM	17.5996
2024-08-30	10:18:40 PM	17.609
2024-08-30	10:19:40 PM	17.6082
2024-08-30	10:20:40 PM	17.6071
2024-08-30	10:21:40 PM	17.6049
2024-08-30	10:22:40 PM	17.601
2024-08-30	10:23:40 PM	17.6099
2024-08-30	10:24:40 PM	17.6086
2024-08-30	10:25:40 PM	17.608
2024-08-30	10:26:40 PM	17.6033
2024-08-30	10:27:40 PM	17.6115
2024-08-30	10:28:40 PM	17.6113
2024-08-30	10:29:40 PM	17.6111
2024-08-30	10:30:40 PM	17.6097
2024-08-30	10:31:40 PM	17.5925
2024-08-30	10:32:40 PM	17.6139
2024-08-30	10:33:40 PM	17.6128
2024-08-30	10:34:40 PM	17.6117
2024-08-30	10:35:40 PM	17.609
2024-08-30	10:36:40 PM	17.596
2024-08-30	10:37:40 PM	17.6141
2024-08-30	10:38:40 PM	17.6139
2024-08-30	10:39:40 PM	17.6134
2024-08-30	10:40:40 PM	17.6097
2024-08-30	10:41:40 PM	17.6168
2024-08-30	10:42:40 PM	17.6162
2024-08-30	10:43:40 PM	17.616
2024-08-30	10:44:40 PM	17.6146
2024-08-30	10:45:40 PM	17.5982
2024-08-30	10:46:40 PM	17.6189
2024-08-30	10:47:40 PM	17.6187
2024-08-30	10:48:40 PM	17.6179
2024-08-30	10:49:40 PM	17.616
2024-08-30	10:50:40 PM	17.6133
2024-08-30	10:51:40 PM	17.6213
2024-08-30	10:52:40 PM	17.6211
2024-08-30	10:53:40 PM	17.6198
2024-08-30	10:54:40 PM	17.6163
2024-08-30	10:55:40 PM	17.6234
2024-08-30	10:56:40 PM	17.6236
2024-08-30	10:57:40 PM	17.623

Pumping Test (Data Logger and Baro Logger)

2024-08-30	10:58:40 PM	17.6223
2024-08-30	10:59:40 PM	17.6178
2024-08-30	11:00:40 PM	17.6263
2024-08-30	11:01:40 PM	17.6264
2024-08-30	11:02:40 PM	17.6261
2024-08-30	11:03:40 PM	17.6245
2024-08-30	11:04:40 PM	17.6079
2024-08-30	11:05:40 PM	17.6293
2024-08-30	11:06:40 PM	17.6284
2024-08-30	11:07:40 PM	17.6275
2024-08-30	11:08:40 PM	17.6231
2024-08-30	11:09:40 PM	17.63
2024-08-30	11:10:40 PM	17.6294
2024-08-30	11:11:40 PM	17.6283
2024-08-30	11:12:40 PM	17.6269
2024-08-30	11:13:40 PM	17.6121
2024-08-30	11:14:40 PM	17.6299
2024-08-30	11:15:40 PM	17.6287
2024-08-30	11:16:40 PM	17.6272
2024-08-30	11:17:40 PM	17.6244
2024-08-30	11:18:40 PM	17.6022
2024-08-30	11:19:40 PM	17.6265
2024-08-30	11:20:40 PM	17.625
2024-08-30	11:21:40 PM	17.6232
2024-08-30	11:22:40 PM	17.6181
2024-08-30	11:23:40 PM	17.624
2024-08-30	11:24:40 PM	17.6221
2024-08-30	11:25:40 PM	17.6204
2024-08-30	11:26:40 PM	17.6185
2024-08-30	11:27:40 PM	17.5993
2024-08-30	11:28:40 PM	17.5824
2024-08-30	11:29:40 PM	17.5567
2024-08-30	11:30:40 PM	17.5906
2024-08-30	11:31:40 PM	17.5841
2024-08-30	11:32:40 PM	17.6021
2024-08-30	11:33:40 PM	17.6032
2024-08-30	11:34:40 PM	17.604
2024-08-30	11:35:40 PM	17.6036
2024-08-30	11:36:40 PM	17.5863
2024-08-30	11:37:40 PM	17.6102
2024-08-30	11:38:40 PM	17.6103
2024-08-30	11:39:40 PM	17.6101
2024-08-30	11:40:40 PM	17.6073
2024-08-30	11:41:40 PM	17.6147
2024-08-30	11:42:40 PM	17.6146
2024-08-30	11:43:40 PM	17.6139
2024-08-30	11:44:40 PM	17.6123
2024-08-30	11:45:40 PM	17.5903
2024-08-30	11:46:40 PM	17.617
2024-08-30	11:47:40 PM	17.6172
2024-08-30	11:48:40 PM	17.6168
2024-08-30	11:49:40 PM	17.6141
2024-08-30	11:50:40 PM	17.6212
2024-08-30	11:51:40 PM	17.6213
2024-08-30	11:52:40 PM	17.6211
2024-08-30	11:53:40 PM	17.6198
2024-08-30	11:54:40 PM	17.6095
2024-08-30	11:55:40 PM	17.6239
2024-08-30	11:56:40 PM	17.6236
2024-08-30	11:57:40 PM	17.6225
2024-08-30	11:58:40 PM	17.6212
2024-08-30	11:59:40 PM	17.6115
2024-08-31	12:00:40 AM	17.6247
2024-08-31	12:01:40 AM	17.6232
2024-08-31	12:02:40 AM	17.6211
2024-08-31	12:03:40 AM	17.617
2024-08-31	12:04:40 AM	17.6099
2024-08-31	12:05:40 AM	17.6172
2024-08-31	12:06:40 AM	17.6144

Pumping Test (Data Logger and Baro Logger)

2024-08-31	12:07:40 AM	17.611
2024-08-31	12:08:40 AM	17.6037
2024-08-31	12:09:40 AM	17.6092
2024-08-31	12:10:40 AM	17.6067
2024-08-31	12:11:40 AM	17.6029
2024-08-31	12:12:40 AM	17.5986
2024-08-31	12:13:40 AM	17.579
2024-08-31	12:14:40 AM	17.5988
2024-08-31	12:15:40 AM	17.5967
2024-08-31	12:16:40 AM	17.5935
2024-08-31	12:17:40 AM	17.5903
2024-08-31	12:18:40 AM	17.5852
2024-08-31	12:19:40 AM	17.5951
2024-08-31	12:20:40 AM	17.5954
2024-08-31	12:21:40 AM	17.5948
2024-08-31	12:22:40 AM	17.5911
2024-08-31	12:23:40 AM	17.5999
2024-08-31	12:24:40 AM	17.6002
2024-08-31	12:25:40 AM	17.5993
2024-08-31	12:26:40 AM	17.5982
2024-08-31	12:27:40 AM	17.5887
2024-08-31	12:28:40 AM	17.603
2024-08-31	12:29:40 AM	17.603
2024-08-31	12:30:40 AM	17.6027
2024-08-31	12:31:40 AM	17.6009
2024-08-31	12:32:40 AM	17.6069
2024-08-31	12:33:40 AM	17.6073
2024-08-31	12:34:40 AM	17.6069
2024-08-31	12:35:40 AM	17.6063
2024-08-31	12:36:40 AM	17.6009
2024-08-31	12:37:40 AM	17.6109
2024-08-31	12:38:40 AM	17.6111
2024-08-31	12:39:40 AM	17.611
2024-08-31	12:40:40 AM	17.6098
2024-08-31	12:41:40 AM	17.6075
2024-08-31	12:42:40 AM	17.6141
2024-08-31	12:43:40 AM	17.6142
2024-08-31	12:44:40 AM	17.6143
2024-08-31	12:45:40 AM	17.6128
2024-08-31	12:46:40 AM	17.6069
2024-08-31	12:47:40 AM	17.6175
2024-08-31	12:48:40 AM	17.617
2024-08-31	12:49:40 AM	17.6166
2024-08-31	12:50:40 AM	17.6111
2024-08-31	12:51:40 AM	17.6209
2024-08-31	12:52:40 AM	17.6208
2024-08-31	12:53:40 AM	17.6202
2024-08-31	12:54:40 AM	17.6183
2024-08-31	12:55:40 AM	17.6014
2024-08-31	12:56:40 AM	17.6237
2024-08-31	12:57:40 AM	17.6233
2024-08-31	12:58:40 AM	17.6223
2024-08-31	12:59:40 AM	17.6204
2024-08-31	1:00:40 AM	17.6261
2024-08-31	1:01:40 AM	17.627
2024-08-31	1:02:40 AM	17.6273
2024-08-31	1:03:40 AM	17.6267
2024-08-31	1:04:40 AM	17.623
2024-08-31	1:05:40 AM	17.6311
2024-08-31	1:06:40 AM	17.631
2024-08-31	1:07:40 AM	17.6311
2024-08-31	1:08:40 AM	17.6295
2024-08-31	1:09:40 AM	17.6046
2024-08-31	1:10:40 AM	17.6355
2024-08-31	1:11:40 AM	17.6352
2024-08-31	1:12:40 AM	17.6353
2024-08-31	1:13:40 AM	17.6321
2024-08-31	1:14:40 AM	17.6391
2024-08-31	1:15:40 AM	17.6388

Pumping Test (Data Logger and Baro Logger)

2024-08-31	1:16:40 AM	17.6367
2024-08-31	1:17:40 AM	17.6354
2024-08-31	1:18:40 AM	17.6246
2024-08-31	1:19:40 AM	17.6393
2024-08-31	1:20:40 AM	17.6383
2024-08-31	1:21:40 AM	17.6377
2024-08-31	1:22:40 AM	17.6359
2024-08-31	1:23:40 AM	17.6164
2024-08-31	1:24:40 AM	17.6403
2024-08-31	1:25:40 AM	17.6395
2024-08-31	1:26:40 AM	17.6387
2024-08-31	1:27:40 AM	17.6367
2024-08-31	1:28:40 AM	17.6388
2024-08-31	1:29:40 AM	17.6423
2024-08-31	1:30:40 AM	17.642
2024-08-31	1:31:40 AM	17.6409
2024-08-31	1:32:40 AM	17.6349
2024-08-31	1:33:40 AM	17.6442
2024-08-31	1:34:40 AM	17.6444
2024-08-31	1:35:40 AM	17.6439
2024-08-31	1:36:40 AM	17.6422
2024-08-31	1:37:40 AM	17.6305
2024-08-31	1:38:40 AM	17.6473
2024-08-31	1:39:40 AM	17.6468
2024-08-31	1:40:40 AM	17.6116
2024-08-31	1:41:40 AM	17.5447
2024-08-31	1:42:40 AM	17.5114
2024-08-31	1:43:40 AM	17.49
2024-08-31	1:44:40 AM	17.4752
2024-08-31	1:45:40 AM	17.4594
2024-08-31	1:46:40 AM	17.4443
2024-08-31	1:47:40 AM	17.4359
2024-08-31	1:48:40 AM	17.4252
2024-08-31	1:49:40 AM	17.4163
2024-08-31	1:50:40 AM	17.4078
2024-08-31	1:51:40 AM	17.406
2024-08-31	1:52:40 AM	17.3986
2024-08-31	1:53:40 AM	17.3867
2024-08-31	1:54:40 AM	17.3802
2024-08-31	1:55:40 AM	17.3842
2024-08-31	1:56:40 AM	17.4483
2024-08-31	1:57:40 AM	17.4777
2024-08-31	1:58:40 AM	17.495
2024-08-31	1:59:40 AM	17.5084
2024-08-31	2:00:40 AM	17.5014
2024-08-31	2:01:40 AM	17.5234
2024-08-31	2:02:40 AM	17.5331
2024-08-31	2:03:40 AM	17.5407
2024-08-31	2:04:40 AM	17.5267
2024-08-31	2:05:40 AM	17.5475
2024-08-31	2:06:40 AM	17.5538
2024-08-31	2:07:40 AM	17.5586
2024-08-31	2:08:40 AM	17.5636
2024-08-31	2:09:40 AM	17.5575
2024-08-31	2:10:40 AM	17.5645
2024-08-31	2:11:40 AM	17.5688
2024-08-31	2:12:40 AM	17.5721
2024-08-31	2:13:40 AM	17.5596
2024-08-31	2:14:40 AM	17.5702
2024-08-31	2:15:40 AM	17.5751
2024-08-31	2:16:40 AM	17.578
2024-08-31	2:17:40 AM	17.5765
2024-08-31	2:18:40 AM	17.574
2024-08-31	2:19:40 AM	17.58
2024-08-31	2:20:40 AM	17.583
2024-08-31	2:21:40 AM	17.5848
2024-08-31	2:22:40 AM	17.5678
2024-08-31	2:23:40 AM	17.5823
2024-08-31	2:24:40 AM	17.5852

Pumping Test (Data Logger and Baro Logger)

2024-08-31	2:25:40 AM	17.5869
2024-08-31	2:26:40 AM	17.5854
2024-08-31	2:27:40 AM	17.5823
2024-08-31	2:28:40 AM	17.5871
2024-08-31	2:29:40 AM	17.5888
2024-08-31	2:30:40 AM	17.5905
2024-08-31	2:31:40 AM	17.5586
2024-08-31	2:32:40 AM	17.5883
2024-08-31	2:33:40 AM	17.5908
2024-08-31	2:34:40 AM	17.5929
2024-08-31	2:35:40 AM	17.5715
2024-08-31	2:36:40 AM	17.4995
2024-08-31	2:37:40 AM	17.4678
2024-08-31	2:38:40 AM	17.4474
2024-08-31	2:39:40 AM	17.4289
2024-08-31	2:40:40 AM	17.4114
2024-08-31	2:41:40 AM	17.4913
2024-08-31	2:42:40 AM	17.5083
2024-08-31	2:43:40 AM	17.5189
2024-08-31	2:44:40 AM	17.5227
2024-08-31	2:45:40 AM	17.5389
2024-08-31	2:46:40 AM	17.5439
2024-08-31	2:47:40 AM	17.5478
2024-08-31	2:48:40 AM	17.5512
2024-08-31	2:49:40 AM	17.5536
2024-08-31	2:50:40 AM	17.5557
2024-08-31	2:51:40 AM	17.5569
2024-08-31	2:52:40 AM	17.5572
2024-08-31	2:53:40 AM	17.5503
2024-08-31	2:54:40 AM	17.5679
2024-08-31	2:55:40 AM	17.5681
2024-08-31	2:56:40 AM	17.5685
2024-08-31	2:57:40 AM	17.5691
2024-08-31	2:58:40 AM	17.5698
2024-08-31	2:59:40 AM	17.5701
2024-08-31	3:00:40 AM	17.5701
2024-08-31	3:01:40 AM	17.5588
2024-08-31	3:02:40 AM	17.5776
2024-08-31	3:03:40 AM	17.5781
2024-08-31	3:04:40 AM	17.5785
2024-08-31	3:05:40 AM	17.5793
2024-08-31	3:06:40 AM	17.5798
2024-08-31	3:07:40 AM	17.5792
2024-08-31	3:08:40 AM	17.5749
2024-08-31	3:09:40 AM	17.5674
2024-08-31	3:10:40 AM	17.5874
2024-08-31	3:11:40 AM	17.5877
2024-08-31	3:12:40 AM	17.5883
2024-08-31	3:13:40 AM	17.5888
2024-08-31	3:14:40 AM	17.5887
2024-08-31	3:15:40 AM	17.5881
2024-08-31	3:16:40 AM	17.5877
2024-08-31	3:17:40 AM	17.5797
2024-08-31	3:18:40 AM	17.5951
2024-08-31	3:19:40 AM	17.5952
2024-08-31	3:20:40 AM	17.5957
2024-08-31	3:21:40 AM	17.5958
2024-08-31	3:22:40 AM	17.5963
2024-08-31	3:23:40 AM	17.5955
2024-08-31	3:24:40 AM	17.5938
2024-08-31	3:25:40 AM	17.5831
2024-08-31	3:26:40 AM	17.6011
2024-08-31	3:27:40 AM	17.6018
2024-08-31	3:28:40 AM	17.6021
2024-08-31	3:29:40 AM	17.6023
2024-08-31	3:30:40 AM	17.6021
2024-08-31	3:31:40 AM	17.6007
2024-08-31	3:32:40 AM	17.5963
2024-08-31	3:33:40 AM	17.5875

Pumping Test (Data Logger and Baro Logger)

2024-08-31	3:34:40 AM	17.6066
2024-08-31	3:35:40 AM	17.607
2024-08-31	3:36:40 AM	17.6074
2024-08-31	3:37:40 AM	17.6072
2024-08-31	3:38:40 AM	17.6067
2024-08-31	3:39:40 AM	17.6059
2024-08-31	3:40:40 AM	17.6024
2024-08-31	3:41:40 AM	17.6005
2024-08-31	3:42:40 AM	17.6119
2024-08-31	3:43:40 AM	17.6124
2024-08-31	3:44:40 AM	17.6121
2024-08-31	3:45:40 AM	17.612
2024-08-31	3:46:40 AM	17.6114
2024-08-31	3:47:40 AM	17.6102
2024-08-31	3:48:40 AM	17.5899
2024-08-31	3:49:40 AM	17.617
2024-08-31	3:50:40 AM	17.6173
2024-08-31	3:51:40 AM	17.6173
2024-08-31	3:52:40 AM	17.6165
2024-08-31	3:53:40 AM	17.6169
2024-08-31	3:54:40 AM	17.6168
2024-08-31	3:55:40 AM	17.6147
2024-08-31	3:56:40 AM	17.596
2024-08-31	3:57:40 AM	17.6235
2024-08-31	3:58:40 AM	17.6249
2024-08-31	3:59:40 AM	17.6252
2024-08-31	4:00:40 AM	17.6253
2024-08-31	4:01:40 AM	17.625
2024-08-31	4:02:40 AM	17.6249
2024-08-31	4:03:40 AM	17.619
2024-08-31	4:04:40 AM	17.6112
2024-08-31	4:05:40 AM	17.6316
2024-08-31	4:06:40 AM	17.6323
2024-08-31	4:07:40 AM	17.6324
2024-08-31	4:08:40 AM	17.6321
2024-08-31	4:09:40 AM	17.6321
2024-08-31	4:10:40 AM	17.6272
2024-08-31	4:11:40 AM	17.6024
2024-08-31	4:12:40 AM	17.5976
2024-08-31	4:13:40 AM	17.5844
2024-08-31	4:14:40 AM	17.5786
2024-08-31	4:15:40 AM	17.5711
2024-08-31	4:16:40 AM	17.5633
2024-08-31	4:17:40 AM	17.5656
2024-08-31	4:18:40 AM	17.5575
2024-08-31	4:19:40 AM	17.5519
2024-08-31	4:20:40 AM	17.5468
2024-08-31	4:21:40 AM	17.5706
2024-08-31	4:22:40 AM	17.5837
2024-08-31	4:23:40 AM	17.5782
2024-08-31	4:24:40 AM	17.5918
2024-08-31	4:25:40 AM	17.5986
2024-08-31	4:26:40 AM	17.5818
2024-08-31	4:27:40 AM	17.5999
2024-08-31	4:28:40 AM	17.6057
2024-08-31	4:29:40 AM	17.5921
2024-08-31	4:30:40 AM	17.6056
2024-08-31	4:31:40 AM	17.6107
2024-08-31	4:32:40 AM	17.5944
2024-08-31	4:33:40 AM	17.6094
2024-08-31	4:34:40 AM	17.6135
2024-08-31	4:35:40 AM	17.5936
2024-08-31	4:36:40 AM	17.6116
2024-08-31	4:37:40 AM	17.6153
2024-08-31	4:38:40 AM	17.5853
2024-08-31	4:39:40 AM	17.6142
2024-08-31	4:40:40 AM	17.617
2024-08-31	4:41:40 AM	17.601
2024-08-31	4:42:40 AM	17.6145

Pumping Test (Data Logger and Baro Logger)

2024-08-31	4:43:40 AM	17.618
2024-08-31	4:44:40 AM	17.5956
2024-08-31	4:45:40 AM	17.6151
2024-08-31	4:46:40 AM	17.6183
2024-08-31	4:47:40 AM	17.5997
2024-08-31	4:48:40 AM	17.6151
2024-08-31	4:49:40 AM	17.6175
2024-08-31	4:50:40 AM	17.5946
2024-08-31	4:51:40 AM	17.6155
2024-08-31	4:52:40 AM	17.6177
2024-08-31	4:53:40 AM	17.6122
2024-08-31	4:54:40 AM	17.6164
2024-08-31	4:55:40 AM	17.6088
2024-08-31	4:56:40 AM	17.6137
2024-08-31	4:57:40 AM	17.6168
2024-08-31	4:58:40 AM	17.5946
2024-08-31	4:59:40 AM	17.6132
2024-08-31	5:00:40 AM	17.6148
2024-08-31	5:01:40 AM	17.6021
2024-08-31	5:02:40 AM	17.6126
2024-08-31	5:03:40 AM	17.6145
2024-08-31	5:04:40 AM	17.6079
2024-08-31	5:05:40 AM	17.6123
2024-08-31	5:06:40 AM	17.601
2024-08-31	5:07:40 AM	17.607
2024-08-31	5:08:40 AM	17.6102
2024-08-31	5:09:40 AM	17.5943
2024-08-31	5:10:40 AM	17.6081
2024-08-31	5:11:40 AM	17.6096
2024-08-31	5:12:40 AM	17.6011
2024-08-31	5:13:40 AM	17.6066
2024-08-31	5:14:40 AM	17.608
2024-08-31	5:15:40 AM	17.6029
2024-08-31	5:16:40 AM	17.6065
2024-08-31	5:17:40 AM	17.5887
2024-08-31	5:18:40 AM	17.6037
2024-08-31	5:19:40 AM	17.6062
2024-08-31	5:20:40 AM	17.5985
2024-08-31	5:21:40 AM	17.6047
2024-08-31	5:22:40 AM	17.6065
2024-08-31	5:23:40 AM	17.5993
2024-08-31	5:24:40 AM	17.6047
2024-08-31	5:25:40 AM	17.6066
2024-08-31	5:26:40 AM	17.6018
2024-08-31	5:27:40 AM	17.6057
2024-08-31	5:28:40 AM	17.5849
2024-08-31	5:29:40 AM	17.604
2024-08-31	5:30:40 AM	17.6069
2024-08-31	5:31:40 AM	17.5901
2024-08-31	5:32:40 AM	17.6059
2024-08-31	5:33:40 AM	17.6083
2024-08-31	5:34:40 AM	17.6028
2024-08-31	5:35:40 AM	17.607
2024-08-31	5:36:40 AM	17.6082
2024-08-31	5:37:40 AM	17.6048
2024-08-31	5:38:40 AM	17.6088
2024-08-31	5:39:40 AM	17.5868
2024-08-31	5:40:40 AM	17.6076
2024-08-31	5:41:40 AM	17.6106
2024-08-31	5:42:40 AM	17.5939
2024-08-31	5:43:40 AM	17.6092
2024-08-31	5:44:40 AM	17.6121
2024-08-31	5:45:40 AM	17.6045
2024-08-31	5:46:40 AM	17.611
2024-08-31	5:47:40 AM	17.6131
2024-08-31	5:48:40 AM	17.6018
2024-08-31	5:49:40 AM	17.6123
2024-08-31	5:50:40 AM	17.6144
2024-08-31	5:51:40 AM	17.6096

Pumping Test (Data Logger and Baro Logger)

2024-08-31	5:52:40 AM	17.614
2024-08-31	5:53:40 AM	17.5845
2024-08-31	5:54:40 AM	17.6135
2024-08-31	5:55:40 AM	17.6172
2024-08-31	5:56:40 AM	17.6064
2024-08-31	5:57:40 AM	17.6161
2024-08-31	5:58:40 AM	17.6187
2024-08-31	5:59:40 AM	17.6114
2024-08-31	6:00:40 AM	17.6178
2024-08-31	6:01:40 AM	17.6201
2024-08-31	6:02:40 AM	17.6155
2024-08-31	6:03:40 AM	17.6201
2024-08-31	6:04:40 AM	17.6061
2024-08-31	6:05:40 AM	17.6183
2024-08-31	6:06:40 AM	17.6219
2024-08-31	6:07:40 AM	17.5962
2024-08-31	6:08:40 AM	17.5912
2024-08-31	6:09:40 AM	17.5777
2024-08-31	6:10:40 AM	17.5708
2024-08-31	6:11:40 AM	17.5621
2024-08-31	6:12:40 AM	17.5551
2024-08-31	6:13:40 AM	17.5614
2024-08-31	6:14:40 AM	17.5485
2024-08-31	6:15:40 AM	17.5519
2024-08-31	6:16:40 AM	17.549
2024-08-31	6:17:40 AM	17.5433
2024-08-31	6:18:40 AM	17.5617
2024-08-31	6:19:40 AM	17.57
2024-08-31	6:20:40 AM	17.582
2024-08-31	6:21:40 AM	17.5817
2024-08-31	6:22:40 AM	17.5896
2024-08-31	6:23:40 AM	17.5878
2024-08-31	6:24:40 AM	17.5944
2024-08-31	6:25:40 AM	17.5924
2024-08-31	6:26:40 AM	17.5979
2024-08-31	6:27:40 AM	17.5962
2024-08-31	6:28:40 AM	17.5868
2024-08-31	6:29:40 AM	17.5988
2024-08-31	6:30:40 AM	17.5765
2024-08-31	6:31:40 AM	17.6007
2024-08-31	6:32:40 AM	17.6014
2024-08-31	6:33:40 AM	17.5931
2024-08-31	6:34:40 AM	17.6097
2024-08-31	6:35:40 AM	17.6114
2024-08-31	6:36:40 AM	17.6126
2024-08-31	6:37:40 AM	17.6136
2024-08-31	6:38:40 AM	17.6142
2024-08-31	6:39:40 AM	17.6146
2024-08-31	6:40:40 AM	17.6137
2024-08-31	6:41:40 AM	17.6003
2024-08-31	6:42:40 AM	17.6229
2024-08-31	6:43:40 AM	17.6242
2024-08-31	6:44:40 AM	17.6244
2024-08-31	6:45:40 AM	17.6254
2024-08-31	6:46:40 AM	17.6262
2024-08-31	6:47:40 AM	17.6255
2024-08-31	6:48:40 AM	17.6115
2024-08-31	6:49:40 AM	17.6343
2024-08-31	6:50:40 AM	17.5699
2024-08-31	6:51:40 AM	17.5511
2024-08-31	6:52:40 AM	17.5441
2024-08-31	6:53:40 AM	17.5299
2024-08-31	6:54:40 AM	17.5259
2024-08-31	6:55:40 AM	17.5149
2024-08-31	6:56:40 AM	17.5073
2024-08-31	6:57:40 AM	17.4998
2024-08-31	6:58:40 AM	17.4904
2024-08-31	6:59:40 AM	17.4825
2024-08-31	7:00:40 AM	17.4882

Pumping Test (Data Logger and Baro Logger)

2024-08-31	7:01:40 AM	17.4807
2024-08-31	7:02:40 AM	17.4754
2024-08-31	7:03:40 AM	17.4711
2024-08-31	7:04:40 AM	17.4667
2024-08-31	7:05:40 AM	17.4653
2024-08-31	7:06:40 AM	17.511
2024-08-31	7:07:40 AM	17.5276
2024-08-31	7:08:40 AM	17.5347
2024-08-31	7:09:40 AM	17.5382
2024-08-31	7:10:40 AM	17.561
2024-08-31	7:11:40 AM	17.5675
2024-08-31	7:12:40 AM	17.5728
2024-08-31	7:13:40 AM	17.5772
2024-08-31	7:14:40 AM	17.5808
2024-08-31	7:15:40 AM	17.5831
2024-08-31	7:16:40 AM	17.5815
2024-08-31	7:17:40 AM	17.5965
2024-08-31	7:18:40 AM	17.5996
2024-08-31	7:19:40 AM	17.6024
2024-08-31	7:20:40 AM	17.6049
2024-08-31	7:21:40 AM	17.6068
2024-08-31	7:22:40 AM	17.6086
2024-08-31	7:23:40 AM	17.6092
2024-08-31	7:24:40 AM	17.6101
2024-08-31	7:25:40 AM	17.6195
2024-08-31	7:26:40 AM	17.6221
2024-08-31	7:27:40 AM	17.6216
2024-08-31	7:28:40 AM	17.6227
2024-08-31	7:29:40 AM	17.6244
2024-08-31	7:30:40 AM	17.6248
2024-08-31	7:31:40 AM	17.6242
2024-08-31	7:32:40 AM	17.6187
2024-08-31	7:33:40 AM	17.6346
2024-08-31	7:34:40 AM	17.6327
2024-08-31	7:35:40 AM	17.633
2024-08-31	7:36:40 AM	17.6346
2024-08-31	7:37:40 AM	17.635
2024-08-31	7:38:40 AM	17.6348
2024-08-31	7:39:40 AM	17.6325
2024-08-31	7:40:40 AM	17.6273
2024-08-31	7:41:40 AM	17.643
2024-08-31	7:42:40 AM	17.6434
2024-08-31	7:43:40 AM	17.6442
2024-08-31	7:44:40 AM	17.6446
2024-08-31	7:45:40 AM	17.6453
2024-08-31	7:46:40 AM	17.6451
2024-08-31	7:47:40 AM	17.6432
2024-08-31	7:48:40 AM	17.6311
2024-08-31	7:49:40 AM	17.652
2024-08-31	7:50:40 AM	17.6529
2024-08-31	7:51:40 AM	17.6531
2024-08-31	7:52:40 AM	17.6539
2024-08-31	7:53:40 AM	17.6537
2024-08-31	7:54:40 AM	17.653
2024-08-31	7:55:40 AM	17.6496
2024-08-31	7:56:40 AM	17.6597
2024-08-31	7:57:40 AM	17.6603
2024-08-31	7:58:40 AM	17.6607
2024-08-31	7:59:40 AM	17.6604
2024-08-31	8:00:40 AM	17.6275
2024-08-31	8:01:40 AM	17.6317
2024-08-31	8:02:40 AM	17.6346
2024-08-31	8:03:40 AM	17.6255
2024-08-31	8:04:40 AM	17.6471
2024-08-31	8:05:40 AM	17.6486
2024-08-31	8:06:40 AM	17.6496
2024-08-31	8:07:40 AM	17.6513
2024-08-31	8:08:40 AM	17.6517
2024-08-31	8:09:40 AM	17.6523

Pumping Test (Data Logger and Baro Logger)

2024-08-31	8:10:40 AM	17.6514
2024-08-31	8:11:40 AM	17.6432
2024-08-31	8:12:40 AM	17.6604
2024-08-31	8:13:40 AM	17.6619
2024-08-31	8:14:40 AM	17.663
2024-08-31	8:15:40 AM	17.663
2024-08-31	8:16:40 AM	17.6634
2024-08-31	8:17:40 AM	17.6623
2024-08-31	8:18:40 AM	17.6511
2024-08-31	8:19:40 AM	17.67
2024-08-31	8:20:40 AM	17.6708
2024-08-31	8:21:40 AM	17.6713
2024-08-31	8:22:40 AM	17.6714
2024-08-31	8:23:40 AM	17.6715
2024-08-31	8:24:40 AM	17.6718
2024-08-31	8:25:40 AM	17.6697
2024-08-31	8:26:40 AM	17.65
2024-08-31	8:27:40 AM	17.6768
2024-08-31	8:28:40 AM	17.677
2024-08-31	8:29:40 AM	17.6774
2024-08-31	8:30:40 AM	17.6772
2024-08-31	8:31:40 AM	17.6764
2024-08-31	8:32:40 AM	17.6759
2024-08-31	8:33:40 AM	17.6758
2024-08-31	8:34:40 AM	17.6815
2024-08-31	8:35:40 AM	17.6814
2024-08-31	8:36:40 AM	17.6819
2024-08-31	8:37:40 AM	17.6814
2024-08-31	8:38:40 AM	17.6809
2024-08-31	8:39:40 AM	17.6797
2024-08-31	8:40:40 AM	17.6816
2024-08-31	8:41:40 AM	17.6862
2024-08-31	8:42:40 AM	17.6858
2024-08-31	8:43:40 AM	17.6857
2024-08-31	8:44:40 AM	17.6854
2024-08-31	8:45:40 AM	17.6851
2024-08-31	8:46:40 AM	17.6845
2024-08-31	8:47:40 AM	17.6831
2024-08-31	8:48:40 AM	17.668
2024-08-31	8:49:40 AM	17.6888
2024-08-31	8:50:40 AM	17.6887
2024-08-31	8:51:40 AM	17.6886
2024-08-31	8:52:40 AM	17.6889
2024-08-31	8:53:40 AM	17.6883
2024-08-31	8:54:40 AM	17.6875
2024-08-31	8:55:40 AM	17.6653
2024-08-31	8:56:40 AM	17.6939
2024-08-31	8:57:40 AM	17.6937
2024-08-31	8:58:40 AM	17.6938
2024-08-31	8:59:40 AM	17.6941
2024-08-31	9:00:40 AM	17.6936
2024-08-31	9:01:40 AM	17.6926
2024-08-31	9:02:40 AM	17.6849
2024-08-31	9:03:40 AM	17.6792
2024-08-31	9:04:40 AM	17.6983
2024-08-31	9:05:40 AM	17.6984
2024-08-31	9:06:40 AM	17.6987
2024-08-31	9:07:40 AM	17.6984
2024-08-31	9:08:40 AM	17.6975
2024-08-31	9:09:40 AM	17.6956
2024-08-31	9:10:40 AM	17.6719
2024-08-31	9:11:40 AM	17.7034
2024-08-31	9:12:40 AM	17.7034
2024-08-31	9:13:40 AM	17.7032
2024-08-31	9:14:40 AM	17.7026
2024-08-31	9:15:40 AM	17.7016
2024-08-31	9:16:40 AM	17.7006
2024-08-31	9:17:40 AM	17.6852
2024-08-31	9:18:40 AM	17.7065

Pumping Test (Data Logger and Baro Logger)

2024-08-31	9:19:40 AM	17.7067
2024-08-31	9:20:40 AM	17.7059
2024-08-31	9:21:40 AM	17.7065
2024-08-31	9:22:40 AM	17.7066
2024-08-31	9:23:40 AM	17.7052
2024-08-31	9:24:40 AM	17.6928
2024-08-31	9:25:40 AM	17.7117
2024-08-31	9:26:40 AM	17.7117
2024-08-31	9:27:40 AM	17.7122
2024-08-31	9:28:40 AM	17.7121
2024-08-31	9:29:40 AM	17.7111
2024-08-31	9:30:40 AM	17.7112
2024-08-31	9:31:40 AM	17.708
2024-08-31	9:32:40 AM	17.698
2024-08-31	9:33:40 AM	17.716
2024-08-31	9:34:40 AM	17.7161
2024-08-31	9:35:40 AM	17.716
2024-08-31	9:36:40 AM	17.7158
2024-08-31	9:37:40 AM	17.7151
2024-08-31	9:38:40 AM	17.7124
2024-08-31	9:39:40 AM	17.6923
2024-08-31	9:40:40 AM	17.7192
2024-08-31	9:41:40 AM	17.7192
2024-08-31	9:42:40 AM	17.7189
2024-08-31	9:43:40 AM	17.7189
2024-08-31	9:44:40 AM	17.7177
2024-08-31	9:45:40 AM	17.7153
2024-08-31	9:46:40 AM	17.7002
2024-08-31	9:47:40 AM	17.7226
2024-08-31	9:48:40 AM	17.7226
2024-08-31	9:49:40 AM	17.7217
2024-08-31	9:50:40 AM	17.7216
2024-08-31	9:51:40 AM	17.7214
2024-08-31	9:52:40 AM	17.7203
2024-08-31	9:53:40 AM	17.718
2024-08-31	9:54:40 AM	17.7266
2024-08-31	9:55:40 AM	17.7249
2024-08-31	9:56:40 AM	17.7243
2024-08-31	9:57:40 AM	17.7238
2024-08-31	9:58:40 AM	17.7235
2024-08-31	9:59:40 AM	17.722
2024-08-31	10:00:40 AM	17.7207
2024-08-31	10:01:40 AM	17.7268
2024-08-31	10:02:40 AM	17.7272
2024-08-31	10:03:40 AM	17.7267
2024-08-31	10:04:40 AM	17.7261
2024-08-31	10:05:40 AM	17.7251
2024-08-31	10:06:40 AM	17.7245
2024-08-31	10:07:40 AM	17.7224
2024-08-31	10:08:40 AM	17.7056
2024-08-31	10:09:40 AM	17.7297
2024-08-31	10:10:40 AM	17.7294
2024-08-31	10:11:40 AM	17.7289
2024-08-31	10:12:40 AM	17.7288
2024-08-31	10:13:40 AM	17.7282
2024-08-31	10:14:40 AM	17.7264
2024-08-31	10:15:40 AM	17.7226
2024-08-31	10:16:40 AM	17.7317
2024-08-31	10:17:40 AM	17.7308
2024-08-31	10:18:40 AM	17.7299
2024-08-31	10:19:40 AM	17.7293
2024-08-31	10:20:40 AM	17.7289
2024-08-31	10:21:40 AM	17.7277
2024-08-31	10:22:40 AM	17.725
2024-08-31	10:23:40 AM	17.7182
2024-08-31	10:24:40 AM	17.7328
2024-08-31	10:25:40 AM	17.7321
2024-08-31	10:26:40 AM	17.7325
2024-08-31	10:27:40 AM	17.7315

Pumping Test (Data Logger and Baro Logger)

2024-08-31	10:28:40 AM	17.7311
2024-08-31	10:29:40 AM	17.7295
2024-08-31	10:30:40 AM	17.724
2024-08-31	10:31:40 AM	17.7347
2024-08-31	10:32:40 AM	17.7347
2024-08-31	10:33:40 AM	17.734
2024-08-31	10:34:40 AM	17.7337
2024-08-31	10:35:40 AM	17.7325
2024-08-31	10:36:40 AM	17.7313
2024-08-31	10:37:40 AM	17.7228
2024-08-31	10:38:40 AM	17.7361
2024-08-31	10:39:40 AM	17.7355
2024-08-31	10:40:40 AM	17.735
2024-08-31	10:41:40 AM	17.7345
2024-08-31	10:42:40 AM	17.7341
2024-08-31	10:43:40 AM	17.7328
2024-08-31	10:44:40 AM	17.731
2024-08-31	10:45:40 AM	17.7145
2024-08-31	10:46:40 AM	17.7377
2024-08-31	10:47:40 AM	17.7375
2024-08-31	10:48:40 AM	17.7374
2024-08-31	10:49:40 AM	17.7373
2024-08-31	10:50:40 AM	17.7366
2024-08-31	10:51:40 AM	17.735
2024-08-31	10:52:40 AM	17.7338
2024-08-31	10:53:40 AM	17.741
2024-08-31	10:54:40 AM	17.7411
2024-08-31	10:55:40 AM	17.7406
2024-08-31	10:56:40 AM	17.7403
2024-08-31	10:57:40 AM	17.7393
2024-08-31	10:58:40 AM	17.7381
2024-08-31	10:59:40 AM	17.7343
2024-08-31	11:00:40 AM	17.7437
2024-08-31	11:01:40 AM	17.7434
2024-08-31	11:02:40 AM	17.7433
2024-08-31	11:03:40 AM	17.743
2024-08-31	11:04:40 AM	17.7417
2024-08-31	11:05:40 AM	17.7404
2024-08-31	11:06:40 AM	17.7361
2024-08-31	11:07:40 AM	17.7294
2024-08-31	11:08:40 AM	17.746
2024-08-31	11:09:40 AM	17.7455
2024-08-31	11:10:40 AM	17.7452
2024-08-31	11:11:40 AM	17.7444
2024-08-31	11:12:40 AM	17.7436
2024-08-31	11:13:40 AM	17.7418
2024-08-31	11:14:40 AM	17.7315
2024-08-31	11:15:40 AM	17.7479
2024-08-31	11:16:40 AM	17.7478
2024-08-31	11:17:40 AM	17.7475
2024-08-31	11:18:40 AM	17.7471
2024-08-31	11:19:40 AM	17.746
2024-08-31	11:20:40 AM	17.7439
2024-08-31	11:21:40 AM	17.7317
2024-08-31	11:22:40 AM	17.7434
2024-08-31	11:23:40 AM	17.7497
2024-08-31	11:24:40 AM	17.7494
2024-08-31	11:25:40 AM	17.7493
2024-08-31	11:26:40 AM	17.7485
2024-08-31	11:27:40 AM	17.7471
2024-08-31	11:28:40 AM	17.7413
2024-08-31	11:29:40 AM	17.7457
2024-08-31	11:30:40 AM	17.7519
2024-08-31	11:31:40 AM	17.7518
2024-08-31	11:32:40 AM	17.7518
2024-08-31	11:33:40 AM	17.7511
2024-08-31	11:34:40 AM	17.7504
2024-08-31	11:35:40 AM	17.7483
2024-08-31	11:36:40 AM	17.7325

Pumping Test (Data Logger and Baro Logger)

2024-08-31	11:37:40 AM	17.7549
2024-08-31	11:38:40 AM	17.755
2024-08-31	11:39:40 AM	17.7546
2024-08-31	11:40:40 AM	17.7545
2024-08-31	11:41:40 AM	17.7538
2024-08-31	11:42:40 AM	17.752
2024-08-31	11:43:40 AM	17.7455
2024-08-31	11:44:40 AM	17.7571
2024-08-31	11:45:40 AM	17.7568
2024-08-31	11:46:40 AM	17.7561
2024-08-31	11:47:40 AM	17.7555
2024-08-31	11:48:40 AM	17.7546
2024-08-31	11:49:40 AM	17.754
2024-08-31	11:50:40 AM	17.7499
2024-08-31	11:51:40 AM	17.7368
2024-08-31	11:52:40 AM	17.7577
2024-08-31	11:53:40 AM	17.7575
2024-08-31	11:54:40 AM	17.7567
2024-08-31	11:55:40 AM	17.7568
2024-08-31	11:56:40 AM	17.7554
2024-08-31	11:57:40 AM	17.753
2024-08-31	11:58:40 AM	17.7427
2024-08-31	11:59:40 AM	17.758
2024-08-31	12:00:40 PM	17.7584
2024-08-31	12:01:40 PM	17.7579
2024-08-31	12:02:40 PM	17.7573
2024-08-31	12:03:40 PM	17.7566
2024-08-31	12:04:40 PM	17.7548
2024-08-31	12:05:40 PM	17.7568
2024-08-31	12:06:40 PM	17.759
2024-08-31	12:07:40 PM	17.7581
2024-08-31	12:08:40 PM	17.7575
2024-08-31	12:09:40 PM	17.7568
2024-08-31	12:10:40 PM	17.756
2024-08-31	12:11:40 PM	17.7546
2024-08-31	12:12:40 PM	17.7522
2024-08-31	12:13:40 PM	17.7396
2024-08-31	12:14:40 PM	17.7577
2024-08-31	12:15:40 PM	17.7572
2024-08-31	12:16:40 PM	17.7566
2024-08-31	12:17:40 PM	17.7553
2024-08-31	12:18:40 PM	17.7538
2024-08-31	12:19:40 PM	17.7522
2024-08-31	12:20:40 PM	17.7552
2024-08-31	12:21:40 PM	17.756
2024-08-31	12:22:40 PM	17.7555
2024-08-31	12:23:40 PM	17.7548
2024-08-31	12:24:40 PM	17.7539
2024-08-31	12:25:40 PM	17.7528
2024-08-31	12:26:40 PM	17.7514
2024-08-31	12:27:40 PM	17.7483
2024-08-31	12:28:40 PM	17.7398
2024-08-31	12:29:40 PM	17.7548
2024-08-31	12:30:40 PM	17.7545
2024-08-31	12:31:40 PM	17.7534
2024-08-31	12:32:40 PM	17.7524
2024-08-31	12:33:40 PM	17.7514
2024-08-31	12:34:40 PM	17.749
2024-08-31	12:35:40 PM	17.7425
2024-08-31	12:36:40 PM	17.7535
2024-08-31	12:37:40 PM	17.7528
2024-08-31	12:38:40 PM	17.7517
2024-08-31	12:39:40 PM	17.7502
2024-08-31	12:40:40 PM	17.7493
2024-08-31	12:41:40 PM	17.7478
2024-08-31	12:42:40 PM	17.7446
2024-08-31	12:43:40 PM	17.7243
2024-08-31	12:44:40 PM	17.7507
2024-08-31	12:45:40 PM	17.7498

Pumping Test (Data Logger and Baro Logger)

2024-08-31	12:46:40 PM	17.7491
2024-08-31	12:47:40 PM	17.7484
2024-08-31	12:48:40 PM	17.7476
2024-08-31	12:49:40 PM	17.7448
2024-08-31	12:50:40 PM	17.7314
2024-08-31	12:51:40 PM	17.7509
2024-08-31	12:52:40 PM	17.7505
2024-08-31	12:53:40 PM	17.7503
2024-08-31	12:54:40 PM	17.7499
2024-08-31	12:55:40 PM	17.7489
2024-08-31	12:56:40 PM	17.7474
2024-08-31	12:57:40 PM	17.742
2024-08-31	12:58:40 PM	17.7394
2024-08-31	12:59:40 PM	17.7511
2024-08-31	1:00:40 PM	17.7513
2024-08-31	1:01:40 PM	17.7503
2024-08-31	1:02:40 PM	17.7497
2024-08-31	1:03:40 PM	17.7485
2024-08-31	1:04:40 PM	17.7447
2024-08-31	1:05:40 PM	17.7278
2024-08-31	1:06:40 PM	17.7527
2024-08-31	1:07:40 PM	17.7519
2024-08-31	1:08:40 PM	17.7517
2024-08-31	1:09:40 PM	17.7505
2024-08-31	1:10:40 PM	17.7493
2024-08-31	1:11:40 PM	17.7477
2024-08-31	1:12:40 PM	17.7399
2024-08-31	1:13:40 PM	17.7529
2024-08-31	1:14:40 PM	17.7534
2024-08-31	1:15:40 PM	17.7532
2024-08-31	1:16:40 PM	17.7528
2024-08-31	1:17:40 PM	17.752
2024-08-31	1:18:40 PM	17.7515
2024-08-31	1:19:40 PM	17.7491
2024-08-31	1:20:40 PM	17.7407
2024-08-31	1:21:40 PM	17.756
2024-08-31	1:22:40 PM	17.7559
2024-08-31	1:23:40 PM	17.7556
2024-08-31	1:24:40 PM	17.7548
2024-08-31	1:25:40 PM	17.7539
2024-08-31	1:26:40 PM	17.7512
2024-08-31	1:27:40 PM	17.7425
2024-08-31	1:28:40 PM	17.7566
2024-08-31	1:29:40 PM	17.7566
2024-08-31	1:30:40 PM	17.7562
2024-08-31	1:31:40 PM	17.7558
2024-08-31	1:32:40 PM	17.755
2024-08-31	1:33:40 PM	17.7533
2024-08-31	1:34:40 PM	17.7521
2024-08-31	1:35:40 PM	17.7588
2024-08-31	1:36:40 PM	17.7583
2024-08-31	1:37:40 PM	17.7581
2024-08-31	1:38:40 PM	17.7578
2024-08-31	1:39:40 PM	17.7571
2024-08-31	1:40:40 PM	17.7563
2024-08-31	1:41:40 PM	17.7539
2024-08-31	1:42:40 PM	17.7347
2024-08-31	1:43:40 PM	17.7603
2024-08-31	1:44:40 PM	17.7606
2024-08-31	1:45:40 PM	17.7602
2024-08-31	1:46:40 PM	17.7595
2024-08-31	1:47:40 PM	17.7586
2024-08-31	1:48:40 PM	17.7563
2024-08-31	1:49:40 PM	17.7452
2024-08-31	1:50:40 PM	17.7622
2024-08-31	1:51:40 PM	17.7613
2024-08-31	1:52:40 PM	17.7615
2024-08-31	1:53:40 PM	17.7606
2024-08-31	1:54:40 PM	17.7596

Pumping Test (Data Logger and Baro Logger)

2024-08-31	1:55:40 PM	17.7584
2024-08-31	1:56:40 PM	17.7568
2024-08-31	1:57:40 PM	17.7471
2024-08-31	1:58:40 PM	17.7629
2024-08-31	1:59:40 PM	17.763
2024-08-31	2:00:40 PM	17.7624
2024-08-31	2:01:40 PM	17.7617
2024-08-31	2:02:40 PM	17.7608
2024-08-31	2:03:40 PM	17.7589
2024-08-31	2:04:40 PM	17.7446
2024-08-31	2:05:40 PM	17.7643
2024-08-31	2:06:40 PM	17.7641
2024-08-31	2:07:40 PM	17.7637
2024-08-31	2:08:40 PM	17.7633
2024-08-31	2:09:40 PM	17.7624
2024-08-31	2:10:40 PM	17.7604
2024-08-31	2:11:40 PM	17.7415
2024-08-31	2:12:40 PM	17.7646
2024-08-31	2:13:40 PM	17.7638
2024-08-31	2:14:40 PM	17.7636
2024-08-31	2:15:40 PM	17.7625
2024-08-31	2:16:40 PM	17.7613
2024-08-31	2:17:40 PM	17.7591
2024-08-31	2:18:40 PM	17.7503
2024-08-31	2:19:40 PM	17.765
2024-08-31	2:20:40 PM	17.7651
2024-08-31	2:21:40 PM	17.7645
2024-08-31	2:22:40 PM	17.7643
2024-08-31	2:23:40 PM	17.7631
2024-08-31	2:24:40 PM	17.7619
2024-08-31	2:25:40 PM	17.7595
2024-08-31	2:26:40 PM	17.747
2024-08-31	2:27:40 PM	17.7661
2024-08-31	2:28:40 PM	17.766
2024-08-31	2:29:40 PM	17.7654
2024-08-31	2:30:40 PM	17.765
2024-08-31	2:31:40 PM	17.7638
2024-08-31	2:32:40 PM	17.7615
2024-08-31	2:33:40 PM	17.7435
2024-08-31	2:34:40 PM	17.768
2024-08-31	2:35:40 PM	17.7675
2024-08-31	2:36:40 PM	17.767
2024-08-31	2:37:40 PM	17.7669
2024-08-31	2:38:40 PM	17.7658
2024-08-31	2:39:40 PM	17.7643
2024-08-31	2:40:40 PM	17.7619
2024-08-31	2:41:40 PM	17.7531
2024-08-31	2:42:40 PM	17.769
2024-08-31	2:43:40 PM	17.7686
2024-08-31	2:44:40 PM	17.7679
2024-08-31	2:45:40 PM	17.7675
2024-08-31	2:46:40 PM	17.7662
2024-08-31	2:47:40 PM	17.7642
2024-08-31	2:48:40 PM	17.7509
2024-08-31	2:49:40 PM	17.7696
2024-08-31	2:50:40 PM	17.7693
2024-08-31	2:51:40 PM	17.7691
2024-08-31	2:52:40 PM	17.7688
2024-08-31	2:53:40 PM	17.7677
2024-08-31	2:54:40 PM	17.7661
2024-08-31	2:55:40 PM	17.7547
2024-08-31	2:56:40 PM	17.7712
2024-08-31	2:57:40 PM	17.7709
2024-08-31	2:58:40 PM	17.7708
2024-08-31	2:59:40 PM	17.7697
2024-08-31	3:00:40 PM	17.7694
2024-08-31	3:01:40 PM	17.7686
2024-08-31	3:02:40 PM	17.7643
2024-08-31	3:03:40 PM	17.7569

Pumping Test (Data Logger and Baro Logger)

2024-08-31	3:04:40 PM	17.7724
2024-08-31	3:05:40 PM	17.7722
2024-08-31	3:06:40 PM	17.7717
2024-08-31	3:07:40 PM	17.7714
2024-08-31	3:08:40 PM	17.77
2024-08-31	3:09:40 PM	17.7678
2024-08-31	3:10:40 PM	17.763
2024-08-31	3:11:40 PM	17.7722
2024-08-31	3:12:40 PM	17.7715
2024-08-31	3:13:40 PM	17.7709
2024-08-31	3:14:40 PM	17.7697
2024-08-31	3:15:40 PM	17.7693
2024-08-31	3:16:40 PM	17.7678
2024-08-31	3:17:40 PM	17.7644
2024-08-31	3:18:40 PM	17.772
2024-08-31	3:19:40 PM	17.7711
2024-08-31	3:20:40 PM	17.771
2024-08-31	3:21:40 PM	17.7701
2024-08-31	3:22:40 PM	17.7697
2024-08-31	3:23:40 PM	17.7687
2024-08-31	3:24:40 PM	17.7667
2024-08-31	3:25:40 PM	17.7518
2024-08-31	3:26:40 PM	17.7728
2024-08-31	3:27:40 PM	17.7721
2024-08-31	3:28:40 PM	17.7719
2024-08-31	3:29:40 PM	17.7713
2024-08-31	3:30:40 PM	17.7706
2024-08-31	3:31:40 PM	17.7695
2024-08-31	3:32:40 PM	17.7646
2024-08-31	3:33:40 PM	17.7655
2024-08-31	3:34:40 PM	17.7743
2024-08-31	3:35:40 PM	17.7745
2024-08-31	3:36:40 PM	17.7741
2024-08-31	3:37:40 PM	17.7736
2024-08-31	3:38:40 PM	17.7724
2024-08-31	3:39:40 PM	17.7698
2024-08-31	3:40:40 PM	17.7576
2024-08-31	3:41:40 PM	17.7765
2024-08-31	3:42:40 PM	17.7762
2024-08-31	3:43:40 PM	17.7758
2024-08-31	3:44:40 PM	17.775
2024-08-31	3:45:40 PM	17.7738
2024-08-31	3:46:40 PM	17.7723
2024-08-31	3:47:40 PM	17.7635
2024-08-31	3:48:40 PM	17.7679
2024-08-31	3:49:40 PM	17.7768
2024-08-31	3:50:40 PM	17.7765
2024-08-31	3:51:40 PM	17.7761
2024-08-31	3:52:40 PM	17.7761
2024-08-31	3:53:40 PM	17.7752
2024-08-31	3:54:40 PM	17.772
2024-08-31	3:55:40 PM	17.7607
2024-08-31	3:56:40 PM	17.7793
2024-08-31	3:57:40 PM	17.7792
2024-08-31	3:58:40 PM	17.7784
2024-08-31	3:59:40 PM	17.7777
2024-08-31	4:00:40 PM	17.7766
2024-08-31	4:01:40 PM	17.7741
2024-08-31	4:02:40 PM	17.7598
2024-08-31	4:03:40 PM	17.7795
2024-08-31	4:04:40 PM	17.779
2024-08-31	4:05:40 PM	17.7789
2024-08-31	4:06:40 PM	17.7784
2024-08-31	4:07:40 PM	17.7778
2024-08-31	4:08:40 PM	17.7767
2024-08-31	4:09:40 PM	17.7746
2024-08-31	4:10:40 PM	17.7683
2024-08-31	4:11:40 PM	17.7804
2024-08-31	4:12:40 PM	17.7799

Pumping Test (Data Logger and Baro Logger)

2024-08-31	4:13:40 PM	17.7795
2024-08-31	4:14:40 PM	17.7786
2024-08-31	4:15:40 PM	17.7769
2024-08-31	4:16:40 PM	17.7744
2024-08-31	4:17:40 PM	17.7636
2024-08-31	4:18:40 PM	17.7808
2024-08-31	4:19:40 PM	17.7805
2024-08-31	4:20:40 PM	17.78
2024-08-31	4:21:40 PM	17.7792
2024-08-31	4:22:40 PM	17.7774
2024-08-31	4:23:40 PM	17.7741
2024-08-31	4:24:40 PM	17.7657
2024-08-31	4:25:40 PM	17.7814
2024-08-31	4:26:40 PM	17.781
2024-08-31	4:27:40 PM	17.7802
2024-08-31	4:28:40 PM	17.78
2024-08-31	4:29:40 PM	17.7794
2024-08-31	4:30:40 PM	17.7777
2024-08-31	4:31:40 PM	17.7627
2024-08-31	4:32:40 PM	17.7832
2024-08-31	4:33:40 PM	17.783
2024-08-31	4:34:40 PM	17.7832
2024-08-31	4:35:40 PM	17.7824
2024-08-31	4:36:40 PM	17.7816
2024-08-31	4:37:40 PM	17.7803
2024-08-31	4:38:40 PM	17.777
2024-08-31	4:39:40 PM	17.7834
2024-08-31	4:40:40 PM	17.7839
2024-08-31	4:41:40 PM	17.7833
2024-08-31	4:42:40 PM	17.7825
2024-08-31	4:43:40 PM	17.7817
2024-08-31	4:44:40 PM	17.7806
2024-08-31	4:45:40 PM	17.7778
2024-08-31	4:46:40 PM	17.7627
2024-08-31	4:47:40 PM	17.783
2024-08-31	4:48:40 PM	17.7824
2024-08-31	4:49:40 PM	17.7818
2024-08-31	4:50:40 PM	17.7809
2024-08-31	4:51:40 PM	17.7797
2024-08-31	4:52:40 PM	17.7783
2024-08-31	4:53:40 PM	17.7735
2024-08-31	4:54:40 PM	17.7837
2024-08-31	4:55:40 PM	17.783
2024-08-31	4:56:40 PM	17.7827
2024-08-31	4:57:40 PM	17.7823
2024-08-31	4:58:40 PM	17.7815
2024-08-31	4:59:40 PM	17.7808
2024-08-31	5:00:40 PM	17.7781
2024-08-31	5:01:40 PM	17.7618
2024-08-31	5:02:40 PM	17.7856
2024-08-31	5:03:40 PM	17.7848
2024-08-31	5:04:40 PM	17.7841
2024-08-31	5:05:40 PM	17.7833
2024-08-31	5:06:40 PM	17.7823
2024-08-31	5:07:40 PM	17.7796
2024-08-31	5:08:40 PM	17.774
2024-08-31	5:09:40 PM	17.7856
2024-08-31	5:10:40 PM	17.7848
2024-08-31	5:11:40 PM	17.7846
2024-08-31	5:12:40 PM	17.7842
2024-08-31	5:13:40 PM	17.7832
2024-08-31	5:14:40 PM	17.782
2024-08-31	5:15:40 PM	17.7791
2024-08-31	5:16:40 PM	17.7721
2024-08-31	5:17:40 PM	17.7868
2024-08-31	5:18:40 PM	17.7865
2024-08-31	5:19:40 PM	17.7857
2024-08-31	5:20:40 PM	17.7855
2024-08-31	5:21:40 PM	17.7842

Pumping Test (Data Logger and Baro Logger)

2024-08-31	5:22:40 PM	17.7822
2024-08-31	5:23:40 PM	17.7667
2024-08-31	5:24:40 PM	17.7876
2024-08-31	5:25:40 PM	17.7869
2024-08-31	5:26:40 PM	17.7864
2024-08-31	5:27:40 PM	17.7857
2024-08-31	5:28:40 PM	17.7842
2024-08-31	5:29:40 PM	17.7827
2024-08-31	5:30:40 PM	17.7744
2024-08-31	5:31:40 PM	17.787
2024-08-31	5:32:40 PM	17.7865
2024-08-31	5:33:40 PM	17.7863
2024-08-31	5:34:40 PM	17.7858
2024-08-31	5:35:40 PM	17.7852
2024-08-31	5:36:40 PM	17.7837
2024-08-31	5:37:40 PM	17.7811
2024-08-31	5:38:40 PM	17.7744
2024-08-31	5:39:40 PM	17.7878
2024-08-31	5:40:40 PM	17.7871
2024-08-31	5:41:40 PM	17.7867
2024-08-31	5:42:40 PM	17.786
2024-08-31	5:43:40 PM	17.7851
2024-08-31	5:44:40 PM	17.7831
2024-08-31	5:45:40 PM	17.7775
2024-08-31	5:46:40 PM	17.7864
2024-08-31	5:47:40 PM	17.7876
2024-08-31	5:48:40 PM	17.7871
2024-08-31	5:49:40 PM	17.7868
2024-08-31	5:50:40 PM	17.7861
2024-08-31	5:51:40 PM	17.7847
2024-08-31	5:52:40 PM	17.7814
2024-08-31	5:53:40 PM	17.7897
2024-08-31	5:54:40 PM	17.7892
2024-08-31	5:55:40 PM	17.789
2024-08-31	5:56:40 PM	17.7886
2024-08-31	5:57:40 PM	17.7879
2024-08-31	5:58:40 PM	17.7867
2024-08-31	5:59:40 PM	17.7843
2024-08-31	6:00:40 PM	17.7733
2024-08-31	6:01:40 PM	17.7905
2024-08-31	6:02:40 PM	17.7903
2024-08-31	6:03:40 PM	17.7899
2024-08-31	6:04:40 PM	17.7894
2024-08-31	6:05:40 PM	17.7886
2024-08-31	6:06:40 PM	17.787
2024-08-31	6:07:40 PM	17.7808
2024-08-31	6:08:40 PM	17.7916
2024-08-31	6:09:40 PM	17.7916
2024-08-31	6:10:40 PM	17.791
2024-08-31	6:11:40 PM	17.7901
2024-08-31	6:12:40 PM	17.789
2024-08-31	6:13:40 PM	17.7875
2024-08-31	6:14:40 PM	17.7802
2024-08-31	6:15:40 PM	17.7915
2024-08-31	6:16:40 PM	17.7915
2024-08-31	6:17:40 PM	17.7915
2024-08-31	6:18:40 PM	17.7907
2024-08-31	6:19:40 PM	17.79
2024-08-31	6:20:40 PM	17.7889
2024-08-31	6:21:40 PM	17.7849
2024-08-31	6:22:40 PM	17.7736
2024-08-31	6:23:40 PM	17.7907
2024-08-31	6:24:40 PM	17.7901
2024-08-31	6:25:40 PM	17.7892
2024-08-31	6:26:40 PM	17.7885
2024-08-31	6:27:40 PM	17.7875
2024-08-31	6:28:40 PM	17.7855
2024-08-31	6:29:40 PM	17.77
2024-08-31	6:30:40 PM	17.7908

Pumping Test (Data Logger and Baro Logger)

2024-08-31	6:31:40 PM	17.7905
2024-08-31	6:32:40 PM	17.7901
2024-08-31	6:33:40 PM	17.7893
2024-08-31	6:34:40 PM	17.7886
2024-08-31	6:35:40 PM	17.7868
2024-08-31	6:36:40 PM	17.7719
2024-08-31	6:37:40 PM	17.792
2024-08-31	6:38:40 PM	17.7914
2024-08-31	6:39:40 PM	17.791
2024-08-31	6:40:40 PM	17.7902
2024-08-31	6:41:40 PM	17.7891
2024-08-31	6:42:40 PM	17.7881
2024-08-31	6:43:40 PM	17.7845
2024-08-31	6:44:40 PM	17.777
2024-08-31	6:45:40 PM	17.7919
2024-08-31	6:46:40 PM	17.7915
2024-08-31	6:47:40 PM	17.7908
2024-08-31	6:48:40 PM	17.7899
2024-08-31	6:49:40 PM	17.7887
2024-08-31	6:50:40 PM	17.7869
2024-08-31	6:51:40 PM	17.7757
2024-08-31	6:52:40 PM	17.7925
2024-08-31	6:53:40 PM	17.7919
2024-08-31	6:54:40 PM	17.7914
2024-08-31	6:55:40 PM	17.7904
2024-08-31	6:56:40 PM	17.7892
2024-08-31	6:57:40 PM	17.7872
2024-08-31	6:58:40 PM	17.7736
2024-08-31	6:59:40 PM	17.7924
2024-08-31	7:00:40 PM	17.792
2024-08-31	7:01:40 PM	17.7914
2024-08-31	7:02:40 PM	17.791
2024-08-31	7:03:40 PM	17.79
2024-08-31	7:04:40 PM	17.7884
2024-08-31	7:05:40 PM	17.7817
2024-08-31	7:06:40 PM	17.7818
2024-08-31	7:07:40 PM	17.7927
2024-08-31	7:08:40 PM	17.7924
2024-08-31	7:09:40 PM	17.7917
2024-08-31	7:10:40 PM	17.7908
2024-08-31	7:11:40 PM	17.7896
2024-08-31	7:12:40 PM	17.7852
2024-08-31	7:13:40 PM	17.7755
2024-08-31	7:14:40 PM	17.7934
2024-08-31	7:15:40 PM	17.7929
2024-08-31	7:16:40 PM	17.7921
2024-08-31	7:17:40 PM	17.7911
2024-08-31	7:18:40 PM	17.79
2024-08-31	7:19:40 PM	17.786
2024-08-31	7:20:40 PM	17.7775
2024-08-31	7:21:40 PM	17.7934
2024-08-31	7:22:40 PM	17.7931
2024-08-31	7:23:40 PM	17.7924
2024-08-31	7:24:40 PM	17.792
2024-08-31	7:25:40 PM	17.7908
2024-08-31	7:26:40 PM	17.7881
2024-08-31	7:27:40 PM	17.7719
2024-08-31	7:28:40 PM	17.7946
2024-08-31	7:29:40 PM	17.7944
2024-08-31	7:30:40 PM	17.7939
2024-08-31	7:31:40 PM	17.793
2024-08-31	7:32:40 PM	17.7922
2024-08-31	7:33:40 PM	17.7902
2024-08-31	7:34:40 PM	17.7779
2024-08-31	7:35:40 PM	17.7951
2024-08-31	7:36:40 PM	17.7946
2024-08-31	7:37:40 PM	17.7937
2024-08-31	7:38:40 PM	17.7933
2024-08-31	7:39:40 PM	17.7923

Pumping Test (Data Logger and Baro Logger)

2024-08-31	7:40:40 PM	17.7901
2024-08-31	7:41:40 PM	17.8039
2024-08-31	7:42:40 PM	17.7946
2024-08-31	7:43:40 PM	17.7943
2024-08-31	7:44:40 PM	17.7935
2024-08-31	7:45:40 PM	17.7928
2024-08-31	7:46:40 PM	17.792
2024-08-31	7:47:40 PM	17.7905
2024-08-31	7:48:40 PM	17.787
2024-08-31	7:49:40 PM	17.7799
2024-08-31	7:50:40 PM	17.7943
2024-08-31	7:51:40 PM	17.7941
2024-08-31	7:52:40 PM	17.7934
2024-08-31	7:53:40 PM	17.7925
2024-08-31	7:54:40 PM	17.7919
2024-08-31	7:55:40 PM	17.7899
2024-08-31	7:56:40 PM	17.7786
2024-08-31	7:57:40 PM	17.7948
2024-08-31	7:58:40 PM	17.7943
2024-08-31	7:59:40 PM	17.7939
2024-08-31	8:00:40 PM	17.7931
2024-08-31	8:01:40 PM	17.7921
2024-08-31	8:02:40 PM	17.7904
2024-08-31	8:03:40 PM	17.7886
2024-08-31	8:04:40 PM	17.7799
2024-08-31	8:05:40 PM	17.7943
2024-08-31	8:06:40 PM	17.7943
2024-08-31	8:07:40 PM	17.7938
2024-08-31	8:08:40 PM	17.7929
2024-08-31	8:09:40 PM	17.7917
2024-08-31	8:10:40 PM	17.7897
2024-08-31	8:11:40 PM	17.7841
2024-08-31	8:12:40 PM	17.7953
2024-08-31	8:13:40 PM	17.7944
2024-08-31	8:14:40 PM	17.7941
2024-08-31	8:15:40 PM	17.7935
2024-08-31	8:16:40 PM	17.7924
2024-08-31	8:17:40 PM	17.7907
2024-08-31	8:18:40 PM	17.7804
2024-08-31	8:19:40 PM	17.7956
2024-08-31	8:20:40 PM	17.7953
2024-08-31	8:21:40 PM	17.7952
2024-08-31	8:22:40 PM	17.7941
2024-08-31	8:23:40 PM	17.7934
2024-08-31	8:24:40 PM	17.7917
2024-08-31	8:25:40 PM	17.7697
2024-08-31	8:26:40 PM	17.7969
2024-08-31	8:27:40 PM	17.7965
2024-08-31	8:28:40 PM	17.7958
2024-08-31	8:29:40 PM	17.7952
2024-08-31	8:30:40 PM	17.7943
2024-08-31	8:31:40 PM	17.7928
2024-08-31	8:32:40 PM	17.7908
2024-08-31	8:33:40 PM	17.7766
2024-08-31	8:34:40 PM	17.7971
2024-08-31	8:35:40 PM	17.7967
2024-08-31	8:36:40 PM	17.7964
2024-08-31	8:37:40 PM	17.7959
2024-08-31	8:38:40 PM	17.7944
2024-08-31	8:39:40 PM	17.792
2024-08-31	8:40:40 PM	17.7809
2024-08-31	8:41:40 PM	17.7977
2024-08-31	8:42:40 PM	17.7971
2024-08-31	8:43:40 PM	17.7965
2024-08-31	8:44:40 PM	17.7957
2024-08-31	8:45:40 PM	17.7945
2024-08-31	8:46:40 PM	17.7927
2024-08-31	8:47:40 PM	17.7887
2024-08-31	8:48:40 PM	17.798

Pumping Test (Data Logger and Baro Logger)

2024-08-31	8:49:40 PM	17.7975
2024-08-31	8:50:40 PM	17.7968
2024-08-31	8:51:40 PM	17.7965
2024-08-31	8:52:40 PM	17.7955
2024-08-31	8:53:40 PM	17.7946
2024-08-31	8:54:40 PM	17.7912
2024-08-31	8:55:40 PM	17.7837
2024-08-31	8:56:40 PM	17.7986
2024-08-31	8:57:40 PM	17.798
2024-08-31	8:58:40 PM	17.7978
2024-08-31	8:59:40 PM	17.797
2024-08-31	9:00:40 PM	17.7958
2024-08-31	9:01:40 PM	17.794
2024-08-31	9:02:40 PM	17.7842
2024-08-31	9:03:40 PM	17.7984
2024-08-31	9:04:40 PM	17.7978
2024-08-31	9:05:40 PM	17.7972
2024-08-31	9:06:40 PM	17.7964
2024-08-31	9:07:40 PM	17.7956
2024-08-31	9:08:40 PM	17.7933
2024-08-31	9:09:40 PM	17.7826
2024-08-31	9:10:40 PM	17.798
2024-08-31	9:11:40 PM	17.7973
2024-08-31	9:12:40 PM	17.7966
2024-08-31	9:13:40 PM	17.7961
2024-08-31	9:14:40 PM	17.7956
2024-08-31	9:15:40 PM	17.7938
2024-08-31	9:16:40 PM	17.7901
2024-08-31	9:17:40 PM	17.7801
2024-08-31	9:18:40 PM	17.7979
2024-08-31	9:19:40 PM	17.7975
2024-08-31	9:20:40 PM	17.7969
2024-08-31	9:21:40 PM	17.7963
2024-08-31	9:22:40 PM	17.795
2024-08-31	9:23:40 PM	17.793
2024-08-31	9:24:40 PM	17.7722
2024-08-31	9:25:40 PM	17.7978
2024-08-31	9:26:40 PM	17.7974
2024-08-31	9:27:40 PM	17.7966
2024-08-31	9:28:40 PM	17.7959
2024-08-31	9:29:40 PM	17.795
2024-08-31	9:30:40 PM	17.7929
2024-08-31	9:31:40 PM	17.7698
2024-08-31	9:32:40 PM	17.798
2024-08-31	9:33:40 PM	17.7979
2024-08-31	9:34:40 PM	17.7971
2024-08-31	9:35:40 PM	17.796
2024-08-31	9:36:40 PM	17.7951
2024-08-31	9:37:40 PM	17.7927
2024-08-31	9:38:40 PM	17.7768
2024-08-31	9:39:40 PM	17.798
2024-08-31	9:40:40 PM	17.7976
2024-08-31	9:41:40 PM	17.7968
2024-08-31	9:42:40 PM	17.7963
2024-08-31	9:43:40 PM	17.7954
2024-08-31	9:44:40 PM	17.7938
2024-08-31	9:45:40 PM	17.7858
2024-08-31	9:46:40 PM	17.7982
2024-08-31	9:47:40 PM	17.7979
2024-08-31	9:48:40 PM	17.797
2024-08-31	9:49:40 PM	17.7958
2024-08-31	9:50:40 PM	17.7947
2024-08-31	9:51:40 PM	17.793
2024-08-31	9:52:40 PM	17.7878
2024-08-31	9:53:40 PM	17.7966
2024-08-31	9:54:40 PM	17.7964
2024-08-31	9:55:40 PM	17.7958
2024-08-31	9:56:40 PM	17.7948
2024-08-31	9:57:40 PM	17.794

Pumping Test (Data Logger and Baro Logger)

2024-08-31	9:58:40 PM	17.7924
2024-08-31	9:59:40 PM	17.7871
2024-08-31	10:00:40 PM	17.7857
2024-08-31	10:01:40 PM	17.7968
2024-08-31	10:02:40 PM	17.7962
2024-08-31	10:03:40 PM	17.7957
2024-08-31	10:04:40 PM	17.7951
2024-08-31	10:05:40 PM	17.7938
2024-08-31	10:06:40 PM	17.7913
2024-08-31	10:07:40 PM	17.7746
2024-08-31	10:08:40 PM	17.7967
2024-08-31	10:09:40 PM	17.796
2024-08-31	10:10:40 PM	17.7951
2024-08-31	10:11:40 PM	17.7947
2024-08-31	10:12:40 PM	17.793
2024-08-31	10:13:40 PM	17.7909
2024-08-31	10:14:40 PM	17.7854
2024-08-31	10:15:40 PM	17.7957
2024-08-31	10:16:40 PM	17.7957
2024-08-31	10:17:40 PM	17.7951
2024-08-31	10:18:40 PM	17.7943
2024-08-31	10:19:40 PM	17.7936
2024-08-31	10:20:40 PM	17.7916
2024-08-31	10:21:40 PM	17.7874
2024-08-31	10:22:40 PM	17.7873
2024-08-31	10:23:40 PM	17.7938
2024-08-31	10:24:40 PM	17.7929
2024-08-31	10:25:40 PM	17.7926
2024-08-31	10:26:40 PM	17.7916
2024-08-31	10:27:40 PM	17.7906
2024-08-31	10:28:40 PM	17.7881
2024-08-31	10:29:40 PM	17.7796
2024-08-31	10:30:40 PM	17.7932
2024-08-31	10:31:40 PM	17.7927
2024-08-31	10:32:40 PM	17.7922
2024-08-31	10:33:40 PM	17.7916
2024-08-31	10:34:40 PM	17.7905
2024-08-31	10:35:40 PM	17.7885
2024-08-31	10:36:40 PM	17.7733
2024-08-31	10:37:40 PM	17.793
2024-08-31	10:38:40 PM	17.7929
2024-08-31	10:39:40 PM	17.7917
2024-08-31	10:40:40 PM	17.7911
2024-08-31	10:41:40 PM	17.7902
2024-08-31	10:42:40 PM	17.7883
2024-08-31	10:43:40 PM	17.7842
2024-08-31	10:44:40 PM	17.7735
2024-08-31	10:45:40 PM	17.7931
2024-08-31	10:46:40 PM	17.7923
2024-08-31	10:47:40 PM	17.7919
2024-08-31	10:48:40 PM	17.7909
2024-08-31	10:49:40 PM	17.7899
2024-08-31	10:50:40 PM	17.7879
2024-08-31	10:51:40 PM	17.7718
2024-08-31	10:52:40 PM	17.7938
2024-08-31	10:53:40 PM	17.7933
2024-08-31	10:54:40 PM	17.7926
2024-08-31	10:55:40 PM	17.7917
2024-08-31	10:56:40 PM	17.7906
2024-08-31	10:57:40 PM	17.7877
2024-08-31	10:58:40 PM	17.7729
2024-08-31	10:59:40 PM	17.7924
2024-08-31	11:00:40 PM	17.7922
2024-08-31	11:01:40 PM	17.7917
2024-08-31	11:02:40 PM	17.7905
2024-08-31	11:03:40 PM	17.7891
2024-08-31	11:04:40 PM	17.7871
2024-08-31	11:05:40 PM	17.7817
2024-08-31	11:06:40 PM	17.7754

Pumping Test (Data Logger and Baro Logger)

2024-08-31	11:07:40 PM	17.7877
2024-08-31	11:08:40 PM	17.7859
2024-08-31	11:09:40 PM	17.784
2024-08-31	11:10:40 PM	17.7816
2024-08-31	11:11:40 PM	17.7791
2024-08-31	11:12:40 PM	17.775
2024-08-31	11:13:40 PM	17.7662
2024-08-31	11:14:40 PM	17.7781
2024-08-31	11:15:40 PM	17.7768
2024-08-31	11:16:40 PM	17.7754
2024-08-31	11:17:40 PM	17.7738
2024-08-31	11:18:40 PM	17.7719
2024-08-31	11:19:40 PM	17.7684
2024-08-31	11:20:40 PM	17.7479
2024-08-31	11:21:40 PM	17.7742
2024-08-31	11:22:40 PM	17.7732
2024-08-31	11:23:40 PM	17.7723
2024-08-31	11:24:40 PM	17.7717
2024-08-31	11:25:40 PM	17.7708
2024-08-31	11:26:40 PM	17.7682
2024-08-31	11:27:40 PM	17.7601
2024-08-31	11:28:40 PM	17.7738
2024-08-31	11:29:40 PM	17.7734
2024-08-31	11:30:40 PM	17.7729
2024-08-31	11:31:40 PM	17.7723
2024-08-31	11:32:40 PM	17.7711
2024-08-31	11:33:40 PM	17.7697
2024-08-31	11:34:40 PM	17.7633
2024-08-31	11:35:40 PM	17.762
2024-08-31	11:36:40 PM	17.773
2024-08-31	11:37:40 PM	17.7725
2024-08-31	11:38:40 PM	17.7716
2024-08-31	11:39:40 PM	17.7704
2024-08-31	11:40:40 PM	17.7685
2024-08-31	11:41:40 PM	17.7686
2024-08-31	11:42:40 PM	17.7728
2024-08-31	11:43:40 PM	17.7725
2024-08-31	11:44:40 PM	17.7721
2024-08-31	11:45:40 PM	17.7712
2024-08-31	11:46:40 PM	17.7709
2024-08-31	11:47:40 PM	17.7692
2024-08-31	11:48:40 PM	17.7672
2024-08-31	11:49:40 PM	17.7567
2024-08-31	11:50:40 PM	17.772
2024-08-31	11:51:40 PM	17.7718
2024-08-31	11:52:40 PM	17.7709
2024-08-31	11:53:40 PM	17.7702
2024-08-31	11:54:40 PM	17.7695
2024-08-31	11:55:40 PM	17.7675
2024-08-31	11:56:40 PM	17.7657
2024-08-31	11:57:40 PM	17.7715
2024-08-31	11:58:40 PM	17.7711
2024-08-31	11:59:40 PM	17.7705
2024-09-01	12:00:40 AM	17.7696
2024-09-01	12:01:40 AM	17.7686
2024-09-01	12:02:40 AM	17.7669
2024-09-01	12:03:40 AM	17.7615
2024-09-01	12:04:40 AM	17.7711
2024-09-01	12:05:40 AM	17.7711
2024-09-01	12:06:40 AM	17.7701
2024-09-01	12:07:40 AM	17.7695
2024-09-01	12:08:40 AM	17.7688
2024-09-01	12:09:40 AM	17.7677
2024-09-01	12:10:40 AM	17.7656
2024-09-01	12:11:40 AM	17.7562
2024-09-01	12:12:40 AM	17.7712
2024-09-01	12:13:40 AM	17.7699
2024-09-01	12:14:40 AM	17.7692
2024-09-01	12:15:40 AM	17.768

Pumping Test (Data Logger and Baro Logger)

2024-09-01	12:16:40 AM	17.7669
2024-09-01	12:17:40 AM	17.7648
2024-09-01	12:18:40 AM	17.759
2024-09-01	12:19:40 AM	17.7697
2024-09-01	12:20:40 AM	17.7688
2024-09-01	12:21:40 AM	17.7681
2024-09-01	12:22:40 AM	17.7674
2024-09-01	12:23:40 AM	17.7664
2024-09-01	12:24:40 AM	17.7649
2024-09-01	12:25:40 AM	17.7663
2024-09-01	12:26:40 AM	17.7692
2024-09-01	12:27:40 AM	17.7689
2024-09-01	12:28:40 AM	17.7687
2024-09-01	12:29:40 AM	17.7682
2024-09-01	12:30:40 AM	17.7669
2024-09-01	12:31:40 AM	17.7655
2024-09-01	12:32:40 AM	17.7635
2024-09-01	12:33:40 AM	17.7705
2024-09-01	12:34:40 AM	17.7699
2024-09-01	12:35:40 AM	17.7695
2024-09-01	12:36:40 AM	17.7688
2024-09-01	12:37:40 AM	17.7687
2024-09-01	12:38:40 AM	17.7676
2024-09-01	12:39:40 AM	17.7653
2024-09-01	12:40:40 AM	17.7496
2024-09-01	12:41:40 AM	17.7714
2024-09-01	12:42:40 AM	17.7711
2024-09-01	12:43:40 AM	17.7708
2024-09-01	12:44:40 AM	17.7702
2024-09-01	12:45:40 AM	17.7689
2024-09-01	12:46:40 AM	17.7671
2024-09-01	12:47:40 AM	17.7511
2024-09-01	12:48:40 AM	17.7725
2024-09-01	12:49:40 AM	17.772
2024-09-01	12:50:40 AM	17.7717
2024-09-01	12:51:40 AM	17.7714
2024-09-01	12:52:40 AM	17.7706
2024-09-01	12:53:40 AM	17.7698
2024-09-01	12:54:40 AM	17.7648
2024-09-01	12:55:40 AM	17.7577
2024-09-01	12:56:40 AM	17.7738
2024-09-01	12:57:40 AM	17.7734
2024-09-01	12:58:40 AM	17.7731
2024-09-01	12:59:40 AM	17.7728
2024-09-01	1:00:40 AM	17.7717
2024-09-01	1:01:40 AM	17.7692
2024-09-01	1:02:40 AM	17.7586
2024-09-01	1:03:40 AM	17.7749
2024-09-01	1:04:40 AM	17.775
2024-09-01	1:05:40 AM	17.7746
2024-09-01	1:06:40 AM	17.7738
2024-09-01	1:07:40 AM	17.773
2024-09-01	1:08:40 AM	17.771
2024-09-01	1:09:40 AM	17.7626
2024-09-01	1:10:40 AM	17.7765
2024-09-01	1:11:40 AM	17.7758
2024-09-01	1:12:40 AM	17.7751
2024-09-01	1:13:40 AM	17.775
2024-09-01	1:14:40 AM	17.7744
2024-09-01	1:15:40 AM	17.7733
2024-09-01	1:16:40 AM	17.7705
2024-09-01	1:17:40 AM	17.7654
2024-09-01	1:18:40 AM	17.7772
2024-09-01	1:19:40 AM	17.7769
2024-09-01	1:20:40 AM	17.776
2024-09-01	1:21:40 AM	17.7752
2024-09-01	1:22:40 AM	17.7739
2024-09-01	1:23:40 AM	17.7718
2024-09-01	1:24:40 AM	17.7538

Pumping Test (Data Logger and Baro Logger)

2024-09-01	1:25:40 AM	17.7776
2024-09-01	1:26:40 AM	17.777
2024-09-01	1:27:40 AM	17.7765
2024-09-01	1:28:40 AM	17.7758
2024-09-01	1:29:40 AM	17.7749
2024-09-01	1:30:40 AM	17.7716
2024-09-01	1:31:40 AM	17.7564
2024-09-01	1:32:40 AM	17.778
2024-09-01	1:33:40 AM	17.7775
2024-09-01	1:34:40 AM	17.7771
2024-09-01	1:35:40 AM	17.7765
2024-09-01	1:36:40 AM	17.7756
2024-09-01	1:37:40 AM	17.7741
2024-09-01	1:38:40 AM	17.7719
2024-09-01	1:39:40 AM	17.7785
2024-09-01	1:40:40 AM	17.7782
2024-09-01	1:41:40 AM	17.778
2024-09-01	1:42:40 AM	17.7774
2024-09-01	1:43:40 AM	17.7766
2024-09-01	1:44:40 AM	17.7755
2024-09-01	1:45:40 AM	17.7708
2024-09-01	1:46:40 AM	17.7583
2024-09-01	1:47:40 AM	17.7793
2024-09-01	1:48:40 AM	17.7787
2024-09-01	1:49:40 AM	17.778
2024-09-01	1:50:40 AM	17.7773
2024-09-01	1:51:40 AM	17.7761
2024-09-01	1:52:40 AM	17.773
2024-09-01	1:53:40 AM	17.7568
2024-09-01	1:54:40 AM	17.7804
2024-09-01	1:55:40 AM	17.7803
2024-09-01	1:56:40 AM	17.7802
2024-09-01	1:57:40 AM	17.7796
2024-09-01	1:58:40 AM	17.7788
2024-09-01	1:59:40 AM	17.7772
2024-09-01	2:00:40 AM	17.7684
2024-09-01	2:01:40 AM	17.769
2024-09-01	2:02:40 AM	17.7812
2024-09-01	2:03:40 AM	17.7807
2024-09-01	2:04:40 AM	17.7799
2024-09-01	2:05:40 AM	17.7789
2024-09-01	2:06:40 AM	17.7779
2024-09-01	2:07:40 AM	17.775
2024-09-01	2:08:40 AM	17.7597
2024-09-01	2:09:40 AM	17.7808
2024-09-01	2:10:40 AM	17.7805
2024-09-01	2:11:40 AM	17.7799
2024-09-01	2:12:40 AM	17.7791
2024-09-01	2:13:40 AM	17.7773
2024-09-01	2:14:40 AM	17.7748
2024-09-01	2:15:40 AM	17.7624
2024-09-01	2:16:40 AM	17.7801
2024-09-01	2:17:40 AM	17.7794
2024-09-01	2:18:40 AM	17.7789
2024-09-01	2:19:40 AM	17.7785
2024-09-01	2:20:40 AM	17.778
2024-09-01	2:21:40 AM	17.7766
2024-09-01	2:22:40 AM	17.7734
2024-09-01	2:23:40 AM	17.7674
2024-09-01	2:24:40 AM	17.7804
2024-09-01	2:25:40 AM	17.7799
2024-09-01	2:26:40 AM	17.7797
2024-09-01	2:27:40 AM	17.7793
2024-09-01	2:28:40 AM	17.778
2024-09-01	2:29:40 AM	17.7755
2024-09-01	2:30:40 AM	17.7598
2024-09-01	2:31:40 AM	17.7812
2024-09-01	2:32:40 AM	17.7813
2024-09-01	2:33:40 AM	17.7809

Pumping Test (Data Logger and Baro Logger)

2024-09-01	2:34:40 AM	17.7802
2024-09-01	2:35:40 AM	17.7791
2024-09-01	2:36:40 AM	17.7773
2024-09-01	2:37:40 AM	17.7633
2024-09-01	2:38:40 AM	17.7816
2024-09-01	2:39:40 AM	17.7816
2024-09-01	2:40:40 AM	17.7812
2024-09-01	2:41:40 AM	17.7807
2024-09-01	2:42:40 AM	17.7798
2024-09-01	2:43:40 AM	17.7787
2024-09-01	2:44:40 AM	17.7756
2024-09-01	2:45:40 AM	17.7606
2024-09-01	2:46:40 AM	17.7827
2024-09-01	2:47:40 AM	17.7826
2024-09-01	2:48:40 AM	17.7819
2024-09-01	2:49:40 AM	17.7809
2024-09-01	2:50:40 AM	17.7803
2024-09-01	2:51:40 AM	17.7777
2024-09-01	2:52:40 AM	17.7575
2024-09-01	2:53:40 AM	17.7837
2024-09-01	2:54:40 AM	17.7831
2024-09-01	2:55:40 AM	17.7827
2024-09-01	2:56:40 AM	17.7819
2024-09-01	2:57:40 AM	17.7815
2024-09-01	2:58:40 AM	17.7797
2024-09-01	2:59:40 AM	17.7767
2024-09-01	3:00:40 AM	17.7848
2024-09-01	3:01:40 AM	17.7842
2024-09-01	3:02:40 AM	17.7835
2024-09-01	3:03:40 AM	17.7827
2024-09-01	3:04:40 AM	17.7818
2024-09-01	3:05:40 AM	17.78
2024-09-01	3:06:40 AM	17.7752
2024-09-01	3:07:40 AM	17.7678
2024-09-01	3:08:40 AM	17.7836
2024-09-01	3:09:40 AM	17.783
2024-09-01	3:10:40 AM	17.7824
2024-09-01	3:11:40 AM	17.7816
2024-09-01	3:12:40 AM	17.7801
2024-09-01	3:13:40 AM	17.7778
2024-09-01	3:14:40 AM	17.7652
2024-09-01	3:15:40 AM	17.7838
2024-09-01	3:16:40 AM	17.7837
2024-09-01	3:17:40 AM	17.7827
2024-09-01	3:18:40 AM	17.7817
2024-09-01	3:19:40 AM	17.7809
2024-09-01	3:20:40 AM	17.7795
2024-09-01	3:21:40 AM	17.7733
2024-09-01	3:22:40 AM	17.7765
2024-09-01	3:23:40 AM	17.7835
2024-09-01	3:24:40 AM	17.7829
2024-09-01	3:25:40 AM	17.7824
2024-09-01	3:26:40 AM	17.7817
2024-09-01	3:27:40 AM	17.7806
2024-09-01	3:28:40 AM	17.7781
2024-09-01	3:29:40 AM	17.7613
2024-09-01	3:30:40 AM	17.7843
2024-09-01	3:31:40 AM	17.7835
2024-09-01	3:32:40 AM	17.7831
2024-09-01	3:33:40 AM	17.7831
2024-09-01	3:34:40 AM	17.7815
2024-09-01	3:35:40 AM	17.779
2024-09-01	3:36:40 AM	17.7637
2024-09-01	3:37:40 AM	17.785
2024-09-01	3:38:40 AM	17.7844
2024-09-01	3:39:40 AM	17.7842
2024-09-01	3:40:40 AM	17.7835
2024-09-01	3:41:40 AM	17.7828
2024-09-01	3:42:40 AM	17.7813

Pumping Test (Data Logger and Baro Logger)

2024-09-01	3:43:40 AM	17.7774
2024-09-01	3:44:40 AM	17.7754
2024-09-01	3:45:40 AM	17.7854
2024-09-01	3:46:40 AM	17.7851
2024-09-01	3:47:40 AM	17.7844
2024-09-01	3:48:40 AM	17.7837
2024-09-01	3:49:40 AM	17.7827
2024-09-01	3:50:40 AM	17.78
2024-09-01	3:51:40 AM	17.7685
2024-09-01	3:52:40 AM	17.786
2024-09-01	3:53:40 AM	17.7856
2024-09-01	3:54:40 AM	17.7852
2024-09-01	3:55:40 AM	17.7842
2024-09-01	3:56:40 AM	17.7829
2024-09-01	3:57:40 AM	17.7806
2024-09-01	3:58:40 AM	17.7716
2024-09-01	3:59:40 AM	17.7861
2024-09-01	4:00:40 AM	17.7855
2024-09-01	4:01:40 AM	17.785
2024-09-01	4:02:40 AM	17.7839
2024-09-01	4:03:40 AM	17.7837
2024-09-01	4:04:40 AM	17.7813
2024-09-01	4:05:40 AM	17.7764
2024-09-01	4:06:40 AM	17.7702
2024-09-01	4:07:40 AM	17.7863
2024-09-01	4:08:40 AM	17.7861
2024-09-01	4:09:40 AM	17.7854
2024-09-01	4:10:40 AM	17.7841
2024-09-01	4:11:40 AM	17.7833
2024-09-01	4:12:40 AM	17.7805
2024-09-01	4:13:40 AM	17.7559
2024-09-01	4:14:40 AM	17.7868
2024-09-01	4:15:40 AM	17.7862
2024-09-01	4:16:40 AM	17.7858
2024-09-01	4:17:40 AM	17.7848
2024-09-01	4:18:40 AM	17.7835
2024-09-01	4:19:40 AM	17.7779
2024-09-01	4:20:40 AM	17.7762
2024-09-01	4:21:40 AM	17.7869
2024-09-01	4:22:40 AM	17.7866
2024-09-01	4:23:40 AM	17.786
2024-09-01	4:24:40 AM	17.7855
2024-09-01	4:25:40 AM	17.7843
2024-09-01	4:26:40 AM	17.7821
2024-09-01	4:27:40 AM	17.7621
2024-09-01	4:28:40 AM	17.7879
2024-09-01	4:29:40 AM	17.7872
2024-09-01	4:30:40 AM	17.7868
2024-09-01	4:31:40 AM	17.7862
2024-09-01	4:32:40 AM	17.7857
2024-09-01	4:33:40 AM	17.784
2024-09-01	4:34:40 AM	17.7747
2024-09-01	4:35:40 AM	17.7887
2024-09-01	4:36:40 AM	17.7884
2024-09-01	4:37:40 AM	17.7875
2024-09-01	4:38:40 AM	17.7869
2024-09-01	4:39:40 AM	17.7861
2024-09-01	4:40:40 AM	17.7844
2024-09-01	4:41:40 AM	17.7771
2024-09-01	4:42:40 AM	17.7886
2024-09-01	4:43:40 AM	17.7886
2024-09-01	4:44:40 AM	17.7877
2024-09-01	4:45:40 AM	17.7874
2024-09-01	4:46:40 AM	17.7864
2024-09-01	4:47:40 AM	17.7853
2024-09-01	4:48:40 AM	17.783
2024-09-01	4:49:40 AM	17.7768
2024-09-01	4:50:40 AM	17.788
2024-09-01	4:51:40 AM	17.7875

Pumping Test (Data Logger and Baro Logger)

2024-09-01	4:52:40 AM	17.787
2024-09-01	4:53:40 AM	17.7861
2024-09-01	4:54:40 AM	17.7845
2024-09-01	4:55:40 AM	17.7827
2024-09-01	4:56:40 AM	17.7794
2024-09-01	4:57:40 AM	17.787
2024-09-01	4:58:40 AM	17.7866
2024-09-01	4:59:40 AM	17.7863
2024-09-01	5:00:40 AM	17.7853
2024-09-01	5:01:40 AM	17.7843
2024-09-01	5:02:40 AM	17.7828
2024-09-01	5:03:40 AM	17.7794
2024-09-01	5:04:40 AM	17.7615
2024-09-01	5:05:40 AM	17.7862
2024-09-01	5:06:40 AM	17.7852
2024-09-01	5:07:40 AM	17.7845
2024-09-01	5:08:40 AM	17.7835
2024-09-01	5:09:40 AM	17.7819
2024-09-01	5:10:40 AM	17.7797
2024-09-01	5:11:40 AM	17.7788
2024-09-01	5:12:40 AM	17.7933
2024-09-01	5:13:40 AM	17.7832
2024-09-01	5:14:40 AM	17.7822
2024-09-01	5:15:40 AM	17.7812
2024-09-01	5:16:40 AM	17.7801
2024-09-01	5:17:40 AM	17.7784
2024-09-01	5:18:40 AM	17.7747
2024-09-01	5:19:40 AM	17.763
2024-09-01	5:20:40 AM	17.7798
2024-09-01	5:21:40 AM	17.7789
2024-09-01	5:22:40 AM	17.7777
2024-09-01	5:23:40 AM	17.7763
2024-09-01	5:24:40 AM	17.7744
2024-09-01	5:25:40 AM	17.7697
2024-09-01	5:26:40 AM	17.7604
2024-09-01	5:27:40 AM	17.7769
2024-09-01	5:28:40 AM	17.7764
2024-09-01	5:29:40 AM	17.7753
2024-09-01	5:30:40 AM	17.7744
2024-09-01	5:31:40 AM	17.773
2024-09-01	5:32:40 AM	17.7707
2024-09-01	5:33:40 AM	17.7567
2024-09-01	5:34:40 AM	17.7744
2024-09-01	5:35:40 AM	17.7744
2024-09-01	5:36:40 AM	17.7734
2024-09-01	5:37:40 AM	17.7719
2024-09-01	5:38:40 AM	17.7709
2024-09-01	5:39:40 AM	17.7692
2024-09-01	5:40:40 AM	17.7643
2024-09-01	5:41:40 AM	17.7607
2024-09-01	5:42:40 AM	17.7716
2024-09-01	5:43:40 AM	17.77
2024-09-01	5:44:40 AM	17.7694
2024-09-01	5:45:40 AM	17.7684
2024-09-01	5:46:40 AM	17.7664
2024-09-01	5:47:40 AM	17.7632
2024-09-01	5:48:40 AM	17.7581
2024-09-01	5:49:40 AM	17.7691
2024-09-01	5:50:40 AM	17.7679
2024-09-01	5:51:40 AM	17.7669
2024-09-01	5:52:40 AM	17.7656
2024-09-01	5:53:40 AM	17.7637
2024-09-01	5:54:40 AM	17.761
2024-09-01	5:55:40 AM	17.7431
2024-09-01	5:56:40 AM	17.7657
2024-09-01	5:57:40 AM	17.7647
2024-09-01	5:58:40 AM	17.7636
2024-09-01	5:59:40 AM	17.7622
2024-09-01	6:00:40 AM	17.7606

Pumping Test (Data Logger and Baro Logger)

2024-09-01	6:01:40 AM	17.7579
2024-09-01	6:02:40 AM	17.7455
2024-09-01	6:03:40 AM	17.7624
2024-09-01	6:04:40 AM	17.7614
2024-09-01	6:05:40 AM	17.7605
2024-09-01	6:06:40 AM	17.7594
2024-09-01	6:07:40 AM	17.7581
2024-09-01	6:08:40 AM	17.755
2024-09-01	6:09:40 AM	17.7315
2024-09-01	6:10:40 AM	17.7584
2024-09-01	6:11:40 AM	17.7571
2024-09-01	6:12:40 AM	17.756
2024-09-01	6:13:40 AM	17.755
2024-09-01	6:14:40 AM	17.7537
2024-09-01	6:15:40 AM	17.7517
2024-09-01	6:16:40 AM	17.7485
2024-09-01	6:17:40 AM	17.7329
2024-09-01	6:18:40 AM	17.7546
2024-09-01	6:19:40 AM	17.7533
2024-09-01	6:20:40 AM	17.7524
2024-09-01	6:21:40 AM	17.7512
2024-09-01	6:22:40 AM	17.7504
2024-09-01	6:23:40 AM	17.7479
2024-09-01	6:24:40 AM	17.7389
2024-09-01	6:25:40 AM	17.7529
2024-09-01	6:26:40 AM	17.7525
2024-09-01	6:27:40 AM	17.7518
2024-09-01	6:28:40 AM	17.7512
2024-09-01	6:29:40 AM	17.7502
2024-09-01	6:30:40 AM	17.7484
2024-09-01	6:31:40 AM	17.7467
2024-09-01	6:32:40 AM	17.7294
2024-09-01	6:33:40 AM	17.7527
2024-09-01	6:34:40 AM	17.7522
2024-09-01	6:35:40 AM	17.7516
2024-09-01	6:36:40 AM	17.7512
2024-09-01	6:37:40 AM	17.7509
2024-09-01	6:38:40 AM	17.7498
2024-09-01	6:39:40 AM	17.7485
2024-09-01	6:40:40 AM	17.7393
2024-09-01	6:41:40 AM	17.7526
2024-09-01	6:42:40 AM	17.7524
2024-09-01	6:43:40 AM	17.7523
2024-09-01	6:44:40 AM	17.7514
2024-09-01	6:45:40 AM	17.7507
2024-09-01	6:46:40 AM	17.7497
2024-09-01	6:47:40 AM	17.7482
2024-09-01	6:48:40 AM	17.7482
2024-09-01	6:49:40 AM	17.749
2024-09-01	6:50:40 AM	17.7528
2024-09-01	6:51:40 AM	17.7524
2024-09-01	6:52:40 AM	17.7521
2024-09-01	6:53:40 AM	17.7512
2024-09-01	6:54:40 AM	17.75
2024-09-01	6:55:40 AM	17.7449
2024-09-01	6:56:40 AM	17.7387
2024-09-01	6:57:40 AM	17.7548
2024-09-01	6:58:40 AM	17.754
2024-09-01	6:59:40 AM	17.754
2024-09-01	7:00:40 AM	17.7538
2024-09-01	7:01:40 AM	17.7528
2024-09-01	7:02:40 AM	17.751
2024-09-01	7:03:40 AM	17.7418
2024-09-01	7:04:40 AM	17.7565
2024-09-01	7:05:40 AM	17.7561
2024-09-01	7:06:40 AM	17.7553
2024-09-01	7:07:40 AM	17.7547
2024-09-01	7:08:40 AM	17.7537
2024-09-01	7:09:40 AM	17.7518

Pumping Test (Data Logger and Baro Logger)

2024-09-01	7:10:40 AM	17.7484
2024-09-01	7:11:40 AM	17.7546
2024-09-01	7:12:40 AM	17.7568
2024-09-01	7:13:40 AM	17.7565
2024-09-01	7:14:40 AM	17.7558
2024-09-01	7:15:40 AM	17.7553
2024-09-01	7:16:40 AM	17.7542
2024-09-01	7:17:40 AM	17.7498
2024-09-01	7:18:40 AM	17.7518
2024-09-01	7:19:40 AM	17.7585
2024-09-01	7:20:40 AM	17.7578
2024-09-01	7:21:40 AM	17.7574
2024-09-01	7:22:40 AM	17.7571
2024-09-01	7:23:40 AM	17.756
2024-09-01	7:24:40 AM	17.7534
2024-09-01	7:25:40 AM	17.7346
2024-09-01	7:26:40 AM	17.7582
2024-09-01	7:27:40 AM	17.7577
2024-09-01	7:28:40 AM	17.7574
2024-09-01	7:29:40 AM	17.7566
2024-09-01	7:30:40 AM	17.7559
2024-09-01	7:31:40 AM	17.7535
2024-09-01	7:32:40 AM	17.7383
2024-09-01	7:33:40 AM	17.7582
2024-09-01	7:34:40 AM	17.7579
2024-09-01	7:35:40 AM	17.7574
2024-09-01	7:36:40 AM	17.757
2024-09-01	7:37:40 AM	17.7563
2024-09-01	7:38:40 AM	17.7551
2024-09-01	7:39:40 AM	17.7527
2024-09-01	7:40:40 AM	17.7294
2024-09-01	7:41:40 AM	17.7588
2024-09-01	7:42:40 AM	17.7581
2024-09-01	7:43:40 AM	17.7573
2024-09-01	7:44:40 AM	17.7567
2024-09-01	7:45:40 AM	17.7553
2024-09-01	7:46:40 AM	17.7534
2024-09-01	7:47:40 AM	17.7393
2024-09-01	7:48:40 AM	17.7584
2024-09-01	7:49:40 AM	17.7579
2024-09-01	7:50:40 AM	17.7573
2024-09-01	7:51:40 AM	17.7567
2024-09-01	7:52:40 AM	17.7551
2024-09-01	7:53:40 AM	17.7531
2024-09-01	7:54:40 AM	17.7425
2024-09-01	7:55:40 AM	17.7578
2024-09-01	7:56:40 AM	17.7574
2024-09-01	7:57:40 AM	17.757
2024-09-01	7:58:40 AM	17.7562
2024-09-01	7:59:40 AM	17.7558
2024-09-01	8:00:40 AM	17.7546
2024-09-01	8:01:40 AM	17.7498
2024-09-01	8:02:40 AM	17.7324
2024-09-01	8:03:40 AM	17.7582
2024-09-01	8:04:40 AM	17.7579
2024-09-01	8:05:40 AM	17.7575
2024-09-01	8:06:40 AM	17.7566
2024-09-01	8:07:40 AM	17.7554
2024-09-01	8:08:40 AM	17.753
2024-09-01	8:09:40 AM	17.7388
2024-09-01	8:10:40 AM	17.758
2024-09-01	8:11:40 AM	17.7576
2024-09-01	8:12:40 AM	17.7568
2024-09-01	8:13:40 AM	17.7561
2024-09-01	8:14:40 AM	17.7546
2024-09-01	8:15:40 AM	17.7522
2024-09-01	8:16:40 AM	17.7334
2024-09-01	8:17:40 AM	17.758
2024-09-01	8:18:40 AM	17.7568

Pumping Test (Data Logger and Baro Logger)

2024-09-01	8:19:40 AM	17.7563
2024-09-01	8:20:40 AM	17.7555
2024-09-01	8:21:40 AM	17.7542
2024-09-01	8:22:40 AM	17.7528
2024-09-01	8:23:40 AM	17.7482
2024-09-01	8:24:40 AM	17.7382
2024-09-01	8:25:40 AM	17.7553
2024-09-01	8:26:40 AM	17.7552
2024-09-01	8:27:40 AM	17.7541
2024-09-01	8:28:40 AM	17.7537
2024-09-01	8:29:40 AM	17.7517
2024-09-01	8:30:40 AM	17.7479
2024-09-01	8:31:40 AM	17.7283
2024-09-01	8:32:40 AM	17.7546
2024-09-01	8:33:40 AM	17.7538
2024-09-01	8:34:40 AM	17.7532
2024-09-01	8:35:40 AM	17.7519
2024-09-01	8:36:40 AM	17.7509
2024-09-01	8:37:40 AM	17.7475
2024-09-01	8:38:40 AM	17.7246
2024-09-01	8:39:40 AM	17.7539
2024-09-01	8:40:40 AM	17.7533
2024-09-01	8:41:40 AM	17.753
2024-09-01	8:42:40 AM	17.7518
2024-09-01	8:43:40 AM	17.7509
2024-09-01	8:44:40 AM	17.7493
2024-09-01	8:45:40 AM	17.738
2024-09-01	8:46:40 AM	17.7543
2024-09-01	8:47:40 AM	17.7533
2024-09-01	8:48:40 AM	17.7524
2024-09-01	8:49:40 AM	17.7518
2024-09-01	8:50:40 AM	17.7509
2024-09-01	8:51:40 AM	17.7493
2024-09-01	8:52:40 AM	17.7444
2024-09-01	8:53:40 AM	17.7401
2024-09-01	8:54:40 AM	17.7541
2024-09-01	8:55:40 AM	17.7533
2024-09-01	8:56:40 AM	17.7531
2024-09-01	8:57:40 AM	17.7521
2024-09-01	8:58:40 AM	17.7517
2024-09-01	8:59:40 AM	17.7488
2024-09-01	9:00:40 AM	17.7249
2024-09-01	9:01:40 AM	17.7551
2024-09-01	9:02:40 AM	17.755
2024-09-01	9:03:40 AM	17.7543
2024-09-01	9:04:40 AM	17.7537
2024-09-01	9:05:40 AM	17.7527
2024-09-01	9:06:40 AM	17.751
2024-09-01	9:07:40 AM	17.7484
2024-09-01	9:08:40 AM	17.7477
2024-09-01	9:09:40 AM	17.754
2024-09-01	9:10:40 AM	17.7539
2024-09-01	9:11:40 AM	17.753
2024-09-01	9:12:40 AM	17.752
2024-09-01	9:13:40 AM	17.7504
2024-09-01	9:14:40 AM	17.7478
2024-09-01	9:15:40 AM	17.7367
2024-09-01	9:16:40 AM	17.7542
2024-09-01	9:17:40 AM	17.7538
2024-09-01	9:18:40 AM	17.753
2024-09-01	9:19:40 AM	17.7525
2024-09-01	9:20:40 AM	17.7507
2024-09-01	9:21:40 AM	17.7472
2024-09-01	9:22:40 AM	17.7433
2024-09-01	9:23:40 AM	17.7537
2024-09-01	9:24:40 AM	17.7535
2024-09-01	9:25:40 AM	17.7531
2024-09-01	9:26:40 AM	17.7519
2024-09-01	9:27:40 AM	17.7507

Pumping Test (Data Logger and Baro Logger)

2024-09-01	9:28:40 AM	17.7489
2024-09-01	9:29:40 AM	17.7396
2024-09-01	9:30:40 AM	17.7556
2024-09-01	9:31:40 AM	17.7528
2024-09-01	9:32:40 AM	17.7522
2024-09-01	9:33:40 AM	17.7513
2024-09-01	9:34:40 AM	17.7503
2024-09-01	9:35:40 AM	17.7492
2024-09-01	9:36:40 AM	17.7424
2024-09-01	9:37:40 AM	17.7541
2024-09-01	9:38:40 AM	17.753
2024-09-01	9:39:40 AM	17.7529
2024-09-01	9:40:40 AM	17.7525
2024-09-01	9:41:40 AM	17.7516
2024-09-01	9:42:40 AM	17.7503
2024-09-01	9:43:40 AM	17.748
2024-09-01	9:44:40 AM	17.7278
2024-09-01	9:45:40 AM	17.7544
2024-09-01	9:46:40 AM	17.7539
2024-09-01	9:47:40 AM	17.7532
2024-09-01	9:48:40 AM	17.7524
2024-09-01	9:49:40 AM	17.7516
2024-09-01	9:50:40 AM	17.7499
2024-09-01	9:51:40 AM	17.7435
2024-09-01	9:52:40 AM	17.7543
2024-09-01	9:53:40 AM	17.7542
2024-09-01	9:54:40 AM	17.7538
2024-09-01	9:55:40 AM	17.7534
2024-09-01	9:56:40 AM	17.7524
2024-09-01	9:57:40 AM	17.7514
2024-09-01	9:58:40 AM	17.7467
2024-09-01	9:59:40 AM	17.7403
2024-09-01	10:00:40 AM	17.7546
2024-09-01	10:01:40 AM	17.7539
2024-09-01	10:02:40 AM	17.7536
2024-09-01	10:03:40 AM	17.7525
2024-09-01	10:04:40 AM	17.7514
2024-09-01	10:05:40 AM	17.7491
2024-09-01	10:06:40 AM	17.7365
2024-09-01	10:07:40 AM	17.754
2024-09-01	10:08:40 AM	17.7543
2024-09-01	10:09:40 AM	17.7539
2024-09-01	10:10:40 AM	17.7533
2024-09-01	10:11:40 AM	17.7523
2024-09-01	10:12:40 AM	17.7511
2024-09-01	10:13:40 AM	17.7475
2024-09-01	10:14:40 AM	17.7396
2024-09-01	10:15:40 AM	17.7556
2024-09-01	10:16:40 AM	17.7551
2024-09-01	10:17:40 AM	17.7542
2024-09-01	10:18:40 AM	17.7538
2024-09-01	10:19:40 AM	17.7518
2024-09-01	10:20:40 AM	17.7494
2024-09-01	10:21:40 AM	17.7432
2024-09-01	10:22:40 AM	17.756
2024-09-01	10:23:40 AM	17.7557
2024-09-01	10:24:40 AM	17.7551
2024-09-01	10:25:40 AM	17.7544
2024-09-01	10:26:40 AM	17.7537
2024-09-01	10:27:40 AM	17.7522
2024-09-01	10:28:40 AM	17.7429
2024-09-01	10:29:40 AM	17.7572
2024-09-01	10:30:40 AM	17.7567
2024-09-01	10:31:40 AM	17.7558
2024-09-01	10:32:40 AM	17.7552
2024-09-01	10:33:40 AM	17.7548
2024-09-01	10:34:40 AM	17.7535
2024-09-01	10:35:40 AM	17.7491
2024-09-01	10:36:40 AM	17.7465

Pumping Test (Data Logger and Baro Logger)

2024-09-01	10:37:40 AM	17.7569
2024-09-01	10:38:40 AM	17.7563
2024-09-01	10:39:40 AM	17.7554
2024-09-01	10:40:40 AM	17.7535
2024-09-01	10:41:40 AM	17.7516
2024-09-01	10:42:40 AM	17.7479
2024-09-01	10:43:40 AM	17.7432
2024-09-01	10:44:40 AM	17.755
2024-09-01	10:45:40 AM	17.7539
2024-09-01	10:46:40 AM	17.7535
2024-09-01	10:47:40 AM	17.7526
2024-09-01	10:48:40 AM	17.751
2024-09-01	10:49:40 AM	17.7494
2024-09-01	10:50:40 AM	17.7438
2024-09-01	10:51:40 AM	17.7539
2024-09-01	10:52:40 AM	17.7532
2024-09-01	10:53:40 AM	17.7518
2024-09-01	10:54:40 AM	17.7509
2024-09-01	10:55:40 AM	17.7491
2024-09-01	10:56:40 AM	17.7481
2024-09-01	10:57:40 AM	17.7375
2024-09-01	10:58:40 AM	17.7523
2024-09-01	10:59:40 AM	17.7523
2024-09-01	11:00:40 AM	17.752
2024-09-01	11:01:40 AM	17.7517
2024-09-01	11:02:40 AM	17.7506
2024-09-01	11:03:40 AM	17.7485
2024-09-01	11:04:40 AM	17.746
2024-09-01	11:05:40 AM	17.7366
2024-09-01	11:06:40 AM	17.7533
2024-09-01	11:07:40 AM	17.7529
2024-09-01	11:08:40 AM	17.7529
2024-09-01	11:09:40 AM	17.7522
2024-09-01	11:10:40 AM	17.7513
2024-09-01	11:11:40 AM	17.7495
2024-09-01	11:12:40 AM	17.7307
2024-09-01	11:13:40 AM	17.7552
2024-09-01	11:14:40 AM	17.7545
2024-09-01	11:15:40 AM	17.7537
2024-09-01	11:16:40 AM	17.753
2024-09-01	11:17:40 AM	17.7521
2024-09-01	11:18:40 AM	17.7491
2024-09-01	11:19:40 AM	17.7335
2024-09-01	11:20:40 AM	17.7547
2024-09-01	11:21:40 AM	17.755
2024-09-01	11:22:40 AM	17.754
2024-09-01	11:23:40 AM	17.753
2024-09-01	11:24:40 AM	17.7519
2024-09-01	11:25:40 AM	17.7489
2024-09-01	11:26:40 AM	17.7381
2024-09-01	11:27:40 AM	17.7564
2024-09-01	11:28:40 AM	17.7554
2024-09-01	11:29:40 AM	17.7553
2024-09-01	11:30:40 AM	17.7548
2024-09-01	11:31:40 AM	17.7543
2024-09-01	11:32:40 AM	17.7527
2024-09-01	11:33:40 AM	17.7471
2024-09-01	11:34:40 AM	17.7409
2024-09-01	11:35:40 AM	17.7565
2024-09-01	11:36:40 AM	17.7559
2024-09-01	11:37:40 AM	17.7552
2024-09-01	11:38:40 AM	17.7546
2024-09-01	11:39:40 AM	17.7527
2024-09-01	11:40:40 AM	17.7474
2024-09-01	11:41:40 AM	17.7498
2024-09-01	11:42:40 AM	17.7574
2024-09-01	11:43:40 AM	17.7567
2024-09-01	11:44:40 AM	17.7559
2024-09-01	11:45:40 AM	17.7555

Pumping Test (Data Logger and Baro Logger)

2024-09-01	11:46:40 AM	17.754
2024-09-01	11:47:40 AM	17.7512
2024-09-01	11:48:40 AM	17.7355
2024-09-01	11:49:40 AM	17.7576
2024-09-01	11:50:40 AM	17.7572
2024-09-01	11:51:40 AM	17.7573
2024-09-01	11:52:40 AM	17.7561
2024-09-01	11:53:40 AM	17.7548
2024-09-01	11:54:40 AM	17.7539
2024-09-01	11:55:40 AM	17.741
2024-09-01	11:56:40 AM	17.7583
2024-09-01	11:57:40 AM	17.7579
2024-09-01	11:58:40 AM	17.7575
2024-09-01	11:59:40 AM	17.7568
2024-09-01	12:00:40 PM	17.756
2024-09-01	12:01:40 PM	17.755
2024-09-01	12:02:40 PM	17.7497
2024-09-01	12:03:40 PM	17.7379
2024-09-01	12:04:40 PM	17.759
2024-09-01	12:05:40 PM	17.7582
2024-09-01	12:06:40 PM	17.7581
2024-09-01	12:07:40 PM	17.7581
2024-09-01	12:08:40 PM	17.7567
2024-09-01	12:09:40 PM	17.7551
2024-09-01	12:10:40 PM	17.7463
2024-09-01	12:11:40 PM	17.7601
2024-09-01	12:12:40 PM	17.7598
2024-09-01	12:13:40 PM	17.7593
2024-09-01	12:14:40 PM	17.7577
2024-09-01	12:15:40 PM	17.7574
2024-09-01	12:16:40 PM	17.7559
2024-09-01	12:17:40 PM	17.7497
2024-09-01	12:18:40 PM	17.7606
2024-09-01	12:19:40 PM	17.7601
2024-09-01	12:20:40 PM	17.7596
2024-09-01	12:21:40 PM	17.7589
2024-09-01	12:22:40 PM	17.7576
2024-09-01	12:23:40 PM	17.7562
2024-09-01	12:24:40 PM	17.7519
2024-09-01	12:25:40 PM	17.748
2024-09-01	12:26:40 PM	17.7603
2024-09-01	12:27:40 PM	17.7597
2024-09-01	12:28:40 PM	17.7591
2024-09-01	12:29:40 PM	17.7585
2024-09-01	12:30:40 PM	17.7573
2024-09-01	12:31:40 PM	17.7545
2024-09-01	12:32:40 PM	17.7438
2024-09-01	12:33:40 PM	17.7612
2024-09-01	12:34:40 PM	17.7606
2024-09-01	12:35:40 PM	17.7597
2024-09-01	12:36:40 PM	17.7589
2024-09-01	12:37:40 PM	17.7582
2024-09-01	12:38:40 PM	17.7567
2024-09-01	12:39:40 PM	17.7479
2024-09-01	12:40:40 PM	17.7626
2024-09-01	12:41:40 PM	17.762
2024-09-01	12:42:40 PM	17.7618
2024-09-01	12:43:40 PM	17.7609
2024-09-01	12:44:40 PM	17.76
2024-09-01	12:45:40 PM	17.7584
2024-09-01	12:46:40 PM	17.7571
2024-09-01	12:47:40 PM	17.7437
2024-09-01	12:48:40 PM	17.7621
2024-09-01	12:49:40 PM	17.7615
2024-09-01	12:50:40 PM	17.7609
2024-09-01	12:51:40 PM	17.7603
2024-09-01	12:52:40 PM	17.7588
2024-09-01	12:53:40 PM	17.7559
2024-09-01	12:54:40 PM	17.7353

Pumping Test (Data Logger and Baro Logger)

2024-09-01	12:55:40 PM	17.762
2024-09-01	12:56:40 PM	17.7609
2024-09-01	12:57:40 PM	17.7602
2024-09-01	12:58:40 PM	17.7593
2024-09-01	12:59:40 PM	17.758
2024-09-01	1:00:40 PM	17.7564
2024-09-01	1:01:40 PM	17.752
2024-09-01	1:02:40 PM	17.7662
2024-09-01	1:03:40 PM	17.7604
2024-09-01	1:04:40 PM	17.759
2024-09-01	1:05:40 PM	17.7579
2024-09-01	1:06:40 PM	17.7568
2024-09-01	1:07:40 PM	17.7552
2024-09-01	1:08:40 PM	17.7563
2024-09-01	1:09:40 PM	17.76
2024-09-01	1:10:40 PM	17.7594
2024-09-01	1:11:40 PM	17.7593
2024-09-01	1:12:40 PM	17.7584
2024-09-01	1:13:40 PM	17.7572
2024-09-01	1:14:40 PM	17.756
2024-09-01	1:15:40 PM	17.7519
2024-09-01	1:16:40 PM	17.7402
2024-09-01	1:17:40 PM	17.759
2024-09-01	1:18:40 PM	17.7583
2024-09-01	1:19:40 PM	17.7578
2024-09-01	1:20:40 PM	17.7573
2024-09-01	1:21:40 PM	17.7561
2024-09-01	1:22:40 PM	17.7546
2024-09-01	1:23:40 PM	17.7521
2024-09-01	1:24:40 PM	17.7588
2024-09-01	1:25:40 PM	17.7582
2024-09-01	1:26:40 PM	17.7583
2024-09-01	1:27:40 PM	17.7576
2024-09-01	1:28:40 PM	17.7567
2024-09-01	1:29:40 PM	17.7556
2024-09-01	1:30:40 PM	17.7513
2024-09-01	1:31:40 PM	17.7607
2024-09-01	1:32:40 PM	17.7597
2024-09-01	1:33:40 PM	17.76
2024-09-01	1:34:40 PM	17.7601
2024-09-01	1:35:40 PM	17.7595
2024-09-01	1:36:40 PM	17.7589
2024-09-01	1:37:40 PM	17.7568
2024-09-01	1:38:40 PM	17.7498
2024-09-01	1:39:40 PM	17.7623
2024-09-01	1:40:40 PM	17.7624
2024-09-01	1:41:40 PM	17.7618
2024-09-01	1:42:40 PM	17.7612
2024-09-01	1:43:40 PM	17.7602
2024-09-01	1:44:40 PM	17.7589
2024-09-01	1:45:40 PM	17.7505
2024-09-01	1:46:40 PM	17.7638
2024-09-01	1:47:40 PM	17.7634
2024-09-01	1:48:40 PM	17.7632
2024-09-01	1:49:40 PM	17.7623
2024-09-01	1:50:40 PM	17.7618
2024-09-01	1:51:40 PM	17.7606
2024-09-01	1:52:40 PM	17.7579
2024-09-01	1:53:40 PM	17.7409
2024-09-01	1:54:40 PM	17.7673
2024-09-01	1:55:40 PM	17.7672
2024-09-01	1:56:40 PM	17.7665
2024-09-01	1:57:40 PM	17.7659
2024-09-01	1:58:40 PM	17.7658
2024-09-01	1:59:40 PM	17.7644
2024-09-01	2:00:40 PM	17.7671
2024-09-01	2:01:40 PM	17.7698
2024-09-01	2:02:40 PM	17.7701
2024-09-01	2:03:40 PM	17.7691

Pumping Test (Data Logger and Baro Logger)

2024-09-01	2:04:40 PM	17.7678
2024-09-01	2:05:40 PM	17.7672
2024-09-01	2:06:40 PM	17.7653
2024-09-01	2:07:40 PM	17.7599
2024-09-01	2:08:40 PM	17.7511
2024-09-01	2:09:40 PM	17.7678
2024-09-01	2:10:40 PM	17.7676
2024-09-01	2:11:40 PM	17.767
2024-09-01	2:12:40 PM	17.7657
2024-09-01	2:13:40 PM	17.7652
2024-09-01	2:14:40 PM	17.7627
2024-09-01	2:15:40 PM	17.7471
2024-09-01	2:16:40 PM	17.7686
2024-09-01	2:17:40 PM	17.7685
2024-09-01	2:18:40 PM	17.7683
2024-09-01	2:19:40 PM	17.7674
2024-09-01	2:20:40 PM	17.7664
2024-09-01	2:21:40 PM	17.7646
2024-09-01	2:22:40 PM	17.7622
2024-09-01	2:23:40 PM	17.7596
2024-09-01	2:24:40 PM	17.769
2024-09-01	2:25:40 PM	17.7688
2024-09-01	2:26:40 PM	17.7683
2024-09-01	2:27:40 PM	17.7675
2024-09-01	2:28:40 PM	17.7664
2024-09-01	2:29:40 PM	17.7636
2024-09-01	2:30:40 PM	17.7524
2024-09-01	2:31:40 PM	17.7702
2024-09-01	2:32:40 PM	17.7692
2024-09-01	2:33:40 PM	17.7689
2024-09-01	2:34:40 PM	17.7673
2024-09-01	2:35:40 PM	17.7661
2024-09-01	2:36:40 PM	17.7626
2024-09-01	2:37:40 PM	17.7466
2024-09-01	2:38:40 PM	17.7677
2024-09-01	2:39:40 PM	17.767
2024-09-01	2:40:40 PM	17.7671
2024-09-01	2:41:40 PM	17.7672
2024-09-01	2:42:40 PM	17.7658
2024-09-01	2:43:40 PM	17.7645
2024-09-01	2:44:40 PM	17.762
2024-09-01	2:45:40 PM	17.7544
2024-09-01	2:46:40 PM	17.7691
2024-09-01	2:47:40 PM	17.7684
2024-09-01	2:48:40 PM	17.7675
2024-09-01	2:49:40 PM	17.7665
2024-09-01	2:50:40 PM	17.7653
2024-09-01	2:51:40 PM	17.762
2024-09-01	2:52:40 PM	17.7676
2024-09-01	2:53:40 PM	17.7694
2024-09-01	2:54:40 PM	17.769
2024-09-01	2:55:40 PM	17.7682
2024-09-01	2:56:40 PM	17.7678
2024-09-01	2:57:40 PM	17.7664
2024-09-01	2:58:40 PM	17.7631
2024-09-01	2:59:40 PM	17.7543
2024-09-01	3:00:40 PM	17.7709
2024-09-01	3:01:40 PM	17.7702
2024-09-01	3:02:40 PM	17.7703
2024-09-01	3:03:40 PM	17.7693
2024-09-01	3:04:40 PM	17.7678
2024-09-01	3:05:40 PM	17.7666
2024-09-01	3:06:40 PM	17.7666
2024-09-01	3:07:40 PM	17.7725
2024-09-01	3:08:40 PM	17.7714
2024-09-01	3:09:40 PM	17.7711
2024-09-01	3:10:40 PM	17.7699
2024-09-01	3:11:40 PM	17.7697
2024-09-01	3:12:40 PM	17.7672

Pumping Test (Data Logger and Baro Logger)

2024-09-01	3:13:40 PM	17.765
2024-09-01	3:14:40 PM	17.7715
2024-09-01	3:15:40 PM	17.7712
2024-09-01	3:16:40 PM	17.7707
2024-09-01	3:17:40 PM	17.7704
2024-09-01	3:18:40 PM	17.7694
2024-09-01	3:19:40 PM	17.767
2024-09-01	3:20:40 PM	17.7606
2024-09-01	3:21:40 PM	17.7575
2024-09-01	3:22:40 PM	17.7708
2024-09-01	3:23:40 PM	17.7705
2024-09-01	3:24:40 PM	17.7693
2024-09-01	3:25:40 PM	17.7692
2024-09-01	3:26:40 PM	17.7689
2024-09-01	3:27:40 PM	17.7665
2024-09-01	3:28:40 PM	17.7758
2024-09-01	3:29:40 PM	17.7715
2024-09-01	3:30:40 PM	17.7712
2024-09-01	3:31:40 PM	17.7706
2024-09-01	3:32:40 PM	17.7701
2024-09-01	3:33:40 PM	17.7689
2024-09-01	3:34:40 PM	17.7674
2024-09-01	3:35:40 PM	17.7699
2024-09-01	3:36:40 PM	17.7718
2024-09-01	3:37:40 PM	17.772
2024-09-01	3:38:40 PM	17.7714
2024-09-01	3:39:40 PM	17.7704
2024-09-01	3:40:40 PM	17.7702
2024-09-01	3:41:40 PM	17.7681
2024-09-01	3:42:40 PM	17.7654
2024-09-01	3:43:40 PM	17.7452
2024-09-01	3:44:40 PM	17.7721
2024-09-01	3:45:40 PM	17.7719
2024-09-01	3:46:40 PM	17.7715
2024-09-01	3:47:40 PM	17.7707
2024-09-01	3:48:40 PM	17.7699
2024-09-01	3:49:40 PM	17.7681
2024-09-01	3:50:40 PM	17.7513
2024-09-01	3:51:40 PM	17.7738
2024-09-01	3:52:40 PM	17.7736
2024-09-01	3:53:40 PM	17.7732
2024-09-01	3:54:40 PM	17.7727
2024-09-01	3:55:40 PM	17.7715
2024-09-01	3:56:40 PM	17.7703
2024-09-01	3:57:40 PM	17.7626
2024-09-01	3:58:40 PM	17.7756
2024-09-01	3:59:40 PM	17.7748
2024-09-01	4:00:40 PM	17.7737
2024-09-01	4:01:40 PM	17.774
2024-09-01	4:02:40 PM	17.7728
2024-09-01	4:03:40 PM	17.7725
2024-09-01	4:04:40 PM	17.7692
2024-09-01	4:05:40 PM	17.7612
2024-09-01	4:06:40 PM	17.7761
2024-09-01	4:07:40 PM	17.7758
2024-09-01	4:08:40 PM	17.7755
2024-09-01	4:09:40 PM	17.7758
2024-09-01	4:10:40 PM	17.7745
2024-09-01	4:11:40 PM	17.7731
2024-09-01	4:12:40 PM	17.7597
2024-09-01	4:13:40 PM	17.7785
2024-09-01	4:14:40 PM	17.7783
2024-09-01	4:15:40 PM	17.7774
2024-09-01	4:16:40 PM	17.7758
2024-09-01	4:17:40 PM	17.7748
2024-09-01	4:18:40 PM	17.7725
2024-09-01	4:19:40 PM	17.7685
2024-09-01	4:20:40 PM	17.7757
2024-09-01	4:21:40 PM	17.7747

Pumping Test (Data Logger and Baro Logger)

2024-09-01	4:22:40 PM	17.773
2024-09-01	4:23:40 PM	17.7713
2024-09-01	4:24:40 PM	17.7698
2024-09-01	4:25:40 PM	17.7682
2024-09-01	4:26:40 PM	17.7642
2024-09-01	4:27:40 PM	17.743
2024-09-01	4:28:40 PM	17.7682
2024-09-01	4:29:40 PM	17.7669
2024-09-01	4:30:40 PM	17.7651
2024-09-01	4:31:40 PM	17.7634
2024-09-01	4:32:40 PM	17.7609
2024-09-01	4:33:40 PM	17.7587
2024-09-01	4:34:40 PM	17.7501
2024-09-01	4:35:40 PM	17.7679
2024-09-01	4:36:40 PM	17.7583
2024-09-01	4:37:40 PM	17.7557
2024-09-01	4:38:40 PM	17.7542
2024-09-01	4:39:40 PM	17.7516
2024-09-01	4:40:40 PM	17.7491
2024-09-01	4:41:40 PM	17.7445
2024-09-01	4:42:40 PM	17.7324
2024-09-01	4:43:40 PM	17.7482
2024-09-01	4:44:40 PM	17.7463
2024-09-01	4:45:40 PM	17.7438
2024-09-01	4:46:40 PM	17.7426
2024-09-01	4:47:40 PM	17.7397
2024-09-01	4:48:40 PM	17.7363
2024-09-01	4:49:40 PM	17.7248
2024-09-01	4:50:40 PM	17.7394
2024-09-01	4:51:40 PM	17.7377
2024-09-01	4:52:40 PM	17.7355
2024-09-01	4:53:40 PM	17.7337
2024-09-01	4:54:40 PM	17.7313
2024-09-01	4:55:40 PM	17.7287
2024-09-01	4:56:40 PM	17.725
2024-09-01	4:57:40 PM	17.7075
2024-09-01	4:58:40 PM	17.729
2024-09-01	4:59:40 PM	17.7285
2024-09-01	5:00:40 PM	17.7251
2024-09-01	5:01:40 PM	17.7238
2024-09-01	5:02:40 PM	17.7199
2024-09-01	5:03:40 PM	17.716
2024-09-01	5:04:40 PM	17.6974
2024-09-01	5:05:40 PM	17.7198
2024-09-01	5:06:40 PM	17.7178
2024-09-01	5:07:40 PM	17.7158
2024-09-01	5:08:40 PM	17.7136
2024-09-01	5:09:40 PM	17.7117
2024-09-01	5:10:40 PM	17.7082
2024-09-01	5:11:40 PM	17.6977
2024-09-01	5:12:40 PM	17.7106
2024-09-01	5:13:40 PM	17.7086
2024-09-01	5:14:40 PM	17.7071
2024-09-01	5:15:40 PM	17.7054
2024-09-01	5:16:40 PM	17.703
2024-09-01	5:17:40 PM	17.6993
2024-09-01	5:18:40 PM	17.6852
2024-09-01	5:19:40 PM	17.7015
2024-09-01	5:20:40 PM	17.7001
2024-09-01	5:21:40 PM	17.6981
2024-09-01	5:22:40 PM	17.6966
2024-09-01	5:23:40 PM	17.694
2024-09-01	5:24:40 PM	17.6917
2024-09-01	5:25:40 PM	17.6863
2024-09-01	5:26:40 PM	17.6768
2024-09-01	5:27:40 PM	17.6912
2024-09-01	5:28:40 PM	17.6892
2024-09-01	5:29:40 PM	17.6876
2024-09-01	5:30:40 PM	17.6855

Pumping Test (Data Logger and Baro Logger)

2024-09-01	5:31:40 PM	17.6831
2024-09-01	5:32:40 PM	17.6802
2024-09-01	5:33:40 PM	17.6761
2024-09-01	5:34:40 PM	17.6821
2024-09-01	5:35:40 PM	17.6815
2024-09-01	5:36:40 PM	17.6797
2024-09-01	5:37:40 PM	17.6781
2024-09-01	5:38:40 PM	17.6759
2024-09-01	5:39:40 PM	17.6732
2024-09-01	5:40:40 PM	17.6691
2024-09-01	5:41:40 PM	17.6557
2024-09-01	5:42:40 PM	17.6733
2024-09-01	5:43:40 PM	17.6718
2024-09-01	5:44:40 PM	17.67
2024-09-01	5:45:40 PM	17.6678
2024-09-01	5:46:40 PM	17.6657
2024-09-01	5:47:40 PM	17.6619
2024-09-01	5:48:40 PM	17.6645
2024-09-01	5:49:40 PM	17.6656
2024-09-01	5:50:40 PM	17.6635
2024-09-01	5:51:40 PM	17.662
2024-09-01	5:52:40 PM	17.66
2024-09-01	5:53:40 PM	17.6585
2024-09-01	5:54:40 PM	17.6562
2024-09-01	5:55:40 PM	17.6518
2024-09-01	5:56:40 PM	17.6516
2024-09-01	5:57:40 PM	17.6577
2024-09-01	5:58:40 PM	17.6572
2024-09-01	5:59:40 PM	17.6558
2024-09-01	6:00:40 PM	17.6543
2024-09-01	6:01:40 PM	17.6517
2024-09-01	6:02:40 PM	17.6494
2024-09-01	6:03:40 PM	17.6376
2024-09-01	6:04:40 PM	17.6542
2024-09-01	6:05:40 PM	17.6539
2024-09-01	6:06:40 PM	17.6528
2024-09-01	6:07:40 PM	17.6524
2024-09-01	6:08:40 PM	17.6514
2024-09-01	6:09:40 PM	17.6494
2024-09-01	6:10:40 PM	17.6331
2024-09-01	6:11:40 PM	17.6556
2024-09-01	6:12:40 PM	17.6559
2024-09-01	6:13:40 PM	17.656
2024-09-01	6:14:40 PM	17.6553
2024-09-01	6:15:40 PM	17.6545
2024-09-01	6:16:40 PM	17.6539
2024-09-01	6:17:40 PM	17.651
2024-09-01	6:18:40 PM	17.6395
2024-09-01	6:19:40 PM	17.659
2024-09-01	6:20:40 PM	17.6588
2024-09-01	6:21:40 PM	17.659
2024-09-01	6:22:40 PM	17.6592
2024-09-01	6:23:40 PM	17.6582
2024-09-01	6:24:40 PM	17.6565
2024-09-01	6:25:40 PM	17.6454
2024-09-01	6:26:40 PM	17.6629
2024-09-01	6:27:40 PM	17.663
2024-09-01	6:28:40 PM	17.6629
2024-09-01	6:29:40 PM	17.6625
2024-09-01	6:30:40 PM	17.662
2024-09-01	6:31:40 PM	17.6608
2024-09-01	6:32:40 PM	17.6488
2024-09-01	6:33:40 PM	17.6668
2024-09-01	6:34:40 PM	17.6667
2024-09-01	6:35:40 PM	17.6666
2024-09-01	6:36:40 PM	17.6665
2024-09-01	6:37:40 PM	17.6664
2024-09-01	6:38:40 PM	17.6654
2024-09-01	6:39:40 PM	17.663

Pumping Test (Data Logger and Baro Logger)

2024-09-01	6:40:40 PM	17.6494
2024-09-01	6:41:40 PM	17.6713
2024-09-01	6:42:40 PM	17.6708
2024-09-01	6:43:40 PM	17.6713
2024-09-01	6:44:40 PM	17.6709
2024-09-01	6:45:40 PM	17.6708
2024-09-01	6:46:40 PM	17.6696
2024-09-01	6:47:40 PM	17.6548
2024-09-01	6:48:40 PM	17.6756
2024-09-01	6:49:40 PM	17.6761
2024-09-01	6:50:40 PM	17.6761
2024-09-01	6:51:40 PM	17.6758
2024-09-01	6:52:40 PM	17.6755
2024-09-01	6:53:40 PM	17.6742
2024-09-01	6:54:40 PM	17.6645
2024-09-01	6:55:40 PM	17.681
2024-09-01	6:56:40 PM	17.6812
2024-09-01	6:57:40 PM	17.6813
2024-09-01	6:58:40 PM	17.6812
2024-09-01	6:59:40 PM	17.6812
2024-09-01	7:00:40 PM	17.6804
2024-09-01	7:01:40 PM	17.6768
2024-09-01	7:02:40 PM	17.6814
2024-09-01	7:03:40 PM	17.6865
2024-09-01	7:04:40 PM	17.6867
2024-09-01	7:05:40 PM	17.6868
2024-09-01	7:06:40 PM	17.6867
2024-09-01	7:07:40 PM	17.6864
2024-09-01	7:08:40 PM	17.6842
2024-09-01	7:09:40 PM	17.6708
2024-09-01	7:10:40 PM	17.6918
2024-09-01	7:11:40 PM	17.6917
2024-09-01	7:12:40 PM	17.692
2024-09-01	7:13:40 PM	17.6921
2024-09-01	7:14:40 PM	17.6918
2024-09-01	7:15:40 PM	17.689
2024-09-01	7:16:40 PM	17.678
2024-09-01	7:17:40 PM	17.6966
2024-09-01	7:18:40 PM	17.6968
2024-09-01	7:19:40 PM	17.6964
2024-09-01	7:20:40 PM	17.6961
2024-09-01	7:21:40 PM	17.6955
2024-09-01	7:22:40 PM	17.6946
2024-09-01	7:23:40 PM	17.6888
2024-09-01	7:24:40 PM	17.7005
2024-09-01	7:25:40 PM	17.7
2024-09-01	7:26:40 PM	17.7005
2024-09-01	7:27:40 PM	17.7
2024-09-01	7:28:40 PM	17.6998
2024-09-01	7:29:40 PM	17.6992
2024-09-01	7:30:40 PM	17.6962
2024-09-01	7:31:40 PM	17.6859
2024-09-01	7:32:40 PM	17.7044
2024-09-01	7:33:40 PM	17.7046
2024-09-01	7:34:40 PM	17.7045
2024-09-01	7:35:40 PM	17.7046
2024-09-01	7:36:40 PM	17.7039
2024-09-01	7:37:40 PM	17.7025
2024-09-01	7:38:40 PM	17.6846
2024-09-01	7:39:40 PM	17.7085
2024-09-01	7:40:40 PM	17.7087
2024-09-01	7:41:40 PM	17.7087
2024-09-01	7:42:40 PM	17.7085
2024-09-01	7:43:40 PM	17.7084
2024-09-01	7:44:40 PM	17.7075
2024-09-01	7:45:40 PM	17.7045
2024-09-01	7:46:40 PM	17.7006
2024-09-01	7:47:40 PM	17.713
2024-09-01	7:48:40 PM	17.7131

Pumping Test (Data Logger and Baro Logger)

2024-09-01	7:49:40 PM	17.7134
2024-09-01	7:50:40 PM	17.7133
2024-09-01	7:51:40 PM	17.713
2024-09-01	7:52:40 PM	17.7118
2024-09-01	7:53:40 PM	17.6978
2024-09-01	7:54:40 PM	17.7183
2024-09-01	7:55:40 PM	17.7187
2024-09-01	7:56:40 PM	17.7188
2024-09-01	7:57:40 PM	17.7187
2024-09-01	7:58:40 PM	17.7183
2024-09-01	7:59:40 PM	17.717
2024-09-01	8:00:40 PM	17.7146
2024-09-01	8:01:40 PM	17.7126
2024-09-01	8:02:40 PM	17.723
2024-09-01	8:03:40 PM	17.7228
2024-09-01	8:04:40 PM	17.7225
2024-09-01	8:05:40 PM	17.7223
2024-09-01	8:06:40 PM	17.7218
2024-09-01	8:07:40 PM	17.7208
2024-09-01	8:08:40 PM	17.7127
2024-09-01	8:09:40 PM	17.7284
2024-09-01	8:10:40 PM	17.7264
2024-09-01	8:11:40 PM	17.726
2024-09-01	8:12:40 PM	17.7256
2024-09-01	8:13:40 PM	17.7251
2024-09-01	8:14:40 PM	17.7239
2024-09-01	8:15:40 PM	17.7213
2024-09-01	8:16:40 PM	17.7349
2024-09-01	8:17:40 PM	17.7291
2024-09-01	8:18:40 PM	17.7289
2024-09-01	8:19:40 PM	17.7288
2024-09-01	8:20:40 PM	17.7281
2024-09-01	8:21:40 PM	17.7271
2024-09-01	8:22:40 PM	17.7239
2024-09-01	8:23:40 PM	17.7085
2024-09-01	8:24:40 PM	17.7312
2024-09-01	8:25:40 PM	17.7309
2024-09-01	8:26:40 PM	17.7304
2024-09-01	8:27:40 PM	17.73
2024-09-01	8:28:40 PM	17.7288
2024-09-01	8:29:40 PM	17.7271
2024-09-01	8:30:40 PM	17.7179
2024-09-01	8:31:40 PM	17.7316
2024-09-01	8:32:40 PM	17.7318
2024-09-01	8:33:40 PM	17.7314
2024-09-01	8:34:40 PM	17.7307
2024-09-01	8:35:40 PM	17.7298
2024-09-01	8:36:40 PM	17.7284
2024-09-01	8:37:40 PM	17.7254
2024-09-01	8:38:40 PM	17.71
2024-09-01	8:39:40 PM	17.732
2024-09-01	8:40:40 PM	17.7313
2024-09-01	8:41:40 PM	17.7309
2024-09-01	8:42:40 PM	17.7302
2024-09-01	8:43:40 PM	17.7288
2024-09-01	8:44:40 PM	17.7261
2024-09-01	8:45:40 PM	17.71
2024-09-01	8:46:40 PM	17.7317
2024-09-01	8:47:40 PM	17.731
2024-09-01	8:48:40 PM	17.7306
2024-09-01	8:49:40 PM	17.729
2024-09-01	8:50:40 PM	17.7289
2024-09-01	8:51:40 PM	17.7272
2024-09-01	8:52:40 PM	17.7216
2024-09-01	8:53:40 PM	17.716
2024-09-01	8:54:40 PM	17.731
2024-09-01	8:55:40 PM	17.7304
2024-09-01	8:56:40 PM	17.7296
2024-09-01	8:57:40 PM	17.7288

Pumping Test (Data Logger and Baro Logger)

2024-09-01	8:58:40 PM	17.7277
2024-09-01	8:59:40 PM	17.7247
2024-09-01	9:00:40 PM	17.7029
2024-09-01	9:01:40 PM	17.7309
2024-09-01	9:02:40 PM	17.7302
2024-09-01	9:03:40 PM	17.7297
2024-09-01	9:04:40 PM	17.7289
2024-09-01	9:05:40 PM	17.7278
2024-09-01	9:06:40 PM	17.7257
2024-09-01	9:07:40 PM	17.7162
2024-09-01	9:08:40 PM	17.731
2024-09-01	9:09:40 PM	17.7301
2024-09-01	9:10:40 PM	17.7302
2024-09-01	9:11:40 PM	17.7293
2024-09-01	9:12:40 PM	17.7287
2024-09-01	9:13:40 PM	17.7276
2024-09-01	9:14:40 PM	17.7253
2024-09-01	9:15:40 PM	17.7136
2024-09-01	9:16:40 PM	17.7308
2024-09-01	9:17:40 PM	17.7304
2024-09-01	9:18:40 PM	17.7294
2024-09-01	9:19:40 PM	17.7288
2024-09-01	9:20:40 PM	17.7278
2024-09-01	9:21:40 PM	17.7254
2024-09-01	9:22:40 PM	17.7191
2024-09-01	9:23:40 PM	17.7304
2024-09-01	9:24:40 PM	17.7296
2024-09-01	9:25:40 PM	17.7292
2024-09-01	9:26:40 PM	17.7281
2024-09-01	9:27:40 PM	17.7272
2024-09-01	9:28:40 PM	17.7258
2024-09-01	9:29:40 PM	17.7209
2024-09-01	9:30:40 PM	17.7115
2024-09-01	9:31:40 PM	17.7298
2024-09-01	9:32:40 PM	17.7293
2024-09-01	9:33:40 PM	17.7288
2024-09-01	9:34:40 PM	17.7283
2024-09-01	9:35:40 PM	17.7273
2024-09-01	9:36:40 PM	17.7256
2024-09-01	9:37:40 PM	17.7163
2024-09-01	9:38:40 PM	17.7309
2024-09-01	9:39:40 PM	17.7305
2024-09-01	9:40:40 PM	17.7305
2024-09-01	9:41:40 PM	17.7299
2024-09-01	9:42:40 PM	17.7291
2024-09-01	9:43:40 PM	17.7277
2024-09-01	9:44:40 PM	17.7256
2024-09-01	9:45:40 PM	17.733
2024-09-01	9:46:40 PM	17.733
2024-09-01	9:47:40 PM	17.7329
2024-09-01	9:48:40 PM	17.7329
2024-09-01	9:49:40 PM	17.7322
2024-09-01	9:50:40 PM	17.7313
2024-09-01	9:51:40 PM	17.7285
2024-09-01	9:52:40 PM	17.7067
2024-09-01	9:53:40 PM	17.7356
2024-09-01	9:54:40 PM	17.7356
2024-09-01	9:55:40 PM	17.7352
2024-09-01	9:56:40 PM	17.7345
2024-09-01	9:57:40 PM	17.7342
2024-09-01	9:58:40 PM	17.733
2024-09-01	9:59:40 PM	17.7254
2024-09-01	10:00:40 PM	17.7376
2024-09-01	10:01:40 PM	17.7382
2024-09-01	10:02:40 PM	17.7383
2024-09-01	10:03:40 PM	17.7373
2024-09-01	10:04:40 PM	17.7367
2024-09-01	10:05:40 PM	17.7361
2024-09-01	10:06:40 PM	17.7328

Pumping Test (Data Logger and Baro Logger)

2024-09-01	10:07:40 PM	17.7239
2024-09-01	10:08:40 PM	17.7403
2024-09-01	10:09:40 PM	17.7402
2024-09-01	10:10:40 PM	17.7397
2024-09-01	10:11:40 PM	17.7395
2024-09-01	10:12:40 PM	17.7389
2024-09-01	10:13:40 PM	17.7374
2024-09-01	10:14:40 PM	17.7265
2024-09-01	10:15:40 PM	17.7433
2024-09-01	10:16:40 PM	17.7431
2024-09-01	10:17:40 PM	17.7425
2024-09-01	10:18:40 PM	17.7415
2024-09-01	10:19:40 PM	17.7408
2024-09-01	10:20:40 PM	17.7402
2024-09-01	10:21:40 PM	17.7374
2024-09-01	10:22:40 PM	17.7201
2024-09-01	10:23:40 PM	17.7444
2024-09-01	10:24:40 PM	17.7442
2024-09-01	10:25:40 PM	17.7434
2024-09-01	10:26:40 PM	17.7424
2024-09-01	10:27:40 PM	17.7415
2024-09-01	10:28:40 PM	17.739
2024-09-01	10:29:40 PM	17.7176
2024-09-01	10:30:40 PM	17.7449
2024-09-01	10:31:40 PM	17.7443
2024-09-01	10:32:40 PM	17.7439
2024-09-01	10:33:40 PM	17.7429
2024-09-01	10:34:40 PM	17.742
2024-09-01	10:35:40 PM	17.7404
2024-09-01	10:36:40 PM	17.7279
2024-09-01	10:37:40 PM	17.7442
2024-09-01	10:38:40 PM	17.7447
2024-09-01	10:39:40 PM	17.7439
2024-09-01	10:40:40 PM	17.7429
2024-09-01	10:41:40 PM	17.7427
2024-09-01	10:42:40 PM	17.7411
2024-09-01	10:43:40 PM	17.7358
2024-09-01	10:44:40 PM	17.7425
2024-09-01	10:45:40 PM	17.7457
2024-09-01	10:46:40 PM	17.7425
2024-09-01	10:47:40 PM	17.7424
2024-09-01	10:48:40 PM	17.7417
2024-09-01	10:49:40 PM	17.7404
2024-09-01	10:50:40 PM	17.7371
2024-09-01	10:51:40 PM	17.7246
2024-09-01	10:52:40 PM	17.7434
2024-09-01	10:53:40 PM	17.7432
2024-09-01	10:54:40 PM	17.7423
2024-09-01	10:55:40 PM	17.7413
2024-09-01	10:56:40 PM	17.7402
2024-09-01	10:57:40 PM	17.7382
2024-09-01	10:58:40 PM	17.7278
2024-09-01	10:59:40 PM	17.7389
2024-09-01	11:00:40 PM	17.7427
2024-09-01	11:01:40 PM	17.7423
2024-09-01	11:02:40 PM	17.7418
2024-09-01	11:03:40 PM	17.7407
2024-09-01	11:04:40 PM	17.739
2024-09-01	11:05:40 PM	17.7353
2024-09-01	11:06:40 PM	17.7206
2024-09-01	11:07:40 PM	17.7421
2024-09-01	11:08:40 PM	17.7419
2024-09-01	11:09:40 PM	17.7411
2024-09-01	11:10:40 PM	17.7406
2024-09-01	11:11:40 PM	17.7395
2024-09-01	11:12:40 PM	17.7372
2024-09-01	11:13:40 PM	17.723
2024-09-01	11:14:40 PM	17.7422
2024-09-01	11:15:40 PM	17.7421

Pumping Test (Data Logger and Baro Logger)

2024-09-01	11:16:40 PM	17.7417
2024-09-01	11:17:40 PM	17.7414
2024-09-01	11:18:40 PM	17.7405
2024-09-01	11:19:40 PM	17.7388
2024-09-01	11:20:40 PM	17.7301
2024-09-01	11:21:40 PM	17.744
2024-09-01	11:22:40 PM	17.7445
2024-09-01	11:23:40 PM	17.7438
2024-09-01	11:24:40 PM	17.7435
2024-09-01	11:25:40 PM	17.7432
2024-09-01	11:26:40 PM	17.7424
2024-09-01	11:27:40 PM	17.7402
2024-09-01	11:28:40 PM	17.7233
2024-09-01	11:29:40 PM	17.7466
2024-09-01	11:30:40 PM	17.7466
2024-09-01	11:31:40 PM	17.746
2024-09-01	11:32:40 PM	17.7457
2024-09-01	11:33:40 PM	17.7447
2024-09-01	11:34:40 PM	17.7431
2024-09-01	11:35:40 PM	17.7328
2024-09-01	11:36:40 PM	17.7484
2024-09-01	11:37:40 PM	17.7481
2024-09-01	11:38:40 PM	17.7485
2024-09-01	11:39:40 PM	17.7479
2024-09-01	11:40:40 PM	17.7476
2024-09-01	11:41:40 PM	17.7476
2024-09-01	11:42:40 PM	17.7446
2024-09-01	11:43:40 PM	17.7392
2024-09-01	11:44:40 PM	17.7516
2024-09-01	11:45:40 PM	17.7515
2024-09-01	11:46:40 PM	17.7508
2024-09-01	11:47:40 PM	17.7497
2024-09-01	11:48:40 PM	17.7482
2024-09-01	11:49:40 PM	17.7471
2024-09-01	11:50:40 PM	17.7343
2024-09-01	11:51:40 PM	17.7535
2024-09-01	11:52:40 PM	17.7528
2024-09-01	11:53:40 PM	17.7529
2024-09-01	11:54:40 PM	17.7525
2024-09-01	11:55:40 PM	17.7516
2024-09-01	11:56:40 PM	17.751
2024-09-01	11:57:40 PM	17.7446
2024-09-01	11:58:40 PM	17.7365
2024-09-01	11:59:40 PM	17.7558
2024-09-02	12:00:40 AM	17.7554
2024-09-02	12:01:40 AM	17.7537
2024-09-02	12:02:40 AM	17.7515
2024-09-02	12:03:40 AM	17.7485
2024-09-02	12:04:40 AM	17.7445
2024-09-02	12:05:40 AM	17.7333
2024-09-02	12:06:40 AM	17.7444
2024-09-02	12:07:40 AM	17.7422
2024-09-02	12:08:40 AM	17.7395
2024-09-02	12:09:40 AM	17.7366
2024-09-02	12:10:40 AM	17.7339
2024-09-02	12:11:40 AM	17.7306
2024-09-02	12:12:40 AM	17.7252
2024-09-02	12:13:40 AM	17.7142
2024-09-02	12:14:40 AM	17.728
2024-09-02	12:15:40 AM	17.726
2024-09-02	12:16:40 AM	17.7242
2024-09-02	12:17:40 AM	17.7229
2024-09-02	12:18:40 AM	17.7218
2024-09-02	12:19:40 AM	17.7207
2024-09-02	12:20:40 AM	17.708
2024-09-02	12:21:40 AM	17.7263
2024-09-02	12:22:40 AM	17.7269
2024-09-02	12:23:40 AM	17.7271
2024-09-02	12:24:40 AM	17.7272

Pumping Test (Data Logger and Baro Logger)

2024-09-02	12:25:40 AM	17.7271
2024-09-02	12:26:40 AM	17.7266
2024-09-02	12:27:40 AM	17.725
2024-09-02	12:28:40 AM	17.7088
2024-09-02	12:29:40 AM	17.7322
2024-09-02	12:30:40 AM	17.7325
2024-09-02	12:31:40 AM	17.7329
2024-09-02	12:32:40 AM	17.7328
2024-09-02	12:33:40 AM	17.7322
2024-09-02	12:34:40 AM	17.7309
2024-09-02	12:35:40 AM	17.7288
2024-09-02	12:36:40 AM	17.7372
2024-09-02	12:37:40 AM	17.7373
2024-09-02	12:38:40 AM	17.7372
2024-09-02	12:39:40 AM	17.7377
2024-09-02	12:40:40 AM	17.7373
2024-09-02	12:41:40 AM	17.737
2024-09-02	12:42:40 AM	17.7339
2024-09-02	12:43:40 AM	17.7204
2024-09-02	12:44:40 AM	17.7417
2024-09-02	12:45:40 AM	17.7407
2024-09-02	12:46:40 AM	17.7405
2024-09-02	12:47:40 AM	17.7402
2024-09-02	12:48:40 AM	17.7396
2024-09-02	12:49:40 AM	17.7382
2024-09-02	12:50:40 AM	17.7311
2024-09-02	12:51:40 AM	17.7342
2024-09-02	12:52:40 AM	17.7438
2024-09-02	12:53:40 AM	17.744
2024-09-02	12:54:40 AM	17.744
2024-09-02	12:55:40 AM	17.7437
2024-09-02	12:56:40 AM	17.743
2024-09-02	12:57:40 AM	17.7394
2024-09-02	12:58:40 AM	17.7316
2024-09-02	12:59:40 AM	17.7481
2024-09-02	1:00:40 AM	17.7481
2024-09-02	1:01:40 AM	17.7474
2024-09-02	1:02:40 AM	17.7474
2024-09-02	1:03:40 AM	17.7461
2024-09-02	1:04:40 AM	17.7428
2024-09-02	1:05:40 AM	17.7299
2024-09-02	1:06:40 AM	17.7514
2024-09-02	1:07:40 AM	17.7515
2024-09-02	1:08:40 AM	17.7516
2024-09-02	1:09:40 AM	17.7515
2024-09-02	1:10:40 AM	17.7509
2024-09-02	1:11:40 AM	17.7498
2024-09-02	1:12:40 AM	17.7462
2024-09-02	1:13:40 AM	17.7529
2024-09-02	1:14:40 AM	17.755
2024-09-02	1:15:40 AM	17.7543
2024-09-02	1:16:40 AM	17.7538
2024-09-02	1:17:40 AM	17.753
2024-09-02	1:18:40 AM	17.7525
2024-09-02	1:19:40 AM	17.7509
2024-09-02	1:20:40 AM	17.7343
2024-09-02	1:21:40 AM	17.7567
2024-09-02	1:22:40 AM	17.7569
2024-09-02	1:23:40 AM	17.7568
2024-09-02	1:24:40 AM	17.7561
2024-09-02	1:25:40 AM	17.7554
2024-09-02	1:26:40 AM	17.7538
2024-09-02	1:27:40 AM	17.7405
2024-09-02	1:28:40 AM	17.7607
2024-09-02	1:29:40 AM	17.7607
2024-09-02	1:30:40 AM	17.7605
2024-09-02	1:31:40 AM	17.7595
2024-09-02	1:32:40 AM	17.7583
2024-09-02	1:33:40 AM	17.7566

Pumping Test (Data Logger and Baro Logger)

2024-09-02	1:34:40 AM	17.7519
2024-09-02	1:35:40 AM	17.7424
2024-09-02	1:36:40 AM	17.7609
2024-09-02	1:37:40 AM	17.7609
2024-09-02	1:38:40 AM	17.7606
2024-09-02	1:39:40 AM	17.7601
2024-09-02	1:40:40 AM	17.674
2024-09-02	1:41:40 AM	17.6383
2024-09-02	1:42:40 AM	17.6118
2024-09-02	1:43:40 AM	17.5951
2024-09-02	1:44:40 AM	17.5761
2024-09-02	1:45:40 AM	17.5689
2024-09-02	1:46:40 AM	17.5546
2024-09-02	1:47:40 AM	17.5388
2024-09-02	1:48:40 AM	17.5333
2024-09-02	1:49:40 AM	17.5242
2024-09-02	1:50:40 AM	17.5205
2024-09-02	1:51:40 AM	17.506
2024-09-02	1:52:40 AM	17.4931
2024-09-02	1:53:40 AM	17.4884
2024-09-02	1:54:40 AM	17.488
2024-09-02	1:55:40 AM	17.5526
2024-09-02	1:56:40 AM	17.5633
2024-09-02	1:57:40 AM	17.5934
2024-09-02	1:58:40 AM	17.6108
2024-09-02	1:59:40 AM	17.6231
2024-09-02	2:00:40 AM	17.6332
2024-09-02	2:01:40 AM	17.631
2024-09-02	2:02:40 AM	17.644
2024-09-02	2:03:40 AM	17.6523
2024-09-02	2:04:40 AM	17.6593
2024-09-02	2:05:40 AM	17.6511
2024-09-02	2:06:40 AM	17.6642
2024-09-02	2:07:40 AM	17.6709
2024-09-02	2:08:40 AM	17.6757
2024-09-02	2:09:40 AM	17.6531
2024-09-02	2:10:40 AM	17.6783
2024-09-02	2:11:40 AM	17.6837
2024-09-02	2:12:40 AM	17.6882
2024-09-02	2:13:40 AM	17.67
2024-09-02	2:14:40 AM	17.6886
2024-09-02	2:15:40 AM	17.6937
2024-09-02	2:16:40 AM	17.6974
2024-09-02	2:17:40 AM	17.7006
2024-09-02	2:18:40 AM	17.6943
2024-09-02	2:19:40 AM	17.702
2024-09-02	2:20:40 AM	17.7054
2024-09-02	2:21:40 AM	17.7081
2024-09-02	2:22:40 AM	17.6967
2024-09-02	2:23:40 AM	17.7077
2024-09-02	2:24:40 AM	17.7114
2024-09-02	2:25:40 AM	17.7143
2024-09-02	2:26:40 AM	17.7081
2024-09-02	2:27:40 AM	17.7132
2024-09-02	2:28:40 AM	17.7174
2024-09-02	2:29:40 AM	17.7198
2024-09-02	2:30:40 AM	17.6961
2024-09-02	2:31:40 AM	17.7186
2024-09-02	2:32:40 AM	17.7219
2024-09-02	2:33:40 AM	17.7245
2024-09-02	2:34:40 AM	17.7036
2024-09-02	2:35:40 AM	17.6517
2024-09-02	2:36:40 AM	17.607
2024-09-02	2:37:40 AM	17.5826
2024-09-02	2:38:40 AM	17.5689
2024-09-02	2:39:40 AM	17.5463
2024-09-02	2:40:40 AM	17.6042
2024-09-02	2:41:40 AM	17.6357
2024-09-02	2:42:40 AM	17.6505

Pumping Test (Data Logger and Baro Logger)

2024-09-02	2:43:40 AM	17.6609
2024-09-02	2:44:40 AM	17.6688
2024-09-02	2:45:40 AM	17.6753
2024-09-02	2:46:40 AM	17.6804
2024-09-02	2:47:40 AM	17.6845
2024-09-02	2:48:40 AM	17.6879
2024-09-02	2:49:40 AM	17.6872
2024-09-02	2:50:40 AM	17.6747
2024-09-02	2:51:40 AM	17.703
2024-09-02	2:52:40 AM	17.7055
2024-09-02	2:53:40 AM	17.7079
2024-09-02	2:54:40 AM	17.7097
2024-09-02	2:55:40 AM	17.7112
2024-09-02	2:56:40 AM	17.7116
2024-09-02	2:57:40 AM	17.7125
2024-09-02	2:58:40 AM	17.7055
2024-09-02	2:59:40 AM	17.7216
2024-09-02	3:00:40 AM	17.7232
2024-09-02	3:01:40 AM	17.7244
2024-09-02	3:02:40 AM	17.7257
2024-09-02	3:03:40 AM	17.7271
2024-09-02	3:04:40 AM	17.7277
2024-09-02	3:05:40 AM	17.7285
2024-09-02	3:06:40 AM	17.7279
2024-09-02	3:07:40 AM	17.7266
2024-09-02	3:08:40 AM	17.717
2024-09-02	3:09:40 AM	17.7364
2024-09-02	3:10:40 AM	17.7372
2024-09-02	3:11:40 AM	17.738
2024-09-02	3:12:40 AM	17.7384
2024-09-02	3:13:40 AM	17.7393
2024-09-02	3:14:40 AM	17.7392
2024-09-02	3:15:40 AM	17.7388
2024-09-02	3:16:40 AM	17.7369
2024-09-02	3:17:40 AM	17.7266
2024-09-02	3:18:40 AM	17.7461
2024-09-02	3:19:40 AM	17.7466
2024-09-02	3:20:40 AM	17.7466
2024-09-02	3:21:40 AM	17.7469
2024-09-02	3:22:40 AM	17.7468
2024-09-02	3:23:40 AM	17.7469
2024-09-02	3:24:40 AM	17.7462
2024-09-02	3:25:40 AM	17.7391
2024-09-02	3:26:40 AM	17.7346
2024-09-02	3:27:40 AM	17.7534
2024-09-02	3:28:40 AM	17.7537
2024-09-02	3:29:40 AM	17.7545
2024-09-02	3:30:40 AM	17.7545
2024-09-02	3:31:40 AM	17.7544
2024-09-02	3:32:40 AM	17.7546
2024-09-02	3:33:40 AM	17.7539
2024-09-02	3:34:40 AM	17.7514
2024-09-02	3:35:40 AM	17.7419
2024-09-02	3:36:40 AM	17.7602
2024-09-02	3:37:40 AM	17.7603
2024-09-02	3:38:40 AM	17.7603
2024-09-02	3:39:40 AM	17.7606
2024-09-02	3:40:40 AM	17.7606
2024-09-02	3:41:40 AM	17.7603
2024-09-02	3:42:40 AM	17.7587
2024-09-02	3:43:40 AM	17.7619
2024-09-02	3:44:40 AM	17.7516
2024-09-02	3:45:40 AM	17.7658
2024-09-02	3:46:40 AM	17.7659
2024-09-02	3:47:40 AM	17.7663
2024-09-02	3:48:40 AM	17.7665
2024-09-02	3:49:40 AM	17.7662
2024-09-02	3:50:40 AM	17.7659
2024-09-02	3:51:40 AM	17.7642

Pumping Test (Data Logger and Baro Logger)

2024-09-02	3:52:40 AM	17.7504
2024-09-02	3:53:40 AM	17.7709
2024-09-02	3:54:40 AM	17.7709
2024-09-02	3:55:40 AM	17.7707
2024-09-02	3:56:40 AM	17.7708
2024-09-02	3:57:40 AM	17.7704
2024-09-02	3:58:40 AM	17.7694
2024-09-02	3:59:40 AM	17.7665
2024-09-02	4:00:40 AM	17.7548
2024-09-02	4:01:40 AM	17.7744
2024-09-02	4:02:40 AM	17.7748
2024-09-02	4:03:40 AM	17.7745
2024-09-02	4:04:40 AM	17.7746
2024-09-02	4:05:40 AM	17.7744
2024-09-02	4:06:40 AM	17.7739
2024-09-02	4:07:40 AM	17.7726
2024-09-02	4:08:40 AM	17.7656
2024-09-02	4:09:40 AM	17.7649
2024-09-02	4:10:40 AM	17.7789
2024-09-02	4:11:40 AM	17.7789
2024-09-02	4:12:40 AM	17.7791
2024-09-02	4:13:40 AM	17.7787
2024-09-02	4:14:40 AM	17.7784
2024-09-02	4:15:40 AM	17.7773
2024-09-02	4:16:40 AM	17.7747
2024-09-02	4:17:40 AM	17.7624
2024-09-02	4:18:40 AM	17.7822
2024-09-02	4:19:40 AM	17.7826
2024-09-02	4:20:40 AM	17.7819
2024-09-02	4:21:40 AM	17.782
2024-09-02	4:22:40 AM	17.7816
2024-09-02	4:23:40 AM	17.78
2024-09-02	4:24:40 AM	17.7755
2024-09-02	4:25:40 AM	17.7713
2024-09-02	4:26:40 AM	17.7855
2024-09-02	4:27:40 AM	17.7855
2024-09-02	4:28:40 AM	17.7855
2024-09-02	4:29:40 AM	17.7853
2024-09-02	4:30:40 AM	17.7848
2024-09-02	4:31:40 AM	17.7843
2024-09-02	4:32:40 AM	17.7825
2024-09-02	4:33:40 AM	17.776
2024-09-02	4:34:40 AM	17.7888
2024-09-02	4:35:40 AM	17.7882
2024-09-02	4:36:40 AM	17.7884
2024-09-02	4:37:40 AM	17.7879
2024-09-02	4:38:40 AM	17.7876
2024-09-02	4:39:40 AM	17.7868
2024-09-02	4:40:40 AM	17.7853
2024-09-02	4:41:40 AM	17.7749
2024-09-02	4:42:40 AM	17.7912
2024-09-02	4:43:40 AM	17.7913
2024-09-02	4:44:40 AM	17.7911
2024-09-02	4:45:40 AM	17.7906
2024-09-02	4:46:40 AM	17.7898
2024-09-02	4:47:40 AM	17.7895
2024-09-02	4:48:40 AM	17.7878
2024-09-02	4:49:40 AM	17.778
2024-09-02	4:50:40 AM	17.7935
2024-09-02	4:51:40 AM	17.794
2024-09-02	4:52:40 AM	17.7939
2024-09-02	4:53:40 AM	17.7938
2024-09-02	4:54:40 AM	17.7934
2024-09-02	4:55:40 AM	17.7929
2024-09-02	4:56:40 AM	17.7916
2024-09-02	4:57:40 AM	17.7848
2024-09-02	4:58:40 AM	17.7835
2024-09-02	4:59:40 AM	17.7966
2024-09-02	5:00:40 AM	17.7961

Pumping Test (Data Logger and Baro Logger)

2024-09-02	5:01:40 AM	17.7954
2024-09-02	5:02:40 AM	17.7945
2024-09-02	5:03:40 AM	17.7935
2024-09-02	5:04:40 AM	17.7913
2024-09-02	5:05:40 AM	17.7854
2024-09-02	5:06:40 AM	17.797
2024-09-02	5:07:40 AM	17.7969
2024-09-02	5:08:40 AM	17.7962
2024-09-02	5:09:40 AM	17.796
2024-09-02	5:10:40 AM	17.7952
2024-09-02	5:11:40 AM	17.7942
2024-09-02	5:12:40 AM	17.7926
2024-09-02	5:13:40 AM	17.787
2024-09-02	5:14:40 AM	17.7873
2024-09-02	5:15:40 AM	17.7963
2024-09-02	5:16:40 AM	17.7962
2024-09-02	5:17:40 AM	17.7956
2024-09-02	5:18:40 AM	17.7941
2024-09-02	5:19:40 AM	17.7931
2024-09-02	5:20:40 AM	17.7915
2024-09-02	5:21:40 AM	17.7879
2024-09-02	5:22:40 AM	17.7784
2024-09-02	5:23:40 AM	17.7952
2024-09-02	5:24:40 AM	17.7945
2024-09-02	5:25:40 AM	17.7937
2024-09-02	5:26:40 AM	17.7928
2024-09-02	5:27:40 AM	17.7918
2024-09-02	5:28:40 AM	17.7896
2024-09-02	5:29:40 AM	17.78
2024-09-02	5:30:40 AM	17.7944
2024-09-02	5:31:40 AM	17.7942
2024-09-02	5:32:40 AM	17.7937
2024-09-02	5:33:40 AM	17.7929
2024-09-02	5:34:40 AM	17.7922
2024-09-02	5:35:40 AM	17.791
2024-09-02	5:36:40 AM	17.7895
2024-09-02	5:37:40 AM	17.7871
2024-09-02	5:38:40 AM	17.7741
2024-09-02	5:39:40 AM	17.7932
2024-09-02	5:40:40 AM	17.7924
2024-09-02	5:41:40 AM	17.7915
2024-09-02	5:42:40 AM	17.7907
2024-09-02	5:43:40 AM	17.7893
2024-09-02	5:44:40 AM	17.7875
2024-09-02	5:45:40 AM	17.7842
2024-09-02	5:46:40 AM	17.776
2024-09-02	5:47:40 AM	17.7913
2024-09-02	5:48:40 AM	17.7907
2024-09-02	5:49:40 AM	17.7901
2024-09-02	5:50:40 AM	17.7894
2024-09-02	5:51:40 AM	17.7886
2024-09-02	5:52:40 AM	17.787
2024-09-02	5:53:40 AM	17.7851
2024-09-02	5:54:40 AM	17.7686
2024-09-02	5:55:40 AM	17.7908
2024-09-02	5:56:40 AM	17.79
2024-09-02	5:57:40 AM	17.7898
2024-09-02	5:58:40 AM	17.7889
2024-09-02	5:59:40 AM	17.7881
2024-09-02	6:00:40 AM	17.7866
2024-09-02	6:01:40 AM	17.7848
2024-09-02	6:02:40 AM	17.7734
2024-09-02	6:03:40 AM	17.7875
2024-09-02	6:04:40 AM	17.7898
2024-09-02	6:05:40 AM	17.7889
2024-09-02	6:06:40 AM	17.7887
2024-09-02	6:07:40 AM	17.7877
2024-09-02	6:08:40 AM	17.7868
2024-09-02	6:09:40 AM	17.784

Pumping Test (Data Logger and Baro Logger)

2024-09-02	6:10:40 AM	17.769
2024-09-02	6:11:40 AM	17.7898
2024-09-02	6:12:40 AM	17.7886
2024-09-02	6:13:40 AM	17.7882
2024-09-02	6:14:40 AM	17.7873
2024-09-02	6:15:40 AM	17.7868
2024-09-02	6:16:40 AM	17.7861
2024-09-02	6:17:40 AM	17.7841
2024-09-02	6:18:40 AM	17.775
2024-09-02	6:19:40 AM	17.7783
2024-09-02	6:20:40 AM	17.7877
2024-09-02	6:21:40 AM	17.7869
2024-09-02	6:22:40 AM	17.7862
2024-09-02	6:23:40 AM	17.7855
2024-09-02	6:24:40 AM	17.7843
2024-09-02	6:25:40 AM	17.7826
2024-09-02	6:26:40 AM	17.7723
2024-09-02	6:27:40 AM	17.7876
2024-09-02	6:28:40 AM	17.7867
2024-09-02	6:29:40 AM	17.7865
2024-09-02	6:30:40 AM	17.7861
2024-09-02	6:31:40 AM	17.7847
2024-09-02	6:32:40 AM	17.783
2024-09-02	6:33:40 AM	17.7807
2024-09-02	6:34:40 AM	17.776
2024-09-02	6:35:40 AM	17.7715
2024-09-02	6:36:40 AM	17.7841
2024-09-02	6:37:40 AM	17.7834
2024-09-02	6:38:40 AM	17.7829
2024-09-02	6:39:40 AM	17.7821
2024-09-02	6:40:40 AM	17.7812
2024-09-02	6:41:40 AM	17.7796
2024-09-02	6:42:40 AM	17.7766
2024-09-02	6:43:40 AM	17.7627
2024-09-02	6:44:40 AM	17.7832
2024-09-02	6:45:40 AM	17.7826
2024-09-02	6:46:40 AM	17.7825
2024-09-02	6:47:40 AM	17.7816
2024-09-02	6:48:40 AM	17.7802
2024-09-02	6:49:40 AM	17.7785
2024-09-02	6:50:40 AM	17.7611
2024-09-02	6:51:40 AM	17.7831
2024-09-02	6:52:40 AM	17.7823
2024-09-02	6:53:40 AM	17.7821
2024-09-02	6:54:40 AM	17.7814
2024-09-02	6:55:40 AM	17.7806
2024-09-02	6:56:40 AM	17.7793
2024-09-02	6:57:40 AM	17.7779
2024-09-02	6:58:40 AM	17.7688
2024-09-02	6:59:40 AM	17.77
2024-09-02	7:00:40 AM	17.7824
2024-09-02	7:01:40 AM	17.7818
2024-09-02	7:02:40 AM	17.7807
2024-09-02	7:03:40 AM	17.7801
2024-09-02	7:04:40 AM	17.7793
2024-09-02	7:05:40 AM	17.7776
2024-09-02	7:06:40 AM	17.7745
2024-09-02	7:07:40 AM	17.7625
2024-09-02	7:08:40 AM	17.7811
2024-09-02	7:09:40 AM	17.7807
2024-09-02	7:10:40 AM	17.7802
2024-09-02	7:11:40 AM	17.7792
2024-09-02	7:12:40 AM	17.7783
2024-09-02	7:13:40 AM	17.7765
2024-09-02	7:14:40 AM	17.7739
2024-09-02	7:15:40 AM	17.7619
2024-09-02	7:16:40 AM	17.781
2024-09-02	7:17:40 AM	17.7805
2024-09-02	7:18:40 AM	17.7799

Pumping Test (Data Logger and Baro Logger)

2024-09-02	7:19:40 AM	17.7793
2024-09-02	7:20:40 AM	17.7788
2024-09-02	7:21:40 AM	17.7771
2024-09-02	7:22:40 AM	17.774
2024-09-02	7:23:40 AM	17.7585
2024-09-02	7:24:40 AM	17.7805
2024-09-02	7:25:40 AM	17.7801
2024-09-02	7:26:40 AM	17.7796
2024-09-02	7:27:40 AM	17.7789
2024-09-02	7:28:40 AM	17.7777
2024-09-02	7:29:40 AM	17.7762
2024-09-02	7:30:40 AM	17.772
2024-09-02	7:31:40 AM	17.7652
2024-09-02	7:32:40 AM	17.7793
2024-09-02	7:33:40 AM	17.7791
2024-09-02	7:34:40 AM	17.7783
2024-09-02	7:35:40 AM	17.7774
2024-09-02	7:36:40 AM	17.7767
2024-09-02	7:37:40 AM	17.7751
2024-09-02	7:38:40 AM	17.7724
2024-09-02	7:39:40 AM	17.7573
2024-09-02	7:40:40 AM	17.7787
2024-09-02	7:41:40 AM	17.7781
2024-09-02	7:42:40 AM	17.7777
2024-09-02	7:43:40 AM	17.7774
2024-09-02	7:44:40 AM	17.7769
2024-09-02	7:45:40 AM	17.7751
2024-09-02	7:46:40 AM	17.7721
2024-09-02	7:47:40 AM	17.7549
2024-09-02	7:48:40 AM	17.779
2024-09-02	7:49:40 AM	17.7783
2024-09-02	7:50:40 AM	17.7779
2024-09-02	7:51:40 AM	17.7773
2024-09-02	7:52:40 AM	17.7763
2024-09-02	7:53:40 AM	17.7752
2024-09-02	7:54:40 AM	17.7732
2024-09-02	7:55:40 AM	17.7619
2024-09-02	7:56:40 AM	17.7783
2024-09-02	7:57:40 AM	17.7779
2024-09-02	7:58:40 AM	17.7769
2024-09-02	7:59:40 AM	17.7768
2024-09-02	8:00:40 AM	17.7762
2024-09-02	8:01:40 AM	17.7751
2024-09-02	8:02:40 AM	17.7738
2024-09-02	8:03:40 AM	17.7709
2024-09-02	8:04:40 AM	17.7677
2024-09-02	8:05:40 AM	17.7779
2024-09-02	8:06:40 AM	17.777
2024-09-02	8:07:40 AM	17.7768
2024-09-02	8:08:40 AM	17.7759
2024-09-02	8:09:40 AM	17.7746
2024-09-02	8:10:40 AM	17.7723
2024-09-02	8:11:40 AM	17.7602
2024-09-02	8:12:40 AM	17.7787
2024-09-02	8:13:40 AM	17.7768
2024-09-02	8:14:40 AM	17.7761
2024-09-02	8:15:40 AM	17.7758
2024-09-02	8:16:40 AM	17.7744
2024-09-02	8:17:40 AM	17.7737
2024-09-02	8:18:40 AM	17.7704
2024-09-02	8:19:40 AM	17.7556
2024-09-02	8:20:40 AM	17.7776
2024-09-02	8:21:40 AM	17.7771
2024-09-02	8:22:40 AM	17.7771
2024-09-02	8:23:40 AM	17.7766
2024-09-02	8:24:40 AM	17.7755
2024-09-02	8:25:40 AM	17.7752
2024-09-02	8:26:40 AM	17.7731
2024-09-02	8:27:40 AM	17.7715

Pumping Test (Data Logger and Baro Logger)

2024-09-02	8:28:40 AM	17.7783
2024-09-02	8:29:40 AM	17.7785
2024-09-02	8:30:40 AM	17.7779
2024-09-02	8:31:40 AM	17.7771
2024-09-02	8:32:40 AM	17.7766
2024-09-02	8:33:40 AM	17.7755
2024-09-02	8:34:40 AM	17.7726
2024-09-02	8:35:40 AM	17.762
2024-09-02	8:36:40 AM	17.7795
2024-09-02	8:37:40 AM	17.7789
2024-09-02	8:38:40 AM	17.779
2024-09-02	8:39:40 AM	17.7786
2024-09-02	8:40:40 AM	17.7778
2024-09-02	8:41:40 AM	17.7766
2024-09-02	8:42:40 AM	17.773
2024-09-02	8:43:40 AM	17.7571
2024-09-02	8:44:40 AM	17.7812
2024-09-02	8:45:40 AM	17.7814
2024-09-02	8:46:40 AM	17.781
2024-09-02	8:47:40 AM	17.7806
2024-09-02	8:48:40 AM	17.7803
2024-09-02	8:49:40 AM	17.7791
2024-09-02	8:50:40 AM	17.7767
2024-09-02	8:51:40 AM	17.7609
2024-09-02	8:52:40 AM	17.7843
2024-09-02	8:53:40 AM	17.7836
2024-09-02	8:54:40 AM	17.7838
2024-09-02	8:55:40 AM	17.7835
2024-09-02	8:56:40 AM	17.7824
2024-09-02	8:57:40 AM	17.7811
2024-09-02	8:58:40 AM	17.7736
2024-09-02	8:59:40 AM	17.7873
2024-09-02	9:00:40 AM	17.7866
2024-09-02	9:01:40 AM	17.7868
2024-09-02	9:02:40 AM	17.7867
2024-09-02	9:03:40 AM	17.7862
2024-09-02	9:04:40 AM	17.7851
2024-09-02	9:05:40 AM	17.7843
2024-09-02	9:06:40 AM	17.7759
2024-09-02	9:07:40 AM	17.7856
2024-09-02	9:08:40 AM	17.7896
2024-09-02	9:09:40 AM	17.7893
2024-09-02	9:10:40 AM	17.789
2024-09-02	9:11:40 AM	17.7889
2024-09-02	9:12:40 AM	17.7883
2024-09-02	9:13:40 AM	17.7873
2024-09-02	9:14:40 AM	17.7855
2024-09-02	9:15:40 AM	17.7594
2024-09-02	9:16:40 AM	17.7924
2024-09-02	9:17:40 AM	17.7921
2024-09-02	9:18:40 AM	17.7919
2024-09-02	9:19:40 AM	17.7918
2024-09-02	9:20:40 AM	17.7909
2024-09-02	9:21:40 AM	17.7902
2024-09-02	9:22:40 AM	17.7883
2024-09-02	9:23:40 AM	17.7671
2024-09-02	9:24:40 AM	17.7958
2024-09-02	9:25:40 AM	17.7957
2024-09-02	9:26:40 AM	17.7952
2024-09-02	9:27:40 AM	17.7953
2024-09-02	9:28:40 AM	17.7944
2024-09-02	9:29:40 AM	17.7939
2024-09-02	9:30:40 AM	17.7919
2024-09-02	9:31:40 AM	17.7751
2024-09-02	9:32:40 AM	17.7982
2024-09-02	9:33:40 AM	17.7977
2024-09-02	9:34:40 AM	17.7977
2024-09-02	9:35:40 AM	17.797
2024-09-02	9:36:40 AM	17.7954

Pumping Test (Data Logger and Baro Logger)

2024-09-02	9:37:40 AM	17.7951
2024-09-02	9:38:40 AM	17.792
2024-09-02	9:39:40 AM	17.7873
2024-09-02	9:40:40 AM	17.7993
2024-09-02	9:41:40 AM	17.799
2024-09-02	9:42:40 AM	17.7988
2024-09-02	9:43:40 AM	17.7985
2024-09-02	9:44:40 AM	17.7979
2024-09-02	9:45:40 AM	17.7971
2024-09-02	9:46:40 AM	17.7945
2024-09-02	9:47:40 AM	17.7757
2024-09-02	9:48:40 AM	17.8003
2024-09-02	9:49:40 AM	17.7995
2024-09-02	9:50:40 AM	17.7987
2024-09-02	9:51:40 AM	17.7981
2024-09-02	9:52:40 AM	17.7976
2024-09-02	9:53:40 AM	17.7969
2024-09-02	9:54:40 AM	17.7945
2024-09-02	9:55:40 AM	17.7803
2024-09-02	9:56:40 AM	17.8003
2024-09-02	9:57:40 AM	17.8004
2024-09-02	9:58:40 AM	17.7997
2024-09-02	9:59:40 AM	17.7995
2024-09-02	10:00:40 AM	17.7983
2024-09-02	10:01:40 AM	17.7963
2024-09-02	10:02:40 AM	17.7883
2024-09-02	10:03:40 AM	17.7944
2024-09-02	10:04:40 AM	17.8002
2024-09-02	10:05:40 AM	17.7997
2024-09-02	10:06:40 AM	17.799
2024-09-02	10:07:40 AM	17.7982
2024-09-02	10:08:40 AM	17.7981
2024-09-02	10:09:40 AM	17.796
2024-09-02	10:10:40 AM	17.7933
2024-09-02	10:11:40 AM	17.7807
2024-09-02	10:12:40 AM	17.8001
2024-09-02	10:13:40 AM	17.7996
2024-09-02	10:14:40 AM	17.7986
2024-09-02	10:15:40 AM	17.7976
2024-09-02	10:16:40 AM	17.7962
2024-09-02	10:17:40 AM	17.7945
2024-09-02	10:18:40 AM	17.7817
2024-09-02	10:19:40 AM	17.7988
2024-09-02	10:20:40 AM	17.7989
2024-09-02	10:21:40 AM	17.7985
2024-09-02	10:22:40 AM	17.7978
2024-09-02	10:23:40 AM	17.797
2024-09-02	10:24:40 AM	17.7958
2024-09-02	10:25:40 AM	17.7948
2024-09-02	10:26:40 AM	17.7903
2024-09-02	10:27:40 AM	17.7998
2024-09-02	10:28:40 AM	17.7986
2024-09-02	10:29:40 AM	17.7984
2024-09-02	10:30:40 AM	17.7987
2024-09-02	10:31:40 AM	17.7983
2024-09-02	10:32:40 AM	17.7974
2024-09-02	10:33:40 AM	17.7959
2024-09-02	10:34:40 AM	17.7894
2024-09-02	10:35:40 AM	17.7806
2024-09-02	10:36:40 AM	17.8013
2024-09-02	10:37:40 AM	17.8011
2024-09-02	10:38:40 AM	17.8004
2024-09-02	10:39:40 AM	17.8004
2024-09-02	10:40:40 AM	17.8
2024-09-02	10:41:40 AM	17.7975
2024-09-02	10:42:40 AM	17.7951
2024-09-02	10:43:40 AM	17.7889
2024-09-02	10:44:40 AM	17.8029
2024-09-02	10:45:40 AM	17.8033

Pumping Test (Data Logger and Baro Logger)

2024-09-02	10:46:40 AM	17.8027
2024-09-02	10:47:40 AM	17.8018
2024-09-02	10:48:40 AM	17.8014
2024-09-02	10:49:40 AM	17.7999
2024-09-02	10:50:40 AM	17.798
2024-09-02	10:51:40 AM	17.7898
2024-09-02	10:52:40 AM	17.8039
2024-09-02	10:53:40 AM	17.8036
2024-09-02	10:54:40 AM	17.8036
2024-09-02	10:55:40 AM	17.8026
2024-09-02	10:56:40 AM	17.8017
2024-09-02	10:57:40 AM	17.801
2024-09-02	10:58:40 AM	17.7969
2024-09-02	10:59:40 AM	17.7845
2024-09-02	11:00:40 AM	17.8057
2024-09-02	11:01:40 AM	17.8046
2024-09-02	11:02:40 AM	17.8044
2024-09-02	11:03:40 AM	17.8041
2024-09-02	11:04:40 AM	17.8035
2024-09-02	11:05:40 AM	17.8021
2024-09-02	11:06:40 AM	17.7973
2024-09-02	11:07:40 AM	17.793
2024-09-02	11:08:40 AM	17.8065
2024-09-02	11:09:40 AM	17.8064
2024-09-02	11:10:40 AM	17.8061
2024-09-02	11:11:40 AM	17.8058
2024-09-02	11:12:40 AM	17.8049
2024-09-02	11:13:40 AM	17.8033
2024-09-02	11:14:40 AM	17.8018
2024-09-02	11:15:40 AM	17.7919
2024-09-02	11:16:40 AM	17.8083
2024-09-02	11:17:40 AM	17.8072
2024-09-02	11:18:40 AM	17.807
2024-09-02	11:19:40 AM	17.806
2024-09-02	11:20:40 AM	17.8051
2024-09-02	11:21:40 AM	17.8037
2024-09-02	11:22:40 AM	17.7983
2024-09-02	11:23:40 AM	17.7969
2024-09-02	11:24:40 AM	17.8085
2024-09-02	11:25:40 AM	17.8084
2024-09-02	11:26:40 AM	17.8081
2024-09-02	11:27:40 AM	17.8072
2024-09-02	11:28:40 AM	17.8067
2024-09-02	11:29:40 AM	17.8056
2024-09-02	11:30:40 AM	17.8028
2024-09-02	11:31:40 AM	17.7909
2024-09-02	11:32:40 AM	17.8111
2024-09-02	11:33:40 AM	17.8104
2024-09-02	11:34:40 AM	17.81
2024-09-02	11:35:40 AM	17.8097
2024-09-02	11:36:40 AM	17.8084
2024-09-02	11:37:40 AM	17.8067
2024-09-02	11:38:40 AM	17.8025
2024-09-02	11:39:40 AM	17.7967
2024-09-02	11:40:40 AM	17.8104
2024-09-02	11:41:40 AM	17.8099
2024-09-02	11:42:40 AM	17.8096
2024-09-02	11:43:40 AM	17.8088
2024-09-02	11:44:40 AM	17.8075
2024-09-02	11:45:40 AM	17.8053
2024-09-02	11:46:40 AM	17.7964
2024-09-02	11:47:40 AM	17.8107
2024-09-02	11:48:40 AM	17.8101
2024-09-02	11:49:40 AM	17.8093
2024-09-02	11:50:40 AM	17.8085
2024-09-02	11:51:40 AM	17.8072
2024-09-02	11:52:40 AM	17.8067
2024-09-02	11:53:40 AM	17.8052
2024-09-02	11:54:40 AM	17.7942

Pumping Test (Data Logger and Baro Logger)

2024-09-02	11:55:40 AM	17.7916
2024-09-02	11:56:40 AM	17.8086
2024-09-02	11:57:40 AM	17.8081
2024-09-02	11:58:40 AM	17.8074
2024-09-02	11:59:40 AM	17.8065
2024-09-02	12:00:40 PM	17.8055
2024-09-02	12:01:40 PM	17.8034
2024-09-02	12:02:40 PM	17.7877
2024-09-02	12:03:40 PM	17.8081
2024-09-02	12:04:40 PM	17.8075
2024-09-02	12:05:40 PM	17.8065
2024-09-02	12:06:40 PM	17.806
2024-09-02	12:07:40 PM	17.8049
2024-09-02	12:08:40 PM	17.8035
2024-09-02	12:09:40 PM	17.7992
2024-09-02	12:10:40 PM	17.7941
2024-09-02	12:11:40 PM	17.8056
2024-09-02	12:12:40 PM	17.8051
2024-09-02	12:13:40 PM	17.8043
2024-09-02	12:14:40 PM	17.8034
2024-09-02	12:15:40 PM	17.8032
2024-09-02	12:16:40 PM	17.8013
2024-09-02	12:17:40 PM	17.7987
2024-09-02	12:18:40 PM	17.787
2024-09-02	12:19:40 PM	17.8049
2024-09-02	12:20:40 PM	17.8041
2024-09-02	12:21:40 PM	17.8036
2024-09-02	12:22:40 PM	17.8025
2024-09-02	12:23:40 PM	17.8015
2024-09-02	12:24:40 PM	17.7999
2024-09-02	12:25:40 PM	17.7965
2024-09-02	12:26:40 PM	17.7889
2024-09-02	12:27:40 PM	17.8034
2024-09-02	12:28:40 PM	17.8027
2024-09-02	12:29:40 PM	17.8016
2024-09-02	12:30:40 PM	17.8018
2024-09-02	12:31:40 PM	17.8002
2024-09-02	12:32:40 PM	17.7995
2024-09-02	12:33:40 PM	17.7957
2024-09-02	12:34:40 PM	17.7852
2024-09-02	12:35:40 PM	17.8026
2024-09-02	12:36:40 PM	17.8026
2024-09-02	12:37:40 PM	17.8026
2024-09-02	12:38:40 PM	17.8017
2024-09-02	12:39:40 PM	17.8017
2024-09-02	12:40:40 PM	17.8004
2024-09-02	12:41:40 PM	17.7984
2024-09-02	12:42:40 PM	17.7825
2024-09-02	12:43:40 PM	17.8041
2024-09-02	12:44:40 PM	17.8034
2024-09-02	12:45:40 PM	17.8028
2024-09-02	12:46:40 PM	17.8024
2024-09-02	12:47:40 PM	17.8014
2024-09-02	12:48:40 PM	17.8006
2024-09-02	12:49:40 PM	17.7971
2024-09-02	12:50:40 PM	17.7889
2024-09-02	12:51:40 PM	17.8046
2024-09-02	12:52:40 PM	17.8044
2024-09-02	12:53:40 PM	17.8043
2024-09-02	12:54:40 PM	17.8042
2024-09-02	12:55:40 PM	17.8038
2024-09-02	12:56:40 PM	17.8023
2024-09-02	12:57:40 PM	17.799
2024-09-02	12:58:40 PM	17.7869
2024-09-02	12:59:40 PM	17.8068
2024-09-02	1:00:40 PM	17.8063
2024-09-02	1:01:40 PM	17.8062
2024-09-02	1:02:40 PM	17.8059
2024-09-02	1:03:40 PM	17.8052

Pumping Test (Data Logger and Baro Logger)

2024-09-02	1:04:40 PM	17.8042
2024-09-02	1:05:40 PM	17.8024
2024-09-02	1:06:40 PM	17.7867
2024-09-02	1:07:40 PM	17.8091
2024-09-02	1:08:40 PM	17.8088
2024-09-02	1:09:40 PM	17.8079
2024-09-02	1:10:40 PM	17.8075
2024-09-02	1:11:40 PM	17.8073
2024-09-02	1:12:40 PM	17.8062
2024-09-02	1:13:40 PM	17.8042
2024-09-02	1:14:40 PM	17.786
2024-09-02	1:15:40 PM	17.8106
2024-09-02	1:16:40 PM	17.8105
2024-09-02	1:17:40 PM	17.8105
2024-09-02	1:18:40 PM	17.8104
2024-09-02	1:19:40 PM	17.8099
2024-09-02	1:20:40 PM	17.8089
2024-09-02	1:21:40 PM	17.807
2024-09-02	1:22:40 PM	17.7917
2024-09-02	1:23:40 PM	17.8128
2024-09-02	1:24:40 PM	17.8128
2024-09-02	1:25:40 PM	17.8123
2024-09-02	1:26:40 PM	17.8116
2024-09-02	1:27:40 PM	17.8114
2024-09-02	1:28:40 PM	17.8103
2024-09-02	1:29:40 PM	17.8054
2024-09-02	1:30:40 PM	17.7989
2024-09-02	1:31:40 PM	17.8141
2024-09-02	1:32:40 PM	17.8144
2024-09-02	1:33:40 PM	17.8138
2024-09-02	1:34:40 PM	17.8129
2024-09-02	1:35:40 PM	17.8122
2024-09-02	1:36:40 PM	17.8113
2024-09-02	1:37:40 PM	17.8085
2024-09-02	1:38:40 PM	17.7946
2024-09-02	1:39:40 PM	17.8149
2024-09-02	1:40:40 PM	17.8144
2024-09-02	1:41:40 PM	17.8136
2024-09-02	1:42:40 PM	17.8131
2024-09-02	1:43:40 PM	17.8121
2024-09-02	1:44:40 PM	17.811
2024-09-02	1:45:40 PM	17.8078
2024-09-02	1:46:40 PM	17.8127
2024-09-02	1:47:40 PM	17.8144
2024-09-02	1:48:40 PM	17.8146
2024-09-02	1:49:40 PM	17.8147
2024-09-02	1:50:40 PM	17.8142
2024-09-02	1:51:40 PM	17.813
2024-09-02	1:52:40 PM	17.8106
2024-09-02	1:53:40 PM	17.802
2024-09-02	1:54:40 PM	17.8172
2024-09-02	1:55:40 PM	17.8172
2024-09-02	1:56:40 PM	17.8159
2024-09-02	1:57:40 PM	17.8151
2024-09-02	1:58:40 PM	17.8134
2024-09-02	1:59:40 PM	17.8115
2024-09-02	2:00:40 PM	17.8074
2024-09-02	2:01:40 PM	17.7885
2024-09-02	2:02:40 PM	17.8133
2024-09-02	2:03:40 PM	17.8117
2024-09-02	2:04:40 PM	17.8099
2024-09-02	2:05:40 PM	17.8086
2024-09-02	2:06:40 PM	17.8071
2024-09-02	2:07:40 PM	17.8052
2024-09-02	2:08:40 PM	17.8009
2024-09-02	2:09:40 PM	17.7906
2024-09-02	2:10:40 PM	17.8071
2024-09-02	2:11:40 PM	17.8068
2024-09-02	2:12:40 PM	17.8053

Pumping Test (Data Logger and Baro Logger)

2024-09-02	2:13:40 PM	17.8042
2024-09-02	2:14:40 PM	17.8032
2024-09-02	2:15:40 PM	17.8008
2024-09-02	2:16:40 PM	17.7979
2024-09-02	2:17:40 PM	17.7944
2024-09-02	2:18:40 PM	17.806
2024-09-02	2:19:40 PM	17.806
2024-09-02	2:20:40 PM	17.8052
2024-09-02	2:21:40 PM	17.8047
2024-09-02	2:22:40 PM	17.8036
2024-09-02	2:23:40 PM	17.8024
2024-09-02	2:24:40 PM	17.7977
2024-09-02	2:25:40 PM	17.7834
2024-09-02	2:26:40 PM	17.8065
2024-09-02	2:27:40 PM	17.8059
2024-09-02	2:28:40 PM	17.8057
2024-09-02	2:29:40 PM	17.8052
2024-09-02	2:30:40 PM	17.8054
2024-09-02	2:31:40 PM	17.8032
2024-09-02	2:32:40 PM	17.7938
2024-09-02	2:33:40 PM	17.7967
2024-09-02	2:34:40 PM	17.8075
2024-09-02	2:35:40 PM	17.8071
2024-09-02	2:36:40 PM	17.8067
2024-09-02	2:37:40 PM	17.8063
2024-09-02	2:38:40 PM	17.8051
2024-09-02	2:39:40 PM	17.8037
2024-09-02	2:40:40 PM	17.7995
2024-09-02	2:41:40 PM	17.7911
2024-09-02	2:42:40 PM	17.8094
2024-09-02	2:43:40 PM	17.8087
2024-09-02	2:44:40 PM	17.8083
2024-09-02	2:45:40 PM	17.8079
2024-09-02	2:46:40 PM	17.8075
2024-09-02	2:47:40 PM	17.8058
2024-09-02	2:48:40 PM	17.8001
2024-09-02	2:49:40 PM	17.7975
2024-09-02	2:50:40 PM	17.8105
2024-09-02	2:51:40 PM	17.8102
2024-09-02	2:52:40 PM	17.8112
2024-09-02	2:53:40 PM	17.8107
2024-09-02	2:54:40 PM	17.8099
2024-09-02	2:55:40 PM	17.8083
2024-09-02	2:56:40 PM	17.7951
2024-09-02	2:57:40 PM	17.8135
2024-09-02	2:58:40 PM	17.8133
2024-09-02	2:59:40 PM	17.8128
2024-09-02	3:00:40 PM	17.8125
2024-09-02	3:01:40 PM	17.8117
2024-09-02	3:02:40 PM	17.8103
2024-09-02	3:03:40 PM	17.809
2024-09-02	3:04:40 PM	17.7988
2024-09-02	3:05:40 PM	17.8151
2024-09-02	3:06:40 PM	17.8156
2024-09-02	3:07:40 PM	17.8157
2024-09-02	3:08:40 PM	17.8155
2024-09-02	3:09:40 PM	17.815
2024-09-02	3:10:40 PM	17.8146
2024-09-02	3:11:40 PM	17.8124
2024-09-02	3:12:40 PM	17.8025
2024-09-02	3:13:40 PM	17.8187
2024-09-02	3:14:40 PM	17.8184
2024-09-02	3:15:40 PM	17.8182
2024-09-02	3:16:40 PM	17.8176
2024-09-02	3:17:40 PM	17.8172
2024-09-02	3:18:40 PM	17.8152
2024-09-02	3:19:40 PM	17.8106
2024-09-02	3:20:40 PM	17.8035
2024-09-02	3:21:40 PM	17.82

Pumping Test (Data Logger and Baro Logger)

2024-09-02	3:22:40 PM	17.8195
2024-09-02	3:23:40 PM	17.8192
2024-09-02	3:24:40 PM	17.8189
2024-09-02	3:25:40 PM	17.8183
2024-09-02	3:26:40 PM	17.8167
2024-09-02	3:27:40 PM	17.8073
2024-09-02	3:28:40 PM	17.807
2024-09-02	3:29:40 PM	17.8221
2024-09-02	3:30:40 PM	17.8219
2024-09-02	3:31:40 PM	17.8212
2024-09-02	3:32:40 PM	17.8207
2024-09-02	3:33:40 PM	17.82
2024-09-02	3:34:40 PM	17.8183
2024-09-02	3:35:40 PM	17.8137
2024-09-02	3:36:40 PM	17.8234
2024-09-02	3:37:40 PM	17.8233
2024-09-02	3:38:40 PM	17.8229
2024-09-02	3:39:40 PM	17.823
2024-09-02	3:40:40 PM	17.8221
2024-09-02	3:41:40 PM	17.8204
2024-09-02	3:42:40 PM	17.8125
2024-09-02	3:43:40 PM	17.8253
2024-09-02	3:44:40 PM	17.8256
2024-09-02	3:45:40 PM	17.8245
2024-09-02	3:46:40 PM	17.8245
2024-09-02	3:47:40 PM	17.8237
2024-09-02	3:48:40 PM	17.8229
2024-09-02	3:49:40 PM	17.8214
2024-09-02	3:50:40 PM	17.8191
2024-09-02	3:51:40 PM	17.8126
2024-09-02	3:52:40 PM	17.8263
2024-09-02	3:53:40 PM	17.8256
2024-09-02	3:54:40 PM	17.8252
2024-09-02	3:55:40 PM	17.8251
2024-09-02	3:56:40 PM	17.8235
2024-09-02	3:57:40 PM	17.8231
2024-09-02	3:58:40 PM	17.8148
2024-09-02	3:59:40 PM	17.8222
2024-09-02	4:00:40 PM	17.828
2024-09-02	4:01:40 PM	17.8273
2024-09-02	4:02:40 PM	17.8258
2024-09-02	4:03:40 PM	17.8246
2024-09-02	4:04:40 PM	17.8236
2024-09-02	4:05:40 PM	17.8207
2024-09-02	4:06:40 PM	17.8104
2024-09-02	4:07:40 PM	17.8268
2024-09-02	4:08:40 PM	17.8267
2024-09-02	4:09:40 PM	17.826
2024-09-02	4:10:40 PM	17.8255
2024-09-02	4:11:40 PM	17.8251
2024-09-02	4:12:40 PM	17.8242
2024-09-02	4:13:40 PM	17.8222
2024-09-02	4:14:40 PM	17.8826
2024-09-02	4:15:40 PM	17.8282
2024-09-02	4:16:40 PM	17.8267
2024-09-02	4:17:40 PM	17.8269
2024-09-02	4:18:40 PM	17.8269
2024-09-02	4:19:40 PM	17.8257
2024-09-02	4:20:40 PM	17.8247
2024-09-02	4:21:40 PM	17.822
2024-09-02	4:22:40 PM	17.8075
2024-09-02	4:23:40 PM	17.8288
2024-09-02	4:24:40 PM	17.8271
2024-09-02	4:25:40 PM	17.8279
2024-09-02	4:26:40 PM	17.8276
2024-09-02	4:27:40 PM	17.8263
2024-09-02	4:28:40 PM	17.8256
2024-09-02	4:29:40 PM	17.8228
2024-09-02	4:30:40 PM	17.813

Pumping Test (Data Logger and Baro Logger)

2024-09-02	4:31:40 PM	17.8296
2024-09-02	4:32:40 PM	17.8295
2024-09-02	4:33:40 PM	17.8291
2024-09-02	4:34:40 PM	17.8286
2024-09-02	4:35:40 PM	17.8282
2024-09-02	4:36:40 PM	17.8269
2024-09-02	4:37:40 PM	17.8247
2024-09-02	4:38:40 PM	17.8044
2024-09-02	4:39:40 PM	17.831
2024-09-02	4:40:40 PM	17.8307
2024-09-02	4:41:40 PM	17.8305
2024-09-02	4:42:40 PM	17.8303
2024-09-02	4:43:40 PM	17.8295
2024-09-02	4:44:40 PM	17.8281
2024-09-02	4:45:40 PM	17.8258
2024-09-02	4:46:40 PM	17.8203
2024-09-02	4:47:40 PM	17.8327
2024-09-02	4:48:40 PM	17.8321
2024-09-02	4:49:40 PM	17.8322
2024-09-02	4:50:40 PM	17.8319
2024-09-02	4:51:40 PM	17.8312
2024-09-02	4:52:40 PM	17.8301
2024-09-02	4:53:40 PM	17.8274
2024-09-02	4:54:40 PM	17.8151
2024-09-02	4:55:40 PM	17.8347
2024-09-02	4:56:40 PM	17.8343
2024-09-02	4:57:40 PM	17.8341
2024-09-02	4:58:40 PM	17.8335
2024-09-02	4:59:40 PM	17.833
2024-09-02	5:00:40 PM	17.8321
2024-09-02	5:01:40 PM	17.8301
2024-09-02	5:02:40 PM	17.8145
2024-09-02	5:03:40 PM	17.8361
2024-09-02	5:04:40 PM	17.836
2024-09-02	5:05:40 PM	17.8351
2024-09-02	5:06:40 PM	17.8348
2024-09-02	5:07:40 PM	17.8336
2024-09-02	5:08:40 PM	17.8321
2024-09-02	5:09:40 PM	17.8242
2024-09-02	5:10:40 PM	17.8119
2024-09-02	5:11:40 PM	17.8372
2024-09-02	5:12:40 PM	17.8364
2024-09-02	5:13:40 PM	17.8358
2024-09-02	5:14:40 PM	17.8354
2024-09-02	5:15:40 PM	17.8344
2024-09-02	5:16:40 PM	17.8324
2024-09-02	5:17:40 PM	17.8279
2024-09-02	5:18:40 PM	17.8378
2024-09-02	5:19:40 PM	17.8378
2024-09-02	5:20:40 PM	17.8377
2024-09-02	5:21:40 PM	17.8374
2024-09-02	5:22:40 PM	17.8365
2024-09-02	5:23:40 PM	17.836
2024-09-02	5:24:40 PM	17.8345
2024-09-02	5:25:40 PM	17.8207
2024-09-02	5:26:40 PM	17.8396
2024-09-02	5:27:40 PM	17.8392
2024-09-02	5:28:40 PM	17.839
2024-09-02	5:29:40 PM	17.8383
2024-09-02	5:30:40 PM	17.8373
2024-09-02	5:31:40 PM	17.8359
2024-09-02	5:32:40 PM	17.8329
2024-09-02	5:33:40 PM	17.823
2024-09-02	5:34:40 PM	17.8401
2024-09-02	5:35:40 PM	17.84
2024-09-02	5:36:40 PM	17.8396
2024-09-02	5:37:40 PM	17.8389
2024-09-02	5:38:40 PM	17.8385
2024-09-02	5:39:40 PM	17.8377

Pumping Test (Data Logger and Baro Logger)

2024-09-02	5:40:40 PM	17.8355
2024-09-02	5:41:40 PM	17.8238
2024-09-02	5:42:40 PM	17.8415
2024-09-02	5:43:40 PM	17.8409
2024-09-02	5:44:40 PM	17.8398
2024-09-02	5:45:40 PM	17.8394
2024-09-02	5:46:40 PM	17.8385
2024-09-02	5:47:40 PM	17.8373
2024-09-02	5:48:40 PM	17.8342
2024-09-02	5:49:40 PM	17.8198
2024-09-02	5:50:40 PM	17.8414
2024-09-02	5:51:40 PM	17.8418
2024-09-02	5:52:40 PM	17.8411
2024-09-02	5:53:40 PM	17.8408
2024-09-02	5:54:40 PM	17.8397
2024-09-02	5:55:40 PM	17.8385
2024-09-02	5:56:40 PM	17.8345
2024-09-02	5:57:40 PM	17.8391
2024-09-02	5:58:40 PM	17.843
2024-09-02	5:59:40 PM	17.8427
2024-09-02	6:00:40 PM	17.8424
2024-09-02	6:01:40 PM	17.8422
2024-09-02	6:02:40 PM	17.8413
2024-09-02	6:03:40 PM	17.8399
2024-09-02	6:04:40 PM	17.8379
2024-09-02	6:05:40 PM	17.8266
2024-09-02	6:06:40 PM	17.8445
2024-09-02	6:07:40 PM	17.844
2024-09-02	6:08:40 PM	17.8441
2024-09-02	6:09:40 PM	17.8429
2024-09-02	6:10:40 PM	17.842
2024-09-02	6:11:40 PM	17.8415
2024-09-02	6:12:40 PM	17.8376
2024-09-02	6:13:40 PM	17.8238
2024-09-02	6:14:40 PM	17.8456
2024-09-02	6:15:40 PM	17.8451
2024-09-02	6:16:40 PM	17.8442
2024-09-02	6:17:40 PM	17.8438
2024-09-02	6:18:40 PM	17.8427
2024-09-02	6:19:40 PM	17.8405
2024-09-02	6:20:40 PM	17.8336
2024-09-02	6:21:40 PM	17.8262
2024-09-02	6:22:40 PM	17.8449
2024-09-02	6:23:40 PM	17.8443
2024-09-02	6:24:40 PM	17.8437
2024-09-02	6:25:40 PM	17.843
2024-09-02	6:26:40 PM	17.8419
2024-09-02	6:27:40 PM	17.8403
2024-09-02	6:28:40 PM	17.8339
2024-09-02	6:29:40 PM	17.8337
2024-09-02	6:30:40 PM	17.8438
2024-09-02	6:31:40 PM	17.843
2024-09-02	6:32:40 PM	17.8423
2024-09-02	6:33:40 PM	17.8413
2024-09-02	6:34:40 PM	17.84
2024-09-02	6:35:40 PM	17.8377
2024-09-02	6:36:40 PM	17.8239
2024-09-02	6:37:40 PM	17.84
2024-09-02	6:38:40 PM	17.8413
2024-09-02	6:39:40 PM	17.8403
2024-09-02	6:40:40 PM	17.8399
2024-09-02	6:41:40 PM	17.8385
2024-09-02	6:42:40 PM	17.8369
2024-09-02	6:43:40 PM	17.8344
2024-09-02	6:44:40 PM	17.8129
2024-09-02	6:45:40 PM	17.8392
2024-09-02	6:46:40 PM	17.8387
2024-09-02	6:47:40 PM	17.838
2024-09-02	6:48:40 PM	17.8368

Pumping Test (Data Logger and Baro Logger)

2024-09-02	6:49:40 PM	17.8357
2024-09-02	6:50:40 PM	17.8342
2024-09-02	6:51:40 PM	17.8315
2024-09-02	6:52:40 PM	17.823
2024-09-02	6:53:40 PM	17.8363
2024-09-02	6:54:40 PM	17.8358
2024-09-02	6:55:40 PM	17.8351
2024-09-02	6:56:40 PM	17.8345
2024-09-02	6:57:40 PM	17.8332
2024-09-02	6:58:40 PM	17.8318
2024-09-02	6:59:40 PM	17.8258
2024-09-02	7:00:40 PM	17.8181
2024-09-02	7:01:40 PM	17.8354
2024-09-02	7:02:40 PM	17.8351
2024-09-02	7:03:40 PM	17.8341
2024-09-02	7:04:40 PM	17.8325
2024-09-02	7:05:40 PM	17.8318
2024-09-02	7:06:40 PM	17.8306
2024-09-02	7:07:40 PM	17.8438
2024-09-02	7:08:40 PM	17.8359
2024-09-02	7:09:40 PM	17.8348
2024-09-02	7:10:40 PM	17.8357
2024-09-02	7:11:40 PM	17.8345
2024-09-02	7:12:40 PM	17.834
2024-09-02	7:13:40 PM	17.833
2024-09-02	7:14:40 PM	17.8312
2024-09-02	7:15:40 PM	17.824
2024-09-02	7:16:40 PM	17.8364
2024-09-02	7:17:40 PM	17.8362
2024-09-02	7:18:40 PM	17.8358
2024-09-02	7:19:40 PM	17.8349
2024-09-02	7:20:40 PM	17.8343
2024-09-02	7:21:40 PM	17.833
2024-09-02	7:22:40 PM	17.8306
2024-09-02	7:23:40 PM	17.8184
2024-09-02	7:24:40 PM	17.8366
2024-09-02	7:25:40 PM	17.8363
2024-09-02	7:26:40 PM	17.8357
2024-09-02	7:27:40 PM	17.8354
2024-09-02	7:28:40 PM	17.834
2024-09-02	7:29:40 PM	17.8335
2024-09-02	7:30:40 PM	17.832
2024-09-02	7:31:40 PM	17.8414
2024-09-02	7:32:40 PM	17.8372
2024-09-02	7:33:40 PM	17.8369
2024-09-02	7:34:40 PM	17.837
2024-09-02	7:35:40 PM	17.8357
2024-09-02	7:36:40 PM	17.8354
2024-09-02	7:37:40 PM	17.8343
2024-09-02	7:38:40 PM	17.8317
2024-09-02	7:39:40 PM	17.8265
2024-09-02	7:40:40 PM	17.8318
2024-09-02	7:41:40 PM	17.8369
2024-09-02	7:42:40 PM	17.8367
2024-09-02	7:43:40 PM	17.8364
2024-09-02	7:44:40 PM	17.8358
2024-09-02	7:45:40 PM	17.8339
2024-09-02	7:46:40 PM	17.8323
2024-09-02	7:47:40 PM	17.8202
2024-09-02	7:48:40 PM	17.8378
2024-09-02	7:49:40 PM	17.8375
2024-09-02	7:50:40 PM	17.8369
2024-09-02	7:51:40 PM	17.8362
2024-09-02	7:52:40 PM	17.8357
2024-09-02	7:53:40 PM	17.8343
2024-09-02	7:54:40 PM	17.8327
2024-09-02	7:55:40 PM	17.8169
2024-09-02	7:56:40 PM	17.8386
2024-09-02	7:57:40 PM	17.8387

Pumping Test (Data Logger and Baro Logger)

2024-09-02	7:58:40 PM	17.8385
2024-09-02	7:59:40 PM	17.8374
2024-09-02	8:00:40 PM	17.8369
2024-09-02	8:01:40 PM	17.8362
2024-09-02	8:02:40 PM	17.8332
2024-09-02	8:03:40 PM	17.8099
2024-09-02	8:04:40 PM	17.8399
2024-09-02	8:05:40 PM	17.84
2024-09-02	8:06:40 PM	17.8393
2024-09-02	8:07:40 PM	17.839
2024-09-02	8:08:40 PM	17.8374
2024-09-02	8:09:40 PM	17.836
2024-09-02	8:10:40 PM	17.8361
2024-09-02	8:11:40 PM	17.84
2024-09-02	8:12:40 PM	17.8398
2024-09-02	8:13:40 PM	17.8403
2024-09-02	8:14:40 PM	17.8399
2024-09-02	8:15:40 PM	17.8385
2024-09-02	8:16:40 PM	17.8376
2024-09-02	8:17:40 PM	17.8354
2024-09-02	8:18:40 PM	17.8323
2024-09-02	8:19:40 PM	17.8401
2024-09-02	8:20:40 PM	17.84
2024-09-02	8:21:40 PM	17.8396
2024-09-02	8:22:40 PM	17.8388
2024-09-02	8:23:40 PM	17.8383
2024-09-02	8:24:40 PM	17.8369
2024-09-02	8:25:40 PM	17.8341
2024-09-02	8:26:40 PM	17.8201
2024-09-02	8:27:40 PM	17.8416
2024-09-02	8:28:40 PM	17.841
2024-09-02	8:29:40 PM	17.8404
2024-09-02	8:30:40 PM	17.8399
2024-09-02	8:31:40 PM	17.8391
2024-09-02	8:32:40 PM	17.8367
2024-09-02	8:33:40 PM	17.8296
2024-09-02	8:34:40 PM	17.8423
2024-09-02	8:35:40 PM	17.8436
2024-09-02	8:36:40 PM	17.8429
2024-09-02	8:37:40 PM	17.843
2024-09-02	8:38:40 PM	17.8425
2024-09-02	8:39:40 PM	17.8418
2024-09-02	8:40:40 PM	17.8403
2024-09-02	8:41:40 PM	17.842
2024-09-02	8:42:40 PM	17.8455
2024-09-02	8:43:40 PM	17.8452
2024-09-02	8:44:40 PM	17.8448
2024-09-02	8:45:40 PM	17.8442
2024-09-02	8:46:40 PM	17.8437
2024-09-02	8:47:40 PM	17.843
2024-09-02	8:48:40 PM	17.8411
2024-09-02	8:49:40 PM	17.8318
2024-09-02	8:50:40 PM	17.8453
2024-09-02	8:51:40 PM	17.8462
2024-09-02	8:52:40 PM	17.8455
2024-09-02	8:53:40 PM	17.8447
2024-09-02	8:54:40 PM	17.8429
2024-09-02	8:55:40 PM	17.8425
2024-09-02	8:56:40 PM	17.8391
2024-09-02	8:57:40 PM	17.8271
2024-09-02	8:58:40 PM	17.8464
2024-09-02	8:59:40 PM	17.8462
2024-09-02	9:00:40 PM	17.8454
2024-09-02	9:01:40 PM	17.845
2024-09-02	9:02:40 PM	17.8444
2024-09-02	9:03:40 PM	17.8437
2024-09-02	9:04:40 PM	17.8419
2024-09-02	9:05:40 PM	17.8293
2024-09-02	9:06:40 PM	17.8468

Pumping Test (Data Logger and Baro Logger)

2024-09-02	9:07:40 PM	17.8469
2024-09-02	9:08:40 PM	17.8461
2024-09-02	9:09:40 PM	17.8455
2024-09-02	9:10:40 PM	17.8445
2024-09-02	9:11:40 PM	17.8437
2024-09-02	9:12:40 PM	17.8414
2024-09-02	9:13:40 PM	17.8306
2024-09-02	9:14:40 PM	17.8475
2024-09-02	9:15:40 PM	17.847
2024-09-02	9:16:40 PM	17.8469
2024-09-02	9:17:40 PM	17.8466
2024-09-02	9:18:40 PM	17.846
2024-09-02	9:19:40 PM	17.8447
2024-09-02	9:20:40 PM	17.8419
2024-09-02	9:21:40 PM	17.8281
2024-09-02	9:22:40 PM	17.8487
2024-09-02	9:23:40 PM	17.8485
2024-09-02	9:24:40 PM	17.8479
2024-09-02	9:25:40 PM	17.8474
2024-09-02	9:26:40 PM	17.8469
2024-09-02	9:27:40 PM	17.8455
2024-09-02	9:28:40 PM	17.8427
2024-09-02	9:29:40 PM	17.8252
2024-09-02	9:30:40 PM	17.8493
2024-09-02	9:31:40 PM	17.849
2024-09-02	9:32:40 PM	17.8486
2024-09-02	9:33:40 PM	17.8479
2024-09-02	9:34:40 PM	17.8474
2024-09-02	9:35:40 PM	17.846
2024-09-02	9:36:40 PM	17.8428
2024-09-02	9:37:40 PM	17.8272
2024-09-02	9:38:40 PM	17.8502
2024-09-02	9:39:40 PM	17.8495
2024-09-02	9:40:40 PM	17.8489
2024-09-02	9:41:40 PM	17.8486
2024-09-02	9:42:40 PM	17.8477
2024-09-02	9:43:40 PM	17.8459
2024-09-02	9:44:40 PM	17.8389
2024-09-02	9:45:40 PM	17.8354
2024-09-02	9:46:40 PM	17.851
2024-09-02	9:47:40 PM	17.8507
2024-09-02	9:48:40 PM	17.8498
2024-09-02	9:49:40 PM	17.8494
2024-09-02	9:50:40 PM	17.8485
2024-09-02	9:51:40 PM	17.8466
2024-09-02	9:52:40 PM	17.8398
2024-09-02	9:53:40 PM	17.8422
2024-09-02	9:54:40 PM	17.8511
2024-09-02	9:55:40 PM	17.8506
2024-09-02	9:56:40 PM	17.8499
2024-09-02	9:57:40 PM	17.8493
2024-09-02	9:58:40 PM	17.8483
2024-09-02	9:59:40 PM	17.8458
2024-09-02	10:00:40 PM	17.8309
2024-09-02	10:01:40 PM	17.8513
2024-09-02	10:02:40 PM	17.8503
2024-09-02	10:03:40 PM	17.8499
2024-09-02	10:04:40 PM	17.8489
2024-09-02	10:05:40 PM	17.8476
2024-09-02	10:06:40 PM	17.846
2024-09-02	10:07:40 PM	17.8432
2024-09-02	10:08:40 PM	17.8295
2024-09-02	10:09:40 PM	17.8495
2024-09-02	10:10:40 PM	17.8484
2024-09-02	10:11:40 PM	17.8476
2024-09-02	10:12:40 PM	17.8465
2024-09-02	10:13:40 PM	17.8452
2024-09-02	10:14:40 PM	17.8434
2024-09-02	10:15:40 PM	17.8407

Pumping Test (Data Logger and Baro Logger)

2024-09-02	10:16:40 PM	17.8286
2024-09-02	10:17:40 PM	17.8465
2024-09-02	10:18:40 PM	17.8459
2024-09-02	10:19:40 PM	17.8446
2024-09-02	10:20:40 PM	17.8438
2024-09-02	10:21:40 PM	17.8429
2024-09-02	10:22:40 PM	17.8403
2024-09-02	10:23:40 PM	17.8285
2024-09-02	10:24:40 PM	17.8449
2024-09-02	10:25:40 PM	17.8438
2024-09-02	10:26:40 PM	17.8429
2024-09-02	10:27:40 PM	17.8406
2024-09-02	10:28:40 PM	17.8402
2024-09-02	10:29:40 PM	17.8377
2024-09-02	10:30:40 PM	17.835
2024-09-02	10:31:40 PM	17.8329
2024-09-02	10:32:40 PM	17.8409
2024-09-02	10:33:40 PM	17.84
2024-09-02	10:34:40 PM	17.8395
2024-09-02	10:35:40 PM	17.8384
2024-09-02	10:36:40 PM	17.8372
2024-09-02	10:37:40 PM	17.8352
2024-09-02	10:38:40 PM	17.8295
2024-09-02	10:39:40 PM	17.8229
2024-09-02	10:40:40 PM	17.8383
2024-09-02	10:41:40 PM	17.8375
2024-09-02	10:42:40 PM	17.837
2024-09-02	10:43:40 PM	17.8356
2024-09-02	10:44:40 PM	17.8346
2024-09-02	10:45:40 PM	17.8324
2024-09-02	10:46:40 PM	17.8283
2024-09-02	10:47:40 PM	17.8277
2024-09-02	10:48:40 PM	17.8358
2024-09-02	10:49:40 PM	17.835
2024-09-02	10:50:40 PM	17.8341
2024-09-02	10:51:40 PM	17.8328
2024-09-02	10:52:40 PM	17.8318
2024-09-02	10:53:40 PM	17.8302
2024-09-02	10:54:40 PM	17.8244
2024-09-02	10:55:40 PM	17.8341
2024-09-02	10:56:40 PM	17.8339
2024-09-02	10:57:40 PM	17.8326
2024-09-02	10:58:40 PM	17.8326
2024-09-02	10:59:40 PM	17.8317
2024-09-02	11:00:40 PM	17.8306
2024-09-02	11:01:40 PM	17.8282
2024-09-02	11:02:40 PM	17.8203
2024-09-02	11:03:40 PM	17.862
2024-09-02	11:04:40 PM	17.8336
2024-09-02	11:05:40 PM	17.8316
2024-09-02	11:06:40 PM	17.8314
2024-09-02	11:07:40 PM	17.8305
2024-09-02	11:08:40 PM	17.8288
2024-09-02	11:09:40 PM	17.8266
2024-09-02	11:10:40 PM	17.8194
2024-09-02	11:11:40 PM	17.83
2024-09-02	11:12:40 PM	17.8293
2024-09-02	11:13:40 PM	17.828
2024-09-02	11:14:40 PM	17.8268
2024-09-02	11:15:40 PM	17.8249
2024-09-02	11:16:40 PM	17.8236
2024-09-02	11:17:40 PM	17.8209
2024-09-02	11:18:40 PM	17.8171
2024-09-02	11:19:40 PM	17.8042
2024-09-02	11:20:40 PM	17.8222
2024-09-02	11:21:40 PM	17.8209
2024-09-02	11:22:40 PM	17.8192
2024-09-02	11:23:40 PM	17.8173
2024-09-02	11:24:40 PM	17.815

Pumping Test (Data Logger and Baro Logger)

2024-09-02	11:25:40 PM	17.8128
2024-09-02	11:26:40 PM	17.8084
2024-09-02	11:27:40 PM	17.8053
2024-09-02	11:28:40 PM	17.8142
2024-09-02	11:29:40 PM	17.8131
2024-09-02	11:30:40 PM	17.8119
2024-09-02	11:31:40 PM	17.8107
2024-09-02	11:32:40 PM	17.8089
2024-09-02	11:33:40 PM	17.8068
2024-09-02	11:34:40 PM	17.799
2024-09-02	11:35:40 PM	17.8109
2024-09-02	11:36:40 PM	17.8094
2024-09-02	11:37:40 PM	17.8086
2024-09-02	11:38:40 PM	17.808
2024-09-02	11:39:40 PM	17.8071
2024-09-02	11:40:40 PM	17.8062
2024-09-02	11:41:40 PM	17.8043
2024-09-02	11:42:40 PM	17.7985
2024-09-02	11:43:40 PM	17.788
2024-09-02	11:44:40 PM	17.8085
2024-09-02	11:45:40 PM	17.8084
2024-09-02	11:46:40 PM	17.8075
2024-09-02	11:47:40 PM	17.8069
2024-09-02	11:48:40 PM	17.8066
2024-09-02	11:49:40 PM	17.8048
2024-09-02	11:50:40 PM	17.8027
2024-09-02	11:51:40 PM	17.7869
2024-09-02	11:52:40 PM	17.809
2024-09-02	11:53:40 PM	17.8087
2024-09-02	11:54:40 PM	17.8086
2024-09-02	11:55:40 PM	17.8081
2024-09-02	11:56:40 PM	17.8066
2024-09-02	11:57:40 PM	17.8051
2024-09-02	11:58:40 PM	17.7915
2024-09-02	11:59:40 PM	17.8106
2024-09-03	12:00:40 AM	17.8101
2024-09-03	12:01:40 AM	17.8099
2024-09-03	12:02:40 AM	17.8095
2024-09-03	12:03:40 AM	17.809
2024-09-03	12:04:40 AM	17.8077
2024-09-03	12:05:40 AM	17.806
2024-09-03	12:06:40 AM	17.7931
2024-09-03	12:07:40 AM	17.812
2024-09-03	12:08:40 AM	17.812
2024-09-03	12:09:40 AM	17.8119
2024-09-03	12:10:40 AM	17.8113
2024-09-03	12:11:40 AM	17.8106
2024-09-03	12:12:40 AM	17.8097
2024-09-03	12:13:40 AM	17.8078
2024-09-03	12:14:40 AM	17.8458
2024-09-03	12:15:40 AM	17.8139
2024-09-03	12:16:40 AM	17.8134
2024-09-03	12:17:40 AM	17.8128
2024-09-03	12:18:40 AM	17.8126
2024-09-03	12:19:40 AM	17.8122
2024-09-03	12:20:40 AM	17.8104
2024-09-03	12:21:40 AM	17.8068
2024-09-03	12:22:40 AM	17.7998
2024-09-03	12:23:40 AM	17.8136
2024-09-03	12:24:40 AM	17.8135
2024-09-03	12:25:40 AM	17.8127
2024-09-03	12:26:40 AM	17.8124
2024-09-03	12:27:40 AM	17.8118
2024-09-03	12:28:40 AM	17.8103
2024-09-03	12:29:40 AM	17.7934
2024-09-03	12:30:40 AM	17.8158
2024-09-03	12:31:40 AM	17.816
2024-09-03	12:32:40 AM	17.8159
2024-09-03	12:33:40 AM	17.8157

Pumping Test (Data Logger and Baro Logger)

2024-09-03	12:34:40 AM	17.8155
2024-09-03	12:35:40 AM	17.8146
2024-09-03	12:36:40 AM	17.8127
2024-09-03	12:37:40 AM	17.8112
2024-09-03	12:38:40 AM	17.8156
2024-09-03	12:39:40 AM	17.8187
2024-09-03	12:40:40 AM	17.8185
2024-09-03	12:41:40 AM	17.8176
2024-09-03	12:42:40 AM	17.8173
2024-09-03	12:43:40 AM	17.8166
2024-09-03	12:44:40 AM	17.8145
2024-09-03	12:45:40 AM	17.8005
2024-09-03	12:46:40 AM	17.8202
2024-09-03	12:47:40 AM	17.8202
2024-09-03	12:48:40 AM	17.8197
2024-09-03	12:49:40 AM	17.8193
2024-09-03	12:50:40 AM	17.8189
2024-09-03	12:51:40 AM	17.8175
2024-09-03	12:52:40 AM	17.8147
2024-09-03	12:53:40 AM	17.794
2024-09-03	12:54:40 AM	17.8226
2024-09-03	12:55:40 AM	17.8226
2024-09-03	12:56:40 AM	17.8225
2024-09-03	12:57:40 AM	17.8224
2024-09-03	12:58:40 AM	17.8216
2024-09-03	12:59:40 AM	17.8202
2024-09-03	1:00:40 AM	17.8181
2024-09-03	1:01:40 AM	17.8029
2024-09-03	1:02:40 AM	17.8249
2024-09-03	1:03:40 AM	17.8251
2024-09-03	1:04:40 AM	17.8246
2024-09-03	1:05:40 AM	17.8246
2024-09-03	1:06:40 AM	17.824
2024-09-03	1:07:40 AM	17.8225
2024-09-03	1:08:40 AM	17.8205
2024-09-03	1:09:40 AM	17.8093
2024-09-03	1:10:40 AM	17.8271
2024-09-03	1:11:40 AM	17.8268
2024-09-03	1:12:40 AM	17.8264
2024-09-03	1:13:40 AM	17.8259
2024-09-03	1:14:40 AM	17.8248
2024-09-03	1:15:40 AM	17.8242
2024-09-03	1:16:40 AM	17.8218
2024-09-03	1:17:40 AM	17.8177
2024-09-03	1:18:40 AM	17.8289
2024-09-03	1:19:40 AM	17.8286
2024-09-03	1:20:40 AM	17.8282
2024-09-03	1:21:40 AM	17.8277
2024-09-03	1:22:40 AM	17.8275
2024-09-03	1:23:40 AM	17.8257
2024-09-03	1:24:40 AM	17.8236
2024-09-03	1:25:40 AM	17.8111
2024-09-03	1:26:40 AM	17.8308
2024-09-03	1:27:40 AM	17.8306
2024-09-03	1:28:40 AM	17.8304
2024-09-03	1:29:40 AM	17.8301
2024-09-03	1:30:40 AM	17.8294
2024-09-03	1:31:40 AM	17.8278
2024-09-03	1:32:40 AM	17.8268
2024-09-03	1:33:40 AM	17.8214
2024-09-03	1:34:40 AM	17.832
2024-09-03	1:35:40 AM	17.8315
2024-09-03	1:36:40 AM	17.8305
2024-09-03	1:37:40 AM	17.8298
2024-09-03	1:38:40 AM	17.8287
2024-09-03	1:39:40 AM	17.8229
2024-09-03	1:40:40 AM	17.8114
2024-09-03	1:41:40 AM	17.8328
2024-09-03	1:42:40 AM	17.833

Pumping Test (Data Logger and Baro Logger)

2024-09-03	1:43:40 AM	17.8323
2024-09-03	1:44:40 AM	17.8316
2024-09-03	1:45:40 AM	17.8312
2024-09-03	1:46:40 AM	17.8293
2024-09-03	1:47:40 AM	17.824
2024-09-03	1:48:40 AM	17.8254
2024-09-03	1:49:40 AM	17.8344
2024-09-03	1:50:40 AM	17.8344
2024-09-03	1:51:40 AM	17.834
2024-09-03	1:52:40 AM	17.8335
2024-09-03	1:53:40 AM	17.8323
2024-09-03	1:54:40 AM	17.8309
2024-09-03	1:55:40 AM	17.8178
2024-09-03	1:56:40 AM	17.8358
2024-09-03	1:57:40 AM	17.8351
2024-09-03	1:58:40 AM	17.8349
2024-09-03	1:59:40 AM	17.8338
2024-09-03	2:00:40 AM	17.8333
2024-09-03	2:01:40 AM	17.8317
2024-09-03	2:02:40 AM	17.8251
2024-09-03	2:03:40 AM	17.8187
2024-09-03	2:04:40 AM	17.8366
2024-09-03	2:05:40 AM	17.8352
2024-09-03	2:06:40 AM	17.8349
2024-09-03	2:07:40 AM	17.8336
2024-09-03	2:08:40 AM	17.8323
2024-09-03	2:09:40 AM	17.8305
2024-09-03	2:10:40 AM	17.8255
2024-09-03	2:11:40 AM	17.8135
2024-09-03	2:12:40 AM	17.8322
2024-09-03	2:13:40 AM	17.8312
2024-09-03	2:14:40 AM	17.8301
2024-09-03	2:15:40 AM	17.8286
2024-09-03	2:16:40 AM	17.827
2024-09-03	2:17:40 AM	17.8247
2024-09-03	2:18:40 AM	17.8197
2024-09-03	2:19:40 AM	17.7985
2024-09-03	2:20:40 AM	17.8262
2024-09-03	2:21:40 AM	17.8248
2024-09-03	2:22:40 AM	17.8233
2024-09-03	2:23:40 AM	17.8218
2024-09-03	2:24:40 AM	17.8201
2024-09-03	2:25:40 AM	17.8171
2024-09-03	2:26:40 AM	17.8041
2024-09-03	2:27:40 AM	17.8209
2024-09-03	2:28:40 AM	17.8204
2024-09-03	2:29:40 AM	17.8199
2024-09-03	2:30:40 AM	17.819
2024-09-03	2:31:40 AM	17.8182
2024-09-03	2:32:40 AM	17.817
2024-09-03	2:33:40 AM	17.8154
2024-09-03	2:34:40 AM	17.8155
2024-09-03	2:35:40 AM	17.8162
2024-09-03	2:36:40 AM	17.819
2024-09-03	2:37:40 AM	17.8183
2024-09-03	2:38:40 AM	17.8174
2024-09-03	2:39:40 AM	17.8165
2024-09-03	2:40:40 AM	17.8152
2024-09-03	2:41:40 AM	17.8135
2024-09-03	2:42:40 AM	17.8111
2024-09-03	2:43:40 AM	17.818
2024-09-03	2:44:40 AM	17.8171
2024-09-03	2:45:40 AM	17.8163
2024-09-03	2:46:40 AM	17.816
2024-09-03	2:47:40 AM	17.8147
2024-09-03	2:48:40 AM	17.8137
2024-09-03	2:49:40 AM	17.8112
2024-09-03	2:50:40 AM	17.7942
2024-09-03	2:51:40 AM	17.8166

Pumping Test (Data Logger and Baro Logger)

2024-09-03	2:52:40 AM	17.8163
2024-09-03	2:53:40 AM	17.8156
2024-09-03	2:54:40 AM	17.8144
2024-09-03	2:55:40 AM	17.8137
2024-09-03	2:56:40 AM	17.8121
2024-09-03	2:57:40 AM	17.8099
2024-09-03	2:58:40 AM	17.8017
2024-09-03	2:59:40 AM	17.8148
2024-09-03	3:00:40 AM	17.8143
2024-09-03	3:01:40 AM	17.8136
2024-09-03	3:02:40 AM	17.8126
2024-09-03	3:03:40 AM	17.8114
2024-09-03	3:04:40 AM	17.8096
2024-09-03	3:05:40 AM	17.8064
2024-09-03	3:06:40 AM	17.793
2024-09-03	3:07:40 AM	17.8128
2024-09-03	3:08:40 AM	17.8118
2024-09-03	3:09:40 AM	17.811
2024-09-03	3:10:40 AM	17.8101
2024-09-03	3:11:40 AM	17.8088
2024-09-03	3:12:40 AM	17.8059
2024-09-03	3:13:40 AM	17.7882
2024-09-03	3:14:40 AM	17.812
2024-09-03	3:15:40 AM	17.8113
2024-09-03	3:16:40 AM	17.8106
2024-09-03	3:17:40 AM	17.81
2024-09-03	3:18:40 AM	17.8088
2024-09-03	3:19:40 AM	17.8081
2024-09-03	3:20:40 AM	17.8054
2024-09-03	3:21:40 AM	17.7935
2024-09-03	3:22:40 AM	17.8109
2024-09-03	3:23:40 AM	17.8104
2024-09-03	3:24:40 AM	17.81
2024-09-03	3:25:40 AM	17.8095
2024-09-03	3:26:40 AM	17.8087
2024-09-03	3:27:40 AM	17.8075
2024-09-03	3:28:40 AM	17.8048
2024-09-03	3:29:40 AM	17.7911
2024-09-03	3:30:40 AM	17.811
2024-09-03	3:31:40 AM	17.8105
2024-09-03	3:32:40 AM	17.8094
2024-09-03	3:33:40 AM	17.8082
2024-09-03	3:34:40 AM	17.8069
2024-09-03	3:35:40 AM	17.8048
2024-09-03	3:36:40 AM	17.796
2024-09-03	3:37:40 AM	17.81
2024-09-03	3:38:40 AM	17.8095
2024-09-03	3:39:40 AM	17.8093
2024-09-03	3:40:40 AM	17.8085
2024-09-03	3:41:40 AM	17.8079
2024-09-03	3:42:40 AM	17.8069
2024-09-03	3:43:40 AM	17.8049
2024-09-03	3:44:40 AM	17.8012
2024-09-03	3:45:40 AM	17.8032
2024-09-03	3:46:40 AM	17.8095
2024-09-03	3:47:40 AM	17.8088
2024-09-03	3:48:40 AM	17.8084
2024-09-03	3:49:40 AM	17.8078
2024-09-03	3:50:40 AM	17.8071
2024-09-03	3:51:40 AM	17.805
2024-09-03	3:52:40 AM	17.797
2024-09-03	3:53:40 AM	17.829
2024-09-03	3:54:40 AM	17.8087
2024-09-03	3:55:40 AM	17.808
2024-09-03	3:56:40 AM	17.8073
2024-09-03	3:57:40 AM	17.8062
2024-09-03	3:58:40 AM	17.805
2024-09-03	3:59:40 AM	17.8012
2024-09-03	4:00:40 AM	17.7916

Pumping Test (Data Logger and Baro Logger)

2024-09-03	4:01:40 AM	17.8073
2024-09-03	4:02:40 AM	17.8066
2024-09-03	4:03:40 AM	17.8064
2024-09-03	4:04:40 AM	17.8059
2024-09-03	4:05:40 AM	17.8047
2024-09-03	4:06:40 AM	17.8037
2024-09-03	4:07:40 AM	17.8024
2024-09-03	4:08:40 AM	17.7893
2024-09-03	4:09:40 AM	17.807
2024-09-03	4:10:40 AM	17.8063
2024-09-03	4:11:40 AM	17.8059
2024-09-03	4:12:40 AM	17.8055
2024-09-03	4:13:40 AM	17.8046
2024-09-03	4:14:40 AM	17.8033
2024-09-03	4:15:40 AM	17.8013
2024-09-03	4:16:40 AM	17.792
2024-09-03	4:17:40 AM	17.8065
2024-09-03	4:18:40 AM	17.8057
2024-09-03	4:19:40 AM	17.805
2024-09-03	4:20:40 AM	17.8045
2024-09-03	4:21:40 AM	17.803
2024-09-03	4:22:40 AM	17.8017
2024-09-03	4:23:40 AM	17.7978
2024-09-03	4:24:40 AM	17.7785
2024-09-03	4:25:40 AM	17.8038
2024-09-03	4:26:40 AM	17.7988
2024-09-03	4:27:40 AM	17.7731
2024-09-03	4:28:40 AM	17.7762
2024-09-03	4:29:40 AM	17.779
2024-09-03	4:30:40 AM	17.7798
2024-09-03	4:31:40 AM	17.7794
2024-09-03	4:32:40 AM	17.7695
2024-09-03	4:33:40 AM	17.7866
2024-09-03	4:34:40 AM	17.7864
2024-09-03	4:35:40 AM	17.7861
2024-09-03	4:36:40 AM	17.7851
2024-09-03	4:37:40 AM	17.7839
2024-09-03	4:38:40 AM	17.782
2024-09-03	4:39:40 AM	17.7784
2024-09-03	4:40:40 AM	17.7723
2024-09-03	4:41:40 AM	17.7858
2024-09-03	4:42:40 AM	17.7849
2024-09-03	4:43:40 AM	17.7842
2024-09-03	4:44:40 AM	17.7832
2024-09-03	4:45:40 AM	17.7818
2024-09-03	4:46:40 AM	17.7795
2024-09-03	4:47:40 AM	17.7659
2024-09-03	4:48:40 AM	17.7832
2024-09-03	4:49:40 AM	17.7819
2024-09-03	4:50:40 AM	17.7807
2024-09-03	4:51:40 AM	17.7794
2024-09-03	4:52:40 AM	17.7779
2024-09-03	4:53:40 AM	17.7763
2024-09-03	4:54:40 AM	17.7736
2024-09-03	4:55:40 AM	17.7662
2024-09-03	4:56:40 AM	17.7585
2024-09-03	4:57:40 AM	17.776
2024-09-03	4:58:40 AM	17.7752
2024-09-03	4:59:40 AM	17.774
2024-09-03	5:00:40 AM	17.7728
2024-09-03	5:01:40 AM	17.7707
2024-09-03	5:02:40 AM	17.768
2024-09-03	5:03:40 AM	17.7551
2024-09-03	5:04:40 AM	17.7718
2024-09-03	5:05:40 AM	17.7703
2024-09-03	5:06:40 AM	17.7689
2024-09-03	5:07:40 AM	17.7678
2024-09-03	5:08:40 AM	17.7656
2024-09-03	5:09:40 AM	17.7633

Pumping Test (Data Logger and Baro Logger)

2024-09-03	5:10:40 AM	17.7537
2024-09-03	5:11:40 AM	17.7666
2024-09-03	5:12:40 AM	17.7656
2024-09-03	5:13:40 AM	17.7648
2024-09-03	5:14:40 AM	17.7638
2024-09-03	5:15:40 AM	17.7624
2024-09-03	5:16:40 AM	17.7606
2024-09-03	5:17:40 AM	17.7581
2024-09-03	5:18:40 AM	17.7477
2024-09-03	5:19:40 AM	17.7438
2024-09-03	5:20:40 AM	17.7601
2024-09-03	5:21:40 AM	17.7588
2024-09-03	5:22:40 AM	17.7575
2024-09-03	5:23:40 AM	17.7566
2024-09-03	5:24:40 AM	17.7556
2024-09-03	5:25:40 AM	17.7541
2024-09-03	5:26:40 AM	17.7419
2024-09-03	5:27:40 AM	17.7587
2024-09-03	5:28:40 AM	17.7583
2024-09-03	5:29:40 AM	17.7577
2024-09-03	5:30:40 AM	17.7571
2024-09-03	5:31:40 AM	17.7561
2024-09-03	5:32:40 AM	17.7545
2024-09-03	5:33:40 AM	17.7527
2024-09-03	5:34:40 AM	17.7393
2024-09-03	5:35:40 AM	17.7584
2024-09-03	5:36:40 AM	17.7581
2024-09-03	5:37:40 AM	17.7579
2024-09-03	5:38:40 AM	17.7576
2024-09-03	5:39:40 AM	17.7573
2024-09-03	5:40:40 AM	17.7563
2024-09-03	5:41:40 AM	17.7541
2024-09-03	5:42:40 AM	17.7422
2024-09-03	5:43:40 AM	17.76
2024-09-03	5:44:40 AM	17.7599
2024-09-03	5:45:40 AM	17.7596
2024-09-03	5:46:40 AM	17.7341
2024-09-03	5:47:40 AM	17.7558
2024-09-03	5:48:40 AM	17.7561
2024-09-03	5:49:40 AM	17.7556
2024-09-03	5:50:40 AM	17.755
2024-09-03	5:51:40 AM	17.752
2024-09-03	5:52:40 AM	17.7289
2024-09-03	5:53:40 AM	17.7599
2024-09-03	5:54:40 AM	17.7593
2024-09-03	5:55:40 AM	17.7597
2024-09-03	5:56:40 AM	17.7589
2024-09-03	5:57:40 AM	17.7588
2024-09-03	5:58:40 AM	17.7581
2024-09-03	5:59:40 AM	17.7559
2024-09-03	6:00:40 AM	17.735
2024-09-03	6:01:40 AM	17.7636
2024-09-03	6:02:40 AM	17.7627
2024-09-03	6:03:40 AM	17.763
2024-09-03	6:04:40 AM	17.7631
2024-09-03	6:05:40 AM	17.763
2024-09-03	6:06:40 AM	17.7625
2024-09-03	6:07:40 AM	17.7618
2024-09-03	6:08:40 AM	17.7578
2024-09-03	6:09:40 AM	17.7683
2024-09-03	6:10:40 AM	17.7683
2024-09-03	6:11:40 AM	17.7678
2024-09-03	6:12:40 AM	17.7686
2024-09-03	6:13:40 AM	17.7683
2024-09-03	6:14:40 AM	17.7677
2024-09-03	6:15:40 AM	17.7662
2024-09-03	6:16:40 AM	17.7536
2024-09-03	6:17:40 AM	17.7732
2024-09-03	6:18:40 AM	17.7726

Pumping Test (Data Logger and Baro Logger)

2024-09-03	6:19:40 AM	17.773
2024-09-03	6:20:40 AM	17.7737
2024-09-03	6:21:40 AM	17.7738
2024-09-03	6:22:40 AM	17.7732
2024-09-03	6:23:40 AM	17.772
2024-09-03	6:24:40 AM	17.7699
2024-09-03	6:25:40 AM	17.7569
2024-09-03	6:26:40 AM	17.7773
2024-09-03	6:27:40 AM	17.7774
2024-09-03	6:28:40 AM	17.7778
2024-09-03	6:29:40 AM	17.7774
2024-09-03	6:30:40 AM	17.7548
2024-09-03	6:31:40 AM	17.7763
2024-09-03	6:32:40 AM	17.7764
2024-09-03	6:33:40 AM	17.7774
2024-09-03	6:34:40 AM	17.7774
2024-09-03	6:35:40 AM	17.7773
2024-09-03	6:36:40 AM	17.7772
2024-09-03	6:37:40 AM	17.7713
2024-09-03	6:38:40 AM	17.7702
2024-09-03	6:39:40 AM	17.7841
2024-09-03	6:40:40 AM	17.7826
2024-09-03	6:41:40 AM	17.7831
2024-09-03	6:42:40 AM	17.7824
2024-09-03	6:43:40 AM	17.7837
2024-09-03	6:44:40 AM	17.7799
2024-09-03	6:45:40 AM	17.7633
2024-09-03	6:46:40 AM	17.7867
2024-09-03	6:47:40 AM	17.7871
2024-09-03	6:48:40 AM	17.787
2024-09-03	6:49:40 AM	17.7868
2024-09-03	6:50:40 AM	17.7871
2024-09-03	6:51:40 AM	17.7609
2024-09-03	6:52:40 AM	17.7816
2024-09-03	6:53:40 AM	17.7831
2024-09-03	6:54:40 AM	17.7826
2024-09-03	6:55:40 AM	17.7813
2024-09-03	6:56:40 AM	17.7649
2024-09-03	6:57:40 AM	17.7888
2024-09-03	6:58:40 AM	17.7893
2024-09-03	6:59:40 AM	17.7892
2024-09-03	7:00:40 AM	17.7829
2024-09-03	7:01:40 AM	17.7891
2024-09-03	7:02:40 AM	17.7895
2024-09-03	7:03:40 AM	17.7898
2024-09-03	7:04:40 AM	17.7896
2024-09-03	7:05:40 AM	17.7887
2024-09-03	7:06:40 AM	17.787
2024-09-03	7:07:40 AM	17.7819
2024-09-03	7:08:40 AM	17.7845
2024-09-03	7:09:40 AM	17.7543
2024-09-03	7:10:40 AM	17.7393
2024-09-03	7:11:40 AM	17.7615
2024-09-03	7:12:40 AM	17.7718
2024-09-03	7:13:40 AM	17.7744
2024-09-03	7:14:40 AM	17.7766
2024-09-03	7:15:40 AM	17.7783
2024-09-03	7:16:40 AM	17.7789
2024-09-03	7:17:40 AM	17.779
2024-09-03	7:18:40 AM	17.7719
2024-09-03	7:19:40 AM	17.7807
2024-09-03	7:20:40 AM	17.7875
2024-09-03	7:21:40 AM	17.7881
2024-09-03	7:22:40 AM	17.7512
2024-09-03	7:23:40 AM	17.7843
2024-09-03	7:24:40 AM	17.7866
2024-09-03	7:25:40 AM	17.7877
2024-09-03	7:26:40 AM	17.7879
2024-09-03	7:27:40 AM	17.789

Pumping Test (Data Logger and Baro Logger)

2024-09-03	7:28:40 AM	17.7888
2024-09-03	7:29:40 AM	17.7892
2024-09-03	7:30:40 AM	17.7824
2024-09-03	7:31:40 AM	17.7767
2024-09-03	7:32:40 AM	17.7963
2024-09-03	7:33:40 AM	17.7967
2024-09-03	7:34:40 AM	17.7967
2024-09-03	7:35:40 AM	17.7983
2024-09-03	7:36:40 AM	17.7969
2024-09-03	7:37:40 AM	17.7961
2024-09-03	7:38:40 AM	17.7943
2024-09-03	7:39:40 AM	17.784
2024-09-03	7:40:40 AM	17.8016
2024-09-03	7:41:40 AM	17.8024
2024-09-03	7:42:40 AM	17.8025
2024-09-03	7:43:40 AM	17.8024
2024-09-03	7:44:40 AM	17.802
2024-09-03	7:45:40 AM	17.802
2024-09-03	7:46:40 AM	17.8008
2024-09-03	7:47:40 AM	17.7918
2024-09-03	7:48:40 AM	17.807
2024-09-03	7:49:40 AM	17.8069
2024-09-03	7:50:40 AM	17.8067
2024-09-03	7:51:40 AM	17.8064
2024-09-03	7:52:40 AM	17.8056
2024-09-03	7:53:40 AM	17.805
2024-09-03	7:54:40 AM	17.803
2024-09-03	7:55:40 AM	17.8029
2024-09-03	7:56:40 AM	17.8024
2024-09-03	7:57:40 AM	17.8019
2024-09-03	7:58:40 AM	17.7996
2024-09-03	7:59:40 AM	17.7924
2024-09-03	8:00:40 AM	17.8073
2024-09-03	8:01:40 AM	17.8076
2024-09-03	8:02:40 AM	17.8079
2024-09-03	8:03:40 AM	17.8074
2024-09-03	8:04:40 AM	17.8074
2024-09-03	8:05:40 AM	17.8063
2024-09-03	8:06:40 AM	17.8044
2024-09-03	8:07:40 AM	17.7893
2024-09-03	8:08:40 AM	17.7849
2024-09-03	8:09:40 AM	17.7773
2024-09-03	8:10:40 AM	17.7812
2024-09-03	8:11:40 AM	17.7834
2024-09-03	8:12:40 AM	17.7858
2024-09-03	8:13:40 AM	17.7866
2024-09-03	8:14:40 AM	17.7859
2024-09-03	8:15:40 AM	17.7861
2024-09-03	8:16:40 AM	17.7933
2024-09-03	8:17:40 AM	17.7934
2024-09-03	8:18:40 AM	17.7943
2024-09-03	8:19:40 AM	17.7943
2024-09-03	8:20:40 AM	17.7947
2024-09-03	8:21:40 AM	17.7939
2024-09-03	8:22:40 AM	17.7926
2024-09-03	8:23:40 AM	17.7909
2024-09-03	8:24:40 AM	17.7984
2024-09-03	8:25:40 AM	17.7978
2024-09-03	8:26:40 AM	17.7971
2024-09-03	8:27:40 AM	17.7965
2024-09-03	8:28:40 AM	17.7951
2024-09-03	8:29:40 AM	17.7934
2024-09-03	8:30:40 AM	17.7889
2024-09-03	8:31:40 AM	17.7896
2024-09-03	8:32:40 AM	17.7972
2024-09-03	8:33:40 AM	17.7969
2024-09-03	8:34:40 AM	17.7964
2024-09-03	8:35:40 AM	17.7963
2024-09-03	8:36:40 AM	17.7964

Pumping Test (Data Logger and Baro Logger)

2024-09-03	8:37:40 AM	17.7958
2024-09-03	8:38:40 AM	17.7943
2024-09-03	8:39:40 AM	17.7935
2024-09-03	8:40:40 AM	17.7839
2024-09-03	8:41:40 AM	17.7986
2024-09-03	8:42:40 AM	17.7986
2024-09-03	8:43:40 AM	17.7984
2024-09-03	8:44:40 AM	17.7977
2024-09-03	8:45:40 AM	17.797
2024-09-03	8:46:40 AM	17.7956
2024-09-03	8:47:40 AM	17.7937
2024-09-03	8:48:40 AM	17.7776
2024-09-03	8:49:40 AM	17.7996
2024-09-03	8:50:40 AM	17.7985
2024-09-03	8:51:40 AM	17.7976
2024-09-03	8:52:40 AM	17.7976
2024-09-03	8:53:40 AM	17.7966
2024-09-03	8:54:40 AM	17.7956
2024-09-03	8:55:40 AM	17.7941
2024-09-03	8:56:40 AM	17.7899
2024-09-03	8:57:40 AM	17.7833
2024-09-03	8:58:40 AM	17.7979
2024-09-03	8:59:40 AM	17.7975
2024-09-03	9:00:40 AM	17.7963
2024-09-03	9:01:40 AM	17.7955
2024-09-03	9:02:40 AM	17.7947
2024-09-03	9:03:40 AM	17.7933
2024-09-03	9:04:40 AM	17.7889
2024-09-03	9:05:40 AM	17.7762
2024-09-03	9:06:40 AM	17.7945
2024-09-03	9:07:40 AM	17.794
2024-09-03	9:08:40 AM	17.7922
2024-09-03	9:09:40 AM	17.7901
2024-09-03	9:10:40 AM	17.7869
2024-09-03	9:11:40 AM	17.7838
2024-09-03	9:12:40 AM	17.7773
2024-09-03	9:13:40 AM	17.7689
2024-09-03	9:14:40 AM	17.783
2024-09-03	9:15:40 AM	17.7815
2024-09-03	9:16:40 AM	17.7802
2024-09-03	9:17:40 AM	17.7792
2024-09-03	9:18:40 AM	17.7774
2024-09-03	9:19:40 AM	17.7761
2024-09-03	9:20:40 AM	17.7741
2024-09-03	9:21:40 AM	17.7649
2024-09-03	9:22:40 AM	17.7706
2024-09-03	9:23:40 AM	17.7786
2024-09-03	9:24:40 AM	17.7781
2024-09-03	9:25:40 AM	17.7773
2024-09-03	9:26:40 AM	17.7773
2024-09-03	9:27:40 AM	17.776
2024-09-03	9:28:40 AM	17.7754
2024-09-03	9:29:40 AM	17.7731
2024-09-03	9:30:40 AM	17.7602
2024-09-03	9:31:40 AM	17.7788
2024-09-03	9:32:40 AM	17.7792
2024-09-03	9:33:40 AM	17.7789
2024-09-03	9:34:40 AM	17.7782
2024-09-03	9:35:40 AM	17.7572
2024-09-03	9:36:40 AM	17.7715
2024-09-03	9:37:40 AM	17.7731
2024-09-03	9:38:40 AM	17.7737
2024-09-03	9:39:40 AM	17.758
2024-09-03	9:40:40 AM	17.7716
2024-09-03	9:41:40 AM	17.7739
2024-09-03	9:42:40 AM	17.7737
2024-09-03	9:43:40 AM	17.7736
2024-09-03	9:44:40 AM	17.7735
2024-09-03	9:45:40 AM	17.7653

Pumping Test (Data Logger and Baro Logger)

2024-09-03	9:46:40 AM	17.7422
2024-09-03	9:47:40 AM	17.7343
2024-09-03	9:48:40 AM	17.7563
2024-09-03	9:49:40 AM	17.7588
2024-09-03	9:50:40 AM	17.7608
2024-09-03	9:51:40 AM	17.7619
2024-09-03	9:52:40 AM	17.7627
2024-09-03	9:53:40 AM	17.763
2024-09-03	9:54:40 AM	17.7581
2024-09-03	9:55:40 AM	17.7507
2024-09-03	9:56:40 AM	17.7685
2024-09-03	9:57:40 AM	17.7679
2024-09-03	9:58:40 AM	17.7682
2024-09-03	9:59:40 AM	17.7676
2024-09-03	10:00:40 AM	17.7674
2024-09-03	10:01:40 AM	17.7674
2024-09-03	10:02:40 AM	17.7663
2024-09-03	10:03:40 AM	17.7633
2024-09-03	10:04:40 AM	17.743
2024-09-03	10:05:40 AM	17.7722
2024-09-03	10:06:40 AM	17.7725
2024-09-03	10:07:40 AM	17.7726
2024-09-03	10:08:40 AM	17.773
2024-09-03	10:09:40 AM	17.7721
2024-09-03	10:10:40 AM	17.7726
2024-09-03	10:11:40 AM	17.7714
2024-09-03	10:12:40 AM	17.7696
2024-09-03	10:13:40 AM	17.7603
2024-09-03	10:14:40 AM	17.7771
2024-09-03	10:15:40 AM	17.7771
2024-09-03	10:16:40 AM	17.7769
2024-09-03	10:17:40 AM	17.7767
2024-09-03	10:18:40 AM	17.776
2024-09-03	10:19:40 AM	17.7747
2024-09-03	10:20:40 AM	17.772
2024-09-03	10:21:40 AM	17.7621
2024-09-03	10:22:40 AM	17.779
2024-09-03	10:23:40 AM	17.7788
2024-09-03	10:24:40 AM	17.7785
2024-09-03	10:25:40 AM	17.7778
2024-09-03	10:26:40 AM	17.777
2024-09-03	10:27:40 AM	17.7752
2024-09-03	10:28:40 AM	17.7584
2024-09-03	10:29:40 AM	17.7809
2024-09-03	10:30:40 AM	17.7804
2024-09-03	10:31:40 AM	17.78
2024-09-03	10:32:40 AM	17.7792
2024-09-03	10:33:40 AM	17.7787
2024-09-03	10:34:40 AM	17.778
2024-09-03	10:35:40 AM	17.7771
2024-09-03	10:36:40 AM	17.775
2024-09-03	10:37:40 AM	17.7688
2024-09-03	10:38:40 AM	17.7814
2024-09-03	10:39:40 AM	17.7816
2024-09-03	10:40:40 AM	17.781
2024-09-03	10:41:40 AM	17.7809
2024-09-03	10:42:40 AM	17.7806
2024-09-03	10:43:40 AM	17.7797
2024-09-03	10:44:40 AM	17.7782
2024-09-03	10:45:40 AM	17.7722
2024-09-03	10:46:40 AM	17.7627
2024-09-03	10:47:40 AM	17.7829
2024-09-03	10:48:40 AM	17.7821
2024-09-03	10:49:40 AM	17.7818
2024-09-03	10:50:40 AM	17.7812
2024-09-03	10:51:40 AM	17.7803
2024-09-03	10:52:40 AM	17.7794
2024-09-03	10:53:40 AM	17.7776
2024-09-03	10:54:40 AM	17.7687

Pumping Test (Data Logger and Baro Logger)

2024-09-03	10:55:40 AM	17.7829
2024-09-03	10:56:40 AM	17.7821
2024-09-03	10:57:40 AM	17.7804
2024-09-03	10:58:40 AM	17.7795
2024-09-03	10:59:40 AM	17.7779
2024-09-03	11:00:40 AM	17.7762
2024-09-03	11:01:40 AM	17.774
2024-09-03	11:02:40 AM	17.7679
2024-09-03	11:03:40 AM	17.7732
2024-09-03	11:04:40 AM	17.7778
2024-09-03	11:05:40 AM	17.7769
2024-09-03	11:06:40 AM	17.7764
2024-09-03	11:07:40 AM	17.7761
2024-09-03	11:08:40 AM	17.7749
2024-09-03	11:09:40 AM	17.7723
2024-09-03	11:10:40 AM	17.7436
2024-09-03	11:11:40 AM	17.7642
2024-09-03	11:12:40 AM	17.7748
2024-09-03	11:13:40 AM	17.7749
2024-09-03	11:14:40 AM	17.7742
2024-09-03	11:15:40 AM	17.7732
2024-09-03	11:16:40 AM	17.7728
2024-09-03	11:17:40 AM	17.7712
2024-09-03	11:18:40 AM	17.7699
2024-09-03	11:19:40 AM	17.7656
2024-09-03	11:20:40 AM	17.7637
2024-09-03	11:21:40 AM	17.7745
2024-09-03	11:22:40 AM	17.7733
2024-09-03	11:23:40 AM	17.7727
2024-09-03	11:24:40 AM	17.7729
2024-09-03	11:25:40 AM	17.7708
2024-09-03	11:26:40 AM	17.7685
2024-09-03	11:27:40 AM	17.7642
2024-09-03	11:28:40 AM	17.7491
2024-09-03	11:29:40 AM	17.7709
2024-09-03	11:30:40 AM	17.7702
2024-09-03	11:31:40 AM	17.77
2024-09-03	11:32:40 AM	17.7685
2024-09-03	11:33:40 AM	17.7678
2024-09-03	11:34:40 AM	17.7664
2024-09-03	11:35:40 AM	17.7638
2024-09-03	11:36:40 AM	17.7482
2024-09-03	11:37:40 AM	17.7707
2024-09-03	11:38:40 AM	17.7696
2024-09-03	11:39:40 AM	17.7688
2024-09-03	11:40:40 AM	17.7683
2024-09-03	11:41:40 AM	17.754
2024-09-03	11:42:40 AM	17.7642
2024-09-03	11:43:40 AM	17.76
2024-09-03	11:44:40 AM	17.7645
2024-09-03	11:45:40 AM	17.7644
2024-09-03	11:46:40 AM	17.7633
2024-09-03	11:47:40 AM	17.7629
2024-09-03	11:48:40 AM	17.762
2024-09-03	11:49:40 AM	17.7587
2024-09-03	11:50:40 AM	17.7473
2024-09-03	11:51:40 AM	17.7662
2024-09-03	11:52:40 AM	17.7656
2024-09-03	11:53:40 AM	17.7654
2024-09-03	11:54:40 AM	17.7654
2024-09-03	11:55:40 AM	17.7647
2024-09-03	11:56:40 AM	17.763
2024-09-03	11:57:40 AM	17.7329
2024-09-03	11:58:40 AM	17.7285
2024-09-03	11:59:40 AM	17.711
2024-09-03	12:00:40 PM	17.741
2024-09-03	12:01:40 PM	17.7433
2024-09-03	12:02:40 PM	17.7443
2024-09-03	12:03:40 PM	17.7441

Pumping Test (Data Logger and Baro Logger)

2024-09-03	12:04:40 PM	17.7431
2024-09-03	12:05:40 PM	17.7344
2024-09-03	12:06:40 PM	17.7319
2024-09-03	12:07:40 PM	17.7497
2024-09-03	12:08:40 PM	17.75
2024-09-03	12:09:40 PM	17.7499
2024-09-03	12:10:40 PM	17.7493
2024-09-03	12:11:40 PM	17.7489
2024-09-03	12:12:40 PM	17.7475
2024-09-03	12:13:40 PM	17.7301
2024-09-03	12:14:40 PM	17.7464
2024-09-03	12:15:40 PM	17.7464
2024-09-03	12:16:40 PM	17.7462
2024-09-03	12:17:40 PM	17.7461
2024-09-03	12:18:40 PM	17.7454
2024-09-03	12:19:40 PM	17.7444
2024-09-03	12:20:40 PM	17.738
2024-09-03	12:21:40 PM	17.7281
2024-09-03	12:22:40 PM	17.7501
2024-09-03	12:23:40 PM	17.7495
2024-09-03	12:24:40 PM	17.7492
2024-09-03	12:25:40 PM	17.7488
2024-09-03	12:26:40 PM	17.7479
2024-09-03	12:27:40 PM	17.7473
2024-09-03	12:28:40 PM	17.7458
2024-09-03	12:29:40 PM	17.7431
2024-09-03	12:30:40 PM	17.7333
2024-09-03	12:31:40 PM	17.7516
2024-09-03	12:32:40 PM	17.7508
2024-09-03	12:33:40 PM	17.7504
2024-09-03	12:34:40 PM	17.7507
2024-09-03	12:35:40 PM	17.7502
2024-09-03	12:36:40 PM	17.7485
2024-09-03	12:37:40 PM	17.7473
2024-09-03	12:38:40 PM	17.7483
2024-09-03	12:39:40 PM	17.7487
2024-09-03	12:40:40 PM	17.7483
2024-09-03	12:41:40 PM	17.748
2024-09-03	12:42:40 PM	17.7457
2024-09-03	12:43:40 PM	17.7373
2024-09-03	12:44:40 PM	17.7511
2024-09-03	12:45:40 PM	17.7341
2024-09-03	12:46:40 PM	17.7446
2024-09-03	12:47:40 PM	17.7461
2024-09-03	12:48:40 PM	17.7461
2024-09-03	12:49:40 PM	17.7463
2024-09-03	12:50:40 PM	17.7461
2024-09-03	12:51:40 PM	17.7457
2024-09-03	12:52:40 PM	17.7253
2024-09-03	12:53:40 PM	17.7407
2024-09-03	12:54:40 PM	17.7256
2024-09-03	12:55:40 PM	17.7392
2024-09-03	12:56:40 PM	17.7404
2024-09-03	12:57:40 PM	17.7407
2024-09-03	12:58:40 PM	17.7402
2024-09-03	12:59:40 PM	17.7402
2024-09-03	1:00:40 PM	17.7384
2024-09-03	1:01:40 PM	17.7319
2024-09-03	1:02:40 PM	17.726
2024-09-03	1:03:40 PM	17.7428
2024-09-03	1:04:40 PM	17.7425
2024-09-03	1:05:40 PM	17.7427
2024-09-03	1:06:40 PM	17.7412
2024-09-03	1:07:40 PM	17.7398
2024-09-03	1:08:40 PM	17.7394
2024-09-03	1:09:40 PM	17.7374
2024-09-03	1:10:40 PM	17.7302
2024-09-03	1:11:40 PM	17.7414
2024-09-03	1:12:40 PM	17.7409

Pumping Test (Data Logger and Baro Logger)

2024-09-03	1:13:40 PM	17.7409
2024-09-03	1:14:40 PM	17.7392
2024-09-03	1:15:40 PM	17.7379
2024-09-03	1:16:40 PM	17.7372
2024-09-03	1:17:40 PM	17.7385
2024-09-03	1:18:40 PM	17.721
2024-09-03	1:19:40 PM	17.7421
2024-09-03	1:20:40 PM	17.7236
2024-09-03	1:21:40 PM	17.7338
2024-09-03	1:22:40 PM	17.7343
2024-09-03	1:23:40 PM	17.735
2024-09-03	1:24:40 PM	17.735
2024-09-03	1:25:40 PM	17.7347
2024-09-03	1:26:40 PM	17.733
2024-09-03	1:27:40 PM	17.7287
2024-09-03	1:28:40 PM	17.7226
2024-09-03	1:29:40 PM	17.7365
2024-09-03	1:30:40 PM	17.7299
2024-09-03	1:31:40 PM	17.7302
2024-09-03	1:32:40 PM	17.7291
2024-09-03	1:33:40 PM	17.7178
2024-09-03	1:34:40 PM	17.6909
2024-09-03	1:35:40 PM	17.7094
2024-09-03	1:36:40 PM	17.7125
2024-09-03	1:37:40 PM	17.7152
2024-09-03	1:38:40 PM	17.7167
2024-09-03	1:39:40 PM	17.718
2024-09-03	1:40:40 PM	17.7176
2024-09-03	1:41:40 PM	17.7142
2024-09-03	1:42:40 PM	17.7107
2024-09-03	1:43:40 PM	17.7246
2024-09-03	1:44:40 PM	17.7246
2024-09-03	1:45:40 PM	17.7245
2024-09-03	1:46:40 PM	17.7243
2024-09-03	1:47:40 PM	17.7241
2024-09-03	1:48:40 PM	17.7229
2024-09-03	1:49:40 PM	17.718
2024-09-03	1:50:40 PM	17.712
2024-09-03	1:51:40 PM	17.7274
2024-09-03	1:52:40 PM	17.7277
2024-09-03	1:53:40 PM	17.7269
2024-09-03	1:54:40 PM	17.7255
2024-09-03	1:55:40 PM	17.7242
2024-09-03	1:56:40 PM	17.7221
2024-09-03	1:57:40 PM	17.7196
2024-09-03	1:58:40 PM	17.7143
2024-09-03	1:59:40 PM	17.7264
2024-09-03	2:00:40 PM	17.726
2024-09-03	2:01:40 PM	17.725
2024-09-03	2:02:40 PM	17.7246
2024-09-03	2:03:40 PM	17.7238
2024-09-03	2:04:40 PM	17.7221
2024-09-03	2:05:40 PM	17.7197
2024-09-03	2:06:40 PM	17.7064
2024-09-03	2:07:40 PM	17.7251
2024-09-03	2:08:40 PM	17.7244
2024-09-03	2:09:40 PM	17.7239
2024-09-03	2:10:40 PM	17.7236
2024-09-03	2:11:40 PM	17.7231
2024-09-03	2:12:40 PM	17.7217
2024-09-03	2:13:40 PM	17.72
2024-09-03	2:14:40 PM	17.7014
2024-09-03	2:15:40 PM	17.725
2024-09-03	2:16:40 PM	17.7239
2024-09-03	2:17:40 PM	17.7236
2024-09-03	2:18:40 PM	17.7225
2024-09-03	2:19:40 PM	17.7223
2024-09-03	2:20:40 PM	17.72
2024-09-03	2:21:40 PM	17.7175

Pumping Test (Data Logger and Baro Logger)

2024-09-03	2:22:40 PM	17.7116
2024-09-03	2:23:40 PM	17.7208
2024-09-03	2:24:40 PM	17.7212
2024-09-03	2:25:40 PM	17.7203
2024-09-03	2:26:40 PM	17.7038
2024-09-03	2:27:40 PM	17.7111
2024-09-03	2:28:40 PM	17.711
2024-09-03	2:29:40 PM	17.7108
2024-09-03	2:30:40 PM	17.7096
2024-09-03	2:31:40 PM	17.7086
2024-09-03	2:32:40 PM	17.7069
2024-09-03	2:33:40 PM	17.709
2024-09-03	2:34:40 PM	17.7129
2024-09-03	2:35:40 PM	17.712
2024-09-03	2:36:40 PM	17.7112
2024-09-03	2:37:40 PM	17.7102
2024-09-03	2:38:40 PM	17.7093
2024-09-03	2:39:40 PM	17.7084
2024-09-03	2:40:40 PM	17.7067
2024-09-03	2:41:40 PM	17.7036
2024-09-03	2:42:40 PM	17.6926
2024-09-03	2:43:40 PM	17.711
2024-09-03	2:44:40 PM	17.7107
2024-09-03	2:45:40 PM	17.7099
2024-09-03	2:46:40 PM	17.7095
2024-09-03	2:47:40 PM	17.7078
2024-09-03	2:48:40 PM	17.6817
2024-09-03	2:49:40 PM	17.7072
2024-09-03	2:50:40 PM	17.7068
2024-09-03	2:51:40 PM	17.6626
2024-09-03	2:52:40 PM	17.6859
2024-09-03	2:53:40 PM	17.6694
2024-09-03	2:54:40 PM	17.676
2024-09-03	2:55:40 PM	17.6725
2024-09-03	2:56:40 PM	17.6796
2024-09-03	2:57:40 PM	17.6835
2024-09-03	2:58:40 PM	17.6858
2024-09-03	2:59:40 PM	17.6624
2024-09-03	3:00:40 PM	17.6619
2024-09-03	3:01:40 PM	17.6779
2024-09-03	3:02:40 PM	17.6803
2024-09-03	3:03:40 PM	17.6834
2024-09-03	3:04:40 PM	17.6846
2024-09-03	3:05:40 PM	17.6839
2024-09-03	3:06:40 PM	17.6844
2024-09-03	3:07:40 PM	17.6652
2024-09-03	3:08:40 PM	17.6657
2024-09-03	3:09:40 PM	17.6794
2024-09-03	3:10:40 PM	17.6819
2024-09-03	3:11:40 PM	17.6839
2024-09-03	3:12:40 PM	17.6847
2024-09-03	3:13:40 PM	17.6851
2024-09-03	3:14:40 PM	17.6845
2024-09-03	3:15:40 PM	17.675
2024-09-03	3:16:40 PM	17.6899
2024-09-03	3:17:40 PM	17.6889
2024-09-03	3:18:40 PM	17.6887
2024-09-03	3:19:40 PM	17.6886
2024-09-03	3:20:40 PM	17.6873
2024-09-03	3:21:40 PM	17.6866
2024-09-03	3:22:40 PM	17.6842
2024-09-03	3:23:40 PM	17.6683
2024-09-03	3:24:40 PM	17.6916
2024-09-03	3:25:40 PM	17.6907
2024-09-03	3:26:40 PM	17.6907
2024-09-03	3:27:40 PM	17.6912
2024-09-03	3:28:40 PM	17.6907
2024-09-03	3:29:40 PM	17.6898
2024-09-03	3:30:40 PM	17.6874

Pumping Test (Data Logger and Baro Logger)

2024-09-03	3:31:40 PM	17.6902
2024-09-03	3:32:40 PM	17.6896
2024-09-03	3:33:40 PM	17.6858
2024-09-03	3:34:40 PM	17.6833
2024-09-03	3:35:40 PM	17.6782
2024-09-03	3:36:40 PM	17.6526
2024-09-03	3:37:40 PM	17.6645
2024-09-03	3:38:40 PM	17.66
2024-09-03	3:39:40 PM	17.6556
2024-09-03	3:40:40 PM	17.6508
2024-09-03	3:41:40 PM	17.6411
2024-09-03	3:42:40 PM	17.6312
2024-09-03	3:43:40 PM	17.6395
2024-09-03	3:44:40 PM	17.6333
2024-09-03	3:45:40 PM	17.6283
2024-09-03	3:46:40 PM	17.6223
2024-09-03	3:47:40 PM	17.6145
2024-09-03	3:48:40 PM	17.6085
2024-09-03	3:49:40 PM	17.5938
2024-09-03	3:50:40 PM	17.5762
2024-09-03	3:51:40 PM	17.5968
2024-09-03	3:52:40 PM	17.5907
2024-09-03	3:53:40 PM	17.585
2024-09-03	3:54:40 PM	17.5784
2024-09-03	3:55:40 PM	17.5731
2024-09-03	3:56:40 PM	17.5663
2024-09-03	3:57:40 PM	17.5563
2024-09-03	3:58:40 PM	17.5323
2024-09-03	3:59:40 PM	17.5529
2024-09-03	4:00:40 PM	17.5468
2024-09-03	4:01:40 PM	17.5413
2024-09-03	4:02:40 PM	17.5353
2024-09-03	4:03:40 PM	17.5284
2024-09-03	4:04:40 PM	17.5226
2024-09-03	4:05:40 PM	17.5108
2024-09-03	4:06:40 PM	17.493
2024-09-03	4:07:40 PM	17.5099
2024-09-03	4:08:40 PM	17.5034
2024-09-03	4:09:40 PM	17.4988
2024-09-03	4:10:40 PM	17.4917
2024-09-03	4:11:40 PM	17.4858
2024-09-03	4:12:40 PM	17.4784
2024-09-03	4:13:40 PM	17.4648
2024-09-03	4:14:40 PM	17.4729
2024-09-03	4:15:40 PM	17.4673
2024-09-03	4:16:40 PM	17.4545
2024-09-03	4:17:40 PM	17.4286
2024-09-03	4:18:40 PM	17.4273
2024-09-03	4:19:40 PM	17.425
2024-09-03	4:20:40 PM	17.4206
2024-09-03	4:21:40 PM	17.4144
2024-09-03	4:22:40 PM	17.4006
2024-09-03	4:23:40 PM	17.4148
2024-09-03	4:24:40 PM	17.4092
2024-09-03	4:25:40 PM	17.3565
2024-09-03	4:26:40 PM	17.3691
2024-09-03	4:27:40 PM	17.3798
2024-09-03	4:28:40 PM	17.3787
2024-09-03	4:29:40 PM	17.3757
2024-09-03	4:30:40 PM	17.3543
2024-09-03	4:31:40 PM	17.3631
2024-09-03	4:32:40 PM	17.3616
2024-09-03	4:33:40 PM	17.343
2024-09-03	4:34:40 PM	17.339
2024-09-03	4:35:40 PM	17.3456
2024-09-03	4:36:40 PM	17.3431
2024-09-03	4:37:40 PM	17.3402
2024-09-03	4:38:40 PM	17.3363
2024-09-03	4:39:40 PM	17.3317

Pumping Test (Data Logger and Baro Logger)

2024-09-03	4:40:40 PM	17.3267
2024-09-03	4:41:40 PM	17.3127
2024-09-03	4:42:40 PM	17.3151
2024-09-03	4:43:40 PM	17.3213
2024-09-03	4:44:40 PM	17.3173
2024-09-03	4:45:40 PM	17.3132
2024-09-03	4:46:40 PM	17.3081
2024-09-03	4:47:40 PM	17.3042
2024-09-03	4:48:40 PM	17.2991
2024-09-03	4:49:40 PM	17.2922
2024-09-03	4:50:40 PM	17.2845
2024-09-03	4:51:40 PM	17.2895
2024-09-03	4:52:40 PM	17.2837
2024-09-03	4:53:40 PM	17.28
2024-09-03	4:54:40 PM	17.2756
2024-09-03	4:55:40 PM	17.2708
2024-09-03	4:56:40 PM	17.266
2024-09-03	4:57:40 PM	17.2605
2024-09-03	4:58:40 PM	17.2515
2024-09-03	4:59:40 PM	17.2576
2024-09-03	5:00:40 PM	17.2537
2024-09-03	5:01:40 PM	17.2497
2024-09-03	5:02:40 PM	17.2457
2024-09-03	5:03:40 PM	17.2407
2024-09-03	5:04:40 PM	17.2369
2024-09-03	5:05:40 PM	17.2316
2024-09-03	5:06:40 PM	17.2278
2024-09-03	5:07:40 PM	17.2068
2024-09-03	5:08:40 PM	17.2
2024-09-03	5:09:40 PM	17.1953
2024-09-03	5:10:40 PM	17.1963
2024-09-03	5:11:40 PM	17.1952
2024-09-03	5:12:40 PM	17.1933
2024-09-03	5:13:40 PM	17.1911
2024-09-03	5:14:40 PM	17.1875
2024-09-03	5:15:40 PM	17.1837
2024-09-03	5:16:40 PM	17.1615
2024-09-03	5:17:40 PM	17.1845
2024-09-03	5:18:40 PM	17.1818
2024-09-03	5:19:40 PM	17.179
2024-09-03	5:20:40 PM	17.1759
2024-09-03	5:21:40 PM	17.1724
2024-09-03	5:22:40 PM	17.1683
2024-09-03	5:23:40 PM	17.1636
2024-09-03	5:24:40 PM	17.1434
2024-09-03	5:25:40 PM	17.1586
2024-09-03	5:26:40 PM	17.1461
2024-09-03	5:27:40 PM	17.149
2024-09-03	5:28:40 PM	17.1478
2024-09-03	5:29:40 PM	17.1453
2024-09-03	5:30:40 PM	17.1425
2024-09-03	5:31:40 PM	17.1392
2024-09-03	5:32:40 PM	17.1331
2024-09-03	5:33:40 PM	17.1241
2024-09-03	5:34:40 PM	17.1367
2024-09-03	5:35:40 PM	17.1339
2024-09-03	5:36:40 PM	17.1311
2024-09-03	5:37:40 PM	17.1285
2024-09-03	5:38:40 PM	17.1252
2024-09-03	5:39:40 PM	17.122
2024-09-03	5:40:40 PM	17.1185
2024-09-03	5:41:40 PM	17.1118
2024-09-03	5:42:40 PM	17.0968
2024-09-03	5:43:40 PM	17.115
2024-09-03	5:44:40 PM	17.1122
2024-09-03	5:45:40 PM	17.1091
2024-09-03	5:46:40 PM	17.1062
2024-09-03	5:47:40 PM	17.1032
2024-09-03	5:48:40 PM	17.0996

Pumping Test (Data Logger and Baro Logger)

2024-09-03	5:49:40 PM	17.0937
2024-09-03	5:50:40 PM	17.0735
2024-09-03	5:51:40 PM	17.0959
2024-09-03	5:52:40 PM	17.0935
2024-09-03	5:53:40 PM	17.09
2024-09-03	5:54:40 PM	17.0873
2024-09-03	5:55:40 PM	17.0841
2024-09-03	5:56:40 PM	17.0807
2024-09-03	5:57:40 PM	17.0773
2024-09-03	5:58:40 PM	17.0668
2024-09-03	5:59:40 PM	17.0479
2024-09-03	6:00:40 PM	17.0565
2024-09-03	6:01:40 PM	17.0471
2024-09-03	6:02:40 PM	17.0664
2024-09-03	6:03:40 PM	17.0639
2024-09-03	6:04:40 PM	17.0621
2024-09-03	6:05:40 PM	17.06
2024-09-03	6:06:40 PM	17.0574
2024-09-03	6:07:40 PM	17.0552
2024-09-03	6:08:40 PM	17.0514
2024-09-03	6:09:40 PM	17.0476
2024-09-03	6:10:40 PM	17.0443
2024-09-03	6:11:40 PM	17.0498
2024-09-03	6:12:40 PM	17.0472
2024-09-03	6:13:40 PM	17.0459
2024-09-03	6:14:40 PM	17.0427
2024-09-03	6:15:40 PM	17.0393
2024-09-03	6:16:40 PM	17.0367
2024-09-03	6:17:40 PM	17.0322
2024-09-03	6:18:40 PM	17.006
2024-09-03	6:19:40 PM	17.035
2024-09-03	6:20:40 PM	17.0324
2024-09-03	6:21:40 PM	17.03
2024-09-03	6:22:40 PM	17.028
2024-09-03	6:23:40 PM	17.0255
2024-09-03	6:24:40 PM	17.0236
2024-09-03	6:25:40 PM	17.0133
2024-09-03	6:26:40 PM	17.012
2024-09-03	6:27:40 PM	17.003
2024-09-03	6:28:40 PM	17.0142
2024-09-03	6:29:40 PM	16.9778
2024-09-03	6:30:40 PM	17.0006
2024-09-03	6:31:40 PM	17.0009
2024-09-03	6:32:40 PM	17.0004
2024-09-03	6:33:40 PM	16.999
2024-09-03	6:34:40 PM	16.996
2024-09-03	6:35:40 PM	16.9858
2024-09-03	6:36:40 PM	16.9956
2024-09-03	6:37:40 PM	16.9971
2024-09-03	6:38:40 PM	16.9949
2024-09-03	6:39:40 PM	16.9931
2024-09-03	6:40:40 PM	16.9917
2024-09-03	6:41:40 PM	16.9894
2024-09-03	6:42:40 PM	16.9858
2024-09-03	6:43:40 PM	16.977
2024-09-03	6:44:40 PM	16.9821
2024-09-03	6:45:40 PM	16.9863
2024-09-03	6:46:40 PM	16.9845
2024-09-03	6:47:40 PM	16.9831
2024-09-03	6:48:40 PM	16.9811
2024-09-03	6:49:40 PM	16.9787
2024-09-03	6:50:40 PM	16.9758
2024-09-03	6:51:40 PM	16.974
2024-09-03	6:52:40 PM	16.9574
2024-09-03	6:53:40 PM	16.9749
2024-09-03	6:54:40 PM	16.9742
2024-09-03	6:55:40 PM	16.9727
2024-09-03	6:56:40 PM	16.9708
2024-09-03	6:57:40 PM	16.9693

Pumping Test (Data Logger and Baro Logger)

2024-09-03	6:58:40 PM	16.967
2024-09-03	6:59:40 PM	16.963
2024-09-03	7:00:40 PM	16.9552
2024-09-03	7:01:40 PM	16.9473
2024-09-03	7:02:40 PM	16.9648
2024-09-03	7:03:40 PM	16.9624
2024-09-03	7:04:40 PM	16.9605
2024-09-03	7:05:40 PM	16.9579
2024-09-03	7:06:40 PM	16.9555
2024-09-03	7:07:40 PM	16.9522
2024-09-03	7:08:40 PM	16.9472
2024-09-03	7:09:40 PM	16.9553
2024-09-03	7:10:40 PM	16.9537
2024-09-03	7:11:40 PM	16.9509
2024-09-03	7:12:40 PM	16.9502
2024-09-03	7:13:40 PM	16.9485
2024-09-03	7:14:40 PM	16.9459
2024-09-03	7:15:40 PM	16.9441
2024-09-03	7:16:40 PM	16.9432
2024-09-03	7:17:40 PM	16.9401
2024-09-03	7:18:40 PM	16.951
2024-09-03	7:19:40 PM	16.9529
2024-09-03	7:20:40 PM	16.9551
2024-09-03	7:21:40 PM	16.9574
2024-09-03	7:22:40 PM	16.9606
2024-09-03	7:23:40 PM	16.9632
2024-09-03	7:24:40 PM	16.9654
2024-09-03	7:25:40 PM	16.9683
2024-09-03	7:26:40 PM	16.9636
2024-09-03	7:27:40 PM	16.9688
2024-09-03	7:28:40 PM	16.9838
2024-09-03	7:29:40 PM	16.9878
2024-09-03	7:30:40 PM	16.9915
2024-09-03	7:31:40 PM	16.9952
2024-09-03	7:32:40 PM	16.999
2024-09-03	7:33:40 PM	17.0021
2024-09-03	7:34:40 PM	17.0025
2024-09-03	7:35:40 PM	16.9929
2024-09-03	7:36:40 PM	17.0192
2024-09-03	7:37:40 PM	17.0237
2024-09-03	7:38:40 PM	17.0272
2024-09-03	7:39:40 PM	17.0317
2024-09-03	7:40:40 PM	17.0351
2024-09-03	7:41:40 PM	17.0386
2024-09-03	7:42:40 PM	17.0416
2024-09-03	7:43:40 PM	17.0425
2024-09-03	7:44:40 PM	17.0323
2024-09-03	7:45:40 PM	17.0597
2024-09-03	7:46:40 PM	17.064
2024-09-03	7:47:40 PM	17.0678
2024-09-03	7:48:40 PM	17.0715
2024-09-03	7:49:40 PM	17.0757
2024-09-03	7:50:40 PM	17.0792
2024-09-03	7:51:40 PM	17.0819
2024-09-03	7:52:40 PM	17.0838
2024-09-03	7:53:40 PM	17.0727
2024-09-03	7:54:40 PM	17.0995
2024-09-03	7:55:40 PM	17.1033
2024-09-03	7:56:40 PM	17.1069
2024-09-03	7:57:40 PM	17.1105
2024-09-03	7:58:40 PM	17.1144
2024-09-03	7:59:40 PM	17.117
2024-09-03	8:00:40 PM	17.1187
2024-09-03	8:01:40 PM	17.1263
2024-09-03	8:02:40 PM	17.1323
2024-09-03	8:03:40 PM	17.1365
2024-09-03	8:04:40 PM	17.1395
2024-09-03	8:05:40 PM	17.1434
2024-09-03	8:06:40 PM	17.1467

Pumping Test (Data Logger and Baro Logger)

2024-09-03	8:07:40 PM	17.1495
2024-09-03	8:08:40 PM	17.1518
2024-09-03	8:09:40 PM	17.1528
2024-09-03	8:10:40 PM	17.1376
2024-09-03	8:11:40 PM	17.1685
2024-09-03	8:12:40 PM	17.1726
2024-09-03	8:13:40 PM	17.1754
2024-09-03	8:14:40 PM	17.1787
2024-09-03	8:15:40 PM	17.1818
2024-09-03	8:16:40 PM	17.1841
2024-09-03	8:17:40 PM	17.1865
2024-09-03	8:18:40 PM	17.1873
2024-09-03	8:19:40 PM	17.1929
2024-09-03	8:20:40 PM	17.2017
2024-09-03	8:21:40 PM	17.2043
2024-09-03	8:22:40 PM	17.2081
2024-09-03	8:23:40 PM	17.2105
2024-09-03	8:24:40 PM	17.2132
2024-09-03	8:25:40 PM	17.2148
2024-09-03	8:26:40 PM	17.2113
2024-09-03	8:27:40 PM	17.2191
2024-09-03	8:28:40 PM	17.23
2024-09-03	8:29:40 PM	17.2326
2024-09-03	8:30:40 PM	17.2356
2024-09-03	8:31:40 PM	17.2385
2024-09-03	8:32:40 PM	17.2412
2024-09-03	8:33:40 PM	17.2429
2024-09-03	8:34:40 PM	17.2446
2024-09-03	8:35:40 PM	17.237
2024-09-03	8:36:40 PM	17.2558
2024-09-03	8:37:40 PM	17.2588
2024-09-03	8:38:40 PM	17.2615
2024-09-03	8:39:40 PM	17.264
2024-09-03	8:40:40 PM	17.2661
2024-09-03	8:41:40 PM	17.2683
2024-09-03	8:42:40 PM	17.2701
2024-09-03	8:43:40 PM	17.2693
2024-09-03	8:44:40 PM	17.2572
2024-09-03	8:45:40 PM	17.28
2024-09-03	8:46:40 PM	17.2809
2024-09-03	8:47:40 PM	17.2841
2024-09-03	8:48:40 PM	17.2851
2024-09-03	8:49:40 PM	17.2883
2024-09-03	8:50:40 PM	17.2879
2024-09-03	8:51:40 PM	17.2892
2024-09-03	8:52:40 PM	17.2724
2024-09-03	8:53:40 PM	17.3006
2024-09-03	8:54:40 PM	17.3013
2024-09-03	8:55:40 PM	17.3034
2024-09-03	8:56:40 PM	17.3054
2024-09-03	8:57:40 PM	17.3078
2024-09-03	8:58:40 PM	17.3095
2024-09-03	8:59:40 PM	17.3098
2024-09-03	9:00:40 PM	17.3079
2024-09-03	9:01:40 PM	17.3018
2024-09-03	9:02:40 PM	17.3216
2024-09-03	9:03:40 PM	17.3236
2024-09-03	9:04:40 PM	17.3254
2024-09-03	9:05:40 PM	17.3266
2024-09-03	9:06:40 PM	17.3285
2024-09-03	9:07:40 PM	17.3298
2024-09-03	9:08:40 PM	17.3303
2024-09-03	9:09:40 PM	17.3308
2024-09-03	9:10:40 PM	17.3214
2024-09-03	9:11:40 PM	17.3409
2024-09-03	9:12:40 PM	17.3427
2024-09-03	9:13:40 PM	17.3441
2024-09-03	9:14:40 PM	17.3454
2024-09-03	9:15:40 PM	17.3469

Pumping Test (Data Logger and Baro Logger)

2024-09-03	9:16:40 PM	17.3466
2024-09-03	9:17:40 PM	17.3473
2024-09-03	9:18:40 PM	17.3348
2024-09-03	9:19:40 PM	17.3574
2024-09-03	9:20:40 PM	17.359
2024-09-03	9:21:40 PM	17.3603
2024-09-03	9:22:40 PM	17.3611
2024-09-03	9:23:40 PM	17.3632
2024-09-03	9:24:40 PM	17.3641
2024-09-03	9:25:40 PM	17.3646
2024-09-03	9:26:40 PM	17.3637
2024-09-03	9:27:40 PM	17.3568
2024-09-03	9:28:40 PM	17.3745
2024-09-03	9:29:40 PM	17.3761
2024-09-03	9:30:40 PM	17.3782
2024-09-03	9:31:40 PM	17.3796
2024-09-03	9:32:40 PM	17.3808
2024-09-03	9:33:40 PM	17.3816
2024-09-03	9:34:40 PM	17.382
2024-09-03	9:35:40 PM	17.3751
2024-09-03	9:36:40 PM	17.378
2024-09-03	9:37:40 PM	17.3924
2024-09-03	9:38:40 PM	17.3941
2024-09-03	9:39:40 PM	17.3957
2024-09-03	9:40:40 PM	17.3968
2024-09-03	9:41:40 PM	17.3983
2024-09-03	9:42:40 PM	17.3979
2024-09-03	9:43:40 PM	17.3948
2024-09-03	9:44:40 PM	17.38
2024-09-03	9:45:40 PM	17.408
2024-09-03	9:46:40 PM	17.4093
2024-09-03	9:47:40 PM	17.411
2024-09-03	9:48:40 PM	17.4127
2024-09-03	9:49:40 PM	17.4135
2024-09-03	9:50:40 PM	17.4143
2024-09-03	9:51:40 PM	17.4144
2024-09-03	9:52:40 PM	17.4217
2024-09-03	9:53:40 PM	17.4067
2024-09-03	9:54:40 PM	17.4249
2024-09-03	9:55:40 PM	17.4262
2024-09-03	9:56:40 PM	17.4281
2024-09-03	9:57:40 PM	17.4292
2024-09-03	9:58:40 PM	17.4297
2024-09-03	9:59:40 PM	17.4303
2024-09-03	10:00:40 PM	17.4304
2024-09-03	10:01:40 PM	17.4231
2024-09-03	10:02:40 PM	17.4374
2024-09-03	10:03:40 PM	17.4401
2024-09-03	10:04:40 PM	17.4411
2024-09-03	10:05:40 PM	17.4425
2024-09-03	10:06:40 PM	17.4434
2024-09-03	10:07:40 PM	17.4437
2024-09-03	10:08:40 PM	17.4438
2024-09-03	10:09:40 PM	17.4385
2024-09-03	10:10:40 PM	17.4526
2024-09-03	10:11:40 PM	17.4531
2024-09-03	10:12:40 PM	17.455
2024-09-03	10:13:40 PM	17.4557
2024-09-03	10:14:40 PM	17.4567
2024-09-03	10:15:40 PM	17.4577
2024-09-03	10:16:40 PM	17.4576
2024-09-03	10:17:40 PM	17.4567
2024-09-03	10:18:40 PM	17.4438
2024-09-03	10:19:40 PM	17.4672
2024-09-03	10:20:40 PM	17.4682
2024-09-03	10:21:40 PM	17.4696
2024-09-03	10:22:40 PM	17.47
2024-09-03	10:23:40 PM	17.4718
2024-09-03	10:24:40 PM	17.4724

Pumping Test (Data Logger and Baro Logger)

2024-09-03	10:25:40 PM	17.4725
2024-09-03	10:26:40 PM	17.4721
2024-09-03	10:27:40 PM	17.4535
2024-09-03	10:28:40 PM	17.4816
2024-09-03	10:29:40 PM	17.4821
2024-09-03	10:30:40 PM	17.4826
2024-09-03	10:31:40 PM	17.4841
2024-09-03	10:32:40 PM	17.4857
2024-09-03	10:33:40 PM	17.4857
2024-09-03	10:34:40 PM	17.4836
2024-09-03	10:35:40 PM	17.4689
2024-09-03	10:36:40 PM	17.4934
2024-09-03	10:37:40 PM	17.494
2024-09-03	10:38:40 PM	17.4949
2024-09-03	10:39:40 PM	17.4964
2024-09-03	10:40:40 PM	17.4977
2024-09-03	10:41:40 PM	17.4987
2024-09-03	10:42:40 PM	17.4997
2024-09-03	10:43:40 PM	17.499
2024-09-03	10:44:40 PM	17.4924
2024-09-03	10:45:40 PM	17.5063
2024-09-03	10:46:40 PM	17.5082
2024-09-03	10:47:40 PM	17.5088
2024-09-03	10:48:40 PM	17.5093
2024-09-03	10:49:40 PM	17.5083
2024-09-03	10:50:40 PM	17.5071
2024-09-03	10:51:40 PM	17.5045
2024-09-03	10:52:40 PM	17.5008
2024-09-03	10:53:40 PM	17.4827
2024-09-03	10:54:40 PM	17.5018
2024-09-03	10:55:40 PM	17.4981
2024-09-03	10:56:40 PM	17.4938
2024-09-03	10:57:40 PM	17.4895
2024-09-03	10:58:40 PM	17.4857
2024-09-03	10:59:40 PM	17.481
2024-09-03	11:00:40 PM	17.4757
2024-09-03	11:01:40 PM	17.4574
2024-09-03	11:02:40 PM	17.4718
2024-09-03	11:03:40 PM	17.4673
2024-09-03	11:04:40 PM	17.4623
2024-09-03	11:05:40 PM	17.4558
2024-09-03	11:06:40 PM	17.4504
2024-09-03	11:07:40 PM	17.4443
2024-09-03	11:08:40 PM	17.4373
2024-09-03	11:09:40 PM	17.4302
2024-09-03	11:10:40 PM	17.417
2024-09-03	11:11:40 PM	17.4057
2024-09-03	11:12:40 PM	17.4176
2024-09-03	11:13:40 PM	17.4118
2024-09-03	11:14:40 PM	17.4062
2024-09-03	11:15:40 PM	17.4002
2024-09-03	11:16:40 PM	17.3948
2024-09-03	11:17:40 PM	17.3886
2024-09-03	11:18:40 PM	17.3797
2024-09-03	11:19:40 PM	17.3644
2024-09-03	11:20:40 PM	17.3786
2024-09-03	11:21:40 PM	17.3739
2024-09-03	11:22:40 PM	17.3691
2024-09-03	11:23:40 PM	17.365
2024-09-03	11:24:40 PM	17.36
2024-09-03	11:25:40 PM	17.3539
2024-09-03	11:26:40 PM	17.3482
2024-09-03	11:27:40 PM	17.3346
2024-09-03	11:28:40 PM	17.3436
2024-09-03	11:29:40 PM	17.3391
2024-09-03	11:30:40 PM	17.3347
2024-09-03	11:31:40 PM	17.2912
2024-09-03	11:32:40 PM	17.2704
2024-09-03	11:33:40 PM	17.2623

Pumping Test (Data Logger and Baro Logger)

2024-09-03	11:34:40 PM	17.2852
2024-09-03	11:35:40 PM	17.2862
2024-09-03	11:36:40 PM	17.2632
2024-09-03	11:37:40 PM	17.2725
2024-09-03	11:38:40 PM	17.2715
2024-09-03	11:39:40 PM	17.2643
2024-09-03	11:40:40 PM	17.2751
2024-09-03	11:41:40 PM	17.2716
2024-09-03	11:42:40 PM	17.2699
2024-09-03	11:43:40 PM	17.2668
2024-09-03	11:44:40 PM	17.2637
2024-09-03	11:45:40 PM	17.2599
2024-09-03	11:46:40 PM	17.2534
2024-09-03	11:47:40 PM	17.2387
2024-09-03	11:48:40 PM	17.2543
2024-09-03	11:49:40 PM	17.2511
2024-09-03	11:50:40 PM	17.2473
2024-09-03	11:51:40 PM	17.2441
2024-09-03	11:52:40 PM	17.2399
2024-09-03	11:53:40 PM	17.2365
2024-09-03	11:54:40 PM	17.2315
2024-09-03	11:55:40 PM	17.226
2024-09-03	11:56:40 PM	17.1985
2024-09-03	11:57:40 PM	17.2266
2024-09-03	11:58:40 PM	17.2224
2024-09-03	11:59:40 PM	17.2191
2024-09-04	12:00:40 AM	17.2144
2024-09-04	12:01:40 AM	17.2091
2024-09-04	12:02:40 AM	17.2022
2024-09-04	12:03:40 AM	17.1961
2024-09-04	12:04:40 AM	17.1869
2024-09-04	12:05:40 AM	17.1706
2024-09-04	12:06:40 AM	17.1839
2024-09-04	12:07:40 AM	17.179
2024-09-04	12:08:40 AM	17.1726
2024-09-04	12:09:40 AM	17.1667
2024-09-04	12:10:40 AM	17.162
2024-09-04	12:11:40 AM	17.1551
2024-09-04	12:12:40 AM	17.1477
2024-09-04	12:13:40 AM	17.1369
2024-09-04	12:14:40 AM	17.1299
2024-09-04	12:15:40 AM	17.1383
2024-09-04	12:16:40 AM	17.1353
2024-09-04	12:17:40 AM	17.1317
2024-09-04	12:18:40 AM	17.1278
2024-09-04	12:19:40 AM	17.1253
2024-09-04	12:20:40 AM	17.1222
2024-09-04	12:21:40 AM	17.1184
2024-09-04	12:22:40 AM	17.1144
2024-09-04	12:23:40 AM	17.1091
2024-09-04	12:24:40 AM	17.1168
2024-09-04	12:25:40 AM	17.1134
2024-09-04	12:26:40 AM	17.1107
2024-09-04	12:27:40 AM	17.107
2024-09-04	12:28:40 AM	17.1041
2024-09-04	12:29:40 AM	17.1003
2024-09-04	12:30:40 AM	17.0938
2024-09-04	12:31:40 AM	17.0765
2024-09-04	12:32:40 AM	17.0982
2024-09-04	12:33:40 AM	17.0954
2024-09-04	12:34:40 AM	17.093
2024-09-04	12:35:40 AM	17.0907
2024-09-04	12:36:40 AM	17.0877
2024-09-04	12:37:40 AM	17.0849
2024-09-04	12:38:40 AM	17.0815
2024-09-04	12:39:40 AM	17.075
2024-09-04	12:40:40 AM	17.0651
2024-09-04	12:41:40 AM	17.0798
2024-09-04	12:42:40 AM	17.0778

Pumping Test (Data Logger and Baro Logger)

2024-09-04	12:43:40 AM	17.0755
2024-09-04	12:44:40 AM	17.0734
2024-09-04	12:45:40 AM	17.0708
2024-09-04	12:46:40 AM	17.0679
2024-09-04	12:47:40 AM	17.0647
2024-09-04	12:48:40 AM	17.0571
2024-09-04	12:49:40 AM	17.0538
2024-09-04	12:50:40 AM	17.0633
2024-09-04	12:51:40 AM	17.0613
2024-09-04	12:52:40 AM	17.0585
2024-09-04	12:53:40 AM	17.0556
2024-09-04	12:54:40 AM	17.0523
2024-09-04	12:55:40 AM	17.0485
2024-09-04	12:56:40 AM	17.0444
2024-09-04	12:57:40 AM	17.0309
2024-09-04	12:58:40 AM	17.0478
2024-09-04	12:59:40 AM	17.0453
2024-09-04	1:00:40 AM	17.0429
2024-09-04	1:01:40 AM	17.0412
2024-09-04	1:02:40 AM	17.0386
2024-09-04	1:03:40 AM	17.0363
2024-09-04	1:04:40 AM	17.0335
2024-09-04	1:05:40 AM	17.0311
2024-09-04	1:06:40 AM	17.0198
2024-09-04	1:07:40 AM	17.0333
2024-09-04	1:08:40 AM	17.0303
2024-09-04	1:09:40 AM	17.0286
2024-09-04	1:10:40 AM	17.0258
2024-09-04	1:11:40 AM	17.0239
2024-09-04	1:12:40 AM	17.0211
2024-09-04	1:13:40 AM	17.0176
2024-09-04	1:14:40 AM	17.0036
2024-09-04	1:15:40 AM	17.0195
2024-09-04	1:16:40 AM	17.0172
2024-09-04	1:17:40 AM	17.0151
2024-09-04	1:18:40 AM	17.013
2024-09-04	1:19:40 AM	17.0112
2024-09-04	1:20:40 AM	17.0091
2024-09-04	1:21:40 AM	17.0058
2024-09-04	1:22:40 AM	17.002
2024-09-04	1:23:40 AM	16.9791
2024-09-04	1:24:40 AM	17.0044
2024-09-04	1:25:40 AM	17.0033
2024-09-04	1:26:40 AM	17
2024-09-04	1:27:40 AM	16.9987
2024-09-04	1:28:40 AM	16.996
2024-09-04	1:29:40 AM	16.9939
2024-09-04	1:30:40 AM	16.9907
2024-09-04	1:31:40 AM	16.984
2024-09-04	1:32:40 AM	16.9739
2024-09-04	1:33:40 AM	16.9889
2024-09-04	1:34:40 AM	16.9875
2024-09-04	1:35:40 AM	16.9857
2024-09-04	1:36:40 AM	16.9852
2024-09-04	1:37:40 AM	16.9818
2024-09-04	1:38:40 AM	16.9796
2024-09-04	1:39:40 AM	16.9178
2024-09-04	1:40:40 AM	16.8692
2024-09-04	1:41:40 AM	16.8415
2024-09-04	1:42:40 AM	16.8204
2024-09-04	1:43:40 AM	16.8145
2024-09-04	1:44:40 AM	16.7868
2024-09-04	1:45:40 AM	16.7737
2024-09-04	1:46:40 AM	16.7608
2024-09-04	1:47:40 AM	16.7504
2024-09-04	1:48:40 AM	16.7375
2024-09-04	1:49:40 AM	16.7267
2024-09-04	1:50:40 AM	16.7154
2024-09-04	1:51:40 AM	16.7173

Pumping Test (Data Logger and Baro Logger)

2024-09-04	1:52:40 AM	16.6995
2024-09-04	1:53:40 AM	16.6971
2024-09-04	1:54:40 AM	16.7419
2024-09-04	1:55:40 AM	16.7819
2024-09-04	1:56:40 AM	16.8024
2024-09-04	1:57:40 AM	16.8089
2024-09-04	1:58:40 AM	16.8245
2024-09-04	1:59:40 AM	16.8345
2024-09-04	2:00:40 AM	16.8423
2024-09-04	2:01:40 AM	16.8416
2024-09-04	2:02:40 AM	16.8503
2024-09-04	2:03:40 AM	16.8565
2024-09-04	2:04:40 AM	16.8386
2024-09-04	2:05:40 AM	16.8592
2024-09-04	2:06:40 AM	16.8639
2024-09-04	2:07:40 AM	16.8678
2024-09-04	2:08:40 AM	16.8509
2024-09-04	2:09:40 AM	16.8674
2024-09-04	2:10:40 AM	16.8716
2024-09-04	2:11:40 AM	16.8741
2024-09-04	2:12:40 AM	16.8601
2024-09-04	2:13:40 AM	16.871
2024-09-04	2:14:40 AM	16.8764
2024-09-04	2:15:40 AM	16.8787
2024-09-04	2:16:40 AM	16.8704
2024-09-04	2:17:40 AM	16.8756
2024-09-04	2:18:40 AM	16.879
2024-09-04	2:19:40 AM	16.8808
2024-09-04	2:20:40 AM	16.8588
2024-09-04	2:21:40 AM	16.8781
2024-09-04	2:22:40 AM	16.8801
2024-09-04	2:23:40 AM	16.8823
2024-09-04	2:24:40 AM	16.8661
2024-09-04	2:25:40 AM	16.8783
2024-09-04	2:26:40 AM	16.8805
2024-09-04	2:27:40 AM	16.8817
2024-09-04	2:28:40 AM	16.849
2024-09-04	2:29:40 AM	16.8774
2024-09-04	2:30:40 AM	16.8798
2024-09-04	2:31:40 AM	16.8809
2024-09-04	2:32:40 AM	16.8673
2024-09-04	2:33:40 AM	16.8749
2024-09-04	2:34:40 AM	16.8156
2024-09-04	2:35:40 AM	16.7747
2024-09-04	2:36:40 AM	16.7451
2024-09-04	2:37:40 AM	16.7261
2024-09-04	2:38:40 AM	16.7072
2024-09-04	2:39:40 AM	16.7351
2024-09-04	2:40:40 AM	16.7801
2024-09-04	2:41:40 AM	16.7955
2024-09-04	2:42:40 AM	16.808
2024-09-04	2:43:40 AM	16.8155
2024-09-04	2:44:40 AM	16.821
2024-09-04	2:45:40 AM	16.8243
2024-09-04	2:46:40 AM	16.8272
2024-09-04	2:47:40 AM	16.8259
2024-09-04	2:48:40 AM	16.8183
2024-09-04	2:49:40 AM	16.8413
2024-09-04	2:50:40 AM	16.8429
2024-09-04	2:51:40 AM	16.8455
2024-09-04	2:52:40 AM	16.8465
2024-09-04	2:53:40 AM	16.847
2024-09-04	2:54:40 AM	16.8474
2024-09-04	2:55:40 AM	16.848
2024-09-04	2:56:40 AM	16.848
2024-09-04	2:57:40 AM	16.8474
2024-09-04	2:58:40 AM	16.8722
2024-09-04	2:59:40 AM	16.8373
2024-09-04	3:00:40 AM	16.8557

Pumping Test (Data Logger and Baro Logger)

2024-09-04	3:01:40 AM	16.8565
2024-09-04	3:02:40 AM	16.8566
2024-09-04	3:03:40 AM	16.8566
2024-09-04	3:04:40 AM	16.8568
2024-09-04	3:05:40 AM	16.8568
2024-09-04	3:06:40 AM	16.8566
2024-09-04	3:07:40 AM	16.8554
2024-09-04	3:08:40 AM	16.8535
2024-09-04	3:09:40 AM	16.8421
2024-09-04	3:10:40 AM	16.8607
2024-09-04	3:11:40 AM	16.8609
2024-09-04	3:12:40 AM	16.8603
2024-09-04	3:13:40 AM	16.8601
2024-09-04	3:14:40 AM	16.8599
2024-09-04	3:15:40 AM	16.8592
2024-09-04	3:16:40 AM	16.8589
2024-09-04	3:17:40 AM	16.8574
2024-09-04	3:18:40 AM	16.8558
2024-09-04	3:19:40 AM	16.8505
2024-09-04	3:20:40 AM	16.8539
2024-09-04	3:21:40 AM	16.8619
2024-09-04	3:22:40 AM	16.8615
2024-09-04	3:23:40 AM	16.8612
2024-09-04	3:24:40 AM	16.8604
2024-09-04	3:25:40 AM	16.86
2024-09-04	3:26:40 AM	16.8597
2024-09-04	3:27:40 AM	16.8583
2024-09-04	3:28:40 AM	16.8569
2024-09-04	3:29:40 AM	16.8535
2024-09-04	3:30:40 AM	16.8434
2024-09-04	3:31:40 AM	16.8611
2024-09-04	3:32:40 AM	16.8612
2024-09-04	3:33:40 AM	16.86
2024-09-04	3:34:40 AM	16.8596
2024-09-04	3:35:40 AM	16.8589
2024-09-04	3:36:40 AM	16.8582
2024-09-04	3:37:40 AM	16.8564
2024-09-04	3:38:40 AM	16.8549
2024-09-04	3:39:40 AM	16.8475
2024-09-04	3:40:40 AM	16.8519
2024-09-04	3:41:40 AM	16.8599
2024-09-04	3:42:40 AM	16.8602
2024-09-04	3:43:40 AM	16.8597
2024-09-04	3:44:40 AM	16.8593
2024-09-04	3:45:40 AM	16.8582
2024-09-04	3:46:40 AM	16.8575
2024-09-04	3:47:40 AM	16.8566
2024-09-04	3:48:40 AM	16.8548
2024-09-04	3:49:40 AM	16.8518
2024-09-04	3:50:40 AM	16.8352
2024-09-04	3:51:40 AM	16.8586
2024-09-04	3:52:40 AM	16.8579
2024-09-04	3:53:40 AM	16.8574
2024-09-04	3:54:40 AM	16.8564
2024-09-04	3:55:40 AM	16.8555
2024-09-04	3:56:40 AM	16.8541
2024-09-04	3:57:40 AM	16.8525
2024-09-04	3:58:40 AM	16.8451
2024-09-04	3:59:40 AM	16.8318
2024-09-04	4:00:40 AM	16.8568
2024-09-04	4:01:40 AM	16.8563
2024-09-04	4:02:40 AM	16.8556
2024-09-04	4:03:40 AM	16.8549
2024-09-04	4:04:40 AM	16.8546
2024-09-04	4:05:40 AM	16.854
2024-09-04	4:06:40 AM	16.8532
2024-09-04	4:07:40 AM	16.8515
2024-09-04	4:08:40 AM	16.8476
2024-09-04	4:09:40 AM	16.8368

Pumping Test (Data Logger and Baro Logger)

2024-09-04	4:10:40 AM	16.8563
2024-09-04	4:11:40 AM	16.8545
2024-09-04	4:12:40 AM	16.8536
2024-09-04	4:13:40 AM	16.8532
2024-09-04	4:14:40 AM	16.8522
2024-09-04	4:15:40 AM	16.8513
2024-09-04	4:16:40 AM	16.8499
2024-09-04	4:17:40 AM	16.8467
2024-09-04	4:18:40 AM	16.841
2024-09-04	4:19:40 AM	16.8531
2024-09-04	4:20:40 AM	16.8526
2024-09-04	4:21:40 AM	16.852
2024-09-04	4:22:40 AM	16.8512
2024-09-04	4:23:40 AM	16.8506
2024-09-04	4:24:40 AM	16.8491
2024-09-04	4:25:40 AM	16.8482
2024-09-04	4:26:40 AM	16.8464
2024-09-04	4:27:40 AM	16.8314
2024-09-04	4:28:40 AM	16.8427
2024-09-04	4:29:40 AM	16.8504
2024-09-04	4:30:40 AM	16.8502
2024-09-04	4:31:40 AM	16.8498
2024-09-04	4:32:40 AM	16.8483
2024-09-04	4:33:40 AM	16.8474
2024-09-04	4:34:40 AM	16.8465
2024-09-04	4:35:40 AM	16.8449
2024-09-04	4:36:40 AM	16.8417
2024-09-04	4:37:40 AM	16.8278
2024-09-04	4:38:40 AM	16.8485
2024-09-04	4:39:40 AM	16.8471
2024-09-04	4:40:40 AM	16.8471
2024-09-04	4:41:40 AM	16.8468
2024-09-04	4:42:40 AM	16.8457
2024-09-04	4:43:40 AM	16.8448
2024-09-04	4:44:40 AM	16.8434
2024-09-04	4:45:40 AM	16.8423
2024-09-04	4:46:40 AM	16.8284
2024-09-04	4:47:40 AM	16.8472
2024-09-04	4:48:40 AM	16.8469
2024-09-04	4:49:40 AM	16.8461
2024-09-04	4:50:40 AM	16.8455
2024-09-04	4:51:40 AM	16.8449
2024-09-04	4:52:40 AM	16.8443
2024-09-04	4:53:40 AM	16.8433
2024-09-04	4:54:40 AM	16.8414
2024-09-04	4:55:40 AM	16.8395
2024-09-04	4:56:40 AM	16.824
2024-09-04	4:57:40 AM	16.8454
2024-09-04	4:58:40 AM	16.8445
2024-09-04	4:59:40 AM	16.8438
2024-09-04	5:00:40 AM	16.843
2024-09-04	5:01:40 AM	16.8425
2024-09-04	5:02:40 AM	16.8408
2024-09-04	5:03:40 AM	16.8385
2024-09-04	5:04:40 AM	16.83
2024-09-04	5:05:40 AM	16.827
2024-09-04	5:06:40 AM	16.8419
2024-09-04	5:07:40 AM	16.841
2024-09-04	5:08:40 AM	16.8408
2024-09-04	5:09:40 AM	16.8396
2024-09-04	5:10:40 AM	16.8388
2024-09-04	5:11:40 AM	16.837
2024-09-04	5:12:40 AM	16.8355
2024-09-04	5:13:40 AM	16.8282
2024-09-04	5:14:40 AM	16.8212
2024-09-04	5:15:40 AM	16.8376
2024-09-04	5:16:40 AM	16.8372
2024-09-04	5:17:40 AM	16.8363
2024-09-04	5:18:40 AM	16.835

Pumping Test (Data Logger and Baro Logger)

2024-09-04	5:19:40 AM	16.834
2024-09-04	5:20:40 AM	16.8324
2024-09-04	5:21:40 AM	16.8292
2024-09-04	5:22:40 AM	16.8309
2024-09-04	5:23:40 AM	16.8342
2024-09-04	5:24:40 AM	16.8336
2024-09-04	5:25:40 AM	16.8329
2024-09-04	5:26:40 AM	16.8318
2024-09-04	5:27:40 AM	16.8304
2024-09-04	5:28:40 AM	16.8296
2024-09-04	5:29:40 AM	16.8284
2024-09-04	5:30:40 AM	16.8263
2024-09-04	5:31:40 AM	16.8204
2024-09-04	5:32:40 AM	16.8119
2024-09-04	5:33:40 AM	16.8293
2024-09-04	5:34:40 AM	16.8285
2024-09-04	5:35:40 AM	16.8275
2024-09-04	5:36:40 AM	16.8264
2024-09-04	5:37:40 AM	16.8251
2024-09-04	5:38:40 AM	16.8236
2024-09-04	5:39:40 AM	16.8228
2024-09-04	5:40:40 AM	16.8197
2024-09-04	5:41:40 AM	16.8064
2024-09-04	5:42:40 AM	16.824
2024-09-04	5:43:40 AM	16.8237
2024-09-04	5:44:40 AM	16.8219
2024-09-04	5:45:40 AM	16.8217
2024-09-04	5:46:40 AM	16.8195
2024-09-04	5:47:40 AM	16.8181
2024-09-04	5:48:40 AM	16.8151
2024-09-04	5:49:40 AM	16.8037
2024-09-04	5:50:40 AM	16.8079
2024-09-04	5:51:40 AM	16.8181
2024-09-04	5:52:40 AM	16.816
2024-09-04	5:53:40 AM	16.8148
2024-09-04	5:54:40 AM	16.8145
2024-09-04	5:55:40 AM	16.8122
2024-09-04	5:56:40 AM	16.8108
2024-09-04	5:57:40 AM	16.8104
2024-09-04	5:58:40 AM	16.8074
2024-09-04	5:59:40 AM	16.7625
2024-09-04	6:00:40 AM	16.786
2024-09-04	6:01:40 AM	16.7902
2024-09-04	6:02:40 AM	16.7926
2024-09-04	6:03:40 AM	16.7944
2024-09-04	6:04:40 AM	16.7945
2024-09-04	6:05:40 AM	16.7958
2024-09-04	6:06:40 AM	16.7954
2024-09-04	6:07:40 AM	16.788
2024-09-04	6:08:40 AM	16.7926
2024-09-04	6:09:40 AM	16.8021
2024-09-04	6:10:40 AM	16.8026
2024-09-04	6:11:40 AM	16.8014
2024-09-04	6:12:40 AM	16.8017
2024-09-04	6:13:40 AM	16.8008
2024-09-04	6:14:40 AM	16.8013
2024-09-04	6:15:40 AM	16.8007
2024-09-04	6:16:40 AM	16.7981
2024-09-04	6:17:40 AM	16.7863
2024-09-04	6:18:40 AM	16.805
2024-09-04	6:19:40 AM	16.7702
2024-09-04	6:20:40 AM	16.7954
2024-09-04	6:21:40 AM	16.7955
2024-09-04	6:22:40 AM	16.7889
2024-09-04	6:23:40 AM	16.8035
2024-09-04	6:24:40 AM	16.8039
2024-09-04	6:25:40 AM	16.8043
2024-09-04	6:26:40 AM	16.8033
2024-09-04	6:27:40 AM	16.8036

Pumping Test (Data Logger and Baro Logger)

2024-09-04	6:28:40 AM	16.7799
2024-09-04	6:29:40 AM	16.7903
2024-09-04	6:30:40 AM	16.7926
2024-09-04	6:31:40 AM	16.8002
2024-09-04	6:32:40 AM	16.801
2024-09-04	6:33:40 AM	16.8011
2024-09-04	6:34:40 AM	16.8022
2024-09-04	6:35:40 AM	16.8011
2024-09-04	6:36:40 AM	16.8018
2024-09-04	6:37:40 AM	16.8014
2024-09-04	6:38:40 AM	16.8002
2024-09-04	6:39:40 AM	16.7978
2024-09-04	6:40:40 AM	16.7878
2024-09-04	6:41:40 AM	16.8044
2024-09-04	6:42:40 AM	16.8043
2024-09-04	6:43:40 AM	16.8049
2024-09-04	6:44:40 AM	16.8046
2024-09-04	6:45:40 AM	16.803
2024-09-04	6:46:40 AM	16.8016
2024-09-04	6:47:40 AM	16.801
2024-09-04	6:48:40 AM	16.7751
2024-09-04	6:49:40 AM	16.7392
2024-09-04	6:50:40 AM	16.7187
2024-09-04	6:51:40 AM	16.7089
2024-09-04	6:52:40 AM	16.696
2024-09-04	6:53:40 AM	16.6865
2024-09-04	6:54:40 AM	16.672
2024-09-04	6:55:40 AM	16.6669
2024-09-04	6:56:40 AM	16.6627
2024-09-04	6:57:40 AM	16.6542
2024-09-04	6:58:40 AM	16.6692
2024-09-04	6:59:40 AM	16.6473
2024-09-04	7:00:40 AM	16.645
2024-09-04	7:01:40 AM	16.6308
2024-09-04	7:02:40 AM	16.6343
2024-09-04	7:03:40 AM	16.6239
2024-09-04	7:04:40 AM	16.6252
2024-09-04	7:05:40 AM	16.6677
2024-09-04	7:06:40 AM	16.6912
2024-09-04	7:07:40 AM	16.7011
2024-09-04	7:08:40 AM	16.7091
2024-09-04	7:09:40 AM	16.7151
2024-09-04	7:10:40 AM	16.7268
2024-09-04	7:11:40 AM	16.7185
2024-09-04	7:12:40 AM	16.721
2024-09-04	7:13:40 AM	16.7133
2024-09-04	7:14:40 AM	16.7381
2024-09-04	7:15:40 AM	16.7403
2024-09-04	7:16:40 AM	16.7418
2024-09-04	7:17:40 AM	16.7453
2024-09-04	7:18:40 AM	16.7472
2024-09-04	7:19:40 AM	16.7483
2024-09-04	7:20:40 AM	16.7496
2024-09-04	7:21:40 AM	16.7493
2024-09-04	7:22:40 AM	16.7422
2024-09-04	7:23:40 AM	16.7581
2024-09-04	7:24:40 AM	16.7588
2024-09-04	7:25:40 AM	16.7604
2024-09-04	7:26:40 AM	16.7604
2024-09-04	7:27:40 AM	16.7612
2024-09-04	7:28:40 AM	16.7619
2024-09-04	7:29:40 AM	16.7248
2024-09-04	7:30:40 AM	16.7553
2024-09-04	7:31:40 AM	16.7581
2024-09-04	7:32:40 AM	16.7585
2024-09-04	7:33:40 AM	16.7596
2024-09-04	7:34:40 AM	16.7584
2024-09-04	7:35:40 AM	16.7674
2024-09-04	7:36:40 AM	16.7673

Pumping Test (Data Logger and Baro Logger)

2024-09-04	7:37:40 AM	16.7676
2024-09-04	7:38:40 AM	16.7677
2024-09-04	7:39:40 AM	16.7676
2024-09-04	7:40:40 AM	16.7672
2024-09-04	7:41:40 AM	16.767
2024-09-04	7:42:40 AM	16.7659
2024-09-04	7:43:40 AM	16.7638
2024-09-04	7:44:40 AM	16.751
2024-09-04	7:45:40 AM	16.7711
2024-09-04	7:46:40 AM	16.7701
2024-09-04	7:47:40 AM	16.7696
2024-09-04	7:48:40 AM	16.7689
2024-09-04	7:49:40 AM	16.7673
2024-09-04	7:50:40 AM	16.7595
2024-09-04	7:51:40 AM	16.759
2024-09-04	7:52:40 AM	16.7463
2024-09-04	7:53:40 AM	16.7645
2024-09-04	7:54:40 AM	16.7647
2024-09-04	7:55:40 AM	16.7641
2024-09-04	7:56:40 AM	16.7638
2024-09-04	7:57:40 AM	16.7623
2024-09-04	7:58:40 AM	16.7602
2024-09-04	7:59:40 AM	16.7554
2024-09-04	8:00:40 AM	16.7416
2024-09-04	8:01:40 AM	16.7615
2024-09-04	8:02:40 AM	16.7598
2024-09-04	8:03:40 AM	16.7585
2024-09-04	8:04:40 AM	16.7569
2024-09-04	8:05:40 AM	16.7557
2024-09-04	8:06:40 AM	16.7534
2024-09-04	8:07:40 AM	16.7518
2024-09-04	8:08:40 AM	16.7484
2024-09-04	8:09:40 AM	16.7398
2024-09-04	8:10:40 AM	16.7533
2024-09-04	8:11:40 AM	16.753
2024-09-04	8:12:40 AM	16.7518
2024-09-04	8:13:40 AM	16.7506
2024-09-04	8:14:40 AM	16.7438
2024-09-04	8:15:40 AM	16.72
2024-09-04	8:16:40 AM	16.7219
2024-09-04	8:17:40 AM	16.7219
2024-09-04	8:18:40 AM	16.7106
2024-09-04	8:19:40 AM	16.7332
2024-09-04	8:20:40 AM	16.7341
2024-09-04	8:21:40 AM	16.7341
2024-09-04	8:22:40 AM	16.7343
2024-09-04	8:23:40 AM	16.7339
2024-09-04	8:24:40 AM	16.7335
2024-09-04	8:25:40 AM	16.7304
2024-09-04	8:26:40 AM	16.7131
2024-09-04	8:27:40 AM	16.7356
2024-09-04	8:28:40 AM	16.7348
2024-09-04	8:29:40 AM	16.7344
2024-09-04	8:30:40 AM	16.7332
2024-09-04	8:31:40 AM	16.7327
2024-09-04	8:32:40 AM	16.7305
2024-09-04	8:33:40 AM	16.7289
2024-09-04	8:34:40 AM	16.7252
2024-09-04	8:35:40 AM	16.7099
2024-09-04	8:36:40 AM	16.7284
2024-09-04	8:37:40 AM	16.7273
2024-09-04	8:38:40 AM	16.7257
2024-09-04	8:39:40 AM	16.7239
2024-09-04	8:40:40 AM	16.7082
2024-09-04	8:41:40 AM	16.7151
2024-09-04	8:42:40 AM	16.7138
2024-09-04	8:43:40 AM	16.7059
2024-09-04	8:44:40 AM	16.7027
2024-09-04	8:45:40 AM	16.7168

Pumping Test (Data Logger and Baro Logger)

2024-09-04	8:46:40 AM	16.7152
2024-09-04	8:47:40 AM	16.7135
2024-09-04	8:48:40 AM	16.7118
2024-09-04	8:49:40 AM	16.7095
2024-09-04	8:50:40 AM	16.7063
2024-09-04	8:51:40 AM	16.6985
2024-09-04	8:52:40 AM	16.6943
2024-09-04	8:53:40 AM	16.7078
2024-09-04	8:54:40 AM	16.7062
2024-09-04	8:55:40 AM	16.7045
2024-09-04	8:56:40 AM	16.7027
2024-09-04	8:57:40 AM	16.7002
2024-09-04	8:58:40 AM	16.6973
2024-09-04	8:59:40 AM	16.6804
2024-09-04	9:00:40 AM	16.7008
2024-09-04	9:01:40 AM	16.6992
2024-09-04	9:02:40 AM	16.6977
2024-09-04	9:03:40 AM	16.6961
2024-09-04	9:04:40 AM	16.6941
2024-09-04	9:05:40 AM	16.693
2024-09-04	9:06:40 AM	16.6929
2024-09-04	9:07:40 AM	16.6808
2024-09-04	9:08:40 AM	16.6926
2024-09-04	9:09:40 AM	16.6919
2024-09-04	9:10:40 AM	16.6898
2024-09-04	9:11:40 AM	16.6884
2024-09-04	9:12:40 AM	16.6861
2024-09-04	9:13:40 AM	16.6845
2024-09-04	9:14:40 AM	16.6812
2024-09-04	9:15:40 AM	16.6726
2024-09-04	9:16:40 AM	16.6828
2024-09-04	9:17:40 AM	16.6813
2024-09-04	9:18:40 AM	16.6799
2024-09-04	9:19:40 AM	16.6773
2024-09-04	9:20:40 AM	16.6775
2024-09-04	9:21:40 AM	16.6732
2024-09-04	9:22:40 AM	16.6618
2024-09-04	9:23:40 AM	16.6697
2024-09-04	9:24:40 AM	16.6682
2024-09-04	9:25:40 AM	16.6659
2024-09-04	9:26:40 AM	16.6613
2024-09-04	9:27:40 AM	16.66
2024-09-04	9:28:40 AM	16.6668
2024-09-04	9:29:40 AM	16.6651
2024-09-04	9:30:40 AM	16.6612
2024-09-04	9:31:40 AM	16.6596
2024-09-04	9:32:40 AM	16.657
2024-09-04	9:33:40 AM	16.654
2024-09-04	9:34:40 AM	16.6501
2024-09-04	9:35:40 AM	16.6407
2024-09-04	9:36:40 AM	16.654
2024-09-04	9:37:40 AM	16.6517
2024-09-04	9:38:40 AM	16.6502
2024-09-04	9:39:40 AM	16.6498
2024-09-04	9:40:40 AM	16.6476
2024-09-04	9:41:40 AM	16.6457
2024-09-04	9:42:40 AM	16.6438
2024-09-04	9:43:40 AM	16.6383
2024-09-04	9:44:40 AM	16.6465
2024-09-04	9:45:40 AM	16.6457
2024-09-04	9:46:40 AM	16.6441
2024-09-04	9:47:40 AM	16.6434
2024-09-04	9:48:40 AM	16.628
2024-09-04	9:49:40 AM	16.6404
2024-09-04	9:50:40 AM	16.6159
2024-09-04	9:51:40 AM	16.6318
2024-09-04	9:52:40 AM	16.6316
2024-09-04	9:53:40 AM	16.6261
2024-09-04	9:54:40 AM	16.6372

Pumping Test (Data Logger and Baro Logger)

2024-09-04	9:55:40 AM	16.6369
2024-09-04	9:56:40 AM	16.6367
2024-09-04	9:57:40 AM	16.6355
2024-09-04	9:58:40 AM	16.6348
2024-09-04	9:59:40 AM	16.6326
2024-09-04	10:00:40 AM	16.6308
2024-09-04	10:01:40 AM	16.6262
2024-09-04	10:02:40 AM	16.6122
2024-09-04	10:03:40 AM	16.6327
2024-09-04	10:04:40 AM	16.6321
2024-09-04	10:05:40 AM	16.6305
2024-09-04	10:06:40 AM	16.629
2024-09-04	10:07:40 AM	16.6268
2024-09-04	10:08:40 AM	16.6243
2024-09-04	10:09:40 AM	16.6216
2024-09-04	10:10:40 AM	16.6097
2024-09-04	10:11:40 AM	16.6245
2024-09-04	10:12:40 AM	16.6228
2024-09-04	10:13:40 AM	16.622
2024-09-04	10:14:40 AM	16.6202
2024-09-04	10:15:40 AM	16.6196
2024-09-04	10:16:40 AM	16.6175
2024-09-04	10:17:40 AM	16.6133
2024-09-04	10:18:40 AM	16.6051
2024-09-04	10:19:40 AM	16.6174
2024-09-04	10:20:40 AM	16.6154
2024-09-04	10:21:40 AM	16.6146
2024-09-04	10:22:40 AM	16.5847
2024-09-04	10:23:40 AM	16.5841
2024-09-04	10:24:40 AM	16.5865
2024-09-04	10:25:40 AM	16.5875
2024-09-04	10:26:40 AM	16.5786
2024-09-04	10:27:40 AM	16.6006
2024-09-04	10:28:40 AM	16.6048
2024-09-04	10:29:40 AM	16.6079
2024-09-04	10:30:40 AM	16.612
2024-09-04	10:31:40 AM	16.6162
2024-09-04	10:32:40 AM	16.6194
2024-09-04	10:33:40 AM	16.6225
2024-09-04	10:34:40 AM	16.6181
2024-09-04	10:35:40 AM	16.6371
2024-09-04	10:36:40 AM	16.6427
2024-09-04	10:37:40 AM	16.6465
2024-09-04	10:38:40 AM	16.6512
2024-09-04	10:39:40 AM	16.6556
2024-09-04	10:40:40 AM	16.66
2024-09-04	10:41:40 AM	16.6642
2024-09-04	10:42:40 AM	16.6625
2024-09-04	10:43:40 AM	16.6802
2024-09-04	10:44:40 AM	16.6848
2024-09-04	10:45:40 AM	16.6883
2024-09-04	10:46:40 AM	16.6928
2024-09-04	10:47:40 AM	16.698
2024-09-04	10:48:40 AM	16.7008
2024-09-04	10:49:40 AM	16.6967
2024-09-04	10:50:40 AM	16.715
2024-09-04	10:51:40 AM	16.7198
2024-09-04	10:52:40 AM	16.7245
2024-09-04	10:53:40 AM	16.7283
2024-09-04	10:54:40 AM	16.7321
2024-09-04	10:55:40 AM	16.7351
2024-09-04	10:56:40 AM	16.7382
2024-09-04	10:57:40 AM	16.7279
2024-09-04	10:58:40 AM	16.7525
2024-09-04	10:59:40 AM	16.7561
2024-09-04	11:00:40 AM	16.76
2024-09-04	11:01:40 AM	16.763
2024-09-04	11:02:40 AM	16.7664
2024-09-04	11:03:40 AM	16.7683

Pumping Test (Data Logger and Baro Logger)

2024-09-04	11:04:40 AM	16.7713
2024-09-04	11:05:40 AM	16.763
2024-09-04	11:06:40 AM	16.7849
2024-09-04	11:07:40 AM	16.7879
2024-09-04	11:08:40 AM	16.7915
2024-09-04	11:09:40 AM	16.7953
2024-09-04	11:10:40 AM	16.7987
2024-09-04	11:11:40 AM	16.8007
2024-09-04	11:12:40 AM	16.8028
2024-09-04	11:13:40 AM	16.7841
2024-09-04	11:14:40 AM	16.816
2024-09-04	11:15:40 AM	16.8203
2024-09-04	11:16:40 AM	16.8237
2024-09-04	11:17:40 AM	16.827
2024-09-04	11:18:40 AM	16.8306
2024-09-04	11:19:40 AM	16.8338
2024-09-04	11:20:40 AM	16.8333
2024-09-04	11:21:40 AM	16.8295
2024-09-04	11:22:40 AM	16.8497
2024-09-04	11:23:40 AM	16.8537
2024-09-04	11:24:40 AM	16.8542
2024-09-04	11:25:40 AM	16.8568
2024-09-04	11:26:40 AM	16.8612
2024-09-04	11:27:40 AM	16.8659
2024-09-04	11:28:40 AM	16.8738
2024-09-04	11:29:40 AM	16.8767
2024-09-04	11:30:40 AM	16.8798
2024-09-04	11:31:40 AM	16.8831
2024-09-04	11:32:40 AM	16.8865
2024-09-04	11:33:40 AM	16.8879
2024-09-04	11:34:40 AM	16.889
2024-09-04	11:35:40 AM	16.8778
2024-09-04	11:36:40 AM	16.9027
2024-09-04	11:37:40 AM	16.9043
2024-09-04	11:38:40 AM	16.9063
2024-09-04	11:39:40 AM	16.9085
2024-09-04	11:40:40 AM	16.9116
2024-09-04	11:41:40 AM	16.9132
2024-09-04	11:42:40 AM	16.9119
2024-09-04	11:43:40 AM	16.8996
2024-09-04	11:44:40 AM	16.9266
2024-09-04	11:45:40 AM	16.9284
2024-09-04	11:46:40 AM	16.9312
2024-09-04	11:47:40 AM	16.9342
2024-09-04	11:48:40 AM	16.9352
2024-09-04	11:49:40 AM	16.9363
2024-09-04	11:50:40 AM	16.9359
2024-09-04	11:51:40 AM	16.9489
2024-09-04	11:52:40 AM	16.9485
2024-09-04	11:53:40 AM	16.9201
2024-09-04	11:54:40 AM	16.9265
2024-09-04	11:55:40 AM	16.9338
2024-09-04	11:56:40 AM	16.9388
2024-09-04	11:57:40 AM	16.9413
2024-09-04	11:58:40 AM	16.939
2024-09-04	11:59:40 AM	16.944
2024-09-04	12:00:40 PM	16.9588
2024-09-04	12:01:40 PM	16.9611
2024-09-04	12:02:40 PM	16.964
2024-09-04	12:03:40 PM	16.9678
2024-09-04	12:04:40 PM	16.969
2024-09-04	12:05:40 PM	16.9702
2024-09-04	12:06:40 PM	16.9689
2024-09-04	12:07:40 PM	16.9668
2024-09-04	12:08:40 PM	16.9824
2024-09-04	12:09:40 PM	16.9851
2024-09-04	12:10:40 PM	16.9881
2024-09-04	12:11:40 PM	16.9893
2024-09-04	12:12:40 PM	16.9915

Pumping Test (Data Logger and Baro Logger)

2024-09-04	12:13:40 PM	16.9928
2024-09-04	12:14:40 PM	16.987
2024-09-04	12:15:40 PM	17.0031
2024-09-04	12:16:40 PM	17.0059
2024-09-04	12:17:40 PM	17.0092
2024-09-04	12:18:40 PM	17.0116
2024-09-04	12:19:40 PM	17.0127
2024-09-04	12:20:40 PM	17.0147
2024-09-04	12:21:40 PM	17.017
2024-09-04	12:22:40 PM	17.0138
2024-09-04	12:23:40 PM	17.0271
2024-09-04	12:24:40 PM	17.0304
2024-09-04	12:25:40 PM	17.0331
2024-09-04	12:26:40 PM	17.035
2024-09-04	12:27:40 PM	17.0372
2024-09-04	12:28:40 PM	17.0401
2024-09-04	12:29:40 PM	17.0396
2024-09-04	12:30:40 PM	17.0303
2024-09-04	12:31:40 PM	17.0518
2024-09-04	12:32:40 PM	17.0538
2024-09-04	12:33:40 PM	17.0562
2024-09-04	12:34:40 PM	17.059
2024-09-04	12:35:40 PM	17.0606
2024-09-04	12:36:40 PM	17.0621
2024-09-04	12:37:40 PM	17.0633
2024-09-04	12:38:40 PM	17.0575
2024-09-04	12:39:40 PM	17.0738
2024-09-04	12:40:40 PM	17.0767
2024-09-04	12:41:40 PM	17.0632
2024-09-04	12:42:40 PM	17.0775
2024-09-04	12:43:40 PM	17.0797
2024-09-04	12:44:40 PM	17.0816
2024-09-04	12:45:40 PM	17.0822
2024-09-04	12:46:40 PM	17.0625
2024-09-04	12:47:40 PM	17.094
2024-09-04	12:48:40 PM	17.0963
2024-09-04	12:49:40 PM	17.098
2024-09-04	12:50:40 PM	17.1002
2024-09-04	12:51:40 PM	17.1015
2024-09-04	12:52:40 PM	17.1034
2024-09-04	12:53:40 PM	17.1043
2024-09-04	12:54:40 PM	17.0962
2024-09-04	12:55:40 PM	17.1158
2024-09-04	12:56:40 PM	17.1185
2024-09-04	12:57:40 PM	17.1205
2024-09-04	12:58:40 PM	17.1232
2024-09-04	12:59:40 PM	17.1245
2024-09-04	1:00:40 PM	17.1268
2024-09-04	1:01:40 PM	17.1267
2024-09-04	1:02:40 PM	17.1106
2024-09-04	1:03:40 PM	17.1369
2024-09-04	1:04:40 PM	17.1393
2024-09-04	1:05:40 PM	17.1413
2024-09-04	1:06:40 PM	17.1431
2024-09-04	1:07:40 PM	17.1459
2024-09-04	1:08:40 PM	17.1474
2024-09-04	1:09:40 PM	17.1482
2024-09-04	1:10:40 PM	17.135
2024-09-04	1:11:40 PM	17.1285
2024-09-04	1:12:40 PM	17.1331
2024-09-04	1:13:40 PM	17.14
2024-09-04	1:14:40 PM	17.1443
2024-09-04	1:15:40 PM	17.1489
2024-09-04	1:16:40 PM	17.1495
2024-09-04	1:17:40 PM	17.1467
2024-09-04	1:18:40 PM	17.1455
2024-09-04	1:19:40 PM	17.1624
2024-09-04	1:20:40 PM	17.1659
2024-09-04	1:21:40 PM	17.1679

Pumping Test (Data Logger and Baro Logger)

2024-09-04	1:22:40 PM	17.1706
2024-09-04	1:23:40 PM	17.1724
2024-09-04	1:24:40 PM	17.1741
2024-09-04	1:25:40 PM	17.1753
2024-09-04	1:26:40 PM	17.1642
2024-09-04	1:27:40 PM	17.1859
2024-09-04	1:28:40 PM	17.1866
2024-09-04	1:29:40 PM	17.1885
2024-09-04	1:30:40 PM	17.1915
2024-09-04	1:31:40 PM	17.193
2024-09-04	1:32:40 PM	17.1939
2024-09-04	1:33:40 PM	17.193
2024-09-04	1:34:40 PM	17.1795
2024-09-04	1:35:40 PM	17.204
2024-09-04	1:36:40 PM	17.2047
2024-09-04	1:37:40 PM	17.2066
2024-09-04	1:38:40 PM	17.2085
2024-09-04	1:39:40 PM	17.2098
2024-09-04	1:40:40 PM	17.2097
2024-09-04	1:41:40 PM	17.2024
2024-09-04	1:42:40 PM	17.2189
2024-09-04	1:43:40 PM	17.2208
2024-09-04	1:44:40 PM	17.2213
2024-09-04	1:45:40 PM	17.2238
2024-09-04	1:46:40 PM	17.2254
2024-09-04	1:47:40 PM	17.2261
2024-09-04	1:48:40 PM	17.2256
2024-09-04	1:49:40 PM	17.2289
2024-09-04	1:50:40 PM	17.2344
2024-09-04	1:51:40 PM	17.2364
2024-09-04	1:52:40 PM	17.2382
2024-09-04	1:53:40 PM	17.2398
2024-09-04	1:54:40 PM	17.2406
2024-09-04	1:55:40 PM	17.2424
2024-09-04	1:56:40 PM	17.2422
2024-09-04	1:57:40 PM	17.2419
2024-09-04	1:58:40 PM	17.2513
2024-09-04	1:59:40 PM	17.2527
2024-09-04	2:00:40 PM	17.2543
2024-09-04	2:01:40 PM	17.2532
2024-09-04	2:02:40 PM	17.2524
2024-09-04	2:03:40 PM	17.236
2024-09-04	2:04:40 PM	17.2509
2024-09-04	2:05:40 PM	17.2434
2024-09-04	2:06:40 PM	17.2616
2024-09-04	2:07:40 PM	17.265
2024-09-04	2:08:40 PM	17.2662
2024-09-04	2:09:40 PM	17.2678
2024-09-04	2:10:40 PM	17.2662
2024-09-04	2:11:40 PM	17.2651
2024-09-04	2:12:40 PM	17.2545
2024-09-04	2:13:40 PM	17.2428
2024-09-04	2:14:40 PM	17.2499
2024-09-04	2:15:40 PM	17.2556
2024-09-04	2:16:40 PM	17.2588
2024-09-04	2:17:40 PM	17.2623
2024-09-04	2:18:40 PM	17.2641
2024-09-04	2:19:40 PM	17.265
2024-09-04	2:20:40 PM	17.2589
2024-09-04	2:21:40 PM	17.2758
2024-09-04	2:22:40 PM	17.2784
2024-09-04	2:23:40 PM	17.279
2024-09-04	2:24:40 PM	17.2824
2024-09-04	2:25:40 PM	17.2821
2024-09-04	2:26:40 PM	17.2849
2024-09-04	2:27:40 PM	17.2824
2024-09-04	2:28:40 PM	17.2715
2024-09-04	2:29:40 PM	17.2934
2024-09-04	2:30:40 PM	17.2961

Pumping Test (Data Logger and Baro Logger)

2024-09-04	2:31:40 PM	17.2966
2024-09-04	2:32:40 PM	17.2974
2024-09-04	2:33:40 PM	17.3001
2024-09-04	2:34:40 PM	17.2988
2024-09-04	2:35:40 PM	17.2869
2024-09-04	2:36:40 PM	17.3075
2024-09-04	2:37:40 PM	17.3081
2024-09-04	2:38:40 PM	17.3101
2024-09-04	2:39:40 PM	17.3116
2024-09-04	2:40:40 PM	17.2935
2024-09-04	2:41:40 PM	17.3119
2024-09-04	2:42:40 PM	17.3136
2024-09-04	2:43:40 PM	17.3148
2024-09-04	2:44:40 PM	17.3165
2024-09-04	2:45:40 PM	17.3167
2024-09-04	2:46:40 PM	17.3165
2024-09-04	2:47:40 PM	17.3193
2024-09-04	2:48:40 PM	17.3204
2024-09-04	2:49:40 PM	17.3208
2024-09-04	2:50:40 PM	17.3192
2024-09-04	2:51:40 PM	17.308
2024-09-04	2:52:40 PM	17.3284
2024-09-04	2:53:40 PM	17.329
2024-09-04	2:54:40 PM	17.3301
2024-09-04	2:55:40 PM	17.3303
2024-09-04	2:56:40 PM	17.3313
2024-09-04	2:57:40 PM	17.3297
2024-09-04	2:58:40 PM	17.3249
2024-09-04	2:59:40 PM	17.3371
2024-09-04	3:00:40 PM	17.338
2024-09-04	3:01:40 PM	17.3397
2024-09-04	3:02:40 PM	17.3397
2024-09-04	3:03:40 PM	17.3404
2024-09-04	3:04:40 PM	17.3413
2024-09-04	3:05:40 PM	17.3405
2024-09-04	3:06:40 PM	17.3338
2024-09-04	3:07:40 PM	17.3535
2024-09-04	3:08:40 PM	17.3482
2024-09-04	3:09:40 PM	17.349
2024-09-04	3:10:40 PM	17.3488
2024-09-04	3:11:40 PM	17.3487
2024-09-04	3:12:40 PM	17.3476
2024-09-04	3:13:40 PM	17.3458
2024-09-04	3:14:40 PM	17.3357
2024-09-04	3:15:40 PM	17.354
2024-09-04	3:16:40 PM	17.3547
2024-09-04	3:17:40 PM	17.3558
2024-09-04	3:18:40 PM	17.3558
2024-09-04	3:19:40 PM	17.3561
2024-09-04	3:20:40 PM	17.3555
2024-09-04	3:21:40 PM	17.3484
2024-09-04	3:22:40 PM	17.3627
2024-09-04	3:23:40 PM	17.3642
2024-09-04	3:24:40 PM	17.3644
2024-09-04	3:25:40 PM	17.3647
2024-09-04	3:26:40 PM	17.3648
2024-09-04	3:27:40 PM	17.3643
2024-09-04	3:28:40 PM	17.3609
2024-09-04	3:29:40 PM	17.3613
2024-09-04	3:30:40 PM	17.375
2024-09-04	3:31:40 PM	17.3451
2024-09-04	3:32:40 PM	17.3654
2024-09-04	3:33:40 PM	17.3678
2024-09-04	3:34:40 PM	17.3683
2024-09-04	3:35:40 PM	17.3632
2024-09-04	3:36:40 PM	17.3586
2024-09-04	3:37:40 PM	17.375
2024-09-04	3:38:40 PM	17.3764
2024-09-04	3:39:40 PM	17.3762

Pumping Test (Data Logger and Baro Logger)

2024-09-04	3:40:40 PM	17.3771
2024-09-04	3:41:40 PM	17.3757
2024-09-04	3:42:40 PM	17.3754
2024-09-04	3:43:40 PM	17.3767
2024-09-04	3:44:40 PM	17.387
2024-09-04	3:45:40 PM	17.3821
2024-09-04	3:46:40 PM	17.3827
2024-09-04	3:47:40 PM	17.3856
2024-09-04	3:48:40 PM	17.3839
2024-09-04	3:49:40 PM	17.3838
2024-09-04	3:50:40 PM	17.3806
2024-09-04	3:51:40 PM	17.3716
2024-09-04	3:52:40 PM	17.3901
2024-09-04	3:53:40 PM	17.3616
2024-09-04	3:54:40 PM	17.3731
2024-09-04	3:55:40 PM	17.3885
2024-09-04	3:56:40 PM	17.39
2024-09-04	3:57:40 PM	17.3905
2024-09-04	3:58:40 PM	17.3917
2024-09-04	3:59:40 PM	17.3917
2024-09-04	4:00:40 PM	17.3919
2024-09-04	4:01:40 PM	17.3614
2024-09-04	4:02:40 PM	17.3604
2024-09-04	4:03:40 PM	17.375
2024-09-04	4:04:40 PM	17.379
2024-09-04	4:05:40 PM	17.3638
2024-09-04	4:06:40 PM	17.3814
2024-09-04	4:07:40 PM	17.3847
2024-09-04	4:08:40 PM	17.3865
2024-09-04	4:09:40 PM	17.3885
2024-09-04	4:10:40 PM	17.3894
2024-09-04	4:11:40 PM	17.3901
2024-09-04	4:12:40 PM	17.3831
2024-09-04	4:13:40 PM	17.3974
2024-09-04	4:14:40 PM	17.3984
2024-09-04	4:15:40 PM	17.3995
2024-09-04	4:16:40 PM	17.3998
2024-09-04	4:17:40 PM	17.4002
2024-09-04	4:18:40 PM	17.3997
2024-09-04	4:19:40 PM	17.398
2024-09-04	4:20:40 PM	17.4026
2024-09-04	4:21:40 PM	17.4018
2024-09-04	4:22:40 PM	17.3991
2024-09-04	4:23:40 PM	17.3949
2024-09-04	4:24:40 PM	17.4093
2024-09-04	4:25:40 PM	17.4095
2024-09-04	4:26:40 PM	17.4096
2024-09-04	4:27:40 PM	17.4095
2024-09-04	4:28:40 PM	17.4096
2024-09-04	4:29:40 PM	17.4086
2024-09-04	4:30:40 PM	17.4042
2024-09-04	4:31:40 PM	17.392
2024-09-04	4:32:40 PM	17.4164
2024-09-04	4:33:40 PM	17.4166
2024-09-04	4:34:40 PM	17.4169
2024-09-04	4:35:40 PM	17.417
2024-09-04	4:36:40 PM	17.417
2024-09-04	4:37:40 PM	17.416
2024-09-04	4:38:40 PM	17.4097
2024-09-04	4:39:40 PM	17.422
2024-09-04	4:40:40 PM	17.4226
2024-09-04	4:41:40 PM	17.4231
2024-09-04	4:42:40 PM	17.4229
2024-09-04	4:43:40 PM	17.4232
2024-09-04	4:44:40 PM	17.4222
2024-09-04	4:45:40 PM	17.4131
2024-09-04	4:46:40 PM	17.4315
2024-09-04	4:47:40 PM	17.4288
2024-09-04	4:48:40 PM	17.4292

Pumping Test (Data Logger and Baro Logger)

2024-09-04	4:49:40 PM	17.4296
2024-09-04	4:50:40 PM	17.4198
2024-09-04	4:51:40 PM	17.4192
2024-09-04	4:52:40 PM	17.4231
2024-09-04	4:53:40 PM	17.4225
2024-09-04	4:54:40 PM	17.4233
2024-09-04	4:55:40 PM	17.4328
2024-09-04	4:56:40 PM	17.4335
2024-09-04	4:57:40 PM	17.434
2024-09-04	4:58:40 PM	17.4346
2024-09-04	4:59:40 PM	17.4348
2024-09-04	5:00:40 PM	17.4335
2024-09-04	5:01:40 PM	17.4345
2024-09-04	5:02:40 PM	17.4383
2024-09-04	5:03:40 PM	17.4407
2024-09-04	5:04:40 PM	17.4402
2024-09-04	5:05:40 PM	17.4405
2024-09-04	5:06:40 PM	17.42
2024-09-04	5:07:40 PM	17.3952
2024-09-04	5:08:40 PM	17.4007
2024-09-04	5:09:40 PM	17.3883
2024-09-04	5:10:40 PM	17.3966
2024-09-04	5:11:40 PM	17.3757
2024-09-04	5:12:40 PM	17.3678
2024-09-04	5:13:40 PM	17.3656
2024-09-04	5:14:40 PM	17.3654
2024-09-04	5:15:40 PM	17.3542
2024-09-04	5:16:40 PM	17.3532
2024-09-04	5:17:40 PM	17.3464
2024-09-04	5:18:40 PM	17.3302
2024-09-04	5:19:40 PM	17.3532
2024-09-04	5:20:40 PM	17.343
2024-09-04	5:21:40 PM	17.3328
2024-09-04	5:22:40 PM	17.3472
2024-09-04	5:23:40 PM	17.3501
2024-09-04	5:24:40 PM	17.347
2024-09-04	5:25:40 PM	17.3396
2024-09-04	5:26:40 PM	17.3535
2024-09-04	5:27:40 PM	17.3344
2024-09-04	5:28:40 PM	17.34
2024-09-04	5:29:40 PM	17.3315
2024-09-04	5:30:40 PM	17.3398
2024-09-04	5:31:40 PM	17.3506
2024-09-04	5:32:40 PM	17.3735
2024-09-04	5:33:40 PM	17.3821
2024-09-04	5:34:40 PM	17.3643
2024-09-04	5:35:40 PM	17.3498
2024-09-04	5:36:40 PM	17.3617
2024-09-04	5:37:40 PM	17.3601
2024-09-04	5:38:40 PM	17.3662
2024-09-04	5:39:40 PM	17.355
2024-09-04	5:40:40 PM	17.3766
2024-09-04	5:41:40 PM	17.3869
2024-09-04	5:42:40 PM	17.3696
2024-09-04	5:43:40 PM	17.3686
2024-09-04	5:44:40 PM	17.3789
2024-09-04	5:45:40 PM	17.3746
2024-09-04	5:46:40 PM	17.3844
2024-09-04	5:47:40 PM	17.3903
2024-09-04	5:48:40 PM	17.3876
2024-09-04	5:49:40 PM	17.3998
2024-09-04	5:50:40 PM	17.4123
2024-09-04	5:51:40 PM	17.415
2024-09-04	5:52:40 PM	17.4183
2024-09-04	5:53:40 PM	17.4209
2024-09-04	5:54:40 PM	17.4223
2024-09-04	5:55:40 PM	17.4073
2024-09-04	5:56:40 PM	17.4028
2024-09-04	5:57:40 PM	17.4151

Pumping Test (Data Logger and Baro Logger)

2024-09-04	5:58:40 PM	17.4195
2024-09-04	5:59:40 PM	17.4119
2024-09-04	6:00:40 PM	17.4308
2024-09-04	6:01:40 PM	17.4322
2024-09-04	6:02:40 PM	17.4357
2024-09-04	6:03:40 PM	17.4365
2024-09-04	6:04:40 PM	17.4389
2024-09-04	6:05:40 PM	17.4388
2024-09-04	6:06:40 PM	17.4384
2024-09-04	6:07:40 PM	17.4365
2024-09-04	6:08:40 PM	17.4362
2024-09-04	6:09:40 PM	17.4483
2024-09-04	6:10:40 PM	17.4504
2024-09-04	6:11:40 PM	17.4071
2024-09-04	6:12:40 PM	17.4192
2024-09-04	6:13:40 PM	17.4417
2024-09-04	6:14:40 PM	17.4463
2024-09-04	6:15:40 PM	17.4491
2024-09-04	6:16:40 PM	17.4511
2024-09-04	6:17:40 PM	17.4325
2024-09-04	6:18:40 PM	17.4448
2024-09-04	6:19:40 PM	17.436
2024-09-04	6:20:40 PM	17.4512
2024-09-04	6:21:40 PM	17.4545
2024-09-04	6:22:40 PM	17.4563
2024-09-04	6:23:40 PM	17.4578
2024-09-04	6:24:40 PM	17.459
2024-09-04	6:25:40 PM	17.4588
2024-09-04	6:26:40 PM	17.4555
2024-09-04	6:27:40 PM	17.4443
2024-09-04	6:28:40 PM	17.4677
2024-09-04	6:29:40 PM	17.469
2024-09-04	6:30:40 PM	17.4699
2024-09-04	6:31:40 PM	17.4698
2024-09-04	6:32:40 PM	17.4713
2024-09-04	6:33:40 PM	17.4718
2024-09-04	6:34:40 PM	17.471
2024-09-04	6:35:40 PM	17.4678
2024-09-04	6:36:40 PM	17.4771
2024-09-04	6:37:40 PM	17.4781
2024-09-04	6:38:40 PM	17.4796
2024-09-04	6:39:40 PM	17.4805
2024-09-04	6:40:40 PM	17.4812
2024-09-04	6:41:40 PM	17.482
2024-09-04	6:42:40 PM	17.4809
2024-09-04	6:43:40 PM	17.4818
2024-09-04	6:44:40 PM	17.4869
2024-09-04	6:45:40 PM	17.4883
2024-09-04	6:46:40 PM	17.4888
2024-09-04	6:47:40 PM	17.4899
2024-09-04	6:48:40 PM	17.4891
2024-09-04	6:49:40 PM	17.4888
2024-09-04	6:50:40 PM	17.4844
2024-09-04	6:51:40 PM	17.475
2024-09-04	6:52:40 PM	17.4947
2024-09-04	6:53:40 PM	17.4961
2024-09-04	6:54:40 PM	17.4956
2024-09-04	6:55:40 PM	17.4963
2024-09-04	6:56:40 PM	17.4964
2024-09-04	6:57:40 PM	17.4963
2024-09-04	6:58:40 PM	17.4956
2024-09-04	6:59:40 PM	17.4947
2024-09-04	7:00:40 PM	17.5021
2024-09-04	7:01:40 PM	17.5027
2024-09-04	7:02:40 PM	17.5038
2024-09-04	7:03:40 PM	17.5039
2024-09-04	7:04:40 PM	17.504
2024-09-04	7:05:40 PM	17.5041
2024-09-04	7:06:40 PM	17.5031

Pumping Test (Data Logger and Baro Logger)

2024-09-04	7:07:40 PM	17.4918
2024-09-04	7:08:40 PM	17.5092
2024-09-04	7:09:40 PM	17.51
2024-09-04	7:10:40 PM	17.5096
2024-09-04	7:11:40 PM	17.5088
2024-09-04	7:12:40 PM	17.5103
2024-09-04	7:13:40 PM	17.5079
2024-09-04	7:14:40 PM	17.506
2024-09-04	7:15:40 PM	17.5136
2024-09-04	7:16:40 PM	17.5149
2024-09-04	7:17:40 PM	17.5146
2024-09-04	7:18:40 PM	17.515
2024-09-04	7:19:40 PM	17.515
2024-09-04	7:20:40 PM	17.505
2024-09-04	7:21:40 PM	17.4887
2024-09-04	7:22:40 PM	17.5146
2024-09-04	7:23:40 PM	17.5158
2024-09-04	7:24:40 PM	17.501
2024-09-04	7:25:40 PM	17.5103
2024-09-04	7:26:40 PM	17.5112
2024-09-04	7:27:40 PM	17.5138
2024-09-04	7:28:40 PM	17.5129
2024-09-04	7:29:40 PM	17.512
2024-09-04	7:30:40 PM	17.5006
2024-09-04	7:31:40 PM	17.5196
2024-09-04	7:32:40 PM	17.5199
2024-09-04	7:33:40 PM	17.5204
2024-09-04	7:34:40 PM	17.5203
2024-09-04	7:35:40 PM	17.5196
2024-09-04	7:36:40 PM	17.5184
2024-09-04	7:37:40 PM	17.4995
2024-09-04	7:38:40 PM	17.5245
2024-09-04	7:39:40 PM	17.5239
2024-09-04	7:40:40 PM	17.5238
2024-09-04	7:41:40 PM	17.5236
2024-09-04	7:42:40 PM	17.5234
2024-09-04	7:43:40 PM	17.523
2024-09-04	7:44:40 PM	17.5188
2024-09-04	7:45:40 PM	17.5048
2024-09-04	7:46:40 PM	17.5265
2024-09-04	7:47:40 PM	17.5262
2024-09-04	7:48:40 PM	17.5259
2024-09-04	7:49:40 PM	17.5253
2024-09-04	7:50:40 PM	17.5255
2024-09-04	7:51:40 PM	17.5243
2024-09-04	7:52:40 PM	17.5217
2024-09-04	7:53:40 PM	17.509
2024-09-04	7:54:40 PM	17.5285
2024-09-04	7:55:40 PM	17.5284
2024-09-04	7:56:40 PM	17.5287
2024-09-04	7:57:40 PM	17.5269
2024-09-04	7:58:40 PM	17.5268
2024-09-04	7:59:40 PM	17.5252
2024-09-04	8:00:40 PM	17.5218
2024-09-04	8:01:40 PM	17.5099
2024-09-04	8:02:40 PM	17.5304
2024-09-04	8:03:40 PM	17.5294
2024-09-04	8:04:40 PM	17.5285
2024-09-04	8:05:40 PM	17.5284
2024-09-04	8:06:40 PM	17.5275
2024-09-04	8:07:40 PM	17.5263
2024-09-04	8:08:40 PM	17.5228
2024-09-04	8:09:40 PM	17.5311
2024-09-04	8:10:40 PM	17.5308
2024-09-04	8:11:40 PM	17.5297
2024-09-04	8:12:40 PM	17.5292
2024-09-04	8:13:40 PM	17.5278
2024-09-04	8:14:40 PM	17.5273
2024-09-04	8:15:40 PM	17.5257

Pumping Test (Data Logger and Baro Logger)

2024-09-04	8:16:40 PM	17.5222
2024-09-04	8:17:40 PM	17.5113
2024-09-04	8:18:40 PM	17.5309
2024-09-04	8:19:40 PM	17.5312
2024-09-04	8:20:40 PM	17.5305
2024-09-04	8:21:40 PM	17.531
2024-09-04	8:22:40 PM	17.5306
2024-09-04	8:23:40 PM	17.5284
2024-09-04	8:24:40 PM	17.522
2024-09-04	8:25:40 PM	17.5343
2024-09-04	8:26:40 PM	17.5343
2024-09-04	8:27:40 PM	17.5343
2024-09-04	8:28:40 PM	17.5346
2024-09-04	8:29:40 PM	17.5335
2024-09-04	8:30:40 PM	17.5326
2024-09-04	8:31:40 PM	17.5269
2024-09-04	8:32:40 PM	17.5231
2024-09-04	8:33:40 PM	17.5377
2024-09-04	8:34:40 PM	17.5382
2024-09-04	8:35:40 PM	17.5388
2024-09-04	8:36:40 PM	17.5391
2024-09-04	8:37:40 PM	17.5388
2024-09-04	8:38:40 PM	17.5385
2024-09-04	8:39:40 PM	17.5362
2024-09-04	8:40:40 PM	17.5218
2024-09-04	8:41:40 PM	17.5444
2024-09-04	8:42:40 PM	17.5437
2024-09-04	8:43:40 PM	17.5444
2024-09-04	8:44:40 PM	17.5439
2024-09-04	8:45:40 PM	17.5432
2024-09-04	8:46:40 PM	17.5425
2024-09-04	8:47:40 PM	17.541
2024-09-04	8:48:40 PM	17.5485
2024-09-04	8:49:40 PM	17.547
2024-09-04	8:50:40 PM	17.5485
2024-09-04	8:51:40 PM	17.5475
2024-09-04	8:52:40 PM	17.5468
2024-09-04	8:53:40 PM	17.5469
2024-09-04	8:54:40 PM	17.5436
2024-09-04	8:55:40 PM	17.5517
2024-09-04	8:56:40 PM	17.5526
2024-09-04	8:57:40 PM	17.5515
2024-09-04	8:58:40 PM	17.5518
2024-09-04	8:59:40 PM	17.5515
2024-09-04	9:00:40 PM	17.5502
2024-09-04	9:01:40 PM	17.5473
2024-09-04	9:02:40 PM	17.5401
2024-09-04	9:03:40 PM	17.5558
2024-09-04	9:04:40 PM	17.5566
2024-09-04	9:05:40 PM	17.5562
2024-09-04	9:06:40 PM	17.5558
2024-09-04	9:07:40 PM	17.5553
2024-09-04	9:08:40 PM	17.5547
2024-09-04	9:09:40 PM	17.5497
2024-09-04	9:10:40 PM	17.5444
2024-09-04	9:11:40 PM	17.56
2024-09-04	9:12:40 PM	17.5605
2024-09-04	9:13:40 PM	17.5604
2024-09-04	9:14:40 PM	17.5606
2024-09-04	9:15:40 PM	17.5605
2024-09-04	9:16:40 PM	17.5588
2024-09-04	9:17:40 PM	17.554
2024-09-04	9:18:40 PM	17.5475
2024-09-04	9:19:40 PM	17.5634
2024-09-04	9:20:40 PM	17.5634
2024-09-04	9:21:40 PM	17.5634
2024-09-04	9:22:40 PM	17.563
2024-09-04	9:23:40 PM	17.5618
2024-09-04	9:24:40 PM	17.5606

Pumping Test (Data Logger and Baro Logger)

2024-09-04	9:25:40 PM	17.542
2024-09-04	9:26:40 PM	17.5669
2024-09-04	9:27:40 PM	17.5669
2024-09-04	9:28:40 PM	17.5665
2024-09-04	9:29:40 PM	17.5662
2024-09-04	9:30:40 PM	17.5655
2024-09-04	9:31:40 PM	17.5658
2024-09-04	9:32:40 PM	17.5638
2024-09-04	9:33:40 PM	17.549
2024-09-04	9:34:40 PM	17.5727
2024-09-04	9:35:40 PM	17.5709
2024-09-04	9:36:40 PM	17.5707
2024-09-04	9:37:40 PM	17.5711
2024-09-04	9:38:40 PM	17.571
2024-09-04	9:39:40 PM	17.5707
2024-09-04	9:40:40 PM	17.5694
2024-09-04	9:41:40 PM	17.5656
2024-09-04	9:42:40 PM	17.5752
2024-09-04	9:43:40 PM	17.5753
2024-09-04	9:44:40 PM	17.5746
2024-09-04	9:45:40 PM	17.5745
2024-09-04	9:46:40 PM	17.5744
2024-09-04	9:47:40 PM	17.5735
2024-09-04	9:48:40 PM	17.5698
2024-09-04	9:49:40 PM	17.5624
2024-09-04	9:50:40 PM	17.5776
2024-09-04	9:51:40 PM	17.5771
2024-09-04	9:52:40 PM	17.5772
2024-09-04	9:53:40 PM	17.577
2024-09-04	9:54:40 PM	17.5765
2024-09-04	9:55:40 PM	17.5747
2024-09-04	9:56:40 PM	17.573
2024-09-04	9:57:40 PM	17.5626
2024-09-04	9:58:40 PM	17.5803
2024-09-04	9:59:40 PM	17.5807
2024-09-04	10:00:40 PM	17.5806
2024-09-04	10:01:40 PM	17.5803
2024-09-04	10:02:40 PM	17.58
2024-09-04	10:03:40 PM	17.579
2024-09-04	10:04:40 PM	17.5755
2024-09-04	10:05:40 PM	17.5648
2024-09-04	10:06:40 PM	17.5835
2024-09-04	10:07:40 PM	17.5834
2024-09-04	10:08:40 PM	17.583
2024-09-04	10:09:40 PM	17.5826
2024-09-04	10:10:40 PM	17.582
2024-09-04	10:11:40 PM	17.5794
2024-09-04	10:12:40 PM	17.568
2024-09-04	10:13:40 PM	17.5861
2024-09-04	10:14:40 PM	17.5854
2024-09-04	10:15:40 PM	17.5853
2024-09-04	10:16:40 PM	17.5849
2024-09-04	10:17:40 PM	17.5843
2024-09-04	10:18:40 PM	17.5833
2024-09-04	10:19:40 PM	17.578
2024-09-04	10:20:40 PM	17.5876
2024-09-04	10:21:40 PM	17.5883
2024-09-04	10:22:40 PM	17.5879
2024-09-04	10:23:40 PM	17.5874
2024-09-04	10:24:40 PM	17.5875
2024-09-04	10:25:40 PM	17.5873
2024-09-04	10:26:40 PM	17.586
2024-09-04	10:27:40 PM	17.5771
2024-09-04	10:28:40 PM	17.5913
2024-09-04	10:29:40 PM	17.5916
2024-09-04	10:30:40 PM	17.5909
2024-09-04	10:31:40 PM	17.5908
2024-09-04	10:32:40 PM	17.5905
2024-09-04	10:33:40 PM	17.5889

Pumping Test (Data Logger and Baro Logger)

2024-09-04	10:34:40 PM	17.5849
2024-09-04	10:35:40 PM	17.5888
2024-09-04	10:36:40 PM	17.5951
2024-09-04	10:37:40 PM	17.5953
2024-09-04	10:38:40 PM	17.5952
2024-09-04	10:39:40 PM	17.5933
2024-09-04	10:40:40 PM	17.5926
2024-09-04	10:41:40 PM	17.5882
2024-09-04	10:42:40 PM	17.5786
2024-09-04	10:43:40 PM	17.5979
2024-09-04	10:44:40 PM	17.5985
2024-09-04	10:45:40 PM	17.5986
2024-09-04	10:46:40 PM	17.5986
2024-09-04	10:47:40 PM	17.598
2024-09-04	10:48:40 PM	17.5967
2024-09-04	10:49:40 PM	17.5941
2024-09-04	10:50:40 PM	17.5823
2024-09-04	10:51:40 PM	17.6015
2024-09-04	10:52:40 PM	17.6012
2024-09-04	10:53:40 PM	17.6016
2024-09-04	10:54:40 PM	17.6014
2024-09-04	10:55:40 PM	17.6007
2024-09-04	10:56:40 PM	17.5993
2024-09-04	10:57:40 PM	17.5939
2024-09-04	10:58:40 PM	17.5836
2024-09-04	10:59:40 PM	17.599
2024-09-04	11:00:40 PM	17.5949
2024-09-04	11:01:40 PM	17.5917
2024-09-04	11:02:40 PM	17.587
2024-09-04	11:03:40 PM	17.5813
2024-09-04	11:04:40 PM	17.5754
2024-09-04	11:05:40 PM	17.5543
2024-09-04	11:06:40 PM	17.5708
2024-09-04	11:07:40 PM	17.5662
2024-09-04	11:08:40 PM	17.5603
2024-09-04	11:09:40 PM	17.5544
2024-09-04	11:10:40 PM	17.5479
2024-09-04	11:11:40 PM	17.541
2024-09-04	11:12:40 PM	17.5333
2024-09-04	11:13:40 PM	17.5119
2024-09-04	11:14:40 PM	17.5277
2024-09-04	11:15:40 PM	17.5212
2024-09-04	11:16:40 PM	17.5132
2024-09-04	11:17:40 PM	17.5069
2024-09-04	11:18:40 PM	17.4991
2024-09-04	11:19:40 PM	17.4923
2024-09-04	11:20:40 PM	17.4844
2024-09-04	11:21:40 PM	17.4686
2024-09-04	11:22:40 PM	17.4751
2024-09-04	11:23:40 PM	17.4676
2024-09-04	11:24:40 PM	17.4603
2024-09-04	11:25:40 PM	17.4532
2024-09-04	11:26:40 PM	17.4458
2024-09-04	11:27:40 PM	17.4378
2024-09-04	11:28:40 PM	17.4126
2024-09-04	11:29:40 PM	17.4309
2024-09-04	11:30:40 PM	17.424
2024-09-04	11:31:40 PM	17.4184
2024-09-04	11:32:40 PM	17.4118
2024-09-04	11:33:40 PM	17.4054
2024-09-04	11:34:40 PM	17.3987
2024-09-04	11:35:40 PM	17.392
2024-09-04	11:36:40 PM	17.379
2024-09-04	11:37:40 PM	17.3686
2024-09-04	11:38:40 PM	17.3796
2024-09-04	11:39:40 PM	17.3745
2024-09-04	11:40:40 PM	17.3688
2024-09-04	11:41:40 PM	17.3626
2024-09-04	11:42:40 PM	17.3563

Pumping Test (Data Logger and Baro Logger)

2024-09-04	11:43:40 PM	17.3498
2024-09-04	11:44:40 PM	17.3375
2024-09-04	11:45:40 PM	17.3453
2024-09-04	11:46:40 PM	17.3401
2024-09-04	11:47:40 PM	17.3366
2024-09-04	11:48:40 PM	17.3295
2024-09-04	11:49:40 PM	17.324
2024-09-04	11:50:40 PM	17.3174
2024-09-04	11:51:40 PM	17.3068
2024-09-04	11:52:40 PM	17.3129
2024-09-04	11:53:40 PM	17.309
2024-09-04	11:54:40 PM	17.303
2024-09-04	11:55:40 PM	17.2982
2024-09-04	11:56:40 PM	17.293
2024-09-04	11:57:40 PM	17.2894
2024-09-04	11:58:40 PM	17.283
2024-09-04	11:59:40 PM	17.2675
2024-09-05	12:00:40 AM	17.2777
2024-09-05	12:01:40 AM	17.2725
2024-09-05	12:02:40 AM	17.2687
2024-09-05	12:03:40 AM	17.264
2024-09-05	12:04:40 AM	17.2597
2024-09-05	12:05:40 AM	17.2538
2024-09-05	12:06:40 AM	17.2466
2024-09-05	12:07:40 AM	17.231
2024-09-05	12:08:40 AM	17.2457
2024-09-05	12:09:40 AM	17.2407
2024-09-05	12:10:40 AM	17.2364
2024-09-05	12:11:40 AM	17.1971
2024-09-05	12:12:40 AM	17.1984
2024-09-05	12:13:40 AM	17.207
2024-09-05	12:14:40 AM	17.2065
2024-09-05	12:15:40 AM	17.2033
2024-09-05	12:16:40 AM	17.2003
2024-09-05	12:17:40 AM	17.195
2024-09-05	12:18:40 AM	17.179
2024-09-05	12:19:40 AM	17.196
2024-09-05	12:20:40 AM	17.1928
2024-09-05	12:21:40 AM	17.1897
2024-09-05	12:22:40 AM	17.1859
2024-09-05	12:23:40 AM	17.1824
2024-09-05	12:24:40 AM	17.1769
2024-09-05	12:25:40 AM	17.1702
2024-09-05	12:26:40 AM	17.1604
2024-09-05	12:27:40 AM	17.1724
2024-09-05	12:28:40 AM	17.1692
2024-09-05	12:29:40 AM	17.1648
2024-09-05	12:30:40 AM	17.1614
2024-09-05	12:31:40 AM	17.1569
2024-09-05	12:32:40 AM	17.1529
2024-09-05	12:33:40 AM	17.135
2024-09-05	12:34:40 AM	17.1519
2024-09-05	12:35:40 AM	17.1483
2024-09-05	12:36:40 AM	17.1444
2024-09-05	12:37:40 AM	17.1407
2024-09-05	12:38:40 AM	17.1373
2024-09-05	12:39:40 AM	17.1318
2024-09-05	12:40:40 AM	17.1196
2024-09-05	12:41:40 AM	17.1325
2024-09-05	12:42:40 AM	17.1282
2024-09-05	12:43:40 AM	17.124
2024-09-05	12:44:40 AM	17.1216
2024-09-05	12:45:40 AM	17.118
2024-09-05	12:46:40 AM	17.1142
2024-09-05	12:47:40 AM	17.1106
2024-09-05	12:48:40 AM	17.1043
2024-09-05	12:49:40 AM	17.1105
2024-09-05	12:50:40 AM	17.1067
2024-09-05	12:51:40 AM	17.1031

Pumping Test (Data Logger and Baro Logger)

2024-09-05	12:52:40 AM	17.0999
2024-09-05	12:53:40 AM	17.0967
2024-09-05	12:54:40 AM	17.0928
2024-09-05	12:55:40 AM	17.088
2024-09-05	12:56:40 AM	17.0734
2024-09-05	12:57:40 AM	17.0884
2024-09-05	12:58:40 AM	17.0856
2024-09-05	12:59:40 AM	17.0817
2024-09-05	1:00:40 AM	17.079
2024-09-05	1:01:40 AM	17.0755
2024-09-05	1:02:40 AM	17.0714
2024-09-05	1:03:40 AM	17.0544
2024-09-05	1:04:40 AM	17.0718
2024-09-05	1:05:40 AM	17.0687
2024-09-05	1:06:40 AM	17.0657
2024-09-05	1:07:40 AM	17.0633
2024-09-05	1:08:40 AM	17.06
2024-09-05	1:09:40 AM	17.0571
2024-09-05	1:10:40 AM	17.053
2024-09-05	1:11:40 AM	17.0448
2024-09-05	1:12:40 AM	17.0532
2024-09-05	1:13:40 AM	17.0505
2024-09-05	1:14:40 AM	17.0477
2024-09-05	1:15:40 AM	17.0449
2024-09-05	1:16:40 AM	17.0417
2024-09-05	1:17:40 AM	17.0383
2024-09-05	1:18:40 AM	17.0341
2024-09-05	1:19:40 AM	17.0204
2024-09-05	1:20:40 AM	17.0345
2024-09-05	1:21:40 AM	17.0322
2024-09-05	1:22:40 AM	17.0288
2024-09-05	1:23:40 AM	17.026
2024-09-05	1:24:40 AM	17.0229
2024-09-05	1:25:40 AM	17.0191
2024-09-05	1:26:40 AM	17.0037
2024-09-05	1:27:40 AM	17.0201
2024-09-05	1:28:40 AM	17.0183
2024-09-05	1:29:40 AM	17.0146
2024-09-05	1:30:40 AM	17.0121
2024-09-05	1:31:40 AM	17.0094
2024-09-05	1:32:40 AM	17.0071
2024-09-05	1:33:40 AM	17.0028
2024-09-05	1:34:40 AM	16.9911
2024-09-05	1:35:40 AM	17.0046
2024-09-05	1:36:40 AM	17.0009
2024-09-05	1:37:40 AM	16.9981
2024-09-05	1:38:40 AM	16.9956
2024-09-05	1:39:40 AM	16.9928
2024-09-05	1:40:40 AM	16.9895
2024-09-05	1:41:40 AM	16.9851
2024-09-05	1:42:40 AM	16.97
2024-09-05	1:43:40 AM	16.9881
2024-09-05	1:44:40 AM	16.9851
2024-09-05	1:45:40 AM	16.9828
2024-09-05	1:46:40 AM	16.9805
2024-09-05	1:47:40 AM	16.9777
2024-09-05	1:48:40 AM	16.9746
2024-09-05	1:49:40 AM	16.9659
2024-09-05	1:50:40 AM	16.9766
2024-09-05	1:51:40 AM	16.9731
2024-09-05	1:52:40 AM	16.9712
2024-09-05	1:53:40 AM	16.9685
2024-09-05	1:54:40 AM	16.9662
2024-09-05	1:55:40 AM	16.9634
2024-09-05	1:56:40 AM	16.96
2024-09-05	1:57:40 AM	16.9477
2024-09-05	1:58:40 AM	16.9612
2024-09-05	1:59:40 AM	16.9589
2024-09-05	2:00:40 AM	16.9567

Pumping Test (Data Logger and Baro Logger)

2024-09-05	2:01:40 AM	16.9552
2024-09-05	2:02:40 AM	16.9521
2024-09-05	2:03:40 AM	16.9489
2024-09-05	2:04:40 AM	16.9457
2024-09-05	2:05:40 AM	16.9427
2024-09-05	2:06:40 AM	16.9479
2024-09-05	2:07:40 AM	16.9452
2024-09-05	2:08:40 AM	16.943
2024-09-05	2:09:40 AM	16.9421
2024-09-05	2:10:40 AM	16.9397
2024-09-05	2:11:40 AM	16.9368
2024-09-05	2:12:40 AM	16.9303
2024-09-05	2:13:40 AM	16.9193
2024-09-05	2:14:40 AM	16.9356
2024-09-05	2:15:40 AM	16.9336
2024-09-05	2:16:40 AM	16.9301
2024-09-05	2:17:40 AM	16.9291
2024-09-05	2:18:40 AM	16.9257
2024-09-05	2:19:40 AM	16.9227
2024-09-05	2:20:40 AM	16.9176
2024-09-05	2:21:40 AM	16.9108
2024-09-05	2:22:40 AM	16.9228
2024-09-05	2:23:40 AM	16.9201
2024-09-05	2:24:40 AM	16.9192
2024-09-05	2:25:40 AM	16.9169
2024-09-05	2:26:40 AM	16.9148
2024-09-05	2:27:40 AM	16.9116
2024-09-05	2:28:40 AM	16.9025
2024-09-05	2:29:40 AM	16.9137
2024-09-05	2:30:40 AM	16.9115
2024-09-05	2:31:40 AM	16.9092
2024-09-05	2:32:40 AM	16.9076
2024-09-05	2:33:40 AM	16.9044
2024-09-05	2:34:40 AM	16.9016
2024-09-05	2:35:40 AM	16.8906
2024-09-05	2:36:40 AM	16.904
2024-09-05	2:37:40 AM	16.9026
2024-09-05	2:38:40 AM	16.9007
2024-09-05	2:39:40 AM	16.8998
2024-09-05	2:40:40 AM	16.8977
2024-09-05	2:41:40 AM	16.8959
2024-09-05	2:42:40 AM	16.8933
2024-09-05	2:43:40 AM	16.8881
2024-09-05	2:44:40 AM	16.8774
2024-09-05	2:45:40 AM	16.8932
2024-09-05	2:46:40 AM	16.8922
2024-09-05	2:47:40 AM	16.89
2024-09-05	2:48:40 AM	16.8881
2024-09-05	2:49:40 AM	16.8864
2024-09-05	2:50:40 AM	16.882
2024-09-05	2:51:40 AM	16.8621
2024-09-05	2:52:40 AM	16.8862
2024-09-05	2:53:40 AM	16.8843
2024-09-05	2:54:40 AM	16.8825
2024-09-05	2:55:40 AM	16.8806
2024-09-05	2:56:40 AM	16.8787
2024-09-05	2:57:40 AM	16.8755
2024-09-05	2:58:40 AM	16.86
2024-09-05	2:59:40 AM	16.879
2024-09-05	3:00:40 AM	16.8773
2024-09-05	3:01:40 AM	16.8761
2024-09-05	3:02:40 AM	16.8743
2024-09-05	3:03:40 AM	16.8726
2024-09-05	3:04:40 AM	16.8701
2024-09-05	3:05:40 AM	16.8619
2024-09-05	3:06:40 AM	16.8654
2024-09-05	3:07:40 AM	16.8718
2024-09-05	3:08:40 AM	16.8706
2024-09-05	3:09:40 AM	16.8685

Pumping Test (Data Logger and Baro Logger)

2024-09-05	3:10:40 AM	16.8677
2024-09-05	3:11:40 AM	16.8647
2024-09-05	3:12:40 AM	16.8625
2024-09-05	3:13:40 AM	16.8474
2024-09-05	3:14:40 AM	16.8643
2024-09-05	3:15:40 AM	16.8639
2024-09-05	3:16:40 AM	16.8628
2024-09-05	3:17:40 AM	16.8607
2024-09-05	3:18:40 AM	16.8589
2024-09-05	3:19:40 AM	16.8568
2024-09-05	3:20:40 AM	16.8521
2024-09-05	3:21:40 AM	16.8502
2024-09-05	3:22:40 AM	16.8578
2024-09-05	3:23:40 AM	16.8569
2024-09-05	3:24:40 AM	16.8556
2024-09-05	3:25:40 AM	16.8537
2024-09-05	3:26:40 AM	16.8516
2024-09-05	3:27:40 AM	16.8492
2024-09-05	3:28:40 AM	16.8425
2024-09-05	3:29:40 AM	16.8442
2024-09-05	3:30:40 AM	16.8511
2024-09-05	3:31:40 AM	16.8499
2024-09-05	3:32:40 AM	16.8482
2024-09-05	3:33:40 AM	16.8465
2024-09-05	3:34:40 AM	16.8446
2024-09-05	3:35:40 AM	16.8424
2024-09-05	3:36:40 AM	16.8368
2024-09-05	3:37:40 AM	16.8464
2024-09-05	3:38:40 AM	16.8449
2024-09-05	3:39:40 AM	16.8431
2024-09-05	3:40:40 AM	16.8421
2024-09-05	3:41:40 AM	16.8403
2024-09-05	3:42:40 AM	16.8391
2024-09-05	3:43:40 AM	16.8322
2024-09-05	3:44:40 AM	16.8266
2024-09-05	3:45:40 AM	16.8395
2024-09-05	3:46:40 AM	16.8375
2024-09-05	3:47:40 AM	16.8362
2024-09-05	3:48:40 AM	16.8352
2024-09-05	3:49:40 AM	16.8333
2024-09-05	3:50:40 AM	16.833
2024-09-05	3:51:40 AM	16.8277
2024-09-05	3:52:40 AM	16.8147
2024-09-05	3:53:40 AM	16.8336
2024-09-05	3:54:40 AM	16.8326
2024-09-05	3:55:40 AM	16.8319
2024-09-05	3:56:40 AM	16.8288
2024-09-05	3:57:40 AM	16.8275
2024-09-05	3:58:40 AM	16.8243
2024-09-05	3:59:40 AM	16.815
2024-09-05	4:00:40 AM	16.8284
2024-09-05	4:01:40 AM	16.8274
2024-09-05	4:02:40 AM	16.8261
2024-09-05	4:03:40 AM	16.825
2024-09-05	4:04:40 AM	16.8226
2024-09-05	4:05:40 AM	16.8204
2024-09-05	4:06:40 AM	16.8099
2024-09-05	4:07:40 AM	16.8238
2024-09-05	4:08:40 AM	16.823
2024-09-05	4:09:40 AM	16.7884
2024-09-05	4:10:40 AM	16.7833
2024-09-05	4:11:40 AM	16.7682
2024-09-05	4:12:40 AM	16.759
2024-09-05	4:13:40 AM	16.7557
2024-09-05	4:14:40 AM	16.7539
2024-09-05	4:15:40 AM	16.7375
2024-09-05	4:16:40 AM	16.7388
2024-09-05	4:17:40 AM	16.7307
2024-09-05	4:18:40 AM	16.7309

Pumping Test (Data Logger and Baro Logger)

2024-09-05	4:19:40 AM	16.735
2024-09-05	4:20:40 AM	16.757
2024-09-05	4:21:40 AM	16.7582
2024-09-05	4:22:40 AM	16.7649
2024-09-05	4:23:40 AM	16.7495
2024-09-05	4:24:40 AM	16.7655
2024-09-05	4:25:40 AM	16.7711
2024-09-05	4:26:40 AM	16.7584
2024-09-05	4:27:40 AM	16.7709
2024-09-05	4:28:40 AM	16.7732
2024-09-05	4:29:40 AM	16.7687
2024-09-05	4:30:40 AM	16.7726
2024-09-05	4:31:40 AM	16.7457
2024-09-05	4:32:40 AM	16.7706
2024-09-05	4:33:40 AM	16.773
2024-09-05	4:34:40 AM	16.7681
2024-09-05	4:35:40 AM	16.7712
2024-09-05	4:36:40 AM	16.7721
2024-09-05	4:37:40 AM	16.7654
2024-09-05	4:38:40 AM	16.7695
2024-09-05	4:39:40 AM	16.7469
2024-09-05	4:40:40 AM	16.7674
2024-09-05	4:41:40 AM	16.7689
2024-09-05	4:42:40 AM	16.7628
2024-09-05	4:43:40 AM	16.7676
2024-09-05	4:44:40 AM	16.7729
2024-09-05	4:45:40 AM	16.7647
2024-09-05	4:46:40 AM	16.7681
2024-09-05	4:47:40 AM	16.7565
2024-09-05	4:48:40 AM	16.766
2024-09-05	4:49:40 AM	16.7577
2024-09-05	4:50:40 AM	16.764
2024-09-05	4:51:40 AM	16.7664
2024-09-05	4:52:40 AM	16.7593
2024-09-05	4:53:40 AM	16.7648
2024-09-05	4:54:40 AM	16.7445
2024-09-05	4:55:40 AM	16.7622
2024-09-05	4:56:40 AM	16.7663
2024-09-05	4:57:40 AM	16.7579
2024-09-05	4:58:40 AM	16.7645
2024-09-05	4:59:40 AM	16.7551
2024-09-05	5:00:40 AM	16.761
2024-09-05	5:01:40 AM	16.7634
2024-09-05	5:02:40 AM	16.7369
2024-09-05	5:03:40 AM	16.7613
2024-09-05	5:04:40 AM	16.7628
2024-09-05	5:05:40 AM	16.7562
2024-09-05	5:06:40 AM	16.7599
2024-09-05	5:07:40 AM	16.75
2024-09-05	5:08:40 AM	16.7566
2024-09-05	5:09:40 AM	16.7591
2024-09-05	5:10:40 AM	16.7519
2024-09-05	5:11:40 AM	16.7567
2024-09-05	5:12:40 AM	16.7396
2024-09-05	5:13:40 AM	16.7547
2024-09-05	5:14:40 AM	16.7563
2024-09-05	5:15:40 AM	16.7487
2024-09-05	5:16:40 AM	16.7536
2024-09-05	5:17:40 AM	16.7428
2024-09-05	5:18:40 AM	16.7498
2024-09-05	5:19:40 AM	16.7524
2024-09-05	5:20:40 AM	16.7398
2024-09-05	5:21:40 AM	16.7497
2024-09-05	5:22:40 AM	16.7608
2024-09-05	5:23:40 AM	16.745
2024-09-05	5:24:40 AM	16.7476
2024-09-05	5:25:40 AM	16.7374
2024-09-05	5:26:40 AM	16.7454
2024-09-05	5:27:40 AM	16.7464

Pumping Test (Data Logger and Baro Logger)

2024-09-05	5:28:40 AM	16.7412
2024-09-05	5:29:40 AM	16.744
2024-09-05	5:30:40 AM	16.7218
2024-09-05	5:31:40 AM	16.7402
2024-09-05	5:32:40 AM	16.733
2024-09-05	5:33:40 AM	16.737
2024-09-05	5:34:40 AM	16.7388
2024-09-05	5:35:40 AM	16.7581
2024-09-05	5:36:40 AM	16.7366
2024-09-05	5:37:40 AM	16.7388
2024-09-05	5:38:40 AM	16.7325
2024-09-05	5:39:40 AM	16.735
2024-09-05	5:40:40 AM	16.7137
2024-09-05	5:41:40 AM	16.7308
2024-09-05	5:42:40 AM	16.7322
2024-09-05	5:43:40 AM	16.7258
2024-09-05	5:44:40 AM	16.7287
2024-09-05	5:45:40 AM	16.7127
2024-09-05	5:46:40 AM	16.7239
2024-09-05	5:47:40 AM	16.7245
2024-09-05	5:48:40 AM	16.7147
2024-09-05	5:49:40 AM	16.7206
2024-09-05	5:50:40 AM	16.7203
2024-09-05	5:51:40 AM	16.7161
2024-09-05	5:52:40 AM	16.7182
2024-09-05	5:53:40 AM	16.7027
2024-09-05	5:54:40 AM	16.7134
2024-09-05	5:55:40 AM	16.7142
2024-09-05	5:56:40 AM	16.7082
2024-09-05	5:57:40 AM	16.7097
2024-09-05	5:58:40 AM	16.6977
2024-09-05	5:59:40 AM	16.7059
2024-09-05	6:00:40 AM	16.707
2024-09-05	6:01:40 AM	16.7007
2024-09-05	6:02:40 AM	16.7026
2024-09-05	6:03:40 AM	16.6873
2024-09-05	6:04:40 AM	16.6979
2024-09-05	6:05:40 AM	16.6993
2024-09-05	6:06:40 AM	16.6902
2024-09-05	6:07:40 AM	16.6633
2024-09-05	6:08:40 AM	16.6424
2024-09-05	6:09:40 AM	16.6341
2024-09-05	6:10:40 AM	16.6338
2024-09-05	6:11:40 AM	16.6315
2024-09-05	6:12:40 AM	16.6255
2024-09-05	6:13:40 AM	16.6191
2024-09-05	6:14:40 AM	16.6083
2024-09-05	6:15:40 AM	16.5869
2024-09-05	6:16:40 AM	16.6023
2024-09-05	6:17:40 AM	16.6261
2024-09-05	6:18:40 AM	16.6339
2024-09-05	6:19:40 AM	16.6463
2024-09-05	6:20:40 AM	16.6426
2024-09-05	6:21:40 AM	16.6398
2024-09-05	6:22:40 AM	16.6481
2024-09-05	6:23:40 AM	16.6443
2024-09-05	6:24:40 AM	16.6337
2024-09-05	6:25:40 AM	16.6194
2024-09-05	6:26:40 AM	16.5983
2024-09-05	6:27:40 AM	16.6229
2024-09-05	6:28:40 AM	16.6212
2024-09-05	6:29:40 AM	16.6047
2024-09-05	6:30:40 AM	16.6248
2024-09-05	6:31:40 AM	16.6295
2024-09-05	6:32:40 AM	16.6319
2024-09-05	6:33:40 AM	16.6328
2024-09-05	6:34:40 AM	16.6287
2024-09-05	6:35:40 AM	16.624
2024-09-05	6:36:40 AM	16.6409

Pumping Test (Data Logger and Baro Logger)

2024-09-05	6:37:40 AM	16.6412
2024-09-05	6:38:40 AM	16.641
2024-09-05	6:39:40 AM	16.6408
2024-09-05	6:40:40 AM	16.6407
2024-09-05	6:41:40 AM	16.6179
2024-09-05	6:42:40 AM	16.6321
2024-09-05	6:43:40 AM	16.6343
2024-09-05	6:44:40 AM	16.6353
2024-09-05	6:45:40 AM	16.6352
2024-09-05	6:46:40 AM	16.6334
2024-09-05	6:47:40 AM	16.6296
2024-09-05	6:48:40 AM	16.6185
2024-09-05	6:49:40 AM	16.6375
2024-09-05	6:50:40 AM	16.6381
2024-09-05	6:51:40 AM	16.6368
2024-09-05	6:52:40 AM	16.6363
2024-09-05	6:53:40 AM	16.6369
2024-09-05	6:54:40 AM	16.6349
2024-09-05	6:55:40 AM	16.634
2024-09-05	6:56:40 AM	16.6304
2024-09-05	6:57:40 AM	16.6184
2024-09-05	6:58:40 AM	16.6394
2024-09-05	6:59:40 AM	16.6188
2024-09-05	7:00:40 AM	16.6319
2024-09-05	7:01:40 AM	16.6327
2024-09-05	7:02:40 AM	16.6327
2024-09-05	7:03:40 AM	16.6315
2024-09-05	7:04:40 AM	16.6294
2024-09-05	7:05:40 AM	16.6121
2024-09-05	7:06:40 AM	16.6355
2024-09-05	7:07:40 AM	16.6352
2024-09-05	7:08:40 AM	16.6343
2024-09-05	7:09:40 AM	16.6336
2024-09-05	7:10:40 AM	16.6335
2024-09-05	7:11:40 AM	16.6316
2024-09-05	7:12:40 AM	16.6304
2024-09-05	7:13:40 AM	16.6191
2024-09-05	7:14:40 AM	16.6312
2024-09-05	7:15:40 AM	16.5997
2024-09-05	7:16:40 AM	16.6034
2024-09-05	7:17:40 AM	16.6086
2024-09-05	7:18:40 AM	16.6098
2024-09-05	7:19:40 AM	16.5968
2024-09-05	7:20:40 AM	16.6029
2024-09-05	7:21:40 AM	16.6051
2024-09-05	7:22:40 AM	16.6074
2024-09-05	7:23:40 AM	16.6077
2024-09-05	7:24:40 AM	16.6054
2024-09-05	7:25:40 AM	16.604
2024-09-05	7:26:40 AM	16.5934
2024-09-05	7:27:40 AM	16.6114
2024-09-05	7:28:40 AM	16.6103
2024-09-05	7:29:40 AM	16.6084
2024-09-05	7:30:40 AM	16.6075
2024-09-05	7:31:40 AM	16.607
2024-09-05	7:32:40 AM	16.6054
2024-09-05	7:33:40 AM	16.5987
2024-09-05	7:34:40 AM	16.5846
2024-09-05	7:35:40 AM	16.6078
2024-09-05	7:36:40 AM	16.606
2024-09-05	7:37:40 AM	16.6051
2024-09-05	7:38:40 AM	16.6036
2024-09-05	7:39:40 AM	16.5998
2024-09-05	7:40:40 AM	16.6009
2024-09-05	7:41:40 AM	16.5983
2024-09-05	7:42:40 AM	16.5947
2024-09-05	7:43:40 AM	16.5908
2024-09-05	7:44:40 AM	16.5847
2024-09-05	7:45:40 AM	16.6007

Pumping Test (Data Logger and Baro Logger)

2024-09-05	7:46:40 AM	16.5988
2024-09-05	7:47:40 AM	16.5989
2024-09-05	7:48:40 AM	16.601
2024-09-05	7:49:40 AM	16.5991
2024-09-05	7:50:40 AM	16.6001
2024-09-05	7:51:40 AM	16.5975
2024-09-05	7:52:40 AM	16.5957
2024-09-05	7:53:40 AM	16.5869
2024-09-05	7:54:40 AM	16.6012
2024-09-05	7:55:40 AM	16.6003
2024-09-05	7:56:40 AM	16.6009
2024-09-05	7:57:40 AM	16.5984
2024-09-05	7:58:40 AM	16.5976
2024-09-05	7:59:40 AM	16.5963
2024-09-05	8:00:40 AM	16.5937
2024-09-05	8:01:40 AM	16.5771
2024-09-05	8:02:40 AM	16.5985
2024-09-05	8:03:40 AM	16.5972
2024-09-05	8:04:40 AM	16.5955
2024-09-05	8:05:40 AM	16.5949
2024-09-05	8:06:40 AM	16.5929
2024-09-05	8:07:40 AM	16.5907
2024-09-05	8:08:40 AM	16.5859
2024-09-05	8:09:40 AM	16.5709
2024-09-05	8:10:40 AM	16.5922
2024-09-05	8:11:40 AM	16.5906
2024-09-05	8:12:40 AM	16.5889
2024-09-05	8:13:40 AM	16.5876
2024-09-05	8:14:40 AM	16.5859
2024-09-05	8:15:40 AM	16.5836
2024-09-05	8:16:40 AM	16.5808
2024-09-05	8:17:40 AM	16.5691
2024-09-05	8:18:40 AM	16.5836
2024-09-05	8:19:40 AM	16.5826
2024-09-05	8:20:40 AM	16.5802
2024-09-05	8:21:40 AM	16.5751
2024-09-05	8:22:40 AM	16.5775
2024-09-05	8:23:40 AM	16.5762
2024-09-05	8:24:40 AM	16.5754
2024-09-05	8:25:40 AM	16.5728
2024-09-05	8:26:40 AM	16.566
2024-09-05	8:27:40 AM	16.5754
2024-09-05	8:28:40 AM	16.5752
2024-09-05	8:29:40 AM	16.5744
2024-09-05	8:30:40 AM	16.5726
2024-09-05	8:31:40 AM	16.5716
2024-09-05	8:32:40 AM	16.57
2024-09-05	8:33:40 AM	16.5649
2024-09-05	8:34:40 AM	16.5485
2024-09-05	8:35:40 AM	16.5719
2024-09-05	8:36:40 AM	16.571
2024-09-05	8:37:40 AM	16.5613
2024-09-05	8:38:40 AM	16.556
2024-09-05	8:39:40 AM	16.5653
2024-09-05	8:40:40 AM	16.5662
2024-09-05	8:41:40 AM	16.5647
2024-09-05	8:42:40 AM	16.5648
2024-09-05	8:43:40 AM	16.5634
2024-09-05	8:44:40 AM	16.5619
2024-09-05	8:45:40 AM	16.5591
2024-09-05	8:46:40 AM	16.5503
2024-09-05	8:47:40 AM	16.5615
2024-09-05	8:48:40 AM	16.5589
2024-09-05	8:49:40 AM	16.5187
2024-09-05	8:50:40 AM	16.5512
2024-09-05	8:51:40 AM	16.5514
2024-09-05	8:52:40 AM	16.55
2024-09-05	8:53:40 AM	16.545
2024-09-05	8:54:40 AM	16.5302

Pumping Test (Data Logger and Baro Logger)


2024-09-05	8:55:40 AM	16.5437
2024-09-05	8:56:40 AM	16.5135
2024-09-05	8:57:40 AM	16.5351
2024-09-05	8:58:40 AM	16.5366
2024-09-05	8:59:40 AM	16.5343
2024-09-05	9:00:40 AM	16.529
2024-09-05	9:01:40 AM	16.5399
2024-09-05	9:02:40 AM	16.5387
2024-09-05	9:03:40 AM	16.5376
2024-09-05	9:04:40 AM	16.5369
2024-09-05	9:05:40 AM	16.5349
2024-09-05	9:06:40 AM	16.533
2024-09-05	9:07:40 AM	16.5302
2024-09-05	9:08:40 AM	16.5275
2024-09-05	9:09:40 AM	16.518
2024-09-05	9:10:40 AM	16.5329
2024-09-05	9:11:40 AM	16.5323
2024-09-05	9:12:40 AM	16.5323
2024-09-05	9:13:40 AM	16.5299
2024-09-05	9:14:40 AM	16.5289
2024-09-05	9:15:40 AM	16.5275
2024-09-05	9:16:40 AM	16.5097
2024-09-05	9:17:40 AM	16.5311
2024-09-05	9:18:40 AM	16.5305
2024-09-05	9:19:40 AM	16.5298
2024-09-05	9:20:40 AM	16.5288
2024-09-05	9:21:40 AM	16.528
2024-09-05	9:22:40 AM	16.5267
2024-09-05	9:23:40 AM	16.522
2024-09-05	9:24:40 AM	16.5193
2024-09-05	9:25:40 AM	16.5299
2024-09-05	9:26:40 AM	16.5288
2024-09-05	9:27:40 AM	16.5278
2024-09-05	9:28:40 AM	16.5278
2024-09-05	9:29:40 AM	16.5254
2024-09-05	9:30:40 AM	16.5236
2024-09-05	9:31:40 AM	16.5085
2024-09-05	9:32:40 AM	16.5185
2024-09-05	9:33:40 AM	16.5174
2024-09-05	9:34:40 AM	16.5131
2024-09-05	9:35:40 AM	16.5066
2024-09-05	9:36:40 AM	16.523
2024-09-05	9:37:40 AM	16.5224
2024-09-05	9:38:40 AM	16.5214
2024-09-05	9:39:40 AM	16.5204
2024-09-05	9:40:40 AM	16.5181
2024-09-05	9:41:40 AM	16.5155
2024-09-05	9:42:40 AM	16.5109
2024-09-05	9:43:40 AM	16.4928
2024-09-05	9:44:40 AM	16.5166
2024-09-05	9:45:40 AM	16.514
2024-09-05	9:46:40 AM	16.5119
2024-09-05	9:47:40 AM	16.5095
2024-09-05	9:48:40 AM	16.5083
2024-09-05	9:49:40 AM	16.5059
2024-09-05	9:50:40 AM	16.5014
2024-09-05	9:51:40 AM	16.4881
2024-09-05	9:52:40 AM	16.4761
2024-09-05	9:53:40 AM	16.4576
2024-09-05	9:54:40 AM	16.4681
2024-09-05	9:55:40 AM	16.4789
2024-09-05	9:56:40 AM	16.4836
2024-09-05	9:57:40 AM	16.478
2024-09-05	9:58:40 AM	16.4798
2024-09-05	9:59:40 AM	16.4708
2024-09-05	10:00:40 AM	16.4895
2024-09-05	10:01:40 AM	16.4889
2024-09-05	10:02:40 AM	16.4895
2024-09-05	10:03:40 AM	16.4903

Pumping Test (Data Logger and Baro Logger)

2024-09-05	10:04:40 AM	16.4896
2024-09-05	10:05:40 AM	16.489
2024-09-05	10:06:40 AM	16.4877
2024-09-05	10:07:40 AM	16.4796
2024-09-05	10:08:40 AM	16.4917
2024-09-05	10:09:40 AM	16.4907
2024-09-05	10:10:40 AM	16.4903
2024-09-05	10:11:40 AM	16.489
2024-09-05	10:12:40 AM	16.4883
2024-09-05	10:13:40 AM	16.4869
2024-09-05	10:14:40 AM	16.4852
2024-09-05	10:15:40 AM	16.4731
2024-09-05	10:16:40 AM	16.489
2024-09-05	10:17:40 AM	16.4892
2024-09-05	10:18:40 AM	16.4875
2024-09-05	10:19:40 AM	10.2868
2024-09-05	10:20:40 AM	10.2724
2024-09-05	10:21:40 AM	10.2764
2024-09-05	10:22:40 AM	10.2782
2024-09-05	10:23:40 AM	10.2794
2024-09-05	10:24:40 AM	10.2797
2024-09-05	10:25:40 AM	10.2798
2024-09-05	10:26:40 AM	10.2801
2024-09-05	10:27:40 AM	10.2767
2024-09-05	10:28:40 AM	10.29
2024-09-05	10:29:40 AM	10.2897
2024-09-05	10:30:40 AM	10.2908
2024-09-05	10:31:40 AM	10.2937
2024-09-05	10:32:40 AM	10.294
2024-09-05	10:33:40 AM	10.2945
2024-09-05	10:34:40 AM	10.2935
2024-09-05	10:35:40 AM	10.294
2024-09-05	10:36:40 AM	10.2988
2024-09-05	10:37:40 AM	10.2948
2024-09-05	10:38:40 AM	10.2955

Data Logger Measurements
September 22 - 28, 2024

Date	Time	time (min)	LEVEL
2024-08-22	9:47:46 AM	0	10.2152
2024-08-22	9:48:46 AM	1	10.2164
2024-08-22	9:49:46 AM	2	10.2176
2024-08-22	9:50:46 AM	3	10.2177
2024-08-22	9:51:46 AM	4	10.2178
2024-08-22	9:52:46 AM	5	10.2179
2024-08-22	9:53:46 AM	6	10.2175
2024-08-22	9:54:46 AM	7	10.2178
2024-08-22	9:55:46 AM	8	10.2174
2024-08-22	9:56:46 AM	9	10.2176
2024-08-22	9:57:46 AM	10	10.2173
2024-08-22	9:58:46 AM	11	10.2151
2024-08-22	9:59:46 AM	12	10.2155
2024-08-22	10:00:46 AM	13	10.2157
2024-08-22	10:01:46 AM	14	10.2158
2024-08-22	10:02:46 AM	15	10.2146
2024-08-22	10:03:46 AM	16	10.219
2024-08-22	10:04:46 AM	17	10.2176
2024-08-22	10:05:46 AM	18	10.218
2024-08-22	10:06:46 AM	19	10.2185
2024-08-22	10:07:46 AM	20	10.2164
2024-08-22	10:08:46 AM	21	10.2165
2024-08-22	10:09:46 AM	22	10.2115
2024-08-22	10:10:46 AM	23	10.2122
2024-08-22	10:11:46 AM	24	10.2118
2024-08-22	10:12:46 AM	25	10.2127
2024-08-22	10:13:46 AM	26	10.2097
2024-08-22	10:14:46 AM	27	10.2153
2024-08-22	10:15:46 AM	28	10.2151
2024-08-22	10:16:46 AM	29	10.2153
2024-08-22	10:17:46 AM	30	10.2163
2024-08-22	10:18:46 AM	31	10.2165
2024-08-22	10:19:46 AM	32	10.2158
2024-08-22	10:20:46 AM	33	10.2167
2024-08-22	10:21:46 AM	34	10.2163
2024-08-22	10:22:46 AM	35	10.2168
2024-08-22	10:23:46 AM	36	10.2165
2024-08-22	10:24:46 AM	37	10.2161
2024-08-22	10:25:46 AM	38	10.2157
2024-08-22	10:26:46 AM	39	10.2165
2024-08-22	10:27:46 AM	40	10.2162
2024-08-22	10:28:46 AM	41	10.2165
2024-08-22	10:29:46 AM	42	10.2153
2024-08-22	10:30:46 AM	43	14.179
2024-08-22	10:31:46 AM	44	17.8068
2024-08-22	10:32:46 AM	45	17.773
2024-08-22	10:33:46 AM	46	17.7618
2024-08-22	10:34:46 AM	47	17.7566
2024-08-22	10:35:46 AM	48	17.7541
2024-08-22	10:36:46 AM	49	17.7518
2024-08-22	10:37:46 AM	50	17.7497
2024-08-22	10:38:46 AM	51	17.7469
2024-08-22	10:39:46 AM	52	17.7418
2024-08-22	10:40:46 AM	53	17.7284
2024-08-22	10:41:46 AM	54	17.7488
2024-08-22	10:42:46 AM	55	17.7482
2024-08-22	10:43:46 AM	56	17.7474
2024-08-22	10:44:46 AM	57	17.7472
2024-08-22	10:45:46 AM	58	17.7468
2024-08-22	10:46:46 AM	59	17.746
2024-08-22	10:47:46 AM	60	17.7453
2024-08-22	10:48:46 AM	61	17.7441
2024-08-22	10:49:46 AM	62	17.7417
2024-08-22	10:50:46 AM	63	17.7441
2024-08-22	10:51:46 AM	64	17.7303
2024-08-22	10:52:46 AM	65	17.7488
2024-08-22	10:53:46 AM	66	17.749



Data Logger Measurements
September 22 - 28, 2024

2024-08-22	10:54:46 AM	67	17.7483
2024-08-22	10:55:46 AM	68	17.7484
2024-08-22	10:56:46 AM	69	17.7486
2024-08-22	10:57:46 AM	70	17.7475
2024-08-22	10:58:46 AM	71	17.7471
2024-08-22	10:59:46 AM	72	17.7455
2024-08-22	11:00:46 AM	73	17.7417
2024-08-22	11:01:46 AM	74	17.7269
2024-08-22	11:02:46 AM	75	17.7496
2024-08-22	11:03:46 AM	76	17.7493
2024-08-22	11:04:46 AM	77	17.7491
2024-08-22	11:05:46 AM	78	17.7487
2024-08-22	11:06:46 AM	79	17.7486
2024-08-22	11:07:46 AM	80	17.7487
2024-08-22	11:08:46 AM	81	17.7481
2024-08-22	11:09:46 AM	82	17.7468
2024-08-22	11:10:46 AM	83	17.7124
2024-08-22	11:11:46 AM	84	17.7111
2024-08-22	11:12:46 AM	85	17.7285
2024-08-22	11:13:46 AM	86	17.7322
2024-08-22	11:14:46 AM	87	17.7349
2024-08-22	11:15:46 AM	88	17.7371
2024-08-22	11:16:46 AM	89	17.738
2024-08-22	11:17:46 AM	90	17.7348
2024-08-22	11:18:46 AM	91	17.7346
2024-08-22	11:19:46 AM	92	17.7323
2024-08-22	11:20:46 AM	93	17.7345
2024-08-22	11:21:46 AM	94	17.7448
2024-08-22	11:22:46 AM	95	17.746
2024-08-22	11:23:46 AM	96	17.7469
2024-08-22	11:24:46 AM	97	17.7475
2024-08-22	11:25:46 AM	98	17.7479
2024-08-22	11:26:46 AM	99	17.7481
2024-08-22	11:27:46 AM	100	17.7476
2024-08-22	11:28:46 AM	101	17.7474
2024-08-22	11:29:46 AM	102	17.7441
2024-08-22	11:30:46 AM	103	17.7545
2024-08-22	11:31:46 AM	104	17.7543
2024-08-22	11:32:46 AM	105	17.7543
2024-08-22	11:33:46 AM	106	17.7545
2024-08-22	11:34:46 AM	107	17.7545
2024-08-22	11:35:46 AM	108	17.7545
2024-08-22	11:36:46 AM	109	17.7544
2024-08-22	11:37:46 AM	110	17.7541
2024-08-22	11:38:46 AM	111	17.7532
2024-08-22	11:39:46 AM	112	17.748
2024-08-22	11:40:46 AM	113	17.7336
2024-08-22	11:41:46 AM	114	17.7591
2024-08-22	11:42:46 AM	115	17.7588
2024-08-22	11:43:46 AM	116	17.7583
2024-08-22	11:44:46 AM	117	17.758
2024-08-22	11:45:46 AM	118	17.7463
2024-08-22	11:46:46 AM	119	17.7561
2024-08-22	11:47:46 AM	120	17.7564
2024-08-22	11:48:46 AM	121	17.756
2024-08-22	11:49:46 AM	122	17.7562
2024-08-22	11:50:46 AM	123	17.7242
2024-08-22	11:51:46 AM	124	17.7489
2024-08-22	11:52:46 AM	125	17.7498
2024-08-22	11:53:46 AM	126	17.7503
2024-08-22	11:54:46 AM	127	17.7494
2024-08-22	11:55:46 AM	128	17.7481
2024-08-22	11:56:46 AM	129	17.7417
2024-08-22	11:57:46 AM	130	17.7474
2024-08-22	11:58:46 AM	131	17.7522
2024-08-22	11:59:46 AM	132	17.751
2024-08-22	12:00:46 PM	133	17.7276
2024-08-22	12:01:46 PM	134	17.7223
2024-08-22	12:02:46 PM	135	17.7256

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	12:03:46 PM	136	17.7276
2024-08-22	12:04:46 PM	137	17.7288
2024-08-22	12:05:46 PM	138	17.7286
2024-08-22	12:06:46 PM	139	17.7193
2024-08-22	12:07:46 PM	140	17.7268
2024-08-22	12:08:46 PM	141	17.7276
2024-08-22	12:09:46 PM	142	17.7271
2024-08-22	12:10:46 PM	143	17.7258
2024-08-22	12:11:46 PM	144	17.7225
2024-08-22	12:12:46 PM	145	17.7185
2024-08-22	12:13:46 PM	146	17.73
2024-08-22	12:14:46 PM	147	17.7293
2024-08-22	12:15:46 PM	148	17.7291
2024-08-22	12:16:46 PM	149	17.7286
2024-08-22	12:17:46 PM	150	17.7281
2024-08-22	12:18:46 PM	151	17.7267
2024-08-22	12:19:46 PM	152	17.7258
2024-08-22	12:20:46 PM	153	17.7041
2024-08-22	12:21:46 PM	154	17.722
2024-08-22	12:22:46 PM	155	17.7218
2024-08-22	12:23:46 PM	156	17.721
2024-08-22	12:24:46 PM	157	17.7207
2024-08-22	12:25:46 PM	158	17.7198
2024-08-22	12:26:46 PM	159	17.7191
2024-08-22	12:27:46 PM	160	17.7183
2024-08-22	12:28:46 PM	161	17.716
2024-08-22	12:29:46 PM	162	17.711
2024-08-22	12:30:46 PM	163	17.7121
2024-08-22	12:31:46 PM	164	17.7198
2024-08-22	12:32:46 PM	165	17.7194
2024-08-22	12:33:46 PM	166	17.7186
2024-08-22	12:34:46 PM	167	17.7176
2024-08-22	12:35:46 PM	168	17.7172
2024-08-22	12:36:46 PM	169	17.7157
2024-08-22	12:37:46 PM	170	17.7142
2024-08-22	12:38:46 PM	171	17.7118
2024-08-22	12:39:46 PM	172	17.6974
2024-08-22	12:40:46 PM	173	17.6868
2024-08-22	12:41:46 PM	174	17.7167
2024-08-22	12:42:46 PM	175	17.7158
2024-08-22	12:43:46 PM	176	17.7147
2024-08-22	12:44:46 PM	177	17.7136
2024-08-22	12:45:46 PM	178	17.695
2024-08-22	12:46:46 PM	179	17.7049
2024-08-22	12:47:46 PM	180	17.7044
2024-08-22	12:48:46 PM	181	17.7039
2024-08-22	12:49:46 PM	182	17.7014
2024-08-22	12:50:46 PM	183	17.6839
2024-08-22	12:51:46 PM	184	17.707
2024-08-22	12:52:46 PM	185	17.706
2024-08-22	12:53:46 PM	186	17.7044
2024-08-22	12:54:46 PM	187	17.7028
2024-08-22	12:55:46 PM	188	17.7009
2024-08-22	12:56:46 PM	189	17.6983
2024-08-22	12:57:46 PM	190	17.6961
2024-08-22	12:58:46 PM	191	17.6935
2024-08-22	12:59:46 PM	192	17.6935
2024-08-22	1:00:46 PM	193	17.6795
2024-08-22	1:01:46 PM	194	17.6972
2024-08-22	1:02:46 PM	195	17.6962
2024-08-22	1:03:46 PM	196	17.6957
2024-08-22	1:04:46 PM	197	17.6944
2024-08-22	1:05:46 PM	198	17.694
2024-08-22	1:06:46 PM	199	17.6928
2024-08-22	1:07:46 PM	200	17.6918
2024-08-22	1:08:46 PM	201	17.6903
2024-08-22	1:09:46 PM	202	17.6878
2024-08-22	1:10:46 PM	203	17.6738
2024-08-22	1:11:46 PM	204	17.6949

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	1:12:46 PM	205	17.6928
2024-08-22	1:13:46 PM	206	17.6912
2024-08-22	1:14:46 PM	207	17.69
2024-08-22	1:15:46 PM	208	17.6891
2024-08-22	1:16:46 PM	209	17.6876
2024-08-22	1:17:46 PM	210	17.6861
2024-08-22	1:18:46 PM	211	17.6838
2024-08-22	1:19:46 PM	212	17.6694
2024-08-22	1:20:46 PM	213	17.6885
2024-08-22	1:21:46 PM	214	17.6876
2024-08-22	1:22:46 PM	215	17.687
2024-08-22	1:23:46 PM	216	17.686
2024-08-22	1:24:46 PM	217	17.6853
2024-08-22	1:25:46 PM	218	17.6841
2024-08-22	1:26:46 PM	219	17.6829
2024-08-22	1:27:46 PM	220	17.6817
2024-08-22	1:28:46 PM	221	17.68
2024-08-22	1:29:46 PM	222	17.6778
2024-08-22	1:30:46 PM	223	17.6674
2024-08-22	1:31:46 PM	224	17.6724
2024-08-22	1:32:46 PM	225	17.6818
2024-08-22	1:33:46 PM	226	17.6809
2024-08-22	1:34:46 PM	227	17.6796
2024-08-22	1:35:46 PM	228	17.6788
2024-08-22	1:36:46 PM	229	17.6779
2024-08-22	1:37:46 PM	230	17.6763
2024-08-22	1:38:46 PM	231	17.674
2024-08-22	1:39:46 PM	232	17.6686
2024-08-22	1:40:46 PM	233	17.6683
2024-08-22	1:41:46 PM	234	17.6755
2024-08-22	1:42:46 PM	235	17.674
2024-08-22	1:43:46 PM	236	17.6731
2024-08-22	1:44:46 PM	237	17.6721
2024-08-22	1:45:46 PM	238	17.6713
2024-08-22	1:46:46 PM	239	17.6697
2024-08-22	1:47:46 PM	240	17.6676
2024-08-22	1:48:46 PM	241	17.6655
2024-08-22	1:49:46 PM	242	17.6632
2024-08-22	1:50:46 PM	243	17.6669
2024-08-22	1:51:46 PM	244	17.6482
2024-08-22	1:52:46 PM	245	17.6668
2024-08-22	1:53:46 PM	246	17.6659
2024-08-22	1:54:46 PM	247	17.6651
2024-08-22	1:55:46 PM	248	17.6641
2024-08-22	1:56:46 PM	249	17.663
2024-08-22	1:57:46 PM	250	17.6619
2024-08-22	1:58:46 PM	251	17.6602
2024-08-22	1:59:46 PM	252	17.6576
2024-08-22	2:00:46 PM	253	17.6419
2024-08-22	2:01:46 PM	254	17.6629
2024-08-22	2:02:46 PM	255	17.662
2024-08-22	2:03:46 PM	256	17.6612
2024-08-22	2:04:46 PM	257	17.6606
2024-08-22	2:05:46 PM	258	17.6596
2024-08-22	2:06:46 PM	259	17.6589
2024-08-22	2:07:46 PM	260	17.6585
2024-08-22	2:08:46 PM	261	17.6574
2024-08-22	2:09:46 PM	262	17.6552
2024-08-22	2:10:46 PM	263	17.6473
2024-08-22	2:11:46 PM	264	17.6615
2024-08-22	2:12:46 PM	265	17.6613
2024-08-22	2:13:46 PM	266	17.6614
2024-08-22	2:14:46 PM	267	17.661
2024-08-22	2:15:46 PM	268	17.6603
2024-08-22	2:16:46 PM	269	17.6597
2024-08-22	2:17:46 PM	270	17.6594
2024-08-22	2:18:46 PM	271	17.6585
2024-08-22	2:19:46 PM	272	17.6565
2024-08-22	2:20:46 PM	273	17.6494

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	2:21:46 PM	274	17.6625
2024-08-22	2:22:46 PM	275	17.6619
2024-08-22	2:23:46 PM	276	17.6614
2024-08-22	2:24:46 PM	277	17.6611
2024-08-22	2:25:46 PM	278	17.6607
2024-08-22	2:26:46 PM	279	17.6596
2024-08-22	2:27:46 PM	280	17.6586
2024-08-22	2:28:46 PM	281	17.6544
2024-08-22	2:29:46 PM	282	17.6442
2024-08-22	2:30:46 PM	283	17.663
2024-08-22	2:31:46 PM	284	17.663
2024-08-22	2:32:46 PM	285	17.6625
2024-08-22	2:33:46 PM	286	17.6625
2024-08-22	2:34:46 PM	287	17.6621
2024-08-22	2:35:46 PM	288	17.6619
2024-08-22	2:36:46 PM	289	17.6617
2024-08-22	2:37:46 PM	290	17.661
2024-08-22	2:38:46 PM	291	17.6596
2024-08-22	2:39:46 PM	292	17.6564
2024-08-22	2:40:46 PM	293	17.6459
2024-08-22	2:41:46 PM	294	17.6638
2024-08-22	2:42:46 PM	295	17.6636
2024-08-22	2:43:46 PM	296	17.6628
2024-08-22	2:44:46 PM	297	17.6624
2024-08-22	2:45:46 PM	298	17.6622
2024-08-22	2:46:46 PM	299	17.6627
2024-08-22	2:47:46 PM	300	17.6616
2024-08-22	2:48:46 PM	301	17.6603
2024-08-22	2:49:46 PM	302	17.6509
2024-08-22	2:50:46 PM	303	17.6666
2024-08-22	2:51:46 PM	304	17.6669
2024-08-22	2:52:46 PM	305	17.667
2024-08-22	2:53:46 PM	306	17.6673
2024-08-22	2:54:46 PM	307	17.6672
2024-08-22	2:55:46 PM	308	17.6673
2024-08-22	2:56:46 PM	309	17.6669
2024-08-22	2:57:46 PM	310	17.6667
2024-08-22	2:58:46 PM	311	17.6661
2024-08-22	2:59:46 PM	312	17.6644
2024-08-22	3:00:46 PM	313	17.6528
2024-08-22	3:01:46 PM	314	17.6539
2024-08-22	3:02:46 PM	315	17.6719
2024-08-22	3:03:46 PM	316	17.6716
2024-08-22	3:04:46 PM	317	17.6716
2024-08-22	3:05:46 PM	318	17.6722
2024-08-22	3:06:46 PM	319	17.6716
2024-08-22	3:07:46 PM	320	17.6708
2024-08-22	3:08:46 PM	321	17.6701
2024-08-22	3:09:46 PM	322	17.6501
2024-08-22	3:10:46 PM	323	17.6103
2024-08-22	3:11:46 PM	324	17.6488
2024-08-22	3:12:46 PM	325	17.6483
2024-08-22	3:13:46 PM	326	17.6496
2024-08-22	3:14:46 PM	327	17.6451
2024-08-22	3:15:46 PM	328	17.64
2024-08-22	3:16:46 PM	329	17.6587
2024-08-22	3:17:46 PM	330	17.6599
2024-08-22	3:18:46 PM	331	17.6595
2024-08-22	3:19:46 PM	332	17.6604
2024-08-22	3:20:46 PM	333	17.6608
2024-08-22	3:21:46 PM	334	17.6606
2024-08-22	3:22:46 PM	335	17.6597
2024-08-22	3:23:46 PM	336	17.6582
2024-08-22	3:24:46 PM	337	17.6567
2024-08-22	3:25:46 PM	338	17.6371
2024-08-22	3:26:46 PM	339	17.6539
2024-08-22	3:27:46 PM	340	17.6542
2024-08-22	3:28:46 PM	341	17.6453
2024-08-22	3:29:46 PM	342	17.6363

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	3:30:46 PM	343	17.6535
2024-08-22	3:31:46 PM	344	17.6542
2024-08-22	3:32:46 PM	345	17.6542
2024-08-22	3:33:46 PM	346	17.6538
2024-08-22	3:34:46 PM	347	17.6528
2024-08-22	3:35:46 PM	348	17.651
2024-08-22	3:36:46 PM	349	17.6492
2024-08-22	3:37:46 PM	350	17.6473
2024-08-22	3:38:46 PM	351	17.6264
2024-08-22	3:39:46 PM	352	17.6338
2024-08-22	3:40:46 PM	353	17.6516
2024-08-22	3:41:46 PM	354	17.6512
2024-08-22	3:42:46 PM	355	17.6508
2024-08-22	3:43:46 PM	356	17.648
2024-08-22	3:44:46 PM	357	17.648
2024-08-22	3:45:46 PM	358	17.6482
2024-08-22	3:46:46 PM	359	17.647
2024-08-22	3:47:46 PM	360	17.6452
2024-08-22	3:48:46 PM	361	17.6404
2024-08-22	3:49:46 PM	362	17.6269
2024-08-22	3:50:46 PM	363	17.6474
2024-08-22	3:51:46 PM	364	17.6465
2024-08-22	3:52:46 PM	365	17.6459
2024-08-22	3:53:46 PM	366	17.6449
2024-08-22	3:54:46 PM	367	17.6439
2024-08-22	3:55:46 PM	368	17.6428
2024-08-22	3:56:46 PM	369	17.6406
2024-08-22	3:57:46 PM	370	17.6352
2024-08-22	3:58:46 PM	371	17.6316
2024-08-22	3:59:46 PM	372	17.6435
2024-08-22	4:00:46 PM	373	17.6428
2024-08-22	4:01:46 PM	374	17.6419
2024-08-22	4:02:46 PM	375	17.6403
2024-08-22	4:03:46 PM	376	17.639
2024-08-22	4:04:46 PM	377	17.6376
2024-08-22	4:05:46 PM	378	17.6361
2024-08-22	4:06:46 PM	379	17.6346
2024-08-22	4:07:46 PM	380	17.6324
2024-08-22	4:08:46 PM	381	17.6268
2024-08-22	4:09:46 PM	382	17.6157
2024-08-22	4:10:46 PM	383	17.6348
2024-08-22	4:11:46 PM	384	17.6342
2024-08-22	4:12:46 PM	385	17.6334
2024-08-22	4:13:46 PM	386	17.632
2024-08-22	4:14:46 PM	387	17.6317
2024-08-22	4:15:46 PM	388	17.6307
2024-08-22	4:16:46 PM	389	17.629
2024-08-22	4:17:46 PM	390	17.6269
2024-08-22	4:18:46 PM	391	17.6239
2024-08-22	4:19:46 PM	392	17.6139
2024-08-22	4:20:46 PM	393	17.6288
2024-08-22	4:21:46 PM	394	17.6263
2024-08-22	4:22:46 PM	395	17.6252
2024-08-22	4:23:46 PM	396	17.6244
2024-08-22	4:24:46 PM	397	17.6239
2024-08-22	4:25:46 PM	398	17.6227
2024-08-22	4:26:46 PM	399	17.6222
2024-08-22	4:27:46 PM	400	17.6214
2024-08-22	4:28:46 PM	401	17.6186
2024-08-22	4:29:46 PM	402	17.6046
2024-08-22	4:30:46 PM	403	17.6262
2024-08-22	4:31:46 PM	404	17.6254
2024-08-22	4:32:46 PM	405	17.6251
2024-08-22	4:33:46 PM	406	17.6242
2024-08-22	4:34:46 PM	407	17.5884
2024-08-22	4:35:46 PM	408	17.6168
2024-08-22	4:36:46 PM	409	17.6184
2024-08-22	4:37:46 PM	410	17.6184
2024-08-22	4:38:46 PM	411	17.6182

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	4:39:46 PM	412	17.6178
2024-08-22	4:40:46 PM	413	17.6163
2024-08-22	4:41:46 PM	414	17.6143
2024-08-22	4:42:46 PM	415	17.6092
2024-08-22	4:43:46 PM	416	17.6199
2024-08-22	4:44:46 PM	417	17.6195
2024-08-22	4:45:46 PM	418	17.6187
2024-08-22	4:46:46 PM	419	17.6182
2024-08-22	4:47:46 PM	420	17.6183
2024-08-22	4:48:46 PM	421	17.6165
2024-08-22	4:49:46 PM	422	17.6148
2024-08-22	4:50:46 PM	423	17.613
2024-08-22	4:51:46 PM	424	17.5969
2024-08-22	4:52:46 PM	425	17.5985
2024-08-22	4:53:46 PM	426	17.5873
2024-08-22	4:54:46 PM	427	17.591
2024-08-22	4:55:46 PM	428	17.5937
2024-08-22	4:56:46 PM	429	17.5958
2024-08-22	4:57:46 PM	430	17.596
2024-08-22	4:58:46 PM	431	17.5961
2024-08-22	4:59:46 PM	432	17.5951
2024-08-22	5:00:46 PM	433	17.5805
2024-08-22	5:01:46 PM	434	17.6013
2024-08-22	5:02:46 PM	435	17.6007
2024-08-22	5:03:46 PM	436	17.6003
2024-08-22	5:04:46 PM	437	17.5999
2024-08-22	5:05:46 PM	438	17.5992
2024-08-22	5:06:46 PM	439	17.5988
2024-08-22	5:07:46 PM	440	17.5972
2024-08-22	5:08:46 PM	441	17.5887
2024-08-22	5:09:46 PM	442	17.5867
2024-08-22	5:10:46 PM	443	17.6021
2024-08-22	5:11:46 PM	444	17.6018
2024-08-22	5:12:46 PM	445	17.6019
2024-08-22	5:13:46 PM	446	17.5949
2024-08-22	5:14:46 PM	447	17.5752
2024-08-22	5:15:46 PM	448	17.6019
2024-08-22	5:16:46 PM	449	17.602
2024-08-22	5:17:46 PM	450	17.6022
2024-08-22	5:18:46 PM	451	17.6023
2024-08-22	5:19:46 PM	452	17.6021
2024-08-22	5:20:46 PM	453	17.6018
2024-08-22	5:21:46 PM	454	17.6012
2024-08-22	5:22:46 PM	455	17.6
2024-08-22	5:23:46 PM	456	17.5987
2024-08-22	5:24:46 PM	457	17.5907
2024-08-22	5:25:46 PM	458	17.6046
2024-08-22	5:26:46 PM	459	17.6041
2024-08-22	5:27:46 PM	460	17.6036
2024-08-22	5:28:46 PM	461	17.5834
2024-08-22	5:29:46 PM	462	17.5927
2024-08-22	5:30:46 PM	463	17.5936
2024-08-22	5:31:46 PM	464	17.5798
2024-08-22	5:32:46 PM	465	17.6005
2024-08-22	5:33:46 PM	466	17.6003
2024-08-22	5:34:46 PM	467	17.6001
2024-08-22	5:35:46 PM	468	17.5798
2024-08-22	5:36:46 PM	469	17.5954
2024-08-22	5:37:46 PM	470	17.5961
2024-08-22	5:38:46 PM	471	17.5962
2024-08-22	5:39:46 PM	472	17.5959
2024-08-22	5:40:46 PM	473	17.5943
2024-08-22	5:41:46 PM	474	17.5858
2024-08-22	5:42:46 PM	475	17.5864
2024-08-22	5:43:46 PM	476	17.5991
2024-08-22	5:44:46 PM	477	17.598
2024-08-22	5:45:46 PM	478	17.5978
2024-08-22	5:46:46 PM	479	17.5971
2024-08-22	5:47:46 PM	480	17.5963

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	5:48:46 PM	481	17.5947
2024-08-22	5:49:46 PM	482	17.5918
2024-08-22	5:50:46 PM	483	17.5821
2024-08-22	5:51:46 PM	484	17.5988
2024-08-22	5:52:46 PM	485	17.5989
2024-08-22	5:53:46 PM	486	17.5954
2024-08-22	5:54:46 PM	487	17.5953
2024-08-22	5:55:46 PM	488	17.5946
2024-08-22	5:56:46 PM	489	17.5935
2024-08-22	5:57:46 PM	490	17.5869
2024-08-22	5:58:46 PM	491	17.5903
2024-08-22	5:59:46 PM	492	17.599
2024-08-22	6:00:46 PM	493	17.5993
2024-08-22	6:01:46 PM	494	17.5994
2024-08-22	6:02:46 PM	495	17.5991
2024-08-22	6:03:46 PM	496	17.5987
2024-08-22	6:04:46 PM	497	17.5985
2024-08-22	6:05:46 PM	498	17.5977
2024-08-22	6:06:46 PM	499	17.588
2024-08-22	6:07:46 PM	500	17.6049
2024-08-22	6:08:46 PM	501	17.6034
2024-08-22	6:09:46 PM	502	17.6029
2024-08-22	6:10:46 PM	503	17.603
2024-08-22	6:11:46 PM	504	17.6028
2024-08-22	6:12:46 PM	505	17.6022
2024-08-22	6:13:46 PM	506	17.6019
2024-08-22	6:14:46 PM	507	17.6007
2024-08-22	6:15:46 PM	508	17.5924
2024-08-22	6:16:46 PM	509	17.5866
2024-08-22	6:17:46 PM	510	17.6064
2024-08-22	6:18:46 PM	511	17.6058
2024-08-22	6:19:46 PM	512	17.6057
2024-08-22	6:20:46 PM	513	17.6056
2024-08-22	6:21:46 PM	514	17.5866
2024-08-22	6:22:46 PM	515	17.5955
2024-08-22	6:23:46 PM	516	17.5957
2024-08-22	6:24:46 PM	517	17.5883
2024-08-22	6:25:46 PM	518	17.5856
2024-08-22	6:26:46 PM	519	17.6019
2024-08-22	6:27:46 PM	520	17.6015
2024-08-22	6:28:46 PM	521	17.6014
2024-08-22	6:29:46 PM	522	17.601
2024-08-22	6:30:46 PM	523	17.6005
2024-08-22	6:31:46 PM	524	17.5994
2024-08-22	6:32:46 PM	525	17.5978
2024-08-22	6:33:46 PM	526	17.5843
2024-08-22	6:34:46 PM	527	17.6031
2024-08-22	6:35:46 PM	528	17.6025
2024-08-22	6:36:46 PM	529	17.6022
2024-08-22	6:37:46 PM	530	17.6019
2024-08-22	6:38:46 PM	531	17.6015
2024-08-22	6:39:46 PM	532	17.6009
2024-08-22	6:40:46 PM	533	17.6001
2024-08-22	6:41:46 PM	534	17.6
2024-08-22	6:42:46 PM	535	17.5978
2024-08-22	6:43:46 PM	536	17.5908
2024-08-22	6:44:46 PM	537	17.6039
2024-08-22	6:45:46 PM	538	17.6041
2024-08-22	6:46:46 PM	539	17.6035
2024-08-22	6:47:46 PM	540	17.6033
2024-08-22	6:48:46 PM	541	17.6029
2024-08-22	6:49:46 PM	542	17.6025
2024-08-22	6:50:46 PM	543	17.6015
2024-08-22	6:51:46 PM	544	17.5985
2024-08-22	6:52:46 PM	545	17.5917
2024-08-22	6:53:46 PM	546	17.6065
2024-08-22	6:54:46 PM	547	17.6067
2024-08-22	6:55:46 PM	548	17.6067
2024-08-22	6:56:46 PM	549	17.6066

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	6:57:46 PM	550	17.6068
2024-08-22	6:58:46 PM	551	17.6061
2024-08-22	6:59:46 PM	552	17.6057
2024-08-22	7:00:46 PM	553	17.6042
2024-08-22	7:01:46 PM	554	17.5967
2024-08-22	7:02:46 PM	555	17.6099
2024-08-22	7:03:46 PM	556	17.6095
2024-08-22	7:04:46 PM	557	17.6096
2024-08-22	7:05:46 PM	558	17.6092
2024-08-22	7:06:46 PM	559	17.6093
2024-08-22	7:07:46 PM	560	17.6084
2024-08-22	7:08:46 PM	561	17.6074
2024-08-22	7:09:46 PM	562	17.6057
2024-08-22	7:10:46 PM	563	17.5935
2024-08-22	7:11:46 PM	564	17.6108
2024-08-22	7:12:46 PM	565	17.6104
2024-08-22	7:13:46 PM	566	17.6102
2024-08-22	7:14:46 PM	567	17.6096
2024-08-22	7:15:46 PM	568	17.6091
2024-08-22	7:16:46 PM	569	17.608
2024-08-22	7:17:46 PM	570	17.6076
2024-08-22	7:18:46 PM	571	17.6044
2024-08-22	7:19:46 PM	572	17.5986
2024-08-22	7:20:46 PM	573	17.6105
2024-08-22	7:21:46 PM	574	17.6108
2024-08-22	7:22:46 PM	575	17.6105
2024-08-22	7:23:46 PM	576	17.61
2024-08-22	7:24:46 PM	577	17.6091
2024-08-22	7:25:46 PM	578	17.6085
2024-08-22	7:26:46 PM	579	17.6081
2024-08-22	7:27:46 PM	580	17.6064
2024-08-22	7:28:46 PM	581	17.6037
2024-08-22	7:29:46 PM	582	17.5879
2024-08-22	7:30:46 PM	583	17.6111
2024-08-22	7:31:46 PM	584	17.6111
2024-08-22	7:32:46 PM	585	17.6113
2024-08-22	7:33:46 PM	586	17.6115
2024-08-22	7:34:46 PM	587	17.611
2024-08-22	7:35:46 PM	588	17.6108
2024-08-22	7:36:46 PM	589	17.6092
2024-08-22	7:37:46 PM	590	17.6097
2024-08-22	7:38:46 PM	591	17.6097
2024-08-22	7:39:46 PM	592	17.6039
2024-08-22	7:40:46 PM	593	17.592
2024-08-22	7:41:46 PM	594	17.6137
2024-08-22	7:42:46 PM	595	17.6143
2024-08-22	7:43:46 PM	596	17.6146
2024-08-22	7:44:46 PM	597	17.6148
2024-08-22	7:45:46 PM	598	17.6145
2024-08-22	7:46:46 PM	599	17.6143
2024-08-22	7:47:46 PM	600	17.613
2024-08-22	7:48:46 PM	601	17.6048
2024-08-22	7:49:46 PM	602	17.6018
2024-08-22	7:50:46 PM	603	17.6182
2024-08-22	7:51:46 PM	604	17.6181
2024-08-22	7:52:46 PM	605	17.618
2024-08-22	7:53:46 PM	606	17.6173
2024-08-22	7:54:46 PM	607	17.6167
2024-08-22	7:55:46 PM	608	17.6155
2024-08-22	7:56:46 PM	609	17.6141
2024-08-22	7:57:46 PM	610	17.602
2024-08-22	7:58:46 PM	611	17.6185
2024-08-22	7:59:46 PM	612	17.619
2024-08-22	8:00:46 PM	613	17.6183
2024-08-22	8:01:46 PM	614	17.6177
2024-08-22	8:02:46 PM	615	17.6176
2024-08-22	8:03:46 PM	616	17.6169
2024-08-22	8:04:46 PM	617	17.6165
2024-08-22	8:05:46 PM	618	17.6147

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	8:06:46 PM	619	17.6126
2024-08-22	8:07:46 PM	620	17.6039
2024-08-22	8:08:46 PM	621	17.6182
2024-08-22	8:09:46 PM	622	17.6182
2024-08-22	8:10:46 PM	623	17.6179
2024-08-22	8:11:46 PM	624	17.6175
2024-08-22	8:12:46 PM	625	17.6165
2024-08-22	8:13:46 PM	626	17.6161
2024-08-22	8:14:46 PM	627	17.6143
2024-08-22	8:15:46 PM	628	17.6144
2024-08-22	8:16:46 PM	629	17.621
2024-08-22	8:17:46 PM	630	17.6198
2024-08-22	8:18:46 PM	631	17.6198
2024-08-22	8:19:46 PM	632	17.6193
2024-08-22	8:20:46 PM	633	17.6192
2024-08-22	8:21:46 PM	634	17.6183
2024-08-22	8:22:46 PM	635	17.6177
2024-08-22	8:23:46 PM	636	17.616
2024-08-22	8:24:46 PM	637	17.608
2024-08-22	8:25:46 PM	638	17.6229
2024-08-22	8:26:46 PM	639	17.6227
2024-08-22	8:27:46 PM	640	17.6227
2024-08-22	8:28:46 PM	641	17.623
2024-08-22	8:29:46 PM	642	17.6228
2024-08-22	8:30:46 PM	643	17.6223
2024-08-22	8:31:46 PM	644	17.6221
2024-08-22	8:32:46 PM	645	17.6208
2024-08-22	8:33:46 PM	646	17.617
2024-08-22	8:34:46 PM	647	17.5998
2024-08-22	8:35:46 PM	648	17.6258
2024-08-22	8:36:46 PM	649	17.6258
2024-08-22	8:37:46 PM	650	17.6254
2024-08-22	8:38:46 PM	651	17.6248
2024-08-22	8:39:46 PM	652	17.624
2024-08-22	8:40:46 PM	653	17.6227
2024-08-22	8:41:46 PM	654	17.6202
2024-08-22	8:42:46 PM	655	17.6068
2024-08-22	8:43:46 PM	656	17.617
2024-08-22	8:44:46 PM	657	17.627
2024-08-22	8:45:46 PM	658	17.6232
2024-08-22	8:46:46 PM	659	17.6239
2024-08-22	8:47:46 PM	660	17.6233
2024-08-22	8:48:46 PM	661	17.6223
2024-08-22	8:49:46 PM	662	17.621
2024-08-22	8:50:46 PM	663	17.6198
2024-08-22	8:51:46 PM	664	17.6178
2024-08-22	8:52:46 PM	665	17.6185
2024-08-22	8:53:46 PM	666	17.6216
2024-08-22	8:54:46 PM	667	17.6215
2024-08-22	8:55:46 PM	668	17.6206
2024-08-22	8:56:46 PM	669	17.6199
2024-08-22	8:57:46 PM	670	17.619
2024-08-22	8:58:46 PM	671	17.6182
2024-08-22	8:59:46 PM	672	17.6166
2024-08-22	9:00:46 PM	673	17.6101
2024-08-22	9:01:46 PM	674	17.6055
2024-08-22	9:02:46 PM	675	17.62
2024-08-22	9:03:46 PM	676	17.6195
2024-08-22	9:04:46 PM	677	17.619
2024-08-22	9:05:46 PM	678	17.6187
2024-08-22	9:06:46 PM	679	17.6183
2024-08-22	9:07:46 PM	680	17.6176
2024-08-22	9:08:46 PM	681	17.6168
2024-08-22	9:09:46 PM	682	17.6157
2024-08-22	9:10:46 PM	683	17.6119
2024-08-22	9:11:46 PM	684	17.5799
2024-08-22	9:12:46 PM	685	17.6197
2024-08-22	9:13:46 PM	686	17.6194
2024-08-22	9:14:46 PM	687	17.6189

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	9:15:46 PM	688	17.6183
2024-08-22	9:16:46 PM	689	17.6177
2024-08-22	9:17:46 PM	690	17.617
2024-08-22	9:18:46 PM	691	17.6151
2024-08-22	9:19:46 PM	692	17.6094
2024-08-22	9:20:46 PM	693	17.6133
2024-08-22	9:21:46 PM	694	17.6181
2024-08-22	9:22:46 PM	695	17.6174
2024-08-22	9:23:46 PM	696	17.6167
2024-08-22	9:24:46 PM	697	17.6155
2024-08-22	9:25:46 PM	698	17.6148
2024-08-22	9:26:46 PM	699	17.6135
2024-08-22	9:27:46 PM	700	17.6124
2024-08-22	9:28:46 PM	701	17.6091
2024-08-22	9:29:46 PM	702	17.5965
2024-08-22	9:30:46 PM	703	17.6164
2024-08-22	9:31:46 PM	704	17.6151
2024-08-22	9:32:46 PM	705	17.6144
2024-08-22	9:33:46 PM	706	17.6149
2024-08-22	9:34:46 PM	707	17.6133
2024-08-22	9:35:46 PM	708	17.6118
2024-08-22	9:36:46 PM	709	17.6102
2024-08-22	9:37:46 PM	710	17.6068
2024-08-22	9:38:46 PM	711	17.5874
2024-08-22	9:39:46 PM	712	17.6121
2024-08-22	9:40:46 PM	713	17.6116
2024-08-22	9:41:46 PM	714	17.611
2024-08-22	9:42:46 PM	715	17.6105
2024-08-22	9:43:46 PM	716	17.6097
2024-08-22	9:44:46 PM	717	17.609
2024-08-22	9:45:46 PM	718	17.6077
2024-08-22	9:46:46 PM	719	17.604
2024-08-22	9:47:46 PM	720	17.5878
2024-08-22	9:48:46 PM	721	17.6125
2024-08-22	9:49:46 PM	722	17.6124
2024-08-22	9:50:46 PM	723	17.6124
2024-08-22	9:51:46 PM	724	17.6124
2024-08-22	9:52:46 PM	725	17.6125
2024-08-22	9:53:46 PM	726	17.6121
2024-08-22	9:54:46 PM	727	17.6115
2024-08-22	9:55:46 PM	728	17.6103
2024-08-22	9:56:46 PM	729	17.6029
2024-08-22	9:57:46 PM	730	17.6157
2024-08-22	9:58:46 PM	731	17.6157
2024-08-22	9:59:46 PM	732	17.6158
2024-08-22	10:00:46 PM	733	17.6157
2024-08-22	10:01:46 PM	734	17.615
2024-08-22	10:02:46 PM	735	17.6147
2024-08-22	10:03:46 PM	736	17.6137
2024-08-22	10:04:46 PM	737	17.6114
2024-08-22	10:05:46 PM	738	17.6112
2024-08-22	10:06:46 PM	739	17.6207
2024-08-22	10:07:46 PM	740	17.6183
2024-08-22	10:08:46 PM	741	17.618
2024-08-22	10:09:46 PM	742	17.6178
2024-08-22	10:10:46 PM	743	17.6174
2024-08-22	10:11:46 PM	744	17.6168
2024-08-22	10:12:46 PM	745	17.6159
2024-08-22	10:13:46 PM	746	17.6153
2024-08-22	10:14:46 PM	747	17.6138
2024-08-22	10:15:46 PM	748	17.6026
2024-08-22	10:16:46 PM	749	17.6181
2024-08-22	10:17:46 PM	750	17.6174
2024-08-22	10:18:46 PM	751	17.617
2024-08-22	10:19:46 PM	752	17.6162
2024-08-22	10:20:46 PM	753	17.6155
2024-08-22	10:21:46 PM	754	17.6143
2024-08-22	10:22:46 PM	755	17.6123
2024-08-22	10:23:46 PM	756	17.6101

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	10:24:46 PM	757	17.5907
2024-08-22	10:25:46 PM	758	17.6171
2024-08-22	10:26:46 PM	759	17.617
2024-08-22	10:27:46 PM	760	17.6167
2024-08-22	10:28:46 PM	761	17.6163
2024-08-22	10:29:46 PM	762	17.6162
2024-08-22	10:30:46 PM	763	17.6158
2024-08-22	10:31:46 PM	764	17.615
2024-08-22	10:32:46 PM	765	17.614
2024-08-22	10:33:46 PM	766	17.6099
2024-08-22	10:34:46 PM	767	17.6024
2024-08-22	10:35:46 PM	768	17.6191
2024-08-22	10:36:46 PM	769	17.6191
2024-08-22	10:37:46 PM	770	17.6191
2024-08-22	10:38:46 PM	771	17.619
2024-08-22	10:39:46 PM	772	17.6187
2024-08-22	10:40:46 PM	773	17.6178
2024-08-22	10:41:46 PM	774	17.6126
2024-08-22	10:42:46 PM	775	17.606
2024-08-22	10:43:46 PM	776	17.6235
2024-08-22	10:44:46 PM	777	17.6237
2024-08-22	10:45:46 PM	778	17.6234
2024-08-22	10:46:46 PM	779	17.6234
2024-08-22	10:47:46 PM	780	17.6235
2024-08-22	10:48:46 PM	781	17.6229
2024-08-22	10:49:46 PM	782	17.622
2024-08-22	10:50:46 PM	783	17.621
2024-08-22	10:51:46 PM	784	17.6226
2024-08-22	10:52:46 PM	785	17.6148
2024-08-22	10:53:46 PM	786	17.6263
2024-08-22	10:54:46 PM	787	17.6259
2024-08-22	10:55:46 PM	788	17.6254
2024-08-22	10:56:46 PM	789	17.6248
2024-08-22	10:57:46 PM	790	17.6245
2024-08-22	10:58:46 PM	791	17.6232
2024-08-22	10:59:46 PM	792	17.6216
2024-08-22	11:00:46 PM	793	17.6136
2024-08-22	11:01:46 PM	794	17.6263
2024-08-22	11:02:46 PM	795	17.6257
2024-08-22	11:03:46 PM	796	17.6256
2024-08-22	11:04:46 PM	797	17.625
2024-08-22	11:05:46 PM	798	17.6237
2024-08-22	11:06:46 PM	799	17.6225
2024-08-22	11:07:46 PM	800	17.6207
2024-08-22	11:08:46 PM	801	17.618
2024-08-22	11:09:46 PM	802	17.6126
2024-08-22	11:10:46 PM	803	17.5772
2024-08-22	11:11:46 PM	804	17.6186
2024-08-22	11:12:46 PM	805	17.6173
2024-08-22	11:13:46 PM	806	17.6157
2024-08-22	11:14:46 PM	807	17.6143
2024-08-22	11:15:46 PM	808	17.6138
2024-08-22	11:16:46 PM	809	17.6116
2024-08-22	11:17:46 PM	810	17.6094
2024-08-22	11:18:46 PM	811	17.6038
2024-08-22	11:19:46 PM	812	17.5953
2024-08-22	11:20:46 PM	813	17.6142
2024-08-22	11:21:46 PM	814	17.6142
2024-08-22	11:22:46 PM	815	17.6139
2024-08-22	11:23:46 PM	816	17.6139
2024-08-22	11:24:46 PM	817	17.6139
2024-08-22	11:25:46 PM	818	17.6134
2024-08-22	11:26:46 PM	819	17.6127
2024-08-22	11:27:46 PM	820	17.6113
2024-08-22	11:28:46 PM	821	17.6286
2024-08-22	11:29:46 PM	822	17.6046
2024-08-22	11:30:46 PM	823	17.6178
2024-08-22	11:31:46 PM	824	17.6179
2024-08-22	11:32:46 PM	825	17.6179

Data Logger Measurements
September 22 - 28, 2024

2024-08-22	11:33:46 PM	826	17.6175
2024-08-22	11:34:46 PM	827	17.6168
2024-08-22	11:35:46 PM	828	17.6161
2024-08-22	11:36:46 PM	829	17.6148
2024-08-22	11:37:46 PM	830	17.6127
2024-08-22	11:38:46 PM	831	17.6035
2024-08-22	11:39:46 PM	832	17.6194
2024-08-22	11:40:46 PM	833	17.6191
2024-08-22	11:41:46 PM	834	17.619
2024-08-22	11:42:46 PM	835	17.6188
2024-08-22	11:43:46 PM	836	17.5834
2024-08-22	11:44:46 PM	837	17.5832
2024-08-22	11:45:46 PM	838	17.6063
2024-08-22	11:46:46 PM	839	17.6068
2024-08-22	11:47:46 PM	840	17.5695
2024-08-22	11:48:46 PM	841	17.5842
2024-08-22	11:49:46 PM	842	17.5787
2024-08-22	11:50:46 PM	843	17.6014
2024-08-22	11:51:46 PM	844	17.6032
2024-08-22	11:52:46 PM	845	17.6046
2024-08-22	11:53:46 PM	846	17.6052
2024-08-22	11:54:46 PM	847	17.6057
2024-08-22	11:55:46 PM	848	17.6056
2024-08-22	11:56:46 PM	849	17.5991
2024-08-22	11:57:46 PM	850	17.5937
2024-08-22	11:58:46 PM	851	17.6076
2024-08-22	11:59:46 PM	852	17.6088
2024-08-23	12:00:46 AM	853	17.6097
2024-08-23	12:01:46 AM	854	17.6104
2024-08-23	12:02:46 AM	855	17.6105
2024-08-23	12:03:46 AM	856	17.6113
2024-08-23	12:04:46 AM	857	17.611
2024-08-23	12:05:46 AM	858	17.6107
2024-08-23	12:06:46 AM	859	17.606
2024-08-23	12:07:46 AM	860	17.6105
2024-08-23	12:08:46 AM	861	17.6173
2024-08-23	12:09:46 AM	862	17.6181
2024-08-23	12:10:46 AM	863	17.6182
2024-08-23	12:11:46 AM	864	17.6183
2024-08-23	12:12:46 AM	865	17.6181
2024-08-23	12:13:46 AM	866	17.6176
2024-08-23	12:14:46 AM	867	17.6163
2024-08-23	12:15:46 AM	868	17.613
2024-08-23	12:16:46 AM	869	17.6036
2024-08-23	12:17:46 AM	870	17.6196
2024-08-23	12:18:46 AM	871	17.6196
2024-08-23	12:19:46 AM	872	17.6194
2024-08-23	12:20:46 AM	873	17.6192
2024-08-23	12:21:46 AM	874	17.6189
2024-08-23	12:22:46 AM	875	17.6185
2024-08-23	12:23:46 AM	876	17.618
2024-08-23	12:24:46 AM	877	17.617
2024-08-23	12:25:46 AM	878	17.6106
2024-08-23	12:26:46 AM	879	17.6087
2024-08-23	12:27:46 AM	880	17.6227
2024-08-23	12:28:46 AM	881	17.6226
2024-08-23	12:29:46 AM	882	17.6226
2024-08-23	12:30:46 AM	883	17.6224
2024-08-23	12:31:46 AM	884	17.6221
2024-08-23	12:32:46 AM	885	17.6216
2024-08-23	12:33:46 AM	886	17.62
2024-08-23	12:34:46 AM	887	17.6116
2024-08-23	12:35:46 AM	888	17.6251
2024-08-23	12:36:46 AM	889	17.6247
2024-08-23	12:37:46 AM	890	17.6238
2024-08-23	12:38:46 AM	891	17.6244
2024-08-23	12:39:46 AM	892	17.624
2024-08-23	12:40:46 AM	893	17.6236
2024-08-23	12:41:46 AM	894	17.6234

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	12:42:46 AM	895	17.6218
2024-08-23	12:43:46 AM	896	17.6185
2024-08-23	12:44:46 AM	897	17.6022
2024-08-23	12:45:46 AM	898	17.6271
2024-08-23	12:46:46 AM	899	17.6273
2024-08-23	12:47:46 AM	900	17.6273
2024-08-23	12:48:46 AM	901	17.6271
2024-08-23	12:49:46 AM	902	17.6271
2024-08-23	12:50:46 AM	903	17.6269
2024-08-23	12:51:46 AM	904	17.6261
2024-08-23	12:52:46 AM	905	17.6228
2024-08-23	12:53:46 AM	906	17.6086
2024-08-23	12:54:46 AM	907	17.6313
2024-08-23	12:55:46 AM	908	17.632
2024-08-23	12:56:46 AM	909	17.6321
2024-08-23	12:57:46 AM	910	17.6326
2024-08-23	12:58:46 AM	911	17.6326
2024-08-23	12:59:46 AM	912	17.6327
2024-08-23	1:00:46 AM	913	17.6317
2024-08-23	1:01:46 AM	914	17.6301
2024-08-23	1:02:46 AM	915	17.6222
2024-08-23	1:03:46 AM	916	17.6371
2024-08-23	1:04:46 AM	917	17.6372
2024-08-23	1:05:46 AM	918	17.6371
2024-08-23	1:06:46 AM	919	17.637
2024-08-23	1:07:46 AM	920	17.6372
2024-08-23	1:08:46 AM	921	17.6366
2024-08-23	1:09:46 AM	922	17.6355
2024-08-23	1:10:46 AM	923	17.6325
2024-08-23	1:11:46 AM	924	17.6201
2024-08-23	1:12:46 AM	925	17.6398
2024-08-23	1:13:46 AM	926	17.6394
2024-08-23	1:14:46 AM	927	17.6389
2024-08-23	1:15:46 AM	928	17.6386
2024-08-23	1:16:46 AM	929	17.6381
2024-08-23	1:17:46 AM	930	17.6373
2024-08-23	1:18:46 AM	931	17.6356
2024-08-23	1:19:46 AM	932	17.6296
2024-08-23	1:20:46 AM	933	17.6275
2024-08-23	1:21:46 AM	934	17.6401
2024-08-23	1:22:46 AM	935	17.6399
2024-08-23	1:23:46 AM	936	17.64
2024-08-23	1:24:46 AM	937	17.6395
2024-08-23	1:25:46 AM	938	17.6393
2024-08-23	1:26:46 AM	939	17.6385
2024-08-23	1:27:46 AM	940	17.6369
2024-08-23	1:28:46 AM	941	17.6308
2024-08-23	1:29:46 AM	942	17.624
2024-08-23	1:30:46 AM	943	17.6423
2024-08-23	1:31:46 AM	944	17.642
2024-08-23	1:32:46 AM	945	17.6418
2024-08-23	1:33:46 AM	946	17.6421
2024-08-23	1:34:46 AM	947	17.6417
2024-08-23	1:35:46 AM	948	17.6411
2024-08-23	1:36:46 AM	949	17.6405
2024-08-23	1:37:46 AM	950	17.638
2024-08-23	1:38:46 AM	951	17.6277
2024-08-23	1:39:46 AM	952	17.6467
2024-08-23	1:40:46 AM	953	17.6467
2024-08-23	1:41:46 AM	954	17.5574
2024-08-23	1:42:46 AM	955	17.5192
2024-08-23	1:43:46 AM	956	17.4945
2024-08-23	1:44:46 AM	957	17.4716
2024-08-23	1:45:46 AM	958	17.4642
2024-08-23	1:46:46 AM	959	17.4457
2024-08-23	1:47:46 AM	960	17.4325
2024-08-23	1:48:46 AM	961	17.4197
2024-08-23	1:49:46 AM	962	17.4176
2024-08-23	1:50:46 AM	963	17.4017

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	1:51:46 AM	964	17.3953
2024-08-23	1:52:46 AM	965	17.3855
2024-08-23	1:53:46 AM	966	17.3722
2024-08-23	1:54:46 AM	967	17.3715
2024-08-23	1:55:46 AM	968	17.3597
2024-08-23	1:56:46 AM	969	17.4419
2024-08-23	1:57:46 AM	970	17.4573
2024-08-23	1:58:46 AM	971	17.4851
2024-08-23	1:59:46 AM	972	17.5008
2024-08-23	2:00:46 AM	973	17.5128
2024-08-23	2:01:46 AM	974	17.5085
2024-08-23	2:02:46 AM	975	17.525
2024-08-23	2:03:46 AM	976	17.5338
2024-08-23	2:04:46 AM	977	17.5407
2024-08-23	2:05:46 AM	978	17.5315
2024-08-23	2:06:46 AM	979	17.547
2024-08-23	2:07:46 AM	980	17.553
2024-08-23	2:08:46 AM	981	17.5582
2024-08-23	2:09:46 AM	982	17.5488
2024-08-23	2:10:46 AM	983	17.5617
2024-08-23	2:11:46 AM	984	17.5662
2024-08-23	2:12:46 AM	985	17.5703
2024-08-23	2:13:46 AM	986	17.5653
2024-08-23	2:14:46 AM	987	17.5729
2024-08-23	2:15:46 AM	988	17.577
2024-08-23	2:16:46 AM	989	17.58
2024-08-23	2:17:46 AM	990	17.5758
2024-08-23	2:18:46 AM	991	17.5802
2024-08-23	2:19:46 AM	992	17.5835
2024-08-23	2:20:46 AM	993	17.5869
2024-08-23	2:21:46 AM	994	17.5754
2024-08-23	2:22:46 AM	995	17.5844
2024-08-23	2:23:46 AM	996	17.5906
2024-08-23	2:24:46 AM	997	17.5936
2024-08-23	2:25:46 AM	998	17.5734
2024-08-23	2:26:46 AM	999	17.5936
2024-08-23	2:27:46 AM	1000	17.5972
2024-08-23	2:28:46 AM	1001	17.5998
2024-08-23	2:29:46 AM	1002	17.5833
2024-08-23	2:30:46 AM	1003	17.5986
2024-08-23	2:31:46 AM	1004	17.6018
2024-08-23	2:32:46 AM	1005	17.6037
2024-08-23	2:33:46 AM	1006	17.5941
2024-08-23	2:34:46 AM	1007	17.6008
2024-08-23	2:35:46 AM	1008	17.6048
2024-08-23	2:36:46 AM	1009	17.517
2024-08-23	2:37:46 AM	1010	17.4895
2024-08-23	2:38:46 AM	1011	17.4597
2024-08-23	2:39:46 AM	1012	17.4419
2024-08-23	2:40:46 AM	1013	17.4258
2024-08-23	2:41:46 AM	1014	17.492
2024-08-23	2:42:46 AM	1015	17.512
2024-08-23	2:43:46 AM	1016	17.5212
2024-08-23	2:44:46 AM	1017	17.5217
2024-08-23	2:45:46 AM	1018	17.5538
2024-08-23	2:46:46 AM	1019	17.5601
2024-08-23	2:47:46 AM	1020	17.5652
2024-08-23	2:48:46 AM	1021	17.5692
2024-08-23	2:49:46 AM	1022	17.5725
2024-08-23	2:50:46 AM	1023	17.5753
2024-08-23	2:51:46 AM	1024	17.5777
2024-08-23	2:52:46 AM	1025	17.5798
2024-08-23	2:53:46 AM	1026	17.5803
2024-08-23	2:54:46 AM	1027	17.5806
2024-08-23	2:55:46 AM	1028	17.5928
2024-08-23	2:56:46 AM	1029	17.5722
2024-08-23	2:57:46 AM	1030	17.5924
2024-08-23	2:58:46 AM	1031	17.5934
2024-08-23	2:59:46 AM	1032	17.5951

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	3:00:46 AM	1033	17.5962
2024-08-23	3:01:46 AM	1034	17.5973
2024-08-23	3:02:46 AM	1035	17.5983
2024-08-23	3:03:46 AM	1036	17.5992
2024-08-23	3:04:46 AM	1037	17.6002
2024-08-23	3:05:46 AM	1038	17.6006
2024-08-23	3:06:46 AM	1039	17.6015
2024-08-23	3:07:46 AM	1040	17.5997
2024-08-23	3:08:46 AM	1041	17.5947
2024-08-23	3:09:46 AM	1042	17.6106
2024-08-23	3:10:46 AM	1043	17.6116
2024-08-23	3:11:46 AM	1044	17.6123
2024-08-23	3:12:46 AM	1045	17.6132
2024-08-23	3:13:46 AM	1046	17.6141
2024-08-23	3:14:46 AM	1047	17.6146
2024-08-23	3:15:46 AM	1048	17.6153
2024-08-23	3:16:46 AM	1049	17.6151
2024-08-23	3:17:46 AM	1050	17.6148
2024-08-23	3:18:46 AM	1051	17.6104
2024-08-23	3:19:46 AM	1052	17.6142
2024-08-23	3:20:46 AM	1053	17.6229
2024-08-23	3:21:46 AM	1054	17.6232
2024-08-23	3:22:46 AM	1055	17.6237
2024-08-23	3:23:46 AM	1056	17.6243
2024-08-23	3:24:46 AM	1057	17.6245
2024-08-23	3:25:46 AM	1058	17.6248
2024-08-23	3:26:46 AM	1059	17.6246
2024-08-23	3:27:46 AM	1060	17.6237
2024-08-23	3:28:46 AM	1061	17.6228
2024-08-23	3:29:46 AM	1062	17.614
2024-08-23	3:30:46 AM	1063	17.6299
2024-08-23	3:31:46 AM	1064	17.63
2024-08-23	3:32:46 AM	1065	17.6305
2024-08-23	3:33:46 AM	1066	17.6298
2024-08-23	3:34:46 AM	1067	17.6289
2024-08-23	3:35:46 AM	1068	17.6285
2024-08-23	3:36:46 AM	1069	17.6283
2024-08-23	3:37:46 AM	1070	17.6278
2024-08-23	3:38:46 AM	1071	17.6268
2024-08-23	3:39:46 AM	1072	17.6196
2024-08-23	3:40:46 AM	1073	17.6285
2024-08-23	3:41:46 AM	1074	17.6337
2024-08-23	3:42:46 AM	1075	17.6342
2024-08-23	3:43:46 AM	1076	17.6345
2024-08-23	3:44:46 AM	1077	17.6341
2024-08-23	3:45:46 AM	1078	17.6335
2024-08-23	3:46:46 AM	1079	17.633
2024-08-23	3:47:46 AM	1080	17.632
2024-08-23	3:48:46 AM	1081	17.6285
2024-08-23	3:49:46 AM	1082	17.6166
2024-08-23	3:50:46 AM	1083	17.636
2024-08-23	3:51:46 AM	1084	17.6362
2024-08-23	3:52:46 AM	1085	17.6366
2024-08-23	3:53:46 AM	1086	17.6364
2024-08-23	3:54:46 AM	1087	17.6352
2024-08-23	3:55:46 AM	1088	17.6336
2024-08-23	3:56:46 AM	1089	17.633
2024-08-23	3:57:46 AM	1090	17.6325
2024-08-23	3:58:46 AM	1091	17.6315
2024-08-23	3:59:46 AM	1092	17.6269
2024-08-23	4:00:46 AM	1093	17.6213
2024-08-23	4:01:46 AM	1094	17.6374
2024-08-23	4:02:46 AM	1095	17.6378
2024-08-23	4:03:46 AM	1096	17.6383
2024-08-23	4:04:46 AM	1097	17.6387
2024-08-23	4:05:46 AM	1098	17.6388
2024-08-23	4:06:46 AM	1099	17.6387
2024-08-23	4:07:46 AM	1100	17.6382
2024-08-23	4:08:46 AM	1101	17.6374

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	4:09:46 AM	1102	17.6352
2024-08-23	4:10:46 AM	1103	17.6214
2024-08-23	4:11:46 AM	1104	17.6437
2024-08-23	4:12:46 AM	1105	17.6435
2024-08-23	4:13:46 AM	1106	17.6436
2024-08-23	4:14:46 AM	1107	17.6436
2024-08-23	4:15:46 AM	1108	17.6435
2024-08-23	4:16:46 AM	1109	17.643
2024-08-23	4:17:46 AM	1110	17.6424
2024-08-23	4:18:46 AM	1111	17.6414
2024-08-23	4:19:46 AM	1112	17.6401
2024-08-23	4:20:46 AM	1113	17.63
2024-08-23	4:21:46 AM	1114	17.6299
2024-08-23	4:22:46 AM	1115	17.6446
2024-08-23	4:23:46 AM	1116	17.6446
2024-08-23	4:24:46 AM	1117	17.6441
2024-08-23	4:25:46 AM	1118	17.6438
2024-08-23	4:26:46 AM	1119	17.6433
2024-08-23	4:27:46 AM	1120	17.6427
2024-08-23	4:28:46 AM	1121	17.6413
2024-08-23	4:29:46 AM	1122	17.6394
2024-08-23	4:30:46 AM	1123	17.6303
2024-08-23	4:31:46 AM	1124	17.6359
2024-08-23	4:32:46 AM	1125	17.6467
2024-08-23	4:33:46 AM	1126	17.6467
2024-08-23	4:34:46 AM	1127	17.6467
2024-08-23	4:35:46 AM	1128	17.6464
2024-08-23	4:36:46 AM	1129	17.6461
2024-08-23	4:37:46 AM	1130	17.646
2024-08-23	4:38:46 AM	1131	17.6454
2024-08-23	4:39:46 AM	1132	17.6439
2024-08-23	4:40:46 AM	1133	17.6289
2024-08-23	4:41:46 AM	1134	17.6508
2024-08-23	4:42:46 AM	1135	17.6508
2024-08-23	4:43:46 AM	1136	17.6501
2024-08-23	4:44:46 AM	1137	17.6505
2024-08-23	4:45:46 AM	1138	17.6503
2024-08-23	4:46:46 AM	1139	17.6503
2024-08-23	4:47:46 AM	1140	17.6494
2024-08-23	4:48:46 AM	1141	17.6488
2024-08-23	4:49:46 AM	1142	17.646
2024-08-23	4:50:46 AM	1143	17.6319
2024-08-23	4:51:46 AM	1144	17.6384
2024-08-23	4:52:46 AM	1145	17.6534
2024-08-23	4:53:46 AM	1146	17.6532
2024-08-23	4:54:46 AM	1147	17.6535
2024-08-23	4:55:46 AM	1148	17.6533
2024-08-23	4:56:46 AM	1149	17.6523
2024-08-23	4:57:46 AM	1150	17.6514
2024-08-23	4:58:46 AM	1151	17.6508
2024-08-23	4:59:46 AM	1152	17.6489
2024-08-23	5:00:46 AM	1153	17.6373
2024-08-23	5:01:46 AM	1154	17.6536
2024-08-23	5:02:46 AM	1155	17.6537
2024-08-23	5:03:46 AM	1156	17.653
2024-08-23	5:04:46 AM	1157	17.6519
2024-08-23	5:05:46 AM	1158	17.6514
2024-08-23	5:06:46 AM	1159	17.6503
2024-08-23	5:07:46 AM	1160	17.6494
2024-08-23	5:08:46 AM	1161	17.6476
2024-08-23	5:09:46 AM	1162	17.6449
2024-08-23	5:10:46 AM	1163	17.6382
2024-08-23	5:11:46 AM	1164	17.6382
2024-08-23	5:12:46 AM	1165	17.6492
2024-08-23	5:13:46 AM	1166	17.6485
2024-08-23	5:14:46 AM	1167	17.6475
2024-08-23	5:15:46 AM	1168	17.6465
2024-08-23	5:16:46 AM	1169	17.6459
2024-08-23	5:17:46 AM	1170	17.6446

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	5:18:46 AM	1171	17.643
2024-08-23	5:19:46 AM	1172	17.6378
2024-08-23	5:20:46 AM	1173	17.6402
2024-08-23	5:21:46 AM	1174	17.6462
2024-08-23	5:22:46 AM	1175	17.6456
2024-08-23	5:23:46 AM	1176	17.6449
2024-08-23	5:24:46 AM	1177	17.6446
2024-08-23	5:25:46 AM	1178	17.6441
2024-08-23	5:26:46 AM	1179	17.6434
2024-08-23	5:27:46 AM	1180	17.6422
2024-08-23	5:28:46 AM	1181	17.6404
2024-08-23	5:29:46 AM	1182	17.6311
2024-08-23	5:30:46 AM	1183	17.6309
2024-08-23	5:31:46 AM	1184	17.6439
2024-08-23	5:32:46 AM	1185	17.6428
2024-08-23	5:33:46 AM	1186	17.6422
2024-08-23	5:34:46 AM	1187	17.6413
2024-08-23	5:35:46 AM	1188	17.6402
2024-08-23	5:36:46 AM	1189	17.6393
2024-08-23	5:37:46 AM	1190	17.6366
2024-08-23	5:38:46 AM	1191	17.6334
2024-08-23	5:39:46 AM	1192	17.6392
2024-08-23	5:40:46 AM	1193	17.6388
2024-08-23	5:41:46 AM	1194	17.6379
2024-08-23	5:42:46 AM	1195	17.6365
2024-08-23	5:43:46 AM	1196	17.6361
2024-08-23	5:44:46 AM	1197	17.6346
2024-08-23	5:45:46 AM	1198	17.6331
2024-08-23	5:46:46 AM	1199	17.6315
2024-08-23	5:47:46 AM	1200	17.6297
2024-08-23	5:48:46 AM	1201	17.6214
2024-08-23	5:49:46 AM	1202	17.6196
2024-08-23	5:50:46 AM	1203	17.6321
2024-08-23	5:51:46 AM	1204	17.6317
2024-08-23	5:52:46 AM	1205	17.6308
2024-08-23	5:53:46 AM	1206	17.6303
2024-08-23	5:54:46 AM	1207	17.6311
2024-08-23	5:55:46 AM	1208	17.6265
2024-08-23	5:56:46 AM	1209	17.6248
2024-08-23	5:57:46 AM	1210	17.6155
2024-08-23	5:58:46 AM	1211	17.6197
2024-08-23	5:59:46 AM	1212	17.628
2024-08-23	6:00:46 AM	1213	17.6275
2024-08-23	6:01:46 AM	1214	17.6266
2024-08-23	6:02:46 AM	1215	17.6264
2024-08-23	6:03:46 AM	1216	17.6255
2024-08-23	6:04:46 AM	1217	17.6248
2024-08-23	6:05:46 AM	1218	17.6245
2024-08-23	6:06:46 AM	1219	17.6234
2024-08-23	6:07:46 AM	1220	17.6214
2024-08-23	6:08:46 AM	1221	17.5981
2024-08-23	6:09:46 AM	1222	17.6294
2024-08-23	6:10:46 AM	1223	17.6288
2024-08-23	6:11:46 AM	1224	17.629
2024-08-23	6:12:46 AM	1225	17.6292
2024-08-23	6:13:46 AM	1226	17.6286
2024-08-23	6:14:46 AM	1227	17.63
2024-08-23	6:15:46 AM	1228	17.6267
2024-08-23	6:16:46 AM	1229	17.6251
2024-08-23	6:17:46 AM	1230	17.6227
2024-08-23	6:18:46 AM	1231	17.6289
2024-08-23	6:19:46 AM	1232	17.5996
2024-08-23	6:20:46 AM	1233	17.596
2024-08-23	6:21:46 AM	1234	17.6219
2024-08-23	6:22:46 AM	1235	17.6242
2024-08-23	6:23:46 AM	1236	17.6264
2024-08-23	6:24:46 AM	1237	17.5966
2024-08-23	6:25:46 AM	1238	17.596
2024-08-23	6:26:46 AM	1239	17.6002

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	6:27:46 AM	1240	17.6037
2024-08-23	6:28:46 AM	1241	17.5832
2024-08-23	6:29:46 AM	1242	17.6031
2024-08-23	6:30:46 AM	1243	17.6064
2024-08-23	6:31:46 AM	1244	17.6082
2024-08-23	6:32:46 AM	1245	17.6093
2024-08-23	6:33:46 AM	1246	17.6039
2024-08-23	6:34:46 AM	1247	17.6103
2024-08-23	6:35:46 AM	1248	17.5917
2024-08-23	6:36:46 AM	1249	17.6112
2024-08-23	6:37:46 AM	1250	17.6152
2024-08-23	6:38:46 AM	1251	17.6174
2024-08-23	6:39:46 AM	1252	17.6169
2024-08-23	6:40:46 AM	1253	17.6185
2024-08-23	6:41:46 AM	1254	17.6194
2024-08-23	6:42:46 AM	1255	17.6203
2024-08-23	6:43:46 AM	1256	17.6226
2024-08-23	6:44:46 AM	1257	17.6166
2024-08-23	6:45:46 AM	1258	17.6044
2024-08-23	6:46:46 AM	1259	17.6158
2024-08-23	6:47:46 AM	1260	17.6059
2024-08-23	6:48:46 AM	1261	17.6193
2024-08-23	6:49:46 AM	1262	17.5878
2024-08-23	6:50:46 AM	1263	17.5678
2024-08-23	6:51:46 AM	1264	17.5483
2024-08-23	6:52:46 AM	1265	17.5383
2024-08-23	6:53:46 AM	1266	17.5178
2024-08-23	6:54:46 AM	1267	17.5219
2024-08-23	6:55:46 AM	1268	17.5157
2024-08-23	6:56:46 AM	1269	17.5104
2024-08-23	6:57:46 AM	1270	17.4963
2024-08-23	6:58:46 AM	1271	17.4875
2024-08-23	6:59:46 AM	1272	17.4902
2024-08-23	7:00:46 AM	1273	17.4907
2024-08-23	7:01:46 AM	1274	17.4928
2024-08-23	7:02:46 AM	1275	17.4806
2024-08-23	7:03:46 AM	1276	17.4736
2024-08-23	7:04:46 AM	1277	17.4698
2024-08-23	7:05:46 AM	1278	17.4644
2024-08-23	7:06:46 AM	1279	17.4802
2024-08-23	7:07:46 AM	1280	17.521
2024-08-23	7:08:46 AM	1281	17.5352
2024-08-23	7:09:46 AM	1282	17.5452
2024-08-23	7:10:46 AM	1283	17.5533
2024-08-23	7:11:46 AM	1284	17.5601
2024-08-23	7:12:46 AM	1285	17.5655
2024-08-23	7:13:46 AM	1286	17.5518
2024-08-23	7:14:46 AM	1287	17.56
2024-08-23	7:15:46 AM	1288	17.5731
2024-08-23	7:16:46 AM	1289	17.5784
2024-08-23	7:17:46 AM	1290	17.5814
2024-08-23	7:18:46 AM	1291	17.584
2024-08-23	7:19:46 AM	1292	17.587
2024-08-23	7:20:46 AM	1293	17.5889
2024-08-23	7:21:46 AM	1294	17.5908
2024-08-23	7:22:46 AM	1295	17.5638
2024-08-23	7:23:46 AM	1296	17.5913
2024-08-23	7:24:46 AM	1297	17.5942
2024-08-23	7:25:46 AM	1298	17.5966
2024-08-23	7:26:46 AM	1299	17.5986
2024-08-23	7:27:46 AM	1300	17.5947
2024-08-23	7:28:46 AM	1301	17.5939
2024-08-23	7:29:46 AM	1302	17.5976
2024-08-23	7:30:46 AM	1303	17.612
2024-08-23	7:31:46 AM	1304	17.614
2024-08-23	7:32:46 AM	1305	17.6158
2024-08-23	7:33:46 AM	1306	17.6176
2024-08-23	7:34:46 AM	1307	17.6194
2024-08-23	7:35:46 AM	1308	17.6209

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	7:36:46 AM	1309	17.6219
2024-08-23	7:37:46 AM	1310	17.6228
2024-08-23	7:38:46 AM	1311	17.6239
2024-08-23	7:39:46 AM	1312	17.6216
2024-08-23	7:40:46 AM	1313	17.6247
2024-08-23	7:41:46 AM	1314	17.6333
2024-08-23	7:42:46 AM	1315	17.635
2024-08-23	7:43:46 AM	1316	17.6365
2024-08-23	7:44:46 AM	1317	17.6381
2024-08-23	7:45:46 AM	1318	17.64
2024-08-23	7:46:46 AM	1319	17.6412
2024-08-23	7:47:46 AM	1320	17.6421
2024-08-23	7:48:46 AM	1321	17.6432
2024-08-23	7:49:46 AM	1322	17.6442
2024-08-23	7:50:46 AM	1323	17.6433
2024-08-23	7:51:46 AM	1324	17.6242
2024-08-23	7:52:46 AM	1325	17.6401
2024-08-23	7:53:46 AM	1326	17.6542
2024-08-23	7:54:46 AM	1327	17.6548
2024-08-23	7:55:46 AM	1328	17.6563
2024-08-23	7:56:46 AM	1329	17.6573
2024-08-23	7:57:46 AM	1330	17.6584
2024-08-23	7:58:46 AM	1331	17.6592
2024-08-23	7:59:46 AM	1332	17.6602
2024-08-23	8:00:46 AM	1333	17.6599
2024-08-23	8:01:46 AM	1334	17.6512
2024-08-23	8:02:46 AM	1335	17.6546
2024-08-23	8:03:46 AM	1336	17.6698
2024-08-23	8:04:46 AM	1337	17.6713
2024-08-23	8:05:46 AM	1338	17.6726
2024-08-23	8:06:46 AM	1339	17.6744
2024-08-23	8:07:46 AM	1340	17.6756
2024-08-23	8:08:46 AM	1341	17.6767
2024-08-23	8:09:46 AM	1342	17.6778
2024-08-23	8:10:46 AM	1343	17.679
2024-08-23	8:11:46 AM	1344	17.6792
2024-08-23	8:12:46 AM	1345	17.679
2024-08-23	8:13:46 AM	1346	17.6904
2024-08-23	8:14:46 AM	1347	17.6447
2024-08-23	8:15:46 AM	1348	17.6625
2024-08-23	8:16:46 AM	1349	17.6679
2024-08-23	8:17:46 AM	1350	17.6717
2024-08-23	8:18:46 AM	1351	17.6751
2024-08-23	8:19:46 AM	1352	17.678
2024-08-23	8:20:46 AM	1353	17.6799
2024-08-23	8:21:46 AM	1354	17.6816
2024-08-23	8:22:46 AM	1355	17.6827
2024-08-23	8:23:46 AM	1356	17.6854
2024-08-23	8:24:46 AM	1357	17.6661
2024-08-23	8:25:46 AM	1358	17.695
2024-08-23	8:26:46 AM	1359	17.6965
2024-08-23	8:27:46 AM	1360	17.6981
2024-08-23	8:28:46 AM	1361	17.6992
2024-08-23	8:29:46 AM	1362	17.7002
2024-08-23	8:30:46 AM	1363	17.7012
2024-08-23	8:31:46 AM	1364	17.7021
2024-08-23	8:32:46 AM	1365	17.7029
2024-08-23	8:33:46 AM	1366	17.7024
2024-08-23	8:34:46 AM	1367	17.7031
2024-08-23	8:35:46 AM	1368	17.6925
2024-08-23	8:36:46 AM	1369	17.7109
2024-08-23	8:37:46 AM	1370	17.7122
2024-08-23	8:38:46 AM	1371	17.7134
2024-08-23	8:39:46 AM	1372	17.7144
2024-08-23	8:40:46 AM	1373	17.7147
2024-08-23	8:41:46 AM	1374	17.7158
2024-08-23	8:42:46 AM	1375	17.7159
2024-08-23	8:43:46 AM	1376	17.7159
2024-08-23	8:44:46 AM	1377	17.7156

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	8:45:46 AM	1378	17.7047
2024-08-23	8:46:46 AM	1379	17.7261
2024-08-23	8:47:46 AM	1380	17.7273
2024-08-23	8:48:46 AM	1381	17.7285
2024-08-23	8:49:46 AM	1382	17.7296
2024-08-23	8:50:46 AM	1383	17.7306
2024-08-23	8:51:46 AM	1384	17.7312
2024-08-23	8:52:46 AM	1385	17.7325
2024-08-23	8:53:46 AM	1386	17.7327
2024-08-23	8:54:46 AM	1387	17.7331
2024-08-23	8:55:46 AM	1388	17.7303
2024-08-23	8:56:46 AM	1389	17.7203
2024-08-23	8:57:46 AM	1390	17.739
2024-08-23	8:58:46 AM	1391	17.7417
2024-08-23	8:59:46 AM	1392	17.7423
2024-08-23	9:00:46 AM	1393	17.7431
2024-08-23	9:01:46 AM	1394	17.7435
2024-08-23	9:02:46 AM	1395	17.7441
2024-08-23	9:03:46 AM	1396	17.7435
2024-08-23	9:04:46 AM	1397	17.7411
2024-08-23	9:05:46 AM	1398	17.7299
2024-08-23	9:06:46 AM	1399	17.7412
2024-08-23	9:07:46 AM	1400	17.7524
2024-08-23	9:08:46 AM	1401	17.7529
2024-08-23	9:09:46 AM	1402	17.7537
2024-08-23	9:10:46 AM	1403	17.7549
2024-08-23	9:11:46 AM	1404	17.7551
2024-08-23	9:12:46 AM	1405	17.7554
2024-08-23	9:13:46 AM	1406	17.7552
2024-08-23	9:14:46 AM	1407	17.7548
2024-08-23	9:15:46 AM	1408	17.7483
2024-08-23	9:16:46 AM	1409	17.7349
2024-08-23	9:17:46 AM	1410	17.7614
2024-08-23	9:18:46 AM	1411	17.7613
2024-08-23	9:19:46 AM	1412	17.7613
2024-08-23	9:20:46 AM	1413	17.7613
2024-08-23	9:21:46 AM	1414	17.7617
2024-08-23	9:22:46 AM	1415	17.7615
2024-08-23	9:23:46 AM	1416	17.7611
2024-08-23	9:24:46 AM	1417	17.7588
2024-08-23	9:25:46 AM	1418	17.7376
2024-08-23	9:26:46 AM	1419	17.7468
2024-08-23	9:27:46 AM	1420	17.7689
2024-08-23	9:28:46 AM	1421	17.7697
2024-08-23	9:29:46 AM	1422	17.7698
2024-08-23	9:30:46 AM	1423	17.7703
2024-08-23	9:31:46 AM	1424	17.7702
2024-08-23	9:32:46 AM	1425	17.7698
2024-08-23	9:33:46 AM	1426	17.769
2024-08-23	9:34:46 AM	1427	17.7676
2024-08-23	9:35:46 AM	1428	17.7651
2024-08-23	9:36:46 AM	1429	17.7584
2024-08-23	9:37:46 AM	1430	17.7722
2024-08-23	9:38:46 AM	1431	17.7722
2024-08-23	9:39:46 AM	1432	17.7722
2024-08-23	9:40:46 AM	1433	17.7716
2024-08-23	9:41:46 AM	1434	17.7712
2024-08-23	9:42:46 AM	1435	17.7703
2024-08-23	9:43:46 AM	1436	17.7699
2024-08-23	9:44:46 AM	1437	17.7637
2024-08-23	9:45:46 AM	1438	17.7449
2024-08-23	9:46:46 AM	1439	17.7603
2024-08-23	9:47:46 AM	1440	17.765
2024-08-23	9:48:46 AM	1441	17.7655
2024-08-23	9:49:46 AM	1442	17.7652
2024-08-23	9:50:46 AM	1443	17.7652
2024-08-23	9:51:46 AM	1444	17.7643
2024-08-23	9:52:46 AM	1445	17.7629
2024-08-23	9:53:46 AM	1446	17.7602

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	9:54:46 AM	1447	17.7485
2024-08-23	9:55:46 AM	1448	17.7672
2024-08-23	9:56:46 AM	1449	17.7663
2024-08-23	9:57:46 AM	1450	17.7653
2024-08-23	9:58:46 AM	1451	17.7647
2024-08-23	9:59:46 AM	1452	17.7637
2024-08-23	10:00:46 AM	1453	17.7624
2024-08-23	10:01:46 AM	1454	17.7612
2024-08-23	10:02:46 AM	1455	17.7584
2024-08-23	10:03:46 AM	1456	17.7467
2024-08-23	10:04:46 AM	1457	17.7614
2024-08-23	10:05:46 AM	1458	17.7617
2024-08-23	10:06:46 AM	1459	17.7608
2024-08-23	10:07:46 AM	1460	17.7599
2024-08-23	10:08:46 AM	1461	17.7589
2024-08-23	10:09:46 AM	1462	17.7576
2024-08-23	10:10:46 AM	1463	17.7572
2024-08-23	10:11:46 AM	1464	17.7558
2024-08-23	10:12:46 AM	1465	17.7543
2024-08-23	10:13:46 AM	1466	17.7548
2024-08-23	10:14:46 AM	1467	17.7418
2024-08-23	10:15:46 AM	1468	17.7587
2024-08-23	10:16:46 AM	1469	17.7584
2024-08-23	10:17:46 AM	1470	17.7575
2024-08-23	10:18:46 AM	1471	17.7569
2024-08-23	10:19:46 AM	1472	17.7558
2024-08-23	10:20:46 AM	1473	17.7551
2024-08-23	10:21:46 AM	1474	17.7534
2024-08-23	10:22:46 AM	1475	17.7518
2024-08-23	10:23:46 AM	1476	17.7463
2024-08-23	10:24:46 AM	1477	17.7468
2024-08-23	10:25:46 AM	1478	17.7549
2024-08-23	10:26:46 AM	1479	17.7537
2024-08-23	10:27:46 AM	1480	17.7527
2024-08-23	10:28:46 AM	1481	17.7513
2024-08-23	10:29:46 AM	1482	17.7502
2024-08-23	10:30:46 AM	1483	17.7495
2024-08-23	10:31:46 AM	1484	17.7471
2024-08-23	10:32:46 AM	1485	17.7437
2024-08-23	10:33:46 AM	1486	17.7308
2024-08-23	10:34:46 AM	1487	17.7381
2024-08-23	10:35:46 AM	1488	17.7184
2024-08-23	10:36:46 AM	1489	17.73
2024-08-23	10:37:46 AM	1490	17.7436
2024-08-23	10:38:46 AM	1491	17.7427
2024-08-23	10:39:46 AM	1492	17.7413
2024-08-23	10:40:46 AM	1493	17.7399
2024-08-23	10:41:46 AM	1494	17.7384
2024-08-23	10:42:46 AM	1495	17.7368
2024-08-23	10:43:46 AM	1496	17.7346
2024-08-23	10:44:46 AM	1497	17.7316
2024-08-23	10:45:46 AM	1498	17.7116
2024-08-23	10:46:46 AM	1499	17.7358
2024-08-23	10:47:46 AM	1500	17.7345
2024-08-23	10:48:46 AM	1501	17.7333
2024-08-23	10:49:46 AM	1502	17.7321
2024-08-23	10:50:46 AM	1503	17.7308
2024-08-23	10:51:46 AM	1504	17.7297
2024-08-23	10:52:46 AM	1505	17.7282
2024-08-23	10:53:46 AM	1506	17.726
2024-08-23	10:54:46 AM	1507	17.7219
2024-08-23	10:55:46 AM	1508	17.7107
2024-08-23	10:56:46 AM	1509	17.7261
2024-08-23	10:57:46 AM	1510	17.7253
2024-08-23	10:58:46 AM	1511	17.7243
2024-08-23	10:59:46 AM	1512	17.7236
2024-08-23	11:00:46 AM	1513	17.7227
2024-08-23	11:01:46 AM	1514	17.722
2024-08-23	11:02:46 AM	1515	17.7209

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	11:03:46 AM	1516	17.7194
2024-08-23	11:04:46 AM	1517	17.7167
2024-08-23	11:05:46 AM	1518	17.7041
2024-08-23	11:06:46 AM	1519	17.7222
2024-08-23	11:07:46 AM	1520	17.7216
2024-08-23	11:08:46 AM	1521	17.721
2024-08-23	11:09:46 AM	1522	17.7199
2024-08-23	11:10:46 AM	1523	17.7189
2024-08-23	11:11:46 AM	1524	17.7178
2024-08-23	11:12:46 AM	1525	17.7166
2024-08-23	11:13:46 AM	1526	17.715
2024-08-23	11:14:46 AM	1527	17.7125
2024-08-23	11:15:46 AM	1528	17.7099
2024-08-23	11:16:46 AM	1529	17.7141
2024-08-23	11:17:46 AM	1530	17.7157
2024-08-23	11:18:46 AM	1531	17.7145
2024-08-23	11:19:46 AM	1532	17.7132
2024-08-23	11:20:46 AM	1533	17.7121
2024-08-23	11:21:46 AM	1534	17.7104
2024-08-23	11:22:46 AM	1535	17.7089
2024-08-23	11:23:46 AM	1536	17.7068
2024-08-23	11:24:46 AM	1537	17.7045
2024-08-23	11:25:46 AM	1538	17.7028
2024-08-23	11:26:46 AM	1539	17.6877
2024-08-23	11:27:46 AM	1540	17.706
2024-08-23	11:28:46 AM	1541	17.7044
2024-08-23	11:29:46 AM	1542	17.7015
2024-08-23	11:30:46 AM	1543	17.6993
2024-08-23	11:31:46 AM	1544	17.6968
2024-08-23	11:32:46 AM	1545	17.6948
2024-08-23	11:33:46 AM	1546	17.6924
2024-08-23	11:34:46 AM	1547	17.6903
2024-08-23	11:35:46 AM	1548	17.6825
2024-08-23	11:36:46 AM	1549	17.6724
2024-08-23	11:37:46 AM	1550	17.6933
2024-08-23	11:38:46 AM	1551	17.6921
2024-08-23	11:39:46 AM	1552	17.6912
2024-08-23	11:40:46 AM	1553	17.69
2024-08-23	11:41:46 AM	1554	17.689
2024-08-23	11:42:46 AM	1555	17.688
2024-08-23	11:43:46 AM	1556	17.6864
2024-08-23	11:44:46 AM	1557	17.6846
2024-08-23	11:45:46 AM	1558	17.6815
2024-08-23	11:46:46 AM	1559	17.6716
2024-08-23	11:47:46 AM	1560	17.6883
2024-08-23	11:48:46 AM	1561	17.6876
2024-08-23	11:49:46 AM	1562	17.6866
2024-08-23	11:50:46 AM	1563	17.6859
2024-08-23	11:51:46 AM	1564	17.6851
2024-08-23	11:52:46 AM	1565	17.6841
2024-08-23	11:53:46 AM	1566	17.6823
2024-08-23	11:54:46 AM	1567	17.6818
2024-08-23	11:55:46 AM	1568	17.6692
2024-08-23	11:56:46 AM	1569	17.6853
2024-08-23	11:57:46 AM	1570	17.6843
2024-08-23	11:58:46 AM	1571	17.6836
2024-08-23	11:59:46 AM	1572	17.6823
2024-08-23	12:00:46 PM	1573	17.6811
2024-08-23	12:01:46 PM	1574	17.648
2024-08-23	12:02:46 PM	1575	17.651
2024-08-23	12:03:46 PM	1576	17.653
2024-08-23	12:04:46 PM	1577	17.6518
2024-08-23	12:05:46 PM	1578	17.6431
2024-08-23	12:06:46 PM	1579	17.6621
2024-08-23	12:07:46 PM	1580	17.6626
2024-08-23	12:08:46 PM	1581	17.6624
2024-08-23	12:09:46 PM	1582	17.6624
2024-08-23	12:10:46 PM	1583	17.6333
2024-08-23	12:11:46 PM	1584	17.6589

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	12:12:46 PM	1585	17.6594
2024-08-23	12:13:46 PM	1586	17.6587
2024-08-23	12:14:46 PM	1587	17.6562
2024-08-23	12:15:46 PM	1588	17.6392
2024-08-23	12:16:46 PM	1589	17.661
2024-08-23	12:17:46 PM	1590	17.6607
2024-08-23	12:18:46 PM	1591	17.6597
2024-08-23	12:19:46 PM	1592	17.6593
2024-08-23	12:20:46 PM	1593	17.6594
2024-08-23	12:21:46 PM	1594	17.6592
2024-08-23	12:22:46 PM	1595	17.6592
2024-08-23	12:23:46 PM	1596	17.6594
2024-08-23	12:24:46 PM	1597	17.6595
2024-08-23	12:25:46 PM	1598	17.6592
2024-08-23	12:26:46 PM	1599	17.659
2024-08-23	12:27:46 PM	1600	17.658
2024-08-23	12:28:46 PM	1601	17.6575
2024-08-23	12:29:46 PM	1602	17.6574
2024-08-23	12:30:46 PM	1603	17.6458
2024-08-23	12:31:46 PM	1604	17.6399
2024-08-23	12:32:46 PM	1605	17.6621
2024-08-23	12:33:46 PM	1606	17.6624
2024-08-23	12:34:46 PM	1607	17.6624
2024-08-23	12:35:46 PM	1608	17.6624
2024-08-23	12:36:46 PM	1609	17.6622
2024-08-23	12:37:46 PM	1610	17.6372
2024-08-23	12:38:46 PM	1611	17.6607
2024-08-23	12:39:46 PM	1612	17.661
2024-08-23	12:40:46 PM	1613	17.6616
2024-08-23	12:41:46 PM	1614	17.6614
2024-08-23	12:42:46 PM	1615	17.6613
2024-08-23	12:43:46 PM	1616	17.6611
2024-08-23	12:44:46 PM	1617	17.6597
2024-08-23	12:45:46 PM	1618	17.6281
2024-08-23	12:46:46 PM	1619	17.6536
2024-08-23	12:47:46 PM	1620	17.6672
2024-08-23	12:48:46 PM	1621	17.6672
2024-08-23	12:49:46 PM	1622	17.6673
2024-08-23	12:50:46 PM	1623	17.6679
2024-08-23	12:51:46 PM	1624	17.668
2024-08-23	12:52:46 PM	1625	17.6677
2024-08-23	12:53:46 PM	1626	17.6676
2024-08-23	12:54:46 PM	1627	17.6665
2024-08-23	12:55:46 PM	1628	17.6645
2024-08-23	12:56:46 PM	1629	17.6526
2024-08-23	12:57:46 PM	1630	17.6714
2024-08-23	12:58:46 PM	1631	17.6714
2024-08-23	12:59:46 PM	1632	17.671
2024-08-23	1:00:46 PM	1633	17.6709
2024-08-23	1:01:46 PM	1634	17.6419
2024-08-23	1:02:46 PM	1635	17.6455
2024-08-23	1:03:46 PM	1636	17.6488
2024-08-23	1:04:46 PM	1637	17.6492
2024-08-23	1:05:46 PM	1638	17.6332
2024-08-23	1:06:46 PM	1639	17.66
2024-08-23	1:07:46 PM	1640	17.6619
2024-08-23	1:08:46 PM	1641	17.6626
2024-08-23	1:09:46 PM	1642	17.664
2024-08-23	1:10:46 PM	1643	17.6644
2024-08-23	1:11:46 PM	1644	17.6648
2024-08-23	1:12:46 PM	1645	17.6651
2024-08-23	1:13:46 PM	1646	17.6658
2024-08-23	1:14:46 PM	1647	17.6652
2024-08-23	1:15:46 PM	1648	17.6633
2024-08-23	1:16:46 PM	1649	17.6489
2024-08-23	1:17:46 PM	1650	17.6704
2024-08-23	1:18:46 PM	1651	17.671
2024-08-23	1:19:46 PM	1652	17.6709
2024-08-23	1:20:46 PM	1653	17.6707

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	1:21:46 PM	1654	17.6706
2024-08-23	1:22:46 PM	1655	17.6704
2024-08-23	1:23:46 PM	1656	17.67
2024-08-23	1:24:46 PM	1657	17.6687
2024-08-23	1:25:46 PM	1658	17.6683
2024-08-23	1:26:46 PM	1659	17.6745
2024-08-23	1:27:46 PM	1660	17.6746
2024-08-23	1:28:46 PM	1661	17.6742
2024-08-23	1:29:46 PM	1662	17.675
2024-08-23	1:30:46 PM	1663	17.6736
2024-08-23	1:31:46 PM	1664	17.673
2024-08-23	1:32:46 PM	1665	17.6724
2024-08-23	1:33:46 PM	1666	17.672
2024-08-23	1:34:46 PM	1667	17.6712
2024-08-23	1:35:46 PM	1668	17.6694
2024-08-23	1:36:46 PM	1669	17.6546
2024-08-23	1:37:46 PM	1670	17.6768
2024-08-23	1:38:46 PM	1671	17.6773
2024-08-23	1:39:46 PM	1672	17.6772
2024-08-23	1:40:46 PM	1673	17.6766
2024-08-23	1:41:46 PM	1674	17.676
2024-08-23	1:42:46 PM	1675	17.6755
2024-08-23	1:43:46 PM	1676	17.6751
2024-08-23	1:44:46 PM	1677	17.674
2024-08-23	1:45:46 PM	1678	17.671
2024-08-23	1:46:46 PM	1679	17.6632
2024-08-23	1:47:46 PM	1680	17.6791
2024-08-23	1:48:46 PM	1681	17.6798
2024-08-23	1:49:46 PM	1682	17.678
2024-08-23	1:50:46 PM	1683	17.6767
2024-08-23	1:51:46 PM	1684	17.6752
2024-08-23	1:52:46 PM	1685	17.675
2024-08-23	1:53:46 PM	1686	17.6741
2024-08-23	1:54:46 PM	1687	17.6721
2024-08-23	1:55:46 PM	1688	17.6728
2024-08-23	1:56:46 PM	1689	17.6627
2024-08-23	1:57:46 PM	1690	17.6782
2024-08-23	1:58:46 PM	1691	17.6783
2024-08-23	1:59:46 PM	1692	17.6784
2024-08-23	2:00:46 PM	1693	17.6782
2024-08-23	2:01:46 PM	1694	17.6782
2024-08-23	2:02:46 PM	1695	17.6783
2024-08-23	2:03:46 PM	1696	17.66
2024-08-23	2:04:46 PM	1697	17.6729
2024-08-23	2:05:46 PM	1698	17.6754
2024-08-23	2:06:46 PM	1699	17.6761
2024-08-23	2:07:46 PM	1700	17.6764
2024-08-23	2:08:46 PM	1701	17.676
2024-08-23	2:09:46 PM	1702	17.6564
2024-08-23	2:10:46 PM	1703	17.6474
2024-08-23	2:11:46 PM	1704	17.6348
2024-08-23	2:12:46 PM	1705	17.6235
2024-08-23	2:13:46 PM	1706	17.6279
2024-08-23	2:14:46 PM	1707	17.6091
2024-08-23	2:15:46 PM	1708	17.6129
2024-08-23	2:16:46 PM	1709	17.6159
2024-08-23	2:17:46 PM	1710	17.6107
2024-08-23	2:18:46 PM	1711	17.5892
2024-08-23	2:19:46 PM	1712	17.6071
2024-08-23	2:20:46 PM	1713	17.6155
2024-08-23	2:21:46 PM	1714	17.6371
2024-08-23	2:22:46 PM	1715	17.6459
2024-08-23	2:23:46 PM	1716	17.6416
2024-08-23	2:24:46 PM	1717	17.6185
2024-08-23	2:25:46 PM	1718	17.6027
2024-08-23	2:26:46 PM	1719	17.6394
2024-08-23	2:27:46 PM	1720	17.6455
2024-08-23	2:28:46 PM	1721	17.6496
2024-08-23	2:29:46 PM	1722	17.6522

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	2:30:46 PM	1723	17.6526
2024-08-23	2:31:46 PM	1724	17.6589
2024-08-23	2:32:46 PM	1725	17.6637
2024-08-23	2:33:46 PM	1726	17.6646
2024-08-23	2:34:46 PM	1727	17.6655
2024-08-23	2:35:46 PM	1728	17.667
2024-08-23	2:36:46 PM	1729	17.6681
2024-08-23	2:37:46 PM	1730	17.6689
2024-08-23	2:38:46 PM	1731	17.6696
2024-08-23	2:39:46 PM	1732	17.6703
2024-08-23	2:40:46 PM	1733	17.6702
2024-08-23	2:41:46 PM	1734	17.6731
2024-08-23	2:42:46 PM	1735	17.6626
2024-08-23	2:43:46 PM	1736	17.6798
2024-08-23	2:44:46 PM	1737	17.6805
2024-08-23	2:45:46 PM	1738	17.6598
2024-08-23	2:46:46 PM	1739	17.6527
2024-08-23	2:47:46 PM	1740	17.6581
2024-08-23	2:48:46 PM	1741	17.6617
2024-08-23	2:49:46 PM	1742	17.6637
2024-08-23	2:50:46 PM	1743	17.664
2024-08-23	2:51:46 PM	1744	17.6528
2024-08-23	2:52:46 PM	1745	17.6743
2024-08-23	2:53:46 PM	1746	17.6766
2024-08-23	2:54:46 PM	1747	17.6778
2024-08-23	2:55:46 PM	1748	17.6785
2024-08-23	2:56:46 PM	1749	17.6793
2024-08-23	2:57:46 PM	1750	17.6796
2024-08-23	2:58:46 PM	1751	17.6799
2024-08-23	2:59:46 PM	1752	17.6805
2024-08-23	3:00:46 PM	1753	17.6745
2024-08-23	3:01:46 PM	1754	17.6636
2024-08-23	3:02:46 PM	1755	17.6881
2024-08-23	3:03:46 PM	1756	17.6901
2024-08-23	3:04:46 PM	1757	17.648
2024-08-23	3:05:46 PM	1758	17.6821
2024-08-23	3:06:46 PM	1759	17.6829
2024-08-23	3:07:46 PM	1760	17.6751
2024-08-23	3:08:46 PM	1761	17.6773
2024-08-23	3:09:46 PM	1762	17.692
2024-08-23	3:10:46 PM	1763	17.6929
2024-08-23	3:11:46 PM	1764	17.6938
2024-08-23	3:12:46 PM	1765	17.6935
2024-08-23	3:13:46 PM	1766	17.6937
2024-08-23	3:14:46 PM	1767	17.6926
2024-08-23	3:15:46 PM	1768	17.6844
2024-08-23	3:16:46 PM	1769	17.6838
2024-08-23	3:17:46 PM	1770	17.6984
2024-08-23	3:18:46 PM	1771	17.699
2024-08-23	3:19:46 PM	1772	17.6993
2024-08-23	3:20:46 PM	1773	17.6995
2024-08-23	3:21:46 PM	1774	17.6686
2024-08-23	3:22:46 PM	1775	17.692
2024-08-23	3:23:46 PM	1776	17.6938
2024-08-23	3:24:46 PM	1777	17.6946
2024-08-23	3:25:46 PM	1778	17.6945
2024-08-23	3:26:46 PM	1779	17.6933
2024-08-23	3:27:46 PM	1780	17.6921
2024-08-23	3:28:46 PM	1781	17.6924
2024-08-23	3:29:46 PM	1782	17.7018
2024-08-23	3:30:46 PM	1783	17.7017
2024-08-23	3:31:46 PM	1784	17.6792
2024-08-23	3:32:46 PM	1785	17.6569
2024-08-23	3:33:46 PM	1786	17.6893
2024-08-23	3:34:46 PM	1787	17.6906
2024-08-23	3:35:46 PM	1788	17.6911
2024-08-23	3:36:46 PM	1789	17.6903
2024-08-23	3:37:46 PM	1790	17.6843
2024-08-23	3:38:46 PM	1791	17.671

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	3:39:46 PM	1792	17.6699
2024-08-23	3:40:46 PM	1793	17.6881
2024-08-23	3:41:46 PM	1794	17.658
2024-08-23	3:42:46 PM	1795	17.6809
2024-08-23	3:43:46 PM	1796	17.6828
2024-08-23	3:44:46 PM	1797	17.6839
2024-08-23	3:45:46 PM	1798	17.6837
2024-08-23	3:46:46 PM	1799	17.6822
2024-08-23	3:47:46 PM	1800	17.6603
2024-08-23	3:48:46 PM	1801	17.6917
2024-08-23	3:49:46 PM	1802	17.692
2024-08-23	3:50:46 PM	1803	17.692
2024-08-23	3:51:46 PM	1804	17.6925
2024-08-23	3:52:46 PM	1805	17.6924
2024-08-23	3:53:46 PM	1806	17.6876
2024-08-23	3:54:46 PM	1807	17.6574
2024-08-23	3:55:46 PM	1808	17.6871
2024-08-23	3:56:46 PM	1809	17.6642
2024-08-23	3:57:46 PM	1810	17.6861
2024-08-23	3:58:46 PM	1811	17.6865
2024-08-23	3:59:46 PM	1812	17.6875
2024-08-23	4:00:46 PM	1813	17.6877
2024-08-23	4:01:46 PM	1814	17.6875
2024-08-23	4:02:46 PM	1815	17.684
2024-08-23	4:03:46 PM	1816	17.669
2024-08-23	4:04:46 PM	1817	17.6945
2024-08-23	4:05:46 PM	1818	17.6944
2024-08-23	4:06:46 PM	1819	17.6942
2024-08-23	4:07:46 PM	1820	17.6649
2024-08-23	4:08:46 PM	1821	17.6696
2024-08-23	4:09:46 PM	1822	17.6732
2024-08-23	4:10:46 PM	1823	17.6759
2024-08-23	4:11:46 PM	1824	17.6776
2024-08-23	4:12:46 PM	1825	17.6784
2024-08-23	4:13:46 PM	1826	17.6768
2024-08-23	4:14:46 PM	1827	17.6678
2024-08-23	4:15:46 PM	1828	17.687
2024-08-23	4:16:46 PM	1829	17.6879
2024-08-23	4:17:46 PM	1830	17.688
2024-08-23	4:18:46 PM	1831	17.6884
2024-08-23	4:19:46 PM	1832	17.6887
2024-08-23	4:20:46 PM	1833	17.6879
2024-08-23	4:21:46 PM	1834	17.6869
2024-08-23	4:22:46 PM	1835	17.6845
2024-08-23	4:23:46 PM	1836	17.6676
2024-08-23	4:24:46 PM	1837	17.6917
2024-08-23	4:25:46 PM	1838	17.691
2024-08-23	4:26:46 PM	1839	17.6902
2024-08-23	4:27:46 PM	1840	17.6903
2024-08-23	4:28:46 PM	1841	17.6901
2024-08-23	4:29:46 PM	1842	17.6895
2024-08-23	4:30:46 PM	1843	17.6885
2024-08-23	4:31:46 PM	1844	17.6876
2024-08-23	4:32:46 PM	1845	17.6816
2024-08-23	4:33:46 PM	1846	17.6833
2024-08-23	4:34:46 PM	1847	17.6841
2024-08-23	4:35:46 PM	1848	17.6652
2024-08-23	4:36:46 PM	1849	17.6646
2024-08-23	4:37:46 PM	1850	17.6577
2024-08-23	4:38:46 PM	1851	17.6832
2024-08-23	4:39:46 PM	1852	17.6845
2024-08-23	4:40:46 PM	1853	17.6849
2024-08-23	4:41:46 PM	1854	17.6852
2024-08-23	4:42:46 PM	1855	17.6854
2024-08-23	4:43:46 PM	1856	17.6854
2024-08-23	4:44:46 PM	1857	17.6848
2024-08-23	4:45:46 PM	1858	17.683
2024-08-23	4:46:46 PM	1859	17.6767
2024-08-23	4:47:46 PM	1860	17.6901

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	4:48:46 PM	1861	17.6903
2024-08-23	4:49:46 PM	1862	17.6908
2024-08-23	4:50:46 PM	1863	17.6907
2024-08-23	4:51:46 PM	1864	17.6906
2024-08-23	4:52:46 PM	1865	17.6901
2024-08-23	4:53:46 PM	1866	17.69
2024-08-23	4:54:46 PM	1867	17.6896
2024-08-23	4:55:46 PM	1868	17.689
2024-08-23	4:56:46 PM	1869	17.6876
2024-08-23	4:57:46 PM	1870	17.6755
2024-08-23	4:58:46 PM	1871	17.6951
2024-08-23	4:59:46 PM	1872	17.6956
2024-08-23	5:00:46 PM	1873	17.6963
2024-08-23	5:01:46 PM	1874	17.6957
2024-08-23	5:02:46 PM	1875	17.6957
2024-08-23	5:03:46 PM	1876	17.696
2024-08-23	5:04:46 PM	1877	17.6958
2024-08-23	5:05:46 PM	1878	17.6951
2024-08-23	5:06:46 PM	1879	17.6933
2024-08-23	5:07:46 PM	1880	17.6879
2024-08-23	5:08:46 PM	1881	17.7011
2024-08-23	5:09:46 PM	1882	17.7016
2024-08-23	5:10:46 PM	1883	17.7018
2024-08-23	5:11:46 PM	1884	17.702
2024-08-23	5:12:46 PM	1885	17.7021
2024-08-23	5:13:46 PM	1886	17.7018
2024-08-23	5:14:46 PM	1887	17.7016
2024-08-23	5:15:46 PM	1888	17.701
2024-08-23	5:16:46 PM	1889	17.6999
2024-08-23	5:17:46 PM	1890	17.6845
2024-08-23	5:18:46 PM	1891	17.7075
2024-08-23	5:19:46 PM	1892	17.7079
2024-08-23	5:20:46 PM	1893	17.6858
2024-08-23	5:21:46 PM	1894	17.6912
2024-08-23	5:22:46 PM	1895	17.6869
2024-08-23	5:23:46 PM	1896	17.6892
2024-08-23	5:24:46 PM	1897	17.705
2024-08-23	5:25:46 PM	1898	17.7062
2024-08-23	5:26:46 PM	1899	17.7068
2024-08-23	5:27:46 PM	1900	17.7077
2024-08-23	5:28:46 PM	1901	17.7083
2024-08-23	5:29:46 PM	1902	17.7084
2024-08-23	5:30:46 PM	1903	17.7077
2024-08-23	5:31:46 PM	1904	17.6988
2024-08-23	5:32:46 PM	1905	17.7083
2024-08-23	5:33:46 PM	1906	17.7145
2024-08-23	5:34:46 PM	1907	17.7149
2024-08-23	5:35:46 PM	1908	17.7153
2024-08-23	5:36:46 PM	1909	17.7157
2024-08-23	5:37:46 PM	1910	17.716
2024-08-23	5:38:46 PM	1911	17.7163
2024-08-23	5:39:46 PM	1912	17.7163
2024-08-23	5:40:46 PM	1913	17.7159
2024-08-23	5:41:46 PM	1914	17.7028
2024-08-23	5:42:46 PM	1915	17.6975
2024-08-23	5:43:46 PM	1916	17.7086
2024-08-23	5:44:46 PM	1917	17.7114
2024-08-23	5:45:46 PM	1918	17.713
2024-08-23	5:46:46 PM	1919	17.7141
2024-08-23	5:47:46 PM	1920	17.7144
2024-08-23	5:48:46 PM	1921	17.7138
2024-08-23	5:49:46 PM	1922	17.7086
2024-08-23	5:50:46 PM	1923	17.7222
2024-08-23	5:51:46 PM	1924	17.7222
2024-08-23	5:52:46 PM	1925	17.7229
2024-08-23	5:53:46 PM	1926	17.7235
2024-08-23	5:54:46 PM	1927	17.7237
2024-08-23	5:55:46 PM	1928	17.7243
2024-08-23	5:56:46 PM	1929	17.7242

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	5:57:46 PM	1930	17.7241
2024-08-23	5:58:46 PM	1931	17.721
2024-08-23	5:59:46 PM	1932	17.7136
2024-08-23	6:00:46 PM	1933	17.7314
2024-08-23	6:01:46 PM	1934	17.7317
2024-08-23	6:02:46 PM	1935	17.7323
2024-08-23	6:03:46 PM	1936	17.7326
2024-08-23	6:04:46 PM	1937	17.733
2024-08-23	6:05:46 PM	1938	17.7335
2024-08-23	6:06:46 PM	1939	17.7333
2024-08-23	6:07:46 PM	1940	17.7332
2024-08-23	6:08:46 PM	1941	17.7333
2024-08-23	6:09:46 PM	1942	17.7458
2024-08-23	6:10:46 PM	1943	17.7467
2024-08-23	6:11:46 PM	1944	17.7395
2024-08-23	6:12:46 PM	1945	17.7396
2024-08-23	6:13:46 PM	1946	17.7399
2024-08-23	6:14:46 PM	1947	17.7399
2024-08-23	6:15:46 PM	1948	17.74
2024-08-23	6:16:46 PM	1949	17.7393
2024-08-23	6:17:46 PM	1950	17.7373
2024-08-23	6:18:46 PM	1951	17.7263
2024-08-23	6:19:46 PM	1952	17.7401
2024-08-23	6:20:46 PM	1953	17.7461
2024-08-23	6:21:46 PM	1954	17.7462
2024-08-23	6:22:46 PM	1955	17.7471
2024-08-23	6:23:46 PM	1956	17.747
2024-08-23	6:24:46 PM	1957	17.7473
2024-08-23	6:25:46 PM	1958	17.7476
2024-08-23	6:26:46 PM	1959	17.7477
2024-08-23	6:27:46 PM	1960	17.7473
2024-08-23	6:28:46 PM	1961	17.7459
2024-08-23	6:29:46 PM	1962	17.7292
2024-08-23	6:30:46 PM	1963	17.7538
2024-08-23	6:31:46 PM	1964	17.7544
2024-08-23	6:32:46 PM	1965	17.7547
2024-08-23	6:33:46 PM	1966	17.7549
2024-08-23	6:34:46 PM	1967	17.755
2024-08-23	6:35:46 PM	1968	17.7547
2024-08-23	6:36:46 PM	1969	17.7548
2024-08-23	6:37:46 PM	1970	17.754
2024-08-23	6:38:46 PM	1971	17.7494
2024-08-23	6:39:46 PM	1972	17.7606
2024-08-23	6:40:46 PM	1973	17.7606
2024-08-23	6:41:46 PM	1974	17.7614
2024-08-23	6:42:46 PM	1975	17.7617
2024-08-23	6:43:46 PM	1976	17.7617
2024-08-23	6:44:46 PM	1977	17.7622
2024-08-23	6:45:46 PM	1978	17.762
2024-08-23	6:46:46 PM	1979	17.7621
2024-08-23	6:47:46 PM	1980	17.7616
2024-08-23	6:48:46 PM	1981	17.7583
2024-08-23	6:49:46 PM	1982	17.7478
2024-08-23	6:50:46 PM	1983	17.7678
2024-08-23	6:51:46 PM	1984	17.7682
2024-08-23	6:52:46 PM	1985	17.7687
2024-08-23	6:53:46 PM	1986	17.7688
2024-08-23	6:54:46 PM	1987	17.7692
2024-08-23	6:55:46 PM	1988	17.7698
2024-08-23	6:56:46 PM	1989	17.7692
2024-08-23	6:57:46 PM	1990	17.7688
2024-08-23	6:58:46 PM	1991	17.7632
2024-08-23	6:59:46 PM	1992	17.7605
2024-08-23	7:00:46 PM	1993	17.7754
2024-08-23	7:01:46 PM	1994	17.7757
2024-08-23	7:02:46 PM	1995	17.7756
2024-08-23	7:03:46 PM	1996	17.7754
2024-08-23	7:04:46 PM	1997	17.7756
2024-08-23	7:05:46 PM	1998	17.7754

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	7:06:46 PM	1999	17.7748
2024-08-23	7:07:46 PM	2000	17.7739
2024-08-23	7:08:46 PM	2001	17.763
2024-08-23	7:09:46 PM	2002	17.7725
2024-08-23	7:10:46 PM	2003	17.7821
2024-08-23	7:11:46 PM	2004	17.7824
2024-08-23	7:12:46 PM	2005	17.7828
2024-08-23	7:13:46 PM	2006	17.7829
2024-08-23	7:14:46 PM	2007	17.7833
2024-08-23	7:15:46 PM	2008	17.7834
2024-08-23	7:16:46 PM	2009	17.7644
2024-08-23	7:17:46 PM	2010	17.7585
2024-08-23	7:18:46 PM	2011	17.7647
2024-08-23	7:19:46 PM	2012	17.7663
2024-08-23	7:20:46 PM	2013	17.7617
2024-08-23	7:21:46 PM	2014	17.779
2024-08-23	7:22:46 PM	2015	17.7807
2024-08-23	7:23:46 PM	2016	17.7818
2024-08-23	7:24:46 PM	2017	17.783
2024-08-23	7:25:46 PM	2018	17.7837
2024-08-23	7:26:46 PM	2019	17.7837
2024-08-23	7:27:46 PM	2020	17.7835
2024-08-23	7:28:46 PM	2021	17.7827
2024-08-23	7:29:46 PM	2022	17.7864
2024-08-23	7:30:46 PM	2023	17.7707
2024-08-23	7:31:46 PM	2024	17.7911
2024-08-23	7:32:46 PM	2025	17.7918
2024-08-23	7:33:46 PM	2026	17.7921
2024-08-23	7:34:46 PM	2027	17.7926
2024-08-23	7:35:46 PM	2028	17.7927
2024-08-23	7:36:46 PM	2029	17.7927
2024-08-23	7:37:46 PM	2030	17.7931
2024-08-23	7:38:46 PM	2031	17.7924
2024-08-23	7:39:46 PM	2032	17.7889
2024-08-23	7:40:46 PM	2033	17.781
2024-08-23	7:41:46 PM	2034	17.7986
2024-08-23	7:42:46 PM	2035	17.799
2024-08-23	7:43:46 PM	2036	17.7993
2024-08-23	7:44:46 PM	2037	17.7993
2024-08-23	7:45:46 PM	2038	17.7996
2024-08-23	7:46:46 PM	2039	17.7992
2024-08-23	7:47:46 PM	2040	17.7984
2024-08-23	7:48:46 PM	2041	17.7982
2024-08-23	7:49:46 PM	2042	17.7883
2024-08-23	7:50:46 PM	2043	17.8047
2024-08-23	7:51:46 PM	2044	17.805
2024-08-23	7:52:46 PM	2045	17.8053
2024-08-23	7:53:46 PM	2046	17.8057
2024-08-23	7:54:46 PM	2047	17.8057
2024-08-23	7:55:46 PM	2048	17.8062
2024-08-23	7:56:46 PM	2049	17.8058
2024-08-23	7:57:46 PM	2050	17.8052
2024-08-23	7:58:46 PM	2051	17.8041
2024-08-23	7:59:46 PM	2052	17.7994
2024-08-23	8:00:46 PM	2053	17.7894
2024-08-23	8:01:46 PM	2054	17.81
2024-08-23	8:02:46 PM	2055	17.8101
2024-08-23	8:03:46 PM	2056	17.8101
2024-08-23	8:04:46 PM	2057	17.8099
2024-08-23	8:05:46 PM	2058	17.81
2024-08-23	8:06:46 PM	2059	17.8097
2024-08-23	8:07:46 PM	2060	17.8085
2024-08-23	8:08:46 PM	2061	17.8042
2024-08-23	8:09:46 PM	2062	17.8078
2024-08-23	8:10:46 PM	2063	17.8142
2024-08-23	8:11:46 PM	2064	17.814
2024-08-23	8:12:46 PM	2065	17.8143
2024-08-23	8:13:46 PM	2066	17.8141
2024-08-23	8:14:46 PM	2067	17.8145

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	8:15:46 PM	2068	17.8141
2024-08-23	8:16:46 PM	2069	17.8141
2024-08-23	8:17:46 PM	2070	17.8134
2024-08-23	8:18:46 PM	2071	17.812
2024-08-23	8:19:46 PM	2072	17.7941
2024-08-23	8:20:46 PM	2073	17.8204
2024-08-23	8:21:46 PM	2074	17.8194
2024-08-23	8:22:46 PM	2075	17.8199
2024-08-23	8:23:46 PM	2076	17.8196
2024-08-23	8:24:46 PM	2077	17.8202
2024-08-23	8:25:46 PM	2078	17.8199
2024-08-23	8:26:46 PM	2079	17.82
2024-08-23	8:27:46 PM	2080	17.8191
2024-08-23	8:28:46 PM	2081	17.8158
2024-08-23	8:29:46 PM	2082	17.8066
2024-08-23	8:30:46 PM	2083	17.8249
2024-08-23	8:31:46 PM	2084	17.8249
2024-08-23	8:32:46 PM	2085	17.8247
2024-08-23	8:33:46 PM	2086	17.8244
2024-08-23	8:34:46 PM	2087	17.8244
2024-08-23	8:35:46 PM	2088	17.824
2024-08-23	8:36:46 PM	2089	17.8236
2024-08-23	8:37:46 PM	2090	17.8222
2024-08-23	8:38:46 PM	2091	17.8238
2024-08-23	8:39:46 PM	2092	17.8118
2024-08-23	8:40:46 PM	2093	17.8296
2024-08-23	8:41:46 PM	2094	17.8302
2024-08-23	8:42:46 PM	2095	17.8298
2024-08-23	8:43:46 PM	2096	17.8302
2024-08-23	8:44:46 PM	2097	17.8302
2024-08-23	8:45:46 PM	2098	17.8297
2024-08-23	8:46:46 PM	2099	17.8291
2024-08-23	8:47:46 PM	2100	17.8282
2024-08-23	8:48:46 PM	2101	17.831
2024-08-23	8:49:46 PM	2102	17.8111
2024-08-23	8:50:46 PM	2103	17.8344
2024-08-23	8:51:46 PM	2104	17.8344
2024-08-23	8:52:46 PM	2105	17.8344
2024-08-23	8:53:46 PM	2106	17.8341
2024-08-23	8:54:46 PM	2107	17.8336
2024-08-23	8:55:46 PM	2108	17.8329
2024-08-23	8:56:46 PM	2109	17.8306
2024-08-23	8:57:46 PM	2110	17.8216
2024-08-23	8:58:46 PM	2111	17.8381
2024-08-23	8:59:46 PM	2112	17.838
2024-08-23	9:00:46 PM	2113	17.8378
2024-08-23	9:01:46 PM	2114	17.8379
2024-08-23	9:02:46 PM	2115	17.8374
2024-08-23	9:03:46 PM	2116	17.8372
2024-08-23	9:04:46 PM	2117	17.8368
2024-08-23	9:05:46 PM	2118	17.8363
2024-08-23	9:06:46 PM	2119	17.8355
2024-08-23	9:07:46 PM	2120	17.8331
2024-08-23	9:08:46 PM	2121	17.8176
2024-08-23	9:09:46 PM	2122	17.8392
2024-08-23	9:10:46 PM	2123	17.839
2024-08-23	9:11:46 PM	2124	17.8387
2024-08-23	9:12:46 PM	2125	17.8387
2024-08-23	9:13:46 PM	2126	17.8378
2024-08-23	9:14:46 PM	2127	17.8374
2024-08-23	9:15:46 PM	2128	17.8364
2024-08-23	9:16:46 PM	2129	17.8346
2024-08-23	9:17:46 PM	2130	17.8241
2024-08-23	9:18:46 PM	2131	17.8395
2024-08-23	9:19:46 PM	2132	17.8395
2024-08-23	9:20:46 PM	2133	17.839
2024-08-23	9:21:46 PM	2134	17.8385
2024-08-23	9:22:46 PM	2135	17.8378
2024-08-23	9:23:46 PM	2136	17.8373

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	9:24:46 PM	2137	17.8368
2024-08-23	9:25:46 PM	2138	17.836
2024-08-23	9:26:46 PM	2139	17.8345
2024-08-23	9:27:46 PM	2140	17.8287
2024-08-23	9:28:46 PM	2141	17.8047
2024-08-23	9:29:46 PM	2142	17.8386
2024-08-23	9:30:46 PM	2143	17.8383
2024-08-23	9:31:46 PM	2144	17.8375
2024-08-23	9:32:46 PM	2145	17.8369
2024-08-23	9:33:46 PM	2146	17.8364
2024-08-23	9:34:46 PM	2147	17.836
2024-08-23	9:35:46 PM	2148	17.8345
2024-08-23	9:36:46 PM	2149	17.8314
2024-08-23	9:37:46 PM	2150	17.8201
2024-08-23	9:38:46 PM	2151	17.8376
2024-08-23	9:39:46 PM	2152	17.8367
2024-08-23	9:40:46 PM	2153	17.8354
2024-08-23	9:41:46 PM	2154	17.8346
2024-08-23	9:42:46 PM	2155	17.8338
2024-08-23	9:43:46 PM	2156	17.8331
2024-08-23	9:44:46 PM	2157	17.8322
2024-08-23	9:45:46 PM	2158	17.8315
2024-08-23	9:46:46 PM	2159	17.8278
2024-08-23	9:47:46 PM	2160	17.814
2024-08-23	9:48:46 PM	2161	17.8349
2024-08-23	9:49:46 PM	2162	17.8349
2024-08-23	9:50:46 PM	2163	17.8345
2024-08-23	9:51:46 PM	2164	17.8341
2024-08-23	9:52:46 PM	2165	17.834
2024-08-23	9:53:46 PM	2166	17.8334
2024-08-23	9:54:46 PM	2167	17.8331
2024-08-23	9:55:46 PM	2168	17.8317
2024-08-23	9:56:46 PM	2169	17.8205
2024-08-23	9:57:46 PM	2170	17.8318
2024-08-23	9:58:46 PM	2171	17.8371
2024-08-23	9:59:46 PM	2172	17.8374
2024-08-23	10:00:46 PM	2173	17.8371
2024-08-23	10:01:46 PM	2174	17.8366
2024-08-23	10:02:46 PM	2175	17.8364
2024-08-23	10:03:46 PM	2176	17.8357
2024-08-23	10:04:46 PM	2177	17.8343
2024-08-23	10:05:46 PM	2178	17.8338
2024-08-23	10:06:46 PM	2179	17.8219
2024-08-23	10:07:46 PM	2180	17.8402
2024-08-23	10:08:46 PM	2181	17.8402
2024-08-23	10:09:46 PM	2182	17.8401
2024-08-23	10:10:46 PM	2183	17.8397
2024-08-23	10:11:46 PM	2184	17.8395
2024-08-23	10:12:46 PM	2185	17.8392
2024-08-23	10:13:46 PM	2186	17.8388
2024-08-23	10:14:46 PM	2187	17.8375
2024-08-23	10:15:46 PM	2188	17.8282
2024-08-23	10:16:46 PM	2189	17.8429
2024-08-23	10:17:46 PM	2190	17.8434
2024-08-23	10:18:46 PM	2191	17.8429
2024-08-23	10:19:46 PM	2192	17.8431
2024-08-23	10:20:46 PM	2193	17.8427
2024-08-23	10:21:46 PM	2194	17.8426
2024-08-23	10:22:46 PM	2195	17.8413
2024-08-23	10:23:46 PM	2196	17.8399
2024-08-23	10:24:46 PM	2197	17.8289
2024-08-23	10:25:46 PM	2198	17.8456
2024-08-23	10:26:46 PM	2199	17.8461
2024-08-23	10:27:46 PM	2200	17.8459
2024-08-23	10:28:46 PM	2201	17.846
2024-08-23	10:29:46 PM	2202	17.8458
2024-08-23	10:30:46 PM	2203	17.8453
2024-08-23	10:31:46 PM	2204	17.8451
2024-08-23	10:32:46 PM	2205	17.845

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	10:33:46 PM	2206	17.8438
2024-08-23	10:34:46 PM	2207	17.8399
2024-08-23	10:35:46 PM	2208	17.8395
2024-08-23	10:36:46 PM	2209	17.8497
2024-08-23	10:37:46 PM	2210	17.8497
2024-08-23	10:38:46 PM	2211	17.8494
2024-08-23	10:39:46 PM	2212	17.8491
2024-08-23	10:40:46 PM	2213	17.8492
2024-08-23	10:41:46 PM	2214	17.8483
2024-08-23	10:42:46 PM	2215	17.8471
2024-08-23	10:43:46 PM	2216	17.8395
2024-08-23	10:44:46 PM	2217	17.8299
2024-08-23	10:45:46 PM	2218	17.8523
2024-08-23	10:46:46 PM	2219	17.8524
2024-08-23	10:47:46 PM	2220	17.8524
2024-08-23	10:48:46 PM	2221	17.8526
2024-08-23	10:49:46 PM	2222	17.8528
2024-08-23	10:50:46 PM	2223	17.8525
2024-08-23	10:51:46 PM	2224	17.8518
2024-08-23	10:52:46 PM	2225	17.8501
2024-08-23	10:53:46 PM	2226	17.8482
2024-08-23	10:54:46 PM	2227	17.8413
2024-08-23	10:55:46 PM	2228	17.8456
2024-08-23	10:56:46 PM	2229	17.8532
2024-08-23	10:57:46 PM	2230	17.8532
2024-08-23	10:58:46 PM	2231	17.8531
2024-08-23	10:59:46 PM	2232	17.853
2024-08-23	11:00:46 PM	2233	17.8525
2024-08-23	11:01:46 PM	2234	17.8515
2024-08-23	11:02:46 PM	2235	17.8496
2024-08-23	11:03:46 PM	2236	17.8396
2024-08-23	11:04:46 PM	2237	17.8564
2024-08-23	11:05:46 PM	2238	17.8566
2024-08-23	11:06:46 PM	2239	17.8564
2024-08-23	11:07:46 PM	2240	17.8559
2024-08-23	11:08:46 PM	2241	17.8548
2024-08-23	11:09:46 PM	2242	17.8541
2024-08-23	11:10:46 PM	2243	17.8532
2024-08-23	11:11:46 PM	2244	17.8514
2024-08-23	11:12:46 PM	2245	17.8478
2024-08-23	11:13:46 PM	2246	17.8336
2024-08-23	11:14:46 PM	2247	17.8538
2024-08-23	11:15:46 PM	2248	17.8533
2024-08-23	11:16:46 PM	2249	17.8523
2024-08-23	11:17:46 PM	2250	17.851
2024-08-23	11:18:46 PM	2251	17.85
2024-08-23	11:19:46 PM	2252	17.8481
2024-08-23	11:20:46 PM	2253	17.8455
2024-08-23	11:21:46 PM	2254	17.8415
2024-08-23	11:22:46 PM	2255	17.8307
2024-08-23	11:23:46 PM	2256	17.8452
2024-08-23	11:24:46 PM	2257	17.8436
2024-08-23	11:25:46 PM	2258	17.8422
2024-08-23	11:26:46 PM	2259	17.8411
2024-08-23	11:27:46 PM	2260	17.84
2024-08-23	11:28:46 PM	2261	17.8379
2024-08-23	11:29:46 PM	2262	17.836
2024-08-23	11:30:46 PM	2263	17.8331
2024-08-23	11:31:46 PM	2264	17.8241
2024-08-23	11:32:46 PM	2265	17.8142
2024-08-23	11:33:46 PM	2266	17.8361
2024-08-23	11:34:46 PM	2267	17.8354
2024-08-23	11:35:46 PM	2268	17.835
2024-08-23	11:36:46 PM	2269	17.8343
2024-08-23	11:37:46 PM	2270	17.8338
2024-08-23	11:38:46 PM	2271	17.8329
2024-08-23	11:39:46 PM	2272	17.8315
2024-08-23	11:40:46 PM	2273	17.8291
2024-08-23	11:41:46 PM	2274	17.8145

Data Logger Measurements
September 22 - 28, 2024

2024-08-23	11:42:46 PM	2275	17.8358
2024-08-23	11:43:46 PM	2276	17.8356
2024-08-23	11:44:46 PM	2277	17.8352
2024-08-23	11:45:46 PM	2278	17.8347
2024-08-23	11:46:46 PM	2279	17.8346
2024-08-23	11:47:46 PM	2280	17.834
2024-08-23	11:48:46 PM	2281	17.8336
2024-08-23	11:49:46 PM	2282	17.8324
2024-08-23	11:50:46 PM	2283	17.8275
2024-08-23	11:51:46 PM	2284	17.8124
2024-08-23	11:52:46 PM	2285	17.8344
2024-08-23	11:53:46 PM	2286	17.8314
2024-08-23	11:54:46 PM	2287	17.8285
2024-08-23	11:55:46 PM	2288	17.8262
2024-08-23	11:56:46 PM	2289	17.8236
2024-08-23	11:57:46 PM	2290	17.8213
2024-08-23	11:58:46 PM	2291	17.8186
2024-08-23	11:59:46 PM	2292	17.8157
2024-08-24	12:00:46 AM	2293	17.7982
2024-08-24	12:01:46 AM	2294	17.7891
2024-08-24	12:02:46 AM	2295	17.8004
2024-08-24	12:03:46 AM	2296	17.8011
2024-08-24	12:04:46 AM	2297	17.8006
2024-08-24	12:05:46 AM	2298	17.7989
2024-08-24	12:06:46 AM	2299	17.7974
2024-08-24	12:07:46 AM	2300	17.795
2024-08-24	12:08:46 AM	2301	17.7866
2024-08-24	12:09:46 AM	2302	17.8002
2024-08-24	12:10:46 AM	2303	17.7988
2024-08-24	12:11:46 AM	2304	17.7981
2024-08-24	12:12:46 AM	2305	17.7961
2024-08-24	12:13:46 AM	2306	17.7942
2024-08-24	12:14:46 AM	2307	17.793
2024-08-24	12:15:46 AM	2308	17.7906
2024-08-24	12:16:46 AM	2309	17.7883
2024-08-24	12:17:46 AM	2310	17.7857
2024-08-24	12:18:46 AM	2311	17.7711
2024-08-24	12:19:46 AM	2312	17.7927
2024-08-24	12:20:46 AM	2313	17.7909
2024-08-24	12:21:46 AM	2314	17.7898
2024-08-24	12:22:46 AM	2315	17.7881
2024-08-24	12:23:46 AM	2316	17.7861
2024-08-24	12:24:46 AM	2317	17.7846
2024-08-24	12:25:46 AM	2318	17.7834
2024-08-24	12:26:46 AM	2319	17.7794
2024-08-24	12:27:46 AM	2320	17.7679
2024-08-24	12:28:46 AM	2321	17.7898
2024-08-24	12:29:46 AM	2322	17.7904
2024-08-24	12:30:46 AM	2323	17.7911
2024-08-24	12:31:46 AM	2324	17.7919
2024-08-24	12:32:46 AM	2325	17.7929
2024-08-24	12:33:46 AM	2326	17.793
2024-08-24	12:34:46 AM	2327	17.7935
2024-08-24	12:35:46 AM	2328	17.7927
2024-08-24	12:36:46 AM	2329	17.7898
2024-08-24	12:37:46 AM	2330	17.788
2024-08-24	12:38:46 AM	2331	17.8005
2024-08-24	12:39:46 AM	2332	17.8012
2024-08-24	12:40:46 AM	2333	17.8016
2024-08-24	12:41:46 AM	2334	17.8021
2024-08-24	12:42:46 AM	2335	17.8024
2024-08-24	12:43:46 AM	2336	17.8023
2024-08-24	12:44:46 AM	2337	17.8019
2024-08-24	12:45:46 AM	2338	17.7958
2024-08-24	12:46:46 AM	2339	17.7902
2024-08-24	12:47:46 AM	2340	17.8092
2024-08-24	12:48:46 AM	2341	17.81
2024-08-24	12:49:46 AM	2342	17.8103
2024-08-24	12:50:46 AM	2343	17.8111

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	12:51:46 AM	2344	17.811
2024-08-24	12:52:46 AM	2345	17.8113
2024-08-24	12:53:46 AM	2346	17.8116
2024-08-24	12:54:46 AM	2347	17.811
2024-08-24	12:55:46 AM	2348	17.8088
2024-08-24	12:56:46 AM	2349	17.7952
2024-08-24	12:57:46 AM	2350	17.817
2024-08-24	12:58:46 AM	2351	17.8171
2024-08-24	12:59:46 AM	2352	17.8177
2024-08-24	1:00:46 AM	2353	17.8177
2024-08-24	1:01:46 AM	2354	17.8177
2024-08-24	1:02:46 AM	2355	17.8177
2024-08-24	1:03:46 AM	2356	17.8168
2024-08-24	1:04:46 AM	2357	17.8108
2024-08-24	1:05:46 AM	2358	17.8014
2024-08-24	1:06:46 AM	2359	17.823
2024-08-24	1:07:46 AM	2360	17.8236
2024-08-24	1:08:46 AM	2361	17.8239
2024-08-24	1:09:46 AM	2362	17.8241
2024-08-24	1:10:46 AM	2363	17.8245
2024-08-24	1:11:46 AM	2364	17.8246
2024-08-24	1:12:46 AM	2365	17.8247
2024-08-24	1:13:46 AM	2366	17.8242
2024-08-24	1:14:46 AM	2367	17.8227
2024-08-24	1:15:46 AM	2368	17.8141
2024-08-24	1:16:46 AM	2369	17.8258
2024-08-24	1:17:46 AM	2370	17.8307
2024-08-24	1:18:46 AM	2371	17.8307
2024-08-24	1:19:46 AM	2372	17.8308
2024-08-24	1:20:46 AM	2373	17.8309
2024-08-24	1:21:46 AM	2374	17.8298
2024-08-24	1:22:46 AM	2375	17.8287
2024-08-24	1:23:46 AM	2376	17.8266
2024-08-24	1:24:46 AM	2377	17.8236
2024-08-24	1:25:46 AM	2378	17.8333
2024-08-24	1:26:46 AM	2379	17.8336
2024-08-24	1:27:46 AM	2380	17.834
2024-08-24	1:28:46 AM	2381	17.8343
2024-08-24	1:29:46 AM	2382	17.8346
2024-08-24	1:30:46 AM	2383	17.8343
2024-08-24	1:31:46 AM	2384	17.8342
2024-08-24	1:32:46 AM	2385	17.8337
2024-08-24	1:33:46 AM	2386	17.8317
2024-08-24	1:34:46 AM	2387	17.8205
2024-08-24	1:35:46 AM	2388	17.8395
2024-08-24	1:36:46 AM	2389	17.8395
2024-08-24	1:37:46 AM	2390	17.8399
2024-08-24	1:38:46 AM	2391	17.8402
2024-08-24	1:39:46 AM	2392	17.8402
2024-08-24	1:40:46 AM	2393	17.8397
2024-08-24	1:41:46 AM	2394	17.8395
2024-08-24	1:42:46 AM	2395	17.8386
2024-08-24	1:43:46 AM	2396	17.8292
2024-08-24	1:44:46 AM	2397	17.8346
2024-08-24	1:45:46 AM	2398	17.845
2024-08-24	1:46:46 AM	2399	17.8448
2024-08-24	1:47:46 AM	2400	17.8448
2024-08-24	1:48:46 AM	2401	17.8452
2024-08-24	1:49:46 AM	2402	17.8452
2024-08-24	1:50:46 AM	2403	17.8448
2024-08-24	1:51:46 AM	2404	17.8446
2024-08-24	1:52:46 AM	2405	17.8433
2024-08-24	1:53:46 AM	2406	17.8343
2024-08-24	1:54:46 AM	2407	17.8314
2024-08-24	1:55:46 AM	2408	17.8495
2024-08-24	1:56:46 AM	2409	17.8496
2024-08-24	1:57:46 AM	2410	17.8497
2024-08-24	1:58:46 AM	2411	17.8494
2024-08-24	1:59:46 AM	2412	17.8496

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	2:00:46 AM	2413	17.8487
2024-08-24	2:01:46 AM	2414	17.848
2024-08-24	2:02:46 AM	2415	17.8344
2024-08-24	2:03:46 AM	2416	17.8538
2024-08-24	2:04:46 AM	2417	17.8538
2024-08-24	2:05:46 AM	2418	17.8541
2024-08-24	2:06:46 AM	2419	17.8538
2024-08-24	2:07:46 AM	2420	17.8539
2024-08-24	2:08:46 AM	2421	17.8543
2024-08-24	2:09:46 AM	2422	17.8538
2024-08-24	2:10:46 AM	2423	17.8529
2024-08-24	2:11:46 AM	2424	17.8496
2024-08-24	2:12:46 AM	2425	17.8304
2024-08-24	2:13:46 AM	2426	17.8586
2024-08-24	2:14:46 AM	2427	17.859
2024-08-24	2:15:46 AM	2428	17.859
2024-08-24	2:16:46 AM	2429	17.859
2024-08-24	2:17:46 AM	2430	17.859
2024-08-24	2:18:46 AM	2431	17.8586
2024-08-24	2:19:46 AM	2432	17.8578
2024-08-24	2:20:46 AM	2433	17.857
2024-08-24	2:21:46 AM	2434	17.8457
2024-08-24	2:22:46 AM	2435	17.864
2024-08-24	2:23:46 AM	2436	17.8629
2024-08-24	2:24:46 AM	2437	17.8627
2024-08-24	2:25:46 AM	2438	17.8627
2024-08-24	2:26:46 AM	2439	17.8628
2024-08-24	2:27:46 AM	2440	17.8622
2024-08-24	2:28:46 AM	2441	17.862
2024-08-24	2:29:46 AM	2442	17.8613
2024-08-24	2:30:46 AM	2443	17.8574
2024-08-24	2:31:46 AM	2444	17.8455
2024-08-24	2:32:46 AM	2445	17.8668
2024-08-24	2:33:46 AM	2446	17.8671
2024-08-24	2:34:46 AM	2447	17.8671
2024-08-24	2:35:46 AM	2448	17.867
2024-08-24	2:36:46 AM	2449	17.867
2024-08-24	2:37:46 AM	2450	17.8663
2024-08-24	2:38:46 AM	2451	17.866
2024-08-24	2:39:46 AM	2452	17.8637
2024-08-24	2:40:46 AM	2453	17.8509
2024-08-24	2:41:46 AM	2454	17.8712
2024-08-24	2:42:46 AM	2455	17.871
2024-08-24	2:43:46 AM	2456	17.8707
2024-08-24	2:44:46 AM	2457	17.8706
2024-08-24	2:45:46 AM	2458	17.8703
2024-08-24	2:46:46 AM	2459	17.8704
2024-08-24	2:47:46 AM	2460	17.8704
2024-08-24	2:48:46 AM	2461	17.8693
2024-08-24	2:49:46 AM	2462	17.8673
2024-08-24	2:50:46 AM	2463	17.8644
2024-08-24	2:51:46 AM	2464	17.875
2024-08-24	2:52:46 AM	2465	17.8751
2024-08-24	2:53:46 AM	2466	17.8748
2024-08-24	2:54:46 AM	2467	17.875
2024-08-24	2:55:46 AM	2468	17.8745
2024-08-24	2:56:46 AM	2469	17.8743
2024-08-24	2:57:46 AM	2470	17.8739
2024-08-24	2:58:46 AM	2471	17.8727
2024-08-24	2:59:46 AM	2472	17.8702
2024-08-24	3:00:46 AM	2473	17.868
2024-08-24	3:01:46 AM	2474	17.878
2024-08-24	3:02:46 AM	2475	17.8776
2024-08-24	3:03:46 AM	2476	17.8774
2024-08-24	3:04:46 AM	2477	17.877
2024-08-24	3:05:46 AM	2478	17.877
2024-08-24	3:06:46 AM	2479	17.8771
2024-08-24	3:07:46 AM	2480	17.8756
2024-08-24	3:08:46 AM	2481	17.872

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	3:09:46 AM	2482	17.8627
2024-08-24	3:10:46 AM	2483	17.8814
2024-08-24	3:11:46 AM	2484	17.8817
2024-08-24	3:12:46 AM	2485	17.8818
2024-08-24	3:13:46 AM	2486	17.8816
2024-08-24	3:14:46 AM	2487	17.8811
2024-08-24	3:15:46 AM	2488	17.8805
2024-08-24	3:16:46 AM	2489	17.8802
2024-08-24	3:17:46 AM	2490	17.8784
2024-08-24	3:18:46 AM	2491	17.8705
2024-08-24	3:19:46 AM	2492	17.8842
2024-08-24	3:20:46 AM	2493	17.8836
2024-08-24	3:21:46 AM	2494	17.8837
2024-08-24	3:22:46 AM	2495	17.8835
2024-08-24	3:23:46 AM	2496	17.8831
2024-08-24	3:24:46 AM	2497	17.8826
2024-08-24	3:25:46 AM	2498	17.8816
2024-08-24	3:26:46 AM	2499	17.8796
2024-08-24	3:27:46 AM	2500	17.8748
2024-08-24	3:28:46 AM	2501	17.871
2024-08-24	3:29:46 AM	2502	17.8861
2024-08-24	3:30:46 AM	2503	17.8857
2024-08-24	3:31:46 AM	2504	17.8853
2024-08-24	3:32:46 AM	2505	17.8853
2024-08-24	3:33:46 AM	2506	17.8851
2024-08-24	3:34:46 AM	2507	17.8844
2024-08-24	3:35:46 AM	2508	17.8832
2024-08-24	3:36:46 AM	2509	17.8738
2024-08-24	3:37:46 AM	2510	17.8879
2024-08-24	3:38:46 AM	2511	17.8879
2024-08-24	3:39:46 AM	2512	17.8879
2024-08-24	3:40:46 AM	2513	17.888
2024-08-24	3:41:46 AM	2514	17.8873
2024-08-24	3:42:46 AM	2515	17.8864
2024-08-24	3:43:46 AM	2516	17.8858
2024-08-24	3:44:46 AM	2517	17.8841
2024-08-24	3:45:46 AM	2518	17.8788
2024-08-24	3:46:46 AM	2519	17.8745
2024-08-24	3:47:46 AM	2520	17.8904
2024-08-24	3:48:46 AM	2521	17.8902
2024-08-24	3:49:46 AM	2522	17.8903
2024-08-24	3:50:46 AM	2523	17.8901
2024-08-24	3:51:46 AM	2524	17.8903
2024-08-24	3:52:46 AM	2525	17.8901
2024-08-24	3:53:46 AM	2526	17.8898
2024-08-24	3:54:46 AM	2527	17.8886
2024-08-24	3:55:46 AM	2528	17.8833
2024-08-24	3:56:46 AM	2529	17.881
2024-08-24	3:57:46 AM	2530	17.8935
2024-08-24	3:58:46 AM	2531	17.8932
2024-08-24	3:59:46 AM	2532	17.8931
2024-08-24	4:00:46 AM	2533	17.8928
2024-08-24	4:01:46 AM	2534	17.8924
2024-08-24	4:02:46 AM	2535	17.8916
2024-08-24	4:03:46 AM	2536	17.8907
2024-08-24	4:04:46 AM	2537	17.8836
2024-08-24	4:05:46 AM	2538	17.8904
2024-08-24	4:06:46 AM	2539	17.8957
2024-08-24	4:07:46 AM	2540	17.896
2024-08-24	4:08:46 AM	2541	17.8958
2024-08-24	4:09:46 AM	2542	17.8959
2024-08-24	4:10:46 AM	2543	17.8953
2024-08-24	4:11:46 AM	2544	17.8674
2024-08-24	4:12:46 AM	2545	17.8565
2024-08-24	4:13:46 AM	2546	17.8459
2024-08-24	4:14:46 AM	2547	17.8397
2024-08-24	4:15:46 AM	2548	17.8294
2024-08-24	4:16:46 AM	2549	17.8251
2024-08-24	4:17:46 AM	2550	17.8244

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	4:18:46 AM	2551	17.8126
2024-08-24	4:19:46 AM	2552	17.8144
2024-08-24	4:20:46 AM	2553	17.8039
2024-08-24	4:21:46 AM	2554	17.8343
2024-08-24	4:22:46 AM	2555	17.8386
2024-08-24	4:23:46 AM	2556	17.8477
2024-08-24	4:24:46 AM	2557	17.8477
2024-08-24	4:25:46 AM	2558	17.8549
2024-08-24	4:26:46 AM	2559	17.842
2024-08-24	4:27:46 AM	2560	17.8581
2024-08-24	4:28:46 AM	2561	17.8635
2024-08-24	4:29:46 AM	2562	17.8576
2024-08-24	4:30:46 AM	2563	17.8653
2024-08-24	4:31:46 AM	2564	17.849
2024-08-24	4:32:46 AM	2565	17.8662
2024-08-24	4:33:46 AM	2566	17.8701
2024-08-24	4:34:46 AM	2567	17.861
2024-08-24	4:35:46 AM	2568	17.8714
2024-08-24	4:36:46 AM	2569	17.8735
2024-08-24	4:37:46 AM	2570	17.8704
2024-08-24	4:38:46 AM	2571	17.8749
2024-08-24	4:39:46 AM	2572	17.8594
2024-08-24	4:40:46 AM	2573	17.8751
2024-08-24	4:41:46 AM	2574	17.8652
2024-08-24	4:42:46 AM	2575	17.8753
2024-08-24	4:43:46 AM	2576	17.8788
2024-08-24	4:44:46 AM	2577	17.875
2024-08-24	4:45:46 AM	2578	17.8795
2024-08-24	4:46:46 AM	2579	17.875
2024-08-24	4:47:46 AM	2580	17.8795
2024-08-24	4:48:46 AM	2581	17.8553
2024-08-24	4:49:46 AM	2582	17.8795
2024-08-24	4:50:46 AM	2583	17.8823
2024-08-24	4:51:46 AM	2584	17.8784
2024-08-24	4:52:46 AM	2585	17.8826
2024-08-24	4:53:46 AM	2586	17.8527
2024-08-24	4:54:46 AM	2587	17.8825
2024-08-24	4:55:46 AM	2588	17.885
2024-08-24	4:56:46 AM	2589	17.881
2024-08-24	4:57:46 AM	2590	17.8852
2024-08-24	4:58:46 AM	2591	17.8806
2024-08-24	4:59:46 AM	2592	17.8851
2024-08-24	5:00:46 AM	2593	17.8731
2024-08-24	5:01:46 AM	2594	17.8848
2024-08-24	5:02:46 AM	2595	17.8726
2024-08-24	5:03:46 AM	2596	17.8835
2024-08-24	5:04:46 AM	2597	17.8867
2024-08-24	5:05:46 AM	2598	17.8825
2024-08-24	5:06:46 AM	2599	17.8863
2024-08-24	5:07:46 AM	2600	17.8787
2024-08-24	5:08:46 AM	2601	17.8853
2024-08-24	5:09:46 AM	2602	17.8766
2024-08-24	5:10:46 AM	2603	17.8839
2024-08-24	5:11:46 AM	2604	17.8871
2024-08-24	5:12:46 AM	2605	17.8819
2024-08-24	5:13:46 AM	2606	17.8862
2024-08-24	5:14:46 AM	2607	17.8755
2024-08-24	5:15:46 AM	2608	17.8847
2024-08-24	5:16:46 AM	2609	17.8882
2024-08-24	5:17:46 AM	2610	17.8834
2024-08-24	5:18:46 AM	2611	17.8874
2024-08-24	5:19:46 AM	2612	17.8809
2024-08-24	5:20:46 AM	2613	17.8867
2024-08-24	5:21:46 AM	2614	17.8693
2024-08-24	5:22:46 AM	2615	17.8859
2024-08-24	5:23:46 AM	2616	17.8881
2024-08-24	5:24:46 AM	2617	17.8841
2024-08-24	5:25:46 AM	2618	17.888
2024-08-24	5:26:46 AM	2619	17.8813

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	5:27:46 AM	2620	17.8869
2024-08-24	5:28:46 AM	2621	17.8761
2024-08-24	5:29:46 AM	2622	17.8859
2024-08-24	5:30:46 AM	2623	17.8874
2024-08-24	5:31:46 AM	2624	17.8839
2024-08-24	5:32:46 AM	2625	17.8872
2024-08-24	5:33:46 AM	2626	17.8781
2024-08-24	5:34:46 AM	2627	17.8864
2024-08-24	5:35:46 AM	2628	17.8769
2024-08-24	5:36:46 AM	2629	17.8849
2024-08-24	5:37:46 AM	2630	17.8881
2024-08-24	5:38:46 AM	2631	17.8838
2024-08-24	5:39:46 AM	2632	17.8871
2024-08-24	5:40:46 AM	2633	17.8816
2024-08-24	5:41:46 AM	2634	17.8864
2024-08-24	5:42:46 AM	2635	17.8707
2024-08-24	5:43:46 AM	2636	17.8847
2024-08-24	5:44:46 AM	2637	17.8732
2024-08-24	5:45:46 AM	2638	17.8833
2024-08-24	5:46:46 AM	2639	17.8859
2024-08-24	5:47:46 AM	2640	17.8799
2024-08-24	5:48:46 AM	2641	17.8845
2024-08-24	5:49:46 AM	2642	17.8601
2024-08-24	5:50:46 AM	2643	17.8824
2024-08-24	5:51:46 AM	2644	17.8847
2024-08-24	5:52:46 AM	2645	17.8765
2024-08-24	5:53:46 AM	2646	17.8836
2024-08-24	5:54:46 AM	2647	17.8642
2024-08-24	5:55:46 AM	2648	17.8827
2024-08-24	5:56:46 AM	2649	17.8686
2024-08-24	5:57:46 AM	2650	17.8811
2024-08-24	5:58:46 AM	2651	17.8841
2024-08-24	5:59:46 AM	2652	17.8792
2024-08-24	6:00:46 AM	2653	17.8833
2024-08-24	6:01:46 AM	2654	17.8696
2024-08-24	6:02:46 AM	2655	17.882
2024-08-24	6:03:46 AM	2656	17.8701
2024-08-24	6:04:46 AM	2657	17.8801
2024-08-24	6:05:46 AM	2658	17.8835
2024-08-24	6:06:46 AM	2659	17.8724
2024-08-24	6:07:46 AM	2660	17.8823
2024-08-24	6:08:46 AM	2661	17.8609
2024-08-24	6:09:46 AM	2662	17.8398
2024-08-24	6:10:46 AM	2663	17.8297
2024-08-24	6:11:46 AM	2664	17.8243
2024-08-24	6:12:46 AM	2665	17.822
2024-08-24	6:13:46 AM	2666	17.8153
2024-08-24	6:14:46 AM	2667	17.8095
2024-08-24	6:15:46 AM	2668	17.8062
2024-08-24	6:16:46 AM	2669	17.7982
2024-08-24	6:17:46 AM	2670	17.7953
2024-08-24	6:18:46 AM	2671	17.8151
2024-08-24	6:19:46 AM	2672	17.8294
2024-08-24	6:20:46 AM	2673	17.8329
2024-08-24	6:21:46 AM	2674	17.8247
2024-08-24	6:22:46 AM	2675	17.8419
2024-08-24	6:23:46 AM	2676	17.8395
2024-08-24	6:24:46 AM	2677	17.8472
2024-08-24	6:25:46 AM	2678	17.8453
2024-08-24	6:26:46 AM	2679	17.8409
2024-08-24	6:27:46 AM	2680	17.8505
2024-08-24	6:28:46 AM	2681	17.8444
2024-08-24	6:29:46 AM	2682	17.8544
2024-08-24	6:30:46 AM	2683	17.852
2024-08-24	6:31:46 AM	2684	17.8575
2024-08-24	6:32:46 AM	2685	17.8612
2024-08-24	6:33:46 AM	2686	17.8631
2024-08-24	6:34:46 AM	2687	17.8651
2024-08-24	6:35:46 AM	2688	17.867

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	6:36:46 AM	2689	17.8682
2024-08-24	6:37:46 AM	2690	17.8689
2024-08-24	6:38:46 AM	2691	17.8691
2024-08-24	6:39:46 AM	2692	17.8626
2024-08-24	6:40:46 AM	2693	17.87
2024-08-24	6:41:46 AM	2694	17.8777
2024-08-24	6:42:46 AM	2695	17.8786
2024-08-24	6:43:46 AM	2696	17.8791
2024-08-24	6:44:46 AM	2697	17.8795
2024-08-24	6:45:46 AM	2698	17.8804
2024-08-24	6:46:46 AM	2699	17.8807
2024-08-24	6:47:46 AM	2700	17.8806
2024-08-24	6:48:46 AM	2701	17.8794
2024-08-24	6:49:46 AM	2702	17.8788
2024-08-24	6:50:46 AM	2703	17.8556
2024-08-24	6:51:46 AM	2704	17.8858
2024-08-24	6:52:46 AM	2705	17.8866
2024-08-24	6:53:46 AM	2706	17.8871
2024-08-24	6:54:46 AM	2707	17.8876
2024-08-24	6:55:46 AM	2708	17.8884
2024-08-24	6:56:46 AM	2709	17.8886
2024-08-24	6:57:46 AM	2710	17.8883
2024-08-24	6:58:46 AM	2711	17.8877
2024-08-24	6:59:46 AM	2712	17.8865
2024-08-24	7:00:46 AM	2713	17.8786
2024-08-24	7:01:46 AM	2714	17.894
2024-08-24	7:02:46 AM	2715	17.8941
2024-08-24	7:03:46 AM	2716	17.8949
2024-08-24	7:04:46 AM	2717	17.8951
2024-08-24	7:05:46 AM	2718	17.8952
2024-08-24	7:06:46 AM	2719	17.8955
2024-08-24	7:07:46 AM	2720	17.8956
2024-08-24	7:08:46 AM	2721	17.8955
2024-08-24	7:09:46 AM	2722	17.8946
2024-08-24	7:10:46 AM	2723	17.8952
2024-08-24	7:11:46 AM	2724	17.8775
2024-08-24	7:12:46 AM	2725	17.9015
2024-08-24	7:13:46 AM	2726	17.902
2024-08-24	7:14:46 AM	2727	17.9022
2024-08-24	7:15:46 AM	2728	17.9024
2024-08-24	7:16:46 AM	2729	17.9021
2024-08-24	7:17:46 AM	2730	17.9021
2024-08-24	7:18:46 AM	2731	17.902
2024-08-24	7:19:46 AM	2732	17.9009
2024-08-24	7:20:46 AM	2733	17.8868
2024-08-24	7:21:46 AM	2734	17.8888
2024-08-24	7:22:46 AM	2735	17.9068
2024-08-24	7:23:46 AM	2736	17.9066
2024-08-24	7:24:46 AM	2737	17.9067
2024-08-24	7:25:46 AM	2738	17.9066
2024-08-24	7:26:46 AM	2739	17.9064
2024-08-24	7:27:46 AM	2740	17.9063
2024-08-24	7:28:46 AM	2741	17.9059
2024-08-24	7:29:46 AM	2742	17.9046
2024-08-24	7:30:46 AM	2743	17.9004
2024-08-24	7:31:46 AM	2744	17.8978
2024-08-24	7:32:46 AM	2745	17.9093
2024-08-24	7:33:46 AM	2746	17.9096
2024-08-24	7:34:46 AM	2747	17.9095
2024-08-24	7:35:46 AM	2748	17.9097
2024-08-24	7:36:46 AM	2749	17.91
2024-08-24	7:37:46 AM	2750	17.9092
2024-08-24	7:38:46 AM	2751	17.9095
2024-08-24	7:39:46 AM	2752	17.9084
2024-08-24	7:40:46 AM	2753	17.9017
2024-08-24	7:41:46 AM	2754	17.9138
2024-08-24	7:42:46 AM	2755	17.9146
2024-08-24	7:43:46 AM	2756	17.9146
2024-08-24	7:44:46 AM	2757	17.9147

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	7:45:46 AM	2758	17.915
2024-08-24	7:46:46 AM	2759	17.9151
2024-08-24	7:47:46 AM	2760	17.9147
2024-08-24	7:48:46 AM	2761	17.9144
2024-08-24	7:49:46 AM	2762	17.9134
2024-08-24	7:50:46 AM	2763	17.9139
2024-08-24	7:51:46 AM	2764	17.9109
2024-08-24	7:52:46 AM	2765	17.9197
2024-08-24	7:53:46 AM	2766	17.9198
2024-08-24	7:54:46 AM	2767	17.9196
2024-08-24	7:55:46 AM	2768	17.9196
2024-08-24	7:56:46 AM	2769	17.9194
2024-08-24	7:57:46 AM	2770	17.9185
2024-08-24	7:58:46 AM	2771	17.9173
2024-08-24	7:59:46 AM	2772	17.9108
2024-08-24	8:00:46 AM	2773	17.9254
2024-08-24	8:01:46 AM	2774	17.9234
2024-08-24	8:02:46 AM	2775	17.9234
2024-08-24	8:03:46 AM	2776	17.9238
2024-08-24	8:04:46 AM	2777	17.9237
2024-08-24	8:05:46 AM	2778	17.9233
2024-08-24	8:06:46 AM	2779	17.8933
2024-08-24	8:07:46 AM	2780	17.8966
2024-08-24	8:08:46 AM	2781	17.8986
2024-08-24	8:09:46 AM	2782	17.8946
2024-08-24	8:10:46 AM	2783	17.9028
2024-08-24	8:11:46 AM	2784	17.9119
2024-08-24	8:12:46 AM	2785	17.9131
2024-08-24	8:13:46 AM	2786	17.9135
2024-08-24	8:14:46 AM	2787	17.9141
2024-08-24	8:15:46 AM	2788	17.9146
2024-08-24	8:16:46 AM	2789	17.9143
2024-08-24	8:17:46 AM	2790	17.9126
2024-08-24	8:18:46 AM	2791	17.9051
2024-08-24	8:19:46 AM	2792	17.9204
2024-08-24	8:20:46 AM	2793	17.9207
2024-08-24	8:21:46 AM	2794	17.9214
2024-08-24	8:22:46 AM	2795	17.9214
2024-08-24	8:23:46 AM	2796	17.9216
2024-08-24	8:24:46 AM	2797	17.9217
2024-08-24	8:25:46 AM	2798	17.9217
2024-08-24	8:26:46 AM	2799	17.9213
2024-08-24	8:27:46 AM	2800	17.9193
2024-08-24	8:28:46 AM	2801	17.9021
2024-08-24	8:29:46 AM	2802	17.8964
2024-08-24	8:30:46 AM	2803	17.8999
2024-08-24	8:31:46 AM	2804	17.9044
2024-08-24	8:32:46 AM	2805	17.9072
2024-08-24	8:33:46 AM	2806	17.9098
2024-08-24	8:34:46 AM	2807	17.9112
2024-08-24	8:35:46 AM	2808	17.9123
2024-08-24	8:36:46 AM	2809	17.9124
2024-08-24	8:37:46 AM	2810	17.9058
2024-08-24	8:38:46 AM	2811	17.9047
2024-08-24	8:39:46 AM	2812	17.9209
2024-08-24	8:40:46 AM	2813	17.9218
2024-08-24	8:41:46 AM	2814	17.9223
2024-08-24	8:42:46 AM	2815	17.9227
2024-08-24	8:43:46 AM	2816	17.923
2024-08-24	8:44:46 AM	2817	17.9234
2024-08-24	8:45:46 AM	2818	17.9004
2024-08-24	8:46:46 AM	2819	17.8957
2024-08-24	8:47:46 AM	2820	17.8941
2024-08-24	8:48:46 AM	2821	17.8916
2024-08-24	8:49:46 AM	2822	17.9112
2024-08-24	8:50:46 AM	2823	17.9134
2024-08-24	8:51:46 AM	2824	17.9147
2024-08-24	8:52:46 AM	2825	17.9163
2024-08-24	8:53:46 AM	2826	17.9174

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	8:54:46 AM	2827	17.9175
2024-08-24	8:55:46 AM	2828	17.9178
2024-08-24	8:56:46 AM	2829	17.9154
2024-08-24	8:57:46 AM	2830	17.8922
2024-08-24	8:58:46 AM	2831	17.9244
2024-08-24	8:59:46 AM	2832	17.9252
2024-08-24	9:00:46 AM	2833	17.9259
2024-08-24	9:01:46 AM	2834	17.9258
2024-08-24	9:02:46 AM	2835	17.9262
2024-08-24	9:03:46 AM	2836	17.9264
2024-08-24	9:04:46 AM	2837	17.9264
2024-08-24	9:05:46 AM	2838	17.9254
2024-08-24	9:06:46 AM	2839	17.917
2024-08-24	9:07:46 AM	2840	17.9116
2024-08-24	9:08:46 AM	2841	17.932
2024-08-24	9:09:46 AM	2842	17.9324
2024-08-24	9:10:46 AM	2843	17.9328
2024-08-24	9:11:46 AM	2844	17.9326
2024-08-24	9:12:46 AM	2845	17.9324
2024-08-24	9:13:46 AM	2846	17.9323
2024-08-24	9:14:46 AM	2847	17.9306
2024-08-24	9:15:46 AM	2848	17.9297
2024-08-24	9:16:46 AM	2849	17.9361
2024-08-24	9:17:46 AM	2850	17.9371
2024-08-24	9:18:46 AM	2851	17.9365
2024-08-24	9:19:46 AM	2852	17.9367
2024-08-24	9:20:46 AM	2853	17.9368
2024-08-24	9:21:46 AM	2854	17.9365
2024-08-24	9:22:46 AM	2855	17.9366
2024-08-24	9:23:46 AM	2856	17.9354
2024-08-24	9:24:46 AM	2857	17.9341
2024-08-24	9:25:46 AM	2858	17.9206
2024-08-24	9:26:46 AM	2859	17.9408
2024-08-24	9:27:46 AM	2860	17.9411
2024-08-24	9:28:46 AM	2861	17.9408
2024-08-24	9:29:46 AM	2862	17.941
2024-08-24	9:30:46 AM	2863	17.9408
2024-08-24	9:31:46 AM	2864	17.9404
2024-08-24	9:32:46 AM	2865	17.9396
2024-08-24	9:33:46 AM	2866	17.9362
2024-08-24	9:34:46 AM	2867	17.9096
2024-08-24	9:35:46 AM	2868	17.9447
2024-08-24	9:36:46 AM	2869	17.9442
2024-08-24	9:37:46 AM	2870	17.9439
2024-08-24	9:38:46 AM	2871	17.9437
2024-08-24	9:39:46 AM	2872	17.9429
2024-08-24	9:40:46 AM	2873	17.9423
2024-08-24	9:41:46 AM	2874	17.9415
2024-08-24	9:42:46 AM	2875	17.94
2024-08-24	9:43:46 AM	2876	17.9285
2024-08-24	9:44:46 AM	2877	17.9452
2024-08-24	9:45:46 AM	2878	17.9447
2024-08-24	9:46:46 AM	2879	17.9443
2024-08-24	9:47:46 AM	2880	17.9439
2024-08-24	9:48:46 AM	2881	17.9432
2024-08-24	9:49:46 AM	2882	17.9427
2024-08-24	9:50:46 AM	2883	17.9416
2024-08-24	9:51:46 AM	2884	17.9396
2024-08-24	9:52:46 AM	2885	17.93
2024-08-24	9:53:46 AM	2886	17.9441
2024-08-24	9:54:46 AM	2887	17.9441
2024-08-24	9:55:46 AM	2888	17.9434
2024-08-24	9:56:46 AM	2889	17.9424
2024-08-24	9:57:46 AM	2890	17.9418
2024-08-24	9:58:46 AM	2891	17.9408
2024-08-24	9:59:46 AM	2892	17.9397
2024-08-24	10:00:46 AM	2893	17.9378
2024-08-24	10:01:46 AM	2894	17.9295
2024-08-24	10:02:46 AM	2895	17.9246

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	10:03:46 AM	2896	17.9423
2024-08-24	10:04:46 AM	2897	17.9419
2024-08-24	10:05:46 AM	2898	17.9412
2024-08-24	10:06:46 AM	2899	17.9406
2024-08-24	10:07:46 AM	2900	17.9399
2024-08-24	10:08:46 AM	2901	17.939
2024-08-24	10:09:46 AM	2902	17.9379
2024-08-24	10:10:46 AM	2903	17.935
2024-08-24	10:11:46 AM	2904	17.9281
2024-08-24	10:12:46 AM	2905	17.9416
2024-08-24	10:13:46 AM	2906	17.9404
2024-08-24	10:14:46 AM	2907	17.9399
2024-08-24	10:15:46 AM	2908	17.9391
2024-08-24	10:16:46 AM	2909	17.9385
2024-08-24	10:17:46 AM	2910	17.9373
2024-08-24	10:18:46 AM	2911	17.936
2024-08-24	10:19:46 AM	2912	17.9342
2024-08-24	10:20:46 AM	2913	17.9325
2024-08-24	10:21:46 AM	2914	17.9302
2024-08-24	10:22:46 AM	2915	17.939
2024-08-24	10:23:46 AM	2916	17.9382
2024-08-24	10:24:46 AM	2917	17.9376
2024-08-24	10:25:46 AM	2918	17.9373
2024-08-24	10:26:46 AM	2919	17.9365
2024-08-24	10:27:46 AM	2920	17.9357
2024-08-24	10:28:46 AM	2921	17.9347
2024-08-24	10:29:46 AM	2922	17.9333
2024-08-24	10:30:46 AM	2923	17.923
2024-08-24	10:31:46 AM	2924	17.9383
2024-08-24	10:32:46 AM	2925	17.938
2024-08-24	10:33:46 AM	2926	17.9375
2024-08-24	10:34:46 AM	2927	17.937
2024-08-24	10:35:46 AM	2928	17.9364
2024-08-24	10:36:46 AM	2929	17.9356
2024-08-24	10:37:46 AM	2930	17.9342
2024-08-24	10:38:46 AM	2931	17.9245
2024-08-24	10:39:46 AM	2932	17.9168
2024-08-24	10:40:46 AM	2933	17.9386
2024-08-24	10:41:46 AM	2934	17.9384
2024-08-24	10:42:46 AM	2935	17.9381
2024-08-24	10:43:46 AM	2936	17.9377
2024-08-24	10:44:46 AM	2937	17.9373
2024-08-24	10:45:46 AM	2938	17.9361
2024-08-24	10:46:46 AM	2939	17.9357
2024-08-24	10:47:46 AM	2940	17.9345
2024-08-24	10:48:46 AM	2941	17.9298
2024-08-24	10:49:46 AM	2942	17.9197
2024-08-24	10:50:46 AM	2943	17.9381
2024-08-24	10:51:46 AM	2944	17.9381
2024-08-24	10:52:46 AM	2945	17.9377
2024-08-24	10:53:46 AM	2946	17.9372
2024-08-24	10:54:46 AM	2947	17.9365
2024-08-24	10:55:46 AM	2948	17.9364
2024-08-24	10:56:46 AM	2949	17.9344
2024-08-24	10:57:46 AM	2950	17.9257
2024-08-24	10:58:46 AM	2951	17.9253
2024-08-24	10:59:46 AM	2952	17.9401
2024-08-24	11:00:46 AM	2953	17.9397
2024-08-24	11:01:46 AM	2954	17.9399
2024-08-24	11:02:46 AM	2955	17.9398
2024-08-24	11:03:46 AM	2956	17.9396
2024-08-24	11:04:46 AM	2957	17.9392
2024-08-24	11:05:46 AM	2958	17.939
2024-08-24	11:06:46 AM	2959	17.938
2024-08-24	11:07:46 AM	2960	17.9366
2024-08-24	11:08:46 AM	2961	17.9257
2024-08-24	11:09:46 AM	2962	17.9201
2024-08-24	11:10:46 AM	2963	17.9419
2024-08-24	11:11:46 AM	2964	17.9416

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	11:12:46 AM	2965	17.9415
2024-08-24	11:13:46 AM	2966	17.941
2024-08-24	11:14:46 AM	2967	17.94
2024-08-24	11:15:46 AM	2968	17.9391
2024-08-24	11:16:46 AM	2969	17.9365
2024-08-24	11:17:46 AM	2970	17.9286
2024-08-24	11:18:46 AM	2971	17.9432
2024-08-24	11:19:46 AM	2972	17.9429
2024-08-24	11:20:46 AM	2973	17.9426
2024-08-24	11:21:46 AM	2974	17.9426
2024-08-24	11:22:46 AM	2975	17.9425
2024-08-24	11:23:46 AM	2976	17.9424
2024-08-24	11:24:46 AM	2977	17.9418
2024-08-24	11:25:46 AM	2978	17.9409
2024-08-24	11:26:46 AM	2979	17.939
2024-08-24	11:27:46 AM	2980	17.939
2024-08-24	11:28:46 AM	2981	17.9336
2024-08-24	11:29:46 AM	2982	17.946
2024-08-24	11:30:46 AM	2983	17.946
2024-08-24	11:31:46 AM	2984	17.9455
2024-08-24	11:32:46 AM	2985	17.9451
2024-08-24	11:33:46 AM	2986	17.9447
2024-08-24	11:34:46 AM	2987	17.9434
2024-08-24	11:35:46 AM	2988	17.939
2024-08-24	11:36:46 AM	2989	17.9287
2024-08-24	11:37:46 AM	2990	17.9475
2024-08-24	11:38:46 AM	2991	17.9473
2024-08-24	11:39:46 AM	2992	17.9473
2024-08-24	11:40:46 AM	2993	17.9468
2024-08-24	11:41:46 AM	2994	17.9467
2024-08-24	11:42:46 AM	2995	17.9458
2024-08-24	11:43:46 AM	2996	17.9449
2024-08-24	11:44:46 AM	2997	17.9431
2024-08-24	11:45:46 AM	2998	17.9457
2024-08-24	11:46:46 AM	2999	17.9346
2024-08-24	11:47:46 AM	3000	17.9482
2024-08-24	11:48:46 AM	3001	17.9484
2024-08-24	11:49:46 AM	3002	17.948
2024-08-24	11:50:46 AM	3003	17.9474
2024-08-24	11:51:46 AM	3004	17.9468
2024-08-24	11:52:46 AM	3005	17.9461
2024-08-24	11:53:46 AM	3006	17.9444
2024-08-24	11:54:46 AM	3007	17.935
2024-08-24	11:55:46 AM	3008	17.9496
2024-08-24	11:56:46 AM	3009	17.9487
2024-08-24	11:57:46 AM	3010	17.9484
2024-08-24	11:58:46 AM	3011	17.9475
2024-08-24	11:59:46 AM	3012	17.9472
2024-08-24	12:00:46 PM	3013	17.9469
2024-08-24	12:01:46 PM	3014	17.9459
2024-08-24	12:02:46 PM	3015	17.9444
2024-08-24	12:03:46 PM	3016	17.9429
2024-08-24	12:04:46 PM	3017	17.9281
2024-08-24	12:05:46 PM	3018	17.9498
2024-08-24	12:06:46 PM	3019	17.9489
2024-08-24	12:07:46 PM	3020	17.9489
2024-08-24	12:08:46 PM	3021	17.9485
2024-08-24	12:09:46 PM	3022	17.948
2024-08-24	12:10:46 PM	3023	17.9477
2024-08-24	12:11:46 PM	3024	17.9469
2024-08-24	12:12:46 PM	3025	17.9456
2024-08-24	12:13:46 PM	3026	17.9384
2024-08-24	12:14:46 PM	3027	17.93
2024-08-24	12:15:46 PM	3028	17.9505
2024-08-24	12:16:46 PM	3029	17.95
2024-08-24	12:17:46 PM	3030	17.9493
2024-08-24	12:18:46 PM	3031	17.9491
2024-08-24	12:19:46 PM	3032	17.9483
2024-08-24	12:20:46 PM	3033	17.9474

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	12:21:46 PM	3034	17.9463
2024-08-24	12:22:46 PM	3035	17.9428
2024-08-24	12:23:46 PM	3036	17.9243
2024-08-24	12:24:46 PM	3037	17.9505
2024-08-24	12:25:46 PM	3038	17.9498
2024-08-24	12:26:46 PM	3039	17.9485
2024-08-24	12:27:46 PM	3040	17.9479
2024-08-24	12:28:46 PM	3041	17.9471
2024-08-24	12:29:46 PM	3042	17.946
2024-08-24	12:30:46 PM	3043	17.9464
2024-08-24	12:31:46 PM	3044	17.9433
2024-08-24	12:32:46 PM	3045	17.9393
2024-08-24	12:33:46 PM	3046	17.9277
2024-08-24	12:34:46 PM	3047	17.947
2024-08-24	12:35:46 PM	3048	17.9462
2024-08-24	12:36:46 PM	3049	17.9451
2024-08-24	12:37:46 PM	3050	17.9446
2024-08-24	12:38:46 PM	3051	17.9434
2024-08-24	12:39:46 PM	3052	17.9422
2024-08-24	12:40:46 PM	3053	17.9403
2024-08-24	12:41:46 PM	3054	17.9376
2024-08-24	12:42:46 PM	3055	17.9231
2024-08-24	12:43:46 PM	3056	17.9439
2024-08-24	12:44:46 PM	3057	17.9434
2024-08-24	12:45:46 PM	3058	17.9428
2024-08-24	12:46:46 PM	3059	17.9419
2024-08-24	12:47:46 PM	3060	17.9412
2024-08-24	12:48:46 PM	3061	17.9404
2024-08-24	12:49:46 PM	3062	17.9395
2024-08-24	12:50:46 PM	3063	17.938
2024-08-24	12:51:46 PM	3064	17.9344
2024-08-24	12:52:46 PM	3065	17.9197
2024-08-24	12:53:46 PM	3066	17.9417
2024-08-24	12:54:46 PM	3067	17.94
2024-08-24	12:55:46 PM	3068	17.9394
2024-08-24	12:56:46 PM	3069	17.9389
2024-08-24	12:57:46 PM	3070	17.938
2024-08-24	12:58:46 PM	3071	17.9369
2024-08-24	12:59:46 PM	3072	17.9347
2024-08-24	1:00:46 PM	3073	17.9286
2024-08-24	1:01:46 PM	3074	17.9258
2024-08-24	1:02:46 PM	3075	17.938
2024-08-24	1:03:46 PM	3076	17.9373
2024-08-24	1:04:46 PM	3077	17.9362
2024-08-24	1:05:46 PM	3078	17.9357
2024-08-24	1:06:46 PM	3079	17.9353
2024-08-24	1:07:46 PM	3080	17.934
2024-08-24	1:08:46 PM	3081	17.9328
2024-08-24	1:09:46 PM	3082	17.9312
2024-08-24	1:10:46 PM	3083	17.9237
2024-08-24	1:11:46 PM	3084	17.9281
2024-08-24	1:12:46 PM	3085	17.9353
2024-08-24	1:13:46 PM	3086	17.9348
2024-08-24	1:14:46 PM	3087	17.9339
2024-08-24	1:15:46 PM	3088	17.9329
2024-08-24	1:16:46 PM	3089	17.9314
2024-08-24	1:17:46 PM	3090	17.9299
2024-08-24	1:18:46 PM	3091	17.9276
2024-08-24	1:19:46 PM	3092	17.9161
2024-08-24	1:20:46 PM	3093	17.9325
2024-08-24	1:21:46 PM	3094	17.9316
2024-08-24	1:22:46 PM	3095	17.9308
2024-08-24	1:23:46 PM	3096	17.9299
2024-08-24	1:24:46 PM	3097	17.9291
2024-08-24	1:25:46 PM	3098	17.9283
2024-08-24	1:26:46 PM	3099	17.9274
2024-08-24	1:27:46 PM	3100	17.9256
2024-08-24	1:28:46 PM	3101	17.9156
2024-08-24	1:29:46 PM	3102	17.9134

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	1:30:46 PM	3103	17.9305
2024-08-24	1:31:46 PM	3104	17.9299
2024-08-24	1:32:46 PM	3105	17.9293
2024-08-24	1:33:46 PM	3106	17.9287
2024-08-24	1:34:46 PM	3107	17.9282
2024-08-24	1:35:46 PM	3108	17.9274
2024-08-24	1:36:46 PM	3109	17.9269
2024-08-24	1:37:46 PM	3110	17.9251
2024-08-24	1:38:46 PM	3111	17.9175
2024-08-24	1:39:46 PM	3112	17.9114
2024-08-24	1:40:46 PM	3113	17.9292
2024-08-24	1:41:46 PM	3114	17.9287
2024-08-24	1:42:46 PM	3115	17.9285
2024-08-24	1:43:46 PM	3116	17.9277
2024-08-24	1:44:46 PM	3117	17.9272
2024-08-24	1:45:46 PM	3118	17.926
2024-08-24	1:46:46 PM	3119	17.9245
2024-08-24	1:47:46 PM	3120	17.9233
2024-08-24	1:48:46 PM	3121	17.9142
2024-08-24	1:49:46 PM	3122	17.9303
2024-08-24	1:50:46 PM	3123	17.9302
2024-08-24	1:51:46 PM	3124	17.9303
2024-08-24	1:52:46 PM	3125	17.93
2024-08-24	1:53:46 PM	3126	17.9302
2024-08-24	1:54:46 PM	3127	17.9292
2024-08-24	1:55:46 PM	3128	17.9284
2024-08-24	1:56:46 PM	3129	17.9274
2024-08-24	1:57:46 PM	3130	17.924
2024-08-24	1:58:46 PM	3131	17.9155
2024-08-24	1:59:46 PM	3132	17.9316
2024-08-24	2:00:46 PM	3133	17.9316
2024-08-24	2:01:46 PM	3134	17.9314
2024-08-24	2:02:46 PM	3135	17.9308
2024-08-24	2:03:46 PM	3136	17.9303
2024-08-24	2:04:46 PM	3137	17.9295
2024-08-24	2:05:46 PM	3138	17.9269
2024-08-24	2:06:46 PM	3139	17.9115
2024-08-24	2:07:46 PM	3140	17.9326
2024-08-24	2:08:46 PM	3141	17.9333
2024-08-24	2:09:46 PM	3142	17.9332
2024-08-24	2:10:46 PM	3143	17.9325
2024-08-24	2:11:46 PM	3144	17.9338
2024-08-24	2:12:46 PM	3145	17.9324
2024-08-24	2:13:46 PM	3146	17.9317
2024-08-24	2:14:46 PM	3147	17.9293
2024-08-24	2:15:46 PM	3148	17.9261
2024-08-24	2:16:46 PM	3149	17.939
2024-08-24	2:17:46 PM	3150	17.9344
2024-08-24	2:18:46 PM	3151	17.9338
2024-08-24	2:19:46 PM	3152	17.9335
2024-08-24	2:20:46 PM	3153	17.9331
2024-08-24	2:21:46 PM	3154	17.9325
2024-08-24	2:22:46 PM	3155	17.9313
2024-08-24	2:23:46 PM	3156	17.9299
2024-08-24	2:24:46 PM	3157	17.9244
2024-08-24	2:25:46 PM	3158	17.9207
2024-08-24	2:26:46 PM	3159	17.9345
2024-08-24	2:27:46 PM	3160	17.9342
2024-08-24	2:28:46 PM	3161	17.9342
2024-08-24	2:29:46 PM	3162	17.9336
2024-08-24	2:30:46 PM	3163	17.933
2024-08-24	2:31:46 PM	3164	17.9096
2024-08-24	2:32:46 PM	3165	17.927
2024-08-24	2:33:46 PM	3166	17.9286
2024-08-24	2:34:46 PM	3167	17.9295
2024-08-24	2:35:46 PM	3168	17.9297
2024-08-24	2:36:46 PM	3169	17.9298
2024-08-24	2:37:46 PM	3170	17.9298
2024-08-24	2:38:46 PM	3171	17.901

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	2:39:46 PM	3172	17.8945
2024-08-24	2:40:46 PM	3173	17.9178
2024-08-24	2:41:46 PM	3174	17.921
2024-08-24	2:42:46 PM	3175	17.9221
2024-08-24	2:43:46 PM	3176	17.9229
2024-08-24	2:44:46 PM	3177	17.9224
2024-08-24	2:45:46 PM	3178	17.9134
2024-08-24	2:46:46 PM	3179	17.9154
2024-08-24	2:47:46 PM	3180	17.9294
2024-08-24	2:48:46 PM	3181	17.9296
2024-08-24	2:49:46 PM	3182	17.9299
2024-08-24	2:50:46 PM	3183	17.9301
2024-08-24	2:51:46 PM	3184	17.9299
2024-08-24	2:52:46 PM	3185	17.9297
2024-08-24	2:53:46 PM	3186	17.9285
2024-08-24	2:54:46 PM	3187	17.9276
2024-08-24	2:55:46 PM	3188	17.9143
2024-08-24	2:56:46 PM	3189	17.9347
2024-08-24	2:57:46 PM	3190	17.9342
2024-08-24	2:58:46 PM	3191	17.9343
2024-08-24	2:59:46 PM	3192	17.9344
2024-08-24	3:00:46 PM	3193	17.9344
2024-08-24	3:01:46 PM	3194	17.9343
2024-08-24	3:02:46 PM	3195	17.9338
2024-08-24	3:03:46 PM	3196	17.9327
2024-08-24	3:04:46 PM	3197	17.9278
2024-08-24	3:05:46 PM	3198	17.9257
2024-08-24	3:06:46 PM	3199	17.9382
2024-08-24	3:07:46 PM	3200	17.938
2024-08-24	3:08:46 PM	3201	17.9377
2024-08-24	3:09:46 PM	3202	17.9375
2024-08-24	3:10:46 PM	3203	17.9371
2024-08-24	3:11:46 PM	3204	17.936
2024-08-24	3:12:46 PM	3205	17.9349
2024-08-24	3:13:46 PM	3206	17.9304
2024-08-24	3:14:46 PM	3207	17.9211
2024-08-24	3:15:46 PM	3208	17.9403
2024-08-24	3:16:46 PM	3209	17.9402
2024-08-24	3:17:46 PM	3210	17.9403
2024-08-24	3:18:46 PM	3211	17.9398
2024-08-24	3:19:46 PM	3212	17.9395
2024-08-24	3:20:46 PM	3213	17.9393
2024-08-24	3:21:46 PM	3214	17.9386
2024-08-24	3:22:46 PM	3215	17.9371
2024-08-24	3:23:46 PM	3216	17.9339
2024-08-24	3:24:46 PM	3217	17.9159
2024-08-24	3:25:46 PM	3218	17.9417
2024-08-24	3:26:46 PM	3219	17.9416
2024-08-24	3:27:46 PM	3220	17.9415
2024-08-24	3:28:46 PM	3221	17.9413
2024-08-24	3:29:46 PM	3222	17.9409
2024-08-24	3:30:46 PM	3223	17.9397
2024-08-24	3:31:46 PM	3224	17.938
2024-08-24	3:32:46 PM	3225	17.9295
2024-08-24	3:33:46 PM	3226	17.9528
2024-08-24	3:34:46 PM	3227	17.9436
2024-08-24	3:35:46 PM	3228	17.9434
2024-08-24	3:36:46 PM	3229	17.9437
2024-08-24	3:37:46 PM	3230	17.9429
2024-08-24	3:38:46 PM	3231	17.9429
2024-08-24	3:39:46 PM	3232	17.9422
2024-08-24	3:40:46 PM	3233	17.9413
2024-08-24	3:41:46 PM	3234	17.9405
2024-08-24	3:42:46 PM	3235	17.9362
2024-08-24	3:43:46 PM	3236	17.9253
2024-08-24	3:44:46 PM	3237	17.9447
2024-08-24	3:45:46 PM	3238	17.9445
2024-08-24	3:46:46 PM	3239	17.9441
2024-08-24	3:47:46 PM	3240	17.9442

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	3:48:46 PM	3241	17.9435
2024-08-24	3:49:46 PM	3242	17.9427
2024-08-24	3:50:46 PM	3243	17.9413
2024-08-24	3:51:46 PM	3244	17.9378
2024-08-24	3:52:46 PM	3245	17.9242
2024-08-24	3:53:46 PM	3246	17.9463
2024-08-24	3:54:46 PM	3247	17.9458
2024-08-24	3:55:46 PM	3248	17.9452
2024-08-24	3:56:46 PM	3249	17.9447
2024-08-24	3:57:46 PM	3250	17.9443
2024-08-24	3:58:46 PM	3251	17.9436
2024-08-24	3:59:46 PM	3252	17.9426
2024-08-24	4:00:46 PM	3253	17.9415
2024-08-24	4:01:46 PM	3254	17.9407
2024-08-24	4:02:46 PM	3255	17.9291
2024-08-24	4:03:46 PM	3256	17.9464
2024-08-24	4:04:46 PM	3257	17.9467
2024-08-24	4:05:46 PM	3258	17.946
2024-08-24	4:06:46 PM	3259	17.9456
2024-08-24	4:07:46 PM	3260	17.9451
2024-08-24	4:08:46 PM	3261	17.9441
2024-08-24	4:09:46 PM	3262	17.9432
2024-08-24	4:10:46 PM	3263	17.9414
2024-08-24	4:11:46 PM	3264	17.9352
2024-08-24	4:12:46 PM	3265	17.9476
2024-08-24	4:13:46 PM	3266	17.9468
2024-08-24	4:14:46 PM	3267	17.9464
2024-08-24	4:15:46 PM	3268	17.946
2024-08-24	4:16:46 PM	3269	17.9452
2024-08-24	4:17:46 PM	3270	17.9438
2024-08-24	4:18:46 PM	3271	17.9416
2024-08-24	4:19:46 PM	3272	17.9331
2024-08-24	4:20:46 PM	3273	17.9311
2024-08-24	4:21:46 PM	3274	17.9481
2024-08-24	4:22:46 PM	3275	17.9476
2024-08-24	4:23:46 PM	3276	17.9479
2024-08-24	4:24:46 PM	3277	17.9476
2024-08-24	4:25:46 PM	3278	17.9472
2024-08-24	4:26:46 PM	3279	17.9466
2024-08-24	4:27:46 PM	3280	17.9457
2024-08-24	4:28:46 PM	3281	17.9445
2024-08-24	4:29:46 PM	3282	17.9389
2024-08-24	4:30:46 PM	3283	17.9273
2024-08-24	4:31:46 PM	3284	17.9489
2024-08-24	4:32:46 PM	3285	17.9488
2024-08-24	4:33:46 PM	3286	17.9481
2024-08-24	4:34:46 PM	3287	17.9476
2024-08-24	4:35:46 PM	3288	17.9474
2024-08-24	4:36:46 PM	3289	17.9461
2024-08-24	4:37:46 PM	3290	17.9438
2024-08-24	4:38:46 PM	3291	17.9284
2024-08-24	4:39:46 PM	3292	17.95
2024-08-24	4:40:46 PM	3293	17.9496
2024-08-24	4:41:46 PM	3294	17.9495
2024-08-24	4:42:46 PM	3295	17.9495
2024-08-24	4:43:46 PM	3296	17.9489
2024-08-24	4:44:46 PM	3297	17.9486
2024-08-24	4:45:46 PM	3298	17.9481
2024-08-24	4:46:46 PM	3299	17.9466
2024-08-24	4:47:46 PM	3300	17.9453
2024-08-24	4:48:46 PM	3301	17.9327
2024-08-24	4:49:46 PM	3302	17.9514
2024-08-24	4:50:46 PM	3303	17.9511
2024-08-24	4:51:46 PM	3304	17.951
2024-08-24	4:52:46 PM	3305	17.9502
2024-08-24	4:53:46 PM	3306	17.9498
2024-08-24	4:54:46 PM	3307	17.9491
2024-08-24	4:55:46 PM	3308	17.948
2024-08-24	4:56:46 PM	3309	17.9453

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	4:57:46 PM	3310	17.9269
2024-08-24	4:58:46 PM	3311	17.9518
2024-08-24	4:59:46 PM	3312	17.9517
2024-08-24	5:00:46 PM	3313	17.9512
2024-08-24	5:01:46 PM	3314	17.9508
2024-08-24	5:02:46 PM	3315	17.9501
2024-08-24	5:03:46 PM	3316	17.9492
2024-08-24	5:04:46 PM	3317	17.9475
2024-08-24	5:05:46 PM	3318	17.942
2024-08-24	5:06:46 PM	3319	17.9381
2024-08-24	5:07:46 PM	3320	17.9523
2024-08-24	5:08:46 PM	3321	17.9521
2024-08-24	5:09:46 PM	3322	17.952
2024-08-24	5:10:46 PM	3323	17.9515
2024-08-24	5:11:46 PM	3324	17.9513
2024-08-24	5:12:46 PM	3325	17.951
2024-08-24	5:13:46 PM	3326	17.9501
2024-08-24	5:14:46 PM	3327	17.9492
2024-08-24	5:15:46 PM	3328	17.9457
2024-08-24	5:16:46 PM	3329	17.9319
2024-08-24	5:17:46 PM	3330	17.9539
2024-08-24	5:18:46 PM	3331	17.9537
2024-08-24	5:19:46 PM	3332	17.9532
2024-08-24	5:20:46 PM	3333	17.9527
2024-08-24	5:21:46 PM	3334	17.9521
2024-08-24	5:22:46 PM	3335	17.9509
2024-08-24	5:23:46 PM	3336	17.9495
2024-08-24	5:24:46 PM	3337	17.9443
2024-08-24	5:25:46 PM	3338	17.9344
2024-08-24	5:26:46 PM	3339	17.9551
2024-08-24	5:27:46 PM	3340	17.9538
2024-08-24	5:28:46 PM	3341	17.9534
2024-08-24	5:29:46 PM	3342	17.9533
2024-08-24	5:30:46 PM	3343	17.9529
2024-08-24	5:31:46 PM	3344	17.9527
2024-08-24	5:32:46 PM	3345	17.9521
2024-08-24	5:33:46 PM	3346	17.9511
2024-08-24	5:34:46 PM	3347	17.9499
2024-08-24	5:35:46 PM	3348	17.9497
2024-08-24	5:36:46 PM	3349	17.9346
2024-08-24	5:37:46 PM	3350	17.9547
2024-08-24	5:38:46 PM	3351	17.9546
2024-08-24	5:39:46 PM	3352	17.9542
2024-08-24	5:40:46 PM	3353	17.9539
2024-08-24	5:41:46 PM	3354	17.9533
2024-08-24	5:42:46 PM	3355	17.9525
2024-08-24	5:43:46 PM	3356	17.9505
2024-08-24	5:44:46 PM	3357	17.9416
2024-08-24	5:45:46 PM	3358	17.9539
2024-08-24	5:46:46 PM	3359	17.9554
2024-08-24	5:47:46 PM	3360	17.9553
2024-08-24	5:48:46 PM	3361	17.9555
2024-08-24	5:49:46 PM	3362	17.9547
2024-08-24	5:50:46 PM	3363	17.9545
2024-08-24	5:51:46 PM	3364	17.9539
2024-08-24	5:52:46 PM	3365	17.9528
2024-08-24	5:53:46 PM	3366	17.9511
2024-08-24	5:54:46 PM	3367	17.9392
2024-08-24	5:55:46 PM	3368	17.9559
2024-08-24	5:56:46 PM	3369	17.9573
2024-08-24	5:57:46 PM	3370	17.9567
2024-08-24	5:58:46 PM	3371	17.9565
2024-08-24	5:59:46 PM	3372	17.956
2024-08-24	6:00:46 PM	3373	17.9556
2024-08-24	6:01:46 PM	3374	17.9545
2024-08-24	6:02:46 PM	3375	17.9526
2024-08-24	6:03:46 PM	3376	17.9439
2024-08-24	6:04:46 PM	3377	17.9582
2024-08-24	6:05:46 PM	3378	17.9579

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	6:06:46 PM	3379	17.9574
2024-08-24	6:07:46 PM	3380	17.957
2024-08-24	6:08:46 PM	3381	17.9564
2024-08-24	6:09:46 PM	3382	17.9555
2024-08-24	6:10:46 PM	3383	17.954
2024-08-24	6:11:46 PM	3384	17.9501
2024-08-24	6:12:46 PM	3385	17.9455
2024-08-24	6:13:46 PM	3386	17.9509
2024-08-24	6:14:46 PM	3387	17.957
2024-08-24	6:15:46 PM	3388	17.9564
2024-08-24	6:16:46 PM	3389	17.9562
2024-08-24	6:17:46 PM	3390	17.9557
2024-08-24	6:18:46 PM	3391	17.9554
2024-08-24	6:19:46 PM	3392	17.9548
2024-08-24	6:20:46 PM	3393	17.9531
2024-08-24	6:21:46 PM	3394	17.9483
2024-08-24	6:22:46 PM	3395	17.939
2024-08-24	6:23:46 PM	3396	17.9576
2024-08-24	6:24:46 PM	3397	17.9573
2024-08-24	6:25:46 PM	3398	17.957
2024-08-24	6:26:46 PM	3399	17.9571
2024-08-24	6:27:46 PM	3400	17.9562
2024-08-24	6:28:46 PM	3401	17.9555
2024-08-24	6:29:46 PM	3402	17.9539
2024-08-24	6:30:46 PM	3403	17.9527
2024-08-24	6:31:46 PM	3404	17.9403
2024-08-24	6:32:46 PM	3405	17.959
2024-08-24	6:33:46 PM	3406	17.9584
2024-08-24	6:34:46 PM	3407	17.9583
2024-08-24	6:35:46 PM	3408	17.958
2024-08-24	6:36:46 PM	3409	17.9577
2024-08-24	6:37:46 PM	3410	17.9571
2024-08-24	6:38:46 PM	3411	17.9568
2024-08-24	6:39:46 PM	3412	17.9555
2024-08-24	6:40:46 PM	3413	17.9532
2024-08-24	6:41:46 PM	3414	17.9467
2024-08-24	6:42:46 PM	3415	17.9602
2024-08-24	6:43:46 PM	3416	17.9599
2024-08-24	6:44:46 PM	3417	17.9596
2024-08-24	6:45:46 PM	3418	17.9596
2024-08-24	6:46:46 PM	3419	17.9587
2024-08-24	6:47:46 PM	3420	17.9576
2024-08-24	6:48:46 PM	3421	17.9565
2024-08-24	6:49:46 PM	3422	17.9535
2024-08-24	6:50:46 PM	3423	17.942
2024-08-24	6:51:46 PM	3424	17.9596
2024-08-24	6:52:46 PM	3425	17.9592
2024-08-24	6:53:46 PM	3426	17.9587
2024-08-24	6:54:46 PM	3427	17.9582
2024-08-24	6:55:46 PM	3428	17.9574
2024-08-24	6:56:46 PM	3429	17.9562
2024-08-24	6:57:46 PM	3430	17.9554
2024-08-24	6:58:46 PM	3431	17.9539
2024-08-24	6:59:46 PM	3432	17.9489
2024-08-24	7:00:46 PM	3433	17.9386
2024-08-24	7:01:46 PM	3434	17.9577
2024-08-24	7:02:46 PM	3435	17.9573
2024-08-24	7:03:46 PM	3436	17.9564
2024-08-24	7:04:46 PM	3437	17.9555
2024-08-24	7:05:46 PM	3438	17.9548
2024-08-24	7:06:46 PM	3439	17.9537
2024-08-24	7:07:46 PM	3440	17.9521
2024-08-24	7:08:46 PM	3441	17.9468
2024-08-24	7:09:46 PM	3442	17.9309
2024-08-24	7:10:46 PM	3443	17.9553
2024-08-24	7:11:46 PM	3444	17.9543
2024-08-24	7:12:46 PM	3445	17.9536
2024-08-24	7:13:46 PM	3446	17.9527
2024-08-24	7:14:46 PM	3447	17.9515

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	7:15:46 PM	3448	17.9506
2024-08-24	7:16:46 PM	3449	17.9489
2024-08-24	7:17:46 PM	3450	17.9455
2024-08-24	7:18:46 PM	3451	17.9383
2024-08-24	7:19:46 PM	3452	17.952
2024-08-24	7:20:46 PM	3453	17.9514
2024-08-24	7:21:46 PM	3454	17.9505
2024-08-24	7:22:46 PM	3455	17.9497
2024-08-24	7:23:46 PM	3456	17.9485
2024-08-24	7:24:46 PM	3457	17.9476
2024-08-24	7:25:46 PM	3458	17.9464
2024-08-24	7:26:46 PM	3459	17.9445
2024-08-24	7:27:46 PM	3460	17.9441
2024-08-24	7:28:46 PM	3461	17.9338
2024-08-24	7:29:46 PM	3462	17.9488
2024-08-24	7:30:46 PM	3463	17.9481
2024-08-24	7:31:46 PM	3464	17.9471
2024-08-24	7:32:46 PM	3465	17.9461
2024-08-24	7:33:46 PM	3466	17.945
2024-08-24	7:34:46 PM	3467	17.9433
2024-08-24	7:35:46 PM	3468	17.9387
2024-08-24	7:36:46 PM	3469	17.9247
2024-08-24	7:37:46 PM	3470	17.9472
2024-08-24	7:38:46 PM	3471	17.9469
2024-08-24	7:39:46 PM	3472	17.9466
2024-08-24	7:40:46 PM	3473	17.9462
2024-08-24	7:41:46 PM	3474	17.9461
2024-08-24	7:42:46 PM	3475	17.9451
2024-08-24	7:43:46 PM	3476	17.9446
2024-08-24	7:44:46 PM	3477	17.9435
2024-08-24	7:45:46 PM	3478	17.9415
2024-08-24	7:46:46 PM	3479	17.9312
2024-08-24	7:47:46 PM	3480	17.9265
2024-08-24	7:48:46 PM	3481	17.9473
2024-08-24	7:49:46 PM	3482	17.9469
2024-08-24	7:50:46 PM	3483	17.9465
2024-08-24	7:51:46 PM	3484	17.9459
2024-08-24	7:52:46 PM	3485	17.9454
2024-08-24	7:53:46 PM	3486	17.9441
2024-08-24	7:54:46 PM	3487	17.9423
2024-08-24	7:55:46 PM	3488	17.9307
2024-08-24	7:56:46 PM	3489	17.9478
2024-08-24	7:57:46 PM	3490	17.9475
2024-08-24	7:58:46 PM	3491	17.9472
2024-08-24	7:59:46 PM	3492	17.947
2024-08-24	8:00:46 PM	3493	17.9469
2024-08-24	8:01:46 PM	3494	17.946
2024-08-24	8:02:46 PM	3495	17.9454
2024-08-24	8:03:46 PM	3496	17.9447
2024-08-24	8:04:46 PM	3497	17.9428
2024-08-24	8:05:46 PM	3498	17.9341
2024-08-24	8:06:46 PM	3499	17.9361
2024-08-24	8:07:46 PM	3500	17.9493
2024-08-24	8:08:46 PM	3501	17.9489
2024-08-24	8:09:46 PM	3502	17.9484
2024-08-24	8:10:46 PM	3503	17.9484
2024-08-24	8:11:46 PM	3504	17.9476
2024-08-24	8:12:46 PM	3505	17.9468
2024-08-24	8:13:46 PM	3506	17.9456
2024-08-24	8:14:46 PM	3507	17.936
2024-08-24	8:15:46 PM	3508	17.933
2024-08-24	8:16:46 PM	3509	17.9497
2024-08-24	8:17:46 PM	3510	17.9493
2024-08-24	8:18:46 PM	3511	17.9491
2024-08-24	8:19:46 PM	3512	17.9489
2024-08-24	8:20:46 PM	3513	17.9486
2024-08-24	8:21:46 PM	3514	17.948
2024-08-24	8:22:46 PM	3515	17.9473
2024-08-24	8:23:46 PM	3516	17.9458

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	8:24:46 PM	3517	17.9612
2024-08-24	8:25:46 PM	3518	17.9352
2024-08-24	8:26:46 PM	3519	17.9521
2024-08-24	8:27:46 PM	3520	17.9519
2024-08-24	8:28:46 PM	3521	17.9516
2024-08-24	8:29:46 PM	3522	17.9515
2024-08-24	8:30:46 PM	3523	17.9511
2024-08-24	8:31:46 PM	3524	17.9503
2024-08-24	8:32:46 PM	3525	17.9494
2024-08-24	8:33:46 PM	3526	17.9398
2024-08-24	8:34:46 PM	3527	17.9547
2024-08-24	8:35:46 PM	3528	17.9542
2024-08-24	8:36:46 PM	3529	17.9541
2024-08-24	8:37:46 PM	3530	17.9538
2024-08-24	8:38:46 PM	3531	17.9533
2024-08-24	8:39:46 PM	3532	17.9526
2024-08-24	8:40:46 PM	3533	17.9516
2024-08-24	8:41:46 PM	3534	17.95
2024-08-24	8:42:46 PM	3535	17.945
2024-08-24	8:43:46 PM	3536	17.9408
2024-08-24	8:44:46 PM	3537	17.956
2024-08-24	8:45:46 PM	3538	17.9563
2024-08-24	8:46:46 PM	3539	17.9562
2024-08-24	8:47:46 PM	3540	17.9563
2024-08-24	8:48:46 PM	3541	17.956
2024-08-24	8:49:46 PM	3542	17.9554
2024-08-24	8:50:46 PM	3543	17.9544
2024-08-24	8:51:46 PM	3544	17.9525
2024-08-24	8:52:46 PM	3545	17.9396
2024-08-24	8:53:46 PM	3546	17.9587
2024-08-24	8:54:46 PM	3547	17.9586
2024-08-24	8:55:46 PM	3548	17.9581
2024-08-24	8:56:46 PM	3549	17.9583
2024-08-24	8:57:46 PM	3550	17.9575
2024-08-24	8:58:46 PM	3551	17.9567
2024-08-24	8:59:46 PM	3552	17.9553
2024-08-24	9:00:46 PM	3553	17.9519
2024-08-24	9:01:46 PM	3554	17.9427
2024-08-24	9:02:46 PM	3555	17.9588
2024-08-24	9:03:46 PM	3556	17.9593
2024-08-24	9:04:46 PM	3557	17.9585
2024-08-24	9:05:46 PM	3558	17.9583
2024-08-24	9:06:46 PM	3559	17.958
2024-08-24	9:07:46 PM	3560	17.9575
2024-08-24	9:08:46 PM	3561	17.957
2024-08-24	9:09:46 PM	3562	17.9561
2024-08-24	9:10:46 PM	3563	17.9542
2024-08-24	9:11:46 PM	3564	17.9503
2024-08-24	9:12:46 PM	3565	17.9638
2024-08-24	9:13:46 PM	3566	17.9598
2024-08-24	9:14:46 PM	3567	17.9595
2024-08-24	9:15:46 PM	3568	17.9591
2024-08-24	9:16:46 PM	3569	17.9584
2024-08-24	9:17:46 PM	3570	17.9577
2024-08-24	9:18:46 PM	3571	17.9563
2024-08-24	9:19:46 PM	3572	17.9538
2024-08-24	9:20:46 PM	3573	17.9372
2024-08-24	9:21:46 PM	3574	17.9602
2024-08-24	9:22:46 PM	3575	17.9601
2024-08-24	9:23:46 PM	3576	17.9597
2024-08-24	9:24:46 PM	3577	17.9594
2024-08-24	9:25:46 PM	3578	17.9595
2024-08-24	9:26:46 PM	3579	17.9587
2024-08-24	9:27:46 PM	3580	17.9581
2024-08-24	9:28:46 PM	3581	17.9569
2024-08-24	9:29:46 PM	3582	17.9551
2024-08-24	9:30:46 PM	3583	17.9439
2024-08-24	9:31:46 PM	3584	17.9608
2024-08-24	9:32:46 PM	3585	17.9609

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	9:33:46 PM	3586	17.9603
2024-08-24	9:34:46 PM	3587	17.9597
2024-08-24	9:35:46 PM	3588	17.9593
2024-08-24	9:36:46 PM	3589	17.958
2024-08-24	9:37:46 PM	3590	17.9568
2024-08-24	9:38:46 PM	3591	17.9502
2024-08-24	9:39:46 PM	3592	17.9505
2024-08-24	9:40:46 PM	3593	17.9606
2024-08-24	9:41:46 PM	3594	17.9599
2024-08-24	9:42:46 PM	3595	17.9598
2024-08-24	9:43:46 PM	3596	17.9593
2024-08-24	9:44:46 PM	3597	17.9583
2024-08-24	9:45:46 PM	3598	17.9576
2024-08-24	9:46:46 PM	3599	17.9564
2024-08-24	9:47:46 PM	3600	17.9538
2024-08-24	9:48:46 PM	3601	17.9381
2024-08-24	9:49:46 PM	3602	17.9612
2024-08-24	9:50:46 PM	3603	17.9609
2024-08-24	9:51:46 PM	3604	17.9609
2024-08-24	9:52:46 PM	3605	17.9603
2024-08-24	9:53:46 PM	3606	17.9602
2024-08-24	9:54:46 PM	3607	17.9596
2024-08-24	9:55:46 PM	3608	17.9587
2024-08-24	9:56:46 PM	3609	17.9574
2024-08-24	9:57:46 PM	3610	17.9507
2024-08-24	9:58:46 PM	3611	17.947
2024-08-24	9:59:46 PM	3612	17.962
2024-08-24	10:00:46 PM	3613	17.962
2024-08-24	10:01:46 PM	3614	17.9614
2024-08-24	10:02:46 PM	3615	17.9605
2024-08-24	10:03:46 PM	3616	17.96
2024-08-24	10:04:46 PM	3617	17.9593
2024-08-24	10:05:46 PM	3618	17.9583
2024-08-24	10:06:46 PM	3619	17.9562
2024-08-24	10:07:46 PM	3620	17.9513
2024-08-24	10:08:46 PM	3621	17.9473
2024-08-24	10:09:46 PM	3622	17.9621
2024-08-24	10:10:46 PM	3623	17.9616
2024-08-24	10:11:46 PM	3624	17.9612
2024-08-24	10:12:46 PM	3625	17.9607
2024-08-24	10:13:46 PM	3626	17.9601
2024-08-24	10:14:46 PM	3627	17.9596
2024-08-24	10:15:46 PM	3628	17.9584
2024-08-24	10:16:46 PM	3629	17.9562
2024-08-24	10:17:46 PM	3630	17.9557
2024-08-24	10:18:46 PM	3631	17.9585
2024-08-24	10:19:46 PM	3632	17.962
2024-08-24	10:20:46 PM	3633	17.9613
2024-08-24	10:21:46 PM	3634	17.9611
2024-08-24	10:22:46 PM	3635	17.9603
2024-08-24	10:23:46 PM	3636	17.9595
2024-08-24	10:24:46 PM	3637	17.9586
2024-08-24	10:25:46 PM	3638	17.9569
2024-08-24	10:26:46 PM	3639	17.9584
2024-08-24	10:27:46 PM	3640	17.9445
2024-08-24	10:28:46 PM	3641	17.9622
2024-08-24	10:29:46 PM	3642	17.9621
2024-08-24	10:30:46 PM	3643	17.9616
2024-08-24	10:31:46 PM	3644	17.9612
2024-08-24	10:32:46 PM	3645	17.9608
2024-08-24	10:33:46 PM	3646	17.9598
2024-08-24	10:34:46 PM	3647	17.9589
2024-08-24	10:35:46 PM	3648	17.9568
2024-08-24	10:36:46 PM	3649	17.9489
2024-08-24	10:37:46 PM	3650	17.9623
2024-08-24	10:38:46 PM	3651	17.9623
2024-08-24	10:39:46 PM	3652	17.9617
2024-08-24	10:40:46 PM	3653	17.9615
2024-08-24	10:41:46 PM	3654	17.9607

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	10:42:46 PM	3655	17.9597
2024-08-24	10:43:46 PM	3656	17.9579
2024-08-24	10:44:46 PM	3657	17.9589
2024-08-24	10:45:46 PM	3658	17.9604
2024-08-24	10:46:46 PM	3659	17.9627
2024-08-24	10:47:46 PM	3660	17.9626
2024-08-24	10:48:46 PM	3661	17.9623
2024-08-24	10:49:46 PM	3662	17.9619
2024-08-24	10:50:46 PM	3663	17.9615
2024-08-24	10:51:46 PM	3664	17.9606
2024-08-24	10:52:46 PM	3665	17.96
2024-08-24	10:53:46 PM	3666	17.9579
2024-08-24	10:54:46 PM	3667	17.9517
2024-08-24	10:55:46 PM	3668	17.9637
2024-08-24	10:56:46 PM	3669	17.963
2024-08-24	10:57:46 PM	3670	17.9625
2024-08-24	10:58:46 PM	3671	17.9618
2024-08-24	10:59:46 PM	3672	17.9612
2024-08-24	11:00:46 PM	3673	17.96
2024-08-24	11:01:46 PM	3674	17.9585
2024-08-24	11:02:46 PM	3675	17.9439
2024-08-24	11:03:46 PM	3676	17.9657
2024-08-24	11:04:46 PM	3677	17.963
2024-08-24	11:05:46 PM	3678	17.9628
2024-08-24	11:06:46 PM	3679	17.9623
2024-08-24	11:07:46 PM	3680	17.9622
2024-08-24	11:08:46 PM	3681	17.9615
2024-08-24	11:09:46 PM	3682	17.9609
2024-08-24	11:10:46 PM	3683	17.9595
2024-08-24	11:11:46 PM	3684	17.9565
2024-08-24	11:12:46 PM	3685	17.9403
2024-08-24	11:13:46 PM	3686	17.9642
2024-08-24	11:14:46 PM	3687	17.964
2024-08-24	11:15:46 PM	3688	17.9633
2024-08-24	11:16:46 PM	3689	17.9631
2024-08-24	11:17:46 PM	3690	17.9623
2024-08-24	11:18:46 PM	3691	17.9619
2024-08-24	11:19:46 PM	3692	17.9601
2024-08-24	11:20:46 PM	3693	17.9544
2024-08-24	11:21:46 PM	3694	17.9582
2024-08-24	11:22:46 PM	3695	17.9641
2024-08-24	11:23:46 PM	3696	17.9633
2024-08-24	11:24:46 PM	3697	17.9627
2024-08-24	11:25:46 PM	3698	17.9621
2024-08-24	11:26:46 PM	3699	17.9618
2024-08-24	11:27:46 PM	3700	17.9608
2024-08-24	11:28:46 PM	3701	17.9597
2024-08-24	11:29:46 PM	3702	17.9573
2024-08-24	11:30:46 PM	3703	17.9513
2024-08-24	11:31:46 PM	3704	17.9473
2024-08-24	11:32:46 PM	3705	17.9632
2024-08-24	11:33:46 PM	3706	17.9633
2024-08-24	11:34:46 PM	3707	17.9627
2024-08-24	11:35:46 PM	3708	17.962
2024-08-24	11:36:46 PM	3709	17.9616
2024-08-24	11:37:46 PM	3710	17.9608
2024-08-24	11:38:46 PM	3711	17.9592
2024-08-24	11:39:46 PM	3712	17.9535
2024-08-24	11:40:46 PM	3713	17.9443
2024-08-24	11:41:46 PM	3714	17.9632
2024-08-24	11:42:46 PM	3715	17.9631
2024-08-24	11:43:46 PM	3716	17.9619
2024-08-24	11:44:46 PM	3717	17.9607
2024-08-24	11:45:46 PM	3718	17.9592
2024-08-24	11:46:46 PM	3719	17.958
2024-08-24	11:47:46 PM	3720	17.9565
2024-08-24	11:48:46 PM	3721	17.9555
2024-08-24	11:49:46 PM	3722	17.9364
2024-08-24	11:50:46 PM	3723	17.9609

Data Logger Measurements
September 22 - 28, 2024

2024-08-24	11:51:46 PM	3724	17.9605
2024-08-24	11:52:46 PM	3725	17.9602
2024-08-24	11:53:46 PM	3726	17.9596
2024-08-24	11:54:46 PM	3727	17.9591
2024-08-24	11:55:46 PM	3728	17.9586
2024-08-24	11:56:46 PM	3729	17.9572
2024-08-24	11:57:46 PM	3730	17.9545
2024-08-24	11:58:46 PM	3731	17.937
2024-08-24	11:59:46 PM	3732	17.9611
2024-08-25	12:00:46 AM	3733	17.9607
2024-08-25	12:01:46 AM	3734	17.9597
2024-08-25	12:02:46 AM	3735	17.9595
2024-08-25	12:03:46 AM	3736	17.9586
2024-08-25	12:04:46 AM	3737	17.9571
2024-08-25	12:05:46 AM	3738	17.9555
2024-08-25	12:06:46 AM	3739	17.9484
2024-08-25	12:07:46 AM	3740	17.9436
2024-08-25	12:08:46 AM	3741	17.9611
2024-08-25	12:09:46 AM	3742	17.9606
2024-08-25	12:10:46 AM	3743	17.9604
2024-08-25	12:11:46 AM	3744	17.96
2024-08-25	12:12:46 AM	3745	17.9598
2024-08-25	12:13:46 AM	3746	17.9589
2024-08-25	12:14:46 AM	3747	17.9579
2024-08-25	12:15:46 AM	3748	17.9556
2024-08-25	12:16:46 AM	3749	17.9377
2024-08-25	12:17:46 AM	3750	17.9628
2024-08-25	12:18:46 AM	3751	17.9614
2024-08-25	12:19:46 AM	3752	17.9614
2024-08-25	12:20:46 AM	3753	17.9608
2024-08-25	12:21:46 AM	3754	17.9601
2024-08-25	12:22:46 AM	3755	17.9597
2024-08-25	12:23:46 AM	3756	17.958
2024-08-25	12:24:46 AM	3757	17.9599
2024-08-25	12:25:46 AM	3758	17.9447
2024-08-25	12:26:46 AM	3759	17.963
2024-08-25	12:27:46 AM	3760	17.9628
2024-08-25	12:28:46 AM	3761	17.9627
2024-08-25	12:29:46 AM	3762	17.9623
2024-08-25	12:30:46 AM	3763	17.962
2024-08-25	12:31:46 AM	3764	17.9612
2024-08-25	12:32:46 AM	3765	17.9606
2024-08-25	12:33:46 AM	3766	17.9595
2024-08-25	12:34:46 AM	3767	17.9614
2024-08-25	12:35:46 AM	3768	17.9548
2024-08-25	12:36:46 AM	3769	17.9639
2024-08-25	12:37:46 AM	3770	17.9637
2024-08-25	12:38:46 AM	3771	17.9635
2024-08-25	12:39:46 AM	3772	17.9626
2024-08-25	12:40:46 AM	3773	17.9622
2024-08-25	12:41:46 AM	3774	17.961
2024-08-25	12:42:46 AM	3775	17.9593
2024-08-25	12:43:46 AM	3776	17.9445
2024-08-25	12:44:46 AM	3777	17.9637
2024-08-25	12:45:46 AM	3778	17.9635
2024-08-25	12:46:46 AM	3779	17.9633
2024-08-25	12:47:46 AM	3780	17.9622
2024-08-25	12:48:46 AM	3781	17.962
2024-08-25	12:49:46 AM	3782	17.9611
2024-08-25	12:50:46 AM	3783	17.9605
2024-08-25	12:51:46 AM	3784	17.9593
2024-08-25	12:52:46 AM	3785	17.958
2024-08-25	12:53:46 AM	3786	17.9956
2024-08-25	12:54:46 AM	3787	17.9476
2024-08-25	12:55:46 AM	3788	17.9636
2024-08-25	12:56:46 AM	3789	17.9632
2024-08-25	12:57:46 AM	3790	17.9625
2024-08-25	12:58:46 AM	3791	17.962
2024-08-25	12:59:46 AM	3792	17.9616

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	1:00:46 AM	3793	17.9602
2024-08-25	1:01:46 AM	3794	17.9581
2024-08-25	1:02:46 AM	3795	17.9373
2024-08-25	1:03:46 AM	3796	17.9635
2024-08-25	1:04:46 AM	3797	17.9631
2024-08-25	1:05:46 AM	3798	17.9626
2024-08-25	1:06:46 AM	3799	17.9625
2024-08-25	1:07:46 AM	3800	17.9617
2024-08-25	1:08:46 AM	3801	17.9612
2024-08-25	1:09:46 AM	3802	17.9603
2024-08-25	1:10:46 AM	3803	17.9591
2024-08-25	1:11:46 AM	3804	17.9372
2024-08-25	1:12:46 AM	3805	17.9592
2024-08-25	1:13:46 AM	3806	17.9637
2024-08-25	1:14:46 AM	3807	17.9635
2024-08-25	1:15:46 AM	3808	17.9634
2024-08-25	1:16:46 AM	3809	17.9626
2024-08-25	1:17:46 AM	3810	17.9621
2024-08-25	1:18:46 AM	3811	17.9613
2024-08-25	1:19:46 AM	3812	17.9597
2024-08-25	1:20:46 AM	3813	17.9531
2024-08-25	1:21:46 AM	3814	17.9647
2024-08-25	1:22:46 AM	3815	17.9639
2024-08-25	1:23:46 AM	3816	17.9637
2024-08-25	1:24:46 AM	3817	17.9633
2024-08-25	1:25:46 AM	3818	17.9624
2024-08-25	1:26:46 AM	3819	17.9615
2024-08-25	1:27:46 AM	3820	17.9605
2024-08-25	1:28:46 AM	3821	17.9589
2024-08-25	1:29:46 AM	3822	17.9588
2024-08-25	1:30:46 AM	3823	17.9439
2024-08-25	1:31:46 AM	3824	17.9638
2024-08-25	1:32:46 AM	3825	17.9636
2024-08-25	1:33:46 AM	3826	17.9633
2024-08-25	1:34:46 AM	3827	17.9628
2024-08-25	1:35:46 AM	3828	17.9622
2024-08-25	1:36:46 AM	3829	17.9612
2024-08-25	1:37:46 AM	3830	17.9595
2024-08-25	1:38:46 AM	3831	17.9492
2024-08-25	1:39:46 AM	3832	17.9524
2024-08-25	1:40:46 AM	3833	17.9034
2024-08-25	1:41:46 AM	3834	17.8499
2024-08-25	1:42:46 AM	3835	17.8182
2024-08-25	1:43:46 AM	3836	17.7952
2024-08-25	1:44:46 AM	3837	17.7767
2024-08-25	1:45:46 AM	3838	17.7625
2024-08-25	1:46:46 AM	3839	17.7458
2024-08-25	1:47:46 AM	3840	17.7296
2024-08-25	1:48:46 AM	3841	17.7206
2024-08-25	1:49:46 AM	3842	17.7108
2024-08-25	1:50:46 AM	3843	17.6967
2024-08-25	1:51:46 AM	3844	17.6876
2024-08-25	1:52:46 AM	3845	17.6795
2024-08-25	1:53:46 AM	3846	17.6722
2024-08-25	1:54:46 AM	3847	17.66
2024-08-25	1:55:46 AM	3848	17.7129
2024-08-25	1:56:46 AM	3849	17.7524
2024-08-25	1:57:46 AM	3850	17.7751
2024-08-25	1:58:46 AM	3851	17.7918
2024-08-25	1:59:46 AM	3852	17.7972
2024-08-25	2:00:46 AM	3853	17.8114
2024-08-25	2:01:46 AM	3854	17.8217
2024-08-25	2:02:46 AM	3855	17.8135
2024-08-25	2:03:46 AM	3856	17.8313
2024-08-25	2:04:46 AM	3857	17.8394
2024-08-25	2:05:46 AM	3858	17.8457
2024-08-25	2:06:46 AM	3859	17.8199
2024-08-25	2:07:46 AM	3860	17.8502
2024-08-25	2:08:46 AM	3861	17.856

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	2:09:46 AM	3862	17.8602
2024-08-25	2:10:46 AM	3863	17.8582
2024-08-25	2:11:46 AM	3864	17.8609
2024-08-25	2:12:46 AM	3865	17.8648
2024-08-25	2:13:46 AM	3866	17.8679
2024-08-25	2:14:46 AM	3867	17.8607
2024-08-25	2:15:46 AM	3868	17.8652
2024-08-25	2:16:46 AM	3869	17.8706
2024-08-25	2:17:46 AM	3870	17.8734
2024-08-25	2:18:46 AM	3871	17.8484
2024-08-25	2:19:46 AM	3872	17.872
2024-08-25	2:20:46 AM	3873	17.8753
2024-08-25	2:21:46 AM	3874	17.8772
2024-08-25	2:22:46 AM	3875	17.8629
2024-08-25	2:23:46 AM	3876	17.8748
2024-08-25	2:24:46 AM	3877	17.8776
2024-08-25	2:25:46 AM	3878	17.8792
2024-08-25	2:26:46 AM	3879	17.8518
2024-08-25	2:27:46 AM	3880	17.876
2024-08-25	2:28:46 AM	3881	17.8789
2024-08-25	2:29:46 AM	3882	17.8811
2024-08-25	2:30:46 AM	3883	17.8692
2024-08-25	2:31:46 AM	3884	17.8767
2024-08-25	2:32:46 AM	3885	17.88
2024-08-25	2:33:46 AM	3886	17.8815
2024-08-25	2:34:46 AM	3887	17.8825
2024-08-25	2:35:46 AM	3888	17.8406
2024-08-25	2:36:46 AM	3889	17.7768
2024-08-25	2:37:46 AM	3890	17.746
2024-08-25	2:38:46 AM	3891	17.7213
2024-08-25	2:39:46 AM	3892	17.7018
2024-08-25	2:40:46 AM	3893	17.7326
2024-08-25	2:41:46 AM	3894	17.7777
2024-08-25	2:42:46 AM	3895	17.7952
2024-08-25	2:43:46 AM	3896	17.8068
2024-08-25	2:44:46 AM	3897	17.8158
2024-08-25	2:45:46 AM	3898	17.822
2024-08-25	2:46:46 AM	3899	17.8265
2024-08-25	2:47:46 AM	3900	17.8292
2024-08-25	2:48:46 AM	3901	17.8202
2024-08-25	2:49:46 AM	3902	17.8352
2024-08-25	2:50:46 AM	3903	17.8461
2024-08-25	2:51:46 AM	3904	17.849
2024-08-25	2:52:46 AM	3905	17.8511
2024-08-25	2:53:46 AM	3906	17.8533
2024-08-25	2:54:46 AM	3907	17.8552
2024-08-25	2:55:46 AM	3908	17.8565
2024-08-25	2:56:46 AM	3909	17.8579
2024-08-25	2:57:46 AM	3910	17.8588
2024-08-25	2:58:46 AM	3911	17.8591
2024-08-25	2:59:46 AM	3912	17.858
2024-08-25	3:00:46 AM	3913	17.8535
2024-08-25	3:01:46 AM	3914	17.867
2024-08-25	3:02:46 AM	3915	17.8681
2024-08-25	3:03:46 AM	3916	17.8689
2024-08-25	3:04:46 AM	3917	17.8697
2024-08-25	3:05:46 AM	3918	17.8702
2024-08-25	3:06:46 AM	3919	17.8708
2024-08-25	3:07:46 AM	3920	17.8709
2024-08-25	3:08:46 AM	3921	17.8699
2024-08-25	3:09:46 AM	3922	17.8685
2024-08-25	3:10:46 AM	3923	17.8654
2024-08-25	3:11:46 AM	3924	17.8657
2024-08-25	3:12:46 AM	3925	17.8771
2024-08-25	3:13:46 AM	3926	17.8775
2024-08-25	3:14:46 AM	3927	17.8778
2024-08-25	3:15:46 AM	3928	17.878
2024-08-25	3:16:46 AM	3929	17.8782
2024-08-25	3:17:46 AM	3930	17.8781

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	3:18:46 AM	3931	17.8782
2024-08-25	3:19:46 AM	3932	17.8779
2024-08-25	3:20:46 AM	3933	17.8773
2024-08-25	3:21:46 AM	3934	17.8627
2024-08-25	3:22:46 AM	3935	17.8758
2024-08-25	3:23:46 AM	3936	17.8841
2024-08-25	3:24:46 AM	3937	17.8838
2024-08-25	3:25:46 AM	3938	17.884
2024-08-25	3:26:46 AM	3939	17.8839
2024-08-25	3:27:46 AM	3940	17.8834
2024-08-25	3:28:46 AM	3941	17.8829
2024-08-25	3:29:46 AM	3942	17.8816
2024-08-25	3:30:46 AM	3943	17.8793
2024-08-25	3:31:46 AM	3944	17.8759
2024-08-25	3:32:46 AM	3945	17.8696
2024-08-25	3:33:46 AM	3946	17.8866
2024-08-25	3:34:46 AM	3947	17.886
2024-08-25	3:35:46 AM	3948	17.8858
2024-08-25	3:36:46 AM	3949	17.8856
2024-08-25	3:37:46 AM	3950	17.8852
2024-08-25	3:38:46 AM	3951	17.885
2024-08-25	3:39:46 AM	3952	17.8848
2024-08-25	3:40:46 AM	3953	17.8841
2024-08-25	3:41:46 AM	3954	17.8823
2024-08-25	3:42:46 AM	3955	17.8731
2024-08-25	3:43:46 AM	3956	17.8893
2024-08-25	3:44:46 AM	3957	17.8894
2024-08-25	3:45:46 AM	3958	17.8891
2024-08-25	3:46:46 AM	3959	17.8892
2024-08-25	3:47:46 AM	3960	17.8887
2024-08-25	3:48:46 AM	3961	17.8885
2024-08-25	3:49:46 AM	3962	17.8878
2024-08-25	3:50:46 AM	3963	17.887
2024-08-25	3:51:46 AM	3964	17.8858
2024-08-25	3:52:46 AM	3965	17.8776
2024-08-25	3:53:46 AM	3966	17.8753
2024-08-25	3:54:46 AM	3967	17.8915
2024-08-25	3:55:46 AM	3968	17.891
2024-08-25	3:56:46 AM	3969	17.8911
2024-08-25	3:57:46 AM	3970	17.8906
2024-08-25	3:58:46 AM	3971	17.8904
2024-08-25	3:59:46 AM	3972	17.89
2024-08-25	4:00:46 AM	3973	17.8896
2024-08-25	4:01:46 AM	3974	17.8879
2024-08-25	4:02:46 AM	3975	17.8825
2024-08-25	4:03:46 AM	3976	17.8803
2024-08-25	4:04:46 AM	3977	17.8924
2024-08-25	4:05:46 AM	3978	17.8924
2024-08-25	4:06:46 AM	3979	17.8923
2024-08-25	4:07:46 AM	3980	17.8922
2024-08-25	4:08:46 AM	3981	17.892
2024-08-25	4:09:46 AM	3982	17.8915
2024-08-25	4:10:46 AM	3983	17.8902
2024-08-25	4:11:46 AM	3984	17.8891
2024-08-25	4:12:46 AM	3985	17.8864
2024-08-25	4:13:46 AM	3986	17.8743
2024-08-25	4:14:46 AM	3987	17.8857
2024-08-25	4:15:46 AM	3988	17.8938
2024-08-25	4:16:46 AM	3989	17.8938
2024-08-25	4:17:46 AM	3990	17.8933
2024-08-25	4:18:46 AM	3991	17.8927
2024-08-25	4:19:46 AM	3992	17.8921
2024-08-25	4:20:46 AM	3993	17.8915
2024-08-25	4:21:46 AM	3994	17.8907
2024-08-25	4:22:46 AM	3995	17.8887
2024-08-25	4:23:46 AM	3996	17.8759
2024-08-25	4:24:46 AM	3997	17.8918
2024-08-25	4:25:46 AM	3998	17.8928
2024-08-25	4:26:46 AM	3999	17.8916

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	4:27:46 AM	4000	17.8911
2024-08-25	4:28:46 AM	4001	17.8901
2024-08-25	4:29:46 AM	4002	17.8889
2024-08-25	4:30:46 AM	4003	17.888
2024-08-25	4:31:46 AM	4004	17.8864
2024-08-25	4:32:46 AM	4005	17.8848
2024-08-25	4:33:46 AM	4006	17.8817
2024-08-25	4:34:46 AM	4007	17.8772
2024-08-25	4:35:46 AM	4008	17.8775
2024-08-25	4:36:46 AM	4009	17.887
2024-08-25	4:37:46 AM	4010	17.8862
2024-08-25	4:38:46 AM	4011	17.8858
2024-08-25	4:39:46 AM	4012	17.8852
2024-08-25	4:40:46 AM	4013	17.8848
2024-08-25	4:41:46 AM	4014	17.8838
2024-08-25	4:42:46 AM	4015	17.8824
2024-08-25	4:43:46 AM	4016	17.8786
2024-08-25	4:44:46 AM	4017	17.8616
2024-08-25	4:45:46 AM	4018	17.8859
2024-08-25	4:46:46 AM	4019	17.885
2024-08-25	4:47:46 AM	4020	17.884
2024-08-25	4:48:46 AM	4021	17.8823
2024-08-25	4:49:46 AM	4022	17.8807
2024-08-25	4:50:46 AM	4023	17.8792
2024-08-25	4:51:46 AM	4024	17.878
2024-08-25	4:52:46 AM	4025	17.8763
2024-08-25	4:53:46 AM	4026	17.874
2024-08-25	4:54:46 AM	4027	17.8663
2024-08-25	4:55:46 AM	4028	17.8589
2024-08-25	4:56:46 AM	4029	17.8771
2024-08-25	4:57:46 AM	4030	17.8763
2024-08-25	4:58:46 AM	4031	17.8753
2024-08-25	4:59:46 AM	4032	17.8745
2024-08-25	5:00:46 AM	4033	17.873
2024-08-25	5:01:46 AM	4034	17.8719
2024-08-25	5:02:46 AM	4035	17.8699
2024-08-25	5:03:46 AM	4036	17.863
2024-08-25	5:04:46 AM	4037	17.8499
2024-08-25	5:05:46 AM	4038	17.8722
2024-08-25	5:06:46 AM	4039	17.8711
2024-08-25	5:07:46 AM	4040	17.8704
2024-08-25	5:08:46 AM	4041	17.8693
2024-08-25	5:09:46 AM	4042	17.8682
2024-08-25	5:10:46 AM	4043	17.8669
2024-08-25	5:11:46 AM	4044	17.8657
2024-08-25	5:12:46 AM	4045	17.8638
2024-08-25	5:13:46 AM	4046	17.861
2024-08-25	5:14:46 AM	4047	17.8439
2024-08-25	5:15:46 AM	4048	17.8664
2024-08-25	5:16:46 AM	4049	17.865
2024-08-25	5:17:46 AM	4050	17.864
2024-08-25	5:18:46 AM	4051	17.863
2024-08-25	5:19:46 AM	4052	17.8616
2024-08-25	5:20:46 AM	4053	17.8605
2024-08-25	5:21:46 AM	4054	17.8589
2024-08-25	5:22:46 AM	4055	17.8567
2024-08-25	5:23:46 AM	4056	17.8422
2024-08-25	5:24:46 AM	4057	17.8603
2024-08-25	5:25:46 AM	4058	17.8598
2024-08-25	5:26:46 AM	4059	17.8586
2024-08-25	5:27:46 AM	4060	17.8581
2024-08-25	5:28:46 AM	4061	17.8575
2024-08-25	5:29:46 AM	4062	17.8568
2024-08-25	5:30:46 AM	4063	17.8561
2024-08-25	5:31:46 AM	4064	17.8554
2024-08-25	5:32:46 AM	4065	17.8543
2024-08-25	5:33:46 AM	4066	17.8471
2024-08-25	5:34:46 AM	4067	17.8359
2024-08-25	5:35:46 AM	4068	17.8586

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	5:36:46 AM	4069	17.8576
2024-08-25	5:37:46 AM	4070	17.8568
2024-08-25	5:38:46 AM	4071	17.8562
2024-08-25	5:39:46 AM	4072	17.8555
2024-08-25	5:40:46 AM	4073	17.8548
2024-08-25	5:41:46 AM	4074	17.8535
2024-08-25	5:42:46 AM	4075	17.8518
2024-08-25	5:43:46 AM	4076	17.843
2024-08-25	5:44:46 AM	4077	17.8582
2024-08-25	5:45:46 AM	4078	17.8585
2024-08-25	5:46:46 AM	4079	17.8587
2024-08-25	5:47:46 AM	4080	17.8588
2024-08-25	5:48:46 AM	4081	17.8592
2024-08-25	5:49:46 AM	4082	17.8589
2024-08-25	5:50:46 AM	4083	17.8594
2024-08-25	5:51:46 AM	4084	17.859
2024-08-25	5:52:46 AM	4085	17.858
2024-08-25	5:53:46 AM	4086	17.8549
2024-08-25	5:54:46 AM	4087	17.8387
2024-08-25	5:55:46 AM	4088	17.8635
2024-08-25	5:56:46 AM	4089	17.8635
2024-08-25	5:57:46 AM	4090	17.8629
2024-08-25	5:58:46 AM	4091	17.8628
2024-08-25	5:59:46 AM	4092	17.8617
2024-08-25	6:00:46 AM	4093	17.8616
2024-08-25	6:01:46 AM	4094	17.8602
2024-08-25	6:02:46 AM	4095	17.8557
2024-08-25	6:03:46 AM	4096	17.8508
2024-08-25	6:04:46 AM	4097	17.8653
2024-08-25	6:05:46 AM	4098	17.8651
2024-08-25	6:06:46 AM	4099	17.865
2024-08-25	6:07:46 AM	4100	17.865
2024-08-25	6:08:46 AM	4101	17.8646
2024-08-25	6:09:46 AM	4102	17.8643
2024-08-25	6:10:46 AM	4103	17.8632
2024-08-25	6:11:46 AM	4104	17.8602
2024-08-25	6:12:46 AM	4105	17.8478
2024-08-25	6:13:46 AM	4106	17.8688
2024-08-25	6:14:46 AM	4107	17.8684
2024-08-25	6:15:46 AM	4108	17.8679
2024-08-25	6:16:46 AM	4109	17.8676
2024-08-25	6:17:46 AM	4110	17.8676
2024-08-25	6:18:46 AM	4111	17.8669
2024-08-25	6:19:46 AM	4112	17.8655
2024-08-25	6:20:46 AM	4113	17.8627
2024-08-25	6:21:46 AM	4114	17.8457
2024-08-25	6:22:46 AM	4115	17.8705
2024-08-25	6:23:46 AM	4116	17.8704
2024-08-25	6:24:46 AM	4117	17.8706
2024-08-25	6:25:46 AM	4118	17.8707
2024-08-25	6:26:46 AM	4119	17.8704
2024-08-25	6:27:46 AM	4120	17.8705
2024-08-25	6:28:46 AM	4121	17.8702
2024-08-25	6:29:46 AM	4122	17.8691
2024-08-25	6:30:46 AM	4123	17.8677
2024-08-25	6:31:46 AM	4124	17.8572
2024-08-25	6:32:46 AM	4125	17.8749
2024-08-25	6:33:46 AM	4126	17.8754
2024-08-25	6:34:46 AM	4127	17.876
2024-08-25	6:35:46 AM	4128	17.8761
2024-08-25	6:36:46 AM	4129	17.876
2024-08-25	6:37:46 AM	4130	17.876
2024-08-25	6:38:46 AM	4131	17.8754
2024-08-25	6:39:46 AM	4132	17.8739
2024-08-25	6:40:46 AM	4133	17.8559
2024-08-25	6:41:46 AM	4134	17.8812
2024-08-25	6:42:46 AM	4135	17.8814
2024-08-25	6:43:46 AM	4136	17.8816
2024-08-25	6:44:46 AM	4137	17.8817

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	6:45:46 AM	4138	17.8818
2024-08-25	6:46:46 AM	4139	17.8819
2024-08-25	6:47:46 AM	4140	17.882
2024-08-25	6:48:46 AM	4141	17.8814
2024-08-25	6:49:46 AM	4142	17.8805
2024-08-25	6:50:46 AM	4143	17.8755
2024-08-25	6:51:46 AM	4144	17.8715
2024-08-25	6:52:46 AM	4145	17.8882
2024-08-25	6:53:46 AM	4146	17.8887
2024-08-25	6:54:46 AM	4147	17.8887
2024-08-25	6:55:46 AM	4148	17.8893
2024-08-25	6:56:46 AM	4149	17.8893
2024-08-25	6:57:46 AM	4150	17.8886
2024-08-25	6:58:46 AM	4151	17.888
2024-08-25	6:59:46 AM	4152	17.8846
2024-08-25	7:00:46 AM	4153	17.8753
2024-08-25	7:01:46 AM	4154	17.8939
2024-08-25	7:02:46 AM	4155	17.894
2024-08-25	7:03:46 AM	4156	17.894
2024-08-25	7:04:46 AM	4157	17.8946
2024-08-25	7:05:46 AM	4158	17.8948
2024-08-25	7:06:46 AM	4159	17.8949
2024-08-25	7:07:46 AM	4160	17.8948
2024-08-25	7:08:46 AM	4161	17.8943
2024-08-25	7:09:46 AM	4162	17.893
2024-08-25	7:10:46 AM	4163	17.8813
2024-08-25	7:11:46 AM	4164	17.9053
2024-08-25	7:12:46 AM	4165	17.9004
2024-08-25	7:13:46 AM	4166	17.9007
2024-08-25	7:14:46 AM	4167	17.9008
2024-08-25	7:15:46 AM	4168	17.9008
2024-08-25	7:16:46 AM	4169	17.9009
2024-08-25	7:17:46 AM	4170	17.9008
2024-08-25	7:18:46 AM	4171	17.8998
2024-08-25	7:19:46 AM	4172	17.8969
2024-08-25	7:20:46 AM	4173	17.8878
2024-08-25	7:21:46 AM	4174	17.9059
2024-08-25	7:22:46 AM	4175	17.9062
2024-08-25	7:23:46 AM	4176	17.9065
2024-08-25	7:24:46 AM	4177	17.9071
2024-08-25	7:25:46 AM	4178	17.907
2024-08-25	7:26:46 AM	4179	17.9071
2024-08-25	7:27:46 AM	4180	17.907
2024-08-25	7:28:46 AM	4181	17.907
2024-08-25	7:29:46 AM	4182	17.9061
2024-08-25	7:30:46 AM	4183	17.8991
2024-08-25	7:31:46 AM	4184	17.9007
2024-08-25	7:32:46 AM	4185	17.9121
2024-08-25	7:33:46 AM	4186	17.9123
2024-08-25	7:34:46 AM	4187	17.9122
2024-08-25	7:35:46 AM	4188	17.9119
2024-08-25	7:36:46 AM	4189	17.9118
2024-08-25	7:37:46 AM	4190	17.911
2024-08-25	7:38:46 AM	4191	17.9098
2024-08-25	7:39:46 AM	4192	17.9259
2024-08-25	7:40:46 AM	4193	17.9104
2024-08-25	7:41:46 AM	4194	17.9159
2024-08-25	7:42:46 AM	4195	17.9162
2024-08-25	7:43:46 AM	4196	17.916
2024-08-25	7:44:46 AM	4197	17.9162
2024-08-25	7:45:46 AM	4198	17.9161
2024-08-25	7:46:46 AM	4199	17.9161
2024-08-25	7:47:46 AM	4200	17.9154
2024-08-25	7:48:46 AM	4201	17.9145
2024-08-25	7:49:46 AM	4202	17.907
2024-08-25	7:50:46 AM	4203	17.9031
2024-08-25	7:51:46 AM	4204	17.9199
2024-08-25	7:52:46 AM	4205	17.92
2024-08-25	7:53:46 AM	4206	17.9196

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	7:54:46 AM	4207	17.9199
2024-08-25	7:55:46 AM	4208	17.9194
2024-08-25	7:56:46 AM	4209	17.919
2024-08-25	7:57:46 AM	4210	17.9177
2024-08-25	7:58:46 AM	4211	17.9096
2024-08-25	7:59:46 AM	4212	17.9055
2024-08-25	8:00:46 AM	4213	17.9232
2024-08-25	8:01:46 AM	4214	17.9236
2024-08-25	8:02:46 AM	4215	17.9242
2024-08-25	8:03:46 AM	4216	17.9244
2024-08-25	8:04:46 AM	4217	17.9251
2024-08-25	8:05:46 AM	4218	17.9253
2024-08-25	8:06:46 AM	4219	17.925
2024-08-25	8:07:46 AM	4220	17.9246
2024-08-25	8:08:46 AM	4221	17.9238
2024-08-25	8:09:46 AM	4222	17.9162
2024-08-25	8:10:46 AM	4223	17.9131
2024-08-25	8:11:46 AM	4224	17.9291
2024-08-25	8:12:46 AM	4225	17.9289
2024-08-25	8:13:46 AM	4226	17.9291
2024-08-25	8:14:46 AM	4227	17.9291
2024-08-25	8:15:46 AM	4228	17.9292
2024-08-25	8:16:46 AM	4229	17.9286
2024-08-25	8:17:46 AM	4230	17.9269
2024-08-25	8:18:46 AM	4231	17.924
2024-08-25	8:19:46 AM	4232	17.9202
2024-08-25	8:20:46 AM	4233	17.9327
2024-08-25	8:21:46 AM	4234	17.9327
2024-08-25	8:22:46 AM	4235	17.933
2024-08-25	8:23:46 AM	4236	17.9332
2024-08-25	8:24:46 AM	4237	17.9337
2024-08-25	8:25:46 AM	4238	17.9335
2024-08-25	8:26:46 AM	4239	17.9334
2024-08-25	8:27:46 AM	4240	17.933
2024-08-25	8:28:46 AM	4241	17.9319
2024-08-25	8:29:46 AM	4242	17.9284
2024-08-25	8:30:46 AM	4243	17.9185
2024-08-25	8:31:46 AM	4244	17.9377
2024-08-25	8:32:46 AM	4245	17.9381
2024-08-25	8:33:46 AM	4246	17.9379
2024-08-25	8:34:46 AM	4247	17.9378
2024-08-25	8:35:46 AM	4248	17.9374
2024-08-25	8:36:46 AM	4249	17.9368
2024-08-25	8:37:46 AM	4250	17.9356
2024-08-25	8:38:46 AM	4251	17.9341
2024-08-25	8:39:46 AM	4252	17.9192
2024-08-25	8:40:46 AM	4253	17.9414
2024-08-25	8:41:46 AM	4254	17.9415
2024-08-25	8:42:46 AM	4255	17.942
2024-08-25	8:43:46 AM	4256	17.9417
2024-08-25	8:44:46 AM	4257	17.9416
2024-08-25	8:45:46 AM	4258	17.9417
2024-08-25	8:46:46 AM	4259	17.9412
2024-08-25	8:47:46 AM	4260	17.9406
2024-08-25	8:48:46 AM	4261	17.9398
2024-08-25	8:49:46 AM	4262	17.9358
2024-08-25	8:50:46 AM	4263	17.9274
2024-08-25	8:51:46 AM	4264	17.9449
2024-08-25	8:52:46 AM	4265	17.945
2024-08-25	8:53:46 AM	4266	17.9453
2024-08-25	8:54:46 AM	4267	17.9448
2024-08-25	8:55:46 AM	4268	17.9449
2024-08-25	8:56:46 AM	4269	17.9439
2024-08-25	8:57:46 AM	4270	17.9436
2024-08-25	8:58:46 AM	4271	17.9422
2024-08-25	8:59:46 AM	4272	17.9529
2024-08-25	9:00:46 AM	4273	17.9346
2024-08-25	9:01:46 AM	4274	17.9486
2024-08-25	9:02:46 AM	4275	17.9483

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	9:03:46 AM	4276	17.948
2024-08-25	9:04:46 AM	4277	17.948
2024-08-25	9:05:46 AM	4278	17.9482
2024-08-25	9:06:46 AM	4279	17.9475
2024-08-25	9:07:46 AM	4280	17.9469
2024-08-25	9:08:46 AM	4281	17.9455
2024-08-25	9:09:46 AM	4282	17.9359
2024-08-25	9:10:46 AM	4283	17.9518
2024-08-25	9:11:46 AM	4284	17.9512
2024-08-25	9:12:46 AM	4285	17.9516
2024-08-25	9:13:46 AM	4286	17.9512
2024-08-25	9:14:46 AM	4287	17.9508
2024-08-25	9:15:46 AM	4288	17.9506
2024-08-25	9:16:46 AM	4289	17.9492
2024-08-25	9:17:46 AM	4290	17.9474
2024-08-25	9:18:46 AM	4291	17.9358
2024-08-25	9:19:46 AM	4292	17.9548
2024-08-25	9:20:46 AM	4293	17.9549
2024-08-25	9:21:46 AM	4294	17.955
2024-08-25	9:22:46 AM	4295	17.955
2024-08-25	9:23:46 AM	4296	17.9547
2024-08-25	9:24:46 AM	4297	17.955
2024-08-25	9:25:46 AM	4298	17.9545
2024-08-25	9:26:46 AM	4299	17.954
2024-08-25	9:27:46 AM	4300	17.9527
2024-08-25	9:28:46 AM	4301	17.9401
2024-08-25	9:29:46 AM	4302	17.9446
2024-08-25	9:30:46 AM	4303	17.9578
2024-08-25	9:31:46 AM	4304	17.9578
2024-08-25	9:32:46 AM	4305	17.9576
2024-08-25	9:33:46 AM	4306	17.9568
2024-08-25	9:34:46 AM	4307	17.9563
2024-08-25	9:35:46 AM	4308	17.9554
2024-08-25	9:36:46 AM	4309	17.9543
2024-08-25	9:37:46 AM	4310	17.9505
2024-08-25	9:38:46 AM	4311	17.9398
2024-08-25	9:39:46 AM	4312	17.9604
2024-08-25	9:40:46 AM	4313	17.9604
2024-08-25	9:41:46 AM	4314	17.9604
2024-08-25	9:42:46 AM	4315	17.9606
2024-08-25	9:43:46 AM	4316	17.9602
2024-08-25	9:44:46 AM	4317	17.9602
2024-08-25	9:45:46 AM	4318	17.9595
2024-08-25	9:46:46 AM	4319	17.9588
2024-08-25	9:47:46 AM	4320	17.9575
2024-08-25	9:48:46 AM	4321	17.9576
2024-08-25	9:49:46 AM	4322	17.9439
2024-08-25	9:50:46 AM	4323	17.9625
2024-08-25	9:51:46 AM	4324	17.9622
2024-08-25	9:52:46 AM	4325	17.9623
2024-08-25	9:53:46 AM	4326	17.9617
2024-08-25	9:54:46 AM	4327	17.9615
2024-08-25	9:55:46 AM	4328	17.9609
2024-08-25	9:56:46 AM	4329	17.9604
2024-08-25	9:57:46 AM	4330	17.959
2024-08-25	9:58:46 AM	4331	17.9541
2024-08-25	9:59:46 AM	4332	17.9479
2024-08-25	10:00:46 AM	4333	17.9649
2024-08-25	10:01:46 AM	4334	17.9644
2024-08-25	10:02:46 AM	4335	17.9639
2024-08-25	10:03:46 AM	4336	17.9637
2024-08-25	10:04:46 AM	4337	17.9633
2024-08-25	10:05:46 AM	4338	17.9631
2024-08-25	10:06:46 AM	4339	17.9623
2024-08-25	10:07:46 AM	4340	17.961
2024-08-25	10:08:46 AM	4341	17.954
2024-08-25	10:09:46 AM	4342	17.946
2024-08-25	10:10:46 AM	4343	17.9656
2024-08-25	10:11:46 AM	4344	17.9654

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	10:12:46 AM	4345	17.9652
2024-08-25	10:13:46 AM	4346	17.9646
2024-08-25	10:14:46 AM	4347	17.9638
2024-08-25	10:15:46 AM	4348	17.9628
2024-08-25	10:16:46 AM	4349	17.9618
2024-08-25	10:17:46 AM	4350	17.9591
2024-08-25	10:18:46 AM	4351	17.9467
2024-08-25	10:19:46 AM	4352	17.9667
2024-08-25	10:20:46 AM	4353	17.9664
2024-08-25	10:21:46 AM	4354	17.9661
2024-08-25	10:22:46 AM	4355	17.9659
2024-08-25	10:23:46 AM	4356	17.9652
2024-08-25	10:24:46 AM	4357	17.9651
2024-08-25	10:25:46 AM	4358	17.9642
2024-08-25	10:26:46 AM	4359	17.9631
2024-08-25	10:27:46 AM	4360	17.9603
2024-08-25	10:28:46 AM	4361	17.9486
2024-08-25	10:29:46 AM	4362	17.964
2024-08-25	10:30:46 AM	4363	17.9668
2024-08-25	10:31:46 AM	4364	17.9661
2024-08-25	10:32:46 AM	4365	17.9652
2024-08-25	10:33:46 AM	4366	17.9644
2024-08-25	10:34:46 AM	4367	17.9637
2024-08-25	10:35:46 AM	4368	17.9626
2024-08-25	10:36:46 AM	4369	17.9605
2024-08-25	10:37:46 AM	4370	17.9656
2024-08-25	10:38:46 AM	4371	17.9473
2024-08-25	10:39:46 AM	4372	17.9658
2024-08-25	10:40:46 AM	4373	17.9655
2024-08-25	10:41:46 AM	4374	17.9647
2024-08-25	10:42:46 AM	4375	17.9645
2024-08-25	10:43:46 AM	4376	17.9638
2024-08-25	10:44:46 AM	4377	17.9633
2024-08-25	10:45:46 AM	4378	17.9623
2024-08-25	10:46:46 AM	4379	17.9607
2024-08-25	10:47:46 AM	4380	17.9576
2024-08-25	10:48:46 AM	4381	17.9461
2024-08-25	10:49:46 AM	4382	17.964
2024-08-25	10:50:46 AM	4383	17.9636
2024-08-25	10:51:46 AM	4384	17.9631
2024-08-25	10:52:46 AM	4385	17.9619
2024-08-25	10:53:46 AM	4386	17.9611
2024-08-25	10:54:46 AM	4387	17.9597
2024-08-25	10:55:46 AM	4388	17.9585
2024-08-25	10:56:46 AM	4389	17.9564
2024-08-25	10:57:46 AM	4390	17.951
2024-08-25	10:58:46 AM	4391	17.9541
2024-08-25	10:59:46 AM	4392	17.9611
2024-08-25	11:00:46 AM	4393	17.9606
2024-08-25	11:01:46 AM	4394	17.9603
2024-08-25	11:02:46 AM	4395	17.9595
2024-08-25	11:03:46 AM	4396	17.9589
2024-08-25	11:04:46 AM	4397	17.9582
2024-08-25	11:05:46 AM	4398	17.9572
2024-08-25	11:06:46 AM	4399	17.9554
2024-08-25	11:07:46 AM	4400	17.953
2024-08-25	11:08:46 AM	4401	17.9387
2024-08-25	11:09:46 AM	4402	17.959
2024-08-25	11:10:46 AM	4403	17.9582
2024-08-25	11:11:46 AM	4404	17.9576
2024-08-25	11:12:46 AM	4405	17.9565
2024-08-25	11:13:46 AM	4406	17.9558
2024-08-25	11:14:46 AM	4407	17.9547
2024-08-25	11:15:46 AM	4408	17.9539
2024-08-25	11:16:46 AM	4409	17.952
2024-08-25	11:17:46 AM	4410	17.9496
2024-08-25	11:18:46 AM	4411	17.9363
2024-08-25	11:19:46 AM	4412	17.9557
2024-08-25	11:20:46 AM	4413	17.9552

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	11:21:46 AM	4414	17.955
2024-08-25	11:22:46 AM	4415	17.9545
2024-08-25	11:23:46 AM	4416	17.9536
2024-08-25	11:24:46 AM	4417	17.9529
2024-08-25	11:25:46 AM	4418	17.9518
2024-08-25	11:26:46 AM	4419	17.9509
2024-08-25	11:27:46 AM	4420	17.9496
2024-08-25	11:28:46 AM	4421	17.9498
2024-08-25	11:29:46 AM	4422	17.9364
2024-08-25	11:30:46 AM	4423	17.9537
2024-08-25	11:31:46 AM	4424	17.9536
2024-08-25	11:32:46 AM	4425	17.9527
2024-08-25	11:33:46 AM	4426	17.9522
2024-08-25	11:34:46 AM	4427	17.9516
2024-08-25	11:35:46 AM	4428	17.9504
2024-08-25	11:36:46 AM	4429	17.9491
2024-08-25	11:37:46 AM	4430	17.9479
2024-08-25	11:38:46 AM	4431	17.9389
2024-08-25	11:39:46 AM	4432	17.9542
2024-08-25	11:40:46 AM	4433	17.9535
2024-08-25	11:41:46 AM	4434	17.9527
2024-08-25	11:42:46 AM	4435	17.9516
2024-08-25	11:43:46 AM	4436	17.9509
2024-08-25	11:44:46 AM	4437	17.9498
2024-08-25	11:45:46 AM	4438	17.9488
2024-08-25	11:46:46 AM	4439	17.9472
2024-08-25	11:47:46 AM	4440	17.9434
2024-08-25	11:48:46 AM	4441	17.9327
2024-08-25	11:49:46 AM	4442	17.9518
2024-08-25	11:50:46 AM	4443	17.952
2024-08-25	11:51:46 AM	4444	17.9514
2024-08-25	11:52:46 AM	4445	17.951
2024-08-25	11:53:46 AM	4446	17.9503
2024-08-25	11:54:46 AM	4447	17.9493
2024-08-25	11:55:46 AM	4448	17.9479
2024-08-25	11:56:46 AM	4449	17.9388
2024-08-25	11:57:46 AM	4450	17.9291
2024-08-25	11:58:46 AM	4451	17.953
2024-08-25	11:59:46 AM	4452	17.9527
2024-08-25	12:00:46 PM	4453	17.9525
2024-08-25	12:01:46 PM	4454	17.9522
2024-08-25	12:02:46 PM	4455	17.9519
2024-08-25	12:03:46 PM	4456	17.9515
2024-08-25	12:04:46 PM	4457	17.9507
2024-08-25	12:05:46 PM	4458	17.95
2024-08-25	12:06:46 PM	4459	17.945
2024-08-25	12:07:46 PM	4460	17.9236
2024-08-25	12:08:46 PM	4461	17.9538
2024-08-25	12:09:46 PM	4462	17.9539
2024-08-25	12:10:46 PM	4463	17.9538
2024-08-25	12:11:46 PM	4464	17.953
2024-08-25	12:12:46 PM	4465	17.9523
2024-08-25	12:13:46 PM	4466	17.9515
2024-08-25	12:14:46 PM	4467	17.9507
2024-08-25	12:15:46 PM	4468	17.9459
2024-08-25	12:16:46 PM	4469	17.9376
2024-08-25	12:17:46 PM	4470	17.9561
2024-08-25	12:18:46 PM	4471	17.9557
2024-08-25	12:19:46 PM	4472	17.9557
2024-08-25	12:20:46 PM	4473	17.9553
2024-08-25	12:21:46 PM	4474	17.9552
2024-08-25	12:22:46 PM	4475	17.9552
2024-08-25	12:23:46 PM	4476	17.9548
2024-08-25	12:24:46 PM	4477	17.954
2024-08-25	12:25:46 PM	4478	17.9526
2024-08-25	12:26:46 PM	4479	17.9487
2024-08-25	12:27:46 PM	4480	17.9387
2024-08-25	12:28:46 PM	4481	17.9575
2024-08-25	12:29:46 PM	4482	17.9571

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	12:30:46 PM	4483	17.9568
2024-08-25	12:31:46 PM	4484	17.9561
2024-08-25	12:32:46 PM	4485	17.9563
2024-08-25	12:33:46 PM	4486	17.9554
2024-08-25	12:34:46 PM	4487	17.9542
2024-08-25	12:35:46 PM	4488	17.952
2024-08-25	12:36:46 PM	4489	17.9297
2024-08-25	12:37:46 PM	4490	17.9593
2024-08-25	12:38:46 PM	4491	17.9584
2024-08-25	12:39:46 PM	4492	17.9589
2024-08-25	12:40:46 PM	4493	17.9583
2024-08-25	12:41:46 PM	4494	17.9583
2024-08-25	12:42:46 PM	4495	17.9578
2024-08-25	12:43:46 PM	4496	17.9576
2024-08-25	12:44:46 PM	4497	17.9569
2024-08-25	12:45:46 PM	4498	17.956
2024-08-25	12:46:46 PM	4499	17.9537
2024-08-25	12:47:46 PM	4500	17.9301
2024-08-25	12:48:46 PM	4501	17.9608
2024-08-25	12:49:46 PM	4502	17.9602
2024-08-25	12:50:46 PM	4503	17.9601
2024-08-25	12:51:46 PM	4504	17.9597
2024-08-25	12:52:46 PM	4505	17.9589
2024-08-25	12:53:46 PM	4506	17.9578
2024-08-25	12:54:46 PM	4507	17.9567
2024-08-25	12:55:46 PM	4508	17.9631
2024-08-25	12:56:46 PM	4509	17.9614
2024-08-25	12:57:46 PM	4510	17.9611
2024-08-25	12:58:46 PM	4511	17.961
2024-08-25	12:59:46 PM	4512	17.9605
2024-08-25	1:00:46 PM	4513	17.9603
2024-08-25	1:01:46 PM	4514	17.9599
2024-08-25	1:02:46 PM	4515	17.9595
2024-08-25	1:03:46 PM	4516	17.9586
2024-08-25	1:04:46 PM	4517	17.9578
2024-08-25	1:05:46 PM	4518	17.9565
2024-08-25	1:06:46 PM	4519	17.9362
2024-08-25	1:07:46 PM	4520	17.9616
2024-08-25	1:08:46 PM	4521	17.9615
2024-08-25	1:09:46 PM	4522	17.9607
2024-08-25	1:10:46 PM	4523	17.9605
2024-08-25	1:11:46 PM	4524	17.96
2024-08-25	1:12:46 PM	4525	17.9589
2024-08-25	1:13:46 PM	4526	17.9576
2024-08-25	1:14:46 PM	4527	17.9472
2024-08-25	1:15:46 PM	4528	17.9627
2024-08-25	1:16:46 PM	4529	17.9623
2024-08-25	1:17:46 PM	4530	17.9618
2024-08-25	1:18:46 PM	4531	17.962
2024-08-25	1:19:46 PM	4532	17.9611
2024-08-25	1:20:46 PM	4533	17.961
2024-08-25	1:21:46 PM	4534	17.9599
2024-08-25	1:22:46 PM	4535	17.9592
2024-08-25	1:23:46 PM	4536	17.9576
2024-08-25	1:24:46 PM	4537	17.9551
2024-08-25	1:25:46 PM	4538	17.9406
2024-08-25	1:26:46 PM	4539	17.9629
2024-08-25	1:27:46 PM	4540	17.9627
2024-08-25	1:28:46 PM	4541	17.9627
2024-08-25	1:29:46 PM	4542	17.9623
2024-08-25	1:30:46 PM	4543	17.9619
2024-08-25	1:31:46 PM	4544	17.9615
2024-08-25	1:32:46 PM	4545	17.9605
2024-08-25	1:33:46 PM	4546	17.9595
2024-08-25	1:34:46 PM	4547	17.9483
2024-08-25	1:35:46 PM	4548	17.962
2024-08-25	1:36:46 PM	4549	17.9632
2024-08-25	1:37:46 PM	4550	17.9632
2024-08-25	1:38:46 PM	4551	17.9625

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	1:39:46 PM	4552	17.9624
2024-08-25	1:40:46 PM	4553	17.9625
2024-08-25	1:41:46 PM	4554	17.9616
2024-08-25	1:42:46 PM	4555	17.9611
2024-08-25	1:43:46 PM	4556	17.9595
2024-08-25	1:44:46 PM	4557	17.9537
2024-08-25	1:45:46 PM	4558	17.9495
2024-08-25	1:46:46 PM	4559	17.9645
2024-08-25	1:47:46 PM	4560	17.9636
2024-08-25	1:48:46 PM	4561	17.9629
2024-08-25	1:49:46 PM	4562	17.9623
2024-08-25	1:50:46 PM	4563	17.9616
2024-08-25	1:51:46 PM	4564	17.9607
2024-08-25	1:52:46 PM	4565	17.9599
2024-08-25	1:53:46 PM	4566	17.9583
2024-08-25	1:54:46 PM	4567	17.9439
2024-08-25	1:55:46 PM	4568	17.9632
2024-08-25	1:56:46 PM	4569	17.9632
2024-08-25	1:57:46 PM	4570	17.963
2024-08-25	1:58:46 PM	4571	17.9619
2024-08-25	1:59:46 PM	4572	17.9615
2024-08-25	2:00:46 PM	4573	17.9605
2024-08-25	2:01:46 PM	4574	17.9596
2024-08-25	2:02:46 PM	4575	17.9583
2024-08-25	2:03:46 PM	4576	17.9517
2024-08-25	2:04:46 PM	4577	17.9373
2024-08-25	2:05:46 PM	4578	17.9626
2024-08-25	2:06:46 PM	4579	17.9624
2024-08-25	2:07:46 PM	4580	17.9617
2024-08-25	2:08:46 PM	4581	17.9612
2024-08-25	2:09:46 PM	4582	17.9606
2024-08-25	2:10:46 PM	4583	17.96
2024-08-25	2:11:46 PM	4584	17.9586
2024-08-25	2:12:46 PM	4585	17.9569
2024-08-25	2:13:46 PM	4586	17.9539
2024-08-25	2:14:46 PM	4587	17.9437
2024-08-25	2:15:46 PM	4588	17.9612
2024-08-25	2:16:46 PM	4589	17.9609
2024-08-25	2:17:46 PM	4590	17.9604
2024-08-25	2:18:46 PM	4591	17.9592
2024-08-25	2:19:46 PM	4592	17.9587
2024-08-25	2:20:46 PM	4593	17.9572
2024-08-25	2:21:46 PM	4594	17.9538
2024-08-25	2:22:46 PM	4595	17.9352
2024-08-25	2:23:46 PM	4596	17.963
2024-08-25	2:24:46 PM	4597	17.9611
2024-08-25	2:25:46 PM	4598	17.9603
2024-08-25	2:26:46 PM	4599	17.9602
2024-08-25	2:27:46 PM	4600	17.9597
2024-08-25	2:28:46 PM	4601	17.9596
2024-08-25	2:29:46 PM	4602	17.9587
2024-08-25	2:30:46 PM	4603	17.9582
2024-08-25	2:31:46 PM	4604	17.9566
2024-08-25	2:32:46 PM	4605	17.954
2024-08-25	2:33:46 PM	4606	17.9424
2024-08-25	2:34:46 PM	4607	17.9617
2024-08-25	2:35:46 PM	4608	17.9614
2024-08-25	2:36:46 PM	4609	17.9613
2024-08-25	2:37:46 PM	4610	17.9607
2024-08-25	2:38:46 PM	4611	17.9601
2024-08-25	2:39:46 PM	4612	17.9592
2024-08-25	2:40:46 PM	4613	17.9579
2024-08-25	2:41:46 PM	4614	17.9548
2024-08-25	2:42:46 PM	4615	17.941
2024-08-25	2:43:46 PM	4616	17.962
2024-08-25	2:44:46 PM	4617	17.962
2024-08-25	2:45:46 PM	4618	17.9617
2024-08-25	2:46:46 PM	4619	17.9613
2024-08-25	2:47:46 PM	4620	17.9613

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	2:48:46 PM	4621	17.9608
2024-08-25	2:49:46 PM	4622	17.9601
2024-08-25	2:50:46 PM	4623	17.9597
2024-08-25	2:51:46 PM	4624	17.9582
2024-08-25	2:52:46 PM	4625	17.9561
2024-08-25	2:53:46 PM	4626	17.9405
2024-08-25	2:54:46 PM	4627	17.9625
2024-08-25	2:55:46 PM	4628	17.962
2024-08-25	2:56:46 PM	4629	17.9612
2024-08-25	2:57:46 PM	4630	17.9614
2024-08-25	2:58:46 PM	4631	17.9604
2024-08-25	2:59:46 PM	4632	17.9592
2024-08-25	3:00:46 PM	4633	17.9582
2024-08-25	3:01:46 PM	4634	17.9559
2024-08-25	3:02:46 PM	4635	17.9391
2024-08-25	3:03:46 PM	4636	17.9611
2024-08-25	3:04:46 PM	4637	17.9607
2024-08-25	3:05:46 PM	4638	17.9603
2024-08-25	3:06:46 PM	4639	17.9598
2024-08-25	3:07:46 PM	4640	17.9597
2024-08-25	3:08:46 PM	4641	17.9592
2024-08-25	3:09:46 PM	4642	17.958
2024-08-25	3:10:46 PM	4643	17.9569
2024-08-25	3:11:46 PM	4644	17.9553
2024-08-25	3:12:46 PM	4645	17.9456
2024-08-25	3:13:46 PM	4646	17.9571
2024-08-25	3:14:46 PM	4647	17.9602
2024-08-25	3:15:46 PM	4648	17.9594
2024-08-25	3:16:46 PM	4649	17.9591
2024-08-25	3:17:46 PM	4650	17.9584
2024-08-25	3:18:46 PM	4651	17.9574
2024-08-25	3:19:46 PM	4652	17.9562
2024-08-25	3:20:46 PM	4653	17.9543
2024-08-25	3:21:46 PM	4654	17.9399
2024-08-25	3:22:46 PM	4655	17.9584
2024-08-25	3:23:46 PM	4656	17.9579
2024-08-25	3:24:46 PM	4657	17.9569
2024-08-25	3:25:46 PM	4658	17.9562
2024-08-25	3:26:46 PM	4659	17.9555
2024-08-25	3:27:46 PM	4660	17.9552
2024-08-25	3:28:46 PM	4661	17.9543
2024-08-25	3:29:46 PM	4662	17.9533
2024-08-25	3:30:46 PM	4663	17.9508
2024-08-25	3:31:46 PM	4664	17.9783
2024-08-25	3:32:46 PM	4665	17.9471
2024-08-25	3:33:46 PM	4666	17.9572
2024-08-25	3:34:46 PM	4667	17.9569
2024-08-25	3:35:46 PM	4668	17.9562
2024-08-25	3:36:46 PM	4669	17.9555
2024-08-25	3:37:46 PM	4670	17.9554
2024-08-25	3:38:46 PM	4671	17.9544
2024-08-25	3:39:46 PM	4672	17.9529
2024-08-25	3:40:46 PM	4673	17.9499
2024-08-25	3:41:46 PM	4674	17.9304
2024-08-25	3:42:46 PM	4675	17.9577
2024-08-25	3:43:46 PM	4676	17.9573
2024-08-25	3:44:46 PM	4677	17.9573
2024-08-25	3:45:46 PM	4678	17.957
2024-08-25	3:46:46 PM	4679	17.9562
2024-08-25	3:47:46 PM	4680	17.956
2024-08-25	3:48:46 PM	4681	17.9545
2024-08-25	3:49:46 PM	4682	17.9522
2024-08-25	3:50:46 PM	4683	17.9333
2024-08-25	3:51:46 PM	4684	17.9419
2024-08-25	3:52:46 PM	4685	17.9576
2024-08-25	3:53:46 PM	4686	17.9577
2024-08-25	3:54:46 PM	4687	17.9572
2024-08-25	3:55:46 PM	4688	17.9566
2024-08-25	3:56:46 PM	4689	17.9567

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	3:57:46 PM	4690	17.9561
2024-08-25	3:58:46 PM	4691	17.9549
2024-08-25	3:59:46 PM	4692	17.9536
2024-08-25	4:00:46 PM	4693	17.945
2024-08-25	4:01:46 PM	4694	17.9328
2024-08-25	4:02:46 PM	4695	17.9581
2024-08-25	4:03:46 PM	4696	17.9579
2024-08-25	4:04:46 PM	4697	17.9575
2024-08-25	4:05:46 PM	4698	17.9571
2024-08-25	4:06:46 PM	4699	17.9562
2024-08-25	4:07:46 PM	4700	17.955
2024-08-25	4:08:46 PM	4701	17.9535
2024-08-25	4:09:46 PM	4702	17.949
2024-08-25	4:10:46 PM	4703	17.9268
2024-08-25	4:11:46 PM	4704	17.9584
2024-08-25	4:12:46 PM	4705	17.9581
2024-08-25	4:13:46 PM	4706	17.9574
2024-08-25	4:14:46 PM	4707	17.9569
2024-08-25	4:15:46 PM	4708	17.9564
2024-08-25	4:16:46 PM	4709	17.9556
2024-08-25	4:17:46 PM	4710	17.9546
2024-08-25	4:18:46 PM	4711	17.9538
2024-08-25	4:19:46 PM	4712	17.9521
2024-08-25	4:20:46 PM	4713	17.9492
2024-08-25	4:21:46 PM	4714	17.9457
2024-08-25	4:22:46 PM	4715	17.9568
2024-08-25	4:23:46 PM	4716	17.956
2024-08-25	4:24:46 PM	4717	17.9554
2024-08-25	4:25:46 PM	4718	17.9543
2024-08-25	4:26:46 PM	4719	17.9531
2024-08-25	4:27:46 PM	4720	17.9514
2024-08-25	4:28:46 PM	4721	17.948
2024-08-25	4:29:46 PM	4722	17.9357
2024-08-25	4:30:46 PM	4723	17.9548
2024-08-25	4:31:46 PM	4724	17.954
2024-08-25	4:32:46 PM	4725	17.9538
2024-08-25	4:33:46 PM	4726	17.9529
2024-08-25	4:34:46 PM	4727	17.9528
2024-08-25	4:35:46 PM	4728	17.9522
2024-08-25	4:36:46 PM	4729	17.9515
2024-08-25	4:37:46 PM	4730	17.9503
2024-08-25	4:38:46 PM	4731	17.9486
2024-08-25	4:39:46 PM	4732	17.9533
2024-08-25	4:40:46 PM	4733	17.9405
2024-08-25	4:41:46 PM	4734	17.9535
2024-08-25	4:42:46 PM	4735	17.9532
2024-08-25	4:43:46 PM	4736	17.9527
2024-08-25	4:44:46 PM	4737	17.9521
2024-08-25	4:45:46 PM	4738	17.9516
2024-08-25	4:46:46 PM	4739	17.9509
2024-08-25	4:47:46 PM	4740	17.949
2024-08-25	4:48:46 PM	4741	17.9502
2024-08-25	4:49:46 PM	4742	17.9424
2024-08-25	4:50:46 PM	4743	17.9534
2024-08-25	4:51:46 PM	4744	17.953
2024-08-25	4:52:46 PM	4745	17.9522
2024-08-25	4:53:46 PM	4746	17.9518
2024-08-25	4:54:46 PM	4747	17.9515
2024-08-25	4:55:46 PM	4748	17.951
2024-08-25	4:56:46 PM	4749	17.9504
2024-08-25	4:57:46 PM	4750	17.949
2024-08-25	4:58:46 PM	4751	17.9466
2024-08-25	4:59:46 PM	4752	17.9356
2024-08-25	5:00:46 PM	4753	17.953
2024-08-25	5:01:46 PM	4754	17.9531
2024-08-25	5:02:46 PM	4755	17.9528
2024-08-25	5:03:46 PM	4756	17.9521
2024-08-25	5:04:46 PM	4757	17.9515
2024-08-25	5:05:46 PM	4758	17.9509

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	5:06:46 PM	4759	17.9501
2024-08-25	5:07:46 PM	4760	17.9485
2024-08-25	5:08:46 PM	4761	17.9445
2024-08-25	5:09:46 PM	4762	17.9241
2024-08-25	5:10:46 PM	4763	17.9524
2024-08-25	5:11:46 PM	4764	17.952
2024-08-25	5:12:46 PM	4765	17.9516
2024-08-25	5:13:46 PM	4766	17.9513
2024-08-25	5:14:46 PM	4767	17.9508
2024-08-25	5:15:46 PM	4768	17.9504
2024-08-25	5:16:46 PM	4769	17.9494
2024-08-25	5:17:46 PM	4770	17.9478
2024-08-25	5:18:46 PM	4771	17.9437
2024-08-25	5:19:46 PM	4772	17.9349
2024-08-25	5:20:46 PM	4773	17.9527
2024-08-25	5:21:46 PM	4774	17.9523
2024-08-25	5:22:46 PM	4775	17.9519
2024-08-25	5:23:46 PM	4776	17.9514
2024-08-25	5:24:46 PM	4777	17.9509
2024-08-25	5:25:46 PM	4778	17.9495
2024-08-25	5:26:46 PM	4779	17.9484
2024-08-25	5:27:46 PM	4780	17.9453
2024-08-25	5:28:46 PM	4781	17.9308
2024-08-25	5:29:46 PM	4782	17.9526
2024-08-25	5:30:46 PM	4783	17.9525
2024-08-25	5:31:46 PM	4784	17.9519
2024-08-25	5:32:46 PM	4785	17.9515
2024-08-25	5:33:46 PM	4786	17.9507
2024-08-25	5:34:46 PM	4787	17.9499
2024-08-25	5:35:46 PM	4788	17.949
2024-08-25	5:36:46 PM	4789	17.9468
2024-08-25	5:37:46 PM	4790	17.9353
2024-08-25	5:38:46 PM	4791	17.9677
2024-08-25	5:39:46 PM	4792	17.9533
2024-08-25	5:40:46 PM	4793	17.9529
2024-08-25	5:41:46 PM	4794	17.9524
2024-08-25	5:42:46 PM	4795	17.9522
2024-08-25	5:43:46 PM	4796	17.9516
2024-08-25	5:44:46 PM	4797	17.9508
2024-08-25	5:45:46 PM	4798	17.9498
2024-08-25	5:46:46 PM	4799	17.9481
2024-08-25	5:47:46 PM	4800	17.9384
2024-08-25	5:48:46 PM	4801	17.9585
2024-08-25	5:49:46 PM	4802	17.9534
2024-08-25	5:50:46 PM	4803	17.953
2024-08-25	5:51:46 PM	4804	17.9525
2024-08-25	5:52:46 PM	4805	17.952
2024-08-25	5:53:46 PM	4806	17.9511
2024-08-25	5:54:46 PM	4807	17.95
2024-08-25	5:55:46 PM	4808	17.9481
2024-08-25	5:56:46 PM	4809	17.9369
2024-08-25	5:57:46 PM	4810	17.9538
2024-08-25	5:58:46 PM	4811	17.9538
2024-08-25	5:59:46 PM	4812	17.9535
2024-08-25	6:00:46 PM	4813	17.9535
2024-08-25	6:01:46 PM	4814	17.9526
2024-08-25	6:02:46 PM	4815	17.9515
2024-08-25	6:03:46 PM	4816	17.9505
2024-08-25	6:04:46 PM	4817	17.9496
2024-08-25	6:05:46 PM	4818	17.9482
2024-08-25	6:06:46 PM	4819	17.9461
2024-08-25	6:07:46 PM	4820	17.9217
2024-08-25	6:08:46 PM	4821	17.952
2024-08-25	6:09:46 PM	4822	17.9524
2024-08-25	6:10:46 PM	4823	17.9518
2024-08-25	6:11:46 PM	4824	17.9514
2024-08-25	6:12:46 PM	4825	17.951
2024-08-25	6:13:46 PM	4826	17.9503
2024-08-25	6:14:46 PM	4827	17.9494

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	6:15:46 PM	4828	17.9478
2024-08-25	6:16:46 PM	4829	17.9476
2024-08-25	6:17:46 PM	4830	17.9527
2024-08-25	6:18:46 PM	4831	17.9523
2024-08-25	6:19:46 PM	4832	17.952
2024-08-25	6:20:46 PM	4833	17.9521
2024-08-25	6:21:46 PM	4834	17.9514
2024-08-25	6:22:46 PM	4835	17.9507
2024-08-25	6:23:46 PM	4836	17.9501
2024-08-25	6:24:46 PM	4837	17.9489
2024-08-25	6:25:46 PM	4838	17.9463
2024-08-25	6:26:46 PM	4839	17.9351
2024-08-25	6:27:46 PM	4840	17.9528
2024-08-25	6:28:46 PM	4841	17.9524
2024-08-25	6:29:46 PM	4842	17.9522
2024-08-25	6:30:46 PM	4843	17.9517
2024-08-25	6:31:46 PM	4844	17.9511
2024-08-25	6:32:46 PM	4845	17.9505
2024-08-25	6:33:46 PM	4846	17.9493
2024-08-25	6:34:46 PM	4847	17.9479
2024-08-25	6:35:46 PM	4848	17.9327
2024-08-25	6:36:46 PM	4849	17.9535
2024-08-25	6:37:46 PM	4850	17.9529
2024-08-25	6:38:46 PM	4851	17.9526
2024-08-25	6:39:46 PM	4852	17.9522
2024-08-25	6:40:46 PM	4853	17.9516
2024-08-25	6:41:46 PM	4854	17.9512
2024-08-25	6:42:46 PM	4855	17.9501
2024-08-25	6:43:46 PM	4856	17.9478
2024-08-25	6:44:46 PM	4857	17.9424
2024-08-25	6:45:46 PM	4858	17.9492
2024-08-25	6:46:46 PM	4859	17.9543
2024-08-25	6:47:46 PM	4860	17.9537
2024-08-25	6:48:46 PM	4861	17.9531
2024-08-25	6:49:46 PM	4862	17.9529
2024-08-25	6:50:46 PM	4863	17.9515
2024-08-25	6:51:46 PM	4864	17.9509
2024-08-25	6:52:46 PM	4865	17.9495
2024-08-25	6:53:46 PM	4866	17.9475
2024-08-25	6:54:46 PM	4867	17.9333
2024-08-25	6:55:46 PM	4868	17.9542
2024-08-25	6:56:46 PM	4869	17.9515
2024-08-25	6:57:46 PM	4870	17.9504
2024-08-25	6:58:46 PM	4871	17.9496
2024-08-25	6:59:46 PM	4872	17.9487
2024-08-25	7:00:46 PM	4873	17.9473
2024-08-25	7:01:46 PM	4874	17.9454
2024-08-25	7:02:46 PM	4875	17.9436
2024-08-25	7:03:46 PM	4876	17.931
2024-08-25	7:04:46 PM	4877	17.9364
2024-08-25	7:05:46 PM	4878	17.9473
2024-08-25	7:06:46 PM	4879	17.9464
2024-08-25	7:07:46 PM	4880	17.9459
2024-08-25	7:08:46 PM	4881	17.9452
2024-08-25	7:09:46 PM	4882	17.9438
2024-08-25	7:10:46 PM	4883	17.9431
2024-08-25	7:11:46 PM	4884	17.9418
2024-08-25	7:12:46 PM	4885	17.9399
2024-08-25	7:13:46 PM	4886	17.936
2024-08-25	7:14:46 PM	4887	17.922
2024-08-25	7:15:46 PM	4888	17.943
2024-08-25	7:16:46 PM	4889	17.942
2024-08-25	7:17:46 PM	4890	17.9415
2024-08-25	7:18:46 PM	4891	17.9404
2024-08-25	7:19:46 PM	4892	17.9395
2024-08-25	7:20:46 PM	4893	17.9383
2024-08-25	7:21:46 PM	4894	17.9365
2024-08-25	7:22:46 PM	4895	17.9315
2024-08-25	7:23:46 PM	4896	17.9256

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	7:24:46 PM	4897	17.9393
2024-08-25	7:25:46 PM	4898	17.9383
2024-08-25	7:26:46 PM	4899	17.938
2024-08-25	7:27:46 PM	4900	17.9371
2024-08-25	7:28:46 PM	4901	17.9364
2024-08-25	7:29:46 PM	4902	17.9357
2024-08-25	7:30:46 PM	4903	17.9347
2024-08-25	7:31:46 PM	4904	17.9336
2024-08-25	7:32:46 PM	4905	17.9322
2024-08-25	7:33:46 PM	4906	17.9245
2024-08-25	7:34:46 PM	4907	17.9225
2024-08-25	7:35:46 PM	4908	17.9362
2024-08-25	7:36:46 PM	4909	17.9359
2024-08-25	7:37:46 PM	4910	17.9357
2024-08-25	7:38:46 PM	4911	17.9348
2024-08-25	7:39:46 PM	4912	17.9342
2024-08-25	7:40:46 PM	4913	17.9335
2024-08-25	7:41:46 PM	4914	17.932
2024-08-25	7:42:46 PM	4915	17.9309
2024-08-25	7:43:46 PM	4916	17.9215
2024-08-25	7:44:46 PM	4917	17.936
2024-08-25	7:45:46 PM	4918	17.9359
2024-08-25	7:46:46 PM	4919	17.935
2024-08-25	7:47:46 PM	4920	17.9351
2024-08-25	7:48:46 PM	4921	17.9347
2024-08-25	7:49:46 PM	4922	17.9338
2024-08-25	7:50:46 PM	4923	17.9332
2024-08-25	7:51:46 PM	4924	17.9317
2024-08-25	7:52:46 PM	4925	17.9254
2024-08-25	7:53:46 PM	4926	17.9206
2024-08-25	7:54:46 PM	4927	17.9369
2024-08-25	7:55:46 PM	4928	17.9366
2024-08-25	7:56:46 PM	4929	17.9361
2024-08-25	7:57:46 PM	4930	17.9358
2024-08-25	7:58:46 PM	4931	17.9351
2024-08-25	7:59:46 PM	4932	17.9343
2024-08-25	8:00:46 PM	4933	17.9331
2024-08-25	8:01:46 PM	4934	17.9301
2024-08-25	8:02:46 PM	4935	17.9184
2024-08-25	8:03:46 PM	4936	17.9373
2024-08-25	8:04:46 PM	4937	17.9368
2024-08-25	8:05:46 PM	4938	17.9364
2024-08-25	8:06:46 PM	4939	17.936
2024-08-25	8:07:46 PM	4940	17.9348
2024-08-25	8:08:46 PM	4941	17.9341
2024-08-25	8:09:46 PM	4942	17.9329
2024-08-25	8:10:46 PM	4943	17.9316
2024-08-25	8:11:46 PM	4944	17.9189
2024-08-25	8:12:46 PM	4945	17.9375
2024-08-25	8:13:46 PM	4946	17.9373
2024-08-25	8:14:46 PM	4947	17.9367
2024-08-25	8:15:46 PM	4948	17.9366
2024-08-25	8:16:46 PM	4949	17.9365
2024-08-25	8:17:46 PM	4950	17.9363
2024-08-25	8:18:46 PM	4951	17.9358
2024-08-25	8:19:46 PM	4952	17.9345
2024-08-25	8:20:46 PM	4953	17.9338
2024-08-25	8:21:46 PM	4954	17.93
2024-08-25	8:22:46 PM	4955	17.9224
2024-08-25	8:23:46 PM	4956	17.9387
2024-08-25	8:24:46 PM	4957	17.9385
2024-08-25	8:25:46 PM	4958	17.9379
2024-08-25	8:26:46 PM	4959	17.9378
2024-08-25	8:27:46 PM	4960	17.9367
2024-08-25	8:28:46 PM	4961	17.936
2024-08-25	8:29:46 PM	4962	17.9344
2024-08-25	8:30:46 PM	4963	17.9299
2024-08-25	8:31:46 PM	4964	17.9281
2024-08-25	8:32:46 PM	4965	17.9402

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	8:33:46 PM	4966	17.9402
2024-08-25	8:34:46 PM	4967	17.9398
2024-08-25	8:35:46 PM	4968	17.9396
2024-08-25	8:36:46 PM	4969	17.9392
2024-08-25	8:37:46 PM	4970	17.9385
2024-08-25	8:38:46 PM	4971	17.9382
2024-08-25	8:39:46 PM	4972	17.9369
2024-08-25	8:40:46 PM	4973	17.9349
2024-08-25	8:41:46 PM	4974	17.9233
2024-08-25	8:42:46 PM	4975	17.9419
2024-08-25	8:43:46 PM	4976	17.9419
2024-08-25	8:44:46 PM	4977	17.9415
2024-08-25	8:45:46 PM	4978	17.9411
2024-08-25	8:46:46 PM	4979	17.9406
2024-08-25	8:47:46 PM	4980	17.94
2024-08-25	8:48:46 PM	4981	17.9381
2024-08-25	8:49:46 PM	4982	17.9288
2024-08-25	8:50:46 PM	4983	17.9251
2024-08-25	8:51:46 PM	4984	17.9432
2024-08-25	8:52:46 PM	4985	17.9431
2024-08-25	8:53:46 PM	4986	17.9428
2024-08-25	8:54:46 PM	4987	17.9424
2024-08-25	8:55:46 PM	4988	17.9423
2024-08-25	8:56:46 PM	4989	17.9421
2024-08-25	8:57:46 PM	4990	17.9411
2024-08-25	8:58:46 PM	4991	17.9401
2024-08-25	8:59:46 PM	4992	17.9341
2024-08-25	9:00:46 PM	4993	17.9311
2024-08-25	9:01:46 PM	4994	17.945
2024-08-25	9:02:46 PM	4995	17.9448
2024-08-25	9:03:46 PM	4996	17.9445
2024-08-25	9:04:46 PM	4997	17.9441
2024-08-25	9:05:46 PM	4998	17.9441
2024-08-25	9:06:46 PM	4999	17.9432
2024-08-25	9:07:46 PM	5000	17.9421
2024-08-25	9:08:46 PM	5001	17.94
2024-08-25	9:09:46 PM	5002	17.9263
2024-08-25	9:10:46 PM	5003	17.9463
2024-08-25	9:11:46 PM	5004	17.9461
2024-08-25	9:12:46 PM	5005	17.9458
2024-08-25	9:13:46 PM	5006	17.9453
2024-08-25	9:14:46 PM	5007	17.9449
2024-08-25	9:15:46 PM	5008	17.9442
2024-08-25	9:16:46 PM	5009	17.9433
2024-08-25	9:17:46 PM	5010	17.9418
2024-08-25	9:18:46 PM	5011	17.9343
2024-08-25	9:19:46 PM	5012	17.9328
2024-08-25	9:20:46 PM	5013	17.9473
2024-08-25	9:21:46 PM	5014	17.9471
2024-08-25	9:22:46 PM	5015	17.947
2024-08-25	9:23:46 PM	5016	17.9468
2024-08-25	9:24:46 PM	5017	17.9461
2024-08-25	9:25:46 PM	5018	17.9457
2024-08-25	9:26:46 PM	5019	17.9448
2024-08-25	9:27:46 PM	5020	17.9434
2024-08-25	9:28:46 PM	5021	17.9373
2024-08-25	9:29:46 PM	5022	17.9347
2024-08-25	9:30:46 PM	5023	17.9489
2024-08-25	9:31:46 PM	5024	17.9486
2024-08-25	9:32:46 PM	5025	17.9479
2024-08-25	9:33:46 PM	5026	17.9475
2024-08-25	9:34:46 PM	5027	17.9468
2024-08-25	9:35:46 PM	5028	17.9461
2024-08-25	9:36:46 PM	5029	17.945
2024-08-25	9:37:46 PM	5030	17.943
2024-08-25	9:38:46 PM	5031	17.935
2024-08-25	9:39:46 PM	5032	17.938
2024-08-25	9:40:46 PM	5033	17.9487
2024-08-25	9:41:46 PM	5034	17.9487

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	9:42:46 PM	5035	17.9483
2024-08-25	9:43:46 PM	5036	17.9482
2024-08-25	9:44:46 PM	5037	17.9479
2024-08-25	9:45:46 PM	5038	17.9473
2024-08-25	9:46:46 PM	5039	17.9461
2024-08-25	9:47:46 PM	5040	17.9442
2024-08-25	9:48:46 PM	5041	17.9352
2024-08-25	9:49:46 PM	5042	17.9501
2024-08-25	9:50:46 PM	5043	17.9501
2024-08-25	9:51:46 PM	5044	17.9504
2024-08-25	9:52:46 PM	5045	17.9504
2024-08-25	9:53:46 PM	5046	17.9498
2024-08-25	9:54:46 PM	5047	17.9483
2024-08-25	9:55:46 PM	5048	17.9465
2024-08-25	9:56:46 PM	5049	17.9473
2024-08-25	9:57:46 PM	5050	17.9348
2024-08-25	9:58:46 PM	5051	17.9496
2024-08-25	9:59:46 PM	5052	17.9495
2024-08-25	10:00:46 PM	5053	17.949
2024-08-25	10:01:46 PM	5054	17.949
2024-08-25	10:02:46 PM	5055	17.9484
2024-08-25	10:03:46 PM	5056	17.9481
2024-08-25	10:04:46 PM	5057	17.9473
2024-08-25	10:05:46 PM	5058	17.9461
2024-08-25	10:06:46 PM	5059	17.9425
2024-08-25	10:07:46 PM	5060	17.9359
2024-08-25	10:08:46 PM	5061	17.9504
2024-08-25	10:09:46 PM	5062	17.9504
2024-08-25	10:10:46 PM	5063	17.9499
2024-08-25	10:11:46 PM	5064	17.9494
2024-08-25	10:12:46 PM	5065	17.9488
2024-08-25	10:13:46 PM	5066	17.9479
2024-08-25	10:14:46 PM	5067	17.9461
2024-08-25	10:15:46 PM	5068	17.9394
2024-08-25	10:16:46 PM	5069	17.9397
2024-08-25	10:17:46 PM	5070	17.9506
2024-08-25	10:18:46 PM	5071	17.9502
2024-08-25	10:19:46 PM	5072	17.9496
2024-08-25	10:20:46 PM	5073	17.9489
2024-08-25	10:21:46 PM	5074	17.9481
2024-08-25	10:22:46 PM	5075	17.9474
2024-08-25	10:23:46 PM	5076	17.9463
2024-08-25	10:24:46 PM	5077	17.9447
2024-08-25	10:25:46 PM	5078	17.9403
2024-08-25	10:26:46 PM	5079	17.9325
2024-08-25	10:27:46 PM	5080	17.9484
2024-08-25	10:28:46 PM	5081	17.9477
2024-08-25	10:29:46 PM	5082	17.9469
2024-08-25	10:30:46 PM	5083	17.946
2024-08-25	10:31:46 PM	5084	17.9451
2024-08-25	10:32:46 PM	5085	17.9443
2024-08-25	10:33:46 PM	5086	17.943
2024-08-25	10:34:46 PM	5087	17.9414
2024-08-25	10:35:46 PM	5088	17.9292
2024-08-25	10:36:46 PM	5089	17.9355
2024-08-25	10:37:46 PM	5090	17.9449
2024-08-25	10:38:46 PM	5091	17.9442
2024-08-25	10:39:46 PM	5092	17.9445
2024-08-25	10:40:46 PM	5093	17.9438
2024-08-25	10:41:46 PM	5094	17.9426
2024-08-25	10:42:46 PM	5095	17.9416
2024-08-25	10:43:46 PM	5096	17.9403
2024-08-25	10:44:46 PM	5097	17.9388
2024-08-25	10:45:46 PM	5098	17.9305
2024-08-25	10:46:46 PM	5099	17.9197
2024-08-25	10:47:46 PM	5100	17.9408
2024-08-25	10:48:46 PM	5101	17.9403
2024-08-25	10:49:46 PM	5102	17.9393
2024-08-25	10:50:46 PM	5103	17.9386

Data Logger Measurements
September 22 - 28, 2024

2024-08-25	10:51:46 PM	5104	17.9379
2024-08-25	10:52:46 PM	5105	17.9366
2024-08-25	10:53:46 PM	5106	17.9349
2024-08-25	10:54:46 PM	5107	17.9332
2024-08-25	10:55:46 PM	5108	17.9375
2024-08-25	10:56:46 PM	5109	17.9387
2024-08-25	10:57:46 PM	5110	17.938
2024-08-25	10:58:46 PM	5111	17.9374
2024-08-25	10:59:46 PM	5112	17.9369
2024-08-25	11:00:46 PM	5113	17.9364
2024-08-25	11:01:46 PM	5114	17.9356
2024-08-25	11:02:46 PM	5115	17.9343
2024-08-25	11:03:46 PM	5116	17.9319
2024-08-25	11:04:46 PM	5117	17.9173
2024-08-25	11:05:46 PM	5118	17.9307
2024-08-25	11:06:46 PM	5119	17.9344
2024-08-25	11:07:46 PM	5120	17.9322
2024-08-25	11:08:46 PM	5121	17.9303
2024-08-25	11:09:46 PM	5122	17.9274
2024-08-25	11:10:46 PM	5123	17.9246
2024-08-25	11:11:46 PM	5124	17.9221
2024-08-25	11:12:46 PM	5125	17.9181
2024-08-25	11:13:46 PM	5126	17.9201
2024-08-25	11:14:46 PM	5127	17.919
2024-08-25	11:15:46 PM	5128	17.9171
2024-08-25	11:16:46 PM	5129	17.915
2024-08-25	11:17:46 PM	5130	17.9127
2024-08-25	11:18:46 PM	5131	17.9105
2024-08-25	11:19:46 PM	5132	17.9078
2024-08-25	11:20:46 PM	5133	17.904
2024-08-25	11:21:46 PM	5134	17.8992
2024-08-25	11:22:46 PM	5135	17.8939
2024-08-25	11:23:46 PM	5136	17.8756
2024-08-25	11:24:46 PM	5137	17.8896
2024-08-25	11:25:46 PM	5138	17.8842
2024-08-25	11:26:46 PM	5139	17.8786
2024-08-25	11:27:46 PM	5140	17.8726
2024-08-25	11:28:46 PM	5141	17.8666
2024-08-25	11:29:46 PM	5142	17.8599
2024-08-25	11:30:46 PM	5143	17.8532
2024-08-25	11:31:46 PM	5144	17.8465
2024-08-25	11:32:46 PM	5145	17.8359
2024-08-25	11:33:46 PM	5146	17.8228
2024-08-25	11:34:46 PM	5147	17.8332
2024-08-25	11:35:46 PM	5148	17.8272
2024-08-25	11:36:46 PM	5149	17.8209
2024-08-25	11:37:46 PM	5150	17.8145
2024-08-25	11:38:46 PM	5151	17.808
2024-08-25	11:39:46 PM	5152	17.8016
2024-08-25	11:40:46 PM	5153	17.795
2024-08-25	11:41:46 PM	5154	17.7879
2024-08-25	11:42:46 PM	5155	17.7735
2024-08-25	11:43:46 PM	5156	17.7621
2024-08-25	11:44:46 PM	5157	17.7754
2024-08-25	11:45:46 PM	5158	17.7695
2024-08-25	11:46:46 PM	5159	17.7636
2024-08-25	11:47:46 PM	5160	17.7578
2024-08-25	11:48:46 PM	5161	17.7515
2024-08-25	11:49:46 PM	5162	17.7445
2024-08-25	11:50:46 PM	5163	17.7371
2024-08-25	11:51:46 PM	5164	17.7298
2024-08-25	11:52:46 PM	5165	17.7221
2024-08-25	11:53:46 PM	5166	17.6989
2024-08-25	11:54:46 PM	5167	17.7171
2024-08-25	11:55:46 PM	5168	17.7111
2024-08-25	11:56:46 PM	5169	17.7057
2024-08-25	11:57:46 PM	5170	17.6997
2024-08-25	11:58:46 PM	5171	17.6938
2024-08-25	11:59:46 PM	5172	17.6876

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	12:00:46 AM	5173	17.6812
2024-08-26	12:01:46 AM	5174	17.6737
2024-08-26	12:02:46 AM	5175	17.6591
2024-08-26	12:03:46 AM	5176	17.6648
2024-08-26	12:04:46 AM	5177	17.6649
2024-08-26	12:05:46 AM	5178	17.6594
2024-08-26	12:06:46 AM	5179	17.654
2024-08-26	12:07:46 AM	5180	17.6485
2024-08-26	12:08:46 AM	5181	17.6432
2024-08-26	12:09:46 AM	5182	17.6377
2024-08-26	12:10:46 AM	5183	17.6313
2024-08-26	12:11:46 AM	5184	17.6172
2024-08-26	12:12:46 AM	5185	17.6255
2024-08-26	12:13:46 AM	5186	17.6207
2024-08-26	12:14:46 AM	5187	17.6155
2024-08-26	12:15:46 AM	5188	17.6102
2024-08-26	12:16:46 AM	5189	17.604
2024-08-26	12:17:46 AM	5190	17.5973
2024-08-26	12:18:46 AM	5191	17.5891
2024-08-26	12:19:46 AM	5192	17.5801
2024-08-26	12:20:46 AM	5193	17.567
2024-08-26	12:21:46 AM	5194	17.5749
2024-08-26	12:22:46 AM	5195	17.5684
2024-08-26	12:23:46 AM	5196	17.5614
2024-08-26	12:24:46 AM	5197	17.5549
2024-08-26	12:25:46 AM	5198	17.5482
2024-08-26	12:26:46 AM	5199	17.5416
2024-08-26	12:27:46 AM	5200	17.5348
2024-08-26	12:28:46 AM	5201	17.5275
2024-08-26	12:29:46 AM	5202	17.5165
2024-08-26	12:30:46 AM	5203	17.4967
2024-08-26	12:31:46 AM	5204	17.5136
2024-08-26	12:32:46 AM	5205	17.5074
2024-08-26	12:33:46 AM	5206	17.5015
2024-08-26	12:34:46 AM	5207	17.4954
2024-08-26	12:35:46 AM	5208	17.4892
2024-08-26	12:36:46 AM	5209	17.4829
2024-08-26	12:37:46 AM	5210	17.4756
2024-08-26	12:38:46 AM	5211	17.4682
2024-08-26	12:39:46 AM	5212	17.4554
2024-08-26	12:40:46 AM	5213	17.4643
2024-08-26	12:41:46 AM	5214	17.459
2024-08-26	12:42:46 AM	5215	17.4534
2024-08-26	12:43:46 AM	5216	17.4478
2024-08-26	12:44:46 AM	5217	17.4423
2024-08-26	12:45:46 AM	5218	17.4366
2024-08-26	12:46:46 AM	5219	17.4309
2024-08-26	12:47:46 AM	5220	17.4248
2024-08-26	12:48:46 AM	5221	17.4189
2024-08-26	12:49:46 AM	5222	17.4152
2024-08-26	12:50:46 AM	5223	17.4004
2024-08-26	12:51:46 AM	5224	17.4087
2024-08-26	12:52:46 AM	5225	17.4034
2024-08-26	12:53:46 AM	5226	17.3982
2024-08-26	12:54:46 AM	5227	17.393
2024-08-26	12:55:46 AM	5228	17.3879
2024-08-26	12:56:46 AM	5229	17.382
2024-08-26	12:57:46 AM	5230	17.376
2024-08-26	12:58:46 AM	5231	17.3657
2024-08-26	12:59:46 AM	5232	17.3521
2024-08-26	1:00:46 AM	5233	17.3661
2024-08-26	1:01:46 AM	5234	17.3617
2024-08-26	1:02:46 AM	5235	17.3569
2024-08-26	1:03:46 AM	5236	17.3519
2024-08-26	1:04:46 AM	5237	17.3473
2024-08-26	1:05:46 AM	5238	17.3424
2024-08-26	1:06:46 AM	5239	17.3373
2024-08-26	1:07:46 AM	5240	17.3317
2024-08-26	1:08:46 AM	5241	17.3261

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	1:09:46 AM	5242	17.3038
2024-08-26	1:10:46 AM	5243	17.3231
2024-08-26	1:11:46 AM	5244	17.3185
2024-08-26	1:12:46 AM	5245	17.314
2024-08-26	1:13:46 AM	5246	17.3094
2024-08-26	1:14:46 AM	5247	17.3047
2024-08-26	1:15:46 AM	5248	17.2998
2024-08-26	1:16:46 AM	5249	17.2944
2024-08-26	1:17:46 AM	5250	17.2846
2024-08-26	1:18:46 AM	5251	17.2717
2024-08-26	1:19:46 AM	5252	17.2864
2024-08-26	1:20:46 AM	5253	17.2827
2024-08-26	1:21:46 AM	5254	17.2782
2024-08-26	1:22:46 AM	5255	17.2739
2024-08-26	1:23:46 AM	5256	17.2695
2024-08-26	1:24:46 AM	5257	17.265
2024-08-26	1:25:46 AM	5258	17.2605
2024-08-26	1:26:46 AM	5259	17.2559
2024-08-26	1:27:46 AM	5260	17.2489
2024-08-26	1:28:46 AM	5261	17.2354
2024-08-26	1:29:46 AM	5262	17.2495
2024-08-26	1:30:46 AM	5263	17.2458
2024-08-26	1:31:46 AM	5264	17.2418
2024-08-26	1:32:46 AM	5265	17.2376
2024-08-26	1:33:46 AM	5266	17.234
2024-08-26	1:34:46 AM	5267	17.2297
2024-08-26	1:35:46 AM	5268	17.2254
2024-08-26	1:36:46 AM	5269	17.217
2024-08-26	1:37:46 AM	5270	17.2061
2024-08-26	1:38:46 AM	5271	17.2188
2024-08-26	1:39:46 AM	5272	17.2151
2024-08-26	1:40:46 AM	5273	17.2116
2024-08-26	1:41:46 AM	5274	17.208
2024-08-26	1:42:46 AM	5275	17.2043
2024-08-26	1:43:46 AM	5276	17.2007
2024-08-26	1:44:46 AM	5277	17.1966
2024-08-26	1:45:46 AM	5278	17.1929
2024-08-26	1:46:46 AM	5279	17.1882
2024-08-26	1:47:46 AM	5280	17.1736
2024-08-26	1:48:46 AM	5281	17.165
2024-08-26	1:49:46 AM	5282	17.1839
2024-08-26	1:50:46 AM	5283	17.1806
2024-08-26	1:51:46 AM	5284	17.1772
2024-08-26	1:52:46 AM	5285	17.174
2024-08-26	1:53:46 AM	5286	17.1702
2024-08-26	1:54:46 AM	5287	17.1665
2024-08-26	1:55:46 AM	5288	17.1623
2024-08-26	1:56:46 AM	5289	17.1536
2024-08-26	1:57:46 AM	5290	17.1344
2024-08-26	1:58:46 AM	5291	17.1581
2024-08-26	1:59:46 AM	5292	17.1547
2024-08-26	2:00:46 AM	5293	17.1516
2024-08-26	2:01:46 AM	5294	17.1484
2024-08-26	2:02:46 AM	5295	17.1451
2024-08-26	2:03:46 AM	5296	17.1417
2024-08-26	2:04:46 AM	5297	17.1383
2024-08-26	2:05:46 AM	5298	17.1344
2024-08-26	2:06:46 AM	5299	17.1294
2024-08-26	2:07:46 AM	5300	17.1164
2024-08-26	2:08:46 AM	5301	17.1312
2024-08-26	2:09:46 AM	5302	17.1277
2024-08-26	2:10:46 AM	5303	17.1245
2024-08-26	2:11:46 AM	5304	17.1216
2024-08-26	2:12:46 AM	5305	17.1184
2024-08-26	2:13:46 AM	5306	17.1153
2024-08-26	2:14:46 AM	5307	17.1122
2024-08-26	2:15:46 AM	5308	17.1079
2024-08-26	2:16:46 AM	5309	17.1077
2024-08-26	2:17:46 AM	5310	17.1083

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	2:18:46 AM	5311	17.105
2024-08-26	2:19:46 AM	5312	17.1025
2024-08-26	2:20:46 AM	5313	17.0995
2024-08-26	2:21:46 AM	5314	17.0965
2024-08-26	2:22:46 AM	5315	17.0937
2024-08-26	2:23:46 AM	5316	17.0904
2024-08-26	2:24:46 AM	5317	17.0865
2024-08-26	2:25:46 AM	5318	17.0824
2024-08-26	2:26:46 AM	5319	17.0712
2024-08-26	2:27:46 AM	5320	17.0734
2024-08-26	2:28:46 AM	5321	17.0806
2024-08-26	2:29:46 AM	5322	17.0782
2024-08-26	2:30:46 AM	5323	17.0755
2024-08-26	2:31:46 AM	5324	17.0726
2024-08-26	2:32:46 AM	5325	17.0697
2024-08-26	2:33:46 AM	5326	17.0664
2024-08-26	2:34:46 AM	5327	17.0622
2024-08-26	2:35:46 AM	5328	17.0579
2024-08-26	2:36:46 AM	5329	17.0621
2024-08-26	2:37:46 AM	5330	17.0601
2024-08-26	2:38:46 AM	5331	17.0572
2024-08-26	2:39:46 AM	5332	17.0552
2024-08-26	2:40:46 AM	5333	17.052
2024-08-26	2:41:46 AM	5334	17.0496
2024-08-26	2:42:46 AM	5335	17.0465
2024-08-26	2:43:46 AM	5336	17.0428
2024-08-26	2:44:46 AM	5337	17.0157
2024-08-26	2:45:46 AM	5338	17.0346
2024-08-26	2:46:46 AM	5339	17.0413
2024-08-26	2:47:46 AM	5340	17.039
2024-08-26	2:48:46 AM	5341	17.0367
2024-08-26	2:49:46 AM	5342	17.0341
2024-08-26	2:50:46 AM	5343	17.0316
2024-08-26	2:51:46 AM	5344	17.0289
2024-08-26	2:52:46 AM	5345	17.0256
2024-08-26	2:53:46 AM	5346	17.0183
2024-08-26	2:54:46 AM	5347	17.0126
2024-08-26	2:55:46 AM	5348	17.0236
2024-08-26	2:56:46 AM	5349	17.0215
2024-08-26	2:57:46 AM	5350	17.0188
2024-08-26	2:58:46 AM	5351	17.0165
2024-08-26	2:59:46 AM	5352	17.0141
2024-08-26	3:00:46 AM	5353	17.0115
2024-08-26	3:01:46 AM	5354	17.0083
2024-08-26	3:02:46 AM	5355	17.0043
2024-08-26	3:03:46 AM	5356	16.9958
2024-08-26	3:04:46 AM	5357	17.0068
2024-08-26	3:05:46 AM	5358	17.0049
2024-08-26	3:06:46 AM	5359	17.0031
2024-08-26	3:07:46 AM	5360	17.0007
2024-08-26	3:08:46 AM	5361	16.9985
2024-08-26	3:09:46 AM	5362	16.9961
2024-08-26	3:10:46 AM	5363	16.9935
2024-08-26	3:11:46 AM	5364	16.9904
2024-08-26	3:12:46 AM	5365	16.9826
2024-08-26	3:13:46 AM	5366	16.9792
2024-08-26	3:14:46 AM	5367	16.9899
2024-08-26	3:15:46 AM	5368	16.9875
2024-08-26	3:16:46 AM	5369	16.9855
2024-08-26	3:17:46 AM	5370	16.9833
2024-08-26	3:18:46 AM	5371	16.981
2024-08-26	3:19:46 AM	5372	16.9782
2024-08-26	3:20:46 AM	5373	16.975
2024-08-26	3:21:46 AM	5374	16.9703
2024-08-26	3:22:46 AM	5375	16.9614
2024-08-26	3:23:46 AM	5376	16.9732
2024-08-26	3:24:46 AM	5377	16.9725
2024-08-26	3:25:46 AM	5378	16.9701
2024-08-26	3:26:46 AM	5379	16.9684

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	3:27:46 AM	5380	16.9664
2024-08-26	3:28:46 AM	5381	16.964
2024-08-26	3:29:46 AM	5382	16.9613
2024-08-26	3:30:46 AM	5383	16.9584
2024-08-26	3:31:46 AM	5384	16.9537
2024-08-26	3:32:46 AM	5385	16.9337
2024-08-26	3:33:46 AM	5386	16.9574
2024-08-26	3:34:46 AM	5387	16.9551
2024-08-26	3:35:46 AM	5388	16.9533
2024-08-26	3:36:46 AM	5389	16.9513
2024-08-26	3:37:46 AM	5390	16.949
2024-08-26	3:38:46 AM	5391	16.9471
2024-08-26	3:39:46 AM	5392	16.9442
2024-08-26	3:40:46 AM	5393	16.9412
2024-08-26	3:41:46 AM	5394	16.9294
2024-08-26	3:42:46 AM	5395	16.9519
2024-08-26	3:43:46 AM	5396	16.9422
2024-08-26	3:44:46 AM	5397	16.9401
2024-08-26	3:45:46 AM	5398	16.9384
2024-08-26	3:46:46 AM	5399	16.9365
2024-08-26	3:47:46 AM	5400	16.9346
2024-08-26	3:48:46 AM	5401	16.9327
2024-08-26	3:49:46 AM	5402	16.93
2024-08-26	3:50:46 AM	5403	16.926
2024-08-26	3:51:46 AM	5404	16.9109
2024-08-26	3:52:46 AM	5405	16.9304
2024-08-26	3:53:46 AM	5406	16.9285
2024-08-26	3:54:46 AM	5407	16.9268
2024-08-26	3:55:46 AM	5408	16.9248
2024-08-26	3:56:46 AM	5409	16.9227
2024-08-26	3:57:46 AM	5410	16.9205
2024-08-26	3:58:46 AM	5411	16.9177
2024-08-26	3:59:46 AM	5412	16.9146
2024-08-26	4:00:46 AM	5413	16.9063
2024-08-26	4:01:46 AM	5414	16.907
2024-08-26	4:02:46 AM	5415	16.9161
2024-08-26	4:03:46 AM	5416	16.9146
2024-08-26	4:04:46 AM	5417	16.9129
2024-08-26	4:05:46 AM	5418	16.9108
2024-08-26	4:06:46 AM	5419	16.9096
2024-08-26	4:07:46 AM	5420	16.9078
2024-08-26	4:08:46 AM	5421	16.9059
2024-08-26	4:09:46 AM	5422	16.9023
2024-08-26	4:10:46 AM	5423	16.8897
2024-08-26	4:11:46 AM	5424	16.9038
2024-08-26	4:12:46 AM	5425	16.9042
2024-08-26	4:13:46 AM	5426	16.9024
2024-08-26	4:14:46 AM	5427	16.9006
2024-08-26	4:15:46 AM	5428	16.899
2024-08-26	4:16:46 AM	5429	16.8965
2024-08-26	4:17:46 AM	5430	16.8942
2024-08-26	4:18:46 AM	5431	16.89
2024-08-26	4:19:46 AM	5432	16.8824
2024-08-26	4:20:46 AM	5433	16.8891
2024-08-26	4:21:46 AM	5434	16.894
2024-08-26	4:22:46 AM	5435	16.8925
2024-08-26	4:23:46 AM	5436	16.8914
2024-08-26	4:24:46 AM	5437	16.8896
2024-08-26	4:25:46 AM	5438	16.888
2024-08-26	4:26:46 AM	5439	16.8867
2024-08-26	4:27:46 AM	5440	16.885
2024-08-26	4:28:46 AM	5441	16.8824
2024-08-26	4:29:46 AM	5442	16.8709
2024-08-26	4:30:46 AM	5443	16.8713
2024-08-26	4:31:46 AM	5444	16.883
2024-08-26	4:32:46 AM	5445	16.8816
2024-08-26	4:33:46 AM	5446	16.8801
2024-08-26	4:34:46 AM	5447	16.8785
2024-08-26	4:35:46 AM	5448	16.8763

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	4:36:46 AM	5449	16.8739
2024-08-26	4:37:46 AM	5450	16.8425
2024-08-26	4:38:46 AM	5451	16.8445
2024-08-26	4:39:46 AM	5452	16.8401
2024-08-26	4:40:46 AM	5453	16.8558
2024-08-26	4:41:46 AM	5454	16.8566
2024-08-26	4:42:46 AM	5455	16.8574
2024-08-26	4:43:46 AM	5456	16.8573
2024-08-26	4:44:46 AM	5457	16.8568
2024-08-26	4:45:46 AM	5458	16.8563
2024-08-26	4:46:46 AM	5459	16.8552
2024-08-26	4:47:46 AM	5460	16.8537
2024-08-26	4:48:46 AM	5461	16.8491
2024-08-26	4:49:46 AM	5462	16.8574
2024-08-26	4:50:46 AM	5463	16.8573
2024-08-26	4:51:46 AM	5464	16.8562
2024-08-26	4:52:46 AM	5465	16.8549
2024-08-26	4:53:46 AM	5466	16.8537
2024-08-26	4:54:46 AM	5467	16.8521
2024-08-26	4:55:46 AM	5468	16.8498
2024-08-26	4:56:46 AM	5469	16.8472
2024-08-26	4:57:46 AM	5470	16.8429
2024-08-26	4:58:46 AM	5471	16.8449
2024-08-26	4:59:46 AM	5472	16.8505
2024-08-26	5:00:46 AM	5473	16.8493
2024-08-26	5:01:46 AM	5474	16.8481
2024-08-26	5:02:46 AM	5475	16.8466
2024-08-26	5:03:46 AM	5476	16.8452
2024-08-26	5:04:46 AM	5477	16.8438
2024-08-26	5:05:46 AM	5478	16.841
2024-08-26	5:06:46 AM	5479	16.8371
2024-08-26	5:07:46 AM	5480	16.8294
2024-08-26	5:08:46 AM	5481	16.8421
2024-08-26	5:09:46 AM	5482	16.841
2024-08-26	5:10:46 AM	5483	16.8393
2024-08-26	5:11:46 AM	5484	16.8377
2024-08-26	5:12:46 AM	5485	16.8361
2024-08-26	5:13:46 AM	5486	16.8341
2024-08-26	5:14:46 AM	5487	16.8317
2024-08-26	5:15:46 AM	5488	16.8286
2024-08-26	5:16:46 AM	5489	16.8187
2024-08-26	5:17:46 AM	5490	16.8332
2024-08-26	5:18:46 AM	5491	16.8329
2024-08-26	5:19:46 AM	5492	16.8319
2024-08-26	5:20:46 AM	5493	16.8305
2024-08-26	5:21:46 AM	5494	16.8292
2024-08-26	5:22:46 AM	5495	16.8279
2024-08-26	5:23:46 AM	5496	16.8255
2024-08-26	5:24:46 AM	5497	16.8233
2024-08-26	5:25:46 AM	5498	16.8207
2024-08-26	5:26:46 AM	5499	16.8027
2024-08-26	5:27:46 AM	5500	16.8237
2024-08-26	5:28:46 AM	5501	16.8225
2024-08-26	5:29:46 AM	5502	16.821
2024-08-26	5:30:46 AM	5503	16.8199
2024-08-26	5:31:46 AM	5504	16.8178
2024-08-26	5:32:46 AM	5505	16.8162
2024-08-26	5:33:46 AM	5506	16.8136
2024-08-26	5:34:46 AM	5507	16.809
2024-08-26	5:35:46 AM	5508	16.7958
2024-08-26	5:36:46 AM	5509	16.8145
2024-08-26	5:37:46 AM	5510	16.8139
2024-08-26	5:38:46 AM	5511	16.8125
2024-08-26	5:39:46 AM	5512	16.8112
2024-08-26	5:40:46 AM	5513	16.8096
2024-08-26	5:41:46 AM	5514	16.8082
2024-08-26	5:42:46 AM	5515	16.8063
2024-08-26	5:43:46 AM	5516	16.8037
2024-08-26	5:44:46 AM	5517	16.7977

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	5:45:46 AM	5518	16.7888
2024-08-26	5:46:46 AM	5519	16.8041
2024-08-26	5:47:46 AM	5520	16.803
2024-08-26	5:48:46 AM	5521	16.8016
2024-08-26	5:49:46 AM	5522	16.7999
2024-08-26	5:50:46 AM	5523	16.7986
2024-08-26	5:51:46 AM	5524	16.7966
2024-08-26	5:52:46 AM	5525	16.7939
2024-08-26	5:53:46 AM	5526	16.7852
2024-08-26	5:54:46 AM	5527	16.7814
2024-08-26	5:55:46 AM	5528	16.796
2024-08-26	5:56:46 AM	5529	16.7949
2024-08-26	5:57:46 AM	5530	16.7936
2024-08-26	5:58:46 AM	5531	16.7923
2024-08-26	5:59:46 AM	5532	16.7911
2024-08-26	6:00:46 AM	5533	16.7894
2024-08-26	6:01:46 AM	5534	16.788
2024-08-26	6:02:46 AM	5535	16.7855
2024-08-26	6:03:46 AM	5536	16.782
2024-08-26	6:04:46 AM	5537	16.7699
2024-08-26	6:05:46 AM	5538	16.788
2024-08-26	6:06:46 AM	5539	16.7873
2024-08-26	6:07:46 AM	5540	16.786
2024-08-26	6:08:46 AM	5541	16.7856
2024-08-26	6:09:46 AM	5542	16.786
2024-08-26	6:10:46 AM	5543	16.7866
2024-08-26	6:11:46 AM	5544	16.7875
2024-08-26	6:12:46 AM	5545	16.7878
2024-08-26	6:13:46 AM	5546	16.7772
2024-08-26	6:14:46 AM	5547	16.8015
2024-08-26	6:15:46 AM	5548	16.8053
2024-08-26	6:16:46 AM	5549	16.809
2024-08-26	6:17:46 AM	5550	16.8124
2024-08-26	6:18:46 AM	5551	16.8126
2024-08-26	6:19:46 AM	5552	16.8154
2024-08-26	6:20:46 AM	5553	16.822
2024-08-26	6:21:46 AM	5554	16.8264
2024-08-26	6:22:46 AM	5555	16.8311
2024-08-26	6:23:46 AM	5556	16.8234
2024-08-26	6:24:46 AM	5557	16.8062
2024-08-26	6:25:46 AM	5558	16.807
2024-08-26	6:26:46 AM	5559	16.832
2024-08-26	6:27:46 AM	5560	16.8398
2024-08-26	6:28:46 AM	5561	16.8464
2024-08-26	6:29:46 AM	5562	16.8525
2024-08-26	6:30:46 AM	5563	16.8587
2024-08-26	6:31:46 AM	5564	16.8645
2024-08-26	6:32:46 AM	5565	16.8373
2024-08-26	6:33:46 AM	5566	16.8649
2024-08-26	6:34:46 AM	5567	16.8669
2024-08-26	6:35:46 AM	5568	16.8704
2024-08-26	6:36:46 AM	5569	16.891
2024-08-26	6:37:46 AM	5570	16.8976
2024-08-26	6:38:46 AM	5571	16.9023
2024-08-26	6:39:46 AM	5572	16.9073
2024-08-26	6:40:46 AM	5573	16.9129
2024-08-26	6:41:46 AM	5574	16.9007
2024-08-26	6:42:46 AM	5575	16.9094
2024-08-26	6:43:46 AM	5576	16.9214
2024-08-26	6:44:46 AM	5577	16.9264
2024-08-26	6:45:46 AM	5578	16.9204
2024-08-26	6:46:46 AM	5579	16.9346
2024-08-26	6:47:46 AM	5580	16.9416
2024-08-26	6:48:46 AM	5581	16.9464
2024-08-26	6:49:46 AM	5582	16.9403
2024-08-26	6:50:46 AM	5583	16.9323
2024-08-26	6:51:46 AM	5584	16.9153
2024-08-26	6:52:46 AM	5585	16.9492
2024-08-26	6:53:46 AM	5586	16.9521

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	6:54:46 AM	5587	16.956
2024-08-26	6:55:46 AM	5588	16.9752
2024-08-26	6:56:46 AM	5589	16.9811
2024-08-26	6:57:46 AM	5590	16.9858
2024-08-26	6:58:46 AM	5591	16.9905
2024-08-26	6:59:46 AM	5592	16.9941
2024-08-26	7:00:46 AM	5593	16.9931
2024-08-26	7:01:46 AM	5594	17.0083
2024-08-26	7:02:46 AM	5595	17.0128
2024-08-26	7:03:46 AM	5596	17.0174
2024-08-26	7:04:46 AM	5597	17.0043
2024-08-26	7:05:46 AM	5598	17.0206
2024-08-26	7:06:46 AM	5599	17.025
2024-08-26	7:07:46 AM	5600	17.0138
2024-08-26	7:08:46 AM	5601	17.0084
2024-08-26	7:09:46 AM	5602	17.032
2024-08-26	7:10:46 AM	5603	17.0214
2024-08-26	7:11:46 AM	5604	17.0318
2024-08-26	7:12:46 AM	5605	17.0164
2024-08-26	7:13:46 AM	5606	17.0334
2024-08-26	7:14:46 AM	5607	17.0374
2024-08-26	7:15:46 AM	5608	17.0549
2024-08-26	7:16:46 AM	5609	17.0608
2024-08-26	7:17:46 AM	5610	17.0655
2024-08-26	7:18:46 AM	5611	17.0698
2024-08-26	7:19:46 AM	5612	17.0739
2024-08-26	7:20:46 AM	5613	17.0764
2024-08-26	7:21:46 AM	5614	17.0635
2024-08-26	7:22:46 AM	5615	17.0906
2024-08-26	7:23:46 AM	5616	17.094
2024-08-26	7:24:46 AM	5617	17.069
2024-08-26	7:25:46 AM	5618	17.095
2024-08-26	7:26:46 AM	5619	17.0994
2024-08-26	7:27:46 AM	5620	17.1018
2024-08-26	7:28:46 AM	5621	17.0922
2024-08-26	7:29:46 AM	5622	17.1157
2024-08-26	7:30:46 AM	5623	17.1193
2024-08-26	7:31:46 AM	5624	17.1088
2024-08-26	7:32:46 AM	5625	17.1215
2024-08-26	7:33:46 AM	5626	17.1257
2024-08-26	7:34:46 AM	5627	17.1278
2024-08-26	7:35:46 AM	5628	17.1215
2024-08-26	7:36:46 AM	5629	17.1401
2024-08-26	7:37:46 AM	5630	17.1436
2024-08-26	7:38:46 AM	5631	17.1466
2024-08-26	7:39:46 AM	5632	17.1493
2024-08-26	7:40:46 AM	5633	17.1514
2024-08-26	7:41:46 AM	5634	17.1507
2024-08-26	7:42:46 AM	5635	17.1616
2024-08-26	7:43:46 AM	5636	17.165
2024-08-26	7:44:46 AM	5637	17.1675
2024-08-26	7:45:46 AM	5638	17.17
2024-08-26	7:46:46 AM	5639	17.1725
2024-08-26	7:47:46 AM	5640	17.174
2024-08-26	7:48:46 AM	5641	17.1709
2024-08-26	7:49:46 AM	5642	17.1844
2024-08-26	7:50:46 AM	5643	17.1871
2024-08-26	7:51:46 AM	5644	17.1903
2024-08-26	7:52:46 AM	5645	17.1924
2024-08-26	7:53:46 AM	5646	17.1946
2024-08-26	7:54:46 AM	5647	17.1959
2024-08-26	7:55:46 AM	5648	17.1874
2024-08-26	7:56:46 AM	5649	17.2057
2024-08-26	7:57:46 AM	5650	17.1964
2024-08-26	7:58:46 AM	5651	17.2047
2024-08-26	7:59:46 AM	5652	17.2079
2024-08-26	8:00:46 AM	5653	17.2094
2024-08-26	8:01:46 AM	5654	17.2064
2024-08-26	8:02:46 AM	5655	17.22

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	8:03:46 AM	5656	17.2218
2024-08-26	8:04:46 AM	5657	17.224
2024-08-26	8:05:46 AM	5658	17.226
2024-08-26	8:06:46 AM	5659	17.2276
2024-08-26	8:07:46 AM	5660	17.2284
2024-08-26	8:08:46 AM	5661	17.2282
2024-08-26	8:09:46 AM	5662	17.2237
2024-08-26	8:10:46 AM	5663	17.2387
2024-08-26	8:11:46 AM	5664	17.2404
2024-08-26	8:12:46 AM	5665	17.2417
2024-08-26	8:13:46 AM	5666	17.243
2024-08-26	8:14:46 AM	5667	17.2435
2024-08-26	8:15:46 AM	5668	17.2339
2024-08-26	8:16:46 AM	5669	17.2526
2024-08-26	8:17:46 AM	5670	17.2554
2024-08-26	8:18:46 AM	5671	17.2554
2024-08-26	8:19:46 AM	5672	17.2567
2024-08-26	8:20:46 AM	5673	17.2574
2024-08-26	8:21:46 AM	5674	17.2556
2024-08-26	8:22:46 AM	5675	17.2402
2024-08-26	8:23:46 AM	5676	17.2664
2024-08-26	8:24:46 AM	5677	17.268
2024-08-26	8:25:46 AM	5678	17.2697
2024-08-26	8:26:46 AM	5679	17.2331
2024-08-26	8:27:46 AM	5680	17.2566
2024-08-26	8:28:46 AM	5681	17.2591
2024-08-26	8:29:46 AM	5682	17.269
2024-08-26	8:30:46 AM	5683	17.2731
2024-08-26	8:31:46 AM	5684	17.2755
2024-08-26	8:32:46 AM	5685	17.2778
2024-08-26	8:33:46 AM	5686	17.2787
2024-08-26	8:34:46 AM	5687	17.2793
2024-08-26	8:35:46 AM	5688	17.2742
2024-08-26	8:36:46 AM	5689	17.288
2024-08-26	8:37:46 AM	5690	17.2896
2024-08-26	8:38:46 AM	5691	17.291
2024-08-26	8:39:46 AM	5692	17.2918
2024-08-26	8:40:46 AM	5693	17.2917
2024-08-26	8:41:46 AM	5694	17.2112
2024-08-26	8:42:46 AM	5695	17.161
2024-08-26	8:43:46 AM	5696	17.123
2024-08-26	8:44:46 AM	5697	17.102
2024-08-26	8:45:46 AM	5698	17.0836
2024-08-26	8:46:46 AM	5699	17.0642
2024-08-26	8:47:46 AM	5700	17.0486
2024-08-26	8:48:46 AM	5701	17.0401
2024-08-26	8:49:46 AM	5702	17.0258
2024-08-26	8:50:46 AM	5703	17.0167
2024-08-26	8:51:46 AM	5704	17.0068
2024-08-26	8:52:46 AM	5705	16.9944
2024-08-26	8:53:46 AM	5706	16.994
2024-08-26	8:54:46 AM	5707	16.9815
2024-08-26	8:55:46 AM	5708	16.9728
2024-08-26	8:56:46 AM	5709	16.9672
2024-08-26	8:57:46 AM	5710	16.9564
2024-08-26	8:58:46 AM	5711	16.9533
2024-08-26	8:59:46 AM	5712	16.9488
2024-08-26	9:00:46 AM	5713	17.032
2024-08-26	9:01:46 AM	5714	17.0643
2024-08-26	9:02:46 AM	5715	17.0975
2024-08-26	9:03:46 AM	5716	17.126
2024-08-26	9:04:46 AM	5717	17.1423
2024-08-26	9:05:46 AM	5718	17.1558
2024-08-26	9:06:46 AM	5719	17.1672
2024-08-26	9:07:46 AM	5720	17.1772
2024-08-26	9:08:46 AM	5721	17.1833
2024-08-26	9:09:46 AM	5722	17.1759
2024-08-26	9:10:46 AM	5723	17.2066
2024-08-26	9:11:46 AM	5724	17.2131

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	9:12:46 AM	5725	17.2195
2024-08-26	9:13:46 AM	5726	17.2251
2024-08-26	9:14:46 AM	5727	17.2293
2024-08-26	9:15:46 AM	5728	17.2301
2024-08-26	9:16:46 AM	5729	17.2504
2024-08-26	9:17:46 AM	5730	17.2484
2024-08-26	9:18:46 AM	5731	17.2523
2024-08-26	9:19:46 AM	5732	17.2429
2024-08-26	9:20:46 AM	5733	17.2578
2024-08-26	9:21:46 AM	5734	17.2617
2024-08-26	9:22:46 AM	5735	17.2391
2024-08-26	9:23:46 AM	5736	17.262
2024-08-26	9:24:46 AM	5737	17.2675
2024-08-26	9:25:46 AM	5738	17.27
2024-08-26	9:26:46 AM	5739	17.2563
2024-08-26	9:27:46 AM	5740	17.2825
2024-08-26	9:28:46 AM	5741	17.2858
2024-08-26	9:29:46 AM	5742	17.2886
2024-08-26	9:30:46 AM	5743	17.2909
2024-08-26	9:31:46 AM	5744	17.2928
2024-08-26	9:32:46 AM	5745	17.2944
2024-08-26	9:33:46 AM	5746	17.2913
2024-08-26	9:34:46 AM	5747	17.2879
2024-08-26	9:35:46 AM	5748	17.3025
2024-08-26	9:36:46 AM	5749	17.3053
2024-08-26	9:37:46 AM	5750	17.3074
2024-08-26	9:38:46 AM	5751	17.3095
2024-08-26	9:39:46 AM	5752	17.3109
2024-08-26	9:40:46 AM	5753	17.3106
2024-08-26	9:41:46 AM	5754	17.3044
2024-08-26	9:42:46 AM	5755	17.3212
2024-08-26	9:43:46 AM	5756	17.2973
2024-08-26	9:44:46 AM	5757	17.3187
2024-08-26	9:45:46 AM	5758	17.3213
2024-08-26	9:46:46 AM	5759	17.3228
2024-08-26	9:47:46 AM	5760	17.3212
2024-08-26	9:48:46 AM	5761	17.3187
2024-08-26	9:49:46 AM	5762	17.3333
2024-08-26	9:50:46 AM	5763	17.3347
2024-08-26	9:51:46 AM	5764	17.3357
2024-08-26	9:52:46 AM	5765	17.3366
2024-08-26	9:53:46 AM	5766	17.3364
2024-08-26	9:54:46 AM	5767	17.3337
2024-08-26	9:55:46 AM	5768	17.3438
2024-08-26	9:56:46 AM	5769	17.3303
2024-08-26	9:57:46 AM	5770	17.3187
2024-08-26	9:58:46 AM	5771	17.3232
2024-08-26	9:59:46 AM	5772	17.3401
2024-08-26	10:00:46 AM	5773	17.3428
2024-08-26	10:01:46 AM	5774	17.3451
2024-08-26	10:02:46 AM	5775	17.3468
2024-08-26	10:03:46 AM	5776	17.348
2024-08-26	10:04:46 AM	5777	17.344
2024-08-26	10:05:46 AM	5778	17.3534
2024-08-26	10:06:46 AM	5779	17.3547
2024-08-26	10:07:46 AM	5780	17.358
2024-08-26	10:08:46 AM	5781	17.3571
2024-08-26	10:09:46 AM	5782	17.3572
2024-08-26	10:10:46 AM	5783	17.3569
2024-08-26	10:11:46 AM	5784	17.3419
2024-08-26	10:12:46 AM	5785	17.3638
2024-08-26	10:13:46 AM	5786	17.3646
2024-08-26	10:14:46 AM	5787	17.3648
2024-08-26	10:15:46 AM	5788	17.3649
2024-08-26	10:16:46 AM	5789	17.364
2024-08-26	10:17:46 AM	5790	17.3633
2024-08-26	10:18:46 AM	5791	17.371
2024-08-26	10:19:46 AM	5792	17.3722
2024-08-26	10:20:46 AM	5793	17.3729

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	10:21:46 AM	5794	17.3734
2024-08-26	10:22:46 AM	5795	17.3741
2024-08-26	10:23:46 AM	5796	17.3731
2024-08-26	10:24:46 AM	5797	17.3663
2024-08-26	10:25:46 AM	5798	17.3794
2024-08-26	10:26:46 AM	5799	17.3805
2024-08-26	10:27:46 AM	5800	17.3812
2024-08-26	10:28:46 AM	5801	17.382
2024-08-26	10:29:46 AM	5802	17.382
2024-08-26	10:30:46 AM	5803	17.3813
2024-08-26	10:31:46 AM	5804	17.3676
2024-08-26	10:32:46 AM	5805	17.3879
2024-08-26	10:33:46 AM	5806	17.3887
2024-08-26	10:34:46 AM	5807	17.3894
2024-08-26	10:35:46 AM	5808	17.3895
2024-08-26	10:36:46 AM	5809	17.3886
2024-08-26	10:37:46 AM	5810	17.3799
2024-08-26	10:38:46 AM	5811	17.3941
2024-08-26	10:39:46 AM	5812	17.3951
2024-08-26	10:40:46 AM	5813	17.3671
2024-08-26	10:41:46 AM	5814	17.3925
2024-08-26	10:42:46 AM	5815	17.3936
2024-08-26	10:43:46 AM	5816	17.3942
2024-08-26	10:44:46 AM	5817	17.3937
2024-08-26	10:45:46 AM	5818	17.3926
2024-08-26	10:46:46 AM	5819	17.3995
2024-08-26	10:47:46 AM	5820	17.4006
2024-08-26	10:48:46 AM	5821	17.3794
2024-08-26	10:49:46 AM	5822	17.3934
2024-08-26	10:50:46 AM	5823	17.3939
2024-08-26	10:51:46 AM	5824	17.3756
2024-08-26	10:52:46 AM	5825	17.4013
2024-08-26	10:53:46 AM	5826	17.4018
2024-08-26	10:54:46 AM	5827	17.3913
2024-08-26	10:55:46 AM	5828	17.3982
2024-08-26	10:56:46 AM	5829	17.368
2024-08-26	10:57:46 AM	5830	17.3735
2024-08-26	10:58:46 AM	5831	17.378
2024-08-26	10:59:46 AM	5832	17.3814
2024-08-26	11:00:46 AM	5833	17.3828
2024-08-26	11:01:46 AM	5834	17.3736
2024-08-26	11:02:46 AM	5835	17.392
2024-08-26	11:03:46 AM	5836	17.3933
2024-08-26	11:04:46 AM	5837	17.3949
2024-08-26	11:05:46 AM	5838	17.3959
2024-08-26	11:06:46 AM	5839	17.396
2024-08-26	11:07:46 AM	5840	17.3952
2024-08-26	11:08:46 AM	5841	17.3879
2024-08-26	11:09:46 AM	5842	17.4023
2024-08-26	11:10:46 AM	5843	17.3763
2024-08-26	11:11:46 AM	5844	17.3997
2024-08-26	11:12:46 AM	5845	17.4009
2024-08-26	11:13:46 AM	5846	17.4017
2024-08-26	11:14:46 AM	5847	17.4015
2024-08-26	11:15:46 AM	5848	17.3934
2024-08-26	11:16:46 AM	5849	17.408
2024-08-26	11:17:46 AM	5850	17.4083
2024-08-26	11:18:46 AM	5851	17.4088
2024-08-26	11:19:46 AM	5852	17.4086
2024-08-26	11:20:46 AM	5853	17.4084
2024-08-26	11:21:46 AM	5854	17.4071
2024-08-26	11:22:46 AM	5855	17.3931
2024-08-26	11:23:46 AM	5856	17.4132
2024-08-26	11:24:46 AM	5857	17.4134
2024-08-26	11:25:46 AM	5858	17.4137
2024-08-26	11:26:46 AM	5859	17.4134
2024-08-26	11:27:46 AM	5860	17.4137
2024-08-26	11:28:46 AM	5861	17.4121
2024-08-26	11:29:46 AM	5862	17.4007

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	11:30:46 AM	5863	17.4176
2024-08-26	11:31:46 AM	5864	17.4174
2024-08-26	11:32:46 AM	5865	17.4169
2024-08-26	11:33:46 AM	5866	17.4165
2024-08-26	11:34:46 AM	5867	17.4149
2024-08-26	11:35:46 AM	5868	17.4012
2024-08-26	11:36:46 AM	5869	17.4198
2024-08-26	11:37:46 AM	5870	17.4194
2024-08-26	11:38:46 AM	5871	17.4192
2024-08-26	11:39:46 AM	5872	17.4186
2024-08-26	11:40:46 AM	5873	17.4186
2024-08-26	11:41:46 AM	5874	17.4169
2024-08-26	11:42:46 AM	5875	17.4086
2024-08-26	11:43:46 AM	5876	17.4227
2024-08-26	11:44:46 AM	5877	17.4225
2024-08-26	11:45:46 AM	5878	17.4224
2024-08-26	11:46:46 AM	5879	17.4217
2024-08-26	11:47:46 AM	5880	17.4207
2024-08-26	11:48:46 AM	5881	17.4194
2024-08-26	11:49:46 AM	5882	17.4093
2024-08-26	11:50:46 AM	5883	17.4247
2024-08-26	11:51:46 AM	5884	17.4242
2024-08-26	11:52:46 AM	5885	17.4238
2024-08-26	11:53:46 AM	5886	17.4236
2024-08-26	11:54:46 AM	5887	17.4236
2024-08-26	11:55:46 AM	5888	17.4222
2024-08-26	11:56:46 AM	5889	17.4181
2024-08-26	11:57:46 AM	5890	17.4271
2024-08-26	11:58:46 AM	5891	17.4133
2024-08-26	11:59:46 AM	5892	17.4224
2024-08-26	12:00:46 PM	5893	17.4234
2024-08-26	12:01:46 PM	5894	17.4237
2024-08-26	12:02:46 PM	5895	17.4237
2024-08-26	12:03:46 PM	5896	17.4237
2024-08-26	12:04:46 PM	5897	17.4218
2024-08-26	12:05:46 PM	5898	17.4148
2024-08-26	12:06:46 PM	5899	17.4256
2024-08-26	12:07:46 PM	5900	17.4256
2024-08-26	12:08:46 PM	5901	17.4254
2024-08-26	12:09:46 PM	5902	17.4251
2024-08-26	12:10:46 PM	5903	17.424
2024-08-26	12:11:46 PM	5904	17.42
2024-08-26	12:12:46 PM	5905	17.4099
2024-08-26	12:13:46 PM	5906	17.4271
2024-08-26	12:14:46 PM	5907	17.4259
2024-08-26	12:15:46 PM	5908	17.4255
2024-08-26	12:16:46 PM	5909	17.4244
2024-08-26	12:17:46 PM	5910	17.4224
2024-08-26	12:18:46 PM	5911	17.4013
2024-08-26	12:19:46 PM	5912	17.4272
2024-08-26	12:20:46 PM	5913	17.4265
2024-08-26	12:21:46 PM	5914	17.4256
2024-08-26	12:22:46 PM	5915	17.4246
2024-08-26	12:23:46 PM	5916	17.4231
2024-08-26	12:24:46 PM	5917	17.4144
2024-08-26	12:25:46 PM	5918	17.4261
2024-08-26	12:26:46 PM	5919	17.4269
2024-08-26	12:27:46 PM	5920	17.4269
2024-08-26	12:28:46 PM	5921	17.4264
2024-08-26	12:29:46 PM	5922	17.4253
2024-08-26	12:30:46 PM	5923	17.4237
2024-08-26	12:31:46 PM	5924	17.4133
2024-08-26	12:32:46 PM	5925	17.4284
2024-08-26	12:33:46 PM	5926	17.428
2024-08-26	12:34:46 PM	5927	17.4277
2024-08-26	12:35:46 PM	5928	17.4268
2024-08-26	12:36:46 PM	5929	17.4261
2024-08-26	12:37:46 PM	5930	17.4205
2024-08-26	12:38:46 PM	5931	17.4301

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	12:39:46 PM	5932	17.4294
2024-08-26	12:40:46 PM	5933	17.4291
2024-08-26	12:41:46 PM	5934	17.4281
2024-08-26	12:42:46 PM	5935	17.4272
2024-08-26	12:43:46 PM	5936	17.4245
2024-08-26	12:44:46 PM	5937	17.413
2024-08-26	12:45:46 PM	5938	17.4303
2024-08-26	12:46:46 PM	5939	17.4291
2024-08-26	12:47:46 PM	5940	17.4278
2024-08-26	12:48:46 PM	5941	17.4269
2024-08-26	12:49:46 PM	5942	17.4258
2024-08-26	12:50:46 PM	5943	17.4241
2024-08-26	12:51:46 PM	5944	17.4328
2024-08-26	12:52:46 PM	5945	17.4301
2024-08-26	12:53:46 PM	5946	17.4286
2024-08-26	12:54:46 PM	5947	17.4282
2024-08-26	12:55:46 PM	5948	17.4275
2024-08-26	12:56:46 PM	5949	17.4266
2024-08-26	12:57:46 PM	5950	17.4243
2024-08-26	12:58:46 PM	5951	17.3957
2024-08-26	12:59:46 PM	5952	17.3958
2024-08-26	1:00:46 PM	5953	17.4026
2024-08-26	1:01:46 PM	5954	17.4045
2024-08-26	1:02:46 PM	5955	17.4065
2024-08-26	1:03:46 PM	5956	17.4071
2024-08-26	1:04:46 PM	5957	17.4067
2024-08-26	1:05:46 PM	5958	17.4071
2024-08-26	1:06:46 PM	5959	17.4143
2024-08-26	1:07:46 PM	5960	17.4144
2024-08-26	1:08:46 PM	5961	17.4145
2024-08-26	1:09:46 PM	5962	17.4143
2024-08-26	1:10:46 PM	5963	17.4137
2024-08-26	1:11:46 PM	5964	17.4112
2024-08-26	1:12:46 PM	5965	17.3931
2024-08-26	1:13:46 PM	5966	17.4177
2024-08-26	1:14:46 PM	5967	17.4174
2024-08-26	1:15:46 PM	5968	17.4172
2024-08-26	1:16:46 PM	5969	17.4165
2024-08-26	1:17:46 PM	5970	17.4155
2024-08-26	1:18:46 PM	5971	17.4123
2024-08-26	1:19:46 PM	5972	17.412
2024-08-26	1:20:46 PM	5973	17.4189
2024-08-26	1:21:46 PM	5974	17.4183
2024-08-26	1:22:46 PM	5975	17.4174
2024-08-26	1:23:46 PM	5976	17.4166
2024-08-26	1:24:46 PM	5977	17.4151
2024-08-26	1:25:46 PM	5978	17.3891
2024-08-26	1:26:46 PM	5979	17.4195
2024-08-26	1:27:46 PM	5980	17.4191
2024-08-26	1:28:46 PM	5981	17.4187
2024-08-26	1:29:46 PM	5982	17.4177
2024-08-26	1:30:46 PM	5983	17.4169
2024-08-26	1:31:46 PM	5984	17.4135
2024-08-26	1:32:46 PM	5985	17.4146
2024-08-26	1:33:46 PM	5986	17.4199
2024-08-26	1:34:46 PM	5987	17.4198
2024-08-26	1:35:46 PM	5988	17.4192
2024-08-26	1:36:46 PM	5989	17.4182
2024-08-26	1:37:46 PM	5990	17.417
2024-08-26	1:38:46 PM	5991	17.4133
2024-08-26	1:39:46 PM	5992	17.4212
2024-08-26	1:40:46 PM	5993	17.4199
2024-08-26	1:41:46 PM	5994	17.417
2024-08-26	1:42:46 PM	5995	17.4159
2024-08-26	1:43:46 PM	5996	17.4106
2024-08-26	1:44:46 PM	5997	17.4191
2024-08-26	1:45:46 PM	5998	17.4195
2024-08-26	1:46:46 PM	5999	17.4183
2024-08-26	1:47:46 PM	6000	17.4179

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	1:48:46 PM	6001	17.4164
2024-08-26	1:49:46 PM	6002	17.4126
2024-08-26	1:50:46 PM	6003	17.4136
2024-08-26	1:51:46 PM	6004	17.4193
2024-08-26	1:52:46 PM	6005	17.4186
2024-08-26	1:53:46 PM	6006	17.418
2024-08-26	1:54:46 PM	6007	17.4175
2024-08-26	1:55:46 PM	6008	17.4161
2024-08-26	1:56:46 PM	6009	17.4134
2024-08-26	1:57:46 PM	6010	17.4029
2024-08-26	1:58:46 PM	6011	17.4196
2024-08-26	1:59:46 PM	6012	17.419
2024-08-26	2:00:46 PM	6013	17.4181
2024-08-26	2:01:46 PM	6014	17.418
2024-08-26	2:02:46 PM	6015	17.4163
2024-08-26	2:03:46 PM	6016	17.4135
2024-08-26	2:04:46 PM	6017	17.4011
2024-08-26	2:05:46 PM	6018	17.4195
2024-08-26	2:06:46 PM	6019	17.4185
2024-08-26	2:07:46 PM	6020	17.4177
2024-08-26	2:08:46 PM	6021	17.4168
2024-08-26	2:09:46 PM	6022	17.4145
2024-08-26	2:10:46 PM	6023	17.4017
2024-08-26	2:11:46 PM	6024	17.4188
2024-08-26	2:12:46 PM	6025	17.4177
2024-08-26	2:13:46 PM	6026	17.4169
2024-08-26	2:14:46 PM	6027	17.4162
2024-08-26	2:15:46 PM	6028	17.4151
2024-08-26	2:16:46 PM	6029	17.4126
2024-08-26	2:17:46 PM	6030	17.3898
2024-08-26	2:18:46 PM	6031	17.4168
2024-08-26	2:19:46 PM	6032	17.4161
2024-08-26	2:20:46 PM	6033	17.4153
2024-08-26	2:21:46 PM	6034	17.4145
2024-08-26	2:22:46 PM	6035	17.4136
2024-08-26	2:23:46 PM	6036	17.4122
2024-08-26	2:24:46 PM	6037	17.4052
2024-08-26	2:25:46 PM	6038	17.4152
2024-08-26	2:26:46 PM	6039	17.409
2024-08-26	2:27:46 PM	6040	17.4009
2024-08-26	2:28:46 PM	6041	17.413
2024-08-26	2:29:46 PM	6042	17.4124
2024-08-26	2:30:46 PM	6043	17.4129
2024-08-26	2:31:46 PM	6044	17.4101
2024-08-26	2:32:46 PM	6045	17.4081
2024-08-26	2:33:46 PM	6046	17.3832
2024-08-26	2:34:46 PM	6047	17.412
2024-08-26	2:35:46 PM	6048	17.4114
2024-08-26	2:36:46 PM	6049	17.4105
2024-08-26	2:37:46 PM	6050	17.41
2024-08-26	2:38:46 PM	6051	17.4084
2024-08-26	2:39:46 PM	6052	17.4025
2024-08-26	2:40:46 PM	6053	17.4035
2024-08-26	2:41:46 PM	6054	17.4115
2024-08-26	2:42:46 PM	6055	17.4107
2024-08-26	2:43:46 PM	6056	17.4103
2024-08-26	2:44:46 PM	6057	17.4091
2024-08-26	2:45:46 PM	6058	17.4081
2024-08-26	2:46:46 PM	6059	17.4022
2024-08-26	2:47:46 PM	6060	17.3975
2024-08-26	2:48:46 PM	6061	17.4094
2024-08-26	2:49:46 PM	6062	17.4085
2024-08-26	2:50:46 PM	6063	17.4075
2024-08-26	2:51:46 PM	6064	17.4066
2024-08-26	2:52:46 PM	6065	17.4041
2024-08-26	2:53:46 PM	6066	17.3929
2024-08-26	2:54:46 PM	6067	17.4085
2024-08-26	2:55:46 PM	6068	17.4079
2024-08-26	2:56:46 PM	6069	17.3935

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	2:57:46 PM	6070	17.4065
2024-08-26	2:58:46 PM	6071	17.4058
2024-08-26	2:59:46 PM	6072	17.4048
2024-08-26	3:00:46 PM	6073	17.4036
2024-08-26	3:01:46 PM	6074	17.3992
2024-08-26	3:02:46 PM	6075	17.3985
2024-08-26	3:03:46 PM	6076	17.4071
2024-08-26	3:04:46 PM	6077	17.407
2024-08-26	3:05:46 PM	6078	17.4063
2024-08-26	3:06:46 PM	6079	17.3943
2024-08-26	3:07:46 PM	6080	17.3936
2024-08-26	3:08:46 PM	6081	17.3882
2024-08-26	3:09:46 PM	6082	17.4018
2024-08-26	3:10:46 PM	6083	17.3785
2024-08-26	3:11:46 PM	6084	17.3707
2024-08-26	3:12:46 PM	6085	17.3747
2024-08-26	3:13:46 PM	6086	17.3769
2024-08-26	3:14:46 PM	6087	17.3657
2024-08-26	3:15:46 PM	6088	17.3862
2024-08-26	3:16:46 PM	6089	17.3875
2024-08-26	3:17:46 PM	6090	17.3875
2024-08-26	3:18:46 PM	6091	17.3863
2024-08-26	3:19:46 PM	6092	17.3866
2024-08-26	3:20:46 PM	6093	17.3852
2024-08-26	3:21:46 PM	6094	17.3681
2024-08-26	3:22:46 PM	6095	17.3918
2024-08-26	3:23:46 PM	6096	17.3919
2024-08-26	3:24:46 PM	6097	17.3918
2024-08-26	3:25:46 PM	6098	17.3913
2024-08-26	3:26:46 PM	6099	17.3911
2024-08-26	3:27:46 PM	6100	17.3893
2024-08-26	3:28:46 PM	6101	17.3884
2024-08-26	3:29:46 PM	6102	17.3956
2024-08-26	3:30:46 PM	6103	17.3946
2024-08-26	3:31:46 PM	6104	17.3951
2024-08-26	3:32:46 PM	6105	17.3944
2024-08-26	3:33:46 PM	6106	17.3939
2024-08-26	3:34:46 PM	6107	17.393
2024-08-26	3:35:46 PM	6108	17.3668
2024-08-26	3:36:46 PM	6109	17.3813
2024-08-26	3:37:46 PM	6110	17.378
2024-08-26	3:38:46 PM	6111	17.3686
2024-08-26	3:39:46 PM	6112	17.372
2024-08-26	3:40:46 PM	6113	17.3844
2024-08-26	3:41:46 PM	6114	17.3633
2024-08-26	3:42:46 PM	6115	17.3814
2024-08-26	3:43:46 PM	6116	17.3825
2024-08-26	3:44:46 PM	6117	17.3827
2024-08-26	3:45:46 PM	6118	17.3806
2024-08-26	3:46:46 PM	6119	17.3672
2024-08-26	3:47:46 PM	6120	17.3874
2024-08-26	3:48:46 PM	6121	17.3874
2024-08-26	3:49:46 PM	6122	17.3872
2024-08-26	3:50:46 PM	6123	17.3864
2024-08-26	3:51:46 PM	6124	17.3447
2024-08-26	3:52:46 PM	6125	17.367
2024-08-26	3:53:46 PM	6126	17.3756
2024-08-26	3:54:46 PM	6127	17.3777
2024-08-26	3:55:46 PM	6128	17.3786
2024-08-26	3:56:46 PM	6129	17.3786
2024-08-26	3:57:46 PM	6130	17.3777
2024-08-26	3:58:46 PM	6131	17.3597
2024-08-26	3:59:46 PM	6132	17.3852
2024-08-26	4:00:46 PM	6133	17.3823
2024-08-26	4:01:46 PM	6134	17.378
2024-08-26	4:02:46 PM	6135	17.3677
2024-08-26	4:03:46 PM	6136	17.3785
2024-08-26	4:04:46 PM	6137	17.3796
2024-08-26	4:05:46 PM	6138	17.38

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	4:06:46 PM	6139	17.3792
2024-08-26	4:07:46 PM	6140	17.3762
2024-08-26	4:08:46 PM	6141	17.3761
2024-08-26	4:09:46 PM	6142	17.3829
2024-08-26	4:10:46 PM	6143	17.3608
2024-08-26	4:11:46 PM	6144	17.3776
2024-08-26	4:12:46 PM	6145	17.3808
2024-08-26	4:13:46 PM	6146	17.3787
2024-08-26	4:14:46 PM	6147	17.3786
2024-08-26	4:15:46 PM	6148	17.3779
2024-08-26	4:16:46 PM	6149	17.3735
2024-08-26	4:17:46 PM	6150	17.3648
2024-08-26	4:18:46 PM	6151	17.3819
2024-08-26	4:19:46 PM	6152	17.3818
2024-08-26	4:20:46 PM	6153	17.3815
2024-08-26	4:21:46 PM	6154	17.3808
2024-08-26	4:22:46 PM	6155	17.38
2024-08-26	4:23:46 PM	6156	17.3745
2024-08-26	4:24:46 PM	6157	17.37
2024-08-26	4:25:46 PM	6158	17.3834
2024-08-26	4:26:46 PM	6159	17.3834
2024-08-26	4:27:46 PM	6160	17.3829
2024-08-26	4:28:46 PM	6161	17.3819
2024-08-26	4:29:46 PM	6162	17.3807
2024-08-26	4:30:46 PM	6163	17.3719
2024-08-26	4:31:46 PM	6164	17.3699
2024-08-26	4:32:46 PM	6165	17.3845
2024-08-26	4:33:46 PM	6166	17.3842
2024-08-26	4:34:46 PM	6167	17.3839
2024-08-26	4:35:46 PM	6168	17.3832
2024-08-26	4:36:46 PM	6169	17.3822
2024-08-26	4:37:46 PM	6170	17.3806
2024-08-26	4:38:46 PM	6171	17.3746
2024-08-26	4:39:46 PM	6172	17.385
2024-08-26	4:40:46 PM	6173	17.3845
2024-08-26	4:41:46 PM	6174	17.3843
2024-08-26	4:42:46 PM	6175	17.3833
2024-08-26	4:43:46 PM	6176	17.3825
2024-08-26	4:44:46 PM	6177	17.3817
2024-08-26	4:45:46 PM	6178	17.3853
2024-08-26	4:46:46 PM	6179	17.3837
2024-08-26	4:47:46 PM	6180	17.3455
2024-08-26	4:48:46 PM	6181	17.3666
2024-08-26	4:49:46 PM	6182	17.3667
2024-08-26	4:50:46 PM	6183	17.3597
2024-08-26	4:51:46 PM	6184	17.3788
2024-08-26	4:52:46 PM	6185	17.3526
2024-08-26	4:53:46 PM	6186	17.3756
2024-08-26	4:54:46 PM	6187	17.3768
2024-08-26	4:55:46 PM	6188	17.3712
2024-08-26	4:56:46 PM	6189	17.3859
2024-08-26	4:57:46 PM	6190	17.3827
2024-08-26	4:58:46 PM	6191	17.3838
2024-08-26	4:59:46 PM	6192	17.3802
2024-08-26	5:00:46 PM	6193	17.3804
2024-08-26	5:01:46 PM	6194	17.3923
2024-08-26	5:02:46 PM	6195	17.3923
2024-08-26	5:03:46 PM	6196	17.3918
2024-08-26	5:04:46 PM	6197	17.3912
2024-08-26	5:05:46 PM	6198	17.3895
2024-08-26	5:06:46 PM	6199	17.3755
2024-08-26	5:07:46 PM	6200	17.3876
2024-08-26	5:08:46 PM	6201	17.3879
2024-08-26	5:09:46 PM	6202	17.3649
2024-08-26	5:10:46 PM	6203	17.3851
2024-08-26	5:11:46 PM	6204	17.3851
2024-08-26	5:12:46 PM	6205	17.3861
2024-08-26	5:13:46 PM	6206	17.3863
2024-08-26	5:14:46 PM	6207	17.3854

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	5:15:46 PM	6208	17.3761
2024-08-26	5:16:46 PM	6209	17.39
2024-08-26	5:17:46 PM	6210	17.39
2024-08-26	5:18:46 PM	6211	17.3901
2024-08-26	5:19:46 PM	6212	17.3637
2024-08-26	5:20:46 PM	6213	17.3804
2024-08-26	5:21:46 PM	6214	17.3814
2024-08-26	5:22:46 PM	6215	17.3792
2024-08-26	5:23:46 PM	6216	17.367
2024-08-26	5:24:46 PM	6217	17.3462
2024-08-26	5:25:46 PM	6218	17.3681
2024-08-26	5:26:46 PM	6219	17.3795
2024-08-26	5:27:46 PM	6220	17.3815
2024-08-26	5:28:46 PM	6221	17.3824
2024-08-26	5:29:46 PM	6222	17.3841
2024-08-26	5:30:46 PM	6223	17.3835
2024-08-26	5:31:46 PM	6224	17.3818
2024-08-26	5:32:46 PM	6225	17.374
2024-08-26	5:33:46 PM	6226	17.3884
2024-08-26	5:34:46 PM	6227	17.3885
2024-08-26	5:35:46 PM	6228	17.3626
2024-08-26	5:36:46 PM	6229	17.3835
2024-08-26	5:37:46 PM	6230	17.3844
2024-08-26	5:38:46 PM	6231	17.385
2024-08-26	5:39:46 PM	6232	17.3842
2024-08-26	5:40:46 PM	6233	17.3805
2024-08-26	5:41:46 PM	6234	17.3901
2024-08-26	5:42:46 PM	6235	17.3897
2024-08-26	5:43:46 PM	6236	17.39
2024-08-26	5:44:46 PM	6237	17.39
2024-08-26	5:45:46 PM	6238	17.3895
2024-08-26	5:46:46 PM	6239	17.3888
2024-08-26	5:47:46 PM	6240	17.3831
2024-08-26	5:48:46 PM	6241	17.3824
2024-08-26	5:49:46 PM	6242	17.3938
2024-08-26	5:50:46 PM	6243	17.3934
2024-08-26	5:51:46 PM	6244	17.393
2024-08-26	5:52:46 PM	6245	17.3926
2024-08-26	5:53:46 PM	6246	17.3914
2024-08-26	5:54:46 PM	6247	17.3875
2024-08-26	5:55:46 PM	6248	17.3958
2024-08-26	5:56:46 PM	6249	17.3962
2024-08-26	5:57:46 PM	6250	17.3961
2024-08-26	5:58:46 PM	6251	17.3966
2024-08-26	5:59:46 PM	6252	17.3959
2024-08-26	6:00:46 PM	6253	17.395
2024-08-26	6:01:46 PM	6254	17.3935
2024-08-26	6:02:46 PM	6255	17.3739
2024-08-26	6:03:46 PM	6256	17.3874
2024-08-26	6:04:46 PM	6257	17.3796
2024-08-26	6:05:46 PM	6258	17.3938
2024-08-26	6:06:46 PM	6259	17.3952
2024-08-26	6:07:46 PM	6260	17.3957
2024-08-26	6:08:46 PM	6261	17.396
2024-08-26	6:09:46 PM	6262	17.3955
2024-08-26	6:10:46 PM	6263	17.394
2024-08-26	6:11:46 PM	6264	17.3864
2024-08-26	6:12:46 PM	6265	17.3993
2024-08-26	6:13:46 PM	6266	17.3988
2024-08-26	6:14:46 PM	6267	17.3989
2024-08-26	6:15:46 PM	6268	17.3983
2024-08-26	6:16:46 PM	6269	17.3976
2024-08-26	6:17:46 PM	6270	17.3961
2024-08-26	6:18:46 PM	6271	17.3927
2024-08-26	6:19:46 PM	6272	17.3873
2024-08-26	6:20:46 PM	6273	17.4005
2024-08-26	6:21:46 PM	6274	17.4
2024-08-26	6:22:46 PM	6275	17.3995
2024-08-26	6:23:46 PM	6276	17.3988

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	6:24:46 PM	6277	17.3978
2024-08-26	6:25:46 PM	6278	17.39
2024-08-26	6:26:46 PM	6279	17.3999
2024-08-26	6:27:46 PM	6280	17.4022
2024-08-26	6:28:46 PM	6281	17.4021
2024-08-26	6:29:46 PM	6282	17.4013
2024-08-26	6:30:46 PM	6283	17.4004
2024-08-26	6:31:46 PM	6284	17.3988
2024-08-26	6:32:46 PM	6285	17.3982
2024-08-26	6:33:46 PM	6286	17.4038
2024-08-26	6:34:46 PM	6287	17.4036
2024-08-26	6:35:46 PM	6288	17.4033
2024-08-26	6:36:46 PM	6289	17.4031
2024-08-26	6:37:46 PM	6290	17.4021
2024-08-26	6:38:46 PM	6291	17.3895
2024-08-26	6:39:46 PM	6292	17.4032
2024-08-26	6:40:46 PM	6293	17.4023
2024-08-26	6:41:46 PM	6294	17.4012
2024-08-26	6:42:46 PM	6295	17.3967
2024-08-26	6:43:46 PM	6296	17.4063
2024-08-26	6:44:46 PM	6297	17.4067
2024-08-26	6:45:46 PM	6298	17.4066
2024-08-26	6:46:46 PM	6299	17.406
2024-08-26	6:47:46 PM	6300	17.4057
2024-08-26	6:48:46 PM	6301	17.4042
2024-08-26	6:49:46 PM	6302	17.4018
2024-08-26	6:50:46 PM	6303	17.4091
2024-08-26	6:51:46 PM	6304	17.4096
2024-08-26	6:52:46 PM	6305	17.4014
2024-08-26	6:53:46 PM	6306	17.4004
2024-08-26	6:54:46 PM	6307	17.4001
2024-08-26	6:55:46 PM	6308	17.3997
2024-08-26	6:56:46 PM	6309	17.4068
2024-08-26	6:57:46 PM	6310	17.4068
2024-08-26	6:58:46 PM	6311	17.4073
2024-08-26	6:59:46 PM	6312	17.4073
2024-08-26	7:00:46 PM	6313	17.407
2024-08-26	7:01:46 PM	6314	17.4058
2024-08-26	7:02:46 PM	6315	17.3995
2024-08-26	7:03:46 PM	6316	17.416
2024-08-26	7:04:46 PM	6317	17.4113
2024-08-26	7:05:46 PM	6318	17.4114
2024-08-26	7:06:46 PM	6319	17.4107
2024-08-26	7:07:46 PM	6320	17.4099
2024-08-26	7:08:46 PM	6321	17.4084
2024-08-26	7:09:46 PM	6322	17.4011
2024-08-26	7:10:46 PM	6323	17.4129
2024-08-26	7:11:46 PM	6324	17.4125
2024-08-26	7:12:46 PM	6325	17.4119
2024-08-26	7:13:46 PM	6326	17.411
2024-08-26	7:14:46 PM	6327	17.4097
2024-08-26	7:15:46 PM	6328	17.4076
2024-08-26	7:16:46 PM	6329	17.3919
2024-08-26	7:17:46 PM	6330	17.4119
2024-08-26	7:18:46 PM	6331	17.4113
2024-08-26	7:19:46 PM	6332	17.4105
2024-08-26	7:20:46 PM	6333	17.4098
2024-08-26	7:21:46 PM	6334	17.4083
2024-08-26	7:22:46 PM	6335	17.404
2024-08-26	7:23:46 PM	6336	17.3956
2024-08-26	7:24:46 PM	6337	17.4115
2024-08-26	7:25:46 PM	6338	17.4107
2024-08-26	7:26:46 PM	6339	17.4101
2024-08-26	7:27:46 PM	6340	17.409
2024-08-26	7:28:46 PM	6341	17.4074
2024-08-26	7:29:46 PM	6342	17.4004
2024-08-26	7:30:46 PM	6343	17.4112
2024-08-26	7:31:46 PM	6344	17.4105
2024-08-26	7:32:46 PM	6345	17.4105

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	7:33:46 PM	6346	17.3839
2024-08-26	7:34:46 PM	6347	17.4016
2024-08-26	7:35:46 PM	6348	17.4023
2024-08-26	7:36:46 PM	6349	17.4025
2024-08-26	7:37:46 PM	6350	17.4018
2024-08-26	7:38:46 PM	6351	17.3986
2024-08-26	7:39:46 PM	6352	17.3921
2024-08-26	7:40:46 PM	6353	17.4059
2024-08-26	7:41:46 PM	6354	17.4056
2024-08-26	7:42:46 PM	6355	17.4051
2024-08-26	7:43:46 PM	6356	17.4049
2024-08-26	7:44:46 PM	6357	17.4041
2024-08-26	7:45:46 PM	6358	17.403
2024-08-26	7:46:46 PM	6359	17.3991
2024-08-26	7:47:46 PM	6360	17.4073
2024-08-26	7:48:46 PM	6361	17.4068
2024-08-26	7:49:46 PM	6362	17.4064
2024-08-26	7:50:46 PM	6363	17.4056
2024-08-26	7:51:46 PM	6364	17.405
2024-08-26	7:52:46 PM	6365	17.4033
2024-08-26	7:53:46 PM	6366	17.3957
2024-08-26	7:54:46 PM	6367	17.4071
2024-08-26	7:55:46 PM	6368	17.4074
2024-08-26	7:56:46 PM	6369	17.4071
2024-08-26	7:57:46 PM	6370	17.4062
2024-08-26	7:58:46 PM	6371	17.4053
2024-08-26	7:59:46 PM	6372	17.4033
2024-08-26	8:00:46 PM	6373	17.3947
2024-08-26	8:01:46 PM	6374	17.4087
2024-08-26	8:02:46 PM	6375	17.4087
2024-08-26	8:03:46 PM	6376	17.4082
2024-08-26	8:04:46 PM	6377	17.4082
2024-08-26	8:05:46 PM	6378	17.4078
2024-08-26	8:06:46 PM	6379	17.4071
2024-08-26	8:07:46 PM	6380	17.4054
2024-08-26	8:08:46 PM	6381	17.3905
2024-08-26	8:09:46 PM	6382	17.4113
2024-08-26	8:10:46 PM	6383	17.4111
2024-08-26	8:11:46 PM	6384	17.4109
2024-08-26	8:12:46 PM	6385	17.4106
2024-08-26	8:13:46 PM	6386	17.4107
2024-08-26	8:14:46 PM	6387	17.409
2024-08-26	8:15:46 PM	6388	17.4042
2024-08-26	8:16:46 PM	6389	17.4138
2024-08-26	8:17:46 PM	6390	17.4137
2024-08-26	8:18:46 PM	6391	17.4133
2024-08-26	8:19:46 PM	6392	17.4127
2024-08-26	8:20:46 PM	6393	17.4123
2024-08-26	8:21:46 PM	6394	17.4109
2024-08-26	8:22:46 PM	6395	17.4007
2024-08-26	8:23:46 PM	6396	17.4162
2024-08-26	8:24:46 PM	6397	17.4159
2024-08-26	8:25:46 PM	6398	17.4157
2024-08-26	8:26:46 PM	6399	17.4158
2024-08-26	8:27:46 PM	6400	17.4151
2024-08-26	8:28:46 PM	6401	17.414
2024-08-26	8:29:46 PM	6402	17.4067
2024-08-26	8:30:46 PM	6403	17.4187
2024-08-26	8:31:46 PM	6404	17.419
2024-08-26	8:32:46 PM	6405	17.4188
2024-08-26	8:33:46 PM	6406	17.4186
2024-08-26	8:34:46 PM	6407	17.4177
2024-08-26	8:35:46 PM	6408	17.4158
2024-08-26	8:36:46 PM	6409	17.4027
2024-08-26	8:37:46 PM	6410	17.4213
2024-08-26	8:38:46 PM	6411	17.421
2024-08-26	8:39:46 PM	6412	17.4203
2024-08-26	8:40:46 PM	6413	17.42
2024-08-26	8:41:46 PM	6414	17.4184

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	8:42:46 PM	6415	17.411
2024-08-26	8:43:46 PM	6416	17.4005
2024-08-26	8:44:46 PM	6417	17.423
2024-08-26	8:45:46 PM	6418	17.4232
2024-08-26	8:46:46 PM	6419	17.4228
2024-08-26	8:47:46 PM	6420	17.4224
2024-08-26	8:48:46 PM	6421	17.4214
2024-08-26	8:49:46 PM	6422	17.4186
2024-08-26	8:50:46 PM	6423	17.4093
2024-08-26	8:51:46 PM	6424	17.4252
2024-08-26	8:52:46 PM	6425	17.4252
2024-08-26	8:53:46 PM	6426	17.4249
2024-08-26	8:54:46 PM	6427	17.424
2024-08-26	8:55:46 PM	6428	17.4228
2024-08-26	8:56:46 PM	6429	17.4167
2024-08-26	8:57:46 PM	6430	17.4276
2024-08-26	8:58:46 PM	6431	17.4274
2024-08-26	8:59:46 PM	6432	17.4272
2024-08-26	9:00:46 PM	6433	17.427
2024-08-26	9:01:46 PM	6434	17.4264
2024-08-26	9:02:46 PM	6435	17.4254
2024-08-26	9:03:46 PM	6436	17.4081
2024-08-26	9:04:46 PM	6437	17.4305
2024-08-26	9:05:46 PM	6438	17.4302
2024-08-26	9:06:46 PM	6439	17.4299
2024-08-26	9:07:46 PM	6440	17.4299
2024-08-26	9:08:46 PM	6441	17.43
2024-08-26	9:09:46 PM	6442	17.4291
2024-08-26	9:10:46 PM	6443	17.4226
2024-08-26	9:11:46 PM	6444	17.4201
2024-08-26	9:12:46 PM	6445	17.4333
2024-08-26	9:13:46 PM	6446	17.4331
2024-08-26	9:14:46 PM	6447	17.4327
2024-08-26	9:15:46 PM	6448	17.4323
2024-08-26	9:16:46 PM	6449	17.4315
2024-08-26	9:17:46 PM	6450	17.4274
2024-08-26	9:18:46 PM	6451	17.4198
2024-08-26	9:19:46 PM	6452	17.435
2024-08-26	9:20:46 PM	6453	17.4352
2024-08-26	9:21:46 PM	6454	17.4345
2024-08-26	9:22:46 PM	6455	17.4336
2024-08-26	9:23:46 PM	6456	17.4322
2024-08-26	9:24:46 PM	6457	17.4231
2024-08-26	9:25:46 PM	6458	17.4374
2024-08-26	9:26:46 PM	6459	17.4364
2024-08-26	9:27:46 PM	6460	17.4361
2024-08-26	9:28:46 PM	6461	17.436
2024-08-26	9:29:46 PM	6462	17.4354
2024-08-26	9:30:46 PM	6463	17.4344
2024-08-26	9:31:46 PM	6464	17.4325
2024-08-26	9:32:46 PM	6465	17.4148
2024-08-26	9:33:46 PM	6466	17.434
2024-08-26	9:34:46 PM	6467	17.4278
2024-08-26	9:35:46 PM	6468	17.4384
2024-08-26	9:36:46 PM	6469	17.4385
2024-08-26	9:37:46 PM	6470	17.4376
2024-08-26	9:38:46 PM	6471	17.4376
2024-08-26	9:39:46 PM	6472	17.4366
2024-08-26	9:40:46 PM	6473	17.4354
2024-08-26	9:41:46 PM	6474	17.4254
2024-08-26	9:42:46 PM	6475	17.4406
2024-08-26	9:43:46 PM	6476	17.4401
2024-08-26	9:44:46 PM	6477	17.4393
2024-08-26	9:45:46 PM	6478	17.4382
2024-08-26	9:46:46 PM	6479	17.4372
2024-08-26	9:47:46 PM	6480	17.4349
2024-08-26	9:48:46 PM	6481	17.4189
2024-08-26	9:49:46 PM	6482	17.4409
2024-08-26	9:50:46 PM	6483	17.4404

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	9:51:46 PM	6484	17.4401
2024-08-26	9:52:46 PM	6485	17.4393
2024-08-26	9:53:46 PM	6486	17.4388
2024-08-26	9:54:46 PM	6487	17.4362
2024-08-26	9:55:46 PM	6488	17.4262
2024-08-26	9:56:46 PM	6489	17.4424
2024-08-26	9:57:46 PM	6490	17.4418
2024-08-26	9:58:46 PM	6491	17.4415
2024-08-26	9:59:46 PM	6492	17.441
2024-08-26	10:00:46 PM	6493	17.4394
2024-08-26	10:01:46 PM	6494	17.432
2024-08-26	10:02:46 PM	6495	17.4434
2024-08-26	10:03:46 PM	6496	17.4438
2024-08-26	10:04:46 PM	6497	17.4436
2024-08-26	10:05:46 PM	6498	17.4428
2024-08-26	10:06:46 PM	6499	17.442
2024-08-26	10:07:46 PM	6500	17.4401
2024-08-26	10:08:46 PM	6501	17.433
2024-08-26	10:09:46 PM	6502	17.4454
2024-08-26	10:10:46 PM	6503	17.4452
2024-08-26	10:11:46 PM	6504	17.4449
2024-08-26	10:12:46 PM	6505	17.4444
2024-08-26	10:13:46 PM	6506	17.4439
2024-08-26	10:14:46 PM	6507	17.4425
2024-08-26	10:15:46 PM	6508	17.4366
2024-08-26	10:16:46 PM	6509	17.4354
2024-08-26	10:17:46 PM	6510	17.4462
2024-08-26	10:18:46 PM	6511	17.4463
2024-08-26	10:19:46 PM	6512	17.4456
2024-08-26	10:20:46 PM	6513	17.4448
2024-08-26	10:21:46 PM	6514	17.4431
2024-08-26	10:22:46 PM	6515	17.439
2024-08-26	10:23:46 PM	6516	17.4476
2024-08-26	10:24:46 PM	6517	17.4473
2024-08-26	10:25:46 PM	6518	17.4468
2024-08-26	10:26:46 PM	6519	17.4462
2024-08-26	10:27:46 PM	6520	17.4449
2024-08-26	10:28:46 PM	6521	17.4435
2024-08-26	10:29:46 PM	6522	17.4277
2024-08-26	10:30:46 PM	6523	17.4486
2024-08-26	10:31:46 PM	6524	17.4481
2024-08-26	10:32:46 PM	6525	17.4479
2024-08-26	10:33:46 PM	6526	17.4471
2024-08-26	10:34:46 PM	6527	17.4471
2024-08-26	10:35:46 PM	6528	17.4461
2024-08-26	10:36:46 PM	6529	17.4447
2024-08-26	10:37:46 PM	6530	17.4297
2024-08-26	10:38:46 PM	6531	17.4497
2024-08-26	10:39:46 PM	6532	17.4493
2024-08-26	10:40:46 PM	6533	17.4491
2024-08-26	10:41:46 PM	6534	17.4483
2024-08-26	10:42:46 PM	6535	17.4473
2024-08-26	10:43:46 PM	6536	17.4455
2024-08-26	10:44:46 PM	6537	17.429
2024-08-26	10:45:46 PM	6538	17.4276
2024-08-26	10:46:46 PM	6539	17.4402
2024-08-26	10:47:46 PM	6540	17.4334
2024-08-26	10:48:46 PM	6541	17.4477
2024-08-26	10:49:46 PM	6542	17.4479
2024-08-26	10:50:46 PM	6543	17.4483
2024-08-26	10:51:46 PM	6544	17.4482
2024-08-26	10:52:46 PM	6545	17.4482
2024-08-26	10:53:46 PM	6546	17.4472
2024-08-26	10:54:46 PM	6547	17.4446
2024-08-26	10:55:46 PM	6548	17.4447
2024-08-26	10:56:46 PM	6549	17.4519
2024-08-26	10:57:46 PM	6550	17.4519
2024-08-26	10:58:46 PM	6551	17.4517
2024-08-26	10:59:46 PM	6552	17.4511

Data Logger Measurements
September 22 - 28, 2024

2024-08-26	11:00:46 PM	6553	17.4501
2024-08-26	11:01:46 PM	6554	17.4458
2024-08-26	11:02:46 PM	6555	17.439
2024-08-26	11:03:46 PM	6556	17.454
2024-08-26	11:04:46 PM	6557	17.4534
2024-08-26	11:05:46 PM	6558	17.4523
2024-08-26	11:06:46 PM	6559	17.4494
2024-08-26	11:07:46 PM	6560	17.4456
2024-08-26	11:08:46 PM	6561	17.4333
2024-08-26	11:09:46 PM	6562	17.444
2024-08-26	11:10:46 PM	6563	17.4397
2024-08-26	11:11:46 PM	6564	17.4355
2024-08-26	11:12:46 PM	6565	17.431
2024-08-26	11:13:46 PM	6566	17.4256
2024-08-26	11:14:46 PM	6567	17.4184
2024-08-26	11:15:46 PM	6568	17.3936
2024-08-26	11:16:46 PM	6569	17.4141
2024-08-26	11:17:46 PM	6570	17.4084
2024-08-26	11:18:46 PM	6571	17.4032
2024-08-26	11:19:46 PM	6572	17.3974
2024-08-26	11:20:46 PM	6573	17.3914
2024-08-26	11:21:46 PM	6574	17.3824
2024-08-26	11:22:46 PM	6575	17.3753
2024-08-26	11:23:46 PM	6576	17.3786
2024-08-26	11:24:46 PM	6577	17.3732
2024-08-26	11:25:46 PM	6578	17.3667
2024-08-26	11:26:46 PM	6579	17.3611
2024-08-26	11:27:46 PM	6580	17.3538
2024-08-26	11:28:46 PM	6581	17.3465
2024-08-26	11:29:46 PM	6582	17.3478
2024-08-26	11:30:46 PM	6583	17.3419
2024-08-26	11:31:46 PM	6584	17.3359
2024-08-26	11:32:46 PM	6585	17.3301
2024-08-26	11:33:46 PM	6586	17.3238
2024-08-26	11:34:46 PM	6587	17.3169
2024-08-26	11:35:46 PM	6588	17.2895
2024-08-26	11:36:46 PM	6589	17.3106
2024-08-26	11:37:46 PM	6590	17.3047
2024-08-26	11:38:46 PM	6591	17.2992
2024-08-26	11:39:46 PM	6592	17.2935
2024-08-26	11:40:46 PM	6593	17.2875
2024-08-26	11:41:46 PM	6594	17.2805
2024-08-26	11:42:46 PM	6595	17.2788
2024-08-26	11:43:46 PM	6596	17.2753
2024-08-26	11:44:46 PM	6597	17.2699
2024-08-26	11:45:46 PM	6598	17.2641
2024-08-26	11:46:46 PM	6599	17.2586
2024-08-26	11:47:46 PM	6600	17.2528
2024-08-26	11:48:46 PM	6601	17.246
2024-08-26	11:49:46 PM	6602	17.2329
2024-08-26	11:50:46 PM	6603	17.2407
2024-08-26	11:51:46 PM	6604	17.2359
2024-08-26	11:52:46 PM	6605	17.2073
2024-08-26	11:53:46 PM	6606	17.216
2024-08-26	11:54:46 PM	6607	17.2009
2024-08-26	11:55:46 PM	6608	17.214
2024-08-26	11:56:46 PM	6609	17.1738
2024-08-26	11:57:46 PM	6610	17.1972
2024-08-26	11:58:46 PM	6611	17.1922
2024-08-26	11:59:46 PM	6612	17.1699
2024-08-27	12:00:46 AM	6613	17.191
2024-08-27	12:01:46 AM	6614	17.1866
2024-08-27	12:02:46 AM	6615	17.1821
2024-08-27	12:03:46 AM	6616	17.1774
2024-08-27	12:04:46 AM	6617	17.1724
2024-08-27	12:05:46 AM	6618	17.1667
2024-08-27	12:06:46 AM	6619	17.1369
2024-08-27	12:07:46 AM	6620	17.1197
2024-08-27	12:08:46 AM	6621	17.1413

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	12:09:46 AM	6622	17.1406
2024-08-27	12:10:46 AM	6623	17.1383
2024-08-27	12:11:46 AM	6624	17.1348
2024-08-27	12:12:46 AM	6625	17.1301
2024-08-27	12:13:46 AM	6626	17.1122
2024-08-27	12:14:46 AM	6627	17.1287
2024-08-27	12:15:46 AM	6628	17.1251
2024-08-27	12:16:46 AM	6629	17.1211
2024-08-27	12:17:46 AM	6630	17.1171
2024-08-27	12:18:46 AM	6631	17.1125
2024-08-27	12:19:46 AM	6632	17.1061
2024-08-27	12:20:46 AM	6633	17.086
2024-08-27	12:21:46 AM	6634	17.1054
2024-08-27	12:22:46 AM	6635	17.1012
2024-08-27	12:23:46 AM	6636	17.0977
2024-08-27	12:24:46 AM	6637	17.0929
2024-08-27	12:25:46 AM	6638	17.088
2024-08-27	12:26:46 AM	6639	17.082
2024-08-27	12:27:46 AM	6640	17.0681
2024-08-27	12:28:46 AM	6641	17.0803
2024-08-27	12:29:46 AM	6642	17.0762
2024-08-27	12:30:46 AM	6643	17.072
2024-08-27	12:31:46 AM	6644	17.068
2024-08-27	12:32:46 AM	6645	17.0628
2024-08-27	12:33:46 AM	6646	17.0531
2024-08-27	12:34:46 AM	6647	17.065
2024-08-27	12:35:46 AM	6648	17.0559
2024-08-27	12:36:46 AM	6649	17.0521
2024-08-27	12:37:46 AM	6650	17.0483
2024-08-27	12:38:46 AM	6651	17.0442
2024-08-27	12:39:46 AM	6652	17.0397
2024-08-27	12:40:46 AM	6653	17.0329
2024-08-27	12:41:46 AM	6654	17.0206
2024-08-27	12:42:46 AM	6655	17.0341
2024-08-27	12:43:46 AM	6656	17.0307
2024-08-27	12:44:46 AM	6657	17.027
2024-08-27	12:45:46 AM	6658	17.0235
2024-08-27	12:46:46 AM	6659	17.0195
2024-08-27	12:47:46 AM	6660	17.0143
2024-08-27	12:48:46 AM	6661	17.0044
2024-08-27	12:49:46 AM	6662	17.0137
2024-08-27	12:50:46 AM	6663	17.0104
2024-08-27	12:51:46 AM	6664	17.0067
2024-08-27	12:52:46 AM	6665	17.0031
2024-08-27	12:53:46 AM	6666	16.9985
2024-08-27	12:54:46 AM	6667	16.9902
2024-08-27	12:55:46 AM	6668	16.9971
2024-08-27	12:56:46 AM	6669	16.994
2024-08-27	12:57:46 AM	6670	16.9903
2024-08-27	12:58:46 AM	6671	16.987
2024-08-27	12:59:46 AM	6672	16.983
2024-08-27	1:00:46 AM	6673	16.978
2024-08-27	1:01:46 AM	6674	16.9548
2024-08-27	1:02:46 AM	6675	16.9786
2024-08-27	1:03:46 AM	6676	16.9753
2024-08-27	1:04:46 AM	6677	16.9723
2024-08-27	1:05:46 AM	6678	16.969
2024-08-27	1:06:46 AM	6679	16.9658
2024-08-27	1:07:46 AM	6680	16.962
2024-08-27	1:08:46 AM	6681	16.9547
2024-08-27	1:09:46 AM	6682	16.9535
2024-08-27	1:10:46 AM	6683	16.9581
2024-08-27	1:11:46 AM	6684	16.955
2024-08-27	1:12:46 AM	6685	16.9521
2024-08-27	1:13:46 AM	6686	16.949
2024-08-27	1:14:46 AM	6687	16.9454
2024-08-27	1:15:46 AM	6688	16.9346
2024-08-27	1:16:46 AM	6689	16.9447
2024-08-27	1:17:46 AM	6690	16.9409

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	1:18:46 AM	6691	16.9382
2024-08-27	1:19:46 AM	6692	16.9346
2024-08-27	1:20:46 AM	6693	16.9312
2024-08-27	1:21:46 AM	6694	16.9272
2024-08-27	1:22:46 AM	6695	16.9145
2024-08-27	1:23:46 AM	6696	16.9268
2024-08-27	1:24:46 AM	6697	16.9239
2024-08-27	1:25:46 AM	6698	16.9215
2024-08-27	1:26:46 AM	6699	16.9183
2024-08-27	1:27:46 AM	6700	16.9151
2024-08-27	1:28:46 AM	6701	16.9117
2024-08-27	1:29:46 AM	6702	16.9057
2024-08-27	1:30:46 AM	6703	16.8952
2024-08-27	1:31:46 AM	6704	16.9084
2024-08-27	1:32:46 AM	6705	16.9054
2024-08-27	1:33:46 AM	6706	16.9025
2024-08-27	1:34:46 AM	6707	16.8993
2024-08-27	1:35:46 AM	6708	16.8957
2024-08-27	1:36:46 AM	6709	16.8887
2024-08-27	1:37:46 AM	6710	16.8955
2024-08-27	1:38:46 AM	6711	16.8928
2024-08-27	1:39:46 AM	6712	16.8901
2024-08-27	1:40:46 AM	6713	16.7932
2024-08-27	1:41:46 AM	6714	16.7573
2024-08-27	1:42:46 AM	6715	16.732
2024-08-27	1:43:46 AM	6716	16.7066
2024-08-27	1:44:46 AM	6717	16.6909
2024-08-27	1:45:46 AM	6718	16.6756
2024-08-27	1:46:46 AM	6719	16.6594
2024-08-27	1:47:46 AM	6720	16.6449
2024-08-27	1:48:46 AM	6721	16.6366
2024-08-27	1:49:46 AM	6722	16.6204
2024-08-27	1:50:46 AM	6723	16.6119
2024-08-27	1:51:46 AM	6724	16.5965
2024-08-27	1:52:46 AM	6725	16.5879
2024-08-27	1:53:46 AM	6726	16.5793
2024-08-27	1:54:46 AM	6727	16.5682
2024-08-27	1:55:46 AM	6728	16.6448
2024-08-27	1:56:46 AM	6729	16.6692
2024-08-27	1:57:46 AM	6730	16.6925
2024-08-27	1:58:46 AM	6731	16.7057
2024-08-27	1:59:46 AM	6732	16.6954
2024-08-27	2:00:46 AM	6733	16.7183
2024-08-27	2:01:46 AM	6734	16.7268
2024-08-27	2:02:46 AM	6735	16.7333
2024-08-27	2:03:46 AM	6736	16.7218
2024-08-27	2:04:46 AM	6737	16.7372
2024-08-27	2:05:46 AM	6738	16.7424
2024-08-27	2:06:46 AM	6739	16.7458
2024-08-27	2:07:46 AM	6740	16.7431
2024-08-27	2:08:46 AM	6741	16.7462
2024-08-27	2:09:46 AM	6742	16.7491
2024-08-27	2:10:46 AM	6743	16.7511
2024-08-27	2:11:46 AM	6744	16.7497
2024-08-27	2:12:46 AM	6745	16.7487
2024-08-27	2:13:46 AM	6746	16.7515
2024-08-27	2:14:46 AM	6747	16.7527
2024-08-27	2:15:46 AM	6748	16.7457
2024-08-27	2:16:46 AM	6749	16.7503
2024-08-27	2:17:46 AM	6750	16.7523
2024-08-27	2:18:46 AM	6751	16.7503
2024-08-27	2:19:46 AM	6752	16.7474
2024-08-27	2:20:46 AM	6753	16.7507
2024-08-27	2:21:46 AM	6754	16.7523
2024-08-27	2:22:46 AM	6755	16.7345
2024-08-27	2:23:46 AM	6756	16.748
2024-08-27	2:24:46 AM	6757	16.7502
2024-08-27	2:25:46 AM	6758	16.751
2024-08-27	2:26:46 AM	6759	16.7384

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	2:27:46 AM	6760	16.7476
2024-08-27	2:28:46 AM	6761	16.7487
2024-08-27	2:29:46 AM	6762	16.7499
2024-08-27	2:30:46 AM	6763	16.7417
2024-08-27	2:31:46 AM	6764	16.745
2024-08-27	2:32:46 AM	6765	16.7465
2024-08-27	2:33:46 AM	6766	16.7464
2024-08-27	2:34:46 AM	6767	16.7368
2024-08-27	2:35:46 AM	6768	16.6518
2024-08-27	2:36:46 AM	6769	16.6139
2024-08-27	2:37:46 AM	6770	16.5937
2024-08-27	2:38:46 AM	6771	16.5718
2024-08-27	2:39:46 AM	6772	16.5511
2024-08-27	2:40:46 AM	6773	16.6237
2024-08-27	2:41:46 AM	6774	16.6472
2024-08-27	2:42:46 AM	6775	16.66
2024-08-27	2:43:46 AM	6776	16.6694
2024-08-27	2:44:46 AM	6777	16.6751
2024-08-27	2:45:46 AM	6778	16.6742
2024-08-27	2:46:46 AM	6779	16.6898
2024-08-27	2:47:46 AM	6780	16.692
2024-08-27	2:48:46 AM	6781	16.6943
2024-08-27	2:49:46 AM	6782	16.6957
2024-08-27	2:50:46 AM	6783	16.697
2024-08-27	2:51:46 AM	6784	16.6968
2024-08-27	2:52:46 AM	6785	16.6824
2024-08-27	2:53:46 AM	6786	16.7033
2024-08-27	2:54:46 AM	6787	16.7037
2024-08-27	2:55:46 AM	6788	16.7036
2024-08-27	2:56:46 AM	6789	16.7039
2024-08-27	2:57:46 AM	6790	16.7031
2024-08-27	2:58:46 AM	6791	16.7012
2024-08-27	2:59:46 AM	6792	16.6908
2024-08-27	3:00:46 AM	6793	16.7062
2024-08-27	3:01:46 AM	6794	16.7058
2024-08-27	3:02:46 AM	6795	16.7052
2024-08-27	3:03:46 AM	6796	16.7045
2024-08-27	3:04:46 AM	6797	16.7031
2024-08-27	3:05:46 AM	6798	16.6972
2024-08-27	3:06:46 AM	6799	16.7068
2024-08-27	3:07:46 AM	6800	16.706
2024-08-27	3:08:46 AM	6801	16.7052
2024-08-27	3:09:46 AM	6802	16.704
2024-08-27	3:10:46 AM	6803	16.7025
2024-08-27	3:11:46 AM	6804	16.6989
2024-08-27	3:12:46 AM	6805	16.6839
2024-08-27	3:13:46 AM	6806	16.7048
2024-08-27	3:14:46 AM	6807	16.7042
2024-08-27	3:15:46 AM	6808	16.703
2024-08-27	3:16:46 AM	6809	16.7025
2024-08-27	3:17:46 AM	6810	16.7012
2024-08-27	3:18:46 AM	6811	16.6988
2024-08-27	3:19:46 AM	6812	16.6747
2024-08-27	3:20:46 AM	6813	16.7029
2024-08-27	3:21:46 AM	6814	16.7022
2024-08-27	3:22:46 AM	6815	16.7011
2024-08-27	3:23:46 AM	6816	16.7
2024-08-27	3:24:46 AM	6817	16.6982
2024-08-27	3:25:46 AM	6818	16.6943
2024-08-27	3:26:46 AM	6819	16.7007
2024-08-27	3:27:46 AM	6820	16.6997
2024-08-27	3:28:46 AM	6821	16.6983
2024-08-27	3:29:46 AM	6822	16.6972
2024-08-27	3:30:46 AM	6823	16.6952
2024-08-27	3:31:46 AM	6824	16.6927
2024-08-27	3:32:46 AM	6825	16.6784
2024-08-27	3:33:46 AM	6826	16.6966
2024-08-27	3:34:46 AM	6827	16.6953
2024-08-27	3:35:46 AM	6828	16.6944

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	3:36:46 AM	6829	16.693
2024-08-27	3:37:46 AM	6830	16.6917
2024-08-27	3:38:46 AM	6831	16.6888
2024-08-27	3:39:46 AM	6832	16.6765
2024-08-27	3:40:46 AM	6833	16.6927
2024-08-27	3:41:46 AM	6834	16.6912
2024-08-27	3:42:46 AM	6835	16.6905
2024-08-27	3:43:46 AM	6836	16.6889
2024-08-27	3:44:46 AM	6837	16.6871
2024-08-27	3:45:46 AM	6838	16.683
2024-08-27	3:46:46 AM	6839	16.679
2024-08-27	3:47:46 AM	6840	16.689
2024-08-27	3:48:46 AM	6841	16.6877
2024-08-27	3:49:46 AM	6842	16.6864
2024-08-27	3:50:46 AM	6843	16.6845
2024-08-27	3:51:46 AM	6844	16.6808
2024-08-27	3:52:46 AM	6845	16.6818
2024-08-27	3:53:46 AM	6846	16.685
2024-08-27	3:54:46 AM	6847	16.6839
2024-08-27	3:55:46 AM	6848	16.6827
2024-08-27	3:56:46 AM	6849	16.6812
2024-08-27	3:57:46 AM	6850	16.6785
2024-08-27	3:58:46 AM	6851	16.6777
2024-08-27	3:59:46 AM	6852	16.682
2024-08-27	4:00:46 AM	6853	16.6807
2024-08-27	4:01:46 AM	6854	16.6796
2024-08-27	4:02:46 AM	6855	16.6782
2024-08-27	4:03:46 AM	6856	16.6765
2024-08-27	4:04:46 AM	6857	16.674
2024-08-27	4:05:46 AM	6858	16.6624
2024-08-27	4:06:46 AM	6859	16.6775
2024-08-27	4:07:46 AM	6860	16.6766
2024-08-27	4:08:46 AM	6861	16.6754
2024-08-27	4:09:46 AM	6862	16.6741
2024-08-27	4:10:46 AM	6863	16.6714
2024-08-27	4:11:46 AM	6864	16.6583
2024-08-27	4:12:46 AM	6865	16.6757
2024-08-27	4:13:46 AM	6866	16.6746
2024-08-27	4:14:46 AM	6867	16.673
2024-08-27	4:15:46 AM	6868	16.671
2024-08-27	4:16:46 AM	6869	16.6682
2024-08-27	4:17:46 AM	6870	16.6525
2024-08-27	4:18:46 AM	6871	16.6713
2024-08-27	4:19:46 AM	6872	16.67
2024-08-27	4:20:46 AM	6873	16.6684
2024-08-27	4:21:46 AM	6874	16.6666
2024-08-27	4:22:46 AM	6875	16.6357
2024-08-27	4:23:46 AM	6876	16.6333
2024-08-27	4:24:46 AM	6877	16.6294
2024-08-27	4:25:46 AM	6878	16.646
2024-08-27	4:26:46 AM	6879	16.6465
2024-08-27	4:27:46 AM	6880	16.6468
2024-08-27	4:28:46 AM	6881	16.6458
2024-08-27	4:29:46 AM	6882	16.644
2024-08-27	4:30:46 AM	6883	16.6277
2024-08-27	4:31:46 AM	6884	16.6485
2024-08-27	4:32:46 AM	6885	16.6475
2024-08-27	4:33:46 AM	6886	16.6465
2024-08-27	4:34:46 AM	6887	16.6446
2024-08-27	4:35:46 AM	6888	16.6412
2024-08-27	4:36:46 AM	6889	16.6287
2024-08-27	4:37:46 AM	6890	16.6455
2024-08-27	4:38:46 AM	6891	16.6446
2024-08-27	4:39:46 AM	6892	16.6434
2024-08-27	4:40:46 AM	6893	16.6414
2024-08-27	4:41:46 AM	6894	16.6397
2024-08-27	4:42:46 AM	6895	16.6362
2024-08-27	4:43:46 AM	6896	16.6423
2024-08-27	4:44:46 AM	6897	16.6422

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	4:45:46 AM	6898	16.6415
2024-08-27	4:46:46 AM	6899	16.6403
2024-08-27	4:47:46 AM	6900	16.6388
2024-08-27	4:48:46 AM	6901	16.6364
2024-08-27	4:49:46 AM	6902	16.6209
2024-08-27	4:50:46 AM	6903	16.6402
2024-08-27	4:51:46 AM	6904	16.6394
2024-08-27	4:52:46 AM	6905	16.6381
2024-08-27	4:53:46 AM	6906	16.6366
2024-08-27	4:54:46 AM	6907	16.6344
2024-08-27	4:55:46 AM	6908	16.6248
2024-08-27	4:56:46 AM	6909	16.6379
2024-08-27	4:57:46 AM	6910	16.6365
2024-08-27	4:58:46 AM	6911	16.6356
2024-08-27	4:59:46 AM	6912	16.6338
2024-08-27	5:00:46 AM	6913	16.6321
2024-08-27	5:01:46 AM	6914	16.6178
2024-08-27	5:02:46 AM	6915	16.6356
2024-08-27	5:03:46 AM	6916	16.6341
2024-08-27	5:04:46 AM	6917	16.6332
2024-08-27	5:05:46 AM	6918	16.6316
2024-08-27	5:06:46 AM	6919	16.6297
2024-08-27	5:07:46 AM	6920	16.6243
2024-08-27	5:08:46 AM	6921	16.6316
2024-08-27	5:09:46 AM	6922	16.6307
2024-08-27	5:10:46 AM	6923	16.6294
2024-08-27	5:11:46 AM	6924	16.6277
2024-08-27	5:12:46 AM	6925	16.6255
2024-08-27	5:13:46 AM	6926	16.6189
2024-08-27	5:14:46 AM	6927	16.6272
2024-08-27	5:15:46 AM	6928	16.6264
2024-08-27	5:16:46 AM	6929	16.625
2024-08-27	5:17:46 AM	6930	16.6238
2024-08-27	5:18:46 AM	6931	16.621
2024-08-27	5:19:46 AM	6932	16.6094
2024-08-27	5:20:46 AM	6933	16.6236
2024-08-27	5:21:46 AM	6934	16.6225
2024-08-27	5:22:46 AM	6935	16.6215
2024-08-27	5:23:46 AM	6936	16.6199
2024-08-27	5:24:46 AM	6937	16.6176
2024-08-27	5:25:46 AM	6938	16.6153
2024-08-27	5:26:46 AM	6939	16.6052
2024-08-27	5:27:46 AM	6940	16.6186
2024-08-27	5:28:46 AM	6941	16.6175
2024-08-27	5:29:46 AM	6942	16.6161
2024-08-27	5:30:46 AM	6943	16.6141
2024-08-27	5:31:46 AM	6944	16.6117
2024-08-27	5:32:46 AM	6945	16.5987
2024-08-27	5:33:46 AM	6946	16.6148
2024-08-27	5:34:46 AM	6947	16.6136
2024-08-27	5:35:46 AM	6948	16.6123
2024-08-27	5:36:46 AM	6949	16.6104
2024-08-27	5:37:46 AM	6950	16.6075
2024-08-27	5:38:46 AM	6951	16.5924
2024-08-27	5:39:46 AM	6952	16.611
2024-08-27	5:40:46 AM	6953	16.6101
2024-08-27	5:41:46 AM	6954	16.6092
2024-08-27	5:42:46 AM	6955	16.6071
2024-08-27	5:43:46 AM	6956	16.6053
2024-08-27	5:44:46 AM	6957	16.589
2024-08-27	5:45:46 AM	6958	16.6092
2024-08-27	5:46:46 AM	6959	16.6081
2024-08-27	5:47:46 AM	6960	16.607
2024-08-27	5:48:46 AM	6961	16.6053
2024-08-27	5:49:46 AM	6962	16.6029
2024-08-27	5:50:46 AM	6963	16.5992
2024-08-27	5:51:46 AM	6964	16.6078
2024-08-27	5:52:46 AM	6965	16.6048
2024-08-27	5:53:46 AM	6966	16.604

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	5:54:46 AM	6967	16.6027
2024-08-27	5:55:46 AM	6968	16.601
2024-08-27	5:56:46 AM	6969	16.5975
2024-08-27	5:57:46 AM	6970	16.5935
2024-08-27	5:58:46 AM	6971	16.6022
2024-08-27	5:59:46 AM	6972	16.601
2024-08-27	6:00:46 AM	6973	16.5997
2024-08-27	6:01:46 AM	6974	16.598
2024-08-27	6:02:46 AM	6975	16.5938
2024-08-27	6:03:46 AM	6976	16.588
2024-08-27	6:04:46 AM	6977	16.5996
2024-08-27	6:05:46 AM	6978	16.5684
2024-08-27	6:06:46 AM	6979	16.585
2024-08-27	6:07:46 AM	6980	16.5832
2024-08-27	6:08:46 AM	6981	16.5941
2024-08-27	6:09:46 AM	6982	16.5924
2024-08-27	6:10:46 AM	6983	16.5923
2024-08-27	6:11:46 AM	6984	16.5917
2024-08-27	6:12:46 AM	6985	16.5911
2024-08-27	6:13:46 AM	6986	16.5894
2024-08-27	6:14:46 AM	6987	16.569
2024-08-27	6:15:46 AM	6988	16.5935
2024-08-27	6:16:46 AM	6989	16.5927
2024-08-27	6:17:46 AM	6990	16.5913
2024-08-27	6:18:46 AM	6991	16.5645
2024-08-27	6:19:46 AM	6992	16.5878
2024-08-27	6:20:46 AM	6993	16.5701
2024-08-27	6:21:46 AM	6994	16.5814
2024-08-27	6:22:46 AM	6995	16.5816
2024-08-27	6:23:46 AM	6996	16.5799
2024-08-27	6:24:46 AM	6997	16.5656
2024-08-27	6:25:46 AM	6998	16.5863
2024-08-27	6:26:46 AM	6999	16.5863
2024-08-27	6:27:46 AM	7000	16.5857
2024-08-27	6:28:46 AM	7001	16.5845
2024-08-27	6:29:46 AM	7002	16.5699
2024-08-27	6:30:46 AM	7003	16.5782
2024-08-27	6:31:46 AM	7004	16.5782
2024-08-27	6:32:46 AM	7005	16.5641
2024-08-27	6:33:46 AM	7006	16.5839
2024-08-27	6:34:46 AM	7007	16.584
2024-08-27	6:35:46 AM	7008	16.5837
2024-08-27	6:36:46 AM	7009	16.5831
2024-08-27	6:37:46 AM	7010	16.5814
2024-08-27	6:38:46 AM	7011	16.5615
2024-08-27	6:39:46 AM	7012	16.5868
2024-08-27	6:40:46 AM	7013	16.5863
2024-08-27	6:41:46 AM	7014	16.5854
2024-08-27	6:42:46 AM	7015	16.5841
2024-08-27	6:43:46 AM	7016	16.578
2024-08-27	6:44:46 AM	7017	16.5846
2024-08-27	6:45:46 AM	7018	16.5872
2024-08-27	6:46:46 AM	7019	16.5877
2024-08-27	6:47:46 AM	7020	16.587
2024-08-27	6:48:46 AM	7021	16.5851
2024-08-27	6:49:46 AM	7022	16.5274
2024-08-27	6:50:46 AM	7023	16.5132
2024-08-27	6:51:46 AM	7024	16.5028
2024-08-27	6:52:46 AM	7025	16.4851
2024-08-27	6:53:46 AM	7026	16.4478
2024-08-27	6:54:46 AM	7027	16.4304
2024-08-27	6:55:46 AM	7028	16.4475
2024-08-27	6:56:46 AM	7029	16.4392
2024-08-27	6:57:46 AM	7030	16.4362
2024-08-27	6:58:46 AM	7031	16.4381
2024-08-27	6:59:46 AM	7032	16.4235
2024-08-27	7:00:46 AM	7033	16.423
2024-08-27	7:01:46 AM	7034	16.417
2024-08-27	7:02:46 AM	7035	16.4096

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	7:03:46 AM	7036	16.4116
2024-08-27	7:04:46 AM	7037	16.4092
2024-08-27	7:05:46 AM	7038	16.4446
2024-08-27	7:06:46 AM	7039	16.4526
2024-08-27	7:07:46 AM	7040	16.4834
2024-08-27	7:08:46 AM	7041	16.4927
2024-08-27	7:09:46 AM	7042	16.4937
2024-08-27	7:10:46 AM	7043	16.5001
2024-08-27	7:11:46 AM	7044	16.4921
2024-08-27	7:12:46 AM	7045	16.5087
2024-08-27	7:13:46 AM	7046	16.5137
2024-08-27	7:14:46 AM	7047	16.5002
2024-08-27	7:15:46 AM	7048	16.5158
2024-08-27	7:16:46 AM	7049	16.5207
2024-08-27	7:17:46 AM	7050	16.4929
2024-08-27	7:18:46 AM	7051	16.4996
2024-08-27	7:19:46 AM	7052	16.482
2024-08-27	7:20:46 AM	7053	16.4777
2024-08-27	7:21:46 AM	7054	16.505
2024-08-27	7:22:46 AM	7055	16.5105
2024-08-27	7:23:46 AM	7056	16.5144
2024-08-27	7:24:46 AM	7057	16.4829
2024-08-27	7:25:46 AM	7058	16.4908
2024-08-27	7:26:46 AM	7059	16.4965
2024-08-27	7:27:46 AM	7060	16.4593
2024-08-27	7:28:46 AM	7061	16.462
2024-08-27	7:29:46 AM	7062	16.4912
2024-08-27	7:30:46 AM	7063	16.4867
2024-08-27	7:31:46 AM	7064	16.4736
2024-08-27	7:32:46 AM	7065	16.481
2024-08-27	7:33:46 AM	7066	16.4888
2024-08-27	7:34:46 AM	7067	16.4589
2024-08-27	7:35:46 AM	7068	16.4683
2024-08-27	7:36:46 AM	7069	16.4765
2024-08-27	7:37:46 AM	7070	16.4783
2024-08-27	7:38:46 AM	7071	16.4812
2024-08-27	7:39:46 AM	7072	16.5004
2024-08-27	7:40:46 AM	7073	16.5041
2024-08-27	7:41:46 AM	7074	16.5073
2024-08-27	7:42:46 AM	7075	16.5103
2024-08-27	7:43:46 AM	7076	16.5128
2024-08-27	7:44:46 AM	7077	16.5153
2024-08-27	7:45:46 AM	7078	16.5146
2024-08-27	7:46:46 AM	7079	16.4734
2024-08-27	7:47:46 AM	7080	16.5194
2024-08-27	7:48:46 AM	7081	16.5215
2024-08-27	7:49:46 AM	7082	16.5229
2024-08-27	7:50:46 AM	7083	16.5241
2024-08-27	7:51:46 AM	7084	16.5245
2024-08-27	7:52:46 AM	7085	16.518
2024-08-27	7:53:46 AM	7086	16.5321
2024-08-27	7:54:46 AM	7087	16.5335
2024-08-27	7:55:46 AM	7088	16.5345
2024-08-27	7:56:46 AM	7089	16.5346
2024-08-27	7:57:46 AM	7090	16.5356
2024-08-27	7:58:46 AM	7091	16.5362
2024-08-27	7:59:46 AM	7092	16.5366
2024-08-27	8:00:46 AM	7093	16.5365
2024-08-27	8:01:46 AM	7094	16.5365
2024-08-27	8:02:46 AM	7095	16.5346
2024-08-27	8:03:46 AM	7096	16.5104
2024-08-27	8:04:46 AM	7097	16.5481
2024-08-27	8:05:46 AM	7098	16.5518
2024-08-27	8:06:46 AM	7099	16.5184
2024-08-27	8:07:46 AM	7100	16.55
2024-08-27	8:08:46 AM	7101	16.5568
2024-08-27	8:09:46 AM	7102	16.5614
2024-08-27	8:10:46 AM	7103	16.5662
2024-08-27	8:11:46 AM	7104	16.5701

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	8:12:46 AM	7105	16.5687
2024-08-27	8:13:46 AM	7106	16.5729
2024-08-27	8:14:46 AM	7107	16.5919
2024-08-27	8:15:46 AM	7108	16.5973
2024-08-27	8:16:46 AM	7109	16.6027
2024-08-27	8:17:46 AM	7110	16.6076
2024-08-27	8:18:46 AM	7111	16.6123
2024-08-27	8:19:46 AM	7112	16.6181
2024-08-27	8:20:46 AM	7113	16.6215
2024-08-27	8:21:46 AM	7114	16.6251
2024-08-27	8:22:46 AM	7115	16.6216
2024-08-27	8:23:46 AM	7116	16.6157
2024-08-27	8:24:46 AM	7117	16.6459
2024-08-27	8:25:46 AM	7118	16.6515
2024-08-27	8:26:46 AM	7119	16.6569
2024-08-27	8:27:46 AM	7120	16.6619
2024-08-27	8:28:46 AM	7121	16.6667
2024-08-27	8:29:46 AM	7122	16.6713
2024-08-27	8:30:46 AM	7123	16.6423
2024-08-27	8:31:46 AM	7124	16.6514
2024-08-27	8:32:46 AM	7125	16.6597
2024-08-27	8:33:46 AM	7126	16.6607
2024-08-27	8:34:46 AM	7127	16.6812
2024-08-27	8:35:46 AM	7128	16.6877
2024-08-27	8:36:46 AM	7129	16.6938
2024-08-27	8:37:46 AM	7130	16.6995
2024-08-27	8:38:46 AM	7131	16.7042
2024-08-27	8:39:46 AM	7132	16.7084
2024-08-27	8:40:46 AM	7133	16.7143
2024-08-27	8:41:46 AM	7134	16.7115
2024-08-27	8:42:46 AM	7135	16.7295
2024-08-27	8:43:46 AM	7136	16.7345
2024-08-27	8:44:46 AM	7137	16.7397
2024-08-27	8:45:46 AM	7138	16.7449
2024-08-27	8:46:46 AM	7139	16.7504
2024-08-27	8:47:46 AM	7140	16.7555
2024-08-27	8:48:46 AM	7141	16.7598
2024-08-27	8:49:46 AM	7142	16.7629
2024-08-27	8:50:46 AM	7143	16.7579
2024-08-27	8:51:46 AM	7144	16.7786
2024-08-27	8:52:46 AM	7145	16.7825
2024-08-27	8:53:46 AM	7146	16.7874
2024-08-27	8:54:46 AM	7147	16.7919
2024-08-27	8:55:46 AM	7148	16.7971
2024-08-27	8:56:46 AM	7149	16.8014
2024-08-27	8:57:46 AM	7150	16.8064
2024-08-27	8:58:46 AM	7151	16.8104
2024-08-27	8:59:46 AM	7152	16.7945
2024-08-27	9:00:46 AM	7153	16.8224
2024-08-27	9:01:46 AM	7154	16.8302
2024-08-27	9:02:46 AM	7155	16.8363
2024-08-27	9:03:46 AM	7156	16.8417
2024-08-27	9:04:46 AM	7157	16.8473
2024-08-27	9:05:46 AM	7158	16.844
2024-08-27	9:06:46 AM	7159	16.8528
2024-08-27	9:07:46 AM	7160	16.8703
2024-08-27	9:08:46 AM	7161	16.8766
2024-08-27	9:09:46 AM	7162	16.8823
2024-08-27	9:10:46 AM	7163	16.8885
2024-08-27	9:11:46 AM	7164	16.8939
2024-08-27	9:12:46 AM	7165	16.9
2024-08-27	9:13:46 AM	7166	16.9051
2024-08-27	9:14:46 AM	7167	16.9101
2024-08-27	9:15:46 AM	7168	16.9147
2024-08-27	9:16:46 AM	7169	16.9127
2024-08-27	9:17:46 AM	7170	16.9324
2024-08-27	9:18:46 AM	7171	16.938
2024-08-27	9:19:46 AM	7172	16.943
2024-08-27	9:20:46 AM	7173	16.9485

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	9:21:46 AM	7174	16.9532
2024-08-27	9:22:46 AM	7175	16.9574
2024-08-27	9:23:46 AM	7176	16.959
2024-08-27	9:24:46 AM	7177	16.9448
2024-08-27	9:25:46 AM	7178	16.9772
2024-08-27	9:26:46 AM	7179	16.982
2024-08-27	9:27:46 AM	7180	16.9872
2024-08-27	9:28:46 AM	7181	16.9919
2024-08-27	9:29:46 AM	7182	16.996
2024-08-27	9:30:46 AM	7183	16.9999
2024-08-27	9:31:46 AM	7184	17.0037
2024-08-27	9:32:46 AM	7185	17.0075
2024-08-27	9:33:46 AM	7186	17.0103
2024-08-27	9:34:46 AM	7187	17.0138
2024-08-27	9:35:46 AM	7188	17.0251
2024-08-27	9:36:46 AM	7189	17.0294
2024-08-27	9:37:46 AM	7190	17.0332
2024-08-27	9:38:46 AM	7191	17.0378
2024-08-27	9:39:46 AM	7192	17.0415
2024-08-27	9:40:46 AM	7193	17.0447
2024-08-27	9:41:46 AM	7194	17.0477
2024-08-27	9:42:46 AM	7195	17.0493
2024-08-27	9:43:46 AM	7196	17.04
2024-08-27	9:44:46 AM	7197	17.05
2024-08-27	9:45:46 AM	7198	17.0584
2024-08-27	9:46:46 AM	7199	17.0634
2024-08-27	9:47:46 AM	7200	17.068
2024-08-27	9:48:46 AM	7201	17.0712
2024-08-27	9:49:46 AM	7202	17.0731
2024-08-27	9:50:46 AM	7203	17.0632
2024-08-27	9:51:46 AM	7204	17.0864
2024-08-27	9:52:46 AM	7205	17.0892
2024-08-27	9:53:46 AM	7206	17.0927
2024-08-27	9:54:46 AM	7207	17.0961
2024-08-27	9:55:46 AM	7208	17.0794
2024-08-27	9:56:46 AM	7209	17.0993
2024-08-27	9:57:46 AM	7210	17.1043
2024-08-27	9:58:46 AM	7211	17.108
2024-08-27	9:59:46 AM	7212	17.1117
2024-08-27	10:00:46 AM	7213	17.1149
2024-08-27	10:01:46 AM	7214	17.1173
2024-08-27	10:02:46 AM	7215	17.1132
2024-08-27	10:03:46 AM	7216	17.1296
2024-08-27	10:04:46 AM	7217	17.1332
2024-08-27	10:05:46 AM	7218	17.1366
2024-08-27	10:06:46 AM	7219	17.1396
2024-08-27	10:07:46 AM	7220	17.1425
2024-08-27	10:08:46 AM	7221	17.145
2024-08-27	10:09:46 AM	7222	17.1458
2024-08-27	10:10:46 AM	7223	17.145
2024-08-27	10:11:46 AM	7224	17.1366
2024-08-27	10:12:46 AM	7225	17.1593
2024-08-27	10:13:46 AM	7226	17.1614
2024-08-27	10:14:46 AM	7227	17.1637
2024-08-27	10:15:46 AM	7228	17.1663
2024-08-27	10:16:46 AM	7229	17.1685
2024-08-27	10:17:46 AM	7230	17.1708
2024-08-27	10:18:46 AM	7231	17.1729
2024-08-27	10:19:46 AM	7232	17.1748
2024-08-27	10:20:46 AM	7233	17.1764
2024-08-27	10:21:46 AM	7234	17.1741
2024-08-27	10:22:46 AM	7235	17.1697
2024-08-27	10:23:46 AM	7236	17.1888
2024-08-27	10:24:46 AM	7237	17.1917
2024-08-27	10:25:46 AM	7238	17.1945
2024-08-27	10:26:46 AM	7239	17.1966
2024-08-27	10:27:46 AM	7240	17.1997
2024-08-27	10:28:46 AM	7241	17.201
2024-08-27	10:29:46 AM	7242	17.2019

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	10:30:46 AM	7243	17.1961
2024-08-27	10:31:46 AM	7244	17.2115
2024-08-27	10:32:46 AM	7245	17.2139
2024-08-27	10:33:46 AM	7246	17.2157
2024-08-27	10:34:46 AM	7247	17.2181
2024-08-27	10:35:46 AM	7248	17.2194
2024-08-27	10:36:46 AM	7249	17.2209
2024-08-27	10:37:46 AM	7250	17.2215
2024-08-27	10:38:46 AM	7251	17.2213
2024-08-27	10:39:46 AM	7252	17.2128
2024-08-27	10:40:46 AM	7253	17.2337
2024-08-27	10:41:46 AM	7254	17.2361
2024-08-27	10:42:46 AM	7255	17.2382
2024-08-27	10:43:46 AM	7256	17.2416
2024-08-27	10:44:46 AM	7257	17.2431
2024-08-27	10:45:46 AM	7258	17.2443
2024-08-27	10:46:46 AM	7259	17.2464
2024-08-27	10:47:46 AM	7260	17.247
2024-08-27	10:48:46 AM	7261	17.2121
2024-08-27	10:49:46 AM	7262	17.198
2024-08-27	10:50:46 AM	7263	17.2017
2024-08-27	10:51:46 AM	7264	17.2012
2024-08-27	10:52:46 AM	7265	17.1849
2024-08-27	10:53:46 AM	7266	17.2018
2024-08-27	10:54:46 AM	7267	17.2172
2024-08-27	10:55:46 AM	7268	17.2282
2024-08-27	10:56:46 AM	7269	17.2355
2024-08-27	10:57:46 AM	7270	17.2412
2024-08-27	10:58:46 AM	7271	17.2458
2024-08-27	10:59:46 AM	7272	17.2497
2024-08-27	11:00:46 AM	7273	17.2529
2024-08-27	11:01:46 AM	7274	17.2557
2024-08-27	11:02:46 AM	7275	17.2566
2024-08-27	11:03:46 AM	7276	17.2562
2024-08-27	11:04:46 AM	7277	17.2614
2024-08-27	11:05:46 AM	7278	17.2714
2024-08-27	11:06:46 AM	7279	17.2742
2024-08-27	11:07:46 AM	7280	17.2769
2024-08-27	11:08:46 AM	7281	17.2793
2024-08-27	11:09:46 AM	7282	17.2818
2024-08-27	11:10:46 AM	7283	17.2839
2024-08-27	11:11:46 AM	7284	17.2847
2024-08-27	11:12:46 AM	7285	17.285
2024-08-27	11:13:46 AM	7286	17.2821
2024-08-27	11:14:46 AM	7287	17.2932
2024-08-27	11:15:46 AM	7288	17.2965
2024-08-27	11:16:46 AM	7289	17.2986
2024-08-27	11:17:46 AM	7290	17.3006
2024-08-27	11:18:46 AM	7291	17.3016
2024-08-27	11:19:46 AM	7292	17.3038
2024-08-27	11:20:46 AM	7293	17.305
2024-08-27	11:21:46 AM	7294	17.3043
2024-08-27	11:22:46 AM	7295	17.289
2024-08-27	11:23:46 AM	7296	17.3158
2024-08-27	11:24:46 AM	7297	17.2751
2024-08-27	11:25:46 AM	7298	17.2985
2024-08-27	11:26:46 AM	7299	17.3011
2024-08-27	11:27:46 AM	7300	17.2948
2024-08-27	11:28:46 AM	7301	17.3141
2024-08-27	11:29:46 AM	7302	17.294
2024-08-27	11:30:46 AM	7303	17.3116
2024-08-27	11:31:46 AM	7304	17.313
2024-08-27	11:32:46 AM	7305	17.3134
2024-08-27	11:33:46 AM	7306	17.3137
2024-08-27	11:34:46 AM	7307	17.3144
2024-08-27	11:35:46 AM	7308	17.3134
2024-08-27	11:36:46 AM	7309	17.3076
2024-08-27	11:37:46 AM	7310	17.3036
2024-08-27	11:38:46 AM	7311	17.3207

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	11:39:46 AM	7312	17.3217
2024-08-27	11:40:46 AM	7313	17.3227
2024-08-27	11:41:46 AM	7314	17.3244
2024-08-27	11:42:46 AM	7315	17.3258
2024-08-27	11:43:46 AM	7316	17.3275
2024-08-27	11:44:46 AM	7317	17.3277
2024-08-27	11:45:46 AM	7318	17.3231
2024-08-27	11:46:46 AM	7319	17.3105
2024-08-27	11:47:46 AM	7320	17.3376
2024-08-27	11:48:46 AM	7321	17.3386
2024-08-27	11:49:46 AM	7322	17.3404
2024-08-27	11:50:46 AM	7323	17.341
2024-08-27	11:51:46 AM	7324	17.342
2024-08-27	11:52:46 AM	7325	17.3416
2024-08-27	11:53:46 AM	7326	17.3417
2024-08-27	11:54:46 AM	7327	17.3399
2024-08-27	11:55:46 AM	7328	17.3305
2024-08-27	11:56:46 AM	7329	17.3501
2024-08-27	11:57:46 AM	7330	17.3512
2024-08-27	11:58:46 AM	7331	17.3525
2024-08-27	11:59:46 AM	7332	17.3534
2024-08-27	12:00:46 PM	7333	17.3542
2024-08-27	12:01:46 PM	7334	17.3547
2024-08-27	12:02:46 PM	7335	17.3255
2024-08-27	12:03:46 PM	7336	17.3201
2024-08-27	12:04:46 PM	7337	17.3273
2024-08-27	12:05:46 PM	7338	17.3432
2024-08-27	12:06:46 PM	7339	17.3463
2024-08-27	12:07:46 PM	7340	17.3496
2024-08-27	12:08:46 PM	7341	17.3517
2024-08-27	12:09:46 PM	7342	17.3539
2024-08-27	12:10:46 PM	7343	17.356
2024-08-27	12:11:46 PM	7344	17.3575
2024-08-27	12:12:46 PM	7345	17.3581
2024-08-27	12:13:46 PM	7346	17.3619
2024-08-27	12:14:46 PM	7347	17.3678
2024-08-27	12:15:46 PM	7348	17.3699
2024-08-27	12:16:46 PM	7349	17.3714
2024-08-27	12:17:46 PM	7350	17.3727
2024-08-27	12:18:46 PM	7351	17.3741
2024-08-27	12:19:46 PM	7352	17.3756
2024-08-27	12:20:46 PM	7353	17.3764
2024-08-27	12:21:46 PM	7354	17.3783
2024-08-27	12:22:46 PM	7355	17.3752
2024-08-27	12:23:46 PM	7356	17.3566
2024-08-27	12:24:46 PM	7357	17.3853
2024-08-27	12:25:46 PM	7358	17.3865
2024-08-27	12:26:46 PM	7359	17.3872
2024-08-27	12:27:46 PM	7360	17.388
2024-08-27	12:28:46 PM	7361	17.3893
2024-08-27	12:29:46 PM	7362	17.3891
2024-08-27	12:30:46 PM	7363	17.3894
2024-08-27	12:31:46 PM	7364	17.389
2024-08-27	12:32:46 PM	7365	17.3914
2024-08-27	12:33:46 PM	7366	17.3985
2024-08-27	12:34:46 PM	7367	17.401
2024-08-27	12:35:46 PM	7368	17.401
2024-08-27	12:36:46 PM	7369	17.4022
2024-08-27	12:37:46 PM	7370	17.4026
2024-08-27	12:38:46 PM	7371	17.4029
2024-08-27	12:39:46 PM	7372	17.4032
2024-08-27	12:40:46 PM	7373	17.403
2024-08-27	12:41:46 PM	7374	17.3943
2024-08-27	12:42:46 PM	7375	17.4082
2024-08-27	12:43:46 PM	7376	17.411
2024-08-27	12:44:46 PM	7377	17.4119
2024-08-27	12:45:46 PM	7378	17.4127
2024-08-27	12:46:46 PM	7379	17.4131
2024-08-27	12:47:46 PM	7380	17.4147

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	12:48:46 PM	7381	17.4134
2024-08-27	12:49:46 PM	7382	17.4117
2024-08-27	12:50:46 PM	7383	17.3924
2024-08-27	12:51:46 PM	7384	17.4203
2024-08-27	12:52:46 PM	7385	17.4205
2024-08-27	12:53:46 PM	7386	17.4208
2024-08-27	12:54:46 PM	7387	17.4204
2024-08-27	12:55:46 PM	7388	17.4199
2024-08-27	12:56:46 PM	7389	17.4196
2024-08-27	12:57:46 PM	7390	17.4189
2024-08-27	12:58:46 PM	7391	17.4215
2024-08-27	12:59:46 PM	7392	17.4176
2024-08-27	1:00:46 PM	7393	17.4262
2024-08-27	1:01:46 PM	7394	17.4264
2024-08-27	1:02:46 PM	7395	17.427
2024-08-27	1:03:46 PM	7396	17.4275
2024-08-27	1:04:46 PM	7397	17.4274
2024-08-27	1:05:46 PM	7398	17.4273
2024-08-27	1:06:46 PM	7399	17.4264
2024-08-27	1:07:46 PM	7400	17.4231
2024-08-27	1:08:46 PM	7401	17.4127
2024-08-27	1:09:46 PM	7402	17.4329
2024-08-27	1:10:46 PM	7403	17.4334
2024-08-27	1:11:46 PM	7404	17.4215
2024-08-27	1:12:46 PM	7405	17.418
2024-08-27	1:13:46 PM	7406	17.4257
2024-08-27	1:14:46 PM	7407	17.4278
2024-08-27	1:15:46 PM	7408	17.4282
2024-08-27	1:16:46 PM	7409	17.4284
2024-08-27	1:17:46 PM	7410	17.4283
2024-08-27	1:18:46 PM	7411	17.4272
2024-08-27	1:19:46 PM	7412	17.4187
2024-08-27	1:20:46 PM	7413	17.4076
2024-08-27	1:21:46 PM	7414	17.4212
2024-08-27	1:22:46 PM	7415	17.4189
2024-08-27	1:23:46 PM	7416	17.4148
2024-08-27	1:24:46 PM	7417	17.4293
2024-08-27	1:25:46 PM	7418	17.4302
2024-08-27	1:26:46 PM	7419	17.4293
2024-08-27	1:27:46 PM	7420	17.3965
2024-08-27	1:28:46 PM	7421	17.4208
2024-08-27	1:29:46 PM	7422	17.4219
2024-08-27	1:30:46 PM	7423	17.4252
2024-08-27	1:31:46 PM	7424	17.4111
2024-08-27	1:32:46 PM	7425	17.4307
2024-08-27	1:33:46 PM	7426	17.4312
2024-08-27	1:34:46 PM	7427	17.4317
2024-08-27	1:35:46 PM	7428	17.4318
2024-08-27	1:36:46 PM	7429	17.4318
2024-08-27	1:37:46 PM	7430	17.4312
2024-08-27	1:38:46 PM	7431	17.4133
2024-08-27	1:39:46 PM	7432	17.3958
2024-08-27	1:40:46 PM	7433	17.4082
2024-08-27	1:41:46 PM	7434	17.4121
2024-08-27	1:42:46 PM	7435	17.4147
2024-08-27	1:43:46 PM	7436	17.4172
2024-08-27	1:44:46 PM	7437	17.4181
2024-08-27	1:45:46 PM	7438	17.4179
2024-08-27	1:46:46 PM	7439	17.4171
2024-08-27	1:47:46 PM	7440	17.4039
2024-08-27	1:48:46 PM	7441	17.3906
2024-08-27	1:49:46 PM	7442	17.3964
2024-08-27	1:50:46 PM	7443	17.3878
2024-08-27	1:51:46 PM	7444	17.3542
2024-08-27	1:52:46 PM	7445	17.3763
2024-08-27	1:53:46 PM	7446	17.3843
2024-08-27	1:54:46 PM	7447	17.3565
2024-08-27	1:55:46 PM	7448	17.3383
2024-08-27	1:56:46 PM	7449	17.3707

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	1:57:46 PM	7450	17.3781
2024-08-27	1:58:46 PM	7451	17.3833
2024-08-27	1:59:46 PM	7452	17.3869
2024-08-27	2:00:46 PM	7453	17.3834
2024-08-27	2:01:46 PM	7454	17.3893
2024-08-27	2:02:46 PM	7455	17.366
2024-08-27	2:03:46 PM	7456	17.3745
2024-08-27	2:04:46 PM	7457	17.3808
2024-08-27	2:05:46 PM	7458	17.3862
2024-08-27	2:06:46 PM	7459	17.3911
2024-08-27	2:07:46 PM	7460	17.3931
2024-08-27	2:08:46 PM	7461	17.3885
2024-08-27	2:09:46 PM	7462	17.3881
2024-08-27	2:10:46 PM	7463	17.4068
2024-08-27	2:11:46 PM	7464	17.4088
2024-08-27	2:12:46 PM	7465	17.4074
2024-08-27	2:13:46 PM	7466	17.3788
2024-08-27	2:14:46 PM	7467	17.3855
2024-08-27	2:15:46 PM	7468	17.3911
2024-08-27	2:16:46 PM	7469	17.3915
2024-08-27	2:17:46 PM	7470	17.395
2024-08-27	2:18:46 PM	7471	17.3954
2024-08-27	2:19:46 PM	7472	17.4086
2024-08-27	2:20:46 PM	7473	17.4101
2024-08-27	2:21:46 PM	7474	17.4122
2024-08-27	2:22:46 PM	7475	17.4142
2024-08-27	2:23:46 PM	7476	17.4153
2024-08-27	2:24:46 PM	7477	17.416
2024-08-27	2:25:46 PM	7478	17.4155
2024-08-27	2:26:46 PM	7479	17.4139
2024-08-27	2:27:46 PM	7480	17.4115
2024-08-27	2:28:46 PM	7481	17.3947
2024-08-27	2:29:46 PM	7482	17.4169
2024-08-27	2:30:46 PM	7483	17.4167
2024-08-27	2:31:46 PM	7484	17.4126
2024-08-27	2:32:46 PM	7485	17.4149
2024-08-27	2:33:46 PM	7486	17.415
2024-08-27	2:34:46 PM	7487	17.4157
2024-08-27	2:35:46 PM	7488	17.4157
2024-08-27	2:36:46 PM	7489	17.4145
2024-08-27	2:37:46 PM	7490	17.4136
2024-08-27	2:38:46 PM	7491	17.4123
2024-08-27	2:39:46 PM	7492	17.4028
2024-08-27	2:40:46 PM	7493	17.4165
2024-08-27	2:41:46 PM	7494	17.42
2024-08-27	2:42:46 PM	7495	17.4208
2024-08-27	2:43:46 PM	7496	17.4216
2024-08-27	2:44:46 PM	7497	17.4223
2024-08-27	2:45:46 PM	7498	17.4227
2024-08-27	2:46:46 PM	7499	17.4233
2024-08-27	2:47:46 PM	7500	17.4232
2024-08-27	2:48:46 PM	7501	17.4224
2024-08-27	2:49:46 PM	7502	17.42
2024-08-27	2:50:46 PM	7503	17.4306
2024-08-27	2:51:46 PM	7504	17.4313
2024-08-27	2:52:46 PM	7505	17.4322
2024-08-27	2:53:46 PM	7506	17.4329
2024-08-27	2:54:46 PM	7507	17.4336
2024-08-27	2:55:46 PM	7508	17.4335
2024-08-27	2:56:46 PM	7509	17.4325
2024-08-27	2:57:46 PM	7510	17.419
2024-08-27	2:58:46 PM	7511	17.4389
2024-08-27	2:59:46 PM	7512	17.4397
2024-08-27	3:00:46 PM	7513	17.4404
2024-08-27	3:01:46 PM	7514	17.4407
2024-08-27	3:02:46 PM	7515	17.4411
2024-08-27	3:03:46 PM	7516	17.4401
2024-08-27	3:04:46 PM	7517	17.4401
2024-08-27	3:05:46 PM	7518	17.4393

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	3:06:46 PM	7519	17.4362
2024-08-27	3:07:46 PM	7520	17.4337
2024-08-27	3:08:46 PM	7521	17.4464
2024-08-27	3:09:46 PM	7522	17.4468
2024-08-27	3:10:46 PM	7523	17.4472
2024-08-27	3:11:46 PM	7524	17.4469
2024-08-27	3:12:46 PM	7525	17.4469
2024-08-27	3:13:46 PM	7526	17.4468
2024-08-27	3:14:46 PM	7527	17.4454
2024-08-27	3:15:46 PM	7528	17.4426
2024-08-27	3:16:46 PM	7529	17.4515
2024-08-27	3:17:46 PM	7530	17.4519
2024-08-27	3:18:46 PM	7531	17.4522
2024-08-27	3:19:46 PM	7532	17.4522
2024-08-27	3:20:46 PM	7533	17.4519
2024-08-27	3:21:46 PM	7534	17.4515
2024-08-27	3:22:46 PM	7535	17.4495
2024-08-27	3:23:46 PM	7536	17.4413
2024-08-27	3:24:46 PM	7537	17.4532
2024-08-27	3:25:46 PM	7538	17.4542
2024-08-27	3:26:46 PM	7539	17.4532
2024-08-27	3:27:46 PM	7540	17.4532
2024-08-27	3:28:46 PM	7541	17.4526
2024-08-27	3:29:46 PM	7542	17.4527
2024-08-27	3:30:46 PM	7543	17.453
2024-08-27	3:31:46 PM	7544	17.4531
2024-08-27	3:32:46 PM	7545	17.452
2024-08-27	3:33:46 PM	7546	17.4503
2024-08-27	3:34:46 PM	7547	17.4432
2024-08-27	3:35:46 PM	7548	17.4555
2024-08-27	3:36:46 PM	7549	17.4577
2024-08-27	3:37:46 PM	7550	17.4583
2024-08-27	3:38:46 PM	7551	17.4586
2024-08-27	3:39:46 PM	7552	17.4589
2024-08-27	3:40:46 PM	7553	17.4595
2024-08-27	3:41:46 PM	7554	17.4588
2024-08-27	3:42:46 PM	7555	17.4576
2024-08-27	3:43:46 PM	7556	17.453
2024-08-27	3:44:46 PM	7557	17.4445
2024-08-27	3:45:46 PM	7558	17.4629
2024-08-27	3:46:46 PM	7559	17.4623
2024-08-27	3:47:46 PM	7560	17.4626
2024-08-27	3:48:46 PM	7561	17.4626
2024-08-27	3:49:46 PM	7562	17.4616
2024-08-27	3:50:46 PM	7563	17.4608
2024-08-27	3:51:46 PM	7564	17.4564
2024-08-27	3:52:46 PM	7565	17.4446
2024-08-27	3:53:46 PM	7566	17.4644
2024-08-27	3:54:46 PM	7567	17.4646
2024-08-27	3:55:46 PM	7568	17.4509
2024-08-27	3:56:46 PM	7569	17.4583
2024-08-27	3:57:46 PM	7570	17.4589
2024-08-27	3:58:46 PM	7571	17.4592
2024-08-27	3:59:46 PM	7572	17.4595
2024-08-27	4:00:46 PM	7573	17.4594
2024-08-27	4:01:46 PM	7574	17.4582
2024-08-27	4:02:46 PM	7575	17.4544
2024-08-27	4:03:46 PM	7576	17.4445
2024-08-27	4:04:46 PM	7577	17.4641
2024-08-27	4:05:46 PM	7578	17.4638
2024-08-27	4:06:46 PM	7579	17.4501
2024-08-27	4:07:46 PM	7580	17.452
2024-08-27	4:08:46 PM	7581	17.4382
2024-08-27	4:09:46 PM	7582	17.4619
2024-08-27	4:10:46 PM	7583	17.4608
2024-08-27	4:11:46 PM	7584	17.4605
2024-08-27	4:12:46 PM	7585	17.461
2024-08-27	4:13:46 PM	7586	17.4272
2024-08-27	4:14:46 PM	7587	17.4306

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	4:15:46 PM	7588	17.4269
2024-08-27	4:16:46 PM	7589	17.4372
2024-08-27	4:17:46 PM	7590	17.4462
2024-08-27	4:18:46 PM	7591	17.4475
2024-08-27	4:19:46 PM	7592	17.4507
2024-08-27	4:20:46 PM	7593	17.4508
2024-08-27	4:21:46 PM	7594	17.4515
2024-08-27	4:22:46 PM	7595	17.4398
2024-08-27	4:23:46 PM	7596	17.4517
2024-08-27	4:24:46 PM	7597	17.4531
2024-08-27	4:25:46 PM	7598	17.4543
2024-08-27	4:26:46 PM	7599	17.4551
2024-08-27	4:27:46 PM	7600	17.4561
2024-08-27	4:28:46 PM	7601	17.4559
2024-08-27	4:29:46 PM	7602	17.4565
2024-08-27	4:30:46 PM	7603	17.4553
2024-08-27	4:31:46 PM	7604	17.4452
2024-08-27	4:32:46 PM	7605	17.4402
2024-08-27	4:33:46 PM	7606	17.4612
2024-08-27	4:34:46 PM	7607	17.4619
2024-08-27	4:35:46 PM	7608	17.4462
2024-08-27	4:36:46 PM	7609	17.4625
2024-08-27	4:37:46 PM	7610	17.4638
2024-08-27	4:38:46 PM	7611	17.4618
2024-08-27	4:39:46 PM	7612	17.4604
2024-08-27	4:40:46 PM	7613	17.4505
2024-08-27	4:41:46 PM	7614	17.4661
2024-08-27	4:42:46 PM	7615	17.4658
2024-08-27	4:43:46 PM	7616	17.4662
2024-08-27	4:44:46 PM	7617	17.4663
2024-08-27	4:45:46 PM	7618	17.4657
2024-08-27	4:46:46 PM	7619	17.4658
2024-08-27	4:47:46 PM	7620	17.4656
2024-08-27	4:48:46 PM	7621	17.4655
2024-08-27	4:49:46 PM	7622	17.4622
2024-08-27	4:50:46 PM	7623	17.4434
2024-08-27	4:51:46 PM	7624	17.4307
2024-08-27	4:52:46 PM	7625	17.4411
2024-08-27	4:53:46 PM	7626	17.4322
2024-08-27	4:54:46 PM	7627	17.4566
2024-08-27	4:55:46 PM	7628	17.4509
2024-08-27	4:56:46 PM	7629	17.4472
2024-08-27	4:57:46 PM	7630	17.4576
2024-08-27	4:58:46 PM	7631	17.4482
2024-08-27	4:59:46 PM	7632	17.4548
2024-08-27	5:00:46 PM	7633	17.4526
2024-08-27	5:01:46 PM	7634	17.4437
2024-08-27	5:02:46 PM	7635	17.4651
2024-08-27	5:03:46 PM	7636	17.4667
2024-08-27	5:04:46 PM	7637	17.4663
2024-08-27	5:05:46 PM	7638	17.4672
2024-08-27	5:06:46 PM	7639	17.4559
2024-08-27	5:07:46 PM	7640	17.4642
2024-08-27	5:08:46 PM	7641	17.4658
2024-08-27	5:09:46 PM	7642	17.4467
2024-08-27	5:10:46 PM	7643	17.4676
2024-08-27	5:11:46 PM	7644	17.4451
2024-08-27	5:12:46 PM	7645	17.4617
2024-08-27	5:13:46 PM	7646	17.4464
2024-08-27	5:14:46 PM	7647	17.4653
2024-08-27	5:15:46 PM	7648	17.4652
2024-08-27	5:16:46 PM	7649	17.4577
2024-08-27	5:17:46 PM	7650	17.4468
2024-08-27	5:18:46 PM	7651	17.4473
2024-08-27	5:19:46 PM	7652	17.4435
2024-08-27	5:20:46 PM	7653	17.4634
2024-08-27	5:21:46 PM	7654	17.4566
2024-08-27	5:22:46 PM	7655	17.4614
2024-08-27	5:23:46 PM	7656	17.4729

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	5:24:46 PM	7657	17.4741
2024-08-27	5:25:46 PM	7658	17.4745
2024-08-27	5:26:46 PM	7659	17.4748
2024-08-27	5:27:46 PM	7660	17.4753
2024-08-27	5:28:46 PM	7661	17.4749
2024-08-27	5:29:46 PM	7662	17.4741
2024-08-27	5:30:46 PM	7663	17.4602
2024-08-27	5:31:46 PM	7664	17.4795
2024-08-27	5:32:46 PM	7665	17.4797
2024-08-27	5:33:46 PM	7666	17.4515
2024-08-27	5:34:46 PM	7667	17.4716
2024-08-27	5:35:46 PM	7668	17.4738
2024-08-27	5:36:46 PM	7669	17.4757
2024-08-27	5:37:46 PM	7670	17.477
2024-08-27	5:38:46 PM	7671	17.4769
2024-08-27	5:39:46 PM	7672	17.4776
2024-08-27	5:40:46 PM	7673	17.4779
2024-08-27	5:41:46 PM	7674	17.477
2024-08-27	5:42:46 PM	7675	17.4779
2024-08-27	5:43:46 PM	7676	17.4633
2024-08-27	5:44:46 PM	7677	17.4833
2024-08-27	5:45:46 PM	7678	17.4836
2024-08-27	5:46:46 PM	7679	17.4829
2024-08-27	5:47:46 PM	7680	17.4833
2024-08-27	5:48:46 PM	7681	17.4829
2024-08-27	5:49:46 PM	7682	17.4824
2024-08-27	5:50:46 PM	7683	17.4561
2024-08-27	5:51:46 PM	7684	17.4789
2024-08-27	5:52:46 PM	7685	17.4819
2024-08-27	5:53:46 PM	7686	17.4817
2024-08-27	5:54:46 PM	7687	17.4819
2024-08-27	5:55:46 PM	7688	17.4814
2024-08-27	5:56:46 PM	7689	17.4738
2024-08-27	5:57:46 PM	7690	17.4887
2024-08-27	5:58:46 PM	7691	17.4878
2024-08-27	5:59:46 PM	7692	17.4888
2024-08-27	6:00:46 PM	7693	17.489
2024-08-27	6:01:46 PM	7694	17.4893
2024-08-27	6:02:46 PM	7695	17.4894
2024-08-27	6:03:46 PM	7696	17.4892
2024-08-27	6:04:46 PM	7697	17.488
2024-08-27	6:05:46 PM	7698	17.4827
2024-08-27	6:06:46 PM	7699	17.4726
2024-08-27	6:07:46 PM	7700	17.4946
2024-08-27	6:08:46 PM	7701	17.4947
2024-08-27	6:09:46 PM	7702	17.4951
2024-08-27	6:10:46 PM	7703	17.4947
2024-08-27	6:11:46 PM	7704	17.4949
2024-08-27	6:12:46 PM	7705	17.4943
2024-08-27	6:13:46 PM	7706	17.4935
2024-08-27	6:14:46 PM	7707	17.4807
2024-08-27	6:15:46 PM	7708	17.4705
2024-08-27	6:16:46 PM	7709	17.492
2024-08-27	6:17:46 PM	7710	17.4932
2024-08-27	6:18:46 PM	7711	17.4938
2024-08-27	6:19:46 PM	7712	17.4929
2024-08-27	6:20:46 PM	7713	17.4741
2024-08-27	6:21:46 PM	7714	17.5001
2024-08-27	6:22:46 PM	7715	17.5003
2024-08-27	6:23:46 PM	7716	17.5012
2024-08-27	6:24:46 PM	7717	17.501
2024-08-27	6:25:46 PM	7718	17.5012
2024-08-27	6:26:46 PM	7719	17.5013
2024-08-27	6:27:46 PM	7720	17.5012
2024-08-27	6:28:46 PM	7721	17.501
2024-08-27	6:29:46 PM	7722	17.4936
2024-08-27	6:30:46 PM	7723	17.5046
2024-08-27	6:31:46 PM	7724	17.506
2024-08-27	6:32:46 PM	7725	17.506

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	6:33:46 PM	7726	17.5053
2024-08-27	6:34:46 PM	7727	17.5051
2024-08-27	6:35:46 PM	7728	17.5047
2024-08-27	6:36:46 PM	7729	17.504
2024-08-27	6:37:46 PM	7730	17.5031
2024-08-27	6:38:46 PM	7731	17.4921
2024-08-27	6:39:46 PM	7732	17.5079
2024-08-27	6:40:46 PM	7733	17.4974
2024-08-27	6:41:46 PM	7734	17.5038
2024-08-27	6:42:46 PM	7735	17.5048
2024-08-27	6:43:46 PM	7736	17.5052
2024-08-27	6:44:46 PM	7737	17.5046
2024-08-27	6:45:46 PM	7738	17.496
2024-08-27	6:46:46 PM	7739	17.5115
2024-08-27	6:47:46 PM	7740	17.512
2024-08-27	6:48:46 PM	7741	17.5127
2024-08-27	6:49:46 PM	7742	17.5131
2024-08-27	6:50:46 PM	7743	17.513
2024-08-27	6:51:46 PM	7744	17.5129
2024-08-27	6:52:46 PM	7745	17.5123
2024-08-27	6:53:46 PM	7746	17.5115
2024-08-27	6:54:46 PM	7747	17.5049
2024-08-27	6:55:46 PM	7748	17.5182
2024-08-27	6:56:46 PM	7749	17.5182
2024-08-27	6:57:46 PM	7750	17.5186
2024-08-27	6:58:46 PM	7751	17.5188
2024-08-27	6:59:46 PM	7752	17.4921
2024-08-27	7:00:46 PM	7753	17.5001
2024-08-27	7:01:46 PM	7754	17.5037
2024-08-27	7:02:46 PM	7755	17.5166
2024-08-27	7:03:46 PM	7756	17.5174
2024-08-27	7:04:46 PM	7757	17.518
2024-08-27	7:05:46 PM	7758	17.5186
2024-08-27	7:06:46 PM	7759	17.5186
2024-08-27	7:07:46 PM	7760	17.5182
2024-08-27	7:08:46 PM	7761	17.5127
2024-08-27	7:09:46 PM	7762	17.5069
2024-08-27	7:10:46 PM	7763	17.5244
2024-08-27	7:11:46 PM	7764	17.5248
2024-08-27	7:12:46 PM	7765	17.5251
2024-08-27	7:13:46 PM	7766	17.5251
2024-08-27	7:14:46 PM	7767	17.525
2024-08-27	7:15:46 PM	7768	17.5247
2024-08-27	7:16:46 PM	7769	17.524
2024-08-27	7:17:46 PM	7770	17.5215
2024-08-27	7:18:46 PM	7771	17.5119
2024-08-27	7:19:46 PM	7772	17.5299
2024-08-27	7:20:46 PM	7773	17.5298
2024-08-27	7:21:46 PM	7774	17.5299
2024-08-27	7:22:46 PM	7775	17.5298
2024-08-27	7:23:46 PM	7776	17.5294
2024-08-27	7:24:46 PM	7777	17.5289
2024-08-27	7:25:46 PM	7778	17.5271
2024-08-27	7:26:46 PM	7779	17.5246
2024-08-27	7:27:46 PM	7780	17.5239
2024-08-27	7:28:46 PM	7781	17.5325
2024-08-27	7:29:46 PM	7782	17.5332
2024-08-27	7:30:46 PM	7783	17.533
2024-08-27	7:31:46 PM	7784	17.5324
2024-08-27	7:32:46 PM	7785	17.5313
2024-08-27	7:33:46 PM	7786	17.505
2024-08-27	7:34:46 PM	7787	17.5035
2024-08-27	7:35:46 PM	7788	17.504
2024-08-27	7:36:46 PM	7789	17.5109
2024-08-27	7:37:46 PM	7790	17.4881
2024-08-27	7:38:46 PM	7791	17.5151
2024-08-27	7:39:46 PM	7792	17.5189
2024-08-27	7:40:46 PM	7793	17.5211
2024-08-27	7:41:46 PM	7794	17.5221

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	7:42:46 PM	7795	17.521
2024-08-27	7:43:46 PM	7796	17.5184
2024-08-27	7:44:46 PM	7797	17.5299
2024-08-27	7:45:46 PM	7798	17.5311
2024-08-27	7:46:46 PM	7799	17.532
2024-08-27	7:47:46 PM	7800	17.533
2024-08-27	7:48:46 PM	7801	17.5334
2024-08-27	7:49:46 PM	7802	17.5342
2024-08-27	7:50:46 PM	7803	17.5336
2024-08-27	7:51:46 PM	7804	17.5331
2024-08-27	7:52:46 PM	7805	17.5231
2024-08-27	7:53:46 PM	7806	17.5378
2024-08-27	7:54:46 PM	7807	17.5376
2024-08-27	7:55:46 PM	7808	17.5375
2024-08-27	7:56:46 PM	7809	17.5376
2024-08-27	7:57:46 PM	7810	17.5376
2024-08-27	7:58:46 PM	7811	17.5371
2024-08-27	7:59:46 PM	7812	17.5357
2024-08-27	8:00:46 PM	7813	17.5237
2024-08-27	8:01:46 PM	7814	17.5265
2024-08-27	8:02:46 PM	7815	17.5419
2024-08-27	8:03:46 PM	7816	17.542
2024-08-27	8:04:46 PM	7817	17.5421
2024-08-27	8:05:46 PM	7818	17.5421
2024-08-27	8:06:46 PM	7819	17.5422
2024-08-27	8:07:46 PM	7820	17.5417
2024-08-27	8:08:46 PM	7821	17.5413
2024-08-27	8:09:46 PM	7822	17.5401
2024-08-27	8:10:46 PM	7823	17.5404
2024-08-27	8:11:46 PM	7824	17.5321
2024-08-27	8:12:46 PM	7825	17.5117
2024-08-27	8:13:46 PM	7826	17.5358
2024-08-27	8:14:46 PM	7827	17.5371
2024-08-27	8:15:46 PM	7828	17.5359
2024-08-27	8:16:46 PM	7829	17.5432
2024-08-27	8:17:46 PM	7830	17.5444
2024-08-27	8:18:46 PM	7831	17.5444
2024-08-27	8:19:46 PM	7832	17.5443
2024-08-27	8:20:46 PM	7833	17.5444
2024-08-27	8:21:46 PM	7834	17.5432
2024-08-27	8:22:46 PM	7835	17.5402
2024-08-27	8:23:46 PM	7836	17.5327
2024-08-27	8:24:46 PM	7837	17.5486
2024-08-27	8:25:46 PM	7838	17.5488
2024-08-27	8:26:46 PM	7839	17.5489
2024-08-27	8:27:46 PM	7840	17.5491
2024-08-27	8:28:46 PM	7841	17.5492
2024-08-27	8:29:46 PM	7842	17.5493
2024-08-27	8:30:46 PM	7843	17.5484
2024-08-27	8:31:46 PM	7844	17.5445
2024-08-27	8:32:46 PM	7845	17.5534
2024-08-27	8:33:46 PM	7846	17.5555
2024-08-27	8:34:46 PM	7847	17.5557
2024-08-27	8:35:46 PM	7848	17.5561
2024-08-27	8:36:46 PM	7849	17.5558
2024-08-27	8:37:46 PM	7850	17.5554
2024-08-27	8:38:46 PM	7851	17.554
2024-08-27	8:39:46 PM	7852	17.5512
2024-08-27	8:40:46 PM	7853	17.5376
2024-08-27	8:41:46 PM	7854	17.5597
2024-08-27	8:42:46 PM	7855	17.5593
2024-08-27	8:43:46 PM	7856	17.5592
2024-08-27	8:44:46 PM	7857	17.5588
2024-08-27	8:45:46 PM	7858	17.5586
2024-08-27	8:46:46 PM	7859	17.5569
2024-08-27	8:47:46 PM	7860	17.5433
2024-08-27	8:48:46 PM	7861	17.563
2024-08-27	8:49:46 PM	7862	17.5632
2024-08-27	8:50:46 PM	7863	17.5635

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	8:51:46 PM	7864	17.5632
2024-08-27	8:52:46 PM	7865	17.5629
2024-08-27	8:53:46 PM	7866	17.5622
2024-08-27	8:54:46 PM	7867	17.5609
2024-08-27	8:55:46 PM	7868	17.5573
2024-08-27	8:56:46 PM	7869	17.5498
2024-08-27	8:57:46 PM	7870	17.5668
2024-08-27	8:58:46 PM	7871	17.5652
2024-08-27	8:59:46 PM	7872	17.5655
2024-08-27	9:00:46 PM	7873	17.5646
2024-08-27	9:01:46 PM	7874	17.5639
2024-08-27	9:02:46 PM	7875	17.5642
2024-08-27	9:03:46 PM	7876	17.5629
2024-08-27	9:04:46 PM	7877	17.5676
2024-08-27	9:05:46 PM	7878	17.5675
2024-08-27	9:06:46 PM	7879	17.5672
2024-08-27	9:07:46 PM	7880	17.5668
2024-08-27	9:08:46 PM	7881	17.567
2024-08-27	9:09:46 PM	7882	17.5649
2024-08-27	9:10:46 PM	7883	17.5538
2024-08-27	9:11:46 PM	7884	17.571
2024-08-27	9:12:46 PM	7885	17.5713
2024-08-27	9:13:46 PM	7886	17.5714
2024-08-27	9:14:46 PM	7887	17.5714
2024-08-27	9:15:46 PM	7888	17.5711
2024-08-27	9:16:46 PM	7889	17.5701
2024-08-27	9:17:46 PM	7890	17.5692
2024-08-27	9:18:46 PM	7891	17.5662
2024-08-27	9:19:46 PM	7892	17.5597
2024-08-27	9:20:46 PM	7893	17.5735
2024-08-27	9:21:46 PM	7894	17.5735
2024-08-27	9:22:46 PM	7895	17.5728
2024-08-27	9:23:46 PM	7896	17.5725
2024-08-27	9:24:46 PM	7897	17.572
2024-08-27	9:25:46 PM	7898	17.5709
2024-08-27	9:26:46 PM	7899	17.5692
2024-08-27	9:27:46 PM	7900	17.5556
2024-08-27	9:28:46 PM	7901	17.5743
2024-08-27	9:29:46 PM	7902	17.5737
2024-08-27	9:30:46 PM	7903	17.573
2024-08-27	9:31:46 PM	7904	17.5724
2024-08-27	9:32:46 PM	7905	17.5715
2024-08-27	9:33:46 PM	7906	17.5694
2024-08-27	9:34:46 PM	7907	17.5611
2024-08-27	9:35:46 PM	7908	17.5585
2024-08-27	9:36:46 PM	7909	17.573
2024-08-27	9:37:46 PM	7910	17.5723
2024-08-27	9:38:46 PM	7911	17.5718
2024-08-27	9:39:46 PM	7912	17.571
2024-08-27	9:40:46 PM	7913	17.57
2024-08-27	9:41:46 PM	7914	17.5686
2024-08-27	9:42:46 PM	7915	17.5668
2024-08-27	9:43:46 PM	7916	17.5518
2024-08-27	9:44:46 PM	7917	17.5717
2024-08-27	9:45:46 PM	7918	17.5711
2024-08-27	9:46:46 PM	7919	17.5706
2024-08-27	9:47:46 PM	7920	17.5705
2024-08-27	9:48:46 PM	7921	17.5691
2024-08-27	9:49:46 PM	7922	17.5679
2024-08-27	9:50:46 PM	7923	17.567
2024-08-27	9:51:46 PM	7924	17.5565
2024-08-27	9:52:46 PM	7925	17.5708
2024-08-27	9:53:46 PM	7926	17.5704
2024-08-27	9:54:46 PM	7927	17.5697
2024-08-27	9:55:46 PM	7928	17.5685
2024-08-27	9:56:46 PM	7929	17.5674
2024-08-27	9:57:46 PM	7930	17.5653
2024-08-27	9:58:46 PM	7931	17.5628
2024-08-27	9:59:46 PM	7932	17.5576

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	10:00:46 PM	7933	17.5698
2024-08-27	10:01:46 PM	7934	17.5691
2024-08-27	10:02:46 PM	7935	17.5687
2024-08-27	10:03:46 PM	7936	17.5677
2024-08-27	10:04:46 PM	7937	17.5661
2024-08-27	10:05:46 PM	7938	17.5652
2024-08-27	10:06:46 PM	7939	17.5637
2024-08-27	10:07:46 PM	7940	17.561
2024-08-27	10:08:46 PM	7941	17.5539
2024-08-27	10:09:46 PM	7942	17.5675
2024-08-27	10:10:46 PM	7943	17.5674
2024-08-27	10:11:46 PM	7944	17.5658
2024-08-27	10:12:46 PM	7945	17.566
2024-08-27	10:13:46 PM	7946	17.5648
2024-08-27	10:14:46 PM	7947	17.5639
2024-08-27	10:15:46 PM	7948	17.561
2024-08-27	10:16:46 PM	7949	17.555
2024-08-27	10:17:46 PM	7950	17.5674
2024-08-27	10:18:46 PM	7951	17.5671
2024-08-27	10:19:46 PM	7952	17.5668
2024-08-27	10:20:46 PM	7953	17.5665
2024-08-27	10:21:46 PM	7954	17.5656
2024-08-27	10:22:46 PM	7955	17.5641
2024-08-27	10:23:46 PM	7956	17.5617
2024-08-27	10:24:46 PM	7957	17.5693
2024-08-27	10:25:46 PM	7958	17.5692
2024-08-27	10:26:46 PM	7959	17.5691
2024-08-27	10:27:46 PM	7960	17.5691
2024-08-27	10:28:46 PM	7961	17.5686
2024-08-27	10:29:46 PM	7962	17.5682
2024-08-27	10:30:46 PM	7963	17.5675
2024-08-27	10:31:46 PM	7964	17.5655
2024-08-27	10:32:46 PM	7965	17.5499
2024-08-27	10:33:46 PM	7966	17.5726
2024-08-27	10:34:46 PM	7967	17.5726
2024-08-27	10:35:46 PM	7968	17.5721
2024-08-27	10:36:46 PM	7969	17.5718
2024-08-27	10:37:46 PM	7970	17.5716
2024-08-27	10:38:46 PM	7971	17.5709
2024-08-27	10:39:46 PM	7972	17.5692
2024-08-27	10:40:46 PM	7973	17.5579
2024-08-27	10:41:46 PM	7974	17.5744
2024-08-27	10:42:46 PM	7975	17.5741
2024-08-27	10:43:46 PM	7976	17.574
2024-08-27	10:44:46 PM	7977	17.5739
2024-08-27	10:45:46 PM	7978	17.5731
2024-08-27	10:46:46 PM	7979	17.5715
2024-08-27	10:47:46 PM	7980	17.5678
2024-08-27	10:48:46 PM	7981	17.5497
2024-08-27	10:49:46 PM	7982	17.5758
2024-08-27	10:50:46 PM	7983	17.5758
2024-08-27	10:51:46 PM	7984	17.5756
2024-08-27	10:52:46 PM	7985	17.5757
2024-08-27	10:53:46 PM	7986	17.5752
2024-08-27	10:54:46 PM	7987	17.5745
2024-08-27	10:55:46 PM	7988	17.5736
2024-08-27	10:56:46 PM	7989	17.5693
2024-08-27	10:57:46 PM	7990	17.5584
2024-08-27	10:58:46 PM	7991	17.5784
2024-08-27	10:59:46 PM	7992	17.5781
2024-08-27	11:00:46 PM	7993	17.578
2024-08-27	11:01:46 PM	7994	17.5779
2024-08-27	11:02:46 PM	7995	17.5771
2024-08-27	11:03:46 PM	7996	17.5763
2024-08-27	11:04:46 PM	7997	17.5736
2024-08-27	11:05:46 PM	7998	17.5545
2024-08-27	11:06:46 PM	7999	17.5817
2024-08-27	11:07:46 PM	8000	17.5813
2024-08-27	11:08:46 PM	8001	17.5809

Data Logger Measurements
September 22 - 28, 2024

2024-08-27	11:09:46 PM	8002	17.5803
2024-08-27	11:10:46 PM	8003	17.5798
2024-08-27	11:11:46 PM	8004	17.5791
2024-08-27	11:12:46 PM	8005	17.5774
2024-08-27	11:13:46 PM	8006	17.5573
2024-08-27	11:14:46 PM	8007	17.5719
2024-08-27	11:15:46 PM	8008	17.5736
2024-08-27	11:16:46 PM	8009	17.5741
2024-08-27	11:17:46 PM	8010	17.6074
2024-08-27	11:18:46 PM	8011	17.5739
2024-08-27	11:19:46 PM	8012	17.582
2024-08-27	11:20:46 PM	8013	17.5824
2024-08-27	11:21:46 PM	8014	17.5825
2024-08-27	11:22:46 PM	8015	17.5828
2024-08-27	11:23:46 PM	8016	17.5833
2024-08-27	11:24:46 PM	8017	17.5834
2024-08-27	11:25:46 PM	8018	17.5832
2024-08-27	11:26:46 PM	8019	17.5725
2024-08-27	11:27:46 PM	8020	17.5834
2024-08-27	11:28:46 PM	8021	17.5901
2024-08-27	11:29:46 PM	8022	17.5904
2024-08-27	11:30:46 PM	8023	17.5906
2024-08-27	11:31:46 PM	8024	17.5905
2024-08-27	11:32:46 PM	8025	17.5899
2024-08-27	11:33:46 PM	8026	17.588
2024-08-27	11:34:46 PM	8027	17.5862
2024-08-27	11:35:46 PM	8028	17.5785
2024-08-27	11:36:46 PM	8029	17.5938
2024-08-27	11:37:46 PM	8030	17.5936
2024-08-27	11:38:46 PM	8031	17.5932
2024-08-27	11:39:46 PM	8032	17.5933
2024-08-27	11:40:46 PM	8033	17.5931
2024-08-27	11:41:46 PM	8034	17.5929
2024-08-27	11:42:46 PM	8035	17.5922
2024-08-27	11:43:46 PM	8036	17.5908
2024-08-27	11:44:46 PM	8037	17.5887
2024-08-27	11:45:46 PM	8038	17.5829
2024-08-27	11:46:46 PM	8039	17.5973
2024-08-27	11:47:46 PM	8040	17.5966
2024-08-27	11:48:46 PM	8041	17.5969
2024-08-27	11:49:46 PM	8042	17.5969
2024-08-27	11:50:46 PM	8043	17.5964
2024-08-27	11:51:46 PM	8044	17.5951
2024-08-27	11:52:46 PM	8045	17.5928
2024-08-27	11:53:46 PM	8046	17.5826
2024-08-27	11:54:46 PM	8047	17.6003
2024-08-27	11:55:46 PM	8048	17.6004
2024-08-27	11:56:46 PM	8049	17.6001
2024-08-27	11:57:46 PM	8050	17.6004
2024-08-27	11:58:46 PM	8051	17.6002
2024-08-27	11:59:46 PM	8052	17.5999
2024-08-28	12:00:46 AM	8053	17.599
2024-08-28	12:01:46 AM	8054	17.5929
2024-08-28	12:02:46 AM	8055	17.5855
2024-08-28	12:03:46 AM	8056	17.6042
2024-08-28	12:04:46 AM	8057	17.6039
2024-08-28	12:05:46 AM	8058	17.6038
2024-08-28	12:06:46 AM	8059	17.6036
2024-08-28	12:07:46 AM	8060	17.6035
2024-08-28	12:08:46 AM	8061	17.6031
2024-08-28	12:09:46 AM	8062	17.6017
2024-08-28	12:10:46 AM	8063	17.5863
2024-08-28	12:11:46 AM	8064	17.6086
2024-08-28	12:12:46 AM	8065	17.6085
2024-08-28	12:13:46 AM	8066	17.6088
2024-08-28	12:14:46 AM	8067	17.6083
2024-08-28	12:15:46 AM	8068	17.6077
2024-08-28	12:16:46 AM	8069	17.6063
2024-08-28	12:17:46 AM	8070	17.6033

Data Logger Measurements
September 22 - 28, 2024

2024-08-28	12:18:46 AM	8071	17.5885
2024-08-28	12:19:46 AM	8072	17.6116
2024-08-28	12:20:46 AM	8073	17.611
2024-08-28	12:21:46 AM	8074	17.6106
2024-08-28	12:22:46 AM	8075	17.6107
2024-08-28	12:23:46 AM	8076	17.6109
2024-08-28	12:24:46 AM	8077	17.568
2024-08-28	12:25:46 AM	8078	17.5514
2024-08-28	12:26:46 AM	8079	17.5821
2024-08-28	12:27:46 AM	8080	17.588
2024-08-28	12:28:46 AM	8081	17.5899
2024-08-28	12:29:46 AM	8082	17.5652
2024-08-28	12:30:46 AM	8083	17.5834
2024-08-28	12:31:46 AM	8084	17.5888
2024-08-28	12:32:46 AM	8085	17.5743
2024-08-28	12:33:46 AM	8086	17.5993
2024-08-28	12:34:46 AM	8087	17.601
2024-08-28	12:35:46 AM	8088	17.6019
2024-08-28	12:36:46 AM	8089	17.6031
2024-08-28	12:37:46 AM	8090	17.6032
2024-08-28	12:38:46 AM	8091	17.6023
2024-08-28	12:39:46 AM	8092	17.6029
2024-08-28	12:40:46 AM	8093	17.5949
2024-08-28	12:41:46 AM	8094	17.6087
2024-08-28	12:42:46 AM	8095	17.6091
2024-08-28	12:43:46 AM	8096	17.6097
2024-08-28	12:44:46 AM	8097	17.6106
2024-08-28	12:45:46 AM	8098	17.6103
2024-08-28	12:46:46 AM	8099	17.6101
2024-08-28	12:47:46 AM	8100	17.6089
2024-08-28	12:48:46 AM	8101	17.6062
2024-08-28	12:49:46 AM	8102	17.5942
2024-08-28	12:50:46 AM	8103	17.615
2024-08-28	12:51:46 AM	8104	17.6155
2024-08-28	12:52:46 AM	8105	17.6151
2024-08-28	12:53:46 AM	8106	17.6147
2024-08-28	12:54:46 AM	8107	17.6148
2024-08-28	12:55:46 AM	8108	17.5807
2024-08-28	12:56:46 AM	8109	17.6107
2024-08-28	12:57:46 AM	8110	17.6115
2024-08-28	12:58:46 AM	8111	17.612
2024-08-28	12:59:46 AM	8112	17.6117
2024-08-28	1:00:46 AM	8113	17.6097
2024-08-28	1:01:46 AM	8114	17.5933
2024-08-28	1:02:46 AM	8115	17.6178
2024-08-28	1:03:46 AM	8116	17.6188
2024-08-28	1:04:46 AM	8117	17.6192
2024-08-28	1:05:46 AM	8118	17.6188
2024-08-28	1:06:46 AM	8119	17.6196
2024-08-28	1:07:46 AM	8120	17.6193
2024-08-28	1:08:46 AM	8121	17.6192
2024-08-28	1:09:46 AM	8122	17.6176
2024-08-28	1:10:46 AM	8123	17.609
2024-08-28	1:11:46 AM	8124	17.6233
2024-08-28	1:12:46 AM	8125	17.6233
2024-08-28	1:13:46 AM	8126	17.6229
2024-08-28	1:14:46 AM	8127	17.623
2024-08-28	1:15:46 AM	8128	17.6226
2024-08-28	1:16:46 AM	8129	17.622
2024-08-28	1:17:46 AM	8130	17.6211
2024-08-28	1:18:46 AM	8131	17.6152
2024-08-28	1:19:46 AM	8132	17.6256
2024-08-28	1:20:46 AM	8133	17.6263
2024-08-28	1:21:46 AM	8134	17.6256
2024-08-28	1:22:46 AM	8135	17.6259
2024-08-28	1:23:46 AM	8136	17.6259
2024-08-28	1:24:46 AM	8137	17.6254
2024-08-28	1:25:46 AM	8138	17.6236
2024-08-28	1:26:46 AM	8139	17.6178

Data Logger Measurements
September 22 - 28, 2024

2024-08-28	1:27:46 AM	8140	17.6296
2024-08-28	1:28:46 AM	8141	17.6298
2024-08-28	1:29:46 AM	8142	17.6303
2024-08-28	1:30:46 AM	8143	17.6305
2024-08-28	1:31:46 AM	8144	17.629
2024-08-28	1:32:46 AM	8145	17.6298
2024-08-28	1:33:46 AM	8146	17.6278
2024-08-28	1:34:46 AM	8147	17.6282
2024-08-28	1:35:46 AM	8148	17.62
2024-08-28	1:36:46 AM	8149	17.6341
2024-08-28	1:37:46 AM	8150	17.6332
2024-08-28	1:38:46 AM	8151	17.6329
2024-08-28	1:39:46 AM	8152	17.6331
2024-08-28	1:40:46 AM	8153	17.6333
2024-08-28	1:41:46 AM	8154	17.6326
2024-08-28	1:42:46 AM	8155	17.6307
2024-08-28	1:43:46 AM	8156	17.6217
2024-08-28	1:44:46 AM	8157	17.636
2024-08-28	1:45:46 AM	8158	17.6362
2024-08-28	1:46:46 AM	8159	17.6362
2024-08-28	1:47:46 AM	8160	17.6352
2024-08-28	1:48:46 AM	8161	17.6344
2024-08-28	1:49:46 AM	8162	17.6332
2024-08-28	1:50:46 AM	8163	17.632
2024-08-28	1:51:46 AM	8164	17.6298
2024-08-28	1:52:46 AM	8165	17.6207
2024-08-28	1:53:46 AM	8166	17.6375
2024-08-28	1:54:46 AM	8167	17.6369
2024-08-28	1:55:46 AM	8168	17.6378
2024-08-28	1:56:46 AM	8169	17.6381
2024-08-28	1:57:46 AM	8170	17.6377
2024-08-28	1:58:46 AM	8171	17.6375
2024-08-28	1:59:46 AM	8172	17.6374
2024-08-28	2:00:46 AM	8173	17.6351
2024-08-28	2:01:46 AM	8174	17.617
2024-08-28	2:02:46 AM	8175	17.6413
2024-08-28	2:03:46 AM	8176	17.642
2024-08-28	2:04:46 AM	8177	17.6419
2024-08-28	2:05:46 AM	8178	17.6421
2024-08-28	2:06:46 AM	8179	17.6418
2024-08-28	2:07:46 AM	8180	17.6401
2024-08-28	2:08:46 AM	8181	17.6367
2024-08-28	2:09:46 AM	8182	17.6131
2024-08-28	2:10:46 AM	8183	17.6432
2024-08-28	2:11:46 AM	8184	17.6422
2024-08-28	2:12:46 AM	8185	17.6419
2024-08-28	2:13:46 AM	8186	17.6412
2024-08-28	2:14:46 AM	8187	17.6406
2024-08-28	2:15:46 AM	8188	17.6398
2024-08-28	2:16:46 AM	8189	17.639
2024-08-28	2:17:46 AM	8190	17.6385
2024-08-28	2:18:46 AM	8191	17.6287
2024-08-28	2:19:46 AM	8192	17.6385
2024-08-28	2:20:46 AM	8193	17.6391
2024-08-28	2:21:46 AM	8194	17.6385
2024-08-28	2:22:46 AM	8195	17.6372
2024-08-28	2:23:46 AM	8196	17.6367
2024-08-28	2:24:46 AM	8197	17.6357
2024-08-28	2:25:46 AM	8198	17.6336
2024-08-28	2:26:46 AM	8199	17.6285
2024-08-28	2:27:46 AM	8200	17.6089
2024-08-28	2:28:46 AM	8201	17.6352
2024-08-28	2:29:46 AM	8202	17.6349
2024-08-28	2:30:46 AM	8203	17.6341
2024-08-28	2:31:46 AM	8204	17.6329
2024-08-28	2:32:46 AM	8205	17.6323
2024-08-28	2:33:46 AM	8206	17.6316
2024-08-28	2:34:46 AM	8207	17.6283
2024-08-28	2:35:46 AM	8208	17.6189

Data Logger Measurements
September 22 - 28, 2024

2024-08-28	2:36:46 AM	8209	17.6354
2024-08-28	2:37:46 AM	8210	17.6353
2024-08-28	2:38:46 AM	8211	17.6354
2024-08-28	2:39:46 AM	8212	17.6348
2024-08-28	2:40:46 AM	8213	17.6344
2024-08-28	2:41:46 AM	8214	17.6328
2024-08-28	2:42:46 AM	8215	17.6309
2024-08-28	2:43:46 AM	8216	17.6277
2024-08-28	2:44:46 AM	8217	17.6201
2024-08-28	2:45:46 AM	8218	17.6325
2024-08-28	2:46:46 AM	8219	17.6321
2024-08-28	2:47:46 AM	8220	17.6314
2024-08-28	2:48:46 AM	8221	17.6304
2024-08-28	2:49:46 AM	8222	17.6284
2024-08-28	2:50:46 AM	8223	17.6268
2024-08-28	2:51:46 AM	8224	17.6228
2024-08-28	2:52:46 AM	8225	17.607
2024-08-28	2:53:46 AM	8226	17.6275
2024-08-28	2:54:46 AM	8227	17.6261
2024-08-28	2:55:46 AM	8228	17.6249
2024-08-28	2:56:46 AM	8229	17.6242
2024-08-28	2:57:46 AM	8230	17.6232
2024-08-28	2:58:46 AM	8231	17.6219
2024-08-28	2:59:46 AM	8232	17.6206
2024-08-28	3:00:46 AM	8233	17.6193
2024-08-28	3:01:46 AM	8234	17.6025
2024-08-28	3:02:46 AM	8235	17.6255
2024-08-28	3:03:46 AM	8236	17.626
2024-08-28	3:04:46 AM	8237	17.6261
2024-08-28	3:05:46 AM	8238	17.6256
2024-08-28	3:06:46 AM	8239	17.625
2024-08-28	3:07:46 AM	8240	17.6252
2024-08-28	3:08:46 AM	8241	17.6232
2024-08-28	3:09:46 AM	8242	17.6098
2024-08-28	3:10:46 AM	8243	17.6291
2024-08-28	3:11:46 AM	8244	17.6286
2024-08-28	3:12:46 AM	8245	17.6293
2024-08-28	3:13:46 AM	8246	17.6289
2024-08-28	3:14:46 AM	8247	17.6283
2024-08-28	3:15:46 AM	8248	17.6275
2024-08-28	3:16:46 AM	8249	17.6263
2024-08-28	3:17:46 AM	8250	17.6088
2024-08-28	3:18:46 AM	8251	17.6316
2024-08-28	3:19:46 AM	8252	17.6319
2024-08-28	3:20:46 AM	8253	17.6314
2024-08-28	3:21:46 AM	8254	17.6313
2024-08-28	3:22:46 AM	8255	17.6302
2024-08-28	3:23:46 AM	8256	17.6296
2024-08-28	3:24:46 AM	8257	17.6294
2024-08-28	3:25:46 AM	8258	17.6272
2024-08-28	3:26:46 AM	8259	17.622
2024-08-28	3:27:46 AM	8260	17.6078
2024-08-28	3:28:46 AM	8261	17.6324
2024-08-28	3:29:46 AM	8262	17.6322
2024-08-28	3:30:46 AM	8263	17.6314
2024-08-28	3:31:46 AM	8264	17.6317
2024-08-28	3:32:46 AM	8265	17.6308
2024-08-28	3:33:46 AM	8266	17.6304
2024-08-28	3:34:46 AM	8267	17.6288
2024-08-28	3:35:46 AM	8268	17.6113
2024-08-28	3:36:46 AM	8269	17.6364
2024-08-28	3:37:46 AM	8270	17.6347
2024-08-28	3:38:46 AM	8271	17.6343
2024-08-28	3:39:46 AM	8272	17.6347
2024-08-28	3:40:46 AM	8273	17.6345
2024-08-28	3:41:46 AM	8274	17.6337
2024-08-28	3:42:46 AM	8275	17.633
2024-08-28	3:43:46 AM	8276	17.6255
2024-08-28	3:44:46 AM	8277	17.617

Data Logger Measurements
September 22 - 28, 2024

2024-08-28	3:45:46 AM	8278	17.6389
2024-08-28	3:46:46 AM	8279	17.639
2024-08-28	3:47:46 AM	8280	17.6382
2024-08-28	3:48:46 AM	8281	17.6385
2024-08-28	3:49:46 AM	8282	17.6381
2024-08-28	3:50:46 AM	8283	17.6364
2024-08-28	3:51:46 AM	8284	17.6354
2024-08-28	3:52:46 AM	8285	17.6296
2024-08-28	3:53:46 AM	8286	17.6407
2024-08-28	3:54:46 AM	8287	17.6403
2024-08-28	3:55:46 AM	8288	17.6404
2024-08-28	3:56:46 AM	8289	17.6398
2024-08-28	3:57:46 AM	8290	17.6392
2024-08-28	3:58:46 AM	8291	17.6389
2024-08-28	3:59:46 AM	8292	17.637
2024-08-28	4:00:46 AM	8293	17.6207
2024-08-28	4:01:46 AM	8294	17.6429
2024-08-28	4:02:46 AM	8295	17.6429
2024-08-28	4:03:46 AM	8296	17.643
2024-08-28	4:04:46 AM	8297	17.643
2024-08-28	4:05:46 AM	8298	17.6428
2024-08-28	4:06:46 AM	8299	17.6426
2024-08-28	4:07:46 AM	8300	17.6424
2024-08-28	4:08:46 AM	8301	17.6405
2024-08-28	4:09:46 AM	8302	17.6349
2024-08-28	4:10:46 AM	8303	17.619
2024-08-28	4:11:46 AM	8304	17.5977
2024-08-28	4:12:46 AM	8305	17.5941
2024-08-28	4:13:46 AM	8306	17.5871
2024-08-28	4:14:46 AM	8307	17.5801
2024-08-28	4:15:46 AM	8308	17.5746
2024-08-28	4:16:46 AM	8309	17.5689
2024-08-28	4:17:46 AM	8310	17.5649
2024-08-28	4:18:46 AM	8311	17.5622
2024-08-28	4:19:46 AM	8312	17.5647
2024-08-28	4:20:46 AM	8313	17.584
2024-08-28	4:21:46 AM	8314	17.594
2024-08-28	4:22:46 AM	8315	17.5945
2024-08-28	4:23:46 AM	8316	17.6033
2024-08-28	4:24:46 AM	8317	17.5869
2024-08-28	4:25:46 AM	8318	17.6073
2024-08-28	4:26:46 AM	8319	17.6113
2024-08-28	4:27:46 AM	8320	17.6078
2024-08-28	4:28:46 AM	8321	17.6135
2024-08-28	4:29:46 AM	8322	17.583
2024-08-28	4:30:46 AM	8323	17.6139
2024-08-28	4:31:46 AM	8324	17.6178
2024-08-28	4:32:46 AM	8325	17.611
2024-08-28	4:33:46 AM	8326	17.6193
2024-08-28	4:34:46 AM	8327	17.6105
2024-08-28	4:35:46 AM	8328	17.6184
2024-08-28	4:36:46 AM	8329	17.6226
2024-08-28	4:37:46 AM	8330	17.603
2024-08-28	4:38:46 AM	8331	17.6225
2024-08-28	4:39:46 AM	8332	17.6256
2024-08-28	4:40:46 AM	8333	17.6202
2024-08-28	4:41:46 AM	8334	17.6253
2024-08-28	4:42:46 AM	8335	17.6034
2024-08-28	4:43:46 AM	8336	17.6244
2024-08-28	4:44:46 AM	8337	17.6396
2024-08-28	4:45:46 AM	8338	17.6234
2024-08-28	4:46:46 AM	8339	17.6263
2024-08-28	4:47:46 AM	8340	17.6197
2024-08-28	4:48:46 AM	8341	17.6242
2024-08-28	4:49:46 AM	8342	17.6109
2024-08-28	4:50:46 AM	8343	17.6217
2024-08-28	4:51:46 AM	8344	17.6236
2024-08-28	4:52:46 AM	8345	17.619
2024-08-28	4:53:46 AM	8346	17.6225

Data Logger Measurements
September 22 - 28, 2024

2024-08-28	4:54:46 AM	8347	17.6153
2024-08-28	4:55:46 AM	8348	17.6213
2024-08-28	4:56:46 AM	8349	17.6146
2024-08-28	4:57:46 AM	8350	17.6187
2024-08-28	4:58:46 AM	8351	17.6211
2024-08-28	4:59:46 AM	8352	17.6112
2024-08-28	5:00:46 AM	8353	17.6193
2024-08-28	5:01:46 AM	8354	17.6121
2024-08-28	5:02:46 AM	8355	17.6171
2024-08-28	5:03:46 AM	8356	17.6187
2024-08-28	5:04:46 AM	8357	17.614
2024-08-28	5:05:46 AM	8358	17.6171
2024-08-28	5:06:46 AM	8359	17.6116
2024-08-28	5:07:46 AM	8360	17.6156
2024-08-28	5:08:46 AM	8361	17.6008
2024-08-28	5:09:46 AM	8362	17.613
2024-08-28	5:10:46 AM	8363	17.6156
2024-08-28	5:11:46 AM	8364	17.6108
2024-08-28	5:12:46 AM	8365	17.614
2024-08-28	5:13:46 AM	8366	17.6047
2024-08-28	5:14:46 AM	8367	17.6111
2024-08-28	5:15:46 AM	8368	17.5892
2024-08-28	5:16:46 AM	8369	17.6087
2024-08-28	5:17:46 AM	8370	17.6106
2024-08-28	5:18:46 AM	8371	17.6038
2024-08-28	5:19:46 AM	8372	17.6079
2024-08-28	5:20:46 AM	8373	17.5917
2024-08-28	5:21:46 AM	8374	17.6042
2024-08-28	5:22:46 AM	8375	17.6062
2024-08-28	5:23:46 AM	8376	17.6005
2024-08-28	5:24:46 AM	8377	17.6067
2024-08-28	5:25:46 AM	8378	17.5948
2024-08-28	5:26:46 AM	8379	17.604
2024-08-28	5:27:46 AM	8380	17.5981
2024-08-28	5:28:46 AM	8381	17.6035
2024-08-28	5:29:46 AM	8382	17.6075
2024-08-28	5:30:46 AM	8383	17.6025
2024-08-28	5:31:46 AM	8384	17.6079
2024-08-28	5:32:46 AM	8385	17.5867
2024-08-28	5:33:46 AM	8386	17.6072
2024-08-28	5:34:46 AM	8387	17.6085
2024-08-28	5:35:46 AM	8388	17.6056
2024-08-28	5:36:46 AM	8389	17.6094
2024-08-28	5:37:46 AM	8390	17.5992
2024-08-28	5:38:46 AM	8391	17.6097
2024-08-28	5:39:46 AM	8392	17.6127
2024-08-28	5:40:46 AM	8393	17.6083
2024-08-28	5:41:46 AM	8394	17.6116
2024-08-28	5:42:46 AM	8395	17.6018
2024-08-28	5:43:46 AM	8396	17.6116
2024-08-28	5:44:46 AM	8397	17.6017
2024-08-28	5:45:46 AM	8398	17.611
2024-08-28	5:46:46 AM	8399	17.6144
2024-08-28	5:47:46 AM	8400	17.6102
2024-08-28	5:48:46 AM	8401	17.6138
2024-08-28	5:49:46 AM	8402	17.6042
2024-08-28	5:50:46 AM	8403	17.6131
2024-08-28	5:51:46 AM	8404	17.5994
2024-08-28	5:52:46 AM	8405	17.613
2024-08-28	5:53:46 AM	8406	17.6161
2024-08-28	5:54:46 AM	8407	17.6125
2024-08-28	5:55:46 AM	8408	17.6168
2024-08-28	5:56:46 AM	8409	17.6066
2024-08-28	5:57:46 AM	8410	17.6174
2024-08-28	5:58:46 AM	8411	17.5942
2024-08-28	5:59:46 AM	8412	17.6178
2024-08-28	6:00:46 AM	8413	17.6215
2024-08-28	6:01:46 AM	8414	17.6154
2024-08-28	6:02:46 AM	8415	17.6208

Data Logger Measurements
September 22 - 28, 2024

2024-08-28	6:03:46 AM	8416	17.6054	
2024-08-28	6:04:46 AM	8417	17.6198	
2024-08-28	6:05:46 AM	8418	17.6239	
2024-08-28	6:06:46 AM	8419	17.6161	
2024-08-28	6:07:46 AM	8420	17.5968	
2024-08-28	6:08:46 AM	8421	17.5884	
2024-08-28	6:09:46 AM	8422	17.5731	
2024-08-28	6:10:46 AM	8423	17.569	
2024-08-28	6:11:46 AM	8424	17.5648	
2024-08-28	6:12:46 AM	8425	17.5521	
2024-08-28	6:13:46 AM	8426	17.5586	
2024-08-28	6:14:46 AM	8427	17.559	
2024-08-28	6:15:46 AM	8428	17.5412	
2024-08-28	6:16:46 AM	8429	17.5459	
2024-08-28	6:17:46 AM	8430	17.5675	
2024-08-28	6:18:46 AM	8431	17.5541	
2024-08-28	6:19:46 AM	8432	17.5857	
2024-08-28	6:20:46 AM	8433	17.5842	
2024-08-28	6:21:46 AM	8434	17.5943	
2024-08-28	6:22:46 AM	8435	17.5944	
2024-08-28	6:23:46 AM	8436	17.5746	
2024-08-28	6:24:46 AM	8437	17.6016	
2024-08-28	6:25:46 AM	8438	17.5992	
2024-08-28	6:26:46 AM	8439	17.6069	
2024-08-28	6:27:46 AM	8440	17.6059	
2024-08-28	6:28:46 AM	8441	17.5977	
2024-08-28	6:29:46 AM	8442	17.6099	
2024-08-28	6:30:46 AM	8443	17.6088	
2024-08-28	6:31:46 AM	8444	17.6185	
2024-08-28	6:32:46 AM	8445	17.6215	
2024-08-28	6:33:46 AM	8446	17.6248	
2024-08-28	6:34:46 AM	8447	17.6264	
2024-08-28	6:35:46 AM	8448	17.628	
2024-08-28	6:36:46 AM	8449	17.6296	
2024-08-28	6:37:46 AM	8450	17.6292	
2024-08-28	6:38:46 AM	8451	17.6121	
2024-08-28	6:39:46 AM	8452	17.6367	
2024-08-28	6:40:46 AM	8453	17.6392	
2024-08-28	6:41:46 AM	8454	17.6379	
2024-08-28	6:42:46 AM	8455	17.6391	
2024-08-28	6:43:46 AM	8456	17.6404	
2024-08-28	6:44:46 AM	8457	17.6403	
2024-08-28	6:45:46 AM	8458	17.6405	
2024-08-28	6:46:46 AM	8459	17.6399	
2024-08-28	6:47:46 AM	8460	17.6325	
2024-08-28	6:48:46 AM	8461	17.6479	
2024-08-28	6:49:46 AM	8462	17.6489	
2024-08-28	6:50:46 AM	8463	17.6492	
2024-08-28	6:51:46 AM	8464	17.6497	
2024-08-28	6:52:46 AM	8465	17.6515	
2024-08-28	6:53:46 AM	8466	17.6512	
	MAX.	17.9956	1.59	
	MIN.	16.4092		

HYDROGEOLOGICAL ASSESSMENT 145 WALGREEN ROAD, CARP ON



APPENDIX G: TRANSMISSIVITY, FARVOLDEN AND MOELL METHOD CALCULATIONS

Cooper-Jacob Analysis: Calculations

Pumping Rate

42 L/min

Specific Capacity

42.51 L/min/m

Drawdown 0.988 m

Transmissivity

TW1 (Drawdown)

$$T = 2.3 Q / 4\pi \Delta s$$

$$T = 2.3 (60.5 \text{ m}^3/\text{day}) / 4\pi (0.04 \text{ m})$$

$$T = 32 \text{ m}^2/\text{day}$$

$$3.7\text{E-}04 \text{ m}^2/\text{s}$$

$$Q = 42 \text{ L/min}$$

$$Q = ((42 \text{ L/min}) / (1000 \text{ L})) * (60 \text{ min}) (24 \text{ hour})$$

$$60.5 \text{ m}^3/\text{day}$$

$$\Delta s = 0.35 \text{ m}$$

TW1 (Recovery)

$$T = 2.3 Q / 4\pi \Delta s$$

$$T = 2.3 (60.5 \text{ m}^3/\text{day}) / 4\pi (0.19 \text{ m})$$

$$T = 32 \text{ m}^2/\text{day}$$

$$3.7\text{E-}04 \text{ m}^2/\text{s}$$

$$Q = 42 \text{ L/min}$$

$$Q = ((42 \text{ L/min}) / (1000 \text{ L})) * (60 \text{ min}) (24 \text{ hour})$$

$$60.5 \text{ m}^3/\text{day}$$

$$\Delta s = 0.35 \text{ m}$$

Farvolden

$$Q_{20} = 0.68 T H_a S_f$$

Ha= the available water column height (m)

Sf= safety factor

T= Transmissivity (m²/day)

TW1 (drawdown)

$$Q_{20} = 0.68 (32 \text{ m}^2/\text{day}) (14.71 \text{ m}) (0.7)$$

Safety Factor

0.7

$$Q_{20} = 222 \text{ m}^3/\text{day}$$

$$Q_{20} = 221,550 \text{ L/day}$$

$$Q_{20} = 154 \text{ L/min}$$

Rec'd Pump Settin

16.764 m

static WL

2.055 m

Ha (avail. head)=

14.71 m

Moell

$$Q_{20} = (Q H_a S_f) / (s_{100} + 5 \Delta s)$$

Q= the pumping rate (m³/day)

Ha= the available water column height (m)

Sf= safety factor

s₁₀₀= the drawdown at 100 minutes (semi-log long-term graph)

Δs= the change in hydraulic head over one log cycle (drawdown vs. long time)

TW1 (drawdown)

$$Q_{20} = ((27.4 \text{ m}^3/\text{day}) (14.71 \text{ m}) (0.7)) / (0.67 \text{ m} + 5(0.35 \text{ m}))$$

$$Q_{20} = 244 \text{ m}^3/\text{day}$$

$$Q_{20} = 244,204 \text{ L/day}$$

$$Q_{20} = 170 \text{ L/min}$$

$$Q = 60.5 \text{ m}^3/\text{day}$$

$$H_a = 14.71 \text{ m}$$

$$\text{Safety Factor} = 0.7$$

$$s_{100} = 0.8$$

$$\Delta s = 0.35$$

Hydraulic Conductivity

b = aquifer thickness

b = 21.7 m

end of casing =

6.4 m

T = transmissivity

end of hole =

28.1 m

K = hydraulic conductivity

$$K = T/b$$

$$K = 1.7\text{E-}05 \text{ m/s}$$

Drawdown

$$1.7\text{E-}05 \text{ m/s}$$

Recovery

Comments: Aquifer thickness of X m corresponds to the interval between the bottom of the casing and the bottom of the well (casing to X m BGS, WL at X mBTC and end of hole at X)

HYDROGEOLOGICAL ASSESSMENT 145 WALGREEN ROAD, CARP ON



APPENDIX H: LANGELIER SATURATION INDEX (LSI) AND RYZNAR STABILITY INDEX (RSI) CALCULATIONS

Langelier Saturation Index (LSI)

If LSI is negative: No potential to scale, the water will dissolve CaCO₃
If LSI is positive: Scale can form and CaCO₃ precipitation may occur
If LSI is close to zero: Borderline scale potential. Water quality or changes in temperature, or evaporation could change the index.

The LSI is probably the most widely used indicator of cooling water scale potential. It is purely an equilibrium index and deals only with the thermodynamic driving force for calcium carbonate scale formation and growth.

LSI = pH - pH_s

Where:

pH is the measured water pH
pH_s is the pH at saturation in calcite or calcium carbonate and is defined as:

pH_s = (9.3 + A + B) - (C + D)

Where:
A = (Log₁₀ [TDS] - 1) / 10
B = -13.12 x Log₁₀ (°C + 273) + 34.55
C = Log₁₀ [Ca²⁺ as CaCO₃] - 0.4
D = Log₁₀ [alkalinity as CaCO₃]

TW1 (Sample TW1-02)					
pH	7.07			A	0.250786
TDS (mg/L)	3220			B	2.357851
Hardness	1290			C	2.71059
Alkalinity	328			D	2.515874
Temp.	11.23				
pHs =					6.682173
LSI =					0.39
RSI=					6.29

Ryznar Stability Index (RSI)

RSI = 2(pHs) - pH

Where:

pH is the measured water pH
pHs is the pH at saturation in calcite or calcium carbonate

The empirical correlation of the Ryznar stability index can be summarized as follows:

RSI << 6 the scale tendency increases as the index decreases
RSI >> 7 the calcium carbonate formation probably does not lead to a protective corrosion inhibitor film

RSI >> 8 mild steel corrosion becomes an increasing problem.

Project No.: CCO-25-1370
TW1 (145 Walgreen Road)

HYDROGEOLOGICAL ASSESSMENT 145 WALGREEN ROAD, CARP ON



APPENDIX I: MECP WRITTEN CONSENT

**Ministry of the Environment,
Conservation and Parks**

Environmental Monitoring and Reporting
Branch
125 Resources Road
Toronto ON M9P 3V6

**Ministère de l'Environnement,
de la Protection de la nature et
des Parcs**

Direction de la surveillance
environnementale
125, chemin Resources
Toronto ON M9P 3V6



January 30, 2025

W.O. M.W. Realty Limited
180 Renfrew Drive, Suite 230
Markham, ON L3R 9Z2

Dear: Mr. Larry Lepar (President),

Re: **Consent Not to Abandon Water Supply Well (A379014), Located at 145
Walgreen Road, Carp, Ontario**

You have submitted a request under subsection 21(10) of R.R.O 1990, Regulation 903: Wells, as amended ("**Wells Regulation**"), made under the *Ontario Water Resources Act*, R.S.O. 1990, c. O.40 ("**OWRA**") for written consent permitting you to not abandon one (1) well identified by well record number A080995. The well produces mineralized water¹ and accordingly would otherwise be required to be immediately abandoned per subsection 21 (4) of the Wells Regulation.

You retained the services of Egis Canada Ltd ("Egis") to provide the Ministry of the Environment, Conservation and Parks (the "Ministry") with a hydrogeological report regarding the potential impact of not abandoning the well located at 145 Walgreen Road, Carp, ON ("Subject Site").

The location of the well is described in Schedule A – Hydrogeological Assessment, 145 Walgreen Road, hereto, and forms part of this letter.

¹ "Mineralized water" means means water containing in excess of 6,000 milligrams per litre total dissolved solids or 500 milligrams per litre chlorides or 500 milligrams per litre sulphates, subsection 1(1) of R.R.O. 1990, Regulation 903 (Wells) as amended made under the Ontario Water Resources Act, R.S.O. 1990, c. O. 40, E-laws - <https://www.ontario.ca/laws/regulation/900903>

Egis produced a report titled “Hydrogeological Assessment, 145 Walgreen Road, Carp, ON (the “Egis Report”). A copy of the Egis Report has been provided to me and is attached as part of Schedule B to this letter.

Based on the results provided in the Egis Report, I understand that water quality samples collected from the well on August 28, 2024 during an 8-hour pumping test at 1 hour and 7.5 hours showed chloride concentrations of 1,200 and 1,190 milligrams per litre, respectively. The water in the well is therefore “mineralized water” as defined in subsection 1(1) of the Wells Regulation.

The Egis Report proposed that the well be used as a non-potable water supply at the Subject Site and for washing vehicles and equipment.

The Egis Report also proposes that exceedances are not expected to generate any significant impacts to water quality and are considered treatable with water softening, physical filtration and sorption methods (i.e. carbon filter treatment system).

In coming to a decision on your request for consent not to abandon this well, I have reviewed the following reports and documents (attached as part of Schedule B):

- December 13, 2024, Project No. CCO-25-1370, Hydrogeological Assessment, 145 Walgreen Road, Carp, ON.

Based on a review of the materials, the Ministry has determined that the well is unlikely to act as a pathway to allow mineralized water to intermingle with fresh groundwater resources and thus is unlikely to impair the quality of local groundwater resources.

In respect of the well, you have agreed to the following requirements (attached as part of Schedule C – Letter to Wells Director Accepting Conditions for Director Consent) as conditions of the Director granting consent permitting you not to abandon this well:

1. The services of a water treatment specialist shall be retained and we shall install, operate and maintain a water treatment system in the distribution system, in accordance with recommendations of the water treatment specialist, to address the chloride present in the well water prior to the water being used in the building;
2. The water treatment system shall be properly maintained and operational at all times in accordance with the recommendations of the water treatment specialist;
3. All faucets within the building shall be labelled to indicate that the water is not intended for human consumption;
4. The well water shall not be used as a drinking water source under any circumstances by any person and bottled water shall be supplied for consumption by employees;

5. Due to elevated chloride, steps shall be taken to mitigate the impact of corrosion on plumbing including: use of approved PEX pipe and fittings, installation of stainless steel fixtures, and not installing water treatment systems that may increase corrosivity of the water;
6. Due to elevated chloride, water from the well will not be used for any other purpose than servicing washrooms; and
7. The well identified by well record number A080995 shall be maintained as per Reg. 903 until such time as the water supply is no longer required. At that point, the water supply well shall be decommissioned in accordance with Reg. 903.

Should the City of Ottawa, in their review, deem conditions 5 and 6 unnecessary, they will inform the Director in writing, and the Director will waive these conditions.

Once the water treatment system becomes operational, you shall immediately notify, in writing, the Director appointed for the purposes of subsection 21 (10) of the Wells Regulation of the date when the water treatment system is operational.

To contact the Director, please send email correspondence to the wellshelpdesk@ontario.ca.

Failure to comply with the conditions specified above shall result in the automatic revocation of this consent without notice.

This consent is not assignable to a successor or assign without the express written authorization of the Director.

The issuance of and compliance with the conditions of this consent does not relieve any person of any obligation to comply with any provision of any other applicable statute, regulation or other legal requirement, including, but not limited to, any requirement to obtain and comply with any other approvals required by the Ministry of the Environment, Conservation and Parks or the City of Ottawa.



Shelley Kilby, M.Sc., P.Geo
Director

Appointed for the purposes of subsection 21(10) of the Wells Regulation

c: Christina Klein, District Manager, Ottawa District Office
Alija Bos, Hydrogeologist, Eastern Region
Richard Bonner, Manager, Environmental Monitoring and Reporting Branch
Jordan Bowman, Manager Geo-Environmental, Canada, Egis Canada Ltd
Monica Black, Practice Area Lead Ground Water, Canada, Egis Canada Ltd
Travis Smith, Senior Project Manager, Hydrogeology, City of Ottawa
Michel Kearney, Senior Hydrogeologist, City of Ottawa

HYDROGEOLOGICAL ASSESSMENT 145 WALGREEN ROAD, CARP ON



APPENDIX J: MANGANESE AND STRONTIUM IN DRINKING WATER FACT SHEET



Manganese in Drinking Water Fact Sheet

WHAT IS MANGANESE?

Manganese is a naturally occurring element that is an essential nutrient for humans and animals. It is found in many foods, as well as in air, water, soil, and rocks.¹ Manganese makes up 0.1% of the Earth's crust, and can be found as a component of other minerals like sulfides, oxides, carbonates, and silicates.² Manganese is used in the manufacture of various products including iron and steel alloys, batteries, glass, fireworks, fertilizers, cosmetics, paints, and cleaning and disinfection products.^{1,2} Manganese can also be purchased as a nutritional supplement.²

HOW DOES MANGANESE GET INTO DRINKING WATER?

Manganese is naturally occurring in many surface and ground waters. Manganese can also be dissolved from soils, sand and rocks to enter surface and ground waters.¹ Human activities like mining, industrial discharges, or landfills may also contribute to manganese in surface and ground waters.^{1,2} In general, manganese can be found at higher concentrations in groundwater compared to surface water.² Some lakes and reservoirs can also have higher levels of manganese due to natural water chemistry.²

Permanganate, a compound that contains manganese, may also be added to water during the treatment of drinking water to remove other chemicals (e.g., for the removal of iron).^{2,3}

HOW DOES MANGANESE INTAKE AFFECT MY HEALTH?

Too much or too little manganese in your body can lead to health problems.

Manganese deficiency: Manganese deficiency is rare and symptoms are not well defined. Health effects observed in individuals with diets very low in manganese include skin rashes, slow nail growth, reduced bone density, loss of pigmentation in hair, and low cholesterol levels.²

Manganese excess: There are few reports of adverse health effects from people who ingest too much manganese from food and water.¹ Recent evidence reviewed by Health Canada indicates that high levels of manganese in drinking water may impact memory and learning, behaviour, and fine motor control in infants and young children.^{2,4} Formula-fed infants may be more susceptible to health risks if water with high concentrations of manganese is used to prepare formula. This is because infant brains are rapidly developing, they drink more water in proportion to their body weight, and they absorb more manganese and are less able to remove it from their bodies compared to other age groups.³ For adults

and older children, short term exposure to manganese in drinking water at levels slightly above the guideline is unlikely to cause negative health effects.³

Health Canada notes that exposure to manganese while showering (either through breathing in water vapour or absorption through skin) is likely to be negligible.²

WHAT ARE THE LEVELS OF MANGANESE FOUND IN CANADIANS?

For most Canadians, diet is the main source of manganese. The Canadian Health Measures Survey (CHMS) is a national survey that collects information about the general health of Canadians and includes measurements of chemicals in blood and urine samples.⁵ The objective of the chemical measurements in the CHMS survey is to establish baseline levels in the Canadian population. Given that manganese is an essential trace element, its presence in the blood and urine of Canadians is expected. Manganese in blood and urine can be interpreted as an indicator of exposure, but does not necessarily mean that health effects will occur.⁵ Data collected from 2007 to 2011 for the CHMS found that the average levels of manganese measured in the blood of people in the Canadian population (aged 3 to 79) ranged from 8.8 – 11 µg/L.⁶ More information on the CHMS and the levels of manganese in Canadians can be obtained by visiting the Canadian Biomonitoring Dashboard.⁶

ARE THERE STANDARDS FOR MANGANESE IN DRINKING WATER?

The Ontario Drinking Water Standard (ODWS) published in 2006 sets an aesthetic objective for manganese in drinking water at 0.05 mg/L.⁷ The aesthetic objective is not intended to prevent health effects (e.g., not a health-based standard), but instead is intended to prevent the discolouration and staining of fixtures, and the undesirable taste caused by higher levels of manganese in water.

The Canadian Drinking Water Guideline for manganese developed by Health Canada stipulates a maximum acceptable concentration (MAC) in drinking water of 0.12 mg/L and an aesthetic objective of 0.02 mg/L.² The MAC is a health-based value intended to be protective of neurological effects in infants, the most sensitive population, and therefore it is also protective for chronic exposure in children and adults.²

ARE THERE OTHER STANDARDS OR GUIDELINE VALUES FOR MANGANESE?

The main source of exposure to manganese is via food, with grains, nuts and vegetables contributing the most to a person's daily intake of manganese. The average dietary intakes of manganese across all age groups according to the Canadian Total Diet Study (TDS) were estimated to range between 44.0 to 61.3 µg/kg of bodyweight per day (based on data gathered from different Canadian cities for the TDS).² Health Canada has also established Adequate Intake Levels for manganese ranging with age or lifestage from 0.003 to 2.6 mg/day and Tolerable Upper Intake Levels ranging from 2 to 11 mg/day.⁸

Infant formula sold in Canada is regulated to contain a minimum of 5 µg of manganese per 100 available kilocalories (equivalent to 3.33 µg per 100 mL of ready-to-feed formula); a maximum amount of manganese has not been set for infant formula.⁹

HOW CAN I TELL IF MY DRINKING WATER HAS HIGH MANGANESE LEVELS?

Water testing is the only way to know if manganese is present. Although water with elevated levels of manganese may impart a bitter metallic taste, tint water purplish brown or black (water discolouration may occur at concentrations as low as 0.005 to 0.02 mg/L), and stain laundry and plumbing fixtures;^{2,10,11} but these issues can also be caused by other chemicals.

WHAT SHOULD I DO IF A HIGH LEVEL OF MANGANESE IS FOUND IN MY WELL WATER?

For households who do not obtain their drinking water from a municipal source, a residential drinking water treatment device may be an option to reduce manganese concentrations in drinking water. Options can be explored with professionals specialized in water treatment, but examples of treatment processes effective at removing manganese include reverse osmosis, ion exchange (including water softeners and other cation exchange systems) and oxidizing filters.² As with any water treatment system, it is important to follow the manufacturer's recommendations for operation and maintenance (e.g., replacement of filter media).

REFERENCES

1. United States Environmental Protection Agency (US EPA). Drinking Water Health Advisory for Manganese [Internet]. 2004. Available from: https://www.epa.gov/sites/default/files/2014-09/documents/support_cc1_manganese_dwreport_0.pdf
2. Health Canada. Guidelines for Canadian Drinking Water Quality: Guideline Technical Document – Manganese [Internet]. 2019. Available from: <https://www.canada.ca/en/health-canada/services/publications/healthy-living/guidelines-canadian-drinking-water-quality-guideline-technical-document-manganese.html>
3. Health Canada. Water Talk - Manganese in drinking water [Internet]. 2023. Available from: <https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/water-talk-manganese.html>
4. HealthLink British Columbia. Manganese in Drinking Water [Internet]. Available from: <https://www.healthlinkbc.ca/healthlinkbc-files/manganese-drinking-water>
5. Health Canada. Second Report on Human Biomonitoring of Environmental Chemicals in Canada: Manganese [Internet]. 2013. Available from: <https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/environmental-contaminants/second-report-human-biomonitoring-environmental-chemicals-canada-health-canada-2013.html#a8.9>

6. Government of Canada. Canadian Biomonitoring Dashboard [Internet]. 2024. Available from: <https://health-infobase.canada.ca/biomonitoring/about.html>
7. Ontario Ministry of the Environment, Conservation and Parks. Technical Support Document for Ontario Drinking Water Standards, Objectives and Guidelines [Internet]. 2006. Available from: <https://wccw.ca/wp-content/uploads/2021/08/Technical-Support-Document-for-Ontario-Drinking-Water-Standards-Objectives-and-Guidelines.pdf>
8. Health Canada. Dietary reference intakes tables: Reference values for elements [Internet]. 2023. Available from: <https://www.canada.ca/en/health-canada/services/food-nutrition/healthy-eating/dietary-reference-intakes/tables/reference-values-elements.html#tbl2>
9. Government of Canada. Food and Drug Regulations (C.R.C., c. 870) [Internet]. Available from: https://lois-laws.justice.gc.ca/eng/regulations/C.R.C.%2C_c._870/page-53.html
10. United States Environmental Protection Agency (US EPA). Secondary Drinking Water Standards: Guidance for Nuisance Chemicals [Internet]. 2024. Available from: <https://www.epa.gov/sdwa/secondary-drinking-water-standards-guidance-nuisance-chemicals>
11. World Health Organization (WHO). Manganese in drinking-water: Background document for development of WHO Guidelines for drinking-water quality [Internet]. 2021. Available from: <https://www.who.int/publications/i/item/WHO-HEP-ECH-WSH-2021.5>

Please note: This fact sheet was created by Ottawa Public Health in consultation with Public Health Ontario.

Manganese in Drinking Water Fact Sheet [Last updated: September 12, 2024]



Fiche de renseignements sur le manganèse dans l'eau potable

QU'EST-CE QUE LE MANGANÈSE?

Le manganèse est un élément naturel qui constitue un nutriment essentiel pour les humains et les animaux. On le trouve dans de nombreux aliments, ainsi que dans l'air, l'eau, le sol et les roches.¹ Le manganèse représente 0,1 % de la croûte terrestre et peut être présent dans d'autres minéraux tels que les sulfures, les oxydes, les carbonates et les silicates.² Le manganèse est utilisé dans la fabrication de divers produits, notamment les alliages de fer et d'acier, les batteries, le verre, les feux d'artifice, les engrais, les cosmétiques, les peintures et les produits de nettoyage et de désinfection.^{1,2} Le manganèse peut également être acheté sous forme de supplément alimentaire.²

COMMENT LE MANGANÈSE SE RETROUVE-T-IL DANS L'EAU POTABLE?

Le manganèse est naturellement présent dans de nombreuses eaux de surface et souterraines. Le manganèse peut également être dissous à partir des sols, du sable et des roches et pénétrer dans les eaux de surface et souterraines.¹ Les activités humaines telles que l'exploitation minière, les rejets industriels ou les décharges peuvent également contribuer à la présence de manganèse dans les eaux de surface et les eaux souterraines.^{1,2} En général, les concentrations de manganèse sont plus élevées dans les eaux souterraines que dans les eaux de surface.² Certains lacs et bassins peuvent également présenter des niveaux plus élevés de manganèse en raison de la chimie naturelle de l'eau.²

Le permanganate, un composé qui contient du manganèse, peut également être ajouté à l'eau pendant le traitement de l'eau potable pour éliminer d'autres produits chimiques (par exemple, pour éliminer le fer).^{2,3}

COMMENT LA CONSOMMATION DE MANGANÈSE AFFECTE-T-ELLE MA SANTÉ?

Un excès ou un manque de manganèse dans l'organisme peut entraîner des problèmes de santé.

Carence en manganèse : La carence en manganèse est rare et les symptômes ne sont pas bien définis. Les effets sur la santé observés chez les personnes ayant une alimentation très pauvre en manganèse comprennent des éruptions cutanées, une croissance lente des ongles, une densité osseuse réduite, une perte de pigmentation des cheveux et un faible taux de cholestérol.²

Excès de manganèse : Peu de rapports font état d'effets néfastes sur la santé des personnes qui consomment trop de manganèse provenant des aliments et de l'eau.¹ Des éléments de preuves récents

examinés par Santé Canada indiquent que des niveaux élevés de manganèse dans l'eau potable peuvent avoir des répercussions sur la mémoire et l'apprentissage, le comportement et le contrôle de la motricité fine chez les nourrissons et les jeunes enfants.^{2,4} Les bébés nourris à l'aide de préparations pour nourrissons peuvent être davantage exposés à des risques pour la santé si de l'eau contenant de fortes concentrations de manganèse est utilisée pour préparer les biberons. En effet, le cerveau des nourrissons se développe rapidement, ils boivent plus d'eau par rapport à leur poids corporel, ils absorbent plus de manganèse et sont moins aptes à l'éliminer de leur corps que les autres groupes d'âge.³ Pour les adultes et les enfants plus âgés, une exposition à court terme au manganèse dans l'eau potable à des niveaux légèrement supérieurs à ceux des directives ne devrait pas avoir d'effets négatifs sur la santé.³

Santé Canada note que l'exposition au manganèse sous la douche (soit par l'inhalation de vapeur d'eau ou par l'absorption par la peau) est probablement négligeable.²

QUELS SONT LES NIVEAUX DE MANGANÈSE CHEZ LES CANADIENS?

Pour la plupart des Canadiens, l'alimentation est la principale source de manganèse. L'Enquête canadienne sur les mesures de la santé (ECMS) est une enquête nationale qui recueille des renseignements sur la santé générale des Canadiens et comprend la mesure des substances chimiques dans des échantillons de sang et d'urine.⁵ L'objectif de la mesure des substances chimiques effectuée dans le cadre de l'ECMS est d'établir des niveaux de référence dans la population canadienne. Le manganèse étant un oligo-élément essentiel, sa présence dans le sang et l'urine des Canadiens est attendue. La présence de manganèse dans le sang et l'urine peut être interprétée comme un indicateur d'exposition, mais ne signifie pas nécessairement qu'il y aura des effets sur la santé.⁵ Les données recueillies de 2007 à 2011 dans le cadre de l'ECMS ont révélé que les taux moyens de manganèse sanguin de la population canadienne (personnes âgées de 3 à 79 ans) allaient de 8,8 à 11 µg/L.⁶ De plus amples renseignements sur l'ECMS et les niveaux de manganèse chez les Canadiens peuvent être obtenus en consultant le Tableau de bord sur la biosurveillance canadienne.⁶

Y A-T-IL DES NORMES POUR LE MANGANÈSE DANS L'EAU POTABLE?

Les Normes de qualité de l'eau potable de l'Ontario publiées en 2006 fixent un objectif d'ordre esthétique pour le manganèse dans l'eau potable à 0,05 mg/l.⁷ Cet objectif n'est pas destiné à prévenir les effets sur la santé (il ne s'agit pas d'une norme liée à la santé), mais plutôt à prévenir la décoloration et la coloration des appareils sanitaires, ainsi que le goût indésirable causé par des niveaux élevés de manganèse dans l'eau.

Les Recommandations pour la qualité de l'eau potable au Canada établissent une concentration maximale acceptable (CMA) de 0,12 mg/L pour le manganèse dans l'eau potable et un objectif d'ordre esthétique de 0,02 mg/L.² La CMA est une valeur basée sur la santé qui vise à protéger les effets neurologiques chez les nourrissons, la population la plus sensible. De ce fait, elle vise également à protéger les enfants et les adultes en cas d'exposition chronique.²

EXISTE-T-IL D'AUTRES NORMES OU DIRECTIVES POUR LE MANGANÈSE?

La principale source d'exposition au manganèse est l'alimentation, les céréales, les noix et les légumes. Ces aliments contribuent le plus à l'apport quotidien en manganèse. Selon l'étude canadienne sur l'alimentation totale (EAT), les apports alimentaires moyens en manganèse pour tous les groupes d'âge ont été estimés entre 44,0 et 61,3 µg/kg de poids corporel par jour (d'après les données recueillies dans différentes villes canadiennes dans le cadre de l'EAT).² Santé Canada a également établi des apports suffisants en manganèse allant de 0,003 à 2,6 mg/jour en fonction de l'âge ou de l'étape de la vie et l'apport maximal tolérable (AMT) allant de 2 à 11 mg/jour.⁸

Les préparations pour nourrissons vendues au Canada sont réglementées et doivent contenir au minimum 5 µg de manganèse pour 100 kilocalories utilisables (ce qui équivaut à 3,33 µg pour 100 ml de préparations prêtes à servir); aucune quantité maximale de manganèse dans les préparations pour nourrissons n'a été établie.⁹

COMMENT PUIS-JE SAVOIR SI MON EAU POTABLE PRÉSENTE DES NIVEAUX ÉLEVÉS DE MANGANÈSE?

L'analyse de l'eau est le seul moyen de savoir si elle contient du manganèse. Cependant, l'eau contenant des niveaux élevés de manganèse peut avoir un goût métallique amer, une couleur pourpre, brune ou noire (la décoloration de l'eau peut se produire à des concentrations aussi faibles que 0,005 à 0,02 mg/L), et peut tacher la lessive et les appareils sanitaires.^{2,10,11} Ces problèmes peuvent également être causés par d'autres produits chimiques.

QUE DOIS-JE FAIRE SI UN NIVEAU ÉLEVÉ DE MANGANÈSE EST DÉTECTÉ DANS L'EAU DE MON PUIT?

Pour les ménages qui ne s'approvisionnent pas en eau potable auprès d'une source municipale, un dispositif résidentiel de traitement de l'eau potable peut être une option pour réduire les concentrations de manganèse dans l'eau potable. Les options peuvent être étudiées avec des professionnels spécialisés dans le traitement de l'eau, mais des exemples de procédés de traitement efficaces pour éliminer le manganèse comprennent l'osmose inversée, l'échange d'ions (y compris les adoucisseurs d'eau et d'autres systèmes d'échange de cations) et les filtres oxydants.² Comme pour tout système de traitement de l'eau, il est important de suivre les recommandations du fabricant en matière de fonctionnement et d'entretien (par exemple, le remplacement du matériau filtrant).

RÉFÉRENCES

1. United States Environmental Protection Agency (US EPA). *Drinking Water Health Advisory for Manganese*. 2004. Document publié sur la page : https://www.epa.gov/sites/default/files/2014-09/documents/support_cc1_magnese_dwreport_0.pdf

2. Santé Canada. *Recommandations pour la qualité de l'eau potable au Canada : document technique – le manganèse*. 2019. Sur Internet : <https://www.canada.ca/fr/sante-canada/services/publications/vie-saine/recommandations-pour-qualite-eau-potable-canada-document-technique-manganese.html>
3. Santé Canada. *Parlons d'eau - Le manganèse dans l'eau potable*. 2023. Sur Internet : <https://www.canada.ca/fr/sante-canada/services/sante-environnement-milieu-travail/rapports-publications/qualite-eau/manganese-dans-eau-potable.html>
4. HealthLink British Columbia. *Manganese in Drinking Water*. Sur Internet : <https://www.healthlinkbc.ca/healthlinkbc-files/manganese-drinking-water>
5. Santé Canada. *Deuxième rapport sur la biosurveillance humaine des substances chimiques de l'environnement au Canada*. 2013. Sur Internet : <https://www.canada.ca/fr/sante-canada/services/sante-environnement-milieu-travail/rapports-publications/contaminants-environnementaux/deuxieme-rapport-biosurveillance-humaine-substances-chimiques-environnement-canada-sante-canada-2013.html#a8.9>
6. Gouvernement du Canada. *Tableau de bord sur la biosurveillance canadienne*. 2024. Sur Internet : <https://sante-infobase.canada.ca/biosurveillance/a-propos.html>
7. Ministère de l'Environnement, de la Protection de la nature et des Parcs de l'Ontario. *Document de soutien technique pour les normes, objectifs et lignes directrices de l'Ontario en matière d'eau potable*. 2006. Document publié sur la page : <https://wcwc.ca/wp-content/uploads/2021/08/Technical-Support-Documents-for-Ontario-Drinking-Water-Standards-Objectives-and-Guidelines.pdf> (en anglais seulement)
8. Santé Canada. *Tableaux des apports nutritionnels de référence : Valeurs de référence relatives aux éléments*. 2023. Sur Internet : <https://www.canada.ca/fr/sante-canada/services/aliments-nutrition/saine-alimentation/apports-nutritionnels-reference/tableaux/valeurs-reference-relatives-elements.html#tbl2>
9. Gouvernement du Canada. *Règlement sur les aliments et drogues (C.R.C., ch. 870)*. Sur Internet : https://lois-laws.justice.gc.ca/fra/reglements/C.R.C.%2C_ch._870/page-53.html
10. United States Environmental Protection Agency (US EPA). *Secondary Drinking Water Standards: Guidance for Nuisance Chemicals*. 2024. Sur Internet : <https://www.epa.gov/sdwa/secondary-drinking-water-standards-guidance-nuisance-chemicals>
11. Organisation mondiale de la Santé. *Manganese in drinking-water: Background document for development of WHO Guidelines for drinking-water quality*. 2021. Sur Internet : <https://www.who.int/publications/i/item/WHO-HEP-ECH-WSH-2021.5> (en anglais seulement)

Remarque : le contenu de cette fiche de renseignements a été fourni par Santé publique Ontario et adopté par Santé publique Ottawa aux fins d'utilisation dans les documents de communication sur les risques du bureau de santé publique.

Fiche de renseignements sur le manganèse dans l'eau potable [Dernière mise à jour : le 12 septembre 2024]



Strontium in Drinking Water Fact Sheet

WHAT IS STRONTIUM?

Strontium is a naturally occurring element that can be found throughout the environment in small amounts. Air, dust, soil, foods, and drinking water can all contain traces of strontium. We are all exposed to strontium; however, eating or drinking small amounts of strontium is not harmful.^{1,2}

Radioactive strontium does not occur in nature and is usually associated with nuclear power plants or nuclear weapons testing, which is not discussed by this fact sheet.^{1,2} This fact sheet deals with nonradioactive strontium (stable strontium) in drinking water.

HOW DOES STRONTIUM GET INTO DRINKING WATER?

Some types of rock are rich in strontium. The amount of strontium within bedrock can vary so that some areas may be rich in strontium while others are not. Water drawn from wells in these types of rock formations will likely contain higher than average levels of strontium.^{1,2}

CAN STRONTIUM AFFECT MY HEALTH?

For most Canadians, food and drinking water represent the main sources of exposure to strontium; however, the contribution from these sources can be highly variable.² No health related effects from exposure to strontium have been observed at levels typically found in an average diet or the surrounding environment.^{1,2} Health Canada notes that exposure to strontium while showering (either through breathing in water vapour or absorption through skin) is likely to be negligible.²

Strontium is very similar to calcium and can, under certain conditions, replace calcium in the bone. Infants and young children who do not get enough calcium and/or vitamin D in their diets and who ingest too much strontium can develop a strontium-related bone condition, called strontium rickets. Strontium rickets is a bone disorder that may weaken or soften bones, stunt growth or cause bone deformities. Individuals who do not get enough calcium and/or vitamin D are more susceptible to the effects of strontium.^{1,2}

ARE THERE STANDARDS FOR STRONTIUM IN DRINKING WATER?

There are currently no Ontario standards for strontium in drinking water.

In 2019, Health Canada developed a drinking water guideline for strontium. The maximum acceptable concentration (MAC) for strontium in drinking water was set at 7,000 µg/L (or 7 mg/L) to protect infants (identified as the most sensitive age group) from strontium-related adverse effects on bone formation.²

HOW CAN I TELL IF MY DRINKING WATER HAS HIGH STRONTIUM LEVELS?

Water containing strontium will not taste, smell, or look different.³ If your water comes from a well, especially where the water has been running through strontium rich rock, it may contain a high level of strontium.^{1,2} In this case, testing the water for strontium will tell you how much is present.

WHAT SHOULD I DO IF A HIGH LEVEL OF STRONTIUM IS FOUND IN MY WELL WATER?

If you live in a region with high strontium, you can obtain professional advice about ways to reduce strontium in your drinking water.

There are forms of water treatment that are effective in reducing strontium levels in water such as ion exchange (including water softeners) and reverse osmosis systems.² A water treatment professional should be consulted before you decide on what type of treatment may be suitable. As with any water treatment system, it is important to follow the manufacturer's recommendations for operation and maintenance (e.g., replacement of filter media) .^{2,3} You can also use an alternative source of drinking water including bottled water or water from a public system.

REFERENCES

1. Agency for Toxic Substances Disease Registry (ATSDR) 2004. Toxicological Profile for Strontium: Strontium. Division of Toxicology and Human Health Services; April 2004. Available from: <https://www.atsdr.cdc.gov/ToxProfiles/tp159.pdf>
2. Health Canada 2019a. Guidelines for Canadian Drinking Water Quality Guideline Technical Document: Strontium. May, 2019. Available from: <https://www.canada.ca/content/dam/hc-sc/documents/services/publications/healthy-living/guidelines-canadian-drinking-water-quality-guideline-technical-document-strontium/strontium-06-05-2019-eng.pdf>
3. Health Canada 2019b. Water Talk – Strontium in drinking water. Available from: <https://www.canada.ca/en/health-canada/services/publications/healthy-living/water-talk-strontium.html>

Please note: This fact sheet was created by Ottawa Public Health in consultation with Public Health Ontario.

Strontium in Drinking Water Fact Sheet [Last updated: September 12, 2024]



Fiche de renseignements sur le strontium dans l'eau potable

QU'EST-CE QUE LE STRONTIUM?

Le strontium est un élément naturel que l'on trouve en petites quantités dans l'environnement. L'air, la poussière, le sol, les aliments et l'eau potable peuvent tous contenir des traces de strontium. Nous sommes tous exposés à cet élément; cependant, il n'est pas nocif d'en manger ou d'en boire de petites quantités.^{1,2}

Le strontium radioactif n'existe pas dans la nature et est généralement associé aux centrales nucléaires ou aux essais d'armes nucléaires, qui ne sont pas abordés dans cette fiche d'information.^{1,2} Cette dernière traite du strontium non radioactif (strontium stable) dans l'eau potable.

COMMENT LE STRONTIUM SE RETROUVE-T-IL DANS L'EAU POTABLE?

Certains types de roches sont riches en strontium. La quantité de strontium dans la roche-mère peut varier, de sorte que certaines zones peuvent être riches en strontium alors que d'autres ne le sont pas. L'eau prélevée dans les puits situés dans ces types de formations rocheuses contiendra probablement des niveaux de strontium plus élevés que la moyenne.^{1,2}

LE STRONTIUM PEUT-IL AFFECTER MA SANTÉ?

Pour la plupart des Canadiens, l'alimentation et l'eau potable représentent les principales sources d'exposition au strontium; toutefois, l'apport de ces sources peut être très variable.² Aucun effet sur la santé lié à l'exposition au strontium n'a été observé à des niveaux généralement retrouvés dans un régime alimentaire moyen ou dans l'environnement.^{1,2} Santé Canada note que l'exposition au strontium pendant la douche (soit par l'inhalation de vapeur d'eau, soit par l'absorption par la peau) est probablement négligeable.²

Le strontium est très proche du calcium et peut, dans certaines conditions, remplacer le calcium dans l'os. Les nourrissons et les jeunes enfants dont l'alimentation ne contient pas suffisamment de calcium ou de vitamine D et qui ingèrent trop de strontium peuvent développer une affection osseuse appelée rachitisme. Il s'agit d'une maladie osseuse qui peut affaiblir ou ramollir les os, retarder la croissance ou causer des déformations osseuses. Les personnes qui ne consomment pas suffisamment de calcium ou de vitamine D sont plus sensibles aux effets du strontium.^{1,2}

Y A-T-IL DES NORMES POUR LE STRONTIUM DANS L'EAU POTABLE?

Aucune Norme de qualité de l'eau potable de l'Ontario pour le strontium n'a été publiée à ce jour.

En 2019, Santé Canada a élaboré des Recommandations pour la qualité de l'eau potable concernant le strontium. La concentration maximale acceptable (CMA) de strontium dans l'eau potable a été fixée à 7 000 µg/L (ou 7 mg/L) pour protéger les nourrissons (identifiés comme le groupe d'âge le plus sensible) des effets néfastes du strontium sur la formation osseuse.²

COMMENT PUIS-JE SAVOIR SI MON EAU POTABLE PRÉSENTE DES NIVEAUX ÉLEVÉS DE STRONTIUM?

L'eau contenant du strontium n'a pas de goût, d'odeur ou d'aspect différent.³ Si votre eau provient d'un puits, elle peut contenir un niveau élevé de strontium, en particulier si elle a circulé dans des roches riches en strontium.^{1,2} Dans ce cas, l'analyse de l'eau pour déterminer la présence de strontium vous permettra d'en connaître la quantité.

QUE DOIS-JE FAIRE SI UN NIVEAU ÉLEVÉ DE STRONTIUM EST DÉTECTÉ DANS L'EAU DE MON Puits?

Si vous vivez dans une région où le strontium est élevé, vous pouvez obtenir des conseils professionnels sur les moyens de réduire la teneur en strontium de votre eau potable.

Il existe des formes de traitement de l'eau qui sont efficaces pour réduire les niveaux de strontium dans l'eau, comme l'échange d'ions (y compris les adoucisseurs d'eau) et les systèmes d'osmose inversée.² Il convient de consulter un professionnel du traitement de l'eau avant de décider quel type de traitement vous convient. Comme pour tout système de traitement de l'eau, il est important de suivre les recommandations du fabricant en matière de fonctionnement et d'entretien (par exemple, le remplacement du matériau filtrant).^{2,3} Vous pouvez également utiliser une source d'eau potable alternative, notamment de l'eau en bouteille ou l'eau de l'aqueduc public.

RÉFÉRENCES

1. Agency for Toxic Substances Disease Registry (ATSDR) 2004. *Toxicological Profile for Strontium: Strontium*. Division of Toxicology and Human Health Services. Avril 2004. Sur Internet : <https://www.atsdr.cdc.gov/ToxProfiles/tp159.pdf>
2. Santé Canada, 2019a. *Recommandations pour la qualité de l'eau potable au Canada - Document technique : Le strontium*. Mai 2019. Document publié sur la page : <https://www.canada.ca/content/dam/hc-sc/documents/services/publications/healthy-living/guidelines-canadian-drinking-water-quality-guideline-technical-document-strontium/strontium-05-06-2019-fra.pdf>

3. Santé Canada, 2019b. *Parlons d'eau - Le strontium dans l'eau potable*. Sur Internet : <https://www.canada.ca/fr/sante-canada/services/publications/vie-saine/strontium-parlons-eau.html>

Remarque : le contenu de cette fiche de renseignements a été fourni par Santé publique Ontario et adopté par Santé publique Ottawa aux fins d'utilisation dans les documents de communication sur les risques du bureau de santé publique.

Fiche de renseignements sur le strontium dans l'eau potable [Dernière mise à jour : le 12 septembre 2024]