

Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.  
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Legend

- C1A**  
0.31 COM  
SANITARY DRAINAGE AREA ID#  
COMMERCIAL FLOW RATES APPLIED  
28,000/L/HO/DAY  
SANITARY DRAINAGE AREA HO.
- G100A**  
0.11 INFL  
SANITARY DRAINAGE AREA ID#  
INFILTRATION RATE OF 0.33 L/S/HO APPLIED  
SANITARY DRAINAGE AREA HO.
- SANITARY DRAINAGE AREA
- PROPOSED SANITARY MH AND SEWER
- EXISTING SANITARY MH AND SEWER
- THERMAL INSULATION ON SANITARY SEWER WHERE COVER IS LESS THAN 2.5m AS PER S35.

Notes

0	1ST SUBMISSION	MJS	DT	25.05.26
Revision		By	Appd.	YY.MM.DD
File Name:	160401884 D8.dwg	MJS	DT	MJS
		Dwn.	Chkd.	Dagn.
				25.01.20
				YY.MM.DD

Permit-Seal



Client/Project  
RICHCRAT  
MER BLEUE ROAD  
COMMERCIAL DEVELOPMENT

OTTAWA, ON, CANADA

Title  
SANITARY DRAINAGE PLAN

Project No.	Scale	0	5	15	25m
160401884	1:500				
Drawing No.	Sheet	7 of 7		Revision	

SA-1 7 of 7 0

