

NOTES:

1. THE LEVELING COURSE (BEDDING SAND) SHALL BE PLACED LOOSE, IN A UNIFORM LAYER AT A MAXIMUM DEPTH OF 25mm TO ACHIEVE THE FINAL COMPACTED THICKNESS AND GRADE AS SPECIFIED
2. INSTALL SOLID EDGE RESTRAINT BETWEEN UNIT PAVERS AND ANY SOFT SURFACE (SOD, PLANTING BED, ETC.)
3. UNIT PAVERS ARE THEN PLACED ON TOP OF THE LEVELING COURSE AND ADDITIONAL SAND SWEPT BETWEEN THE UNIT PAVERS
4. THE UNIT PAVERS ARE THEN VIBRATED INTO PLACE WITH A VIBRA-PLATE AND WATER IS ADDED TO ASSIST IN THE SETTLING OF THE JOINT SAND
5. GRANULAR 'A' DEPTH TO BE 100mm FOR PEDESTRIAN AREAS AND 150mm FOR VEHICULAR ACCESSES. OR AS RECOMMENDED BY GEOTECHNICAL INVESTIGATION
6. USE OF THIS DETAIL REQUIRES THE PRIOR APPROVAL OF THE GENERAL MANAGER

Ottawa	TITLE: UNIT PAVING - ON GRANULAR BASE	DATE:	MAY 2001
		REV:	FEB 2016
		DWG No:	SC9



DECIDUOUS TREE PLANTING



CONIFEROUS TREE PLANTING

Ottawa	TITLE: PLANTING PIT, WELL DRAINED SOILS (ROAD ALLOWANCE)	DATE:	MAY 2001
		REV:	JAN 2017
		DWG No:	L3



DECIDUOUS TREE PLANTING



CONIFEROUS TREE PLANTING

Ottawa	TITLE: PLANTING TRENCH WELL DRAINED SOILS (LOTS)	DATE:	MAY 2001
		REV:	JAN 2017
		DWG No:	L2



NOTES:

1. ALL MEASUREMENTS ARE IN MILLIMETRES UNLESS OTHERWISE NOTED
2. THE MAXIMUM SLOPE IS NOT TO EXCEED 2%
3. FOR CURB RAMP, SLOPE OF 2% TO 5%, MAXIMUM 8%
4. EXPANSION AND DUMMY JOINTS AS PER SC5
5. DEPRESSED CURB HEIGHT - FOR PEDESTRIAN CURB RAMPS 0 TO 6mm AND FOR PRIVATE ENTRANCES 0 TO 25mm
6. FOR CURB RAMP REPLACE UNIT PAVERS WITH APPROVED 610 x WIDTH OF CURB RAMP (1500 MIN) TWSI, RADIUS TO MATCH CURB
7. USE OF THIS DETAIL REQUIRES THE PRIOR APPROVAL OF THE GENERAL MANAGER

Ottawa	TITLE: CONCRETE BARRIER CURB WITH UNIT PAVER SIDEWALK	DATE:	MAR 2007
		REV:	FEB 2016
		DWG No:	SC9.3



NOTES:
1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE NOTED.
2. PLANTING SOIL MIXTURE AS PER SPECIFICATION.
3. PROVIDE 100MM HIGH EARTH SAUCER AROUND PERENNIAL/GRASS BED.

Ottawa	TITLE: PERENNIAL AND ORNAMENTAL GRASS PLANTING	DATE:	JAN 2015
		REV:	
		DWG No:	L21



NOTES:

1. PLANTING SOIL MIXTURE AS PER SPECIFICATION.
2. SHRUBS SPECIFIED BARE ROOTS (B.R.) TO BE PLANTED SO THAT ROOTS ARE FULLY EXTENDED IN PLANTING HOLE WITH SOIL MIX BACKFILLED CAREFULLY TO PREVENT ROOT DAMAGE
3. PROVIDE 100 HIGH EARTH SAUCER AROUND SHRUB BED
4. STAKES TO BE REMOVED AT COMPLETION OF TWO YEAR WARRANTY PERIOD

Ottawa	TITLE: CONTINUOUS SHRUB BED PLANTING	DATE:	FEB 2013
		REV:	FEB 2014
		DWG No:	L17

PREPARED FOR:

brigil

KEY PLAN



ONTARIO ASSOCIATION OF LANDSCAPE ARCHITECTS
2026-02-27
MEMBER

NOT FOR CONSTRUCTION
2025-02-27

Revision	By	Appd.	YY.MM.DD
ISSUED FOR SITE PLAN APPLICATION	JAL		26.02.27
ISSUED FOR FORMAL UDRP REVIEW	JAL		25.12.18

File Name: Dwn. Chkd. Dsgn. YY.MM.DD

REFER TO ARCHITECTURAL SITE PLAN FOR DISCIPLINE SPECIFIC PROFESSIONALS OF RECORD INFORMATION INCLUDING ARCHITECTURE, ENGINEERING, SURVEYOR AND RELATED LEGAL DESCRIPTIONS.

THIS PLAN IS CONCEPTUAL ONLY AND ISSUED FOR FORMAL UDRP REVIEW. COMPLETE LANDSCAPE DETAILS AND APPROACH TO CONSTRUCTION IS PENDING, INCLUDING SITE PLAN APPLICATION.

ALL DIMENSIONS ARE APPROXIMATE ONLY.

PREPARED BY:

siteform

Siteform Inc. Landscape Architecture
150 Elgin Street 8th Floor
Ottawa, ON K2P 1L4
www.siteform.ca

Client/Project

131, 139 PARKDALE AND 122 FORWARD AVENUE
BRIGIL

OTTAWA, ON

Title

LANDSCAPE DETAILS

Project No.	Scale	
SF 25006-001	AS NOTED	
Drawing No.	Sheet	Revision
LD1	2 of 2	C

25006-001-SF

SF 25006-001