

1. ANY DISTURBED AREA DURING CONSTRUCTION TO BE RESTORED TO ORIGINAL CONDITION OR BETTER TO THE SATISFACTION OF THE AUTHORITIES HAVING JURISDICTION (CONTRACT 7010000000000000).
2. EXISTING MATERIALS TO BE REPOSESIONED AND INVERT ELEVATIONS OF EX. UNDERGROUND SERVICES AND EX. UTILITIES TO BE MAINTAINED TO ORIGINAL CONSTRUCTION.
3. ALL EXISTING TREES, SHRUBS ETC. WITHIN THE RIGHT-OF-WAY ARE TO BE REMOVED, UNLESS OTHERWISE NOTED. A PERMISSION REQUIRED FOR WORK ON ADJACENT PROPERTIES.
4. FOR WATERMAIN STUDS, 2.4m MIN. COVER TO BE PROVIDED.
5. ANY DISTURBED MATERIAL TO BE RECOVERED BELOW THE SUBGRADE LEVEL WITHIN A BUILDING FOOTPRINT TO BE SUB-EXCAVATED AND BACKFILLED WITH COMPACTED FILL TO THE SAME AS PER GEOTECHNICAL ENGINEERS RECOMMENDATION.
6. FOR ALL EXISTING DATA, REFER TO DWG. No. 2 FOR DETAILS

[illegible]