



40mm SUPERPAVE 12.5 ASPHALTIC CONCRETE
50mm SUPERPAVE 19.0 ASPHALTIC CONCRETE
150mm OPSS GRANULAR A CRUSHED STONE
450mm OPSS GRANULAR B TYPE II

1. ANY DISTURBED AREA DURING CONSTRUCTION TO BE RESTORED TO ORIGINAL CONDITION BETTER TO THE SATISFACTION OF THE AUTHORITIES HAVING JURISDICTION OVER THE AREA.
2. LOCATIONS AND INVERT ELEVATIONS OF EX. UNDERGROUND SERVICES AND UTILITIES PRIOR TO STARTING CONSTRUCTION.
3. ALL EXISTING TREES, SHRUBS ETC., WITHIN LOTS, BLOCKS AND ROADS TO BE REMOVED.
4. PERMITS REQUIRED FOR WORK ON ADJACENT LANDS.
5. FOR WORK TO BE PROVIDED, 2.4m MIN. COVER TO BE STUBS.
6. ANY DISTURBED MATERIAL INCREASED DEPTH OF SUBGRADE LEVEL WITHIN A BUILDING FOOTPRINT TO BE SUB-EXCAVATED AND BACKFILLED WITH SUBGRADE MATERIAL TO BE TESTED AS PER GEOTECHNICAL ENGINEERS RECOMMENDATION.
7. FOR ALL TEST DATA, REFER TO DWG. NO. 3 FOR DETAILS



TOPOGRAPHIC INFORMATION

TOPOGRAPHIC INFORMATION PROVIDED BY STANTEC GEOMATICS LTD.
PROJECT No. 161614995-111. SURVEY DATED APRIL 28, 2026.

M-PLAN PROVIDED BY STANTEC GEOMATICS LTD., PROJECT No. 161614995-132, RECEIVED ON JULY 3, 2026.

ELEVATIONS SHOWN ON THIS PLAN ARE RELATED TO GEODETIC DATUM
AND ARE DERIVED FROM THE CAN-NET VRS NETWORK MONUMENT:
OTTAWA ELEVATION=95.230.

1	S.M.	26-07-13	1st SUBMISSION
No.	BY	DATE	DESCRIPTION



Tamarack
(Cardinal Creek)
Corporation

CARDINAL CREEK VILLAGE

PHASE 8



120 Iber Road, Unit 103
Stittsville, ON K2S 1E9
Tel. (613) 836-0856
Fax. (613) 836-7183
www.DSEL.ca

terrasse du Géographe Terrace

© DSEL

STA. 0+10.000 TO STA. 0+150.000

DRAWN BY: K.N	CHECKED BY: S.M.	7
DESIGNED BY: C.B	CHECKED BY: S.M	
SCALE: H=1: 500/V=1: 50	DATE: JULY 2026	

[illegible]

CITY PLAN No. XXXXXXXX

CITY FILE NO. XXXXXX